

Centre for Entomological Studies Ankara

Memoirs

ISSN 1015-8227

01 07 2018

Volume 8

A synonymous and distributional list of the species of the
Lepidoptera of Turkey

Ahmet Ömer Koçak Muhabbet Kemal

2018

<http://zoobank.org/References/EE898043-0BB2-4F98-8449-3EBDC8B7F546>

A synonymous and distributional list of the species of the Lepidoptera of Turkey

Ahmet Ömer Koçak Muhabbet Kemal ¹

Abstract: A synonymous and distributional list of the species of the Lepidoptera of Turkey. Cent. ent. Stud., *Memoirs* 8: 1-487.

In this study, totally 5577 taxa of the Lepidoptera of Turkey are listed in 76 families (9 butterfly, 67 moth families). Synonymous names are arranged chronologically. Provinces and localities recorded in Turkey, as well as the world range of each species are given as codes. Additionally, 1841 genus group names, represented in Turkey, are arranged alphabetically. Some remarks are added to certain taxa. Related 3253 bibliographical items on the Lepidoptera of Turkey are also listed with some comments in alphabetical and chronological order.

Key words: Lepidoptera, butterflies, *Argynnidae*, *Danaidae*, *Hesperiidae*, *Libytheidae*, *Lycaenidae*, *Papilionidae*, *Pieridae*, *Riodinidae*, *Satyridae*; moths, *delidae*, *Agonoxenidae*, *Alucitidae*, *Arctiidae*, *Autostichidae*, *Blastobasidae*, *Bombycidae*, *Brachodidae*, *Brahmaeidae*, *Bucculatricidae*, *Carposinidae*, *Choreutidae*, *Cimeliidae*, *Coleophoridae*, *Cosmopterigidae*, *Cossidae*, *Ctenuchidae*, *Deoclonidae*, *Douglasiidae*, *Drepanidae*, *Elachistidae*, *Endromidae*, *Epermeniidae*, *Eriocottidae*, *Eriocraniidae*, *Ethmiidae*, *Gelechiidae*, *Geometridae*, *Glyphipterygidae*, *Gracillariidae*, *Heliodinidae*, *Hepialidae*, *Incurvariidae*, *Lasiocampidae*, *Lecithoceridae*, *Lemoniidae*, *Limacodidae*, *Lymantriidae*, *Lyonetidae*, *Micronoctuidae*, *Micropterigidae*, *Momphidae*, *Nepticulidae*, *Noctuidae*, *Notodontidae*, *Oecophoridae*, *Opostegidae*, *Prodoxidae*, *Psychidae*, *Pterolonchidae*, *Pterophoridae*, *Pyrallidae*, *Roeslerstammiidae*, *Saturniidae*, *Schreckensteiniidae*, *Scythridae*, *Sesiidae*, *Sphingidae*, *Stathmopodidae*, *Thaumatopoeidae*, *Thyatiridae*, *Thyridae*, *Tineidae*, *Tischeriidae*, *Tortricidae*, *Yponomeutidae*, *Zygaenidae*, list, Turkey.

¹ Dr Muhabbet Kemal, Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey.
e-mails: muhabbet_kemal@yahoo.com.tr - Prof. em. Dr Ahmet Ömer Koçak, c/o Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology. e-mail: cesa_tr@yahoo.com.tr

Introduction

First attempts on the Lepidoptera checklists of Turkey were made by the authors (Koçak & Kemal, 2006, 2007, 2008, 2009). In the last article, 5182 species were listed from Turkey. This number has reached to 5577 in the present study. Additionally, numerous nomenclatural and taxonomical changes at the generic and specific levels have been updated here. The family group taxa and the subspecies are excluded here. The present text contains the synonymous list of the valid genus group names of the Lepidoptera, synonymical and distributional list of the species of the Lepidoptera of Turkey. At the end, a large list of the lepidopteran publications, mostly related with the taxonomy, fauna, bionomy, morphology, etc., are given as author index. The present text is almost just a code list in appearance. To understand this, the readers need to be able learn the meanings the code used. Below, some explanations have been made on the example for this purpose. A large amount of the codes and their explanations can mostly be found the recent paper that freely accessible (Koçak & Kemal, 2017).

How to read codes?

Pieris (Artogeia) rapae (Linnaeus,1758) (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. Range (as codes): **Ae AF AL AT Az BE BG BH B-H BY Ch CH Ci CN Cn Co Cr CY CZ DE DK DZ EE ES FI FR GB Gg GR Hk HU HV IE IN IQ IR IS IT JO JP KG KK Kp KW Ld LT LU LV MA Mc Md MK MN MT Nf Nj NL NO OM PK PL PT QA Rd RO SA Sa SE Si SK SS SY TJ TM TN TR UA UZ YU Aa Am Ao At Aty Ax Ba Bs Cb Ike Ir Ka Kg KP Kr KuA Kw Ky Mn No Om Pe Pr Pt Pw RU Sb Sj Sm So Sp Sr St TeA Tk Tm TrA Tt Us Vi Vc Ws Wt Xa Yb Yc Yd Yf Yg Yh Yi Yj Yk Yl Ym Yn Yo Yp Yq Yr Ys Yt Yv Yw Yx Yy Yz Zb Zc Zd Ze Zf Zg Zh Zi Zj Zk Zl Zm Zn Zo Zp Zq Zr Zs Zt Zv Zw Zx Zy Zz**

Distributional codes used in the Cesa publications were created by the authors themselves. Our programs are sensible to the codes, written upper and lower case letters. Their explanations can mostly be found in the paper, recently published (Koçak & Kemal, 2017). However, the code list in this paper needs an updating in the near future. The distributional codes of each species are extracted from the authors' database files.

For example, in the grey zone, the codes belong to the states, regions, mountains, or important localities outside of Turkey. Let's read several codes from this zone. **Ae** – Aegean Islands, **AF** – Afghanistan, **AL** – Albania, **AT** – Austria, **Az** – Azores, **BE** – Belgium, **BG** – Bulgaria, **BH** – Bahrain, **B-H** – Bosnia-Herzegovina, **BY** – Belarus, **Ch** – Cashmir, **CH** – Switzerland, **Ci** – Chitral, **CN** – China, **Cn** – Canary Islands, **Co** – Corsica, **Cr** – Crete, etc. In the green zone, the province numbers of Turkey (01-81) are used. These province codes are also official ones. For example, **02** – Adıyaman Province, **06** – Ankara Province, **30** – Hakkari Province, etc. In the yellow zone, the districts and important localities in the districts of the related province are expressed by alpha-numeric codes. For example, **02E** – Gölbaşı district of the Adıyaman Province. **06G** – Çubuk district of Ankara Province. **30B** – Hakkari district of the Hakkari Province, **30Bc** – Dez valley in the Hakkari district, etc.

In the example of *Pieris rapae* (see above), totally 527 states, regions, provinces, districts or important localities can be expressed by using codes. For that reason, coding method is inevitable for the enormous database studies. Uninterruptedly, we have been studying by using codes since 1998. In this way, we have reached a great knowledge on the Lepidoptera of the Old World up to the present time.

It should be considered that our such checklists with the codes are not simple, compiled works. Of course, we take account of published serious information. However, our contributions and evaluations are also too much to ignore.

Such enormous work may contain some missing information. In this framework, constructive criticisms are always welcomed.

Synonymous list of the genus group names of the Lepidoptera of Turkey

Below, 1841 genus group names with their synonyms are given in two parts. In the first part, 220 genus group names of the butterflies are listed alphabetically. Similarly, 1621 genus group names of the moths are given in the second part.

Butterflies

1. **Aglais Dalman, 1816** (Argynnidae) Synonym(s): *Aglais Dalman, 1816; Ichnusa Reuss, 1939*
2. **Anthocharis Boisduval, Rambur, Duméril & Graslin, 1833** (Pieridae) Synonym(s): *Anthocharis Boisduval, Rambur, Duméril & Graslin, 1833*
3. **Apatura Fabricius, 1807** (Argynnidae) Synonym(s): *Apatura Fabricius, 1807*
4. **Aphantopus Wallengren, 1853** (Satyridae) Synonym(s): *Aphantopus Wallengren, 1853*
5. **Aporia (s.str.) Hübner, [1819]** (Pieridae) Synonym(s): *Aporia Hübner, [1819]; Leuconea Donzel, 1837.*
6. **Aporia Hübner, [1819]** (Pieridae) Synonym(s): *Aporia Hübner, [1819]; Leuconea Donzel, 1837.*
7. **Araschnia Hübner, [1819]** (Argynnidae) Synonym(s): *Araschnia Hübner, [1819]*
8. **Archon Hübner, 1822** (Papilionidae) Synonym(s): *Archon Hübner, 1822; Dorarchon Rothschild, 1918.*
9. **Arethusana De Lesse, 1951** (Satyridae) Synonym(s): *Arethusana De Lesse, 1951*
10. **Argynnis (Fabriciana) Reuss, 1920** (Argynnidae) Synonym(s): *Fabriciana Reuss, 1920; Profabriciana Reuss, 1926.*
11. **Argynnis (Pandoriana) B.C.S. Warren, 1942** (Argynnidae) Synonym(s): *Pandoriana B.C.S. Warren, 1942*
12. **Argynnis (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Argynnis Fabricius, 1807; Mesodryas Reuss, 1927.*
13. **Argynnis (Speyeria) Scudder, 1872** (Argynnidae) Synonym(s): *Speyeria Scudder, 1872; Mesoacidalia Reuss, 1926*
14. **Argynnis Fabricius, 1807** (Argynnidae) Synonym(s): *Argynnis Fabricius, 1807; Mesodryas Reuss, 1927.*
15. **Belenois Hübner, [1819]** (Pieridae) Synonym(s): *Belenois Hübner, [1819]; Anaphaeis Hübner, [1819]; Pseudohuphina Stoneham, 1940; Pseudonaphaeis Bernardi, 1953*
16. **Boloria (Clossiana) Reuss, 1920** (Argynnidae) Synonym(s): *Clossiana Reuss, 1920*
17. **Boloria (Procllossiana) Reuss, 1926** (Argynnidae) Synonym(s): *Procllossiana Reuss, 1926*
18. **Boloria (s.str.) Moore, [1900]** (Argynnidae) Synonym(s): *Boloria Moore, [1900]; Smoljana Slivov, 1995.*
19. **Boloria Moore, [1900]** (Argynnidae) Synonym(s): *Boloria Moore, [1900]; Smoljana Slivov, 1995.*
20. **Brenthis Hübner, [1819]** (Argynnidae) Synonym(s): *Brenthis Hübner, [1819]; Neobrenthis Koçak, 1980.*
21. **Brintesia Fruhstorfer, 1911** (Satyridae) Synonym(s): *Brintesia Fruhstorfer, 1911*
22. **Cacyreus Butler, [1898]** (Lycaenidae) Synonym(s): *Cacyreus Butler, [1898]; Hyreus Hübner, [1819]*
23. **Callophrys Billberg, 1820** (Lycaenidae) Synonym(s): *Lycus Hübner, [1819] nec Fabr., 1787; Callophrys Billberg, 1820; Licus Hübner, [1823]; Incisalia Scudder, 1872; Mitoura Scudder, 1872; Satsuma Murray, 1875 nec Adams, 1868; Ahlbergia Bryk, 1946; Ginzia Okano, 1947; #Callophrys Barragué, 1954; Sandia Clench & Ehrlich, 1960; Xamia Clench, 1961; Cisincisalia K.Johnson, 1992; Loranthomitoura Ballmer & Pratt, 1992; Novosatsuma K.Johnson, 1992; Cissatsuma K.Johnson, 1992; Deciduphagus K.Johnson, 1992*
24. **Carcharodus (Lavatheria) Verity, 1940** (Hesperiidae) Synonym(s): *Lavatheria Verity, 1940*
25. **Carcharodus (Reverdinus) Ragusa, 1919** (Hesperiidae) Synonym(s): *Reverdinus Ragusa, 1919*
26. **Carcharodus (s.str.) Hübner, [1819]** (Hesperiidae) Synonym(s): *Carcharodus Hübner, [1819]; Spilothyrus Duponchel, 1835*
27. **Carcharodus Hübner, [1819]** (Hesperiidae) Synonym(s): *Carcharodus Hübner, [1819]; Spilothyrus Duponchel, 1835*
28. **Carterocephalus Lederer, 1852** (Hesperiidae) Synonym(s): *Carterocephalus Lederer, 1852; Aubertia Oberthür, 1896; Pamphilida Lindsey, 1925.*
29. **Catopsilia Hübner, [1819]** (Pieridae) Synonym(s): *Catopsilia Hübner, [1819]; Murtia Hübner, [1819]*
30. **Celastrina Tutt, 1906** (Lycaenidae) Synonym(s): *Celastrina Tutt, 1906; Cyaniriodes Matsumura, 1919 nec De Niceville, 1890; Maslowskia Kurenzov, 1974.*
31. **Charaxes Ochsenheimer, 1816** (Argynnidae) Synonym(s): *Charaxes Ochsenheimer, 1816; Paphia Fabricius, 1807 nec Röding, 1798 (rejected); Jasia Swainson, 1832.*
32. **Chazara (Neochazara) Koçak, 1989** (Satyridae) Synonym(s): *Philareta Moore, 1893 nec Mre., 1881; Neochazara Koçak, 1989*

33. **Chazara (s.str.) Moore, [1893]** (Satyridae) Synonym(s): *Chazara Moore, [1893]*
34. **Chazara Moore, [1893]** (Satyridae) Synonym(s): *Chazara Moore, [1893]*
35. **Chilades (Freyeria) Courvoisier, 1920** (Lycaenidae) Synonym(s): *Freyeria Courvoisier, 1920*
36. **Chilades (Lachides) Nekrutenko, 1984** (Lycaenidae) Synonym(s): *Lachides Nekrutenko, 1984*
37. **Chilades Moore, [1881]** (Lycaenidae) Synonym(s): *Chilades Moore, [1881]*
38. **Cigaritis Donzel, 1847** (Lycaenidae) Synonym(s): *Cigaritis Donzel, 1847; Spindasis Wallengren, 1857; Aphantitis Riley, 1925; #Zigaritis Pfeiffer, 1932*
39. **Coenonympha (s.str.) Hübner, [1819]** (Satyridae) Synonym(s): *Coenonympha Hübner, [1819]; Chortobius [Dunning & Pickard], 1859; Sicca Verity, 1953*
40. **Coenonympha Hübner, [1819]** (Satyridae) Synonym(s): *Coenonympha Hübner, [1819]; Chortobius [Dunning & Pickard], 1859; Sicca Verity, 1953*
41. **Colias (Eriocolias) Watson, 1895** (Pieridae) Synonym(s): *Eriocolias Watson, 1895*
42. **Colias (Neocolias) Berger, 1986** (Pieridae) Synonym(s): *Neocolias Berger, 1986*
43. **Colias (s.str.) Fabricius, 1807** (Pieridae) Synonym(s): *Colias Fabricius, 1807; Eurymus Horsfield, 1829; Coliastes Hemming, 1931; Protocolias Petersen, 1963; Mesocolias Petersen, 1963*
44. **Colias Fabricius, 1807** (Pieridae) Synonym(s): *Colias Fabricius, 1807; Eurymus Horsfield, 1829; Coliastes Hemming, 1931; Protocolias Petersen, 1963; Mesocolias Petersen, 1963*
45. **Colotis (s.str.) Hübner, [1819]** (Pieridae) Synonym(s): *Colotis Hübner, [1819]; Aphrodite Hübner, [1819]; Idmais Boisduval, 1836; Callosune Doubleday, 1847; Anthopsyche Wallengren, 1857; Ptychopteryx Wallengren, 1857; Thespia Wallengren, 1858; Calicharis Oberthür, 1876; Madais Swinhoe, 1909.*
46. **Colotis (Teracolos) Swainson, [1833]** (Pieridae) Synonym(s): *Teracolos Swainson, [1833]*
47. **Colotis Hübner, [1819]** (Pieridae) Synonym(s): *Colotis Hübner, [1819]; Aphrodite Hübner, [1819]; Idmais Boisduval, 1836; Callosune Doubleday, 1847; Anthopsyche Wallengren, 1857; Ptychopteryx Wallengren, 1857; Thespia Wallengren, 1858; Calicharis Oberthür, 1876; Madais Swinhoe, 1909.*
48. **Cupido (Everes) Hübner, [1819]** (Lycaenidae) Synonym(s): *Everes Hübner, [1819]; Tiora Evans, 1912; Ununcula van Eecke, 1915*
49. **Cupido (s.str.) Schrank, 1801** (Lycaenidae) Synonym(s): *Cupido Schrank, 1801*
50. **Cupido Schrank, 1801** (Lycaenidae) Synonym(s): *Cupido Schrank, 1801*
51. **Danaus (Anosia) Hübner, [1816]** (Danaiidae) Synonym(s): *Limnas Hübner, [1806] (rejected; Opinion 278, 1954); Anosia Hübner, [1816]; Panlymnas Bryk, 1937.*
52. **Danaus Kluk, 1802** (Danaiidae) Synonym(s): *Danaus Kluk, 1802; Danaida Latreille, 1804; Danais Latreille, 1807; Festivus Crotch, 1872; Tasitia Moore, 1883; Danaomorpha Kremky, 1925; Panlymnas Bryk, 1937.*
53. **Eogenes Mabille, 1909** (Hesperiidae) Synonym(s): *Eogenes Mabille, 1909; Elwesia Evans, 1926 nec Hampson, 1894; Chitralia Evans, 1932*
54. **Erebia Dalman, 1816** (Satyridae) Synonym(s): *Erebia Dalman, 1816; Epigea Hübner, 1819; Phorcis Hübner, 1819; Syngea Hübner, 1819; Marica Hübner, 1819; Oreina Humphrey & Westwood, 1841 nec Chevr., 1835; Medusia Verity, 1953; Triariia Verity, 1953; Simplicia Verity, 1953 nec Gn., 1854; Truncaefalcia Verity, 1953; Simplospinosia Verity, 1957*
55. **Erynnis (Hesperopegasus) Seven, 2002** (Hesperiidae) Synonym(s): *Hallia Tutt, [1906] nec Edwards & Haime, 1850; Hesperopegasus Seven, 2002.*
56. **Erynnis (s.str.) Schrank, 1801** (Hesperiidae) Synonym(s): *Erynnis Schrank, 1801*
57. **Erynnis Schrank, 1801** (Hesperiidae) Synonym(s): *Erynnis Schrank, 1801*
58. **Esperarge (s.str.) Nekrutenko, 1988** (Satyridae) Synonym(s): *Esperia Nekrutenko, 1987 nec Hübn., [1825]; Esperella Nekrutenko, 1987 nec Vosmaer, 1885; Esperarge Nekrutenko, 1988.*
59. **Esperarge Nekrutenko, 1988** (Satyridae) Synonym(s): *Esperia Nekrutenko, 1987 nec Hübn., [1825]; Esperella Nekrutenko, 1987 nec Vosmaer, 1885; Esperarge Nekrutenko, 1988.*
60. **Euapatura Ebert, 1971** (Argynniidae) Synonym(s): *Euapatura Ebert, 1971; Protapatura Igarashi, 1971.*
61. **Euchloe (Elphinstonia) Klots, 1930** (Pieridae) Synonym(s): *Elphinstonia Klots, 1930*
62. **Euchloe (s.str.) Hübner, [1819]** (Pieridae) Synonym(s): *Euchloe Hübner, [1819]; Phyllocharis Schatz, [1886] nec Dalman, 1824*
63. **Euchloe Hübner, [1819]** (Pieridae) Synonym(s): *Euchloe Hübner, [1819]; Phyllocharis Schatz, [1886] nec Dalman, 1824*
64. **Euphydryas (Eurodryas) Higgins, 1978** (Argynniidae) Synonym(s): *Eurodryas Higgins, 1978; Oreodryas Lastukhin, 2008; Taigadryas Lastukhin, 2008; Protodryas Lastukhin, 2008 nec Reuss, 1928; Afrodryas Lastukhin, 2008 nec Stoneham, 1957*
65. **Euphydryas (Hypodryas) Higgins, 1978** (Argynniidae) Synonym(s): *Hypodryas Higgins, 1978; Neodryas Lastukhin, 2008; Cryodryas Lastukhin, 2008*
66. **Euphydryas Scudder, 1872** (Argynniidae) Synonym(s): *Euphydryas Scudder, 1872*
67. **Gegenes Hübner, [1819]** (Hesperiidae) Synonym(s): *Gegenes Hübner, [1819]; Philoodus Rambur, 1842*
68. **Glaucopsyche (Apelles) Hemming, 1931** (Lycaenidae) Synonym(s): *Apelles Hemming, 1931*

69. **Glaucopsyche (Iolana) Bethune-Baker, 1914** (Lycaenidae) Synonym(s): *Iolana Bethune-Baker, 1914*
70. **Glaucopsyche (s.str.) Scudder, 1872** (Lycaenidae) Synonym(s): *Glaucopsyche Scudder, 1872*
71. **Glaucopsyche Scudder, 1872** (Lycaenidae) Synonym(s): *Glaucopsyche Scudder, 1872*
72. **Gonepteryx (Isogonepteryx) Nekrutenko, 1968** (Pieridae) Synonym(s): *Isogonepteryx Nekrutenko, 1968*
73. **Gonepteryx (s.str.) [Leach], [1815]** (Pieridae) Synonym(s): *Gonepteryx [Leach], [1815]; Rhodocera Boisduval & Leconte, [1830]; Earina Speyer, 1839; Eugonepteryx Nekrutenko, 1968.*
74. **Gonepteryx [Leach], [1815]** (Pieridae) Synonym(s): *Gonepteryx [Leach], [1815]; Rhodocera Boisduval & Leconte, [1830]; Earina Speyer, 1839; Eugonepteryx Nekrutenko, 1968.*
75. **Hamearis Hübner, [1819]** (Riodinidae) Synonym(s): *Hamearis Hübner, [1819]*
76. **Hesperia Fabricius, 1793** (Hesperiidae) Synonym(s): *Hesperia Fabricius, 1793; Pamphila Fabricius, 1807; Diorthosus Rafinesque, 1815; Symmachia Sodoffsky, 1837 nec Hübn., 1819; Anthomaster Scudder, 1872; Ocytes Scudder, 1872; Urbicola Tutt, 1905*
77. **Heteropterus Duméril, 1806** (Hesperiidae) Synonym(s): *Heteropterus Duméril, 1806*
78. **Hipparchia (Neohipparchia) De Lesse, 1951** (Satyridae) Synonym(s): *Neohipparchia De Lesse, 1951*
79. **Hipparchia (Parahipparchia) Kudrna, 1977** (Satyridae) Synonym(s): *Parahipparchia Kudrna, 1977*
80. **Hipparchia (Pseudotergumia) Agenjo, 1947** (Satyridae) Synonym(s): *Pseudotergumia Agenjo, 1947*
81. **Hipparchia (s.str.) Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia Fabricius, 1807*
82. **Hipparchia Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia Fabricius, 1807*
83. **Hypolimnias Hübner, [1819]** (Argynnidae) Synonym(s): *Hypolimnias Hübner, [1819]; Diadema Boisduval, [1832]; Eucalia Felder, 1861; Euralia Westwood, [1850]*
84. **Hyponephele (s.str. (Ereminephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Ereminephele Koçak & Kemal, 2001*
85. **Hyponephele (s.str. (Iranonephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Iranonephele Koçak & Kemal, 2001*
86. **Hyponephele (s.str. (Tengrinephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Tengrinephele Koçak & Kemal, 2001*
87. **Hyponephele (s.str. (Turaninephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Turaninephele Koçak & Kemal, 2001*
88. **Hyponephele (s.str.) Muschamp, 1915** (Satyridae) Synonym(s): *Hyponephele Muschamp, 1915*
89. **Hyponephele Muschamp, 1915** (Satyridae) Synonym(s): *Hyponephele Muschamp, 1915*
90. **Idata De Lesse, 1952** (Satyridae) Synonym(s): *Idata De Lesse, 1952*
91. **Inachis Hübner, [1819]** (Argynnidae) Synonym(s): *Inachis Hübner, [1819]*
92. **Iphiclides Hübner, [1819]** (Papilionidae) Synonym(s): *Iphiclides Hübner, [1819]; Podalirius Swainson, [1833] nec Latreille, 1802.*
93. **Issoria Hübner, [1819]** (Argynnidae) Synonym(s): *Issoria Hübner, [1819]; Rathora Moore, [1900]; Yramea Reuss, 1920; Kukenthaliella Reuss, 1921; Prokuekenthaliella Reuss, 1926; Pseudorathora Reuss, 1926; Chilargynnis Bryk, 1945*
94. **Kirinia (Melike) Koçak & Kemal, 2002** (Satyridae) Synonym(s): *Melike Koçak & Kemal, 2002*
95. **Kirinia Moore, [1893]** (Satyridae) Synonym(s): *Kirinia Moore, [1893]*
96. **Lampides Hübner, [1819]** (Lycaenidae) Synonym(s): *Lampides Hübner, [1819]; Cosmolyce Toxopeus, 1927.*
97. **Lasiommata Westwood, 1841** (Satyridae) Synonym(s): *Lasiommata Westwood, 1841*
98. **Leptidea Billberg, 1820** (Pieridae) Synonym(s): *Leptidea Billberg, 1820; Leucophasia Stephens, 1827*
99. **Leptotes Scudder, 1876** (Lycaenidae) Synonym(s): *Leptotes Scudder, 1876; Syntarucus Butler, [1901]; Syntarucoides Kaye, 1904; Langia Tutt, [1906] nec Moore, 1872; Raywardia Tutt, 1908.*
100. **Libythea (s.str.) Fabricius, 1807** (Libytheidae) Synonym(s): *Libythea Fabricius, 1807; Hecaerge Ochsenheimer, 1816; Hypatus Hübner, 1822; Libythaeus Boitard, 1828; Dichora Scudder, 1889.*
101. **Libythea Fabricius, 1807** (Libytheidae) Synonym(s): *Libythea Fabricius, 1807; Hecaerge Ochsenheimer, 1816; Hypatus Hübner, 1822; Libythaeus Boitard, 1828; Dichora Scudder, 1889.*
102. **Limenitis (Azuritis) Boudinot, 1986** (Argynnidae) Synonym(s): *Azuritis Boudinot, 1986*
103. **Limenitis (Ladoga) Moore, [1898]** (Argynnidae) Synonym(s): *Ladoga Moore, [1898]*
104. **Lycaena (Alciphronia) Koçak, 1992** (Lycaenidae) Synonym(s): *Alciphronia Koçak, 1992*
105. **Lycaena (Heodes) Dalman, 1816** (Lycaenidae) Synonym(s): *Heodes Dalman, 1816; Chrysoptera Zincken, 1817.*
106. **Lycaena (Loweia) Tutt, [1906]** (Lycaenidae) Synonym(s): *Loweia Tutt, [1906]; Palaeoloweia Verity, 1934.*

107. **Lycaena (Margelycaena) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Phoenicurusia auct. nec Verity, 1943; Margelycaena Koçak & Kemal, 2001*
108. **Lycaena (Palaeochrysophanus) Verity, 1943** (Lycaenidae) Synonym(s): *Palaeochrysophanus Verity, 1943*
109. **Lycaena (Phoenicurusia) Verity, 1943** (Lycaenidae) Synonym(s): *Phoenicurusia Verity, 1943; Athamanthia Zhdanko, 1983*
110. **Lycaena (s.str.) Fabricius, 1807** (Lycaenidae) Synonym(s): *Lycaena Fabricius, 1807*
111. **Lycaena (Thersamolycaena) Verity, 1957** (Lycaenidae) Synonym(s): *Disparia Verity, 1943 nec Nagano, 1916; Thersamolycaena Verity, 1957; #Thersamonolycaena Churkin, 1999*
112. **Lycaena (Thersamonia) Verity, 1919** (Lycaenidae) Synonym(s): *Thersamonia Verity, 1919; Hyllolycaena & L. Miller & F.M. Brown, 1979*
113. **Lycaena Fabricius, 1807** (Lycaenidae) Synonym(s): *Lycaena Fabricius, 1807; Lycia Sodoffsky, 1837; Migonitis Sodoffsky, 1837; Rumicia Tutt, 1906.*
114. **Maniola (s.str.) Schrank, 1801** (Satyridae) Synonym(s): *Maniola Schrank, 1801; Epinephele Hübner, [1819]*
115. **Maniola (Telmessiola) Koçak & Kemal, 2002** (Satyridae) Synonym(s): *Telmessiola Koçak & Kemal, 2002*
116. **Maniola Schrank, 1801** (Satyridae) Synonym(s): *Maniola Schrank, 1801; Epinephele Hübner, [1819]*
117. **Melanargia (Parce) Oberthür & Houlbert, 1922** (Satyridae) Synonym(s): *Parce Oberthür & Houlbert, 1922*
118. **Melanargia (s.str.) Meigen, 1828** (Satyridae) Synonym(s): *Agapetes Billberg, 1820 (rejected); Melanargia Meigen, 1828; Lachesis Oberthür & Houlbert, 1922 nec Daudin, 1803.*
119. **Melanargia (Turcargia) Koçak & Kemal, 2002** (Satyridae) Synonym(s): *Turcargia Koçak & Kemal, 2002*
120. **Melanargia Meigen, 1828** (Satyridae) Synonym(s): *Agapetes Billberg, 1820 (rejected); Melanargia Meigen, 1828; Lachesis Oberthür & Houlbert, 1922 nec Daudin, 1803.*
121. **Melitaea (Cinclidia) Hübner, [1819]** (Argynnidae) Synonym(s): *Cinclidia Hübner, [1819]*
122. **Melitaea (Didymaeformis) Verity, 1950** (Argynnidae) Synonym(s): *Didymaeformis Verity, 1950.*
123. **Melitaea (Melicta) Billberg, 1820** (Argynnidae) Synonym(s): *Melicta Billberg, 1820*
124. **Melitaea (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Melitaea Fabricius, 1807*
125. **Melitaea Fabricius, 1807** (Argynnidae) Synonym(s): *Melitaea Fabricius, 1807; Lucina Rafinesque, 1815; Schoenis Hübner, [1819]; Melinaea Sodoffsky, 1837.*
126. **Minois Hübner, [1819]** (Satyridae) Synonym(s): *Minois Hübner, [1819]*
127. **Muschampia Tutt, [1906]** (Hesperiidae) Synonym(s): *Muschampia Tutt, [1906]*
128. **Neolycaena (Rhymnaria) Zhdanko, 1983** (Lycaenidae) Synonym(s): *Rhymnaria Zhdanko, 1983*
129. **Neolycaena De Nicéville, 1890** (Lycaenidae) Synonym(s): *Neolycaena De Nicéville, 1890*
130. **Neptis (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Neptis Fabricius, 1807; Philonoma Billberg, 1820; Paraneptis Moore, [1898]; Kalkasia Moore, [1898]; Hamadryodes Moore, [1898]; Bimbisara Moore, [1898]; Stabrobates Moore, [1898]; Rasalia Moore, [1898]; Neptidomina Holland, 1920.*
131. **Neptis Fabricius, 1807** (Argynnidae) Synonym(s): *Neptis Fabricius, 1807; Philonoma Billberg, 1820; Paraneptis Moore, [1898]; Kalkasia Moore, [1898]; Hamadryodes Moore, [1898]; Bimbisara Moore, [1898]; Stabrobates Moore, [1898]; Rasalia Moore, [1898]; Neptidomina Holland, 1920.*
132. **Nymphalis Kluk, 1802** (Argynnidae) Synonym(s): *Nymphalis Kluk, 1802; Hamadryas Hübner, [1806]; Scudderia Grote, 1873 nec Stal, 1873; Euvanessa Scudder, 1889; Antiopana Korb, 2005*
133. **Ochlodes Scudder, 1872** (Hesperiidae) Synonym(s): *Ochlodes Scudder, 1872*
134. **Papilio (s.str. (Alexanoria)) Koçak & Kemal, 2002** (Papilionidae) Synonym(s): *Alexanoria Koçak & Kemal, 2002*
135. **Papilio (s.str.) Linnaeus, 1758** (Papilionidae) Synonym(s): *Papilio Linnaeus, 1758; Amaryssus Dalman, 1816; Aernauta Berge, 1842.*
136. **Papilio Linnaeus, 1758** (Papilionidae) Synonym(s): *Papilio Linnaeus, 1758; Amaryssus Dalman, 1816; Aernauta Berge, 1842.*
137. **Pararge Hübner, [1819]** (Satyridae) Synonym(s): *Pararge Hübner, [1819]*
138. **Parnassius (Driopa) Korshunov, 1988** (Papilionidae) Synonym(s): *Driopa Korshunov, 1988; Erythrotrioparia Korshunov, 1988; Adoritis Koçak, 1989; Eversmanniodriopa Korb, 2005*
139. **Parnassius (s.str.) Schneider, 1785** (Papilionidae) Synonym(s): *Parnassius Schneider, 1785; Parnassius Latreille, 1804; Doritis Fabricius, 1807; Parnassis Hübner, [1819]; Therius Billberg, 1820; Tadumia Moore, 1902; Kailasius Moore, 1902; Koramius Moore, 1902; Lingamius Bryk, 1935; Eukoramius Bryk, 1935; Sachaia Korshunov, 1988; Quinhaicus Korshunov, 1988; Krezbergius Korshunov, 1988*
140. **Parnassius Schneider, 1785** (Papilionidae) Synonym(s): *Parnassius Schneider, 1785; Parnassius Latreille, 1804; Doritis Fabricius, 1807; Parnassis Hübner, [1819]; Therius Billberg, 1820; Tadumia Moore, 1902; Kailasius Moore, 1902; Koramius Moore, 1902; Lingamius Bryk, 1935; Eukoramius Bryk, 1935; Sachaia Korshunov, 1988; Quinhaicus Korshunov, 1988; Krezbergius Korshunov, 1988*

141. **Pelopidas Walker, 1870** (Hesperiidae) Synonym(s): *Pelopidas Walker, 1870*; *Chapra Moore, [1881]*
142. **Phengaris Doherty, 1891** (Lycaenidae) Synonym(s): *#Argus Boisduval, [1832]* nec *Bohadsch, 1761*; *Phengaris Doherty, 1891*; *Maculinea van Eecke, 1915*
143. **Pieris (Artogeia) Verity, 1947** (Pieridae) Synonym(s): *Artogeia Verity, 1947*
144. **Pieris (s.str.) Schrank, 1801** (Pieridae) Synonym(s): *Pieris Schrank, 1801*; *Ganoris Dalman, 1816*; *Andropodum Hübner, 1822*
145. **Pieris Schrank, 1801** (Pieridae) Synonym(s): *Pieris Schrank, 1801*; *Ganoris Dalman, 1816*; *Andropodum Hübner, 1822*
146. **Plebejus (Kretania) Beuret, 1959** (Lycaenidae) Synonym(s): *Kretania Beuret, 1959*
147. **Plebejus (Lycaeides) Hübner, [1819]** (Lycaenidae) Synonym(s): *Lycaeides Hübner, [1819]*
148. **Plebejus (Plebejides) Sauter, 1968** (Lycaenidae) Synonym(s): *Plebejides Sauter, 1968*
149. **Plebejus (s.str.) Kluk, 1802** (Lycaenidae) Synonym(s): *Plebejus Kluk, 1802*
150. **Plebejus Kluk, 1802** (Lycaenidae) Synonym(s): *Plebejus Kluk, 1802*; *Plebeius Kirby, 1871* nec *Tschudi, 1846*.
151. **Polygonia (Comma) Rennie, 1832** (Argynnidae) Synonym(s): *Comma Rennie, 1832*.
152. **Polygonia Hübner, [1819]** (Argynnidae) Synonym(s): *Polygonia Hübner, [1819]*; *Eugonia Hübner, [1819]*; *Grapta Kirby, 1837*.
153. **Polyommatus (Agriades (s.str.)) Hübner, [1819]** (Lycaenidae) Synonym(s): *Agriades Hübner, [1819]*; *Latorina Tutt, [1909]*
154. **Polyommatus (Albulina (Plebejidea)) Koçak, 1983** (Lycaenidae) Synonym(s): *Plebejidea Koçak, 1983*; *Glabroculus Lvovsky, 1993*; *Elviria Zhdanko, 1994*.
155. **Polyommatus (Albulina (Vacciniina)) Tutt, [1909]** (Lycaenidae) Synonym(s): *Vacciniina Tutt, [1909]*; *Farsia Zhdanko, 1994*
156. **Polyommatus (Aricia (Eumedonia)) Forster, 1938** (Lycaenidae) Synonym(s): *Eumedonia Forster, 1938*
157. **Polyommatus (Aricia (Pseudoaricia)) Beuret, 1959** (Lycaenidae) Synonym(s): *Pseudoaricia Beuret, 1959*
158. **Polyommatus (Aricia (s.str.)) Reichenbach, 1817** (Lycaenidae) Synonym(s): *Aricia s.str. Reichenbach, 1817*
159. **Polyommatus (Aricia (Ultraaricia)) Beuret, 1959** (Lycaenidae) Synonym(s): *Ultraaricia Beuret, 1959*
160. **Polyommatus (Aricia) [Reichenbach], 1817** (Lycaenidae) Synonym(s): *Aricia [Reichenbach], 1817*; *Gynomorphia Verity, 1929*.
161. **Polyommatus (s.str. (Agrodiaetus (Actisia))) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Actisia Koçak & Kemal, 2001*
162. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) Koçak & Seven, 1998** (Lycaenidae) Synonym(s): *Admetusia Koçak & Seven, 1998*
163. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Antidolus Koçak & Kemal, 2001*
164. **Polyommatus (s.str. (Agrodiaetus (Damaia))) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Damaia Koçak & Kemal, 2001*
165. **Polyommatus (s.str. (Agrodiaetus (Musa))) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Musa Koçak & Kemal, 2001*
166. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Phyllisia Koçak & Kemal, 2001*
167. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Transcaspius Koçak & Kemal, 2001*
168. **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *Xerxesia Koçak & Kemal, 2001*
169. **Polyommatus (s.str. (Agrodiaetus)) Hübner, 1822** (Lycaenidae) Synonym(s): *Agrodiaetus Hübner, 1822*; *Hirsutina Tutt, [1909]*.
170. **Polyommatus (s.str. (Cyaniris)) Dalman, 1816** (Lycaenidae) Synonym(s): *Cyaniris Dalman, 1816*; *Nomiades Hübner, [1819]*.
171. **Polyommatus (s.str. (Lysandra)) Hemming, 1933** (Lycaenidae) Synonym(s): *Lysandra Hemming, 1933*
172. **Polyommatus (s.str. (Meleageria)) De Sagarra, 1925** (Lycaenidae) Synonym(s): *Meleageria De Sagarra, 1925*
173. **Polyommatus (s.str. (Neolysandra)) Koçak, 1977** (Lycaenidae) Synonym(s): *Neolysandra Koçak, 1977*
174. **Polyommatus (s.str. (Plebicula)) Higgins, 1969** (Lycaenidae) Synonym(s): *Plebicula Higgins, 1969*

175. **Polyommatus (s.str. (Sublysandra)) Koçak, 1977** (Lycaenidae) Synonym(s): *Sublysandra Koçak, 1977*
176. **Polyommatus (s.str. (Thersitesia)) Koçak & Seven, 1998** (Lycaenidae) Synonym(s): *Thersitesia Koçak & Seven, 1998*
177. **Polyommatus (s.str.) Latreille, 1804** (Lycaenidae) Synonym(s): *Polyommatus Latreille, 1804*
178. **Polyommatus Latreille, 1804** (Lycaenidae) Synonym(s): *Polyommatus Latreille, 1804*
179. **Pontia Fabricius, 1807** (Pieridae) Synonym(s): *Pontia Fabricius, 1807; Synchloe Hübner, 1818; Mancipium Stephens, 1827; Parapieris Nicéville, 1897; Leucochloe Röber, 1907; Pontieuchloia Verity, 1929.*
180. **Precis (Junonia) Hübner, [1819]** (Argynnisidae) Synonym(s): *Junonia Hübner, [1819]*
181. **Princeps (s.str.) Hübner, [1807]** (Papilionidae) Synonym(s): *Princeps Hübner, [1807]*
182. **Princeps Hübner, [1807]** (Papilionidae) Synonym(s): *Princeps Hübner, [1807]*
183. **Proterebia Roos & Arnscheid, 1980** (Satyridae) Synonym(s): *Proterebia Roos & Arnscheid, 1980*
184. **Pseudochazara (Achazara) Koçak, 1996** (Satyridae) Synonym(s): *Achazara Koçak, 1996*
185. **Pseudochazara (s.str.) De Lesse, 1951** (Satyridae) Synonym(s): *Pseudochazara De Lesse, 1951*
186. **Pseudochazara De Lesse, 1951** (Satyridae) Synonym(s): *Pseudochazara De Lesse, 1951*
187. **Pseudophilotes Beuret, 1958** (Lycaenidae) Synonym(s): *Pseudophilotes Beuret, 1958*
188. **Pyrgus Hübner, [1819]** (Hesperiidae) Synonym(s): *Pyrgus Hübner, [1819]; Scelotrix Rambur, 1858; Teleomorpha B.C.S. Warren, 1926; Hemiteleomorpha B.C.S. Warren, 1926; Ateleomorpha B.C.S. Warren, 1926; Scelothrix Scudder, 1875; Bremeria Tutt, 1906 nec Mre., [1896] non Alph., 1892.*
189. **Pyronia Hübner, [1819]** (Satyridae) Synonym(s): *Pyronia Hübner, [1819]; Pasiphana De Lesse, 1952.*
190. **Quercusia Verity, 1943** (Lycaenidae) Synonym(s): *Quercusia Verity, 1943*
191. **Rubrapterus Korshunov, 1987** (Lycaenidae) Synonym(s): *Rubrapterus Korshunov, 1987*
192. **Satyrium (Armenia) Dubatolov & Korshunov, 1984** (Lycaenidae) Synonym(s): *Armenia Dubatolov & Korshunov, 1984*
193. **Satyrium (Nordmannia) Tutt, [1907]** (Lycaenidae) Synonym(s): *Nordmannia Tutt, [1907]*
194. **Satyrium (Strymonidia) Tutt, [1908]** (Lycaenidae) Synonym(s): *Strymonidia Tutt, [1908]*
195. **Satyrium (Superflua) Strand, 1910** (Lycaenidae) Synonym(s): *Superflua Strand, 1910*
196. **Satyrium Scudder, 1876** (Lycaenidae) Synonym(s): *Satyrium Scudder, 1876; Callipsyche Scudder, 1876.*
197. **Satyrus (Asatyrus) Koçak & Kemal, 2002** (Satyridae) Synonym(s): *Asatyrus Koçak & Kemal, 2002*
198. **Satyrus (s.str.(s.str.)) Latreille, 1810** (Satyridae) Synonym(s): *Satyrus Latreille, 1810*
199. **Satyrus Latreille, 1810** (Satyridae) Synonym(s): *Satyrus Latreille, 1810*
200. **Scolitantides Hübner, [1819]** (Lycaenidae) Synonym(s): *Scolitantides Hübner, [1819]*
201. **Spialia (Neospialia) Koçak, 1989** (Hesperiidae) Synonym(s): *Powellia Tutt, [1906] nec Maskell, 1879; Neospialia Koçak, 1989.*
202. **Spialia (s.str.) Swinhoe, [1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe, 1912*
203. **Spialia Swinhoe, [1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe, 1912*
204. **Tarucus (s.str.) Moore, [1881]** (Lycaenidae) Synonym(s): *Tarucus Moore, [1881]*
205. **Tarucus Moore, [1881]** (Lycaenidae) Synonym(s): *Tarucus Moore, [1881]*
206. **Thaleropsis Staudinger, 1871** (Argynnisidae) Synonym(s): *Thaleropsis Staudinger, 1871*
207. **Thecla Fabricius, 1807** (Lycaenidae) Synonym(s): *Thecla Fabricius, 1807; #Theclaria Rafinesque, 1815; Zephyrus Dalman, 1816; Aurotis Dalman, 1816; Zephyrius Billberg, 1820; Ruralis Tutt, [1906].*
208. **Thymelicus Hübner, [1819]** (Hesperiidae) Synonym(s): *Thymelicus Hübner, [1819]; Adopoea Billberg, 1820; Pelion Kirby, 1858.*
209. **Tomares Rambur, [1840]** (Lycaenidae) Synonym(s): *Tomares Rambur, [1840]*
210. **Triphysa Zeller, 1850** (Satyridae) Synonym(s): *Triphysa Zeller, 1850*
211. **Turanana Bethune-Baker, 1916** (Lycaenidae) Synonym(s): *Turania Bethune-Baker, 1914 nec Rag., 1890; Turanana Bethune-Baker, 1916*
212. **Vanessa (Cynthia) Fabricius, 1807** (Argynnisidae) Synonym(s): *Cynthia Fabricius, 1807; Neopyrameis Scudder, 1889; Fieldia Niculescu, 1979 (praeocc.); Neofieldia Özdikmen, 2008.*
213. **Vanessa (s.str.) Fabricius, 1807** (Argynnisidae) Synonym(s): *Vanessa Fabricius, 1807; Pyrameis Hübner, [1819]; Ammiralis Rennie, 1832; Phanessa Sodoffsky, 1837.*
214. **Vanessa Fabricius, 1807** (Argynnisidae) Synonym(s): *Vanessa Fabricius, 1807; Pyrameis Hübner, [1819]; Ammiralis Rennie, 1832; Phanessa Sodoffsky, 1837.*
215. **Ypthima Hübner, 1818** (Satyridae) Synonym(s): *Ypthima Hübner, 1818*
216. **Zegris Boisduval, 1836** (Pieridae) Synonym(s): *Zegris Boisduval, 1836; Zegris Rambur, [1837].*
217. **Zerynthia (Allancastris) Bryk, 1934** (Papilionidae) Synonym(s): *Allancastris Bryk, 1934*
218. **Zerynthia (s.str.) Ochsenheimer, 1816** (Papilionidae) Synonym(s): *Thais Fabricius, 1807 nec Röding, 1798; Zerynthia Ochsenheimer, 1816; Eugraphis Billberg, 1820;*

- 219. Zerynthia Ochsenheimer, 1816** (Papilionidae) **Synonym(s):** *Thais* Fabricius, 1807 nec Röding, 1798; *Zerynthia Ochsenheimer*, 1816; *Eugraphis* Billberg, 1820;
220. Zizeeria Chapman, 1910 (Lycaenidae) **Synonym(s):** *Zizeeria* Chapman, 1910

Moths

- 221. Abraxas (Calospilos) Hübner, [1825]** (Geometridae) **Synonym(s):** *Calospilos* Hübner, [1825]; *Callispilus* Agassiz, 1847
222. Abraxas Leach, [1815] (Geometridae) **Synonym(s):** *Abraxas* Leach, [1815]; *Spilota* Hübner, 1818; *Zerene* Treitschke, 1825 nec Hbn., [1819]; *Xerene* Stephens, 1829; *Zirene* Unger, 1856
223. Abrostola Ochsenheimer, 1816 (Noctuidae) **Synonym(s):** *#Unca* Oken, 1813; *Abrostola* Ochsenheimer, 1816; *Habrostola* Sodoffsky, 1837; *Inguridia* Butler, 1879; *Unca* Lhomme, [1929]; *Trigeminostola* Beck, 1991; *Asclepistola* Beck, 1991
224. Acalyptris Meyrick, 1921 (Nepticulidae) **Synonym(s):** *Acalyptris* Meyrick, 1921; *Microcalyptris* Brown, 1925; *Niepeltia* Strand, 1934; *Weberia* Müller-Rutz, 1934; *Weberina* Müller-Rutz, 1934.
225. Acantholipes Lederer, 1857 (Noctuidae) **Synonym(s):** *Acantholipes* Lederer, 1857; *Docela* Walker, [1866]; *Lasionota* W. Warren, 1912 (homonym); *Nolaseniola* Strand, 1920; *Isatoolna* Nye, 1975
226. Acanthophila Heinemann, 1870 (Gelechiidae) **Synonym(s):** *Acanthophila* Heinemann, 1870; *#Acanthophila* Osthelder, 1951; *Mimomeris* Povolny, 1978
227. Acanthopsyche Heylaerts, 1881 (Psychidae) **Synonym(s):** *Acanthopsyche* Heylaerts, 1881
228. Acanthovalva M. Krüger, 2001 (Geometridae) **Synonym(s):** *#Acanthovalva* Staude, 1999; *Acanthovalva* M. Krüger, 2001
229. Acasis Duponchel, [1845] (Geometridae) **Synonym(s):** *Acasis* Duponchel, [1845]; *Bryodis* Gumpfenberg, 1887
230. Acentria Stephens, 1829 (Pyralidae) **Synonym(s):** *Setina* Hübner, [1819] (praeocc.); *Acentria* Stephens, 1829; *Acentropus* Curtis, 1834
231. Acherontia [Laspeyres], 1809 (Sphingidae) **Synonym(s):** *#Manduca* Hübner, [1806]; *Acherontia* [Laspeyres], 1809; *#Atropos* Oken, 1815; *Brachyglossa* Boisduval, 1828; *Atropos* Agassiz, 1846
232. Achlya Billberg, 1820 (Thyatiridae) **Synonym(s):** *Achlya* Billberg, 1820; *Cymatophora* Treitschke, 1825 nec Hübner, 1812; *Daruma* Matsumura, 1927 nec Jord. & Starks, 1904; *Darumona* Strand, 1935; *#Achyla* auct.
233. Achroia Hübner, [1819] (Pyralidae) **Synonym(s):** *Achroia* Hübner, [1819]; *Meliphora* Guenée, 1845; *Achroea* Agassiz, 1847; *Vobrix* Walker, 1864.
234. Achyra Guenée, 1849 (Pyralidae) **Synonym(s):** *Achyra* Guenée, 1849; *Dosara* Walker, 1859; *Eurycreon* Lederer, 1863; *Tritaea* Meyrick, 1884.
235. Acleris Hübner, [1825] (Tortricidae) **Synonym(s):** *Peronea* Curtis, 1824 nec Raf., 1815; *Acleris* Hübner, [1825]; *Lopas* Hübner, [1825]; *Rhacodia* Hübner, [1825]; *Eclectis* Hübner, [1825]; *Teleia* Hübner, [1825]; *Oxigraha* Hübner, [1825]; *Leptogramma* Stephens, 1829; *Glyphisia* Stephens, 1829; *Cheimatophila* Stephens, 1829; *Teras* Treitschke, 1829; *Phlotiophila* Duponchel, 1834; *Phloeophila* Duponchel, 1835; *Glyphiptera* Duponchel, 1835; *Chimatophila* Agassiz, 1847; *Glyphidia* Agassiz, 1847; *Oxygrapha* Agassiz, 1847; *Telia* Agassiz, 1847; *Phylacophora* Filipjev, 1931;
236. Acompsia (s.str.) Hübner, [1825] (Gelechiidae) **Synonym(s):** *Acompsia* Hübner, [1825]; *#Acompsia* Bruand, [1851]; *Brachycrossata* Heinemann, 1870
237. Acompsia Hübner, [1825] (Gelechiidae) **Synonym(s):** *Acompsia* Hübner, [1825]; *#Acompsia* Bruand, [1851]; *Brachycrossata* Heinemann, 1870
238. Acontia (Emmelia) Hübner, [1821] (Noctuidae) **Synonym(s):** *Emmelia* Hübner, [1821]; *Erotyla* Hübner, 1822; *Agrophila* Boisduval, 1840; *Ponometia* Herrich-Schäffer, 1868; *Fruva* Grote, 1877; *Heliodora* Neumoegen, 1891; *Graeperia* Grote, 1895; *Therasesa* Grote, 1895; *Trachidia* Hampson, 1898; *Tornacontia* Smith, 1900; *Conacontia* Smith, 1900; *Conochares* Smith, 1905; *Neptunia* Barnes & McDunnough, 1911; *Hemisparqueia* Barnes & McDunnough, 1923; *Acropserotarache* Berio, 1937; *Emmelacontia* Beck, 2000
239. Acontia (Uracontia) Beck, 1996 (Noctuidae) **Synonym(s):** *Uracontia* Beck, 1996
240. Acontia Ochsenheimer, 1816 (Noctuidae) **Synonym(s):** *Acontia* Ochsenheimer, 1816; *Tarache* Hübner, [1823]; *Desmophora* Stephens, 1829; *Euphasia* Stephens, 1830; *Heliothera* Sodoffsky, 1837; *Porrotha* Gistel, 1848; *Tima* Walker, [1858]; *Pseudalypia* H. Edwards, 1874; *Spragueia* Grote, 1875; *Trichotarache* Grote, 1875; *Hoplotarache* Hampson, 1910; *Prociosis* Hampson, 1910; *Cardiosace* Hampson, 1910; *Fredina* Brandt, 1939
241. Acontiola Staudinger, [1900] (Noctuidae) **Synonym(s):** *Acontiola* Staudinger, [1900]
242. Acossus Dyar, 1905 (Cossidae) **Synonym(s):** *Acossus* Dyar, 1905; *Lamellocossus* Daniel, 1954
243. Acrapex Hampson, 1894 (Noctuidae) **Synonym(s):** *Acrapex* Hampson, 1894; *Acutipenna* Hampson, 1894.
244. Acritonia Amsel, 1954 (Pyralidae) **Synonym(s):** *Acritonia* Amsel, 1954
245. Acrobasis Zeller, 1839 (Pyralidae) **Synonym(s):** *Acrobasis* Zeller, 1839; *Conobathra* Meyrick, 1886; *Mineola* Hulst, 1890; *Seneca* Hulst, 1890; *Numonia* Ragonot, 1893; *Trachycera* Ragonot, 1893; *Acrocaula* Hulst, 1900;

- Hylopylora* Meyrick,1933; *Rhodophaeopsis* Amsel,1950; *Catacrobasis* Gozmany,1958; *Cyprusia* Amsel,1958; *Acrobasopsis* Amsel,1958; *Hylophora* Whalley,1970; *Cyphita* Roesler,1971
- 246.Acrocercops Wallengren,1881** (Gracillariidae) Synonym(s): *Acrocercops* Wallengren,1881; *Eucosmophora* Walsingham,1897; *Neurobathra* Ely,1918; *#Neurostrata* Ely,1918
- 247.Acrolepiopsis Gaedike,1970** (Yponomeutidae) Synonym(s): *Argiope* Chambers,1873 *nec* Audouin,1827; *Acrolepiopsis* Gaedike,1970
- 248.Acronicta (Hyboma) Hübner,[1820]** (Noctuidae) Synonym(s): *Hyboma* Hübner,[1820]
- 249.Acronicta (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Acronicta* Ochsenheimer,1816
- 250.Acronicta (Subacronicta) Kozhantshikov,1950** (Noctuidae) Synonym(s): *Subacronicta* Kozhantshikov,1950
- 251.Acronicta (Triaena) Hübner,1818** (Noctuidae) Synonym(s): *#Apatele* Hübner,1808; *Triaena* Hübner,1818; *Semaphora* Guenée,1841; *Sematophora* Agassiz,1846; *Cuspidia* Chapman,1890
- 252.Acronicta (Viminia) Chapman,1890** (Noctuidae) Synonym(s): *Viminia* Chapman,1890; *Pharetra* Hübner,[1820]; *Chamaepora* W.Warren,1909
- 253.Acronicta Ochsenheimer,1816** (Noctuidae) Synonym(s): *Acronicta* Ochsenheimer,1816
- 254.Actebia (s.str.) Stephens,1829** (Noctuidae) Synonym(s): *Actebia* Stephens,1829; *Hapalia* Hübner,[1821] *nec* Hbn.,1818; *Dissimactebia* Beck,1991
- 255.Actebia Stephens,1829** (Noctuidae) Synonym(s): *Actebia* Stephens,1829; *Hapalia* Hübner,[1821] *nec* Hbn.,1818; *Dissimactebia* Beck,1991
- 256.Actinotia Hübner,[1821]** (Noctuidae) Synonym(s): *Actinotia* Hübner,[1821]; *Radinotia* Beck,1996
- 257.Adaina Tutt,1905** (Pterophoridae) Synonym(s): *Adaina* Tutt,1905; *Paravinculia* Capuse,1987
- 258.Adela Latreille,1796** (Adelidae) Synonym(s): *Adela* Latreille,1796; *Capillaria* Haworth,[1828] *nec* Zeder,1800; *Metallitis* Sodoffsky,1837; *Aedilis* Gistel,1848 *nec* Audin.-Serv.,1835
- 259.Adscita (s.str.) Retzius,1783** (Zygaenidae) Synonym(s): *Adscita* Retzius,1783; *Procris* Fabricius,1807; *Atychia* Ochsenheimer,1808; *Ino* Leach,[1815]; *Bradypotesis* Sodoffsky,1837
- 260.Adscita (Tarmannita) Efetov,2000** (Zygaenidae) Synonym(s): *Tarmannita* Efetov,2000
- 261.Adscita Retzius,1783** (Zygaenidae) Synonym(s): *Adscita* Retzius,1783; *Procris* Fabricius,1807; *Atychia* Ochsenheimer,1808; *Ino* Leach,[1815]; *Bradypotesis* Sodoffsky,1837
- 262.Aedia Hübner,[1823]** (Noctuidae) Synonym(s): *Aedia* Hübner,[1823]; *Anophia* Guenée,1841
- 263.Aedophron Lederer,1857** (Noctuidae) Synonym(s): *Aedophron* Lederer,1857
- 264.Aegle Hübner,[1823]** (Noctuidae) Synonym(s): *Aegle* Hübner,[1823]; *Metaegle* Hampson,1908
- 265.Aeglotis Amsel,1949** (Pyralidae) Synonym(s): *Aeglotis* Amsel,1949
- 266.Aeschremon Lederer,1863** (Pyralidae) Synonym(s): *Aeschremon* Lederer,1863
- 267.Aethes Billberg,1820** (Tortricidae) Synonym(s): *Aethes* Billberg,1820; *Chlidonia* Hübner,[1825]; *Phalonia* Hübner,[1825]; *Dapsilia* Hübner,[1825]; *Lozopera* Stephens,1834; *Argyridia* Stephens,1852; *Coeccaethes* Obratzov,1943; *Cirriaethes* Obratzov,1943.
- 268.Agapeta Hübner,1822** (Tortricidae) Synonym(s): *Agapeta* Hübner,1822; *Agapete* Hübner,[1825]; *Euxanthia* Hübner,[1825]; *Xanthosetia* Stephens,1829.
- 269.Agdistis Hübner,[1825]** (Pterophoridae) Synonym(s): *Agdistis* Hübner,[1825]; *Adactylus* Curtis,1833; *Adactyla* Zeller,1841.
- 270.Aglossa Latreille,[1796]** (Pyralidae) Synonym(s): *Aglossa* Latreille,[1796]; *Euclita* Hübner,[1825]; *Oryctocera* Ragonot,1891; *Crocalia* Ragonot,1892; *Agriope* Ragonot,1894
- 271.Agnippe Chambers,1872** (Gelechiidae) Synonym(s): *Agnippe* Chambers,1872; *Evippe* Chambers,1873; *Phaetusa* Chambers,1875 *nec* Wagler,1832; *Tholerostola* Meyrick,1917.
- 272.Agonopterix Hübner,[1825]** (Oecophoridae) Synonym(s): *Agonopterix* Hübner,[1825]; *#Agonopteryx* Stephens,1834; *Agoniapteryx* Treitschke,1835
- 273.Agrapha Hübner,[1821]** (Noctuidae) Synonym(s): *Agrapha* Hübner,[1821]; *Acanthoplusia* Dufay,1970; *Ctenoplusia* Dufay,1970.
- 274.Aгриopis Hübner,[1825]** (Geometridae) Synonym(s): *Agriopis* Hübner,[1825]; *Anisopteryx* Stephens,1827; *Amalthea* Gumpenberg,1887 *nec* Raf.1815; *Cyropoga* Dumont,1925
- 275.Agriphila Hübner,[1825]** (Pyralidae) Synonym(s): *Agriphila* Hübner,[1825]; *Agrophila* Agassiz,1847; *Alisa* Ganév & Hacker,1984 *nec* Bsd.,1840
- 276.Agriphiloides Bleszynki,1965** (Pyralidae) Synonym(s): *Agriphiloides* Bleszynki,1965
- 277.Agrius Hübner,[1819]** (Sphingidae) Synonym(s): *Agrius* Hübner,[1819]; *Timoria* Kaye,1919
- 278.Agrochola (Alpichola) Ronkay,1984** (Noctuidae) Synonym(s): *Alpichola* Ronkay,1984
- 279.Agrochola (Anchoscelis) Guenée,1839** (Noctuidae) Synonym(s): *Anchoscelis* Guenée,1839; *Agrolitha* Berio,1980; *Pseudanchoscelis* Beck,1991; *Humichola* Beck,1991; *Thurnerichola* Beck,1991
- 280.Agrochola (Frivaldskyola) Ronkay,1984** (Noctuidae) Synonym(s): *Frivaldskyola* Ronkay,1984
- 281.Agrochola (Leptologia) Prout,1901** (Noctuidae) Synonym(s): *Leptologia* Prout,1901
- 282.Agrochola (Osthelderichola) Beck,1991** (Noctuidae) Synonym(s): *Osthelderichola* Beck,1991
- 283.Agrochola (Propenistra) Berio,1980** (Noctuidae) Synonym(s): *Propenistra* Berio,1980

- 284. *Agrochola* (*Rufachola*) Beck, 1991** (Noctuidae) Synonym(s): *Rufachola* Beck, 1991
- 285. *Agrochola* (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Agrochola* Hübner, [1821]; *Lycanades Franclemont*, 1937; *Alexia De Laever nec Leach*, 1817; *Agrolitha Berio*, 1980; *Delaeveria Berio*, 1980; *Xandria De Laever*, 1983; *Pseudanchoscelis* Beck, 1991; *Humichola* Beck, 1991; *Haemachola* Beck, 1991; *Thurnerichola* Beck, 1991; *Osthelderichola* Beck, 1991; *Fissipunctia* Beck, 1991; *Aurxanthia* Beck, 1991
- 286. *Agrochola* (*Sunira*) Franclemont, 1950** (Noctuidae) Synonym(s): *Sunira* Franclemont, 1950
- 287. *Agrochola* (*Xandria*) De Laever, 1983** (Noctuidae) Synonym(s): *Xandria* De Laever, 1983
- 288. *Agrochola* Hübner, [1821]** (Noctuidae) Synonym(s): *Agrochola* Hübner, [1821]; *Lycanades Franclemont*, 1937; *Alexia De Laever nec Leach*, 1817; *Agrolitha Berio*, 1980; *Delaeveria Berio*, 1980; *Xandria De Laever*, 1983; *Pseudanchoscelis* Beck, 1991; *Humichola* Beck, 1991; *Haemachola* Beck, 1991; *Thurnerichola* Beck, 1991; *Osthelderichola* Beck, 1991; *Fissipunctia* Beck, 1991; *Aurxanthia* Beck, 1991
- 289. *Agrotera* Schrank, 1802** (Pyralidae) Synonym(s): *Agrotera* Schrank, 1802; *Tetracona* Meyrick, 1884; *Sagariphora* Meyrick, 1894
- 290. *Agrotis* (*Crassagrotis*) Beck, 1991** (Noctuidae) Synonym(s): *Crassagrotis* Beck, 1991
- 291. *Agrotis* (*Leucagrotis*) Beck, 1991** (Noctuidae) Synonym(s): *Leucagrotis* Beck, 1991
- 292. *Agrotis* (*Putagrotis*) Beck, 1991** (Noctuidae) Synonym(s): *Putagrotis* Beck, 1991
- 293. *Agrotis* (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Agrotis* Ochsenheimer, 1816
- 294. *Agrotis* Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Agrotis* Ochsenheimer, 1816
- 295. *Akbesia* Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Akbesia* Rothschild & Jordan, 1903
- 296. *Alabonia* Hübner, [1825]** (Oecophoridae) Synonym(s): *Alabonia* Hübner, [1825]; *Enicostoma* Stephens, 1829; *Henicostoma* Agassiz, 1847
- 297. *Alcis* Curtis, 1826** (Geometridae) Synonym(s): *Alcis* Curtis, 1826; *Poecilalcis* W. Warren, 1893; *Dictyodea* Wehrli, 1934; *Alcisca* Wehrli, 1943
- 298. *Aleimma* Hübner, [1825]** (Tortricidae) Synonym(s): *Aleimma* Hübner, [1825]; *Dictyopteryx* Stephens, 1829; *Alimma* Agassiz, 1847; *Gastrolatrix* Gistel, 1848
- 299. *Aleucis* Guenée, [1845]** (Geometridae) Synonym(s): *Aleucis* Guenée, [1845]; *Aleucis* Stephens, 1850; *Anhibernia* Staudinger, 1892
- 300. *Alloclemensia* Schmidt-Nielsen, 1981** (Incurvariidae) Synonym(s): *Alloclemensia* Schmidt-Nielsen, 1981
- 301. *Alloclita* Staudinger, 1859** (Cosmopterigidae) Synonym(s): *Alloclita* Staudinger, 1859; *Proceleustis* Meyrick, 1914; *Dahrania* Amsel, 1958
- 302. *Allophyes* (*Crassophyes*) Ronkay, Ronkay & Gyulai, 2011** (Noctuidae) Synonym(s): *Crassophyes* Ronkay, Ronkay & Gyulai, 2011
- 303. *Allophyes* (s.str.) Tams, 1942** (Noctuidae) Synonym(s): *Allophyes* Tams, 1942
- 304. *Allophyes* Tams, 1942** (Noctuidae) Synonym(s): *Allophyes* Tams, 1942
- 305. *Allotalanta* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *Allotalanta* Meyrick, 1913
- 306. *Alophia* Ragonot, 1893** (Pyralidae) Synonym(s): *Alophia* Ragonot, 1893; *#Alophila* Arenberger & Wimmer, 1996
- 307. *Alsophila* Hübner, [1825]** (Geometridae) Synonym(s): *Alsophila* Hübner, [1825]
- 308. *Altenia* Sattler, 1960** (Gelechiidae) Synonym(s): *Altenia* Sattler, 1960
- 309. *Alucita* Linnaeus, 1758** (Alucitidae) Synonym(s): *Alucita* Linnaeus, 1758; *Orneodes* Latreille, 1796; *Rhipidophora* Hübner, 1822; *Euchiradia* Hübner, [1825]; *Alucitina* Heydenreich, 1851
- 310. *Amata* Fabricius, 1807** (Ctenuchidae) Synonym(s): *Amata* Fabricius, 1807; *Syntomis* Ochsenheimer, 1808; *Coenochromia* Hübner, [1819]; *Syntoma* Billberg, 1820; *Hydrusa* Walker, 1854; *Asinusca* Wallengren, 1862; *#Asinutea* Wallengren, 1863; *Buthysia* Wallengren, 1863; *#Buthisia* Walker, 1866; *#Synthomis* Mabilie, 1892; *Leopoldina* Hering, 1934.
- 311. *Ambia* Walker, 1859** (Pyralidae) Synonym(s): *Ambia* Walker, 1859; *Metathyrida* Viette, 1954; *#Metathyridia* Whalley, 1964
- 312. *Amblyptilia* Hübner, [1825]** (Pterophoridae) Synonym(s): *Amblyptilia* Hübner, [1825]; *Amblyptilus* Wallengren, 1862.
- 313. *Amicta* Heylaerts, 1881** (Psychidae) Synonym(s): *Amicta* Heylaerts, 1881
- 314. *Ammoconia* Lederer, 1857** (Noctuidae) Synonym(s): *Ammoconia* Lederer, 1857; *#Ammocania* Tschetverikov, 1904
- 315. *Amorphogynia* W. Warren, 1894** (Geometridae) Synonym(s): *Amorphogynia* W. Warren, 1894
- 316. *Amphipoea* Billberg, 1820** (Noctuidae) Synonym(s): *Amphipoea* Billberg, 1820
- 317. *Amphipyra* (*Pyrois*) Hübner, [1820]** (Noctuidae) Synonym(s): *Pyrois* Hübner, [1820]; *Syntomopus* Guenée, 1837 nec Wlk., 1833; *Adpyramidampa* Beck, 1991
- 318. *Amphipyra* (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Amphipyra* Ochsenheimer, 1816; *Scotophila* Hübner, [1821]; *Pyrophila* Stephens, 1829; *Philopyra* Guenée, 1852; *Neocomia* Rougemont, 1902; *Pyramidampa* Beck, 1991; *Adamphipyra* Beck, 1991; *Tetrapyra* Beck, 1991; *Antiamphipyra* Beck, 1991

- 319. *Amphipyra Ochsenheimer, 1816*** (Noctuidae) Synonym(s): *Amphipyra Ochsenheimer, 1816*; *Scotophila Hübner, [1821]*; *Pyrophila Stephens, 1829*; *Philopyra Guenée, 1852*; *Neocomia Rougemont, 1902*; *Pyramidampa Beck, 1991*; *Adamphipyra Beck, 1991*; *Tetrapyra Beck, 1991*; *Antiamphipyra Beck, 1991*
- 320. *Amphithrix Ragonot, 1893*** (Pyalidae) Synonym(s): *Amphithrix Ragonot, 1893*; *#Amphitrix Amsel, 1935*; *Horistarcha Meyrick, 1935*
- 321. *Amselina Gozmany, 1957*** (Autostichidae) Synonym(s): *Amselina Gozmany, 1957*; *Illahasis Gozmany, 1959*; *Eremicamima Gozmany, 1964*; *Nomialyra Gozmany, 1982*
- 322. *Anacampsis Curtis, 1827*** (Gelechiidae) Synonym(s): *Anacampsis Curtis, 1827*; *Tachyptilia Heinemann, 1870*; *Agriastis Meyrick, 1914*
- 323. *Anania (Eurrhyncha) Hübner, [1825]*** (Pyalidae) Synonym(s): *Eurrhyncha Hübner, [1825]*
- 324. *Anania (Opsibotys) W. Warren, 1890*** (Pyalidae) Synonym(s): *Opsibotys W. Warren, 1890*
- 325. *Anania (Perinephela) Hübner, [1825]*** (Pyalidae) Synonym(s): *Perinephela Hübner, [1825]*; *#Perinephela Hübner, [1826]*; *#Perinephila Hampson, 1897*
- 326. *Anania (Phlyctaenia) Hübner, [1825]*** (Pyalidae) Synonym(s): *Phlyctaenia Hübner, [1825]*
- 327. *Anania (s.str.) Hübner, [1823]*** (Pyalidae) Synonym(s): *Anania Hübner, [1823]*; *Perinephela Hübner, [1825]*; *Phlyctaenia Hübner, [1825]*; *Ennychia Treitschke, 1828*; *Ebulea Doubleday, 1849*; *Algedonia Lederer, 1863*; *Crypsitya Meyrick, 1894*; *Udonomeiga Mutuura, 1954*; *Trichovalva Amsel, 1956*; *Pronomis Munroe & Mutuura, 1968*; *Coclebotys Munroe & Mutuura, 1969*; *Tenerobotys Munroe & Mutuura, 1971*; *Mutuuraia Munroe, 1976*; *Nealgedonia Munroe, 1976*; *Ametasia Martin, 1986*
- 328. *Anania Hübner, [1823]*** (Pyalidae) Synonym(s): *Anania Hübner, [1823]*; *Perinephela Hübner, [1825]*; *Phlyctaenia Hübner, [1825]*; *Ennychia Treitschke, 1828*; *Ebulea Doubleday, 1849*; *Algedonia Lederer, 1863*; *Crypsitya Meyrick, 1894*; *Udonomeiga Mutuura, 1954*; *Trichovalva Amsel, 1956*; *Pronomis Munroe & Mutuura, 1968*; *Coclebotys Munroe & Mutuura, 1969*; *Tenerobotys Munroe & Mutuura, 1971*; *Mutuuraia Munroe, 1976*; *Nealgedonia Munroe, 1976*; *Ametasia Martin, 1986*
- 329. *Anaplectoides McDunnough, [1929]*** (Noctuidae) Synonym(s): *Anaplectoides McDunnough, [1929]*
- 330. *Anaproutia Lewin, 1949*** (Psychidae) Synonym(s): *Bruandia Tutt, 1900 nec Desmarest, 1857*; *Anaproutia Lewin, 1949*
- 331. *Anarpia Chapman, 1912*** (Pyalidae) Synonym(s): *Anarpia Chapman, 1912*
- 332. *Anarsia Zeller, 1839*** (Gelechiidae) Synonym(s): *Anarsia Zeller, 1839*; *Ananarsia Amsel, 1959*
- 333. *Anchinia Hübner, [1825]*** (Oecophoridae) Synonym(s): *Anchinia Hübner, [1825]*; *Palpula Kollar, 1832*; *Fugia Duponchel, [1846]*
- 334. *Ancylis Hübner, [1825]*** (Tortricidae) Synonym(s): *Ancylis Hübner, [1825]*; *Epicharis Hübner, [1825] nec Klg., 1907*; *Anchylopera Stephens, 1829*; *Phoxopteris Treitschke, 1830*; *Anticlea Stephens, 1834 nec Stph., 1831*; *Philaclea Stephens, 1835*; *Phoxopteryx Sodoffsky, 1837*; *Sideria Guenée, 1845*; *#Sideria Stainton, 1859*; *Palaeobia Meyrick, 1881*; *Lamyrodes Meyrick, 1910*; *Ancylodes Diakonoff, 1982 nec Kuzn., 1964*; *Ancylomyces Diakonoff, 1988*; *Diakonoffiella Kuznetsov, 1997*
- 335. *Ancylodes Ragonot, 1887*** (Pyalidae) Synonym(s): *Ancylodes Ragonot, 1887*
- 336. *Ancylolomia Hübner, [1825]*** (Pyalidae) Synonym(s): *Ancylolomia Hübner, [1825]*; *Jartheza Walker, 1863*; *Ctenus Mabille, 1906 nec Walken., 1805*; *Pseudoctenella Strand, 1907*; *Tollia Amsel, 1949 nec Pavlov, 1914*
- 337. *Ancylosis Zeller, 1839*** (Pyalidae) Synonym(s): *Ancylosis Zeller, 1839*; *Heterographis Ragonot, 1885*; *Staudingeria Ragonot, 1887*; *Syria Ragonot, 1887*; *Hedemannia Ragonot, 1887*; *Cabotia Ragonot, 1888*; *Mona Hulst, 1888*; *Heterographia Ragonot, 1890*; *Hypogryphia Ragonot, 1890*; *Canarsia Hulst, 1890*; *Hulstia Hampson, 1901*; *Encystia Hampson, 1901*; *Harnocha Dyar, 1914*; *Canarsiana Strand, 1920*; *Homoeograptia Hampson, 1930*; *Cornigerula Amsel, 1935*; *Acornigerula Amsel, 1935*; *Iransharia Amsel, 1959*; *Niethammeriodes Roesler, 1969*; *Gregorempista Roesler, 1969*
- 338. *Andala Walker, 1855*** (Arctiidae) Synonym(s): *Andala Walker, 1855*; *Spilarctia Staudinger, 1892 nec Butl., 1875*; *Nebrarctia A. Watson, 1980*
- 339. *Anerastia Hübner, [1825]*** (Pyalidae) Synonym(s): *Anerastia Hübner, [1825]*; *Prinanerastia Hampson, 1918*
- 340. *Angerona Duponchel, 1829*** (Geometridae) Synonym(s): *Angerona Duponchel, 1829*; *#Augerona Desmarest, [1847]*
- 341. *Angustalius Marion, 1954*** (Pyalidae) Synonym(s): *Angustalius Marion, 1954*; *Crambopsis De Lattin, 1952 nec Walk., 1865*; *Bleszynskia De Lattin, 1961*
- 342. *Anomalotinea Spuler, 1910*** (Tineidae) Synonym(s): *Anomalotinea Spuler, 1910*; *Fermocelina Hartig, 1950*; *Subpentagona Agenjo, 1952*; *Praetinea Amsel, 1955*
- 343. *Antarchaea Hübner, [1821]*** (Noctuidae) Synonym(s): *Antarchaea Hübner, [1821]*; *Daona Walker, 1864*; *Byturna Moore, 1883*; *Myana Swinhoe, 1884*; *Pseudomicra Butler, 1892*
- 344. *Anthophila Haworth, [1811]*** (Choreutidae) Synonym(s): *Pallium Retzius, 1783*; *Anthophila Haworth, [1811]*; *Simaethis Leach, [1815]*; *Xylopoda Berthold, 1827*; *Symaethis Dunning & Pickard, [1859]*
- 345. *Anthophilopsis Ragonot, 1891*** (Pyalidae) Synonym(s): *Anthophilopsis Ragonot, 1891*
- 346. *Anthracia Hübner, [1823]*** (Noctuidae) Synonym(s): *Anthracia Hübner, [1823]*; *Gracilipalpus Calberla, 1888*; *Micromania Christoph, 1893*; *Scioptila W. Warren, 1911*

347. **Anticlea Stephens, 1831** (Geometridae) Synonym(s): *Anticlea Stephens, 1831*; *Earophila Gumpfenberg, 1887*
348. **Antigastra Lederer, 1863** (Pyrilidae) Synonym(s): *Antigastra Lederer, 1863*
349. **Antitype Hübner, [1821]** (Noctuidae) Synonym(s): *Antitype Hübner, [1821]*
350. **Anumeta Walker, 1858** (Noctuidae) Synonym(s): *Anumeta Walker, 1858*; *Palpangula Staudinger, 1877*; *Eremonoma W. Warren, 1913*
351. **Apamea (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Apamea Ochsenheimer, 1816*; *Abromias Billberg, 1820*; *Septis Hübner, [1821]*; *Hama Stephens, 1829*; *Xylophasia Stephens, 1829*; *Agrostobia Boie, 1835*; *Crymodes Guenée, 1841*; *Syma Stephens, 1850*; *Eleemosia Prout, 1901*; *Protagrotis Hampson, 1903*; *Trichoplexia Hampson, 1908*; *Heteromma W. Warren, 1911*; *Heterommiola Strand, 1912*; *Apaconjunctdonta Beck, 1991*; *Loscopia Beck, 1991*; *Furvabromias Beck, 1991*
352. **Apamea Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Apamea Ochsenheimer, 1816*; *Abromias Billberg, 1820*; *Septis Hübner, [1821]*; *Hama Stephens, 1829*; *Xylophasia Stephens, 1829*; *Agrostobia Boie, 1835*; *Crymodes Guenée, 1841*; *Syma Stephens, 1850*; *Eleemosia Prout, 1901*; *Protagrotis Hampson, 1903*; *Trichoplexia Hampson, 1908*; *Heteromma W. Warren, 1911*; *Heterommiola Strand, 1912*; *Apaconjunctdonta Beck, [1992]*
353. **Apatema Walsingham, 1900** (Autostichidae) Synonym(s): *Apatema Walsingham, 1900*; *Thanotovena Gozmany, 1957*; *Microgonia Popescu-Gorj & Capuse, 1965 (preocc.)*
354. **Apatetris Staudinger, 1880** (Gelechiidae) Synonym(s): *Apatetris Staudinger, 1880*; *Proactica Walsingham, 1904*; *Cecidophaga Walsingham, 1911*
355. **Apaustis Hübner, [1823]** (Noctuidae) Synonym(s): *Apaustis Hübner, [1823]*
356. **Apeira Gistel, 1848** (Geometridae) Synonym(s): *Pericallia Stephens, 1828 nec Hbn., [1820]*; *Apeira Gistel, 1848*; *Hydrochroa Gumpfenberg, 1887*; *Cyphosea Grote, 1896*; *#Apeir.a Okyar & Aytaç, 1999*
357. **Aphelia (s.str.) Hübner, [1825]** (Tortricidae) Synonym(s): *Aphelia Hübner, [1825]*
358. **Aphelia (Zelotheres) Lederer, 1859** (Tortricidae) Synonym(s): *Zelotheres Lederer, 1859*
359. **Aphelia Hübner, [1825]** (Tortricidae) Synonym(s): *Aphelia Hübner, [1825]*
360. **Aphomia Hübner, [1825]** (Pyrilidae) Synonym(s): *Aphomia Hübner, [1825]*; *Ilithyia Berthold, 1827*; *Melia Curtis, 1828*; *Melissoblaptes Zeller, 1839*; *Aphomoea Agassiz, 1847*; *Arenipses Hampson, 1901*; *#Arenipsis Rothschild, 1915*
361. **Apiletria Lederer, 1855** (Autostichidae) Synonym(s): *Apiletria Lederer, 1855*; *Aretascetis Meyrick, 1936*; *Xystoceros Meyrick, 1944*
362. **Aplasta Hübner, [1823]** (Geometridae) Synonym(s): *Aplasta Hübner, [1823]*
363. **Aplocera Stephens, 1827** (Geometridae) Synonym(s): *Aplocera Stephens, 1827*; *Anaitis Duponchel, 1829*; *Larissa Curtis, 1830*; *Haplocera Agassiz, 1847*
364. **Apocheima Hübner, [1825]** (Geometridae) Synonym(s): *Apocheima Hübner, [1825]*; *Amphidasis Stephens, 1829 nec Treit., 1825*
365. **Apochima Agassiz, 1847** (Geometridae) Synonym(s): *Apocheima Herrich-Schäffer, 1838 nec Hbn., [1825]*; *Apochima Agassiz, 1847*; *Zamaera Meyrick, 1892*; *Acanthocampa Dyar, 1905*
366. **Apoda Haworth, [1809]** (Limacodidae) Synonym(s): *Apoda Haworth, [1809]*; *Chelone R.L., 1817*; *Cochlidium Hübner, 1822*; *Chelonias Hübner, [1825] nec Raf., 1815*; *Limacodes Berthold, 1827*; *Manlia Agassiz, 1846*; *Cochlidion auct.*
367. **Apodia Heinemann, 1870** (Gelechiidae) Synonym(s): *Apodia Heinemann, 1870*
368. **Apomyelois Heinrich, 1956** (Pyrilidae) Synonym(s): *Apomyelois Heinrich, 1956*; *Ectomyelois Heinrich, 1956*; *Spectrobates sensu Roesler, 1965*
369. **Apopestes Hübner, [1823]** (Noctuidae) Synonym(s): *Apopestes Hübner, [1823]*; *Spintherops Boisduval, 1840*
370. **Aporodes Guenée, 1854** (Pyrilidae) Synonym(s): *Aporodes Guenée, 1854*
371. **Aporophyla Guenée, 1841** (Noctuidae) Synonym(s): *Aporophyla Guenée, 1841*
372. **Apotomis Hübner, [1825]** (Tortricidae) Synonym(s): *Apotomis Hübner, [1825]*; *Aphania Hübner, [1825]*; *Limma Hübner, [1825]*; *Antithesia Stephens, 1829*; *Apotomus Agassiz, 1847 nec Ill., 1807*; *Brachytaenia Stephens, 1852*
373. **Approaerema Durrant, 1897** (Gelechiidae) Synonym(s): *Approaerema Durrant, 1897*
374. **Aprominta Gozmany, 1957** (Autostichidae) Synonym(s): *Aprominta Gozmany, 1957*; *Parthenoptera Gozmany, 1957*; *Hecestoptera Gozmany, 1961*
375. **Apterona Millièrè, 1857** (Psychidae) Synonym(s): *Apterona Millièrè, 1857*; *Cochliotheca Rambur, 1866*; *Cochlophanes Staudinger, 1871*; *Cochlophora Siebold, 1871*
376. **Araeopteron Hampson, 1893** (Noctuidae) Synonym(s): *Araeopteron Hampson, 1893*; *Essonistis Meyrick, 1902*; *Thelxinoia Turner, 1902*; *Araeoptera Hampson, 1910*; *Araeopterella Fibiger & Hacker, 2001 nec Dyar, 1914*; *Ahoyemenia Koçak & Kemal, 2008*
377. **Archanara (Globia) Fibiger, Zilli, L.Ronkay & Goldstein, 2009** (Noctuidae) Synonym(s): *Capsula Fibiger, Zilli, L.Ronkay & Goldstein, 2005 nec Schumacher, 1817 non Agassiz, 1846*; *Globia Fibiger, Zilli, L.Ronkay & Goldstein, 2009*
378. **Archanara (s.str.) Walker, 1866** (Noctuidae) Synonym(s): *Archanara Walker, 1866*
379. **Archanara Walker, 1866** (Noctuidae) Synonym(s): *Archanara Walker, 1866*

- 380. Archiearis Hübner, [1823]** (Geometridae) Synonym(s): *Archiearis* Hübner, [1823].
- 381. Archips Hübner, 1822** (Tortricidae) Synonym(s): *Archips* Hübner, 1822; *Cacoecia* Hübner, [1825]; *Archippus* Freeman, 1958; *Pararchips* Kuznetsov, 1970
- 382. Arctia (Epicallia) Hübner, [1820]** (Arctiidae) Synonym(s): *Epicallia* Hübner, [1820]
- 383. Arctia (Eucharia) Hübner, [1820]** (Arctiidae) Synonym(s): *Eucharia* Hübner, [1820]
- 384. Arctia (s.str.) Schrank, 1802** (Arctiidae) Synonym(s): *Arctia* Schrank, 1802; *Hypercombe* Hübner, [1806] (rejected); *Eyprepia* Ochsenheimer, 1810; #*Euprepia* Hübner, [1819]; *Zoote* Hübner, [1820]; *Chelonia* Godart, [1823]; *Arctia* Stephens, 1829; *Arctinia* Eichwald, 1830; *Euprepia* Agassiz, 1846; *Callarctia* Packard, 1864.
- 385. Arctia Schrank, 1802** (Arctiidae) Synonym(s): *Arctia* Schrank, 1802; *Hypercombe* Hübner, [1806] (rejected); *Eyprepia* Ochsenheimer, 1810; #*Euprepia* Hübner, [1819]; *Zoote* Hübner, [1820]; *Chelonia* Godart, [1823]; *Arctia* Stephens, 1829; *Arctinia* Eichwald, 1830; *Euprepia* Agassiz, 1846; *Callarctia* Packard, 1864.
- 386. Arctiocossus R. Felder & Rogenhofer, 1874** (Cossidae) Synonym(s): *Arctiocossus* R. Felder & Rogenhofer, 1874
- 387. Arctornis Germar, 1811** (Lymantriidae) Synonym(s): *Arctornis* Germar, 1811; #*Actornis* De Freina, 1981
- 388. Arenostola Hampson, 1908** (Noctuidae) Synonym(s): *Arenostola* Hampson, 1908
- 389. Argyresthia (Blastotere) Ratzeburg, 1840** (Yponomeutidae) Synonym(s): *Blastotere* Ratzeburg, 1840
- 390. Argyresthia (s.str.) Hübner, [1825]** (Yponomeutidae) Synonym(s): *Argyresthia* Hübner, [1825]; *Argyrosetia* Stephens, 1829; *Oligos* Treitschke, 1830; *Ederesa* Curtis, 1833; *Ismene* Stephens, 1834 nec Savigny, 1816; *Paraargyresthia* Moriuti, 1969; #*Parargyresthia* Kyrki, 1984
- 391. Argyresthia Hübner, [1825]** (Yponomeutidae) Synonym(s): *Argyresthia* Hübner, [1825]; *Argyrosetia* Stephens, 1829; *Oligos* Treitschke, 1830; *Ederesa* Curtis, 1833; *Ismene* Stephens, 1834 nec Savigny, 1816; *Paraargyresthia* Moriuti, 1969; #*Parargyresthia* Kyrki, 1984
- 392. Argyrospila Herrich-Schäffer, [1851]** (Noctuidae) Synonym(s): *Argyrospila* Herrich-Schäffer, [1851]
- 393. Argyrotaenia Stephens, 1852** (Tortricidae) Synonym(s): *Argyrotaenia* Stephens, 1852; *Subargyrotaenia* Obratzov, 1961.
- 394. Arimania Amsel, 1954** (Pyrilidae) Synonym(s): *Arimania* Amsel, 1954
- 395. Aristaea Meyrick, 1907** (Gracillariidae) Synonym(s): *Aristaea* Meyrick, 1907
- 396. Aristotelia Hübner, [1825]** (Gelechiidae) Synonym(s): *Aristotelia* Hübner, [1825]; *Ergatis* Heinemann, 1870 nec Blackwall, 1841; *Eucatoptus* Walsingham, 1897
- 397. Armada Staudinger, 1884** (Noctuidae) Synonym(s): *Armada* Staudinger, 1884
- 398. Aroga Busck, 1914** (Gelechiidae) Synonym(s): *Aroga* Busck, 1914
- 399. Arragonia Amsel, 1942** (Autostichidae) Synonym(s): *Arragonia* Amsel, 1942; #*Aragonia* Agenjo, 1968.
- 400. Arsissa Ragonot, 1893** (Pyrilidae) Synonym(s): *Arsissa* Ragonot, 1893; *Myeloidisiphana* Hartig, 1937; *Farsia* Amsel, 1961; *Anjumania* Amsel, 1970
- 401. Artiora Meyrick, 1892** (Geometridae) Synonym(s): *Pericallia* Herrich-Schäffer, 1847 nec Hbn., [1820]; *Artiora* Meyrick, 1892
- 402. Asalebria (Exophora) Roesler, 1988** (Pyrilidae) Synonym(s): *Exophora* Roesler, 1988
- 403. Asalebria (s.str.) Amsel, 1953** (Pyrilidae) Synonym(s): *Asalebria* Amsel, 1953; *Praesalebria* Amsel, 1954; *Postsalebria* Amsel, 1955.
- 404. Asalebria Amsel, 1953** (Pyrilidae) Synonym(s): *Asalebria* Amsel, 1953; *Praesalebria* Amsel, 1954; *Postsalebria* Amsel, 1955.
- 405. Asarta Zeller, 1848** (Pyrilidae) Synonym(s): *Chionea* Guenée, 1845 nec Dalm., 1816; *Asarta* Zeller, 1848.
- 406. Ascalenia Wocke, [1876]** (Cosmopterigidae) Synonym(s): *Ascalenia* Wocke, [1876]
- 407. Ascotis Hübner, [1825]** (Geometridae) Synonym(s): *Ascotis* Hübner, [1825]; *Hypopalpis* Guenée, 1862; *Burichura* Moore, 1888; *Trigonomelea* W. Warren, 1904
- 408. Asketria Falkovitsh, 1964** (Tortricidae) Synonym(s): *Asketria* Falkovitsh, 1964
- 409. Asovia Alpheraky, 1908** (Geometridae) Synonym(s): *Asovia* Alpheraky, 1908
- 410. Asphalia Hübner, [1821]** (Thyatiridae) Synonym(s): *Asphalia* Hübner, [1821]; *Scodra* Heinemann, 1859.
- 411. Aspilapteryx (s.str.) Spuler, 1910** (Gracillariidae) Synonym(s): *Aspilapteryx* Spuler, 1910
- 412. Aspilapteryx (Sabulopteryx) Triberti, 1985** (Gracillariidae) Synonym(s): *Sabulopteryx* Triberti, 1985
- 413. Aspilapteryx Spuler, 1910** (Gracillariidae) Synonym(s): *Aspilapteryx* Spuler, 1910
- 414. Aspitates (Napuca) Walker, [1863]** (Geometridae) Synonym(s): *Napuca* Walker, [1863]; *Semiaspilates* Wehrli, 1953
- 415. Aspitates Treitschke, 1825** (Geometridae) Synonym(s): *Aspitates* Treitschke, 1825; *Aspilates* Treitschke, 1827; *Parallela* Sodoffsky, 1837; #*Aspilades* Heydenreich, 1846; *Aspilata* Unger, 1856; *Eversmannia* Erschoff, 1871 (praeocc.); *Sinope* Gumpfenberg, 1887; *Toxogrammia* Gumpfenberg, 1887; *Pseudosiona* Butler, 1893; *Nyctiphanta* Hulst, 1896; *Erschoffia* Swinhoe, 1900
- 416. Assara Walker, 1863** (Pyrilidae) Synonym(s): *Assara* Walker, 1863; *Cateremna* Meyrick, 1882.
- 417. Astero Scopius Boisduval, 1828** (Noctuidae) Synonym(s): *Astero Scopius* Boisduval, 1828

- 418. *Asthena* Hübner, [1825]** (Geometridae) Synonym(s): *Asthena* Hübner, [1825]; *Roessleria* Breyer, 1869
- 419. *Ateliotum* Zeller, 1839** (Tineidae) Synonym(s): *Ateliotum* Zeller, 1839; *Dysmasia* Herrich-Schäffer, 1853; *Hyoprora* Meyrick, 1908; *Craterombris* Meyrick, 1921; *#Ocnophila* Meyrick, 1926; *Hylophygas* Meyrick, 1932; *Metarsiora* Meyrick, 1937; *Saridocompsa* Meyrick, 1937
- 420. *Atemelia* Herrich-Schäffer, [1853]** (Yponomeutidae) Synonym(s): *Atemelia* Herrich-Schäffer, [1853]; *Orinympha* Meyrick, 1927
- 421. *Aterpia* Guenée, 1845** (Tortricidae) Synonym(s): *Aterpia* Guenée, 1845; *Esia* Heinrich, 1926; *Leptocera* Diakonoff, 1983 nec Kroeber, 1928
- 422. *Atethmia* Hübner, [1821]** (Noctuidae) Synonym(s): *Atethmia* Hübner, [1821]; *Cirroedia* Guenée, 1839
- 423. *Athetis* Hübner, [1821]** (Noctuidae) Synonym(s): *Athetis* Hübner, [1821]; *Proxenus* Herrich-Schäffer, [1850]; *Elydna* Walker, 1858; *Nebrissa* Walker, 1862; *Radinacra* Butler, 1878; *Dadica* Moore, 1881; *Radingoes* Butler, 1886; *Strepselydna* W. Warren, 1911; *Hydrillula* Tams, 1938; *Tectorea* Berio, 1955.
- 424. *Athrips* Billberg, 1820** (Gelechiidae) Synonym(s): *Athrips* Billberg, 1820; *Rhynchopacha* Staudinger, 1871; *Epithectis* Meyrick, 1895; *Leobatus* Walsingham, 1904; *Ziminiola* Gerasimov, 1930; *Cremona* Busck, 1934.
- 425. *Atolmis* Hübner, [1819]** (Arctiidae) Synonym(s): *Atolmis* Hübner, [1819]; *Gnophria* Stephens, 1829
- 426. *Atralata* Sylven, 1947** (Pyralidae) Synonym(s): *Ennychia* Lederer, 1863 nec Treitsch., 1828; *#Ennichia* Duponchel, 1834; *Atralata* Sylven, 1947
- 427. *Atremaea* Staudinger, 1871** (Gelechiidae) Synonym(s): *Atremaea* Staudinger, 1871
- 428. *Atypha* Hübner, [1821]** (Noctuidae) Synonym(s): *Atypha* Hübner, [1821]; *Paratypha* Koçak, 1980
- 429. *Auchmis* (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Auchmis* Hübner, [1821]; *Rhizogramma* Lederer, 1857
- 430. *Auchmis* Hübner, [1821]** (Noctuidae) Synonym(s): *Auchmis* Hübner, [1821]; *Rhizogramma* Lederer, 1857
- 431. *Augasma* Herrich-Schäffer, [1853]** (Coleophoridae) Synonym(s): *Augasma* Herrich-Schäffer, [1853]
- 432. *Autographa* Hübner, [1821]** (Noctuidae) Synonym(s): *Autographa* Hübner, [1821]
- 433. *Autophila* (Cheirophanes) Boursin, 1955** (Noctuidae) Synonym(s): *Cheirophanes* Boursin, 1955
- 434. *Autophila* (s.str.) Hübner, [1823]** (Noctuidae) Synonym(s): *Autophila* Hübner, [1823]
- 435. *Autophila* Hübner, [1823]** (Noctuidae) Synonym(s): *Autophila* Hübner, [1823]
- 436. *Axia* (Epicimelia) Korb, 1900** (Cimeliidae) Synonym(s): *Epicimelia* Korb, 1900
- 437. *Axia* (s.str.) Hübner, [1821]** (Cimeliidae) Synonym(s): *Axia* Hübner, [1821]; *Timia* Boisduval, 1828 (preocc.); *Cimelia* Lederer, 1853
- 438. *Axia* Hübner, [1821]** (Cimeliidae) Synonym(s): *Axia* Hübner, [1821]; *Timia* Boisduval, 1828 (preocc.); *Cimelia* Lederer, 1853
- 439. *Axiopoenia* Ménétriés, 1841** (Arctiidae) Synonym(s): *Axiopoenia* Ménétriés, 1841; *#Axiopena* Pagenstecher, 1909
- 440. *Axylia* Hübner, [1821]** (Noctuidae) Synonym(s): *Axylia* Hübner, [1821]; *#Actinia* Ebert & Hacker, 2002
- 441. *Azygophleps* Hampson, [1893]** (Cossidae) Synonym(s): *Azygophleps* Hampson, [1893]
- 442. *Bactra* (Chiloides) Butler, 1881** (Tortricidae) Synonym(s): *Chiloides* Butler, 1881
- 443. *Bactra* (s.str.) Stephens, 1834** (Tortricidae) Synonym(s): *Bactra* Stephens, 1834
- 444. *Bactra* Stephens, 1834** (Tortricidae) Synonym(s): *Bactra* Stephens, 1834
- 445. *Bactrianoscythris* Passerin d'Entrèves & Roggero, 2009** (Scythridae) Synonym(s): *Bactrianoscythris* Passerin d'Entrèves & Roggero, 2009
- 446. *Bankesia* Tutt, 1899** (Psychidae) Synonym(s): *Bankesia* Tutt, 1899
- 447. *Barbara* Heinrich, 1923** (Tortricidae) Synonym(s): *Barbara* Heinrich, 1923
- 448. *Batia* Stephens, 1834** (Oecophoridae) Synonym(s): *Batia* Stephens, 1834; *Discolata* Spuler, 1910; *Chirocompa* Meyrick, 1914; *#Chirocompa* Morley & Rait-Smith, 1933
- 449. *Bedellia* Stainton, 1849** (Lyonetiidae) Synonym(s): *Bedellia* Stainton, 1849; *#Bedelia* Parenti, 2000
- 450. *Behounekia* Hacker, 1990** (Noctuidae) Synonym(s): *Behounekia* Hacker, 1990
- 451. *Bellachima* Kemal, Yıldız, Kızıldağ, Uçak & Koçak, 2018** (Geometridae) Synonym(s): *Bellachima* Kemal, Yıldız, Kızıldağ, Uçak & Koçak, 2018
- 452. *Bembecia* (Ductispina) Capuse, 1973** (Sesiidae) Synonym(s): *Ductispina* Capuse, 1973
- 453. *Bembecia* (Pseudosphecia) Capuse, 1973** (Sesiidae) Synonym(s): *Pseudosphecia* Capuse, 1973
- 454. *Bembecia* Hübner, [1819]** (Sesiidae) Synonym(s): *Bembecia* Hübner, [1819]
- 455. *Bena* Billberg, 1820** (Noctuidae) Synonym(s): *Bena* Billberg, 1820
- 456. *Bijugis* Heylaerts, 1879** (Psychidae) Synonym(s): *Bijugis* Heylaerts, 1879; *Bijugis* Heylaerts, 1881
- 457. *Biston* Leach, [1815]** (Geometridae) Synonym(s): *Biston* Leach, [1815]; *Dasyphara* Billberg, 1820; *Pachys* Hübner, 1822; *Eugyja* Hübner, [1825]; *Amphidasis* Treitschke, 1825; *Amphidasys* Sodoffsky, 1837; *Amphidasea* Unger, 1856; *Buzura* Walker, [1863]; *Culcula* Moore, 1888; *Eubyjodonta* W. Warren, 1893; *Blepharoctenia* W. Warren, 1894; *Epamraica* Matsumura, 1910; *#Bazura* Hutacharern & Tubtim, 1995

458. **Blastobasis Zeller, 1855** (Blastobasidae) Synonym(s): *Blastobasis* Zeller, 1855; *Epistetus* Walsingham, 1894; *Agnoea* Walsingham, 1907; *Prosthesis* Walsingham, 1908; *Zenodochium* Walsingham, 1908; *Euresia* Dietz, 1910; *Xenodochium* T.B. Fletcher, 1929
459. **Blastodacna Wocke, [1876]** (Agonoxenidae) Synonym(s): *Blastodacna* Wocke, [1876]; *Sinitinea* Yang, 1977
460. **Bombyx Linnaeus, 1758** (Bombycidae) Synonym(s): *Bombyx* Linnaeus, 1758; *Minyas* Savigny, 1816; *Theophila* Moore, 1862
461. **Borkhausenia Hübner, [1825]** (Oecophoridae) Synonym(s): *Borkhausenia* Hübner, [1825]
462. **Bostra Walker, 1863** (Pyralidae) Synonym(s): *Bostra* Walker, 1863; *Arippara* Walker, 1863; *Phasga* Walker, 1863; *Paleca* Butler, 1879; *Paredra* Snellen, 1880; *Acotomera* Butler, 1881; *Therapne* Ragonot, 1890; *Megalomia* Ragonot, 1891; *Comaria* Ragonot, 1892; *Stygiochroa* Ragonot, 1895
463. **Boursinia Brandt, 1938** (Noctuidae) Synonym(s): *Boursinia* Brandt, 1938; *Anamecia* Boursin, 1958; *#Bousinia* Hacker, 1998
464. **Brachmia Hübner, [1825]** (Gelechiidae) Synonym(s): *Brachmia* Hübner, [1825]; *Cladodes* Heinemann, 1870 nec Solier, 1849; *Eudodacles* Snellen, 1889; *Aulacomima* Meyrick, 1904; *Apethistis* Meyrick, 1908
465. **Brachodes Guenée, 1845** (Brachodidae) Synonym(s): *Atychia* Latreille, 1809 nec Ochs., 1808; *Brachodes* Guenée, 1845; *Palameris* Meyrick, 1906
466. **Brachylomia Hampson, 1906** (Noctuidae) Synonym(s): *Brachylomia* Hampson, 1906
467. **Bradyrrhoa (Kasikoparania) Kemal & Koçak, 2017** (Pyralidae) Synonym(s): *Kasikoparania* Kemal & Koçak, 2017
468. **Bradyrrhoa (s.str.) Zeller, 1848** (Pyralidae) Synonym(s): *Bradyrrhoa* Zeller, 1848; *#Bradyrrhaea* Marschall, 1873
469. **Bradyrrhoa Zeller, 1848** (Pyralidae) Synonym(s): *Bradyrrhoa* Zeller, 1848; *#Bradyrrhaea* Marschall, 1873
470. **Brahmaea (s.str.) Walker, 1855** (Brahmaeidae) Synonym(s): *Brahmaea* Walker, 1855
471. **Brahmaea Walker, 1855** (Brahmaeidae) Synonym(s): *Brahmaea* Walker, 1855
472. **Brandtina Bytinski-Salz & Brandt, 1937** (Noctuidae) Synonym(s): *Brandtina* Bytinski-Salz & Brandt, 1937; *Cometera* Hacker, 1996; *#Brandtaxia* Ebert & Hacker, 2002
473. **Bryomima Staudinger, 1900** (Noctuidae) Synonym(s): *Bryomima* Staudinger, 1900
474. **Bryophilopsis Hampson, 1894** (Noctuidae) Synonym(s): *Bryophilopsis* Hampson, 1894
475. **Bryotropha Heinemann, 1870** (Gelechiidae) Synonym(s): *Bryotropha* Heinemann, 1870; *Mniophaga* Pierce & Daltry, 1938; *Adelphtropha* Gozmany, 1955
476. **Bucculatrix Zeller, 1839** (Bucculatricidae) Synonym(s): *Bucculatrix* Zeller, 1839; *Ceroclastis* Zeller, 1848
477. **Bupalus Leach, [1815]** (Geometridae) Synonym(s): *Bupalus* Leach, [1815]; *Phaophyga* Billberg, 1820; *Chleuastes* Hübner, 1822; *Catograptia* Hübner, [1823]; *Bupala* Snellen, 1867 nec Pascoe, 1863
478. **Buszkoiana Koçak, 1981** (Pterophoridae) Synonym(s): *Richardia* Buszko, 1978 nec Robineau-Desvoidy, 1830; *Buszkoiana* Koçak, 1981; *#Buzkoina* Gielis, 1996
479. **Cabera Treitschke, 1825** (Geometridae) Synonym(s): *Cabera* Treitschke, 1825; *Deilinia* Hübner, [1825]; *Cabera* Stephens, 1829 nec Tr., 1825; *Cabira* Sodoffsky, 1837; *Dilina* Agassiz, 1847; *Cabiro* Unger, 1856; *Thysanochilus* Butler, 1878 nec Troschel, 1857; *Dilina* Hampson, 1895; *Gyalomia* L.B. Prout, 1913
480. **Cacochroa Heinemann, 1870** (Oecophoridae) Synonym(s): *Cacochroa* Heinemann, 1870; *Cacophyia* Rebel, 1901
481. **Cacoecimorpha Obratzov, 1954** (Tortricidae) Synonym(s): *Cacoecimorpha* Obratzov, 1954
482. **Cadra Walker, 1864** (Pyralidae) Synonym(s): *Cadra* Walker, 1864; *Xenephestia* Gozmany, 1958.
483. **Calamia Hübner, [1821]** (Noctuidae) Synonym(s): *Calamia* Hübner, [1821]
484. **Calamotropha Zeller, 1863** (Pyralidae) Synonym(s): *Calamotropha* Zeller, 1863; *Myeza* Walker, 1863; *Aurelianus* Bleszynski, 1962 nec Dist., 1902
485. **Calliergis Hübner, [1821]** (Noctuidae) Synonym(s): *#Callierges* auct.; *Calliergis* Hübner, [1821]; *Lithocampa* Guenée, 1852
486. **Callimorpha Latreille, 1809** (Arctiidae) Synonym(s): *Callimorpha* Latreille, 1809; *Panaxia* Tams, 1939.
487. **Callistege Hübner, [1823]** (Noctuidae) Synonym(s): *Callistege* Hübner, [1823]; *Euclidimera* Hampson, 1913
488. **Callisto Stephens, 1834** (Gracillariidae) Synonym(s): *Callisto* Stephens, 1834; *Annickia* Gibeaux, 1990
489. **Calliteara Butler, 1881** (Lymantriidae) Synonym(s): *Calliteara* Butler, 1881; *Elkneria* Börner, 1932; *Takashachia* Matsumura, 1929
490. **Callitomis Butler, 1876** (Ctenuchidae) Synonym(s): *Callitomis* Butler, 1876; *#Callitornis* Neave, 1939
491. **Callopietria Hübner, [1821]** (Noctuidae) Synonym(s): *Callopietria* Hübner, [1821]; *Lagopus* R.L., 1817 nec Brisson, 1760; *Eriopus* Treitschke, 1825; *Agabra* Walker, 1862; *Obana* Walker, 1862 nec Walk., 1862; *Gnamptocera* Butler, 1881; *Haploolophus* Butler, 1881; *Dissolophus* Butler, 1881; *Hemipachycera* Butler, 1881; *Rheptrotrichia* Butler, 1881; *Platydasys* Butler, 1881; *Methorasa* Moore, 1881; *Cotanda* Moore, 1881; *Herrichia* Grote, 1882 nec Stgr., 1871; *Euherrichia* Grote, 1882; *Hyperdasis* Swinhoe, 1901; *Miropalpa* Berio, 1955
492. **Calocucullia G.Ronkay & L.Ronkay, 1987** (Noctuidae) Synonym(s): *Calocucullia* G.Ronkay & L.Ronkay, 1987

- 493. Calophasia Stephens, 1829** (Noctuidae) **Synonym(s):** *Calophasia* Stephens, 1829
- 494. Caloptilia Hübner, [1825]** (Gracillariidae) **Synonym(s):** *Caloptilia* Hübner, [1825]; *Ornix* Kollar, 1832; *Coriscium* Zeller, 1839; *Calliptilia* Agassiz, 1847; *Antiolopha* Meyrick, 1894; *Sphyrophora* Vari, 1961; *Povolnya* Kuznetsov, 1979; *Phylloptilia* Kumata, 1982; *Rhadinoptilia* Kumata, 1982; *Minyoptilia* Kumata, 1982; *Cecidoptilia* Kumata, 1982
- 495. Calybites Hübner, 1822** (Gracillariidae) **Synonym(s):** *Calybites* Hübner, 1822; *Euspilapteryx* Stephens, 1835; *Euspilopteryx* Agassiz, 1847; *Eucalybites* Kumata, 1982
- 496. Calyciphora Kasy, 1960** (Pterophoridae) **Synonym(s):** *Calyciphora* Kasy, 1960
- 497. Calymma Hübner, [1823]** (Noctuidae) **Synonym(s):** *Calymma* Hübner, [1823]
- 498. Calyptra Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Calyptra* Ochsenheimer, 1816; *Calpe* Treitschke, 1825; *Culasta* Moore, 1881; *Hypocalpe* Butler, 1883; *Percalpe* Berio, 1956
- 499. Campaea Lamarck, 1816** (Geometridae) **Synonym(s):** *Campaea* Lamarck, 1816; *Eratopis* R.L., 1817; *Tribacia* Billberg, 1820; *Metrocampus* Berthold, 1827; *Metrocampe* Rambur, 1833; *Metrocampe* Bruand, 1846
- 500. Camptogramma Stephens, 1831** (Geometridae) **Synonym(s):** *Camptogramma* Stephens, 1831
- 501. Canephora Hübner, 1822** (Psychidae) **Synonym(s):** *Canephora* Hübner, 1822; *Pachytelia* Westwood, 1848; *Lepidopsyche* Newman, 1850; *Oiketicoides* Heylaerts, 1881; *Eurukuttarus* Hampson, 1891
- 502. Capperia Tutt, 1905** (Pterophoridae) **Synonym(s):** *Capperia* Tutt, 1905; *Anacapperia* Bigot & Picard, 1986.
- 503. Capricornia Obraztsov, 1960** (Tortricidae) **Synonym(s):** *Melodes* Guenée, 1845 nec Keyserling & Blasius, 1840; *Capricornia* Obraztsov, 1960
- 504. Caradrina (Boursinidrina) Hacker, 2004** (Noctuidae) **Synonym(s):** *Boursinidrina* Hacker, 2004
- 505. Caradrina (Eremodrina) Boursin, 1937** (Noctuidae) **Synonym(s):** *Eremodrina* Boursin, 1937
- 506. Caradrina (Kalchbergiana) Hacker, 2004** (Noctuidae) **Synonym(s):** *Kalchbergiana* Hacker, 2004
- 507. Caradrina (Levantrina) Hacker, 2004** (Noctuidae) **Synonym(s):** *Levantrina* Hacker, 2004
- 508. Caradrina (Paradrina) Boursin, 1937** (Noctuidae) **Synonym(s):** *Paradrina* Boursin, 1937
- 509. Caradrina (Platyperigea) Smith, 1894** (Noctuidae) **Synonym(s):** *Platyperigea* Smith, 1894; *Hymenodrina* Boursin, 1937
- 510. Caradrina Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Caradrina* Ochsenheimer, 1816; *Charadrina* Agassiz, 1847; *Amphidrina* Staudinger, 1892
- 511. Carcina Hübner, [1825]** (Oecophoridae) **Synonym(s):** *Carcina* Hübner, [1825]
- 512. Cardepi Hampson, 1905** (Noctuidae) **Synonym(s):** *Cardepi* Hampson, 1905
- 513. Carpatolechia Capuse, 1964** (Gelechiidae) **Synonym(s):** *Carpatolechia* Capuse, 1964; *Vicina* Omelko, 1999
- 514. Carposina Herrich-Schäffer, [1853]** (Carposinidae) **Synonym(s):** *Carposina* Herrich-Schäffer, [1853]; *Enopa* Walker, 1866; *Oistophora* Meyrick, 1881; *Paramorpha* Meyrick, 1881; *Heterocrossa* Meyrick, 1882
- 515. Carsia Hübner, [1825]** (Geometridae) **Synonym(s):** *Carsia* Hübner, [1825]; *Celma* Stephens, 1831; #*Celina* Westwood, 1840
- 516. Caryocolum Gregor & Povolny, 1954** (Gelechiidae) **Synonym(s):** *Caryocolum* Gregor & Povolny, 1954
- 517. Casilda Agenjo, 1952** (Geometridae) **Synonym(s):** *Casilda* Agenjo, 1952
- 518. Cataclysm Hübner, [1825]** (Geometridae) **Synonym(s):** *Cataclysm* Hübner, [1825]; *Paraplaneta* W. Warren, 1895.
- 519. Cataclysta Hübner, [1825]** (Pyralidae) **Synonym(s):** *Cataclysta* Hübner, [1825]; *Cryptocosma* Lederer, 1863; *Eugauria* Snellen, 1901; *Chalcoelopsis* Dyar, 1914
- 520. Cataonia Ragonot, 1891** (Pyralidae) **Synonym(s):** *Cataonia* Ragonot, 1891
- 521. Catarhoe Herbulot, 1951** (Geometridae) **Synonym(s):** *Catarhoe* Herbulot, 1951
- 522. Catastia Hübner, [1825]** (Pyralidae) **Synonym(s):** *Catastia* Hübner, [1825]
- 523. Catatinagma Rebel, 1903** (Gelechiidae) **Synonym(s):** *Catatinagma* Rebel, 1903; *Coloptilia* T.B. Fletcher, 1940
- 524. Catephia Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Catephia* Ochsenheimer, 1816; *Idicara* Walker, [1863]; *Zarima* Moore, 1882; *Mageutica* Hampson, 1926
- 525. Catharia Lederer, 1863** (Pyralidae) **Synonym(s):** *Catharia* Lederer, 1863
- 526. Catocala (Ephesia) Hübner, 1818** (Noctuidae) **Synonym(s):** *Ephesia* Hübner, 1818
- 527. Catocala (Mormonia) Hübner, [1823]** (Noctuidae) **Synonym(s):** *Mormonia* Hübner, [1823]
- 528. Catocala (s.str.) Schrank, 1802** (Noctuidae) **Synonym(s):** *Catocala* Schrank, 1802; *Hemigeometra* Haworth, 1809; *Lamprosia* Hübner, [1821]; *Belpharidia* Hübner, 1822; *Astiotis* Hübner, [1823]; *Corisce* Hübner, [1823]; *Eucora* Hübner, [1823]; *Eunetis* Hübner, [1823]; *Andrewsia* Grote, 1882; *Catabapta* Hulst, 1884; *Andreusia* Hampson, 1913; *Simplicala* Beck, 1996
- 529. Catocala Schrank, 1802** (Noctuidae) **Synonym(s):** *Catocala* Schrank, 1802; *Hemigeometra* Haworth, 1809; *Lamprosia* Hübner, [1821]; *Belpharidia* Hübner, 1822; *Astiotis* Hübner, [1823]; *Corisce* Hübner, [1823]; *Eucora* Hübner, [1823]; *Eunetis* Hübner, [1823]; *Andrewsia* Grote, 1882; *Catabapta* Hulst, 1884; *Andreusia* Hampson, 1913; *Simplicala* Beck, 1996

530. **Catoptria Hübner, [1825]** (Pyrilidae) Synonym(s): *Catoptria Hübner, [1825]*; *Exoria Hübner, [1825]*.
531. **Cauchas Zeller, 1839** (Adelidae) Synonym(s): *Cauchas Zeller, 1839*; *Cyanauges Braun, 1919* nec *Philippi, 1865*; *Chalceopla Braun, 1921*
532. **Caulastrocecis Chrétien, 1931** (Gelechiidae) Synonym(s): *Caulastrocecis Chrétien, 1931*
533. **Celaena Stephens, 1829** (Noctuidae) Synonym(s): *Celaena Stephens, 1829*; *Helotropha Lederer, 1857*
534. **Celypha Hübner, [1825]** (Tortricidae) Synonym(s): *Euchromia Stephens, 1829* nec *Hübner, [1819]*; *Celypha Hübner, [1825]*; *Syricoris Treitschke, 1829*; *Sericoris Treitschke, 1830*; *Loxoterma Busck, 1906*; *Paracelypha Obratzsov, 1960*; *Celyphoides Obratzsov, 1960*
535. **Cephimallota Bruand, 1851** (Tineidae) Synonym(s): *Cephimallota Bruand, 1851*; *Anemallota Zagulyaev, 1965*
536. **Cepphis Hübner, [1823]** (Geometridae) Synonym(s): *Cepphis Hübner, [1823]*; *Hetrione Poppius, 1887*
537. **Cerapteryx Curtis, 1833** (Noctuidae) Synonym(s): *Cerapteryx Curtis, 1833*
538. **Cerastis Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Cerastis Ochsenheimer, 1816*; *Cerastia Stephens, 1850*; *Sora Heinemann, 1859* nec *Wlk., 1859*; *Matuta Grote, 1874*; *Gypsitea Tams, 1939*; *Facastis Beck, 1991*
539. **Ceratoxanthus Razowski, 1960** (Tortricidae) Synonym(s): *Ceratoxanthus Razowski, 1960*
540. **Ceratuncus G. Petersen, 1957** (Tineidae) Synonym(s): *Ceratuncus G. Petersen, 1957*
541. **Cerocala Boisduval, 1828** (Noctuidae) Synonym(s): *Cerocala Boisduval, 1828*
542. **Cerura Schrank, 1802** (Notodontidae) Synonym(s): *Cerura Schrank, 1802*; *Andria Hübner, 1822*; *Pania Dalman, 1823*; *Dicranura Boisduval, 1828* nec *Reichenbach, 1817*; *Apocerura De Lattin, Becker & Bender, 1974*
543. **Ceuthomadarus Mann, 1864** (Lecithoceridae) Synonym(s): *Ceuthomadarus Mann, 1864*; *Asbolistis Meyrick, 1936*; *Exorgana Gozmany, 1957*
544. **Chamaesphecia Spuler, 1910** (Sesiidae) Synonym(s): *Chamaesphecia Spuler, 1910*; *Scopulosphecia Lastuvka, [1990]*
545. **Charadraula Meyrick, 1931** (Autostichidae) Synonym(s): *Charadraula Meyrick, 1931*; *Bubulcellodes Amsel, 1942*
546. **Charanyca (Rusina) Stephens, 1829** (Noctuidae) Synonym(s): *Rusina Stephens, 1829*; *Stygiostola Hampson, 1908*; *Pseudoxestia Boursin, 1953*
547. **Charanyca Billberg, 1820** (Noctuidae) Synonym(s): *Charanyca Billberg, 1820*; *Meristis Hübner, [1821]*; *Grammesia Stephens, 1829*
548. **Charissa (Cnestrognophos) Wehrli, 1951** (Geometridae) Synonym(s): *Cnestrognophos Wehrli, 1951*; *Cnestrognophos Wehrli, 1953*
549. **Charissa (Euchrognophos) Wehrli, 1951** (Geometridae) Synonym(s): *Hyposcotis Hübner, [1825]*; *Euchrognophos Wehrli, 1951*; *Euchrognophos Wehrli, 1953*
550. **Charissa (Kemtrognophos) Wehrli, 1951** (Geometridae) Synonym(s): *Kemtrognophos Wehrli, 1951*; *#Kentrognophos Wehrli, 1951*
551. **Charissa (Neognophina) Wehrli, 1946** (Geometridae) Synonym(s): *Neognophina Wehrli, 1946*; *Neognophina Wehrli, 1951*; *Neognophina Wehrli, 1953*
552. **Charissa (Organognophos) Wehrli, 1951** (Geometridae) Synonym(s): *Organognophos Wehrli, 1951*; *Organognophos Wehrli, 1953*
553. **Charissa (Rhopalognophos) Wehrli, 1951** (Geometridae) Synonym(s): *Rhopalognophos Wehrli, 1951*; *Rhopalognophos Wehrli, 1953*
554. **Charissa (s.str.) Curtis, 1826** (Geometridae) Synonym(s): *Charissa Curtis, 1826*; *Lycognophos Wehrli, 1951*; *#Lysognophos Wehrli, 1953*
555. **Chazaria Moore, 1881** (Noctuidae) Synonym(s): *Chazaria Moore, 1881*; *Rhodocleptia Hampson, 1903*.
556. **Chelis Rambur, 1866** (Arctiidae) Synonym(s): *Chelis Rambur, 1866*; *#Cletis Kirby, 1892*
557. **Chemerina Boisduval, 1840** (Geometridae) Synonym(s): *Chemerina Boisduval, 1840*; *Chamerina Desmarest, 1847*; *Chimerina Agassiz, 1847*; *Dysemon Lederer, 1853*
558. **Chersotis (Cyrebia) Guenée, 1852** (Noctuidae) Synonym(s): *Cyrebia Guenée, 1852*
559. **Chersotis (s.str.) Boisduval, 1840** (Noctuidae) Synonym(s): *Chersotis Boisduval, 1840*; *Multsotis Beck, 1991*; *Alpsotis Beck, 1991*; *Cupreosotis Beck, 1991*; *Fimbriosotis Beck, 1991*; *Elesotis Beck, 1991*; *Larixsotis Beck, 1991*; *Margasotis Beck, 1991*;
560. **Chersotis Boisduval, 1840** (Noctuidae) Synonym(s): *Chersotis Boisduval, 1840*; *Multsotis Beck, 1991*; *Alpsotis Beck, 1991*; *Cupreosotis Beck, 1991*; *Fimbriosotis Beck, 1991*; *Elesotis Beck, 1991*; *Larixsotis Beck, 1991*; *Margasotis Beck, 1991*;
561. **Chesias Treitschke, 1825** (Geometridae) Synonym(s): *Chesias Treitschke, 1825*; *Eucestia Hübner, [1825]*; *Eucestix Agassiz, 1847*
562. **Chesistege Viidalepp, 1990** (Geometridae) Synonym(s): *Chesistege Viidalepp, 1990*
563. **Chiasmia Hübner, [1823]** (Geometridae) Synonym(s): *Chiasmia Hübner, [1823]*; *Arte Stephens, 1829*; *Hercyna Stephens, 1829* nec *Treit., 1828*; *Strenia Duponchel, 1829*; *Sternia Kolenati, 1846*; *Osteodes Guenée, [1858]* nec *Conrad, 1855*; *Discalma Meyrick, 1892*; *Tephrotopsis W. Warren, 1896*; *Xenoneura W. Warren, 1896*; *Hystomodes W. Warren, 1897*; *Peridela W. Warren, 1897*; *Iulocera W. Warren, 1905*; *Allochrosis Strand, 1912*; *Neomacaria Wehrli, 1937*; *Thyridesia Wehrli, 1940*; *#Chiasama Hutacharern & Tuhtim, 1995*

564. **Chilena Walker, 1855** (Lasiocampidae) Synonym(s): *Chilena Walker, 1855*
565. **Chilo Zincken, 1817** (Pyralidae) Synonym(s): *Chilo Zincken, 1817*; *Chilona Sodoffsky, 1837*; *Borer Guenée, 1854*; *Diphryx Grote, 1881*; *Nephalia Turner, 1911*; *Hypiasta Hampson, 1919*; *Silveria Dyar, 1925*
566. **Chilodes Herrich-Schäffer, 1849** (Noctuidae) Synonym(s): *Chilodes Herrich-Schäffer, 1849*; *Hypostilbia Hampson, 1908*
567. **Chionodes Hübner, [1825]** (Gelechiidae) Synonym(s): *Chionodes Hübner, [1825]*
568. **Chionoxantha Hampson, 1914** (Noctuidae) Synonym(s): *Xantholeuca Hampson, 1910 (praeocc.)*; *Chionoxantha Hampson, 1914*
569. **Chloantha Boisduval, Rambur & Graslin, [1836]** (Noctuidae) Synonym(s): *Chloantha Boisduval, Rambur & Graslin, [1836]*; *#Cloantha Guenée, 1839*; *Chloamtha Agassiz, 1846*
570. **Chlorissa Stephens, 1831** (Geometridae) Synonym(s): *Chlorissa Stephens, 1831*; *Aoshakuna Matsumura, 1925*
571. **Chloroclysta Hübner, [1825]** (Geometridae) Synonym(s): *Chloroclysta Hübner, [1825]*; *Dysstroma Hübner, [1825]*; *Polyphasia Stephens, 1831*; *Euthalia Stephens, 1831*
572. **Chloroclystis Hübner, [1825]** (Geometridae) Synonym(s): *Chloroclystis Hübner, [1825]*; *Axinoptera Hampson, 1893*; *Ceratorhynchus Hampson, 1893 nec Agass., 1829*; *Rhinoprora W. Warren, 1895*; *Gymnopera W. Warren, 1896*; *Cithecia Staudinger, 1897*; *Dyserga W. Petersen, 1909*; *Calliclystis Dietze, 1910*; *Olygoclystia Bastelberger, 1911*
573. **Cholius Guenée, 1845** (Pyralidae) Synonym(s): *Cholius Guenée, 1845*
574. **Chondrostega Lederer, 1858** (Lasiocampidae) Synonym(s): *Chondrostega Lederer, 1858*; *Eustaudingeria Dyar, 1898*; *Libanopacha Zerny, 1933*
575. **Choreutis Hübner, [1825]** (Choreutidae) Synonym(s): *Choreutis Hübner, [1825]*; *Eutromula Frölich, 1828*; *Choreutes Treitschke, 1835*; *Macropia Costa, [1836]*; *Entomoloma Ragonot, 1875*; *Orchemia Fernald, 1900 nec Gn., 1845*; *Choreutidia Sauber, 1902*; *Allonyma Busck, 1904*
576. **Choristoneura Lederer, 1859** (Tortricidae) Synonym(s): *Choristoneura Lederer, 1859*; *Cornicacoecia Obratzsov, 1954*; *Hoshinoa Kawabe, 1965*
577. **Chortodes Tutt, 1897** (Noctuidae) Synonym(s): *Chortodes Tutt, 1897*; *Longalatedes Beck, 1991*
578. **Chrysoclista Stainton, 1854** (Agonoxenidae) Synonym(s): *Chrysoclista Stainton, 1854*
579. **Chrysocrambus Bleszynski, 1957** (Pyralidae) Synonym(s): *Chrysocrambus Bleszynski, 1957*
580. **Chrysocraspeda Swinhoe, 1893** (Geometridae) Synonym(s): *Chrysocraspeda Swinhoe, 1893*; *Chrysocraspeda Hampson, 1895*; *Ptochophyle W. Warren, 1896*; *Chrysolene W. Warren, 1897*; *Heteroctenis Meyrick, 1897*
581. **Chrysodeixis Hübner, [1821]** (Noctuidae) Synonym(s): *Chrysodeixis Hübner, [1821]*; *Neoplusia Okano, 1963*
582. **Chrysoesthia Hübner, [1825]** (Gelechiidae) Synonym(s): *Chrysoesthia Hübner, [1825]*; *Microsetia Stephens, 1829*; *Chrysesthia Agassiz, 1847*; *Chrysia Bruand, [1851]*; *Nomia Clemens, 1860*; *Chrysopora Clemens, 1860*; *Nannodia Heinemann, 1870*; *Anaphaula Walsingham, 1904*; *Guebla Chrétien, 1915*
583. **Chrysoteuchia Hübner, [1825]** (Pyralidae) Synonym(s): *Chrysoteuchia Hübner, [1825]*; *Amphibolia Snellen, 1884 nec Macq., 1843*
584. **Cidaria Treitschke, 1825** (Geometridae) Synonym(s): *Cidaria Treitschke, 1825*; *Harpalyce Stephens, 1827*; *Zonodonta Sodoffsky, 1837*
585. **Cilix Leach, [1815]** (Drepanidae) Synonym(s): *Cilix Leach, [1815]*; *Euclea Hübner, [1819]*; *#Cilyx Blanchard, 1840*
586. **Cinglis Guenée, [1858]** (Geometridae) Synonym(s): *Cinglis Guenée, [1858]*
587. **Clarina Tutt, 1903** (Sphingidae) Synonym(s): *Clarina Tutt, 1903*; *Berutana Rothschild & Jordan, 1903*.
588. **Clavigesta Obratzsov, 1946** (Tortricidae) Synonym(s): *Clavigesta Obratzsov, 1946*
589. **Clelea Walker, 1854** (Zygaenidae) Synonym(s): *Clelea Walker, 1854*; *#Clelia Walker, 1856*
590. **Cleoceris Boisduval, 1836** (Noctuidae) Synonym(s): *Cleoceris Boisduval, 1836*; *Derthisa Walker, 1857*
591. **Cleonymia (Serryvania) Berio, 1980** (Noctuidae) Synonym(s): *Serryvania Berio, 1980*
592. **Cleonymia Berio, 1966** (Noctuidae) Synonym(s): *Cleonymia Berio, 1966*
593. **Cleora Curtis, 1825** (Geometridae) Synonym(s): *Cleora Curtis, 1825*; *Cerotricha Guenée, [1858]*; *Barsine Meyrick, 1883 nec Walk., 1854*; *Meyrickia Butler, 1884*; *Chogada Moore, 1887*; *Carecomotis W. Warren, 1896*; *Neocleora Janse, 1932*
594. **Cleorodes W. Warren, 1894** (Geometridae) Synonym(s): *Cleorodes W. Warren, 1894*
595. **Clepsis Guenée, 1845** (Tortricidae) Synonym(s): *Clepsis Guenée, 1845*; *Smicrotes Clemens, 1860*; *Siclobola Diakonoff, 1948*; *Pseudamelia Obratzsov, 1954*; *Clepsodes Diakonoff, 1957*; *Mochlopyga Diakonoff, 1964*
596. **Cleptotypodes Minet, 1983** (Pyralidae) Synonym(s): *Cleptotypodes Minet, 1983*
597. **Cleta Duponchel, [1845]** (Geometridae) Synonym(s): *Cleta Duponchel, [1845]*; *Chrysoctenis Meyrick, 1892*; *#Cletha Amsel, 1933*
598. **Clostera Samouelle, 1819** (Notodontidae) Synonym(s): *Clostera Samouelle, 1819*; *Ichtyura Hübner, [1819]*; *Melalopha Hübner, 1822*; *Tholoda Gistel, 1848*; *Neoclostera Kiriakoff, 1963*

599. **Clytie (Hypoglaucitis) Staudinger, 1895** (Noctuidae) **Synonym(s):** *Hypoglaucitis* Staudinger, 1895
600. **Clytie (s.str.) Hübner, [1823]** (Noctuidae) **Synonym(s):** *Clytie* Hübner, [1823]; *Pseudophia* Guenée, 1852.
601. **Clytie Hübner, [1823]** (Noctuidae) **Synonym(s):** *Clytie* Hübner, [1823]; *Pseudophia* Guenée, 1852.
602. **Cnaemidophorus Wallengren, 1862** (Pterophoridae) **Synonym(s):** *Cnaemidophorus* Wallengren, 1862; *Cnemidophorus* Zeller, 1867; *Eucnemidophorus* Wallengren, 1881
603. **Cnephasia (Cnephasiella) Adamczewski, 1936** (Tortricidae) **Synonym(s):** *Cnephasiella* Adamczewski, 1936; *#Cnephasianella* Benander, 1950
604. **Cnephasia (s.str.) Curtis, 1826** (Tortricidae) **Synonym(s):** *Cnephasia* Curtis, 1826; *Sciaphila* Treitschke, 1829; *Hypostephanuntia* Réal, 1951; *Anoplocnephasia* Réal, 1953; *Brachycnephasia* Réal, 1953
605. **Cnephasia Curtis, 1826** (Tortricidae) **Synonym(s):** *Cnephasia* Curtis, 1826
606. **Coccidiphila Danilevsky, 1950** (Cosmopterigidae) **Synonym(s):** *Coccidiphila* Danilevsky, 1950; *Bathrachedropsis* Amsel, 1955.
607. **Coccothera Meyrick, 1914** (Tortricidae) **Synonym(s):** *Coccothera* Meyrick, 1914; *Cirriphora* Obraztsov, 1951
608. **Cochylidia Obraztsov, 1956** (Tortricidae) **Synonym(s):** *Cochylidia* Obraztsov, 1956
609. **Cochylimorpha Razowski, 1959** (Tortricidae) **Synonym(s):** *Stenodes* Guenée, 1845 nec Dujard., [1844]; *Cochylimorpha* Razowski, 1959; *Euxanthoides* Razowski, 1960; *Substenodes* Razowski, 1960; *Eustenodes* Razowski, 1960; *Bipenisia* Razowski, 1960; *Bleszynskiella* Razowski, 1960; *Paraxanthoides* Raz., 1960; *Parastenodes* Raz., 1960
610. **Cochylis Treitschke, 1929** (Tortricidae) **Synonym(s):** *Cochylis* Treitschke, 1829; *Conchylis* Sodoffsky, 1837; *Ponturania* Obraztsov, 1943; *Acornutia* Obraztsov, 1944; *Cochylichroa* Obraztsov & Swatschek, 1958; *Longicornutia*, *Neocochylis*, *Paracochylis*, *Brevicornutia* Razowski, 1960.
611. **Coenochroa Ragonot, 1887** (Pyrilidae) **Synonym(s):** *Coenochroa* Ragonot, 1887; *Petaluma* Hulst, 1888; *Alamosa* Hampson, 1901; *Raphimetopus* Hampson, 1918
612. **Coenophila Stephens, 1850** (Noctuidae) **Synonym(s):** *Coenophila* Stephens, 1850
613. **Coenotephria L.B. Prout, 1915** (Geometridae) **Synonym(s):** *Coenotephria* L.B. Prout, 1915
614. **Coleophora Hübner, 1822** (Coleophoridae) **Synonym(s):** *Galleria* Vallot, 1818 nec Fabr., 1798; *Coleophora* Hübner, 1822; *Eupista* Hübner, [1825]; *Haploptilia* Hübner, [1825]; *Apista* Hübner, [1825]; *Porrectaria* Haworth, 1828; *Damophila* Curtis, 1832; *Astyages* Stephens, 1834; *Metallosetia* Stephens, 1834; *Casas* Wallengren, 1881; *Casigneta* Wallengren, 1881; *Corythangela* Meyrick, 1897; *Casignetella* Strand, 1928; *Protocryptis* Meyrick, 1931; *Tolleophora* Capuse, 1971; *Ionescumia* Capuse, 1971; *Stollia* Capuse, 1971; *Razowskia* Capuse, 1971; *Orghidania* Capuse, 1971; *Suireia* Capuse, 1971; *Frederickoenigia* Capuse, 1971; *Zaguljaevia* Capuse, 1971; *Amseliphora* Capuse, 1971; *Nemesia* Capuse, 1971 nec Sav., 1826; *Zangheriphora* Capuse, 1971; *Bourgojneja* Capuse, 1971; *Aureliania* Capuse, 1971 nec Gosse, 1860; *Bacescuia* Capuse, 1971; *Klinzigedia* Capuse, 1971; *Vladdelia* Capuse, 1971; *Klimeschja* Capuse, 1971; *Glaseria* Capuse, 1971; *Valvulongia* Capuse, 1971; *Falkovitshia* Capuse, 1971; *Helopharea* Falkovitsh, 1972; *Cricotechna* Falkovitsh, 1972; *Plegmidia* Falkovitsh, 1972; *Agapalsa* Falkovitsh, 1972;
615. **Colobochyla (Caspicastra) Koçak & Kemal, 2002** (Noctuidae) **Synonym(s):** *Caspicastra* Koçak & Kemal, 2002
616. **Colobochyla Hübner, [1825]** (Noctuidae) **Synonym(s):** *#Salia* Hübner, [1806]; *Colobochyla* Hübner, [1825]; *#Cholobochyla* Hübner, [1826]; *Madopa* Stephens, 1829; *Cholobochila* Agassiz, 1846; *#Calobochyla* Walker, [1859]; *#Matopa* Hacker, 1990.
617. **Colocasia Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Colocasia* Ochsenheimer, 1816; *Leptostola* Billberg, 1820; *Demas* Stephens, 1829; *#Calocasia* auct.
618. **Colostygia Hübner, [1825]** (Geometridae) **Synonym(s):** *Colostygia* Hübner, [1825]; *Amoebe* Hübner, [1825]; *Erinobia* Stephens, 1850
619. **Colotois Hübner, [1823]** (Geometridae) **Synonym(s):** *Colotois* Hübner, [1823]; *Metra* Stephens, 1827; *Himera* Duponchel, 1829
620. **Comibaena Hübner, [1823]** (Geometridae) **Synonym(s):** *Comibaena* Hübner, [1823]
621. **Condica Walker, 1856** (Noctuidae) **Synonym(s):** *Condica* Walker, 1856; *Gaphara* Walker, 1862; *Platysenta* Grote, 1874; *Myrtale* Druce, 1891; *Monocondica* Berio, 1981; *Bicondica* Berio, 1981.
622. **Conistra (Dasycampa) Guenée, 1837** (Noctuidae) **Synonym(s):** *Dasycampa* Guenée, 1837
623. **Conistra (Peperina) Hreblay, 1992** (Noctuidae) **Synonym(s):** *Peperina* Hreblay, 1992
624. **Conistra (s.str.) Hübner, [1821]** (Noctuidae) **Synonym(s):** *Conistra* Hübner, [1821]; *Orrhodia* Hübner, [1821]; *Gloia* Hübner, 1822; *Peperina* Hreblay, 1992
625. **Conistra Hübner, [1821]** (Noctuidae) **Synonym(s):** *Conistra* Hübner, [1821]; *Orrhodia* Hübner, [1821]; *Gloia* Hübner, 1822; *Peperina* Hreblay, 1992
626. **Coptotriche Walsingham, 1890** (Tischeriidae) **Synonym(s):** *Coptotriche* Walsingham, 1890; *Emmetia* Leraut, 1993
627. **Cornifrons Lederer, 1858** (Pyrilidae) **Synonym(s):** *Cornifrons* Lederer, 1858
628. **Cornutiplusia Kostrowicki, 1961** (Noctuidae) **Synonym(s):** *Cornutiplusia* Kostrowicki, 1961
629. **Coscinia (s.str.) Hübner, [1819]** (Arctiidae) **Synonym(s):** *Coscinia* Hübner, [1819]

630. **Coscinia Hübner, [1819]** (Arctiidae) Synonym(s): *Coscinia Hübner, [1819]*
631. **Cosmia (Calymnia) Hübner, [1821]** (Noctuidae) Synonym(s): *Calymnia Hübner, [1821]*
632. **Cosmia (Fibigerina) Koçak & Kemal, 2015** (Noctuidae) Synonym(s): *Silva Fibiger & Hacker, 2007 nec Verreaux, 1872; Fibigerina Koçak & Kemal, 2015*
633. **Cosmia (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Cosmia Ochsenheimer, 1816; Eustegnia Hübner, [1821].*
634. **Cosmia (Ulmia) Fibiger & Hacker, 2007** (Noctuidae) Synonym(s): *Ulmia Fibiger & Hacker, 2007*
635. **Cosmia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Cosmia Ochsenheimer, 1816; Eustegnia Hübner, [1821].*
636. **Cosmopterix Hübner, [1825]** (Cosmopterigidae) Synonym(s): *Cosmopterix Hübner, [1825]; Cosmopteryx Agassiz, 1847 nec Zell., 1839; Lienigia Spuler, 1910*
637. **Cosmorhoe Hübner, [1825]** (Geometridae) Synonym(s): *Cosmorhoe Hübner, [1825]; Lyncometra L.B. Prout, 1914*
638. **Cossulus Staudinger, 1887** (Cossidae) Synonym(s): *Cossulus Staudinger, 1887; Cossulinus Kirby, 1892*
639. **Cossus Fabricius, 1793** (Cossidae) Synonym(s): *Cossus Fabricius, 1793; #Teredo Hübner, [1806]; Lyonetus Rafinesque, 1815; Teredo Hübner, 1822 nec Linn., 1758; Trypanus Rambur, 1866*
640. **Costaconvexa Agenjo, 1949** (Geometridae) Synonym(s): *Costaconvexa Agenjo, 1949; Grammorrhoe Herbulot, 1951*
641. **Crambus Fabricius, 1798** (Pyralidae) Synonym(s): *Crambus Fabricius, 1798; Palparia Haworth, [1811]; Tetrachila Hübner, 1822; Argyrotochia Hübner, [1825]; Arequipa Walker, 1863.*
642. **Craniophora Snellen, 1867** (Noctuidae) Synonym(s): *Craniophora Snellen, 1867; Bisulcia Chapman, 1890; Cranionycta De Lattin, 1949; Hampsonia Kozhantschikov, 1950; Miracopa Draudt, 1950; Hampsonidia Inoue, 1958.*
643. **Crocallis Treitschke, 1825** (Geometridae) Synonym(s): *#Eusarca Hübner, [1806]; Crocallis Treitschke, 1825; Crocallis Stephens, 1829 nec Tr., 1825*
644. **Crociosema Zeller, 1847** (Tortricidae) Synonym(s): *Crociosema Zeller, 1847; #Crocidosoma Walker, 1863; Heligmocera Walsingham, 1892; Parasuleima Clarke, 1965*
645. **Croesia Hübner, [1825]** (Tortricidae) Synonym(s): *Croesia Hübner, [1825]; Argyrotoza Stephens, 1829; Argyrotoxa Agassiz, 1847; Ergasia Issiki & Stringer, 1932*
646. **Crombruggia Tutt, 1906** (Pterophoridae) Synonym(s): *Crombruggia Tutt, 1906; #Combruggia Neave, 1939*
647. **Crossotocera Zerny, 1930** (Oecophoridae) Synonym(s): *Crossotocera Zerny, 1930; Rhipidocera Amsel, 1952 nec Agass., 1847*
648. **Cryphia (Bryoleuca) Hampson, 1908** (Noctuidae) Synonym(s): *Bryoleuca Hampson, 1908*
649. **Cryphia (Bryophila) Treitschke, 1825** (Noctuidae) Synonym(s): *Poecilia Schrank, 1802 nec Schneider, 1801; Bryophila Treitschke, 1825*
650. **Cryphia (Bryopsis) Boursin, 1969** (Noctuidae) Synonym(s): *Bryopsis Boursin, 1969*
651. **Cryphia (Euthales) Hübner, [1820]** (Noctuidae) Synonym(s): *Euthales Hübner, [1820]; Jaspidia Hübner, 1822*
652. **Cryphia (s.str.) Hübner, 1818** (Noctuidae) Synonym(s): *Cryphia Hübner, 1818; Heterocryphia Beck, 1996*
653. **Cryphia Hübner, 1818** (Noctuidae) Synonym(s): *Cryphia Hübner, 1818; Heterocryphia Beck, 1996*
654. **Crypsithyris Meyrick, 1907** (Tineidae) Synonym(s): *Crypsithyris Meyrick, 1907*
655. **Crypsotidia Rothschild, 1901** (Noctuidae) Synonym(s): *Crypsotidia Rothschild, 1901*
656. **Cryptoblabes Zeller, 1848** (Pyralidae) Synonym(s): *Cryptoblabes Zeller, 1848; Albinia Briosi, [1877] nec Robineau-Desvoidy, 1830*
657. **Cryptocochylis Razowski, 1960** (Tortricidae) Synonym(s): *Cryptocochylis Razowski, 1960*
658. **Cucullia (s.str.) Schrank, 1802** (Noctuidae) Synonym(s): *Cucullia Schrank, 1802; Euderaea Hübner, [1821]; Empusa Hübner, [1821]; Eucalimia Hübner, [1821]; Callaenia Hübner, [1821]; Argyritis Hübner, [1821]; Tribunophora Hübner, 1822; Lophia Sodoffsky, 1837; Argyroglea Hampson, 1906; Cheligalea Hampson, 1906; Argyrocoma Hampson, 1906; Empusada Hampson, 1906; Pseudocopicucullia Dumont, 1929*
659. **Cucullia Schrank, 1802** (Noctuidae) Synonym(s): *Cucullia Schrank, 1802; Euderaea Hübner, [1821]; Empusa Hübner, [1821]; Eucalimia Hübner, [1821]; Callaenia Hübner, [1821]; Argyritis Hübner, [1821]; Tribunophora Hübner, 1822; Lophia Sodoffsky, 1837; Argyroglea Hampson, 1906; Cheligalea Hampson, 1906; Argyrocoma Hampson, 1906; Empusada Hampson, 1906; Pseudocopicucullia Dumont, 1929*
660. **Culpinia L.B. Prout, 1912** (Geometridae) Synonym(s): *Culpinia L.B. Prout, 1912*
661. **Cupedia Klimesch & Kumata, 1973** (Gracillariidae) Synonym(s): *Cupedia Klimesch & Kumata, 1973*
662. **Cybalomia Lederer, 1863** (Pyralidae) Synonym(s): *Cybalomia Lederer, 1863; #Cybolomia Ragonot, 1887; Capparidia Dumont, 1931*
663. **Cybosia Hübner, [1819]** (Arctiidae) Synonym(s): *Cybosia Hübner, [1819]; Ecteina Rambur, 1866*
664. **Cyclophora Hübner, 1822** (Geometridae) Synonym(s): *Cyclophora Hübner, 1822; Codonia Hübner, [1823]; Cosymbia Hübner, [1823]; Leucophthalmia Hübner, [1823]; Cyclophora Stephens, 1829 nec Hbn., 1822;*

- Ephyra* Stephen, 1829; *Matella* Gistl, 1848; *Anisodes* Guenée, [1858]; *Zonosoma* Lederer, 1853; *Pisoraca* Walker, 1861; *Euephyra* Packard, 1873; *Streptopteron* Swinhoe, 1892; *Pachythalia* W. Warren, 1897; *Peostenodes* W. Warren, 1903
- 665. *Cydalima* Lederer, 1863** (Pyrilidae) Synonym(s): *Cydalima* Lederer, 1863; *Sisyrophra* Lederer, 1863; *Uliocome* Swinhoe, 1900; *Neoglyphodes* Streltsov, 2008
- 666. *Cydia* Hübner, [1825]** (Tortricidae) Synonym(s): *Cydia* Hübner, [1825]; *Laspeyresia* Hübner, [1825] nec R.L., 1817; *Eucelis* Hübner, [1825]; *Erminea* Kirby & Spence, 1826 nec Hw., 1811; *Semasia* Stephens, 1829; *Carpocapsa* Treitschke, 1829; *Coccyx* Treitschke, 1829; *Grapholita* Treitschke, 1829; *Aspila* Stephens, 1834; *Euspila* Stephens, 1834; *Ephippiphora* Duponchel, 1834; *Strobila* Sodoffsky, 1837 nec Sars, 1829; *Carpocampa* Harris, 1841; *Trycheris* Guenée, 1845; *Orchemia* Guenée, 1845; *Opadia* Guenée, 1845; *Endopisa* Guenée, 1845; *Stigmonota* Guenée, 1845; *Cerata* Stephens, 1852; *Coptoloma* Lederer, 1859; *Melissopus* Riley, 1882; *Adenoneura* Walsingham, 1907; *Crobylophora* Kennel, 1908 nec Meyr., 1880; *Kenneliola* Paclt, 1951; *Pseudotomoides* Obraztsov, 1968; *Danilevskia* Kuznetsov, 1970; *Dicraniana* Diakonoff, 1984.
- 667. *Cymatophorina* Spuler, 1908** (Thyatiridae) Synonym(s): *Pachycera* Stephens, 1827 nec Billb., 1820; *Cymatophorina* Spuler, 1908; #*Cymatophorima* D.S. Fletcher, 1979
- 668. *Cymbalophora* Rambur, 1866** (Arctiidae) Synonym(s): *Tympanophora* Laboulbène, 1865 nec White, 1841; *Cymbalophora* Rambur, 1866
- 669. *Cynaeda* (Noctuelia) Guenée, 1854** (Pyrilidae) Synonym(s): *Noctuelia* Guenée, 1854; *Noctuaelia* Wocke, 1871
- 670. *Cynaeda* (s.str.) Hübner, [1825]** (Pyrilidae) Synonym(s): *Cynaeda* Hübner, [1825]; *Odontia* Duponchel, 1832
- 671. *Cynaeda* (Usgentia) Amsel, 1949** (Pyrilidae) Synonym(s): *Usgentia* Amsel, 1949
- 672. *Cynaeda* Hübner, [1825]** (Pyrilidae) Synonym(s): *Cynaeda* Hübner, [1825]; *Odontia* Duponchel, 1832
- 673. *Dahlica* Enderlein, 1912** (Psychidae) Synonym(s): *Dahlica* Enderlein, 1912
- 674. *Daphnis* Hübner, [1819]** (Sphingidae) Synonym(s): *Daphnis* Hübner, [1819]; *Regia* Tutt, 1903; *Histriosphinx*, 1976.
- 675. *Dasycorsa* L.B. Prout, 1915** (Geometridae) Synonym(s): *Dasycephala* Staudinger, 1879 nec Sw., [1832]; *Dasycorsa* L.B. Prout, 1915
- 676. *Dasypolia* (Dasymixis) L. Ronkay & Varga, 1990** (Noctuidae) Synonym(s): *Dasymixis* L. Ronkay & Varga, 1990
- 677. *Dasypolia* (s.str.) Guenée, 1852** (Noctuidae) Synonym(s): *Dasypolia* Guenée, 1852
- 678. *Dasypolia* Guenée, 1852** (Noctuidae) Synonym(s): *Dasypolia* Guenée, 1852
- 679. *Deilephila* [Laspeyres], 1809** (Sphingidae) Synonym(s): #*Eumorpha* Hübner, 1806; *Deilephila* [Laspeyres], 1809; *Elpenor* Oken, 1815; *Choerocampa* Duponchel, 1835; *Metopsilus* Duncan, 1836; *Elpenor* Agassiz, 1846; *Cinogon* Butler, 1881
- 680. *Delplanqueia* Leraut, 2001** (Pyrilidae) Synonym(s): *Delplanqueia* Leraut, 2001
- 681. *Deltophora* Janse, 1950** (Gelechiidae) Synonym(s): *Deltophora* Janse, 1950
- 682. *Deltote* Reichenbach, 1817** (Noctuidae) Synonym(s): *Deltote* Reichenbach, 1817
- 683. *Dendrolimus* Germar, 1812** (Lasiocampidae) Synonym(s): *Dendrolimus* Germar, 1812; *Eutricha* Stephens, 1829 nec Hbn., [1814]; *Ptilorhina* Zetterstedt, 1839; *Oenona* Walker, 1855; *Chatra* Moore, 1879; *Karenkonnia* Matsumura, 1932; #*Dendrolismus* De Freina, 1983
- 684. *Denisia* Hübner, [1825]** (Oecophoridae) Synonym(s): *Denisia* Hübner, [1825]
- 685. *Denticera* Amsel, 1961** (Pyrilidae) Synonym(s): *Denticera* Amsel, 1961
- 686. *Dentifovea* Amsel, 1970** (Pyrilidae) Synonym(s): *Dentifovea* Amsel, 1970
- 687. *Depressaria* Haworth, [1811]** (Oecophoridae) Synonym(s): *Depressaria* Haworth, [1811]; *Piesta* Billberg, 1820; *Volucrum* Berthold, 1827; #*Depressia* Staudinger, 1879; *Schistodepressaria* Spuler, 1910; *Horridopalpus* Hannemann, 1953
- 688. *Deroxena* Meyrick, 1913** (Autostichidae) Synonym(s): *Deroxena* Meyrick, 1913
- 689. *Deuterotinea* Rebel, 1901** (Eriocottidae) Synonym(s): *Deuterotinea* Rebel, 1901; *Cronodoxa* Meyrick, 1922
- 690. *Diachrysia* Hübner, [1821]** (Noctuidae) Synonym(s): *Diachrysia* Hübner, [1821]
- 691. *Diacrisia* Hübner, [1819]** (Arctiidae) Synonym(s): *Diacrisia* Hübner, [1819]; *Euthemonia* Stephens, 1828; *Elpis* Dyar, 1893 nec Mulsant, 1850.
- 692. *Dialectica* Walsingham, 1897** (Gracillariidae) Synonym(s): *Dialectica* Walsingham, 1897; *Eutrichocnemis* Spuler, 1910
- 693. *Diaphora* Stephens, 1827** (Arctiidae) Synonym(s): *Diaphora* Stephens, 1827
- 694. *Diarsia* Hübner, [1821]** (Noctuidae) Synonym(s): *Diarsia* Hübner, [1821]; *Oxira* Walker, 1865
- 695. *Diasemia* Hübner, [1825]** (Pyrilidae) Synonym(s): *Diasemia* Hübner, [1825]; *Prodelia* Doubleday, [1849]; *Goniogramma* Mann, 1854
- 696. *Diasemiopsis* Munroe, 1957** (Pyrilidae) Synonym(s): *Diasemiopsis* Munroe, 1957; #*Diasemopsis* Leraut, 1997
- 697. *Dicallomera* Butler, 1881** (Lymantriidae) Synonym(s): *Dicallomera* Butler, 1881
- 698. *Diceratura* Djakonov, 1929** (Tortricidae) Synonym(s): *Diceratura* Djakonov, 1929

- 699. Dichagyris (Albocosta) Fibiger & Lafontaine, 1997** (Noctuidae) Synonym(s): *Albocosta Fibiger & Lafontaine, 1997*; *Basistriga Fibiger & Lafontaine, 1997*
- 700. Dichagyris (Grisyigoga) Beck, 1991** (Noctuidae) Synonym(s): *Grisyigoga Beck, 1991*
- 701. Dichagyris (Stenosomides) Strand, 1942** (Noctuidae) Synonym(s): *Stenosoma Turati, 1924 nec Leach, [1814]*; *Stenosomides Strand, 1942*
- 702. Dichagyris (Yigoga) Nye, 1975** (Noctuidae) Synonym(s): *Ogygia Hübner, [1821] nec Brong., 1817*; *Yigoga Nye, 1975*; *Flavyigoga Beck, 1996*; *Nigryigoga Beck, 1996*
- 703. Dichagyris Lederer, 1857** (Noctuidae) Synonym(s): *Dichagyris Lederer, 1857*; *#Dichagyria Walker, 1866*
- 704. Dichelia Guenée, 1845** (Tortricidae) Synonym(s): *Dichelia Guenée, 1845*; *Parasyndemis Obratzsov, 1954*
- 705. Dichomeris Hübner, 1818** (Gelechiidae) Synonym(s): *Dichomeris Hübner, 1818*; *Oxybelia Hübner, [1825]*; *Rhinosia Treitschke, 1833*; *Anorthosia Clemens, 1860*; *Trichotaphe Clemens, 1860*; *Rhobonda Walker, 1864 nec 1863*; *Vazugada Walker, 1864*; *Gaesa Walker, 1864*; *Tocmia Walker, 1864*; *Carna Walker, 1864 nec Gstl., 1848*; *Noeza Walker, 1866 nec Mgn., 1800*; *Sagaritis Chambers, 1872 nec Billb., 1820*; *Begoe Chambers, 1872*; *Epicorthylis Zeller, 1873*; *Atasthalistis Meyrick, 1886*; *Zalithia Meyrick, 1894*; *Pappophorus Walsingham, 1897*; *Arottria Meyrick, 1904*; *Dectobathra Meyrick, 1904*; *Croesopola Meyrick, 1904*; *Hypelictis Meyrick, 1905*; *Paristhmia Meyrick, 1909*; *Hylograptis Meyrick, 1910*; *Schematistis Meyrick, 1911*; *Paranoea Walsingham, 1911*; *Placomosaris Meyrick, 1912*; *Machlotricha Meyrick, 1912*; *Holaxyra Meyrick, 1913*; *Carbatina Meyrick, 1913*; *Zomeutis Meyrick, 1913*; *Ilingiotis Meyrick, 1914*; *Pachysaris Meyrick, 1914*; *Deimnestra Meyrick, 1918*; *Daemonarcha Meyrick, 1918*; *Macrozancla Turner, 1919*; *Euryzancla Turner, 1919*; *Rhadinophylla Turner, 1919*; *Eurysara Turner, 1919*; *Iocharea Meyrick, 1921*; *Eporgastis Meyrick, 1921*; *Aphnogenes Meyrick, 1921*; *Taphrosaris Meyrick, 1922*; *Prophoraula Meyrick, 1922*; *Acribologa Meyrick, 1923*; *Cymotricha Meyrick, 1923*; *Ageliarchis Meyrick, 1923*; *Myrophila Meyrick, 1923*; *Brochometis Meyrick, 1923*; *Neochrista Meyrick, 1923*; *Semiomeris Meyrick, 1923*; *Mythographa Meyrick, 1923*; *Sathrogenes Meyrick, 1923*; *Musurga Meyrick, 1923*; *Thelyasceta Meyrick, 1923*; *Oxysactis Meyrick, 1923*; *Rhynchotona Meyrick, 1923*; *Catoptristis Meyrick, 1925*; *Cymatoplex Meyrick, 1925 nec Turn., 1910*; *Catelaphris Meyrick, 1925*; *Cerycangela Meyrick, 1925*; *Epicharta Meyrick, 1926*; *Prasodryas Meyrick, 1926*; *Xenorrhhythma Meyrick, 1926*; *Thyrsomnestis Meyrick, 1929*; *Desmophylax Meyrick, 1935*; *Ereboscaea Meyrick, 1937*; *Chthonogenes Meyrick, 1938*; *Cymatoplicella Fletcher, 1940*; *Neopachnistis Janse, 1954*; *Picroptera Janse, 1960*; *Parabrachmia Janse, 1960*; *Deltolophos Janse, 1960*
- 706. Dichonia (Gripesia) Tams, 1939** (Noctuidae) Synonym(s): *Agriopis Bosiduval, 1840 nec Hbn., [1825]*; *Gripesia Tams, 1939*; *Eudiphthera Nordström, 1941*
- 707. Dichonia Hübner, [1821]** (Noctuidae) Synonym(s): *Dichonia Hübner, [1821]*
- 708. Dichrorampha Guenée, 1845** (Tortricidae) Synonym(s): *Amaurosetia Stephens, 1835 (suppressed, ICZN, 1999)*; *Dichrorampha Guenée, 1845*; *Lipoptycha Lederer, 1859*; *Balbis Walsingham, 1897*; *Dichroramphoides Obratzsov, 1953*; *Lipoptychodes Obratzsov, 1953*; *Paralipoptycha Obratzsov, 1958*
- 709. Dicranura Reichenbach, 1817** (Notodontidae) Synonym(s): *Dicranura Reichenbach, 1817*; *Exaereta Hübner, [1820]*
- 710. Dicycla Guenée, 1852** (Noctuidae) Synonym(s): *Eugramma Stephens, 1850 nec Billb., 1820*; *Dicycla Guenée, 1852*
- 711. Dieida Strand, 1911** (Cossidae) Synonym(s): *Dieida Strand, 1911*
- 712. Digitivalva (Inuliphila) Gaedike, 1970** (Yponomeutidae) Synonym(s): *Inuliphila Gaedike, 1970*
- 713. Digitivalva Gaedike, 1970** (Yponomeutidae) Synonym(s): *Digitivalva Gaedike, 1970*
- 714. Digrammia Gumpfenberg, 1887** (Geometridae) Synonym(s): *Digrammia Gumpfenberg, 1887*; *Asmate Gumpfenberg, 1887*; *Spinuncina Wehrli, 1937*
- 715. Diloba Boisduval, 1840** (Noctuidae) Synonym(s): *#Heteromorpha Hübner, 1808*; *#Heteromorpha Hübner, 1822*; *Diloba Boisduval, 1840*
- 716. Dioryctria Zeller, 1846** (Pyralidae) Synonym(s): *Dioryctria Zeller, 1846*; *Piripestis Grote, 1878*; *Osrisia Ragonot, 1893*; *Dioryctriodes Mutuura & Munroe, 194*
- 717. Dipchaspecia Capuse, 1973** (Sesiidae) Synonym(s): *Dipchaspecia Capuse, 1973*
- 718. Diplodoma Zeller, 1852** (Psychidae) Synonym(s): *Diplodoma Zeller, 1852*
- 719. Dirrhinosia Rebel, 1905** (Gelechiidae) Synonym(s): *Dirrhinosia Rebel, 1905*
- 720. Dissoctena Staudinger, 1859** (Psychidae) Synonym(s): *Dissoctena Staudinger, 1859*
- 721. Ditula Stephens, 1829** (Tortricidae) Synonym(s): *Ditula Stephens, 1829*; *Batodes Guenée, 1845*
- 722. Diurnea Haworth, 1811** (Oecophoridae) Synonym(s): *Diurnea Haworth, 1811*; *Enyphantes Hübner, 1822*; *Chimabache Hübner, [1825]*; *Cheimophila Hübner, [1825]*; *Lemnatophila Treitschke, 1832*; *#Chimabacche Zeller, 1839*; *Xenomicta Meyrick, 1914*
- 723. Docirava Walker, [1863]** (Geometridae) Synonym(s): *Docirava Walker, [1863]*
- 724. Dolbina Staudinger, 1887** (Sphingidae) Synonym(s): *Dolbina Staudinger, 1887*; *Dolbinopsis Rothschild & Jordan, 1903*; *Elegodolba Eitschberger & Zolotuhin, 1997*
- 725. Dolicharthria Stephens, 1834** (Pyralidae) Synonym(s): *Dolicharthria Stephens, 1834*; *Stenia Duponchel, 1835*; *Dolycharthria Stephens, 1850*; *Amaurophanes Lederer, 1863*; *Epistenia Chrétien, 1911 nec Westw., 1832*; *Leptarchis Meyrick, 1937*; *Parastenia Hartig, 1940*
- 726. Donacaula Meyrick, 1890** (Pyralidae) Synonym(s): *Donacaula Meyrick, 1890*
- 727. Drasteria Hübner, 1818** (Noctuidae) Synonym(s): *Drasteria Hübner, 1818*; *#Drastoria Walker, 1858*

- 728. Drepana Schrank, 1802** (Drepanidae) Synonym(s): *Drepana Schrank, 1802*; *Syssaura Hübner, [1819]*; *Cleopteryx Gistel, 1848*
- 729. Dryadaula Meyrick, 1893** (Tineidae) Synonym(s): *Cyane Chambers, 1873 nec Feld., 1861*; *Dryadaula Meyrick, 1893*; *Chorocosma Meyrick, 1893*; *Ditrigonophora Walsingham, 1897*; *Choropleca Durrant, 1914*; *Opsodoca Meyrick, 1919*; *Diachalastis Meyrick, 1920*; *Thermocrates Meyrick, 1936*; *Archimeessia Zagulyaev, 1970*; *Eressoxesta Gozmany & Vari, 1973*; *Strophalinga Gozmany & Vari, 1973*; *Reinhardia Satschkov, 1996*; *Slitereia Satschkov, 1996*
- 730. Drymonia Hübner, [1819]** (Notodontidae) Synonym(s): *Drymonia Hübner, [1819]*; *Ochrostigma Hübner, [1819]*; *Chaonia Stephens, 1828*; *Drynobia Duponchel, [1845]*.
- 731. Dryobota Lederer, 1857** (Noctuidae) Synonym(s): *Dryobota Lederer, 1857*
- 732. Dryobotodes (Dichonioxa) Berio, 1980** (Noctuidae) Synonym(s): *Dichonioxa Berio, 1980*
- 733. Dryobotodes (s.str.) W. Warren, 1910** (Noctuidae) Synonym(s): *Dryobotodes W. Warren, 1910*; *Monobotodes Beck, 1991*; *Roborbotodes Beck, 1991*
- 734. Dryobotodes W. Warren, 1910** (Noctuidae) Synonym(s): *Dryobotodes W. Warren, 1910*; *Monobotodes Beck, 1991*; *Roborbotodes Beck, 1991*
- 735. Duponchelia Zeller, 1847** (Pyralidae) Synonym(s): *Duponchelia Zeller, 1847*
- 736. Dypterygia Stephens, 1829** (Noctuidae) Synonym(s): *Dypterygia Stephens, 1829*
- 737. Dysauxes (Adauctis) Ignatyev & Zolotuhin, 2006** (Ctenuchidae) Synonym(s): *Adauctis Ignatyev & Zolotuhin, 2006*
- 738. Dysauxes (s.str.) Hübner, [1819]** (Ctenuchidae) Synonym(s): *Dysauxes Hübner, [1819]*; *Naclia Boisduval, 1840*; *Parauxes De Laever, 1983*.
- 739. Dysauxes Hübner, [1819]** (Ctenuchidae) Synonym(s): *Dysauxes Hübner, [1819]*; *Naclia Boisduval, 1840*; *Parauxes De Laever, 1983*.
- 740. Dyscia (Calodyscia) Wehrli, 1950** (Geometridae) Synonym(s): *Calodyscia Wehrli, 1950*
- 741. Dyscia (Rjabovana) Wehrli, 1950** (Geometridae) Synonym(s): *Rjabovana Wehrli, 1950*
- 742. Dyscia (s.str.) Hübner, [1825]** (Geometridae) Synonym(s): *Dyscia Hübner, [1825]*; *Scodiona Boisduval, 1840*.
- 743. Dyscia (Warneckeella) Wehrli, 1950** (Geometridae) Synonym(s): *Warneckeella Wehrli, 1950*
- 744. Dyscia Hübner, [1825]** (Geometridae) Synonym(s): *Dyscia Hübner, [1825]*; *Scodiona Boisduval, 1840*.
- 745. Dyseriocrania Meess, 1910** (Eriocraniidae) Synonym(s): *Dyseriocrania Meess, 1910*; *Mnemonic Meyrick, 1912*
- 746. Dysgonia Hübner, [1823]** (Noctuidae) Synonym(s): *Dysgonia Hübner, [1823]*
- 747. Dyspessa Hübner, [1820]** (Cossidae) Synonym(s): *Dyspessa Hübner, [1820]*; *Endagria Boisduval, [1837]*
- 748. Dyspessacossus Daniel, 1953** (Cossidae) Synonym(s): *Dyspessacossus Daniel, 1953*
- 749. Dysspastus Gozmany, 1964** (Autostichidae) Synonym(s): *Dysspastus Gozmany, 1964*
- 750. Eana (Eutrachia) Hübner, 1822** (Tortricidae) Synonym(s): *Eutrachia Hübner, 1822*; *Ablabia Hübner, [1825]*; *Argyroptera Duponchel, 1834*
- 751. Eana (s.str.) Billberg, 1820** (Tortricidae) Synonym(s): *Eana Billberg, 1820*; *Nephodesme Hübner, [1825]*
- 752. Eana Billberg, 1820** (Tortricidae) Synonym(s): *Eana Billberg, 1820*; *Nephodesme Hübner, [1825]*
- 753. Earias Hübner, [1825]** (Noctuidae) Synonym(s): *Earias Hübner, [1825]*; *#Earis Stephens, 1834*; *Aphusia Walker, [1858]*; *Digba Walker, 1862*
- 754. Ecbatania Amsel, 1961** (Pyralidae) Synonym(s): *Ecbatania Amsel, 1961*; *Rhinogradientia Amsel, 1970*
- 755. Eccopisa Zeller, 1848** (Pyralidae) Synonym(s): *Eccopisa Zeller, 1848*
- 756. Ecliptopera W. Warren, 1894** (Geometridae) Synonym(s): *Ecliptopera W. Warren, 1894*; *Diactinia W. Warren, 1898*; *Urolophia Swinhoe, 1900*
- 757. Ecpyrrhorhoe Hübner, [1825]** (Pyralidae) Synonym(s): *Ecpyrrhorhoe Hübner, [1825]*; *Harpadispar Agenjo, 1952*; *Pyraustegia Marion, 1963*.
- 758. Ectoedemia (Etainia) Beirne, 1945** (Nepticulidae) Synonym(s): *Obrussa Braun, 1915 nec Heyd., 1891*; *Etainia Beirne, 1945*
- 759. Ectoedemia (Fomoria) Beirne, 1945** (Nepticulidae) Synonym(s): *Fomoria Beirne, 1945*
- 760. Ectoedemia (s.str.) Busck, 1907** (Nepticulidae) Synonym(s): *Ectoedemia Busck, 1907*; *Dechtiria Beirne, 1945*
- 761. Ectoedemia Busck, 1907** (Nepticulidae) Synonym(s): *Ectoedemia Busck, 1907*; *Dechtiria Beirne, 1945*
- 762. Ectropis Hübner, [1825]** (Geometridae) Synonym(s): *Ectropis Hübner, [1825]*; *Boarmia Stephens, 1829 nec Tr., 1825*; *Tephrosia Boisduval, 1840*; *Coenobita Gistel, 1848 nec Latr., 1829*
- 763. Edosa Walker, 1866** (Tineidae) Synonym(s): *Edosa Walker, 1866*; *Chrysoryctis Meyrick, 1886*; *Episcardia Ragonot, 1895*; *Sphallesiasthis Gozmany, 1959*; *Bilobatana Zagulyaev, 1975*; *Neoepiscardia Petersen & Gaedike, 1982*
- 764. Egira Duponchel, [1845]** (Noctuidae) Synonym(s): *Egira Duponchel, [1845]*; *Xylomiges Guenée, 1852*
- 765. Eicomorpha Staudinger, 1888** (Noctuidae) Synonym(s): *Eicomorpha Staudinger, 1888*
- 766. Eidophasia Stephens, 1842** (Yponomeutidae) Synonym(s): *Parasemia Stephens, 1841 nec Hübn., [1820]*; *Eidophasia Stephens, 1842*; *Spania Guenée, 1845*; *Eudophasia Herrich-Schäffer, 1853*; *Hufnagelia Reutti, 1853*

767. **Eilema (Collita) Moore, 1878** (Arctiidae) Synonym(s): *Collita* Moore, 1878
768. **Eilema (s.str.) Hübner, [1819]** (Arctiidae) Synonym(s): *Eilema* Hübner, [1819]; *Piesta* Billberg, 1820; *Hilema* Agassiz, 1847; *Ilema* Hampson, 1900; *Lophilema* Aurivillius, 1910
769. **Eilema Hübner, [1819]** (Arctiidae) Synonym(s): *Eilema* Hübner, [1819]; *Piesta* Billberg, 1820; *Hilema* Agassiz, 1847; *Ilema* Hampson, 1900; *Lophilema* Aurivillius, 1910
770. **Elilicrinia Hübner, [1823]** (Geometridae) Synonym(s): *Elilicrinia* Hübner, [1823]; *Ilicrinia* Agassiz, 1847; *Pareilicrinia* W. Warren, 1894
771. **Elachista (Aphelosetia) Stephens, 1834** (Elachistidae) Synonym(s): *Aphelosetia* Stephens, 1834
772. **Elachista (Dibrachia) Sinev & Sruoga, 1992** (Elachistidae) Synonym(s): *Dibrachia* Sinev & Sruoga, 1992
773. **Elachista Treitschke, 1833** (Elachistidae) Synonym(s): *Elachista* Treitschke, 1833; *Cynodia* Herrich-Schäffer, 1853; *Phigalia* Chambers, 1875; *Atachia* Wocke, [1876]; *Neaera* Chambers, 1880; *Hecista* Wallengren, 1881; *Aphigalia* Dyar, 1903; *Irenicodes* Meyrick, 1919; *Euproteodes* Viète, 1954
774. **Elaphria Hübner, 1818** (Noctuidae) Synonym(s): *Elaphria* Hübner, 1818
775. **Elatobia Herrich-Schäffer, [1853]** (Tineidae) Synonym(s): *Elatobia* Herrich-Schäffer, [1853]; *Tineomima* Staudinger, 1892; *Abacobia* Dietz, 1905; *Dietzia* Busck, 1906
776. **Electrophaes L.B. Prout, 1923** (Geometridae) Synonym(s): *Electra* Curtis, 1836 nec Lamouroux, 1816; *Electrophaes* L.B. Prout, 1923
777. **Elegia Ragonot, 1887** (Pylalidae) Synonym(s): *Elegia* Ragonot, 1887; *Ichorarchis* Meyrick, 1937
778. **Elophila Hübner, 1822** (Pylalidae) Synonym(s): *Elophila* Hübner, 1822; *Hydrocampus* Berthold, 1827; *Hydrocampe* Stephens, 1829; *Hydrocampe* Latreille, 1829; *Cyrtogramme* Yoshiyasu, 1985
779. **Ematheudes Zeller, 1867** (Pylalidae) Synonym(s): *Ematheudes* Zeller, 1867; *Proavitheudes* Amsel, 1961
780. **Ematurga Lederer, 1853** (Geometridae) Synonym(s): *Ematurga* Lederer, 1853
781. **Emmalocera Ragonot, 1888** (Pylalidae) Synonym(s): *Ampycophora* Meyrick, 1882 nec Wahlb., 1847; *Emmalocera* Ragonot, 1888; *Lodiana* Ragonot, 1888; *Poujadia* Ragonot, 1888; *Baroda* Ragonot, 1888 nec Stoliczka, 1870; *Pectinigeria* Ragonot, 1888; *Ambala* Ragonot, 1888; *Socora* Ragonot, 1888; *Papua* Ragonot, 1890; *Critonia* Ragonot, 1891; *Enosima* Ragonot, 1901; *Singhaliella* Strand, 1920
782. **Emmelina Tutt, 1905** (Pterophoridae) Synonym(s): *Emmelina* Tutt, 1905
783. **Enanthyperythra Wehrli, 1937** (Geometridae) Synonym(s): *Enanthyperythra* Wehrli, 1937
784. **Enargia Hübner, [1821]** (Noctuidae) Synonym(s): *Enargia* Hübner, [1821]; *Euprepia* Guenée, 1839
785. **Enarmonia Hübner, [1825]** (Tortricidae) Synonym(s): *Enarmonia* Hübner, [1825]; #*Enarmonia* Hübner, [1825]; *Enarmonopsis* Kuznetsov, 1969
786. **Endothenia Stephens, 1852** (Tortricidae) Synonym(s): *Orthotaenia* Stainton, 1859 nec Stt., 1829; *Endothenia* Stephens, 1852; *Taniva* Heinrich, 1926; *Tia* Heinrich, 1926; *Hulda* Heinrich, 1926; *Alloendothenia* Oku, 1963; *Neothernia* Diakonoff, 1973
787. **Endotricha Zeller, 1847** (Pylalidae) Synonym(s): *Endotricha* Zeller, 1847; *Doththa* Walker, 1859; *Messatis* Walker, 1859; *Pacoria* Walker, 1866; *Zania* Walker, 1866; *Tricomia* Walker, 1866; *Rhisina* Walker, 1866; #*Paconia* Walker, 1866; *Endotrichodes* Ragonot, 1891; *Endotrichopsis* W. Warren, 1895; #*Rhisina* Whalley, 1961
788. **Endromis Ochsenheimer, 1810** (Endromidae) Synonym(s): *Endromis* Ochsenheimer, 1810; *Dorvillia* Leach, [1815]; *Dimorpha* Hübner, 1822 nec Jurine, 1807
789. **Endrosis Hübner, [1825]** (Oecophoridae) Synonym(s): *Endrosis* Hübner, [1825]
790. **Ennomos (Deuteronomos) L.B. Prout, 1914** (Geometridae) Synonym(s): *Deuteronomos* L.B. Prout, 1914; #*Denderonomos* L.B. Prout, 1915
791. **Ennomos (s.str.) Treitschke, 1825** (Geometridae) Synonym(s): *Eugonia* Hübner, [1823] nec Hübn., [1819]; *Ennomos* Treitschke, 1825; *Odoptera* Sodoffsky, 1837; *Odontoptera* Agassiz, 1847 nec Carreno, 1841
792. **Ennomos Treitschke, 1825** (Geometridae) Synonym(s): *Eugonia* Hübner, [1823] nec Hübn., [1819]; *Ennomos* Treitschke, 1825; *Odoptera* Sodoffsky, 1837; *Odontoptera* Agassiz, 1847 nec Carreno, 1842
793. **Enolmis Duponchel, [1846]** (Scythridae) Synonym(s): *Enolmis* Duponchel, [1846]; *Bryophaga* Ragonot, 1875
794. **Entephria Hübner, [1825]** (Geometridae) Synonym(s): *Entephria* Hübner, [1825]; *Glaucopteryx* Hübner, [1825]; *Phaesyloides* Bruand, [1847]; *Trichochlamys* Hulst, 1896
795. **Eochorica Rebel, 1940** (Psychidae) Synonym(s): *Eochorica* Rebel, 1940
796. **Eosolenobia Filipjev, 1924** (Psychidae) Synonym(s): *Eosolenobia* Filipjev, 1924
797. **Epactoctena Meyrick, 1937** (Pylalidae) Synonym(s): *Epactoctena* Meyrick, 1937
798. **Epagoge Hübner, [1825]** (Tortricidae) Synonym(s): *Epagoge* Hübner, [1825]; #*Epapoge* Hübner, [1825]
799. **Epascestria Hübner, [1825]** (Pylalidae) Synonym(s): *Epascestria* Hübner, [1825]; *Phlyctaenodes* Guenée, 1854; #*Phlyctoanodes* Le Cerf, [1910]; #*Epacestria* Marion, 1957
800. **Epatolmis Butler, 1877** (Arctiidae) Synonym(s): *Epatolmis* Butler, 1877
801. **Epermenia (Calotripis) Hübner, [1825]** (Epermeniidae) Synonym(s): *Calotripis* Hübner, [1825]
802. **Epermenia (s.str.) Hübner, [1825]** (Epermeniidae) Synonym(s): *Epermenia*, [1825]; *Heydenia* Hofmann, 1898 (homonym)

- 803. Epermenia Hübner, [1825]** (Epermeniidae) Synonym(s): *Epermenia*, [1825]; *Heydenia* Hofmann, 1898 (homonym)
- 804. Ephelis Lederer, 1863** (Pylalidae) Synonym(s): *Ephelis* Lederer, 1863; *Hammocallos* Chrétien, 1908
- 805. Ephestia (Anagasta) Heinrich, 1956** (Pylalidae) Synonym(s): *Anagasta* Heinrich, 1956
- 806. Ephestia (s.str.) Guenée, 1845** (Pylalidae) Synonym(s): *Ephestia* Guenée, 1845; *Hyphantidium* Scott, 1859.
- 807. Ephestia Guenée, 1845** (Pylalidae) Synonym(s): *Ephestia* Guenée, 1845; *Hyphantidium* Scott, 1859.
- 808. Ephysteris Meyrick, 1908** (Gelechiidae) Synonym(s): *Ephysteris* Meyrick, 1908; *Opacopsis* Povolny, 1964; *Echinoglossa* Clarke, 1965
- 809. Epiblema Hübner, [1825]** (Tortricidae) Synonym(s): *Epiblema* Hübner, [1825]; #*Epiblemma* Hübner, [1825]; *Cacochroea* Lederer, 1859; *Monosphragis* Clemens, 1860; *Euryptychia* Clemens, 1865; #*Euryptychia* Heinrich, 1923
- 810. Epicallima Dyar, [1903]** (Oecophoridae) Synonym(s): *Callima* Clemens, 1860 nec Herrich-Schäff., [1858]; *Epicallima* Dyar, [1903]; *Dafa* Hodges, 1974; *Hannemanniana* Vives Moreno, 1986; *Subcallima* Lvovsky & Arutjunova, 1992.
- 811. Epichnopterix Hübner, [1825]** (Psychidae) Synonym(s): *Epichnopterix* Hübner, [1825]; #*Echinopterix* Hübner, 1826; *Epichnopteryx* Agassiz, 1847; #*Epignopteryx* Heylaerts, 1906; #*Echinopteryx* Pagenstecher, 1909; #*Epigynopteryx* Neave, 1939
- 812. Epiepischnia Amsel, 1954** (Pylalidae) Synonym(s): *Epiepischnia* Amsel, 1954
- 813. Epilecta Hübner, [1821]** (Noctuidae) Synonym(s): *Epilecta* Hübner, [1821]; *Hiria* Duponchel, [1845]
- 814. Epilobophora Inoue, 1943** (Geometridae) Synonym(s): *Epilobophora* Inoue, 1943; *Paramathia* Herbulot, 1948.
- 815. Epimecia Guenée, 1839** (Noctuidae) Synonym(s): *Epimecia* Guenée, 1839
- 816. Epimetasia Ragonot, 1894** (Pylalidae) Synonym(s): *Metasiodes* Ragonot, 1894 nec Meyr., 1894; *Epimetasia* Ragonot, 1894; *Thyridopsis* Amsel, 1953
- 817. Epinotia Hübner, [1825]** (Tortricidae) Synonym(s): *Epinotia* Hübner, [1825]; *Astasia* Hübner, [1825]; *Asthenia* Hübner, [1825]; *Evetria* Hübner, [1825]; *Panoplia* Hübner, [1825]; *Acalla* Hübner, [1825]; *Poecilochroma* Stephens, 1829; *Paedisca* Treitschke, 1830; *Steganoptycha* Stephens, 1834; *Paragrapha* Sodoffsky, 1837; *Hypermezia* Guenée, 1845; *Phlaeodes* Guenée, 1845; *Pamplusia* Guenée, 1845; *Cartella* Stephens, 1852; *Halonota* Stephens, 1852; *Lithographia* Stephens, 1852; #*Curtella* Stainton, 1859; *Proteopteryx* Walsingham, 1879; #*Epinotis* Kearfott, 1907; *Neurasthenia* Pierce & Metcalfe, 1922; *Griselda* Heinrich, 1923; *Hamuligera* Obraztsov, 1946
- 818. Epione Duponchel, 1829** (Geometridae) Synonym(s): *Epione* Duponchel, 1829
- 819. Epipsammia Staudinger, 1879** (Noctuidae) Synonym(s): *Epipsammia* Staudinger, 1879; *Namangana* Staudinger, 1888; *Namanganum* Riesen, 1891; *Sartha* Staudinger, 1891; *Pseudathetis* Boursin, 1937.
- 820. Epirrhoe Hübner, [1825]** (Geometridae) Synonym(s): *Epirrhoe* Hübner, [1825]
- 821. Epirrita Hübner, [1822]** (Geometridae) Synonym(s): *Epirrita* Hübner, [1822]; *Oporinia* Hübner, [1825]; *Oporabia* Stephens, 1831; *Oporobia* Agassiz, 1847
- 822. Epischnia Rebel, 1901** (Pylalidae) Synonym(s): *Epischnia* Rebel, 1901; *Epischnia* Hampson, 1901; *Proceratia* Hampson, 1901
- 823. Epischnia Hübner, [1825]** (Pylalidae) Synonym(s): *Epischnia* Hübner, [1825]; *Epischnia* Stephens, 1834; *Epischnopsis* Amsel, 1954; *Palloria* Amsel, 1961
- 824. Episcythrastis Meyrick, 1937** (Pylalidae) Synonym(s): *Episcythrastis* Meyrick, 1937; *Myelopsis* Heinrich, 1956
- 825. Episema Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Episema* Ochsenheimer, 1816; #*Empiseme* Freyer, 1848
- 826. Erannis Hübner, [1825]** (Geometridae) Synonym(s): *Erannis* Hübner, [1825]; *Hybernia* Berthold, 1827; *Lampetia* Stephens, 1827; *Chimadia* Speyer, 1839; *Thriptera* Gistel, 1848
- 827. Eratophyes Diakonoff, 1975** (Oecophoridae) Synonym(s): *Eratophyes* Diakonoff, 1975; #*Eratophytes* Yildiz & Ayberk, 2017
- 828. Eremobia Stephens, 1829** (Noctuidae) Synonym(s): *Eremobia* Stephens, 1829
- 829. Eremobina McDunnough, 1927** (Noctuidae) Synonym(s): *Eremobina* McDunnough, 1927; *Pabulatrix* Sugi, 1982
- 830. Eremohadena (s.str.) L.Ronkay, Varga & Fabian, 1995** (Noctuidae) Synonym(s): *Eremohadena* L.Ronkay, Varga & Fabian, 1995
- 831. Eremohadena L.Ronkay, Varga & Fabian, 1995** (Noctuidae) Synonym(s): *Eremohadena* L.Ronkay, Varga & Fabian, 1995
- 832. Eretmocera Zeller, 1852** (Scythridae) Synonym(s): *Eretmocera* Zeller, 1852; *Staintonia* Staudinger, 1859; *Exodomorpha* Walker, 1864; *Castorura* Meyrick, 1887; *Aeraula* Meyrick, 1897; *Leuroscelis* Turner, 1927
- 833. Eriocottis Zeller, 1847** (Eriocottidae) Synonym(s): *Eriocottis* Zeller, 1847
- 834. Eriogaster (Autosphylla) Rambur, 1866** (Lasiocampidae) Synonym(s): *Autosphylla* Rambur, 1866
- 835. Eriogaster (s.str.) Germar, 1811** (Lasiocampidae) Synonym(s): *Eriogaster* Germar, 1811; *Gastris* Billberg, 1820; *Dasysoma* Hübner, [1820]; *Lachneis* Hübner, 1822

- 836. Eriogaster Germar, 1811** (Lasiocampidae) **Synonym(s):** *Eriogaster* Germar, 1811; *Gastris* Billberg, 1820; *Dasysoma* Hübner, [1820]; *Lachneis* Hübner, 1822; *Autosphyla* Rambur, 1866
- 837. Eriopsela Guenée, 1845** (Tortricidae) **Synonym(s):** *Eriopsela* Guenée, 1845; *#Eripsela* Desmarest, 1857.
- 838. Eriopygodes Hampson, 1905** (Noctuidae) **Synonym(s):** *Eriopygodes* Hampson, 1905
- 839. Esperia Hübner, [1825]** (Oecophoridae) **Synonym(s):** *Esperia* Hübner, [1825]; *Stenoptera* Duponchel, 1838; *Hermiona* Blanchard, 1845
- 840. Eteobalea Hodges, 1962** (Cosmopterigidae) **Synonym(s):** *Eteobalea* Hodges, 1962
- 841. Ethmia Hübner, [1819]** (Ethmiidae) **Synonym(s):** *Ethmia* Hübner, [1819]; *Psecadia* Hübner, [1825]; *Anesychia* Hübner, [1825]; *Melanoleuca* Stephens, 1829; *Aedia* Duponchel, 1837 nec Hübner, [1825]; *Azinis* Walker, 1863; *Tamarrha* Walker, 1864; *Ceratophysetis* Meyrick, 1887; *Theoxenia* Walsingham, 1887; *Babaiaxa* Busck, 1902; *Wiltshirea* Amsel, 1949 nec Buckman, 1904
- 842. Etiella Zeller, 1839** (Pyralidae) **Synonym(s):** *Etiella* Zeller, 1839; *Rhamphodes* Guenée, 1845; *Mella* Walker, 1859; *Modiana* Walker, 1863; *Alata* Walker, 1863 nec Linck, 1783; *Arucha* Walker, 1863; *Ceratamma* Butler, 1881.
- 843. Eublemma (Coccidiphaga) Spuler, 1907** (Noctuidae) **Synonym(s):** *Coccidiphaga* Spuler, 1907; *Zonethiousea* Thierry-Mieg, 1907
- 844. Eublemma (Honeyania) Berio, 1988** (Noctuidae) **Synonym(s):** *Honeyania* Berio, 1988
- 845. Eublemma Hübner, [1821]** (Noctuidae) **Synonym(s):** *#Antophila* Hübner, 1806; *Anthophila* Ochsenheimer, 1816 (praeocc.); *Eublemma* Hübner, [1821]; *Eromene* Hübner, [1821]; *Porphyria* Hübner, [1821]; *Trothisa* Hübner, [1821]; *Ethetis* Hübner, [1823]; *Heliomanes* Sodoffsky, 1837; *Microphisa* Boisduval, 1840; *Mixocharis* Lederer, 1853; *Thalpocharis* Lederer, 1853; *Eumestleta* Butler, 1892; *Thalomica* Spuler, 1907; *Polyorycta* W. Warren, 1911; *Gyophora* W. Warren, 1913; *Eumicremma* Berio, 1954; *Roseoblemma* Beck, 1996; *Parvablemma* Beck, 1996.
- 846. Eucarpia Hübner, [1825]** (Pyralidae) **Synonym(s):** *Eucarpia* Hübner, [1825]; *Argyrodes* Guenée, 1845; *Argyrohabda* Hampson, 1926.
- 847. Eucarta Lederer, 1857** (Noctuidae) **Synonym(s):** *Placodes* Boisduval, 1840 nec Erichson, 1834; *Telesilla* Herrich-Schäffer, 1856 nec Reichenb., 1853; *Eucarta* Lederer, 1857
- 848. Euchalcia Hübner, [1821]** (Noctuidae) **Synonym(s):** *Euchalcia* Hübner, [1821]; *Adeva* McDunnough, 1944; *Pseudochalcia* Klyuchko, 1984; *Pareuchalcia* Beck, 1991
- 849. Euchoeca Hübner, [1823]** (Geometridae) **Synonym(s):** *Euchoeca* Hübner, [1823]
- 850. Euchromius Guenée, 1845** (Pyralidae) **Synonym(s):** *Eromene* Hübner, [1825] nec Hübner, [1821]; *Euchromius* Guenée, 1845; *Ommatopteryx* Kirby, 1897; *Pseudoancylolomia* Ahmad, Zaidi & Kamaluddin, 1982.
- 851. Euclasta (s.str.) Lederer, 1855** (Pyralidae) **Synonym(s):** *Euclasta* Lederer, 1855; *Ilurgia* Walker, 1859
- 852. Euclasta Lederer, 1855** (Pyralidae) **Synonym(s):** *Euclasta* Lederer, 1855; *Ilurgia* Walker, 1859
- 853. Euclidia Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Euclidia* Ochsenheimer, 1816; *Ectypa* Billberg, 1820; *Gonospileia* Hübner, [1823]; *Euclidina* McDunnough, 1937
- 854. Eucosma Hübner, 1823** (Tortricidae) **Synonym(s):** *Eucosma* Hübner, 1823; *Catoptria* Guenée, 1845 nec Hübner, [1825]; *Phaneta* Stephens, 1852; *Calosetia* Stainton, 1859; *Pygolopha* Lederer, 1859; *Ioplocama* Clemens, 1860; *Affa* Walker, 1863; *Exentera* Grote, 1877; *Exenterella* Grote, 1883; *Palpocrinia* Kennel, 1919; *Astenodes* Kuznetsov, 1966.
- 855. Eucrostes Hübner, [1823]** (Geometridae) **Synonym(s):** *Eucrostes* Hübner, [1823]; *Eucrostis* Hübner, 1826; *Euchrostis* Zeller, 1872; *Euchrostes* Gumpfenberg, 1887
- 856. Eudarcia (Abchagleris) Zagulyaev, 1979** (Tineidae) **Synonym(s):** *Abchagleris* Zagulyaev, 1979
- 857. Eudarcia (Neomeessia) G. Petersen, 1968** (Tineidae) **Synonym(s):** *Neomeessia* G. Petersen, 1968
- 858. Eudarcia (Obesoceras) G. Petersen, 1957** (Tineidae) **Synonym(s):** *Obesoceras* G. Petersen, 1957
- 859. Eudarcia (Pseudobesoceras) Gaedike, 1985** (Tineidae) **Synonym(s):** *Pseudobesoceras* Gaedike, 1985
- 860. Eudarcia Clemens, 1860** (Tineidae) **Synonym(s):** *Eudarcia* Clemens, 1860; *Demobrotis* Meyrick, 1893; *Leptochersa* Meyrick, 1919; *Colchiromis* Zagulyaev, 1979; *Gallis* Zagulyaev, 1979; *Haugresis* Zagulyaev, 1979; *Nigris* Zagulyaev, 1979; *Zagulyaevella* Koçak, 1981
- 861. Eudemis Hübner, [1825]** (Tortricidae) **Synonym(s):** *Eudemis* Hübner, [1825]; *Thirates* Treitschke, 1829; *Therates* Agassiz, 1847 nec Latr., 1817
- 862. Eudemopsis Falkovitsh, 1962** (Tortricidae) **Synonym(s):** *Eudemopsis* Falkovitsh, 1962
- 863. Eudonia Billberg, 1820** (Pyralidae) **Synonym(s):** *Eudonia* Billberg, 1820; *Boiea* Zetterstedt, [1839]; *Witlesia* Chapman, 1912; *#Eudoria* Marion, 1959; *Toulgoetodes* Leraut, 1988; *Malageudonia* Leraut, 1989; *Vietteina* Leraut, 1989
- 864. Eugnorisma (Metagnorisma) Varga & L. Ronkay, 1987** (Noctuidae) **Synonym(s):** *Metagnorisma* Varga & L. Ronkay, 1987
- 865. Eugnorisma (s.str.) Boursin, 1946** (Noctuidae) **Synonym(s):** *Eugnorisma* Boursin, 1946
- 866. Eugnorisma Boursin, 1946** (Noctuidae) **Synonym(s):** *Eugnorisma* Boursin, 1946
- 867. Eugnosta Hübner, [1825]** (Tortricidae) **Synonym(s):** *Eugnosta* Hübner, [1825]; *Argyrolepis* Stephens, 1829; *Safra* Walker, 1863.

- 868. Euhagena Edwards, 1881** (Sesiidae) Synonym(s): *Euhagena Edwards, 1881*; *Larunda Edwards, 1881*; *Gaea Beutenmüller, 1896*
- 869. Eulamprotes Bradley, 1971** (Gelechiidae) Synonym(s): *Lamprotes Heinemann, 1870 nec R.L., 1817*; *Argyritis Heinemann, 1870 nec Hbn., [1821]*; *Eulamprotes Bradley, 1971*; *Siderea Omelko, 1999*
- 870. Eulithis Hübner, [1821]** (Geometridae) Synonym(s): *Eulithis Hübner, [1821]*; *Lygris Hübner, [1825]*; *Steganolophia Stephens, 1829*; *Neolexia Hulst, 1896*; *Phylace Hulst, 1896*.
- 871. Eulocastra Butler, 1886** (Noctuidae) Synonym(s): *Eulocastra Butler, 1886*; *Thalerastris Staudinger, 1897*.
- 872. Eumasia Chrétien, 1904** (Psychidae) Synonym(s): *Eumasia Chrétien, 1904*; *Trophimaea Meyrick, 1910*; *Kruegeria Müller-Rutz, 1920*
- 873. Eumera Staudinger, 1892** (Geometridae) Synonym(s): *Eumera Staudinger, 1892*
- 874. Euphyia Hübner, [1825]** (Geometridae) Synonym(s): *Euphyia Hübner, [1825]*; *Anapalta W. Warren, 1904*; *Orthoprora W. Warren, 1904*; *Warrenia L.B. Prout, 1910*
- 875. Eupithecia Curtis, 1825** (Geometridae) Synonym(s): *Eupithecia Curtis, 1825*; *Arcyonia Hübner, [1825]*; *Dyscymatoge Hübner, [1825]*; *Eucymatoge Hübner, [1825]*; *Hyperirritis Hübner, [1825]*; *Leucocora Hübner, [1825]*; *Tarachia Hübner, [1825]*; *Tephroclysta Hübner, [1825]*; *Zygmena Boie, 1839*; *Lepiodes Guenée, 1858*; *Pena Walker, 1863*; *Epicaste Gumpfenberg, 1887*; *Dietzea Schütze, 1956*; *Petersenia Schütze, 1958*; *Bohatschia Schütze, 1960*; *Delaeveria Schütze, 1961*; *Catarina Vojnits & De Laever, 1973*; *Propithecia Vojnits, 1985*; *Heteropithecia Vojnits, 1985*; *Neoithecia Vojnits, 1985*.
- 876. Euplagia Hübner, [1820]** (Arctiidae) Synonym(s): *Euplagia Hübner, [1820]*
- 877. Euplexia Stephens, 1829** (Noctuidae) Synonym(s): *Euplexia Stephens, 1829*; *Berrhaea Walker, 1858*; *Epa Bethune-Baker, 1906*; *Yula Bethune-Baker, 1906*.
- 878. Euplocamus Latreille, 1809** (Tineidae) Synonym(s): *Euplocamus Latreille, 1809*
- 879. Eupoecilia Stephens, 1829** (Tortricidae) Synonym(s): *Eupoecilia Stephens, 1829*; *Clysia Hübner, [1825]*; *Clysiana T.B. Fletcher, 1941*; *Arachnoites Diakonoff, 1952*.
- 880. Euproctis Hübner, [1819]** (Lymantriidae) Synonym(s): *Euproctis Hübner, [1819]*; *Nygmia Hübner, [1820]*; *Portesia Stephens, 1828*; *Antipha Walker, 1855*; *Arna Walker, 1855*; *Artaxa Walker, 1855*; *Lacida Walker, 1855*; *Dulichia Walker, 1855*; *Lopera Walker, 1855*; *Somena Walker, 1856*; *Urocoma Herrich-Schäffer, 1858*; *Ela Walker, 1862*; *Utidea Walker, 1863*; *Adhullia Walker, 1865*; *Orvasca Walker, 1865*; *Themaca Walker, 1865*; *Cozola Walker, 1865*; *Bembina Walker, 1865*; *Gogana Walker, 1866*; *Micromorphe R. Felder, 1874*; *Choerotracha R. Felder, 1874*; *Chionophasma Butler, 1886*; *Ocybola Turner, 1912*; *Meteuproctis Matsumura, 1927*; *Euproctis Matsumura, 1933*; *Vietterma Griveaud, 1977*; *Knapettra Nye, 1980*; *Sphrageidus Maes, 1984*
- 881. Eupsilia Hübner, [1821]** (Noctuidae) Synonym(s): *Eupsilia Hübner, [1821]*; *Scopelosoma Curtis, 1836*; *Mecoptera Guenée, 1837*; *Dichagramma Grote, 1864*
- 882. Eurhodope (Eurhobasis) Roesler, 1988** (Pylalidae) Synonym(s): *Eurhobasis Roesler, 1988*
- 883. Eurhodope (s.str.) Hübner, [1825]** (Pylalidae) Synonym(s): *Eurhodope Hübner, [1825]*; *Semnia Guenée, 1845 nec Hübner, [1823]*; *Kyra Gozmany, 1958*
- 884. Eurhodope Hübner, [1825]** (Pylalidae) Synonym(s): *Eurhodope Hübner, [1825]*; *Semnia Guenée, 1845 nec Hübner, [1823]*; *Kyra Gozmany, 1958*
- 885. Eurodachtha Gozmany, 1978** (Lecithoceridae) Synonym(s): *Eurodachtha Gozmany, 1978*
- 886. Eurois Hübner, [1821]** (Noctuidae) Synonym(s): *Eurois Hübner, [1821]*; *Eurhois Agassiz, 1846*
- 887. Eurrhysis Hübner, [1825]** (Pylalidae) Synonym(s): *Eurrhysis Hübner, [1825]*; *Threnodes Duponchel, [1845]*
- 888. Eusphacia Le Cerf, 1937** (Sesiidae) Synonym(s): *Eusphacia Le Cerf, 1937*
- 889. Euspilapteryx Stephens, 1835** (Gracillariidae) Synonym(s): *Euspilapteryx Stephens, 1835*; *Euspilopteryx Agassiz, 1847*
- 890. Eustroma Hübner, [1825]** (Geometridae) Synonym(s): *Eustroma Hübner, [1825]*
- 891. Eutelia Hübner, [1823]** (Noctuidae) Synonym(s): *Eutelia Hübner, [1823]*; *Eurhipia Boisduval, 1829*; *Phlegetonia Guenée, 1852*; *Ripogenus Grote, 1865*; *Zobia Saalmüller, 1891*; *Alotsa Swinhoe, 1900*; *Silacida Swinhoe, 1900*; *Noctasota Clench, 1954*; *Adoraria Beck, 1996*; *#Alotoa Leraut, 1997*; *#Phlegetomia Leraut, 1997*
- 892. Euxoa (Chorizagrotis) Smith, 1890** (Noctuidae) Synonym(s): *Chorizagrotis Smith, 1890*; *Mesoeuxoa Corti, 1932*
- 893. Euxoa (Orosagrotis) Hampson, 1903** (Noctuidae) Synonym(s): *Orosagrotis Hampson, 1903*
- 894. Euxoa (Pleonectopoda) Grote, 1873** (Noctuidae) Synonym(s): *Pleonectopoda Grote, 1873*
- 895. Euxoa (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Euxoa Hübner, [1821]*; *Metaxyja Hübner, [1821]*; *Exarnis Hübner, [1821]*; *Brotis Hübner, [1821]*; *Mimetes Hübner, [1821] nec Esch., 1818*; *Telmia Hübner, [1821]*; *Carneades Grote, 1883*; *Paragrotis Dyar, 1902*
- 896. Euxoa Hübner, [1821]** (Noctuidae) Synonym(s): *Euxoa Hübner, [1821]*; *Metaxyja Hübner, [1821]*; *Exarnis Hübner, [1821]*; *Brotis Hübner, [1821]*; *Mimetes Hübner, [1821] nec Esch., 1818*; *Telmia Hübner, [1821]*; *Carneades Grote, 1883*; *Paragrotis Dyar, 1902*
- 897. Euzophera (Cymbalorissa) Gozmany, 1958** (Pylalidae) Synonym(s): *Cymbalorissa Gozmany, 1958*
- 898. Euzophera (s.str.) Zeller, 1867** (Pylalidae) Synonym(s): *Stenoptycha Heinemann, 1865 nec Agas., 1862*; *Melia Heinemann, 1865 nec Risso, 1813*; *Euzophera Zeller, 1867*; *Pistogenes Meyrick, 1937*; *Ahwazia Amsel, 1949*; *Longinathia Roesler, 1965*

- 899. Euzophera Zeller, 1867** (Pylalidae) Synonym(s): *Stenoptycha* Heinemann, 1865 nec Agas., 1862; *Melia* Heinemann, 1865 nec Risso, 1813; *Euzophera* Zeller, 1867; *Pistogenes* Meyrick, 1937; *Ahwazia* Amsel, 1949; *Longignathia* Roesler, 1965
- 900. Euzopherodes Hampson, 1899** (Pylalidae) Synonym(s): *Euzopherodes* Hampson, 1899; *Lydia* Rebel, 1901 nec Gistel, 1848; *Lydia* Hampson, 1901 nec Gistel, 1848; *Phloeophaga* Chrétien, 1910; *Radiestra* Hampson, 1927; *Neononia* Hampson, 1930; *Symphestia* Hampson, 1930; *Trigonopyralis* Amsel, 1935; *Nyctigenes* Meyrick, 1937 *Epilydia* Amsel, 1954; *Delattinia* Roesler, 1965; *Infinita* Whalley, 1970.
- 901. Evergestis Hübner, [1825]** (Pylalidae) Synonym(s): *Evergestis* Hübner, [1825]; *Homochroa* Hübner, [1825]; *Mesographe* Hübner, [1825]; *Scopolia* Hübner, [1825]; *Pionea* Duponchel, 1845; *Orobena* Guenée, 1854; *Aedis* Grote, 1878; *Paraedis* Grote, 1882; *Maelinoptera* Staudinger, 1893; *Pachyzancloides* Matsumura, 1925; *Reskovitsia* Szent-Ivany, 1942
- 902. Evisa Reisser, 1930** (Noctuidae) Synonym(s): *Evisa* Reisser, 1930
- 903. Exaeretia Stainton, 1849** (Oecophoridae) Synonym(s): *Exaeretia* Stainton, 1849; *Depressariodes* Turati, 1924; *Martyrhilda* Clarke, 1941
- 904. Exophyla Guenée, 1841** (Noctuidae) Synonym(s): *Exophyla* Guenée, 1841; #*Exophila* Guenée, 1841
- 905. Fabiola Busck, 1908** (Oecophoridae) Synonym(s): *Fabiola* Busck, 1908
- 906. Falseuncaria Obraztsov & Swatschek, 1958** (Tortricidae) Synonym(s): *Falseuncaria* Obraztsov & Swatschek, 1958
- 907. Faveria Walker, 1859** (Pylalidae) Synonym(s): *Faveria* Walker, 1859; *Oligochroa* Ragonot, 1888; *Pristarthria* Ragonot, 1893; *Sclerobia* Ragonot, 1893
- 908. Filatima Busck, 1939** (Gelechiidae) Synonym(s): *Filatima* Busck, 1939
- 909. Fissipunctia Berio, 1991** (Noctuidae) Synonym(s): *Fissipunctia* Berio, 1991; *Apterogenum* Berio, 2002
- 910. Friedlanderia Agnew, 1987** (Pylalidae) Synonym(s): #*Chiloides* Amsel, 1949; *Chiloides* Bleszynski, 1963 nec Butl., 1881; *Friedlanderia* Agnew, 1987
- 911. Fulvoclysia Obraztsov, 1943** (Tortricidae) Synonym(s): *Fulvoclysia* Obraztsov, 1943
- 912. Furcula Lamarck, 1816** (Notodontidae) Synonym(s): *Furcula* Lamarck, 1816; *Harpyias* Hübner, [1819]
- 913. Gaedikeia Sutter, 1998** (Tineidae) Synonym(s): *Gaedikeia* Sutter, 1998
- 914. Galleria Fabricius, 1798** (Pylalidae) Synonym(s): *Galleria* Fabricius, 1798; #*Adeona* Rafinesque, 1815; *Cericlepta* Sodoffsky, 1837; *Vindana* Walker, 1866.
- 915. Gastropacha (s.str.) Ochsenheimer, 1810** (Lasiocampidae) Synonym(s): *Gastropacha* Ochsenheimer, 1810; *Phylloma* Billberg, 1820; *Bombyx* Boisduval, 1828 nec Linn., 1758
- 916. Gastropacha Ochsenheimer, 1810** (Lasiocampidae) Synonym(s): *Gastropacha* Ochsenheimer, 1810; *Phylloma* Billberg, 1820; *Bombyx* Boisduval, 1828 nec Linn., 1758
- 917. Geina Tutt, 1906** (Pterophoridae) Synonym(s): *Geina* Tutt, 1906
- 918. Gelechia Hübner, [1825]** (Gelechiidae) Synonym(s): *Gelechia* Hübner, [1825]; *Guenea* Bruand, [1851]; *Cirra* Chambers, 1872; *Oeseis* Chambers, 1875; *Mesogelesia* Omelko, 1986.
- 919. Geometra Linnaeus, 1758** (Geometridae) Synonym(s): *Geometra* Linnaeus, 1758
- 920. Gillmeria Tutt, 1905** (Pterophoridae) Synonym(s): *Gillmeria* Tutt, 1905
- 921. Glaucocharis Meyrick, 1938** (Pylalidae) Synonym(s): *Ditomoptera* Hampson, 1893 nec Germ., 1839; *Glaucocharis* Meyrick, 1938; *Pareromene* Osthelder, 1941; *Pagmania* Amsel, 1961
- 922. Glossotrophia (Libanonia) Hausmann, 1993** (Geometridae) Synonym(s): *Libanonia* Hausmann, 1993
- 923. Glossotrophia (s.str.) L.B. Prout, 1913** (Geometridae) Synonym(s): *Glossotrophia* L.B. Prout, 1913
- 924. Glossotrophia L.B. Prout, 1913** (Geometridae) Synonym(s): *Glossotrophia* L.B. Prout, 1913
- 925. Glyphipterix Hübner, [1825]** (Glyphipterygidae) Synonym(s): *Glyphipterix* Hübner, [1825]; *Heribeia* Stephens, 1829; *Aechmia* Treitschke, 1833; *Anacampsoides* Bruand, 1851
- 926. Glyptoteles Zeller, 1848** (Pylalidae) Synonym(s): *Glyptoteles* Zeller, 1848; #*Glyptoteles* Wocke, 1871
- 927. Gnopharmia Staudinger, 1892** (Geometridae) Synonym(s): *Gnopharmia* Staudinger, 1892
- 928. Gnophos (Dicrognophos) Wehrli, 1951** (Geometridae) Synonym(s): *Dicrognophos* Wehrli, 1951
- 929. Gnophos (s.str.) Treitschke, 1825** (Geometridae) Synonym(s): #*Sciadion* Hübner, [1806]; *Gnophos* Treitschke, 1825; *Scotoperix* Hübner, [1825]; *Scotopteryx* Agassiz, 1847; *Gnophus* Agassiz, 1847; #*Sciadion* L.B. Prout, 1904.
- 930. Gnophos (Sacroglyphos) Wehrli, 1951** (Geometridae) Synonym(s): *Sacroglyphos* Wehrli, 1951
- 931. Gnophos Treitschke, 1825** (Geometridae) Synonym(s): #*Sciadion* Hübner, [1806]; *Gnophos* Treitschke, 1825; *Scotoperix* Hübner, [1825]; *Scotopteryx* Agassiz, 1847; *Gnophus* Agassiz, 1847; #*Sciadion* L.B. Prout, 1904.
- 932. Gnorimoschema Busck, 1900** (Gelechiidae) Synonym(s): *Gnorimoschema* Busck, 1900; *Lerupsia* Riedl, 1965; *Neoschema* Povolny, 1967
- 933. Goniodoma Zeller, 1849** (Coleophoridae) Synonym(s): *Goniodoma* Zeller, 1849
- 934. Gonospileia Hübner, [1823]** (Noctuidae) Synonym(s): *Gonospileia* Hübner, [1823]

935. **Gortyna (Cervyna) L.Ronkay, Zilli & Fibiger, 2005** (Noctuidae) Synonym(s): *Cervyna* L.Ronkay, Zilli & Fibiger, 2005
936. **Gortyna (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Gortyna* Ochsenheimer, 1816; *Gnephozeta* Billberg, 1820; *Ochria* Hübner, [1821]; *Xanthoecia* Hampson, 1908; *Nytorga* Beck, 1999
937. **Gortyna Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Gortyna* Ochsenheimer, 1816; *Gnephozeta* Billberg, 1820; *Ochria* Hübner, [1821]; *Xanthoecia* Hampson, 1908; *Nytorga* Beck, 1999
938. **Gracillaria Haworth, 1828** (Gracillariidae) Synonym(s): *Gracillaria* Haworth, 1828; *Gracilaria* Zeller, 1839; *Gracilaria* Walsingham, 1907; *Xanthospilapteryx* Spuler, 1910
939. **Grammodes Guenée, 1852** (Noctuidae) Synonym(s): *Grammodes* Guenée, 1852; *Prodotis* John, 1910
940. **Graphiphora Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Graphiphora* Ochsenheimer, 1816
941. **Gravitarmata Obratzov, 1946** (Tortricidae) Synonym(s): *Gravitarmata* Obratzov, 1946
942. **Gymnancyla Zeller, 1848** (Pyrilidae) Synonym(s): *Gymnancyla* Zeller, 1848; *Spermatophthora* Lederer, 1852; *Gynancyla* Wocke, 1871; *Bazaria* Ragonot, 1887; *Dentinodia* Ragonot, 1887; *Anorista* Rebel, 1914; *Dentinosa* Caradja, 1937; *Culcita* Amsel, 1959; *Nefertitita* Gozmany, 1960; *Culcitaria* Amsel, 1970; *Vixsinusia* Amsel, 1970
943. **Gymnoscelis Mabille, 1868** (Geometridae) Synonym(s): *Gymnoscelis* Mabille, 1868; *Iramba* Moore, 1887; *Dolerosceles* Meyrick, 1889
944. **Gynnidomorpha Turner, 1916** (Tortricidae) Synonym(s): *Gynnidomorpha* Turner, 1916; *Piercea* Filipjev, 1940.
945. **Gypsochares Meyrick, 1890** (Pterophoridae) Synonym(s): *Gypsochares* Meyrick, 1890; *Sibiretta* Ustjuzhanin, 1996.
946. **Gypsochroa Hübner, [1825]** (Geometridae) Synonym(s): *Gypsochroa* Hübner, [1825]
947. **Gypsonoma Meyrick, 1895** (Tortricidae) Synonym(s): *Gypsonoma* Meyrick, 1895
948. **Habrosyne Hübner, [1821]** (Thyatiridae) Synonym(s): *Habrosyne* Hübner, [1821]; *Gonophora* Bruand, 1845 nec *Dejean*, 1835; *Cymatochrocis* Houlbert, 1921; *Hannya* Matsumura, 1927; *Miothyatira* Matsumura, 1933; *Habrosynula* Bryk, 1943
949. **Hada Billberg, 1820** (Noctuidae) Synonym(s): *Hada* Billberg, 1820; *Clemathada* Beck, 1991
950. **Hadena (Anepia) Hampson, 1918** (Noctuidae) Synonym(s): *Epia* Hübner, [1821] nec *Hbn.*, [1820]; *Anepia* Hampson, 1918; *Perplexhadena* Beck, 1991; *Paraperplexia* Beck, 1991
951. **Hadena (Enterpia) Guenée, 1850** (Noctuidae) Synonym(s): *Enterpia* Guenée, 1850; *#Euterpia* Guenée, 1852
952. **Hadena (Maschukia) Hacker, 1996** (Noctuidae) Synonym(s): *Maschukia* Hacker, 1996
953. **Hadena (Pinkericola) Hacker, 1987** (Noctuidae) Synonym(s): *Pinkericola* Hacker, 1987
954. **Hadena (s.str.) Schrank, 1802** (Noctuidae) Synonym(s): *Hadena* Schrank, 1802; *Miselia* Ochsenheimer, 1816; *Zeteolyga* Billberg, 1820; *Harmodia* Hübner, [1820]; *Dianthoecia* Boisduval, 1834; *Adena* Agassiz, 1847; *Maghadena* Beck, 1991 (preocc.); *Caeshadena* Beck, 1991
955. **Hadena Schrank, 1802** (Noctuidae) Synonym(s): *Hadena* Schrank, 1802; *Miselia* Ochsenheimer, 1816; *Zeteolyga* Billberg, 1820; *Harmodia* Hübner, [1820]; *Dianthoecia* Boisduval, 1834; *Adena* Agassiz, 1847; *Maghadena* Beck, 1991 (preocc.); *Caeshadena* Beck, 1991
956. **Hadjina Staudinger, 1892** (Noctuidae) Synonym(s): *Hadjina* Staudinger, 1892; *Aridagricola* Shchetkin, 1965
957. **Hadula (Caloestra) Beck, 1991** (Noctuidae) Synonym(s): *Caloestra* Beck, 1991
958. **Hadula (Cardiestra) Boursin, 1963** (Noctuidae) Synonym(s): *Cardiestra* Boursin, 1963
959. **Hadula (Ptochicestra) Hacker, 1998** (Noctuidae) Synonym(s): *Ptochicestra* Hacker, 1998
960. **Hadula (Pulchrohadula) Hacker, 1998** (Noctuidae) Synonym(s): *Pulchrohadula* Hacker, 1998
961. **Hadula Staudinger, 1889** (Noctuidae) Synonym(s): *Hadula* Staudinger, 1889
962. **Haemerosia Boisduval, 1840** (Noctuidae) Synonym(s): *Haemerosia* Boisduval, 1840; *#Haemeosia* Ebert & Hacker, 2002
963. **Hakkaria L.Ronkay & Varga, 1990** (Noctuidae) Synonym(s): *Hakkaria* L.Ronkay & Varga, 1990
964. **Hannemanneia Roesler, 1967** (Pyrilidae) Synonym(s): *Hannemanneia* Roesler, 1967
965. **Haplochrois Meyrick, 1897** (Agonoxenidae) Synonym(s): *Aetia* Chambers, 1880 nec *Agass.*, 1847; *Haplochrois* Meyrick, 1897; *Rhadinastis* Meyrick, 1897; *Tetanocentria* Rebel, 1902; *Platybathra* Meyrick, 1911; *Parametriotes* Kuznetsov, 1916; *Syntetrernis* Meyrick, 1922
966. **Haplotinea Diakonoff & Hinton, 1956** (Tineidae) Synonym(s): *Haplotinea* Diakonoff & Hinton, 1956
967. **Hapsifera Zeller, 1847** (Tineidae) Synonym(s): *Hapsifera* Zeller, 1847; *Euplocera* Ragonot, 1895; *Pseudohapsifera* Amsel, 1935; *Ptochoglyptis* Meyrick, 1938
968. **Harpagidia Ragonot, 1895** (Gelechiidae) Synonym(s): *Harpagidia* Ragonot, 1895; *Glaphyrga* Meyrick, 1925
969. **Harpella Schrank, 1802** (Oecophoridae) Synonym(s): *Harpella* Schrank, 1802; *Lampros* Kollar, 1832; *Lampros* Treitschke, 1833; *Lamprus* Agassiz, 1847
970. **Harpyia Ochsenheimer, 1810** (Notodontidae) Synonym(s): *Harpyia* Ochsenheimer, 1810; *Hoplitis* Hübner, [1819] nec *Klug*, 1807; *Damatoides* Matsumura, 1927; *Hybocampa* Lederer, 1853.

971. **Hecatera Guenée, 1852** (Noctuidae) Synonym(s): *Aethria* Hübner, [1821] nec Hübner, [1819]; *Hecatera* Guenée, 1852.
972. **Hedya Hübner, [1825]** (Tortricidae) Synonym(s): *Hedya* Hübner, [1825]; *Episagma* Hübner, [1825]; *Pendina* Treitschke, 1829; *Penthina* Treitschke, 1830.
973. **Heinemannia Wocke, [1876]** (Agonoxenidae) Synonym(s): *Tebenna* Hübner, [1825] nec Billb., 1820; *Heinemannia* Wocke, [1876];
974. **Helicoverpa Hardwick, 1965** (Noctuidae) Synonym(s): *Helicoverpa* Hardwick, 1965
975. **Heliodines Stainton, 1854** (Heliodinidae) Synonym(s): *Heliodines* Stainton, 1854
976. **Heliomata Grote & Robinson, 1866** (Geometridae) Synonym(s): *Heliomata* Grote & Robinson, 1866; *#Haliommata* Packard, 1876
977. **Heliophobus Boisduval, 1828** (Noctuidae) Synonym(s): *Heliophobus* Boisduval, 1828; *Neuria* Guenée, 1841; *Nevria* Agassiz, 1846
978. **Heliothela Guenée, 1854** (Pylalidae) Synonym(s): *Heliothela* Guenée, 1854; *Orosana* Walker, 1863; *Nyctarcha* Meyrick, 1884
979. **Heliothis Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Heliothis* Ochsenheimer, 1816; *Heliotis* Lefebvre, 1827; *Heliothisa* Meigen, 1832; *Heliotis* Sodoffsky, 1837; *Chloridea* Duncan & [Westwood], 1841; *Aspila* Guenée, 1852 (praeocc.); *Disocnemis* Grote, 1883; *Dysocnemis* Grote, 1890; *Neocleptria* Hampson, 1903; *Nubiothis* Berio; *Peltothis* Beck, 1996.
980. **Hellinsia Tutt, 1905** (Pterophoridae) Synonym(s): *Hellinsia* Tutt, 1905; *Leioptilus* Wallengren, 1862 nec Gray, 1860; *Lioptilus* Zeller, 1867 nec Cabanis, 1850; *Paulianilus* Gibeaux, 1995
981. **Hellula Guenée, 1854** (Pylalidae) Synonym(s): *#Oeobia* Hübner, [1825] (rejected name by ICZN, 1959 Opinion 536); *Hellula* Guenée, 1854; *Phyratocosma* Meyrick, 1936; *Ashwania* Pajni & Rose, 1977
982. **Hemaris (Cochrania) Tutt, 1902** (Sphingidae) Synonym(s): *Cochrania* Tutt, 1902
983. **Hemaris (Eitschbergera) Kemal & Koçak, 2005** (Sphingidae) Synonym(s): *Mandarina* Eitschberger, Danner & Surholt, 1998 nec Pilsbry, 1894; *Eitschbergera* Kemal & Koçak, 2005
984. **Hemaris (s.str.) Dalman, 1816** (Sphingidae) Synonym(s): *Hemaris* Dalman, 1816; *Hemaria* Billberg, 1820; *Haemorrhagia* Grote & Robinson, 1865; *Chamaesesia* Grote, 1873; *Jilinga* Eitschberger, Danner & Surholt, 1998 (homonym), *Saudersia* Eitschberger, Danner & Surholt, 1998 (homonym)
985. **Hemaris Dalman, 1816** (Sphingidae) Synonym(s): *Hemaris* Dalman, 1816; *Hemaria* Billberg, 1820; *Haemorrhagia* Grote & Robinson, 1865; *Chamaesesia* Grote, 1873; *Jilinga* Eitschberger, Danner & Surholt, 1998 (homonym), *Saudersia* Eitschberger, Danner & Surholt, 1998 (homonym)
986. **Hemistola W. Warren, 1893** (Geometridae) Synonym(s): *Hemistola* W. Warren, 1893
987. **Hemithea Duponchel, 1829** (Geometridae) Synonym(s): *Hemithea* Duponchel, 1829; *Geometrina* Motschulsky, [1861]; *Lophocrita* W. Warren, 1894; *Mixolophia* W. Warren, 1894
988. **Hepialus Fabricius, 1775** (Hepialidae) Synonym(s): *Hepialus* Fabricius, 1775; *Hepiolus* Illiger, 1801; *Epialus* Agassiz, 1847
989. **Heptapotamia Alpheraky, 1882** (Noctuidae) Synonym(s): *Heptapotamia* Alpheraky, 1882; *#Güselderia* Hacker, Kuhna & Gross, [1987]; *Guselderia* Hacker, Kuhna & Gross, [1987]
990. **Herpetogramma Lederer, 1863** (Pylalidae) Synonym(s): *Herpetogramma* Lederer, 1863; *Pachyzancla* Meyrick, 1884; *Acharana* Moore, [1885]; *Piloptyla* Swinhoe, 1894; *Pantoeocome* W. Warren, 1896; *Macrobytis* Munroe, 1950; *Coremataria* Amsel, 1956; *Culcitaria* Amsel, 1957; *#Herpitogramma* Hutacharern & Tubtim, 1995
991. **Heterogenea Knoch, 1783** (Limacodidae) Synonym(s): *Heterogenea* Knoch, 1783
992. **Heterolocha Lederer, 1853** (Geometridae) Synonym(s): *Heterolocha* Lederer, 1853; *Nabla* Walker, 1866; *Hetaera* Gumpfenberg, 1887; *Symmetresia* Wehrli, 1937
993. **Heteropalpia Berio, 1939** (Noctuidae) Synonym(s): *Heteropalpia* Berio, 1939
994. **Heterophysa Boursin, 1953** (Noctuidae) Synonym(s): *Heterophysa* Boursin, 1953
995. **Hierochthonia L.B. Prout, 1912** (Geometridae) Synonym(s): *Hierochthonia* L.B. Prout, 1912; *#Hierochthonia* Krüger, 1939
996. **Himalistra Hacker & Ronkay, 1993** (Noctuidae) Synonym(s): *Himalistra* Hacker & Ronkay, 1993
997. **Hippotion Hübner, [1819]** (Sphingidae) Synonym(s): *Hippotion* Hübner, [1819]; *Panaera* Walker, 1856; *Lilina* Tutt, 1903
998. **Hodebertia Leraut, 2003** (Pylalidae) Synonym(s): *Hodebertia* Leraut, 2003
999. **Hodgesiella Riedl, 1965** (Cosmopterigidae) Synonym(s): *Hodgesiella* Riedl, 1965
1000. **Holcocerus Staudinger, 1884** (Cossidae) Synonym(s): *Holcocerus* Staudinger, 1884
1001. **Holcopogon Staudinger, 1879** (Autostichidae) Synonym(s): *Holcopogon* Staudinger, 1879
1002. **Holoscolia Zeller, 1839** (Oecophoridae) Synonym(s): *Holoscolia* Zeller, 1839
1003. **Holoterpna Püngeler, 1900** (Geometridae) Synonym(s): *Holoterpna* Püngeler, 1900
1004. **Homaloxestis Meyrick, 1910** (Lecithoceridae) Synonym(s): *Homaloxestis* Meyrick, 1910; *#Hamaloxestis* Meyrick, 1931
1005. **Homoeosoma Curtis, 1833** (Pylalidae) Synonym(s): *Homoeosoma* Curtis, 1833; *Phycidea* Zeller, 1839; *Lotria* Guenée, 1845; *Ectohomoeosoma* Roesler, 1965; *Anhomoeosoma* Roesler, 1965

- 1006. *Hoplodrina* Boursin, 1937** (Noctuidae) Synonym(s): *Hoplodrina* Boursin, 1937
- 1007. *Horisme* Hübner, [1825]** (Geometridae) Synonym(s): *Horisme* Hübner, [1825]; *Larentia* Bruand, 1847 (praeocc.)
- 1008. *Hoyosia* Agenjo, 1972** (Limacodidae) Synonym(s): *Ruperezia* Agenjo, 1968; *Hoyosia* Agenjo, 1972
- 1009. *Hydrelia* Hübner, [1825]** (Geometridae) Synonym(s): *Hydrelia* Hübner, [1825]; *Autallacta* W. Warren, 1893
- 1010. *Hydria* Hübner, 1822** (Geometridae) Synonym(s): *Hydria* Hübner, 1822
- 1011. *Hydriomena* Hübner, [1825]** (Geometridae) Synonym(s): *Hydriomena* Hübner, [1825]; *Ypsipetes* Stephens, 1829; *Hypsipetes* Stephens, 1831 nec Vigors, 1831; *Karacidaria* Matsumura, 1925
- 1012. *Hydriris* Meyrick, 1885** (Pylalidae) Synonym(s): *Spanista* Lederer, 1863 nec Foester, 1862; *Hydriris* Meyrick, 1885; *Antiercta* Amsel, 1956
- 1013. *Hylaea* Hübner, 1822** (Geometridae) Synonym(s): *Hylaea* Hübner, 1822; *Therina* Hübner, [1823]; *Ellopiea* Treitschke, 1825; *Ellopiea* Stephens, 1829 nec Tr., 1825
- 1014. *Hyles* Hübner, [1819]** (Sphingidae) Synonym(s): *Hyles* Hübner, [1819]; *Thaumas* Hübner, [1819]; *Celerio* Agassiz, 1846; *Turneria* Tutt, 1903; *Hawaiina* Tutt, 1903; *Weismannia* Tutt, 1904; *Dannaria* Eitschberger & Zolotuhin, 1998; *Eremohyles* Eitschberger & Zolotuhin, 1998; *Hipohyles* Eitschberger & Zolotuhin, 1998; *Rommelliana* Eitschberger & Zolotuhin, 1998; *Surholtia* Eitschberger & Zolotuhin, 1998
- 1015. *Hypatopa* Walsingham, 1907** (Blastobasidae) Synonym(s): *Hypatopa* Walsingham, 1907
- 1016. *Hypena* (Ophiuche) Hübner, [1825]** (Noctuidae) Synonym(s): *Ophiuche* Hübner, [1825]; *Anepischetos* Smith, 1900; *Anepischetos* McDunnough, 1938
- 1017. *Hypena* (s.str.) Schrank, 1802** (Noctuidae) Synonym(s): *Hypena* Schrank, 1802; *Erichila* Billberg, 1820; *Herpyzon* Hübner, 1822; *Bomolocha* Hübner, [1825]; *Badausa* Walker, 1863; *Peliala* Walker, 1865; *Euhypena* Grote, 1873; *Lomanaltes* Grote, 1873; *Macrhypena* Grote, 1873; *Meghypena* Grote, 1873; *Plathypena* Grote, 1873; *Mathura* Moore, 1882; *Apanda* Moore, 1882; *Hypoepa* Leech, 1889; *Nesamiptis* Meyrick, 1899; *Anepischetos* Smith, 1900; *Placerobela* Turner, 1903; *Obesypena* Beck, 1996; *Rostrypena* Beck, 1996.
- 1018. *Hypena* Schrank, 1802** (Noctuidae) Synonym(s): *Hypena* Schrank, 1802; *Erichila* Billberg, 1820; *Herpyzon* Hübner, 1822; *Bomolocha* Hübner, [1825]; *Badausa* Walker, 1863; *Peliala* Walker, 1865; *Euhypena* Grote, 1873; *Lomanaltes* Grote, 1873; *Macrhypena* Grote, 1873; *Meghypena* Grote, 1873; *Plathypena* Grote, 1873; *Mathura* Moore, 1882; *Apanda* Moore, 1882; *Hypoepa* Leech, 1889; *Nesamiptis* Meyrick, 1899; *Anepischetos* Smith, 1900; *Placerobela* Turner, 1903; *Obesypena* Beck, 1996; *Rostrypena* Beck, 1996.
- 1019. *Hypenodes* Doubleday, 1850** (Noctuidae) Synonym(s): *Hypenodes* Doubleday, 1850; *Schrankia* Herrich-Schäffer, [1851] nec Hbn., [1825]; *Tholomiges* Lederer, 1857; *Schrankia* Walker, [1859]
- 1020. *Hypercallia* Stephens, 1829** (Oecophoridae) Synonym(s): *Hypercallia* Stephens, 1829
- 1021. *Hyperlais* Marion, 1959** (Pylalidae) Synonym(s): *Hypolais* Guenée, 1854 nec Kaup, 1829; *Hyperlais* Marion, 1959
- 1022. *Hypeuthina* Lederer, 1855** (Noctuidae) Synonym(s): *Hypeuthina* Lederer, 1855; *Hypeuthyna* Oberthür, 1890
- 1023. *Hyphantria* Harris, 1841** (Arctiidae) Synonym(s): *Hyphantria* Harris, 1841
- 1024. *Hyphoraia* Hübner, [1820]** (Arctiidae) Synonym(s): *Hyphoraia* Hübner, [1820]; *Hyphoraea* Agassiz, 1847
- 1025. *Hypochalcia* Hübner, [1825]** (Pylalidae) Synonym(s): *Hypochalcia* Hübner, [1825]; *Hypochalcea* Hübner, [1826]; *Araxes* Stephens, 1834
- 1026. *Hypomecis* Hübner, [1821]** (Geometridae) Synonym(s): *Hypomecis* Hübner, [1821]; *Dryocoetis* Hübner, [1825]; *Boarmia* Treitschke, 1825; *Serraca* Moore, [1887]; *Pseudoangerona* Moore, [1887]; *Narapa* Moore, [1887]; *Alcippe* Gumpfenberg, 1887 nec Blyth, 1844; *Astacuda* Moore, 1888; *Maidana* Swinhoe, 1900; *Pseudoboarmia* McDunnough, 1920
- 1027. *Hyporatasa* Rebel, 1901** (Pylalidae) Synonym(s): *Hyporatasa* Rebel, 1901; *Hyporatasa* Ragonot, 1901
- 1028. *Hypotia* Zeller, 1847** (Pylalidae) Synonym(s): *Hypotia* Zeller, 1847; *Dattinia* Ragonot, 1887; *Constantia* Ragonot, 1887 nec Adams, 1860; *Mnesixena* Meyrick, 1890; *Zonora* Swinhoe, 1890; *Palmitia* Ragonot, 1890; *Baniura* Ragonot, 1891; *Palura* Ragonot, 1891 (preocc.); *Epizonora* Ragonot, 1892; *Hercynodes* Ragonot, 1895; *Macroctenia* Hampson, 1900; *Boursinella* Amsel, 1953; *Gomezmenoria* Agenjo, 1966
- 1029. *Hyppa* Duponchel, [1845]** (Noctuidae) Synonym(s): *Hyppa* Duponchel, [1845]
- 1030. *Hypsopygia* Hübner, [1825]** (Pylalidae) Synonym(s): *Herculia* Walker, 1859; *Buzala* Walker, 1863; *Cisse* Walker, 1863; *Ocrasa* Walker, [1866]; *Bejuda* Walker, [1866]; *Pseudasopia* Grote, 1873; *Orthopygia* Ragonot, 1890; *Bleone* Ragonot, 1890; *Parasopia* Möschler, 1890; *Dolichomia* Ragonot, 1891
- 1031. *Hypsotropa* Zeller, 1848** (Pylalidae) Synonym(s): *Hypsotropa* Zeller, 1848; *Hypsotropa* Snellen, 1880; *Seleucia* Ragonot, 1887; *Tiarra* Ragonot, 1888; *Lymira* Ragonot, 1888; *Ambala* Ragonot, 1888; *Socora* Ragonot, 1888; *Talamba* Ragonot, 1888; *Hypsotropa* Hampson, 1896; *Lymire* Rothschild, 1913
- 1032. *Hyssia* Guenée, 1852** (Noctuidae) Synonym(s): *Hyssia* Guenée, 1852
- 1033. *Hysterophora* Obratzov, 1944** (Tortricidae) Synonym(s): *Hysterophora* Obratzov, 1944
- 1034. *Idaea* Treitschke, 1825** (Geometridae) Synonym(s): *Idaea* Treitschke, 1825; *Sterrhia* Hübner, [1825]; *Arrhostia* Hübner, [1825]; *Pyctis* Hübner, [1825]; *Ptychopoda* Curtis, 1826; *Hyria* Stephens, 1829 nec Lam., 1819; *Ania* Stephens, 1831; *Goniacidalia* Packard, 1873; *Pythodora* Meyrick, 1886; *Janarda* Moore, 1888; *Xenocentris*

- Meyrick,1889; Mnesterodes Meyrick,1889; Aphrogeneia Gumpfenberg,1890; Argia Gumpfenberg,1890; Gnidia Gumpfenberg,1890; Pelagia Gumpfenberg,1890 nec Peron,1810; ; Andragrupos Hampson,1891; Carphoxera Riley,1891; Zeuctoneura W.Warren,1895; Synomila Hulst,1896; Ptenopoda Hulst,1896; Polygraphodes W.Warren,1897; Leptacme W.Warren,1897; Brachyprota W.Warren,1897; Hemipogon W.Warren,1897; Cacorista W.Warren,1899; Anteois W.Warren,1900; Hyriogona W.Warren,1900; Neochrysa W.Warren,1900; Pogonogya W.Warren,1900; Prospasta W.Warren,1900; Cysteophora Hulst,1900; Thysanotricha W.Warren,1903; Deinopyga W.Warren,1904; Schematorhages W.Warren,1905; Lobura W.Warren,1906; Omopera W.Warren,1906; Argyroscelia W.Warren,1907; Pareupithex W.Warren,1907; etc.
- 1035. Idia Hübner, [1813]** (Noctuidae) Synonym(s): *Idia* Hübner, [1813]; *Epizeuxis* Hübner, 1818; *Camptylachila* Stephens, 1834 nec Hbn., 1818; *Campylachila* Agassiz, 1847; *Helia* Guenée, 1854 nec Hbn., 1818; *Pseudaglossa* Grote, 1874
- 1036. Incurvaria Haworth, 1828** (Incurvariidae) Synonym(s): *Brosis* Bilberg, 1820; *Incurvaria* Haworth, 1828
- 1037. Infurcitinea Spuler, 1910** (Tineidae) Synonym(s): *Infurcitinea* Spuler, 1910; *Omichlospora* Meyrick, 1928; *Tineiforma* Amsel, 1952; *Atinea* Amsel, 1954; *Microtinea* Amsel, 1954; *Gozmanytinea* Capuse, 1966; *Finalis* Zagulyaev, 1979; *Atris* Zagulyaev, 1979; *Rumelis* Zagulyaev, 1979; *Pseudorumelis* Satschkov, 1995.
- 1038. Insalebria Filipjev, 1924** (Pyralidae) Synonym(s): *Insalebria* Filipjev, 1924; *Serrulacera* Amsel, 1955
- 1039. Ipimorpha Hübner, [1821]** (Noctuidae) Synonym(s): *Zenobia* Oken, 1815; *Ipimorpha* Hübner, [1821] *Plastenis* Boisduval, 1840; *Zenobia* Agassiz, 1846 nec Gray, 1821
- 1040. Iranada Wiltshire, 1977** (Noctuidae) Synonym(s): *Iranada* Wiltshire, 1977
- 1041. Isauria Ragonot, 1887** (Pyralidae) Synonym(s): *Isauria* Ragonot, 1887; *Adelosemia* Ragonot, 1887; *Melitene* Ragonot, 1888; *Divona* Ragonot, 1893; *Pseudomegasis* Chrétien, 1931.
- 1042. Isoceras Turati, 1924** (Cossidae) Synonym(s): *Isoceras* Turati, 1924
- 1043. Isophrictis Meyrick, 1917** (Gelechiidae) Synonym(s): *Isophrictis* Meyrick, 1917
- 1044. Isotrias Meyrick, 1895** (Tortricidae) Synonym(s): *Isotrias* Meyrick, 1895
- 1045. Istrianis Meyrick, 1918** (Gelechiidae) Synonym(s): *Istrianis* Meyrick, 1918
- 1046. Isturgia Hübner, [1823]** (Geometridae) Synonym(s): *Isturgia* Hübner, [1823]; *Tephрина* Guenée, [1845]; *Histurgia* Agassiz, 1847; *Enconista* Lederer, 1853; *Bichroma* Gumpfenberg, 1887; *Tephрина* Okyar & Aytac, 1999
- 1047. Itame Hübner, [1823]** (Geometridae) Synonym(s): *Itame* Hübner, [1823]; *Speranza* Curtis, 1828; *Halia* Duponchel, 1829 nec Risso, 1826; *Grammatophora* Stephens, 1829; *Eupisteria* Boisduval, 1840; *Thamnonoma* Lederer, 1853
- 1048. Iwaruna Gozmany, 1957** (Gelechiidae) Synonym(s): *Iwaruna* Gozmany, 1957
- 1049. Janthinea Guenée, 1852** (Noctuidae) Synonym(s): *Janthinea* Guenée, 1852
- 1050. Jodia Hübner, 1818** (Noctuidae) Synonym(s): *Jodia* Hübner, 1818; *Xanthia* Boisduval, 1829; *Lampetia* Curtis, [1830] nec Mgn., 1800; *Xantholeuca* Stephens, 1831; *Hoporina* Blanchard, 1840; *Oporina* Agassiz, [1847]
- 1051. Jodis Hübner, [1823]** (Geometridae) Synonym(s): *Jodis* Hübner, [1823]; *Leucoglyphica* W.Warren, 1894; *Pareuchloris* W.Warren, 1894
- 1052. Jordanita (Lucasiterna) Alberti, 1961** (Zygaenidae) Synonym(s): *Lucasia* Albert, 1954 nec R.-D., 1863; *Lucasiterna* Alberti, 1961; *#Lucasidia* Agenjo, 1968
- 1053. Jordanita (Praviela) Alberti, 1954** (Zygaenidae) Synonym(s): *Praviela* Alberti, 1954
- 1054. Jordanita (Rjabovia) Efetov & Tarmann, 1995** (Zygaenidae) Synonym(s): *Rjabovia* Efetov & Tarmann, 1995
- 1055. Jordanita (Roccia) Alberti, 1954** (Zygaenidae) Synonym(s): *Roccia* Alberti, 1954
- 1056. Jordanita (s.str.) Verity, 1946** (Zygaenidae) Synonym(s): *#Jordanita* Agenjo, 1940; *Jordanita* Verity, 1946
- 1057. Jordanita (Tremewania) Efetov & Tarmann, 1999** (Zygaenidae) Synonym(s): *Tremewania* Efetov & Tarmann, 1999
- 1058. Jordanita Verity, 1946** (Zygaenidae) Synonym(s): *#Jordanita* Agenjo, 1940; *Jordanita* Verity, 1946
- 1059. Kalliesia Sobczyk, 2004** (Psychidae) Synonym(s): *Kalliesia* Sobczyk, 2004
- 1060. Kasyniana Vives Moreno, 1986** (Oecophoridae) Synonym(s): *Kasyniana* Vives Moreno, 1986
- 1061. Katha Moore, 1878** (Arctiidae) Synonym(s): *Katha* Moore, 1878
- 1062. Kenneliola Paclt, 1951** (Tortricidae) Synonym(s): *Crobylophora* Kennel, 1908 nec Myer., 1880; *Crobylophora* Kennel, 1910; *Kenneliola* Paclt, 1951; *#Crobylophora* Obratsov, 1959
- 1063. Keradere Whalley, 1970** (Pyralidae) Synonym(s): *Praesalebria* Amsel, 1954 (preocc.); *Keradere* Whalley, 1970
- 1064. Kessleria (s.str.) Nowicki, 1864** (Yponomeutidae) Synonym(s): *Kessleria* Nowicki, 1864; *Paradoxus* Stainton, 1869; *Hofmannia* Wocke, 1876; *Parahypnomenuta* Toll, 1941
- 1065. Kessleria Nowicki, 1864** (Yponomeutidae) Synonym(s): *Kessleria* Nowicki, 1864; *Hofmannia* Wocke, 1876; *Parahypnomenuta* Toll, 1941
- 1066. Khorassania Amsel, 1951** (Pyralidae) Synonym(s): *Brephia* Heinemann, 1865 nec Hübner, 1822; *Khorassania* Amsel, 1951; *Abrephia* Amsel, 1953
- 1067. Klimeschia Amsel, 1938** (Douglassiidae) Synonym(s): *Klimeschia* Amsel, 1938
- 1068. Korscheltellus Börner, 1920** (Hepialidae) Synonym(s): *Korscheltellus* Börner, 1920
- 1069. Lacanobia (Dianobia) Behounek, 1992** (Noctuidae) Synonym(s): *Dianobia* Behounek, 1992

1070. **Lacanobia (Diataraxia) Hübner, [1821]** (Noctuidae) Synonym(s): *Diataraxia* Hübner, [1821]
 1071. **Lacanobia (s.str.) Billberg, 1820** (Noctuidae) Synonym(s): *Lacanobia* Billberg, 1820; *Peucephila* Hampson, 1909; #*Lacabonia* Hacker, 1992
 1072. **Lacanobia Billberg, 1820** (Noctuidae) Synonym(s): *Lacanobia* Billberg, 1820; *Peucephila* Hampson, 1909; #*Lacabonia* Hacker, 1992
 1073. **Lacydes Walker, 1855** (Arctiidae) Synonym(s): *Lacydes* Walker, 1855; *Acymba* Rambur, 1866; *Palparctia* Spuler, 1906; *Volgarctia* Alpheraky, 1908.
 1074. **Lambaesia Rebel, 1903** (Pyralidae) Synonym(s): *Lambaesia* Rebel, 1903; *Monotonia* Amsel, 1955
 1075. **Lamoria Walker, 1863** (Pyralidae) Synonym(s): *Lamoria* Walker, 1863; *Maraclea* Walker, 1863; *Hornigia* Ragonot, 1885; *Tugela* Ragonot, 1888.
 1076. **Lampronia Stephens, 1829** (Prodoxidae) Synonym(s): *Lampronia* Stephens, 1829
 1077. **Lampropteryx Stephens, 1831** (Geometridae) Synonym(s): *Lampropteryx* Stephens, 1831; *Paralophia* W. Warren, 1893; *Anisobole* W. Warren, 1902; *Paracomucha* W. Warren, 1904
 1078. **Lamprosticta Hübner, [1820]** (Noctuidae) Synonym(s): *Lamprosticta* Hübner, [1820]; *Chariptera* Guenée, 1838
 1079. **Laothoe Fabricius, 1807** (Sphingidae) Synonym(s): #*Amorpha* Hübner, [1806]; *Laothoe* Fabricius, 1807.
 1080. **Larentia Treitschke, 1825** (Geometridae) Synonym(s): *Larentia* Treitschke, 1825; *Plerocymia* Hübner, [1825]; *Larentia* Stephens, 1829 nec Tr., 1825; *Cymazonita* Sodoffsky, 1837
 1081. **Larerannis Wehrli, 1935** (Geometridae) Synonym(s): *Larerannis* Wehrli, 1935; *Phigaliohybernia* Inoue, 1942; #*Lanerannis* Neave, 1939; *Pachyerannis* Inoue, 1982
 1082. **Laristania Amsel, 1951** (Pyralidae) Synonym(s): *Laristania* Amsel, 1951; *Praeepischnia* Amsel, 1954
 1083. **Lasiocampa Schrank, 1802** (Lasiocampidae) Synonym(s): *Lasiocampa* Schrank, 1802; *Pachygastria* Hübner, [1820]; *Irenocampa* Rambur, 1858; *Lambessa* Staudinger, 1901
 1084. **Lasionycta Aurivillius, 1892** (Noctuidae) Synonym(s): *Lasionycta* Aurivillius, 1892
 1085. **Laspeyria Germar, 1811** (Noctuidae) Synonym(s): *Laspeyria* Germar, 1811; *Laspeyresia* R.L., 1817; *Colposia* Hübner, [1823]; *Aventia* Duponchel, 1829; *Euteles* Gistel, 1848
 1086. **Lathronympha Meyrick, 1936** (Tortricidae) Synonym(s): *Lathronympha* Meyrick, 1936
 1087. **Latoia Guérin-Méneville, [1844]** (Limacodidae) Synonym(s): *Latoia* Guérin-Méneville, [1844]; *Somara* Walker, 1855; *Asteria* R. Felder & Rogenhofer, 1874 nec Müll., 1775
 1088. **Lecithocera Herrich-Schäffer, [1853]** (Lecithoceridae) Synonym(s): *Lecithocera* Herrich-Schäffer, [1853]; *Patouissa* Walker, 1864; *Brachyerga* Meyrick, 1925; *Periphorectis* Meyrick, 1925; *Xanthocera* Amsel, 1953 nec Towns., 1915; *Leviptera* Janse, 1954; *Xanthoceroles* Amsel, 1955; *Parrhasastris* Gozmany, 1972
 1089. **Ledereragrotis Varga, 1991** (Noctuidae) Synonym(s): *Ledereragrotis* Varga, 1991
 1090. **Lehmannodes Rajaei & Stüning, 2013** (Geometridae) Synonym(s): *Lehmannodes* Rajaei & Stüning, 2013
 1091. **Lemonia Hübner, [1820]** (Lemoniidae) Synonym(s): *Lemonia* Hübner, [1820]; *Crateronyx* Duponchel, [1845]; *Limonia* Agassiz, 1847 nec Meig., 1803
 1092. **Lepidogma Meyrick, 1890** (Pyralidae) Synonym(s): *Lepidogma* Meyrick, 1890; *Precopia* Ragonot, 1891; *Asopina* Christoph, 1893
 1093. **Lepteucosma Diakonoff, 1971** (Tortricidae) Synonym(s): *Lepteucosma* Diakonoff, 1971; *Ceriodes* Diakonoff, 1984
 1094. **Leucania Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Leucania* Ochsenheimer, 1816; *Donachlora* Sodoffsky, 1837; *Leucadia* Sodoffsky, 1837; *Donacochlora* Agassiz, 1847; *Pudorina* Gistel, 1848; *Cirphis* Walker, 1865; *Borolia* Moore, 1881; *Neoborlia* Matsumura, 1926; *Acantholeucania* Rungs, 1953; *Boursinania* Rungs, 1955; *Xipholeucania* Sugi, 1970.
 1095. **Leucochlaena Hampson, 1906** (Noctuidae) Synonym(s): *Leucochlaena* Hampson, 1906
 1096. **Leucoma Hübner, 1822** (Lymantriidae) Synonym(s): *Leucoma* Hübner, 1822; *Laria* Schrank, 1802 nec Scop., 1763; *Stilpnolia* Humprey & Westwood, 1843; *Leucosia* Rambur, 1866 nec Wb., 1795; *Nymphyx* Grote, 1895
 1097. **Leucoptera Hübner, [1825]** (Lyonetiidae) Synonym(s): *Leucoptera* Hübner, [1825]; *Cemiostoma* Zeller, 1848; *Proleucoptera* Busck, 1902; *Paraleucoptera* Heinrich, 1918; *Perileucoptera* Silvestri, 1943.
 1098. **Lichenotinea G. Petersen, 1957** (Tineidae) Synonym(s): *Lichenotinea* G. Petersen, 1957
 1099. **Ligdia Guenée, [1858]** (Geometridae) Synonym(s): *Ligdia* Guenée, [1858]; *Harpicostia* Wehrli, 1936
 1100. **Lipoptycha Lederer, 1859** (Tortricidae) Synonym(s): *Lipoptycha* Lederer, 1859
 1101. **Lithophane Hübner, [1821]** (Noctuidae) Synonym(s): *Lithophane* Hübner, [1821]
 1102. **Lithosia Fabricius, 1798** (Arctiidae) Synonym(s): *Lithosia* Fabricius, 1798; *Lithosis* Billberg, 1820; *Lichenia* Sodoffsky, 1837.
 1103. **Lithostege Hübner, [1825]** (Geometridae) Synonym(s): *Lithostege* Hübner, [1825]; *Agrapha* Gumpfenberg, 1887.
 1104. **Lobesia (s.str.) Guenée, 1845** (Tortricidae) Synonym(s): *Lobesia* Guenée, 1845; *Lomaschizodes* Diakonoff, 1954
 1105. **Lobesia Guenée, 1845** (Tortricidae) Synonym(s): *Lobesia* Guenée, 1845; *Lomaschizodes* Diakonoff, 1954

1106. **Lobesiodes Diakonoff, 1954** (Tortricidae) Synonym(s): *Lobesiodes Diakonoff, 1954*
1107. **Lomaspilis Hübner, [1825]** (Geometridae) Synonym(s): *Lomaspilis Hübner, [1825]*
1108. **Lomographa Hübner, [1825]** (Geometridae) Synonym(s): *Lomographa Hübner, [1825]*; *Bapta Stephens, 1829*; *Corycia Duponchel, 1829 nec Hbn., [1825]*; *Aleucis Guenée, [1858]*; *Lomatographa Agassiz, 1847*; *Anhibernia Staudinger, 1892*; *Leucetaera W. Warren, 1894*; *Earoxyptera Djakonov, 1936*; *Neobapta Djakonov, 1936 nec Warr., 1904*; *Cyrtesia Wehrli, 1937*; *Cirretaera Wehrli, 1939*; *Eudjakonovia D.S. Fletcher, 1979*
1109. **Lophoterges (Fibigeres) L. Ronkay, 2005** (Noctuidae) Synonym(s): *Fibigeres L. Ronkay, 2005*
1110. **Lophoterges Hampson, 1906** (Noctuidae) Synonym(s): *Lophoterges Hampson, 1906*
1111. **Loryma Walker, 1859** (Pyralidae) Synonym(s): *Loryma Walker, 1859*; *Beria Walker, 1863 nec Robineau-Desvoidy, 1830*; *Olotricha Lederer, 1863*; *Tauba Walker, 1866*; *Essina Ragonot, 1891*; *Philotis Ragonot, 1891*; *Olotrichodes Ragonot, 1891*; *Actenioides W. Warren, 1892*; *Anobostra Hampson, 1917*; *Anactenia Amsel, 1961*; *Iraniodes Amsel, 1961*
1112. **Loxostege Hübner, [1825]** (Pyralidae) Synonym(s): *Loxostege Hübner, [1825]*; *Leimonia Hübner, [1825]*; *Margaritia Stephens, 1827*; *Boreophila Guenée, 1845*; *Limonia Agassiz, 1847*; *Cosmocreon W. Warren, 1892*; *Maroa Barnes & McDunnough, 1914*; *Polingia Barnes & McDunnough, 1914*; *Parasitochroa Hannemann, 1964*
1113. **Lozotaenia Stephens, 1829** (Tortricidae) Synonym(s): *Lozotaenia Stephens, 1829*
1114. **Lozotaeniodes Obraztsov, 1954** (Tortricidae) Synonym(s): *Lozotaeniodes Obraztsov, 1954*
1115. **Luperina Boisduval, 1828** (Noctuidae) Synonym(s): *Luperina Boisduval, 1828*; *Lyperina Spuler, 1908*; *Palluperina Hampson, 1920*
1116. **Lycia Hübner, [1825]** (Geometridae) Synonym(s): *Lycia Hübner, [1825]*; *Nyssia Duponchel, 1829*; *Melanocoma Harrison, 1910 nec Woll., 1867*; *Poecilopsis Harrison, 1910*
1117. **Lycophorus Staudinger, 1901** (Noctuidae) Synonym(s): *Comophorus Alpheraky, 1887 nec Ag., 1848*; *Lycophorus Staudinger, 1901*; *Pachyagrotis Boursin, 1953*
1118. **Lygephila (s.str.) Billberg, 1820** (Noctuidae) Synonym(s): *Lygephila Billberg, 1820*; *Asticta Hübner, [1823]*; *Eccrita Lederer, 1857*; *Toxocampa Guenée, 1841*; *Craccaphila Beck, 1996*.
1119. **Lygephila Billberg, 1820** (Noctuidae) Synonym(s): *Lygephila Billberg, 1820*; *Asticta Hübner, [1823]*; *Eccrita Lederer, 1857*; *Toxocampa Guenée, 1841*; *Craccaphila Beck, 1996*.
1120. **Lymantria Hübner, [1819]** (Lymantriidae) Synonym(s): *Lymantria Hübner, [1819]*; *Porthetria Hübner, [1819]*; *Hypogymna Billberg, 1820*; *Sericaria Berthold, 1827*; *Psilura Stephens, 1828*; *Enome Walker, 1855*
1121. **Lymphia Rebel, 1901** (Pyralidae) Synonym(s): *Lymphia Rebel, 1901*; *Lympha Ragonot, 1901*
1122. **Lyonetia Hübner, [1825]** (Lyonetiidae) Synonym(s): *Lyonetia Hübner, [1825]*; *Nocturno Gistel, 1847*; *Olethria Gistel, 1848*; *Gracillaroides Bruand, 1851*; *Syncrobyla Meyrick, 1915*; *Lyonetiola Kuroko, 1964*
1123. **Lythria Hübner, [1823]** (Geometridae) Synonym(s): *Lythria Hübner, [1823]*
1124. **Macaria Curtis, 1826** (Geometridae) Synonym(s): *Macaria Curtis, 1826*; *Philobia Duponchel, 1829*; *Eutropa Hübner, [1831]*; *Sciagraphia Hulst, 1896*
1125. **Macdunnoughia (s.str.) Kostrowicki, 1961** (Noctuidae) Synonym(s): *#Paraplusia Mukerji & Krishnamorthy, 1955*; *Macdunnoughia Kostrowicki, 1961*; *Scleroplusia Ichinose, 1962*
1126. **Macdunnoughia Kostrowicki, 1961** (Noctuidae) Synonym(s): *#Paraplusia Mukerji & Krishnamorthy, 1955*; *Macdunnoughia Kostrowicki, 1961*; *Scleroplusia Ichinose, 1962*
1127. **Macroglossum Scopoli, 1777** (Sphingidae) Synonym(s): *Macroglossum Scopoli, 1777*; *#Bombylia Hübner, [1806]*; *Macroglossa Ochsenheimer, 1816*; *Psithyros Hübner, [1819]*; *Bombylia Hübner, 1822*; *Macroglossa Boisduval, 1833 (praeocc.)*; *Rhamphosschisma Wallengren, 1858*; *Rhopalopsyche Butler, 1875*
1128. **Macrothylacia Rambur, 1866** (Lasiocampidae) Synonym(s): *Macrothylacia Rambur, 1866*; *Lachnocampa Wallengren, 1869*
1129. **Malacosoma Hübner, [1820]** (Lasiocampidae) Synonym(s): *Malacosoma Hübner, [1820]*; *Trichoda Hübner, 1822 nec Müll., 1773*; *Trichodia Stephens, 1827*; *Clisiocampa Curtis, 1828*; *Cliseocampa Agassiz, 1847*
1130. **Mamestra Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Mamestra Ochsenheimer, 1816*; *Barathra Hübner, [1820]*; *Mamistra Sodoffsky, 1837*; *Copimamestra Grote, 1883*
1131. **Manulea (Agenjoa) Dubatolov & Zolotuhin, 2011** (Arctiidae) Synonym(s): *Colinia Agenjo, 1977 nec Cossm., 1906 nec Nuttall, 1832*; *Agenjoa Dubatolov & Zolotuhin, 2011*
1132. **Manulea (s.str.) Wallengren, 1863** (Arctiidae) Synonym(s): *Manulea Wallengren, 1863*; *#Manulca Turner, 1940*
1133. **Manulea Wallengren, 1863** (Arctiidae) Synonym(s): *Manulea Wallengren, 1863*; *#Manulca Turner, 1940*
1134. **Maraschia Osthelder, 1933** (Noctuidae) Synonym(s): *Maraschia Osthelder, 1933*
1135. **Marasmarcha Meyrick, 1886** (Pterophoridae) Synonym(s): *Marasmarcha Meyrick, 1886*; *Snellenia Ustjuzhanin, 1996 nec Wlsm., 1899*
1136. **Margaretania Amsel, 1961** (Pyralidae) Synonym(s): *Margaretania Amsel, 1961*
1137. **Margelana Staudinger, 1888** (Noctuidae) Synonym(s): *Margelana Staudinger, 1888*
1138. **Marumba Moore, [1882]** (Sphingidae) Synonym(s): *Marumba Moore, [1882]*; *Burrowsia Tutt, 1902*; *Kayeia Tutt, 1902*; *Sichia Tutt, 1902*.
1139. **Mattia Viidalepp, 2012** (Geometridae) Synonym(s): *#Mattia Hausmann, 2011*; *Mattia Viidalepp, 2012*
1140. **Mecyna Doubleday, [1849]** (Pyralidae) Synonym(s): *Mecyna Doubleday, [1849]*

1141. **Megacraspedus Zeller, 1839** (Gelechiidae) Synonym(s): *Megacraspedus* Zeller, 1839; *Chilopselaphus* Mann, 1867; *Toxoceras* Chrétien, 1915; *Toxidoceras* Chrétien, 1923
1142. **Megalodes Guenée, 1852** (Noctuidae) Synonym(s): *Megalodes* Guenée, 1852
1143. **Megalophanes Heylaerts, 1881** (Psychidae) Synonym(s): *Megalophanes* Heylaerts, 1881
1144. **Megalycinia Wehrli, 1939** (Geometridae) Synonym(s): *Megalycinia* Wehrli, 1939
1145. **Meganephria Hübner, [1821]** (Noctuidae) Synonym(s): *Meganephria* Hübner, [1821]; *Belosticta* Butler, 1879
1146. **Meganola Dyar, 1898** (Noctuidae) Synonym(s): *Meganola* Dyar, 1898; *Poecilonola* Hampson, 1900; *Poliothripa* Hampson, 1902; *Metanola* van Son, 1933; *Paranola* van Son, 1933; *Antennola* de Freina & Witt, 1984
1147. **Megasis (s.str.) Guenée, 1845** (Pylalidae) Synonym(s): *Megasis* Guenée, 1845
1148. **Megasis (Tsaraphycis) Viette, 1970** (Pylalidae) Synonym(s): *Tsaraphycis* Viette, 1970; *Gigasis* Leraut, 2003
1149. **Megasis Guenée, 1845** (Pylalidae) Synonym(s): *Megasis* Guenée, 1845
1150. **Melanchra Hübner, [1820]** (Noctuidae) Synonym(s): *Melanchra* Hübner, [1820]
1151. **Melanthia Duponchel, 1829** (Geometridae) Synonym(s): *Melanthia* Duponchel, 1829
1152. **Menophra Moore, [1887]** (Geometridae) Synonym(s): *Hemerophila* Stephens, 1829 nec Hbn., [1817]; *Menophra* Moore, 1887; *Leptodontopera* W. Warren, 1894; *Ephemerophila* W. Warren, 1894; *Ceruncina* Wehrli, 1941; *Malacuncina* Wehrli, 1941
1153. **Merrifieldia Tutt, 1905** (Pterophoridae) Synonym(s): *Merrifieldia* Tutt, 1905
1154. **Merulempista Roesler, 1967** (Pylalidae) Synonym(s): *Merulempista* Roesler, 1967
1155. **Mesapamea (Resapamea) Varga & Ronkay, 1992** (Noctuidae) Synonym(s): *Resapamea* Varga & Ronkay, 1992
1156. **Mesapamea Heinicke, 1959** (Noctuidae) Synonym(s): *Lampetia* Boie, 1837 nec Mgn., 1800; *Mesapamea* Heinicke, 1959
1157. **Mesocrambus Bleszynski, 1957** (Pylalidae) Synonym(s): *Mesocrambus* Bleszynski, 1957
1158. **Mesogona Boisduval, 1840** (Noctuidae) Synonym(s): *Mesogona* Boisduval, 1840; #*Megosona* Blanchard, 1840
1159. **Mesoligia Boursin, 1965** (Noctuidae) Synonym(s): *Mesoligia* Boursin, 1965
1160. **Mesophleps Hübner, [1825]** (Gelechiidae) Synonym(s): *Mesophleps* Hübner, [1825]; *Brachyacma* Meyrick, 1886; *Lathonogenus* Walsingham, 1897; *Paraspistes* Meyrick, 1905; *Chretienia* Spuler, 1910; *Lipatia* Busck, 1910; *Stiphrostola* Meyrick, 1923; *Crossobela* Meyrick, 1923; *Xerometra* Meyrick, 1925; *Gnosimacha* Meyrick, 1927; *Bucolarcha* Meyrick, 1929; *Uncustriodonta* Agenjo, 1952; #*Uncostridonta* Park, 1990
1161. **Metachrostis Hübner, [1820]** (Noctuidae) Synonym(s): *Metachrostis* Hübner, [1820]; *Leptosia* Guenée, 1841 (praeocc.).
1162. **Metacrambus Bleszynski, 1957** (Pylalidae) Synonym(s): *Metacrambus* Bleszynski, 1957
1163. **Metaeuchromius Bleszynski, 1960** (Pylalidae) Synonym(s): *Metaeuchromius* Bleszynski, 1960; *Pseudeuchromius* Bleszynski, 1965
1164. **Metallosticha Rebel, 1901** (Pylalidae) Synonym(s): *Metallosticha* Rebel, 1901; *Metallosticha* Hampson, 1901; *Ametallosticha* Amsel, 1935.
1165. **Metallostichodes Roesler, 1967** (Pylalidae) Synonym(s): *Metallostichodes* Roesler, 1967
1166. **Metalopha (Antholopha) Ronkay, 1990** (Noctuidae) Synonym(s): *Antholopha* Ronkay, 1990
1167. **Metalopha (s.str.) Staudinger, 1892** (Noctuidae) Synonym(s): *Metalopha* Staudinger, 1892
1168. **Metalopha Staudinger, 1892** (Noctuidae) Synonym(s): *Metalopha* Staudinger, 1892
1169. **Metanarsia Staudinger, 1871** (Gelechiidae) Synonym(s): *Metanarsia* Staudinger, 1871; *Calyptritis* Meyrick, 1891; *Epiparasia* Rebel, 1914; *Parametanarsia* Gerasimov, 1930
1170. **Metasia Guenée, 1854** (Pylalidae) Synonym(s): *Metasia* Guenée, 1854; *Aristidea* Slamka, 2013
1171. **Metaxmeste Hübner, [1825]** (Pylalidae) Synonym(s): *Metaxmeste* Hübner, [1825]; *Hercyna* Treitschke, 1828.
1172. **Metendothenia Diakonoff, 1973** (Tortricidae) Synonym(s): *Metendothenia* Diakonoff, 1973
1173. **Metopoceras (s.str.) Guenée, 1850** (Noctuidae) Synonym(s): *Metopoceras* Guenée, 1850
1174. **Metopoceras Guenée, 1850** (Noctuidae) Synonym(s): *Metopoceras* Guenée, 1850
1175. **Metopodicha Draudt, 1936** (Noctuidae) Synonym(s): *Metopodicha* Draudt, 1936; *Persidia* Wiltshire, 1946
1176. **Metoponrhis Staudinger, 1888** (Noctuidae) Synonym(s): *Metoponrhis* Staudinger, 1888
1177. **Metopoplus Alpheraky, 1892** (Noctuidae) Synonym(s): *Metopoplus* Alpheraky, 1892
1178. **Metriotes Herrich-Schäffer, [1853]** (Coleophoridae) Synonym(s): *Metriotes* Herrich-Schäffer, [1853]
1179. **Metzneria Zeller, 1839** (Gelechiidae) Synonym(s): *Metzneria* Zeller, 1839
1180. **Micriantha Hampson, 1908** (Noctuidae) Synonym(s): *Micriantha* Hampson, 1908
1181. **Microcraspedus Janse, 1958** (Gelechiidae) Synonym(s): *Microcraspedus* Janse, 1958; *Opacopsis* Povolny, 1964; *Echinoglossa* Clarke, 1965
1182. **Microloxia W. Warren, 1893** (Geometridae) Synonym(s): *Microloxia* W. Warren, 1893

1183. **Micronola Amsel, 1935** (Micronoctuidae) Synonym(s): *Micronola Amsel, 1935*; *Micronoctua Fibiger, 1997*
1184. **Micropterix Hübner, [1825]** (Micropterigidae) Synonym(s): *Micropterix Hübner, [1825]*; *Eriocephala Curtis, 1839*; *Micropteryx Zeller, 1839*; *Electrocrania Kuznetsov, 1941*
1185. **Microsphecia Bartel, 1912** (Sesiidae) Synonym(s): *Microsphecia Bartel, 1912*
1186. **Micrurapteryx Spuler, 1910** (Gracillariidae) Synonym(s): *Micrurapteryx Spuler, 1910*
1187. **Millieria Ragonot, 1874** (Choreutidae) Synonym(s): *Millieria Ragonot, 1874*; *Ripismia Wocke, [1876]*; *Rhipismia Reutti, 1898*; *Milliereia Spuler, 1910*; #*Milliera Le Marchard, 1937*; #*Millieroa Le Marchard, 1937*
1188. **Miltochrista Hübner, [1819]** (Arctiidae) Synonym(s): *Miltochrista Hübner, [1819]*; *Calligenia Duponchel, 1844*; *Sesapa Walker, 1854*; *Ammatho Walker, 1855*; *Cabarda Walker, 1863*; *Castabala Walker, 1864*; *Korawa Moore, 1878*; *Mahavira Moore, 1878*; *Gurna Swinhoe, 1892*
1189. **Mimas Hübner, [1819]** (Sphingidae) Synonym(s): *Mimas Hübner, [1819]*; *Lucena Rambur, 1840*
1190. **Minetia Leraut, 1991** (Oecophoridae) Synonym(s): *Minetia Leraut, 1991*; *Athopeutis Koçak, 1993*.
1191. **Minoa Treitschke, 1825** (Geometridae) Synonym(s): *Minoa Treitschke, 1825*
1192. **Minucia Moore, [1885]** (Noctuidae) Synonym(s): #*Ascalapha Hübner, [1806]*; *Ophiodes Guenée, 1841 nec Wagl., 1830*; *Minucia Moore, [1885]*; *Nantesia Kirby, 1897*
1193. **Mirificarma Gozmany, 1955** (Gelechiidae) Synonym(s): *Helina Guenée, 1849 nec Robineau-Desvoidy, 1830*; *Mirificarma Gozmany, 1955*.
1194. **Mniotype Franclemont, 1941** (Noctuidae) Synonym(s): *Mniotype Franclemont, 1941*; *Pseudomniotype Beck, 1991*; *Eremobastis Pérez-Lopez & Morente-Benitez, 1996*
1195. **Moitrelia Leraut, 2001** (Pyralidae) Synonym(s): *Moitrelia Leraut, 2001*
1196. **Moma Hübner, [1820]** (Noctuidae) Synonym(s): #*Diphthera Hübner, [1806]*; *Moma Hübner, [1820]*; *Diphtherocome W. Warren, 1907*; *Diphtheramoma Berio, 1961*
1197. **Mompha (Anybia) Stainton, 1854** (Mompidae) Synonym(s): *Anybia Stainton, 1854*; #*Amybia Hoffmeyer, 1931*
1198. **Mompha (Lophoptilus) Sircom, 1848** (Mompidae) Synonym(s): *Lophoptilus Sircom, 1848*
1199. **Mompha (s.str.) Hübner, [1825]** (Mompidae) Synonym(s): *Mompha Hübner, [1825]*; *Laverna Curtis, 1839*
1200. **Mompha Hübner, [1825]** (Mompidae) Synonym(s): *Mompha Hübner, [1825]*; *Laverna Curtis, 1839*
1201. **Monochroa Heinemann, 1870** (Gelechiidae) Synonym(s): *Monochroa Heinemann, 1870*; *Paltodora Meyrick, 1894*; *Catabrachmia Rebel, 1909*; *Ivanauskiella Ivinskis & Piskunov, 1980*
1202. **Monopis Hübner, [1825]** (Tineidae) Synonym(s): *Monopis Hübner, [1825]*; *Blabophanes Zeller, 1852*; *Hyalospila Herrich-Schäffer, 1853*; *Rhitia Walker, 1864*; *Eusynopa Lower, 1903*; *Scleroplasta Meyrick, 1919*; *Monopina Zagulyaev, 1955*
1203. **Montescardia Amsel, 1952** (Tineidae) Synonym(s): *Montescardia Amsel, 1952*
1204. **Montetinea G. Petersen, 1957** (Tineidae) Synonym(s): *Montetinea G. Petersen, 1957*
1205. **Mormo Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Mormo Ochsenheimer, 1816*; *Lemur Hübner, 1822 nec Linn., 1758*; *Mania Treitschke, 1825 nec Hbn., [1821]*; *Acyra Gistel, 1848*; #*Arcyra Neave, 1939*
1206. **Morphaga Herrich-Schäffer, [1853]** (Tineidae) Synonym(s): *Morphaga Herrich-Schäffer, [1853]*; *Atabyria Snellen, 1884*; #*Atabyria Rebel, 1901*; *Osphretica Meyrick, 1908*; *Microscardia Amsel, 1952*
1207. **Muscula Koçak, 1991** (Arctiidae) Synonym(s): *Muscula Koçak, 1991*
1208. **Myelois (Gnathogutta) Roesler, 1988** (Pyralidae) Synonym(s): *Gnathogutta Roesler, 1988*
1209. **Myelois (s.str.) Hübner, [1825]** (Pyralidae) Synonym(s): *Myelois Hübner, [1825]*; *Lispe Treitschke, 1832*; *Myelophila Treitschke, 1835*; #*Myclois Schreiner, 1849*; #*Myelais Schawerda, 1909*; #*Meylois Ganév, 1984*
1210. **Myelois Hübner, [1825]** (Pyralidae) Synonym(s): *Myelois Hübner, [1825]*; *Lispe Treitschke, 1832*; *Myelophila Treitschke, 1835*; #*Myclois Schreiner, 1849*; #*Myelais Schawerda, 1909*; #*Meylois Ganév, 1984*
1211. **Myinodes Meyrick, 1892** (Geometridae) Synonym(s): *Myinodes Meyrick, 1892*; *Pseudotagma Staudinger, 1892*
1212. **Myrlaea Ragonot, 1887** (Pyralidae) Synonym(s): *Myrlaea Ragonot, 1887*
1213. **Myrmecozela (Flavida) Zagulyaev, 1975** (Tineidae) Synonym(s): *Flavida Zagulyaev, 1975*
1214. **Myrmecozela (Promasia) Chrétien, 1905** (Tineidae) Synonym(s): *Promasia Chrétien, 1905*
1215. **Myrmecozela Zeller, 1852** (Tineidae) Synonym(s): *Myrmecozela Zeller, 1852*
1216. **Mythimna (Aletia) Hübner, [1821]** (Noctuidae) Synonym(s): *Aletia Hübner, [1821]*
1217. **Mythimna (Anapoma) Berio, 1980** (Noctuidae) Synonym(s): *Apoma Berio, 1980 nec Beck, 1837*; *Anapoma Berio, 1980*
1218. **Mythimna (Hyphilare) Hübner, [1821]** (Noctuidae) Synonym(s): *Hyphilare Hübner, [1821]*; *Allitoria Beck, 1996*
1219. **Mythimna (Morphopoliana) Hreblay, 1996** (Noctuidae) Synonym(s): *Morphopoliana Hreblay, 1996*
1220. **Mythimna (Pseudaletia) Franclemont, 1951** (Noctuidae) Synonym(s): *Pseudaletia Franclemont, 1951*

1221. **Mythimna (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer*, 1816; *Philostola* Billberg, 1820; *Mithimna* Sodoffsky, 1837; *Hyperiodes* W. Warren, 1910
1222. **Mythimna Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer*, 1816; *Philostola* Billberg, 1820; *Mithimna* Sodoffsky, 1837; *Hyperiodes* W. Warren, 1910
1223. **Naenia Stephens, 1827** (Noctuidae) Synonym(s): #*Phalaena* Linnaeus, 1758; *Naenia* Stephens, 1827
1224. **Narraga Walker, 1861** (Geometridae) Synonym(s): *Narraga Walker*, 1861
1225. **Nascia Curtis, 1835** (Pylalidae) Synonym(s): *Nascia Curtis*, 1835
1226. **Nebula Bruand, [1846]** (Geometridae) Synonym(s): *Nebula Bruand*, [1846]
1227. **Negotinthia Gorbunov, 2001** (Sesiidae) Synonym(s): *Negotinthia Gorbunov*, 2001
1228. **Nemapogon Schrank, 1802** (Tineidae) Synonym(s): *Nemapogon Schrank*, 1802; *Brosis* Hübner, 1822 nec Billb., 1820; *Diaphthirus* Hübner, [1825]; *Petalographis* Zagulyaev, 1962; *Anemapogon* Zagulyaev, 1963; *Longiductus* Zagulyaev, 1964; *Paranemapogon* Zagulyaev, 1964
1229. **Nematopogon Zeller, 1839** (Adelidae) Synonym(s): *Nemophora* Hübner, [1825] nec Hoffmanns., 1798; *Nematopogon* Zeller, 1839
1230. **Nemophora Hoffmannsegg, 1798** (Adelidae) Synonym(s): *Nemophora Hoffmannsegg*, 1798; *Elasmion* Hübner, 1822; *Nemotois* Hübner, [1825]; *Eutyphia* Hübner, [1825]; *Epityphia* Hübner, [1825]; *Nematophora* Agassiz, 1847 nec Gry., 1840; *Ucetia* Walker, 1866; *Trichofrons* Amsel, 1937
1231. **Neocrambus Bleszynski, 1957** (Pylalidae) Synonym(s): *Neocrambus Bleszynski*, 1957
1232. **Neofaculta Gozmany, 1955** (Gelechiidae) Synonym(s): *Neofaculta Gozmany*, 1955
1233. **Neofriseria Sattler, 1960** (Gelechiidae) Synonym(s): *Neofriseria Sattler*, 1960
1234. **Neognopharmia Wehrli, 1953** (Geometridae) Synonym(s): #*Neognopharmia* Wehrli, 1951; *Neognopharmia* Wehrli, 1953
1235. **Neoharpyia Daniel, 1965** (Notodontidae) Synonym(s): *Neoharpyia Daniel*, 1965
1236. **Neosphaleroptera Réal, 1953** (Tortricidae) Synonym(s): *Neosphaleroptera Réal*, 1953
1237. **Nephopterix Hübner, [1825]** (Pylalidae) Synonym(s): *Nephopterix Hübner*, [1825]; #*Nephopteryx* Zeller, 1839; *Alispa* Zeller, 1848
1238. **Netrocercora Bartel, 1902** (Noctuidae) Synonym(s): *Netrocercora Bartel*, 1902; *Netrocercora* Spuler, 1906
1239. **Neurothaumasia Marchand, 1934** (Tineidae) Synonym(s): *Neurothaumasia Marchand*, 1934
1240. **Nezonycta Varga & Ronkay, 1991** (Noctuidae) Synonym(s): *Nezonycta Varga & Ronkay*, 1991
1241. **Niditinea G. Petersen, 1957** (Tineidae) Synonym(s): *Niditinea G. Petersen*, 1957; *Tineidia* Zagulyaev, 1960
1242. **Niphonympha Meyrick, 1914** (Yponomeutidae) Synonym(s): *Calantica* Zeller, 1847 nec Gry., 1825; *Niphonympha* Meyrick, 1914
1243. **Noctua (Divaena) Fibiger, 1993** (Noctuidae) Synonym(s): *Divaena Fibiger*, 1993
1244. **Noctua (Euschesis) Hübner, [1821]** (Noctuidae) Synonym(s): *Euschesis Hübner*, [1821]
1245. **Noctua (Lampra) Hübner, [1821]** (Noctuidae) Synonym(s): *Lampra Hübner*, [1821]
1246. **Noctua (Latanoctua) Beck, Kobes & Ahola, 1993** (Noctuidae) Synonym(s): *Latanoctua Beck, Kobes & Ahola*, 1993
1247. **Noctua (Paranoctua) Beck, Kobes & Ahola, 1993** (Noctuidae) Synonym(s): *Paranoctua Beck, Kobes & Ahola*, 1993; *Carvalhoia* Beck, 1999 nec Kormilev, 1951 non Miller & China, 1956
1248. **Noctua (s.str.) Linnaeus, 1758** (Noctuidae) Synonym(s): *Noctua Linnaeus*, 1758; *Noctuella* Rafinesque, 1815; *Nyctemia* Rafinesque, 1815; *Triphaena* Ochsenheimer, 1816; *Triphaena* Hübner, [1821]; *Xanthoptera* Sodoffsky, 1837
1249. **Noctua Linnaeus, 1758** (Noctuidae) Synonym(s): *Noctua Linnaeus*, 1758; *Noctuella* Rafinesque, 1815; *Nyctemia* Rafinesque, 1815; *Triphaena* Ochsenheimer, 1816; *Triphaena* Hübner, [1821]; *Xanthoptera* Sodoffsky, 1837
1250. **Nodaria Guenée, 1854** (Noctuidae) Synonym(s): *Nodaria Guenée*, 1854
1251. **Nola (s.str.) Leach, [1815]** (Noctuidae) Synonym(s): *Nola Leach*, [1815]; *Lira* Billberg, 1820; *Chlamifera* Hübner, 1822; *Roeselia* Hübner, [1825]; *Manoba* Walker, [1863]; *Celama* Walker, 1865; *Selca* Walker, [1866]; *Tribunta* Walker, [1866]; *Aradrapha* Walker, [1866]; *Lebena* Walker, 1866; *Minnagara* Walker, 1866; *Argyrophyes* Grote, 1873; *Epizeuctis* Meyrick, 1889; *Sorocostia* Rosenstock, 1885; *ztenola* Möschler, 1890; *Rhynchopalpus* Hampson, 1893; *Poliothripa* Hampson, 1902; *Cryphimaea* Turner, 1933; *Nestiodes* Turner, 1939; *Idiocyttara* Turner, 1944; *Neocleta* Turner, 1944
1252. **Nola Leach, [1815]** (Noctuidae) Synonym(s): *Nola Leach*, [1815]; *Lira* Billberg, 1820; *Chlamifera* Hübner, 1822; *Roeselia* Hübner, [1825]; *Manoba* Walker, [1863]; *Celama* Walker, 1865; *Selca* Walker, [1866]; *Tribunta* Walker, [1866]; *Aradrapha* Walker, [1866]; *Lebena* Walker, 1866; *Minnagara* Walker, 1866; *Argyrophyes* Grote, 1873; *Epizeuctis* Meyrick, 1889; *Sorocostia* Rosenstock, 1885; *ztenola* Möschler, 1890; *Rhynchopalpus* Hampson, 1893; *Poliothripa* Hampson, 1902; *Cryphimaea* Turner, 1933; *Nestiodes* Turner, 1939; *Idiocyttara* Turner, 1944; *Neocleta* Turner, 1944
1253. **Nomophila Hübner, [1825]** (Pylalidae) Synonym(s): *Nomophila Hübner*, [1825]; *Stenopteryx* Guenée, [1845] nec Meigen, 1830; *Macronomeutis* Meyrick, 1936
1254. **Nonagria Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Nonagria Ochsenheimer*, 1816; *Enteriona* Sodoffsky, 1837

1255. **Nothocasis L.B.Prout,1936** (Geometridae) Synonym(s): *Nothocasis L.B.Prout,1936*
1256. **Nothris Hübner,[1825]** (Gelechiidae) Synonym(s): *Nothris Hübner,[1825]*
1257. **Notocelia Hübner,[1825]** (Tortricidae) Synonym(s): *Notocelia Hübner,[1825]*; *Aspis Treitschke,1829*; *Aspidia Duponchel,1835*; *Pardia Guenée,1845*
1258. **Notodonta Ochsenheimer,1810** (Notodontidae) Synonym(s): *Notodonta Ochsenheimer,1810*; *Notodon Meigen,1830*; *Mimodonta Matsumura,1920*; *Microdontella Strand,1934*; *Triophia Kiriakoff,1967*; *Eligmodonta Kiriakoff,1967*
1259. **Novotinea Amsel,1939** (Tineidae) Synonym(s): *Novotinea Amsel,1939*
1260. **Nudaria Haworth,[1809]** (Arctiidae) Synonym(s): *Nudaria Haworth,[1809]*; *Nelopa Billberg,1820*; *Amalea Herrich-Schäffer,1855*; *Trichota Rambur,1866*; *Derris Wallengren,1885 nec Ag.,1847*
1261. **Nychiodes (Eunychiodes) Wehrli,1941** (Geometridae) Synonym(s): *Eunychiodes Wehrli,1941*
1262. **Nychiodes (Fritzwagneria) Wehrli,1941** (Geometridae) Synonym(s): *Fritzwagneria Wehrli,1941*
1263. **Nychiodes (s.str.) Lederer,1853** (Geometridae) Synonym(s): *Nychiodes Lederer,1853*
1264. **Nychiodes Lederer,1853** (Geometridae) Synonym(s): *Nychiodes Lederer,1853*
1265. **Nyctegretis Zeller,1848** (Pyralidae) Synonym(s): *Nyctegretis Zeller,1848*; *Trichorachia Hampson,1930*; *Synallorema Gozmany,1958*.
1266. **Nycteola Hübner,1822** (Noctuidae) Synonym(s): *Nycteola Hübner,1822*; *Sarrothripus Curtis,1824*; *Axia Hübner,[1825] nec Hbn.,[1821]*; *Subrita Walker,1866*; *Dufayella Capuse,1972*; *#Nycteloa Hacker,1998*
1267. **Nymphula Schrank,1802** (Pyralidae) Synonym(s): *Nymphula Schrank,1802*
1268. **Ochodontia Lederer,1853** (Geometridae) Synonym(s): *Ochodontia Lederer,1853*; *#Ochrodontia Vasilenko,1998*
1269. **Ochromolopis Hübner,[1825]** (Epermeniidae) Synonym(s): *Ochromolopis Hübner,[1825]*; *Temelucha Meyrick,1909*; *Temeluchella T.B.Fletcher,1940*
1270. **Ochropleura Hübner,[1821]** (Noctuidae) Synonym(s): *Ochropleura Hübner,[1821]*
1271. **Ochsenheimeria Hübner,[1825]** (Yponomeutidae) Synonym(s): *Ochsenheimeria Hübner,[1825]*; *Lepidocera Stephens,1829*; *Phygadeuon Treitschke,1833*; *Aeria Gistel,1848 nec Hübner,1816*
1272. **Ocneroglia Staudinger,[1892]** (Lymantriidae) Synonym(s): *Ocneroglia Staudinger,[1892]*; *#Ocnerorglia Staudinger,[1892]*; *#Ocnerogyna De Freina,1999*
1273. **Ocnogyna (s.str.) Lederer,1852** (Arctiidae) Synonym(s): *Ocnogyna Lederer,1852*
1274. **Ocnogyna (Somatrachia) Kirby,1892** (Arctiidae) Synonym(s): *Trichosoma Rambur,1832 nec Rudolph,1819*; *Somatrachia Kirby,1892*
1275. **Ocnogyna Lederer,1852** (Arctiidae) Synonym(s): *Ocnogyna Lederer,1852*
1276. **Odezia Boisduval,1840** (Geometridae) Synonym(s): *Tanagra Duponchel,1829 nec Linn.,1764*; *Odezia Boisduval,1840*; *Hodezia Spormann,1909*
1277. **Odice Hübner,[1823]** (Noctuidae) Synonym(s): *Odice Hübner,[1823]*; *Microphisa Boisduval,1840*
1278. **Odites (Gozmaniola) Lvovsky,1996** (Lecithoceridae) Synonym(s): *Gozmaniola Lvovsky,1996*
1279. **Odonestis Germar,1812** (Lasiocampidae) Synonym(s): *Odonestis Germar,1812*; *Chrostogastria Hübner,[1820]*; *Phylloxera Rambur,1866 nec Boyer,1834*; *Lobocampa Wallengren,1869*; *Pseudarguda Matsumura,1932*; *#Odonestia Lewvanich,2001*
1280. **Odontognophos Wehrli,1951** (Geometridae) Synonym(s): *Odontognophos Wehrli,1951*; *#Odontignophos Wehrli,1951*.
1281. **Odontopera Stephens,1831** (Geometridae) Synonym(s): *Odontopera Stephens,1831*; *Corotia Moore,1868*; *Niphonissa Butler,1878*; *Caripetodes W.Warren,1895*; *Cenotenucha W.Warren,1897*; *Lioptilesia Wehrli,1936*; *Paragonodontis Wehrli,1936*
1282. **Oecophora (Oecophoreola) Lvovsky,1995** (Oecophoridae) Synonym(s): *Oecophoreola Lvovsky,1995*
1283. **Oecophora (s.str.) Latreille,1796** (Oecophoridae) Synonym(s): *Oecophora Latreille,1796*; *#Oecophora Costa,1840*; *#Aecophora Blanchard,1852*
1284. **Oecophora Latreille,1796** (Oecophoridae) Synonym(s): *Oecophora Latreille,1796*; *#Oecophora Costa,1840*; *#Aecophora Blanchard,1852*
1285. **Oegoconia Stainton,1854** (Autostichidae) Synonym(s): *Oegoconia Stainton,1854*; *Clerogenes Meyrick,1921*; *#Oegoconia Amsel,1958*; *Microgonia Popescu-Gorj & Capuse,1965*
1286. **Oidaematophorus Wallengren,1862** (Pterophoridae) Synonym(s): *Oidaematophorus Wallengren,1862*; *Oedematophorus Zeller,1867*; *Ovendenia Tutt,1905*; *Euleioptilus Bigot & Picard,1996*; *Oidaemalus Bigot & Picard,1996*.
1287. **Oiketicoides Heylaerts,1881** (Psychidae) Synonym(s): *Oiketicoides Heylaerts,1881*; *Oeceticoides Kirby,1882*; *#Amictoides Gerasimov,1937*; *Amictoides Bourgogne,1949 nec Bezzi,1909*; *Paramictoides Koçak,1980*
1288. **Olethreutes (Argyroplote) Hübner,[1825]** (Tortricidae) Synonym(s): *Argyroplote Hübner,[1825]*; *Phiaris Hübner,[1825]*; *Mixodia Guenée,1845*; *Sticta Guenée,1845*; *Biscopa Diakonoff,1973*
1289. **Olethreutes Hübner,1822** (Tortricidae) Synonym(s): *Olethreutes Hübner,1822*; *Phiaris Hübner,[1825]*; *Roxana Stephens,1834*; *Mixodia Guenée,1845*; *Exartema Clemens,1860*; *Biscopa Diakonoff,1973*

- 1290. *Oligia* Hübner, [1821]** (Noctuidae) Synonym(s): *Oligia* Hübner, [1821]; *Miana* Stephens, 1829; *Procus* Agassiz, 1846
- 1291. *Olindia* Guenée, 1845** (Tortricidae) Synonym(s): *Olindia* Guenée, 1845; *Anisotaenia* Stephens, 1852; #*Olinda* Lhomme, 1939
- 1292. *Olivenebula* Kishida & Yoshimoto, 1977** (Noctuidae) Synonym(s): *Olivenebula* Kishida & Yoshimoto, 1977; *Chlorothalpa* Beck, 1996
- 1293. *Omia* Hübner, [1821]** (Noctuidae) Synonym(s): *Omia* Hübner, [1821]
- 1294. *Omphalophana* Hampson, 1906** (Noctuidae) Synonym(s): *Omphalophana* Hampson, 1906
- 1295. *Oncocera* Stephens, 1829** (Pylalidae) Synonym(s): *Oncocera* Stephens, 1829; *Pollichia* Roesler, 1980
- 1296. *Oncocnemis* Lederer, 1853** (Noctuidae) Synonym(s): *Oncocnemis* Lederer, 1853; *Phornacisa* Walker, 1862; *Copihadena* Morrison, 1875; *Metahadena* Morrison, 1876
- 1297. *Onebala* Walker, 1864** (Gelechiidae) Synonym(s): *Onebala* Walker, 1864; *Helcystogramma* Zeller, 1877; #*Onebale* Janse, 1954
- 1298. *Operophtera* Hübner, [1825]** (Geometridae) Synonym(s): *Operophtera* Hübner, [1825]; *Thysanodes* Rambur, 1870 nec Newm., 1842; *Rachela* Hulst, 1896; *Paraptera* Hulst, 1896
- 1299. *Ophiusa* Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Ophiusa* Ochsenheimer, 1816; *Ophiogenes* Reichenbach, 1816; *Meropis* Hübner, 1822; *Ophiussa* Hübner, [1823]; *Hemachra* Sodoffsky, 1837; *Anua* Walker, 1858; *Stenopis* Mabilie, 1880; *Trichanua* Berio, 1954; *Subanua* Berio, 1959; *Peranua* Berio, 1959; *Perophiusa* Berio, 1959.
- 1300. *Opigena* Boisduval, 1840** (Noctuidae) Synonym(s): *Opigena* Boisduval, 1840
- 1301. *Opisthograptis* Hübner, [1823]** (Geometridae) Synonym(s): *Opisthograptis* Hübner, [1823]; *Rumia* Duponchel, 1829.
- 1302. *Opostega* Zeller, 1839** (Opostegidae) Synonym(s): *Opostega* Zeller, 1839
- 1303. *Orectis* Lederer, 1857** (Noctuidae) Synonym(s): *Orectis* Lederer, 1857
- 1304. *Orgyia* Ochsenheimer, 1810** (Lymantriidae) Synonym(s): *Orgyia* Ochsenheimer, 1810; *Notolophus* Germar, 1812; *Orgyia* Zetterstedt, 1839; *Teia* Walker, 1855; *Clethrogyna* Rambur, 1866; *Micropterogyna* Rambur, 1866; *Apterogynis* Guenée, [1875]
- 1305. *Oria* Hübner, [1821]** (Noctuidae) Synonym(s): *Oria* Hübner, [1821]; *Synia* Duponchel, [1845]; *Tapinostola* Lederer, 1857
- 1306. *Ornativa* Gozmany, 1955** (Gelechiidae) Synonym(s): *Ornativa* Gozmany, 1955; *Pelostola* Janse, 1960.
- 1307. *Orophia* Hübner, [1825]** (Oecophoridae) Synonym(s): *Orophia* Hübner, [1825]; *Cephalispheira* Bruand, 1850
- 1308. *Ortholepis* Ragonot, 1887** (Pylalidae) Synonym(s): *Ortholepis* Ragonot, 1887; *Metriostola* Ragonot, 1893
- 1309. *Orthonama* Hübner, [1825]** (Geometridae) Synonym(s): *Orthonama* Hübner, [1825]; *Plemyria* Hübner, [1825] nec Hbn., [1825]; *Nycterosea* Hulst, 1896; *Pernoptilota* Hulst, 1896
- 1310. *Orthosia* (Dioszeghyana) Hreblay, 1993** (Noctuidae) Synonym(s): *Dioszeghyana* Hreblay, 1993
- 1311. *Orthosia* (Monima) Hübner, [1821]** (Noctuidae) Synonym(s): *Monima* Hübner, [1821]; *Microrthosia* Berio, 1980.
- 1312. *Orthosia* (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Orthosia* Ochsenheimer, 1816; *Orthoa* Billberg, 1820
- 1313. *Orthosia* (Semiophora) Stephens, 1829** (Noctuidae) Synonym(s): #*Graphiphora* Hübner, [1806]; *Semiophora* Stephens, 1829; *Ancata* Capuše, 1958; #*Anacta* Kristensen, 1966
- 1314. *Orthosia* Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Orthosia* Ochsenheimer, 1816; *Orthoa* Billberg, 1820
- 1315. *Orthostixis* Hübner, [1823]** (Geometridae) Synonym(s): *Orthostixis* Hübner, [1823]
- 1316. *Orthotaenia* Stephens, 1829** (Tortricidae) Synonym(s): *Orthotaenia* Stephens, 1829; *Badebecia* Heinrich, 1926
- 1317. *Osminia* Le Cerf, 1917** (Sesiidae) Synonym(s): *Osminia* Le Cerf, 1917; *Signaphora* Engelhardt, 1946; *Sazonia* Gorbunov & Arita, 2001; *Miniosa* Gorbunov & Arita, 2001
- 1318. *Ostheldera* Nye, 1975** (Noctuidae) Synonym(s): *Pfeifferella* Osthelder, 1933 nec Labbe, 1899; *Ostheldera* Nye, 1975
- 1319. *Ostrinia* Hübner, [1825]** (Pylalidae) Synonym(s): *Ostrinia* Hübner, [1825]; *Micractis* W. Warren, 1892; *Eupolemarcha* Meyrick, 1937; *Zeaphagus* Agenjo, 1952.
- 1320. *Oulobophora* Staudinger, 1892** (Geometridae) Synonym(s): *Oulobophora* Staudinger, 1892
- 1321. *Ourapteryx* Leach, 1814** (Geometridae) Synonym(s): *Ourapteryx* Leach, 1814; *Uraptera* Billberg, 1820; *Acaena* Treitschke, 1825; *Uropteryx* Agassiz, 1847; *Euctenurapteryx* W. Warren, 1894; *Energopteryx* Thierry-Mieg, 1903; *Phrudura* Swinhoe, 1906.
- 1322. *Oxybia* Rebel, 1901** (Pylalidae) Synonym(s): *Oxybia* Rebel, 1901; *Oxybia* Hampson, 1901
- 1323. *Oxypteron* Staudinger, 1871** (Tortricidae) Synonym(s): *Oxypteron* Staudinger, 1871; *Gynoxypteron* Speiser, 1902; *Mauginia* Turati, 1924; *Oporopsamma* Gozmany, 1954; *Psammozesta* Gozmany, 1954
- 1324. *Oxyptilus* Zeller, 1841** (Pterophoridae) Synonym(s): *Oxyptilus* Zeller, 1841

- 1325. Oxytripia Staudinger, 1871** (Noctuidae) Synonym(s): *Oxytripia Staudinger, 1871*; *Oxytripia Staudinger, 1871* [emend.]
- 1326. Ozarba Walker, 1865** (Noctuidae) Synonym(s): *Ozarba Walker, 1865*
- 1327. Pachynemia Stephens, 1829** (Geometridae) Synonym(s): *Pachynemia Stephens, 1829*; *Sthanelia Boisduval, 1840*; *Continia Hartig, 1976*; #*Pachynemia Okyar & Aytac, 1999*
- 1328. Pachypasa Walker, 1855** (Lasiocampidae) Synonym(s): *Pachypasa Walker, 1855*; *Mecistosoma Rambur, 1866*
- 1329. Paidia (Conjuncta) Koçak, 1991** (Arctiidae) Synonym(s): *Conjuncta Koçak, 1991*
- 1330. Paidia Hübner, [1819]** (Arctiidae) Synonym(s): *Paidia Hübner, [1819]*
- 1331. Palpita Hübner, [1808]** (Pyrilidae) Synonym(s): *Palpita Hübner, [1808]*; *Hapalia Hübner, 1818*; *Conchia Hübner, [1821]*; *Margaronia Hübner, [1825]*; *Paradosis Zeller, 1852*; *Margarodes Guenée, 1854* nec *Guilding, 1829*; *Sarothronota Lederer, 1863*; *Sebunta Walker, 1863*; *Ledereria Marschall, 1873*; *Sylora Swinhoe, 1900*; *Huidodes Swinhoe, 1900*; *Apyrausta Amsel, 1951*
- 1332. Palumbina Rondani, 1876** (Gelechiidae) Synonym(s): *Palumbina Rondani, 1876*; *Thyrsostoma Meyrick, 1907*
- 1333. Pammene Hübner, [1825]** (Tortricidae) Synonym(s): *Palla Billberg, 1820* nec *Hbn., [1819]*; *Pammene Hübner, [1825]*; *Eucelis Hübner, [1825]*; *Hemimene Hübner, [1825]*; *Pseudotomia Stephens, 1829*; *Heusimene Stephens, 1834*; *Orchemia Guenée, 1845*; *Pyrodes Guenée, 1845*; *Trycheris Guenée, 1845*; *Halonota Stephens, 1852*; *Hemerostia Stephens, 1852*; *Phthoroblastis Lederer, 1859*; *Sphaeroeca Meyrick, 1895*; *Metasphaeroeca Fernald, 1908*
- 1334. Pamparama G. Ronkay & L. Ronkay, 1995** (Noctuidae) Synonym(s): *Pamparama G. Ronkay & L. Ronkay, 1995*
- 1335. Pancalia Stephens, 1829** (Cosmopterigidae) Synonym(s): *Pancalia Stephens, 1829*
- 1336. Panchrysia Hübner, [1821]** (Noctuidae) Synonym(s): *Panchrysia Hübner, [1821]*; *Tetrargentina Beck, 1991*; *Hexaureia Beck, 1991*
- 1337. Pandemis Hübner, [1825]** (Tortricidae) Synonym(s): *Pandemis Hübner, [1825]*; #*Pandemia Stephens, 1834*; *Selenodes Guenée, 1845*; #*Pandennis Moffat, 1886*
- 1338. Panemeria Hübner, [1823]** (Noctuidae) Synonym(s): *Panemeria Hübner, [1823]*; *Gymnopa Stephens, 1829*; *Panhemeria Spuler, 1907*
- 1339. Panolis Hübner, [1821]** (Noctuidae) Synonym(s): *Panolis Hübner, [1821]*; *Ilarus Boisduval, 1829*; *Hilarus Agassiz, 1847*
- 1340. Panthea Hübner, [1820]** (Noctuidae) Synonym(s): *Panthea Hübner, [1820]*; *Elatina Duponchel, [1845]*
- 1341. Papestra Sukhareva, 1973** (Noctuidae) Synonym(s): *Papestra Sukhareva, 1973*
- 1342. Paraboarmia Krampl, 1994** (Geometridae) Synonym(s): *Paraboarmia Krampl, 1994*
- 1343. Paracapperia Bigot & Picard, 1986** (Pterophoridae) Synonym(s): *Paracapperia Bigot & Picard, 1986*
- 1344. Paracolax Hübner, [1825]** (Noctuidae) Synonym(s): *Paracolax Hübner, [1825]*
- 1345. Paracorsia Marion, 1959** (Pyrilidae) Synonym(s): *Paracorsia Marion, 1959*
- 1346. Paracossulus Schoorl, 1990** (Cossidae) Synonym(s): *Paracossulus Schoorl, 1990*
- 1347. Paradarisa W. Warren, 1894** (Geometridae) Synonym(s): *Paradarisa W. Warren, 1894*
- 1348. Paradoxus Stainton, 1869** (Yponomeutidae) Synonym(s): *Paradoxus Stainton, 1869*
- 1349. Paradrymonia Kiriakoff, 1967** (Notodontidae) Synonym(s): *Paradrymonia Kiriakoff, 1967*
- 1350. Paraegle Hampson, 1908** (Noctuidae) Synonym(s): *Paraegle Hampson, 1908*
- 1351. Parahypopta Daniel, 1961** (Cossidae) Synonym(s): *Parahypopta Daniel, 1961*
- 1352. Paralaodamia Balinsky, 1994** (Pyrilidae) Synonym(s): *Paralaodamia Balinsky, 1994*
- 1353. Paramaxillaria Inoue, 1955** (Pyrilidae) Synonym(s): *Maxillaria Staudinger, 1880* nec *Gstl., 1848*; *Paramaxillaria Inoue, 1955*
- 1354. Paramesia Stephens, 1829** (Tortricidae) Synonym(s): *Paramesia Stephens, 1829*; *Ramapesia Razowski, 1981*; #*Ramapezia Chambon & Khous, 1993*
- 1355. Paranephopterix Roesler, 1969** (Pyrilidae) Synonym(s): *Paranephopterix Roesler, 1969*
- 1356. Paranthrene Hübner, [1819]** (Sesiidae) Synonym(s): *Paranthrena auct.*; *Paranthrene Hübner, [1819]*; *Memythrus Newman, 1832*; *Sciapteron Staudinger, 1854*; *Tarsa Walker, 1856*; *Pseudosesia Felder, 1861*; *Pramila Moore, 1879*; *Fatua Edwards, 1882* nec *Dej., 1835*; *Phlogothauma Butler, 1882*; *Sciapterum Bartel, 1912*; *Leptocimbicina Bryk, 1947*
- 1357. Paraplatyptilia Bigot & Picard, 1986** (Pterophoridae) Synonym(s): *Mariana Tutt, 1907* nec *Locard, 1889*; *Paraplatyptilia Bigot & Picard, 1986*
- 1358. Parapoinx Hübner, [1825]** (Pyrilidae) Synonym(s): *Parapoinx Hübner, [1825]*; #*Parapoinx Guenée, 1854*; *Eustales Clemens, 1860* nec *Schönherr, 1826*; *Sironia Clemens, 1860* nec *Hübner, [1823]*; *Nymphaeella Grote, 1880*; *Hydreuretis Meyrick, 1885*; *Microdracon W. Warren, 1890*; *Cosmophylla Turner, 1905*
- 1359. Parascotia Hübner, [1825]** (Noctuidae) Synonym(s): *Parascotia Hübner, [1825]*; *Boletobia Boisduval, 1840*; *Bolitobia Agassiz, 1846*; *Kara Matsumura, 1925* nec *Strebel, 1910*
- 1360. Parasemia Hübner, [1820]** (Arctiidae) Synonym(s): *Parasemia Hübner, [1820]*; *Nemeophila Stephens, 1828*; *Chionophila Guenée, 1865*

1361. **Parastenolechia Kanazawa, 1985** (Gelechiidae) Synonym(s): *Parastenolechia Kanazawa, 1985*; *Tutor Omelko, 1988*; *Origo Omelko, 1988*
1362. **Parastichtis Hübner, [1821]** (Noctuidae) Synonym(s): *Parastichtis Hübner, [1821]*; *Dyschorista Lederer, 1857*.
1363. **Paraswammerdamia Friese, 1960** (Yponomeutidae) Synonym(s): *Paraswammerdamia Friese, 1960*
1364. **Parasymmoca Rebel, 1903** (Autostichidae) Synonym(s): *Parasymmoca Rebel, 1903*; *Nestorellus Gerasimov, 1930*; *Symmoletria Gozmany, 1963*
1365. **Paratalanta Meyrick, 1890** (Pyrilidae) Synonym(s): *Paratalanta Meyrick, 1890*; *Microstega Meyrick, 1890*
1366. **Pardoxia Vives & González, 1981** (Noctuidae) Synonym(s): *Pardoxia Vives & González, 1981*
1367. **Parectropis Sato, 1980** (Geometridae) Synonym(s): *Parectropis Sato, 1980*
1368. **Pareulype Herbulot, 1951** (Geometridae) Synonym(s): *Pareulype Herbulot, 1951*
1369. **Parexarnis Boursin, 1946** (Noctuidae) Synonym(s): *Parexarnis Boursin, 1946*
1370. **Parocneria Dyar, 1897** (Lymantriidae) Synonym(s): *Parocneria Dyar, 1897*; *Uliolepis W. Warren, 1897*; *Maimaia Matsumura, 1933*; *Daniela Hartig, 1963 nec Koch, 1891*.
1371. **Paropta Staudinger, 1899** (Cossidae) Synonym(s): *Paropta Staudinger, 1899*; *Alcterogystia Schoorl, 1990*
1372. **Parornix Spuler, 1910** (Gracillariidae) Synonym(s): *Parornix Spuler, 1910*; *Alfaornix Kuznetsov, 1979*; *Betaornix Kuznetsov, 1979*; *Gammaornix Kuznetsov, 1979*; *Deltaornix Kuznetsov, 1979*
1373. **Pasiphila Meyrick, 1883** (Geometridae) Synonym(s): *Pasiphila Meyrick, 1883*; *Calliclystis Dietze, 1910*; *Cithecia Staudinger, 1897*; *Helastiodes W. Warren, 1895*; *Rhinoprora W. Warren, 1895*.
1374. **Patania Moore, 1888** (Pyrilidae) Synonym(s): *Nagia Walker, [1866] nec Wlk., 1858*; *Patania Moore, 1888*; *Pleuroptya Meyrick, 1890*; *Loxoscia W. Warren, 1890*; *Nagiella Munroe, 1976*
1375. **Pectinophora Busck, 1917** (Gelechiidae) Synonym(s): *Pectinophora Busck, 1917*
1376. **Pediasia Hübner, [1825]** (Pyrilidae) Synonym(s): *Pediasia Hübner, [1825]*; *Carvanca Walker, 1856*; *Pseudopediasia Ganev, 1987*; *Oseriates Fazekas, 1991*
1377. **Pelatea Guenée, 1845** (Tortricidae) Synonym(s): *Pelatea Guenée, 1845*; *#Petalea Walker, 1866*
1378. **Pelochrista Lederer, 1859** (Tortricidae) Synonym(s): *Pelochrista Lederer, 1859*; *Callimosema Clemens, 1865*; *Pseudeucosma Obratzsov, 1946*; *Eucosmoides Obratzsov, 1946*.
1379. **Pelosia Hübner, [1819]** (Arctiidae) Synonym(s): *Pelosia Hübner, [1819]*; *Samera Wallengren, 1863*
1380. **Pelurga Hübner, [1825]** (Geometridae) Synonym(s): *Pelurga Hübner, [1825]*
1381. **Pempelia Hübner, [1825]** (Pyrilidae) Synonym(s): *Pempelia Hübner, [1825]*; *Salebria Zeller, 1846*; *Hoeneia Caradja, 1938*
1382. **Pempeliella Caradja, 1916** (Pyrilidae) Synonym(s): *Pempeliella Caradja, 1916*
1383. **Pempeliapteryx Leraut, 2014** (Pyrilidae) Synonym(s): *Pempeliapteryx Leraut, 2014*
1384. **Penestoglossa Rogenhofer, 1875** (Psychidae) Synonym(s): *Psilothrix Wocke, 1871 nec Küster, 1850*; *Penestoglossa Rogenhofer, 1875*; *Dyselpistis Meyrick, 1938*
1385. **Pennisetia Dehne, 1850** (Sesiidae) Synonym(s): *Pennisetia Dehne, 1850*; *Anthrenoptera Swinhoe, 1892*; *Lophocnema Turner, 1917*; *Diapryra Turner, 1917*; *Glossecia Hampson, 1919*.
1386. **Peoria Ragonot, 1887** (Pyrilidae) Synonym(s): *Peoria Ragonot, 1887*; *Aurora Ragonot, 1887*; *Statina Ragonot, 1887*; *Calera Ragonot, 1888*; *Ceara Ragonot, 1888*; *Cayuga Hulst, 1888*; *Altoona Hulst, 1888*; *Volusia Hulst, 1890*; *Wekiwa Hulst, 1890*; *Osceola Hulst, 1891*; *Chipeta Hulst, 1892*; *Chipota Hulst, 1903*; *Trivolusia Dyar, 1903*; *Ollia Dyar, 1904*; *Fondoukia Chrétien, 1911*
1387. **Perconia Hübner, [1823]** (Geometridae) Synonym(s): *Perconia Hübner, [1823]*
1388. **Peribatodes Wehrli, 1943** (Geometridae) Synonym(s): *Peribatodes Wehrli, 1943*
1389. **Periclepsis Bradley, 1977** (Tortricidae) Synonym(s): *Paraclepsis Obratzsov, 1954 nec Harding, 1924*; *Periclepsis Bradley, 1977*
1390. **Pericyma Herrich-Schäffer, [1851]** (Noctuidae) Synonym(s): *Pericyma Herrich-Schäffer, [1851]*; *Alamis Guenée, 1852*; *Dugaria Walker, [1858]*; *Moepa Walker, 1865*.
1391. **Peridea Stephens, 1828** (Notodontidae) Synonym(s): *Peridea Stephens, 1828*; *Mesodonta Matsumura, 1920 nec Baly, 1865*; *Fusadonta Matsumura, 1920*
1392. **Peridroma Hübner, [1821]** (Noctuidae) Synonym(s): *Peridroma Hübner, [1821]*
1393. **Perigrapha (Anorthoa) Berio, 1980** (Noctuidae) Synonym(s): *Anorthoa Berio, 1980*
1394. **Perigrapha (Opacographa) Hreblay, 1996** (Noctuidae) Synonym(s): *Opacographa Hreblay, 1996*
1395. **Perigrapha (s.str.) Lederer, 1857** (Noctuidae) Synonym(s): *Perigrapha Lederer, 1857*
1396. **Perigrapha Lederer, 1857** (Noctuidae) Synonym(s): *Perigrapha Lederer, 1857*
1397. **Periphanes (Helivictoria) Beck, 1996** (Noctuidae) Synonym(s): *Helivictoria Beck, 1996*
1398. **Periphanes (Philareta) Moore, 1881** (Noctuidae) Synonym(s): *Philareta Moore, 1881*; *#Calocharia Beck, 1996*
1399. **Periphanes (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Periphanes Hübner, [1821]*; *Chariclea Curtis, 1825*
1400. **Periphanes Hübner, [1821]** (Noctuidae) Synonym(s): *Periphanes Hübner, [1821]*; *Chariclea Curtis, 1825*

- 1401. Perissomastix (Aphrodoxa) Gozmany, 1959** (Tineidae) **Synonym(s):** *Aphrodoxa* Gozmany, 1959
- 1402. Perissomastix (s.str.) W. Warren & Rothschild, 1905** (Tineidae) **Synonym(s):** *Perissomastix* W. Warren & Rothschild, 1905; *Malacyntis* Meyrick, 1908; *Catabola* Durrant, 1913; *Boviceras* Turati, 1919; *Crassicornella* Agenjo, 1952; *Praelongicera* Amsel, 1956; *Tineomorpha* Amsel, 1956; *Lazocatena* Gozmany, 1959; *Petersenia* Gozmany, 1960 (praeocc.); *Denticunicula* G. Petersen, 1988; *Betroka* G. Petersen, 1988 (praeocc.); *Neopsolarcha* G. Petersen, 1988; *Trokabe* Viette, 1993
- 1403. Perissomastix W. Warren & Rothschild, 1905** (Tineidae) **Synonym(s):** *Perissomastix* W. Warren & Rothschild, 1905; *Malacyntis* Meyrick, 1908; *Catabola* Durrant, 1913; *Boviceras* Turati, 1919; *Crassicornella* Agenjo, 1952; *Praelongicera* Amsel, 1956; *Tineomorpha* Amsel, 1956; *Lazocatena* Gozmany, 1959; *Petersenia* Gozmany, 1960 (praeocc.); *Denticunicula* G. Petersen, 1988; *Betroka* G. Petersen, 1988 (praeocc.); *G. Neopsolarcha* Petersen, 1988; *Trokabe* Viette, 1993
- 1404. Perittia Stainton, 1854** (Elachistidae) **Synonym(s):** *Perittia* Stainton, 1854; *Scirtopoda* Wocke, 1876 (praeocc.); *Mendesia* De Joannis, 1902; *Symphoristis* Meyrick, 1918; *Onceroptila* Braun, 1948; *Swezeyula* Zimmermann & Bradley, 1950; *Pretoriana* Traugott-Olsen, 1995 nec Curr., 1938; *Gautengia* Kemal & Koçak, 2006
- 1405. Perizoma Hübner, [1825]** (Geometridae) **Synonym(s):** *Perizoma* Hübner, [1825]; *Mesotype* Hübner, [1825]; *Emmelesia* Stephens, 1829; *Zerynthia* Curtis, 1830 (praeocc.); *Gagitodes* W. Warren, 1893
- 1406. Petrophora Hübner, [1811]** (Geometridae) **Synonym(s):** *Petrophora* Hübner, [1811]; *Ortholitha* Hübner, [1821]; *Lithina* Hübner, [1825]; *Lozogramma* Stephens, 1829; *Loxogramma* Agassiz, 1847; *Perigune* Gumpfenberg, 1887
- 1407. Plexicopia Common, 1958** (Gelechiidae) **Synonym(s):** *Plexicopia* Common, 1958
- 1408. Phaiogramma Gumpfenberg, 1887** (Geometridae) **Synonym(s):** *Phaiogramma* Gumpfenberg, 1887
- 1409. Phalacropterix Hübner, [1825]** (Psychidae) **Synonym(s):** *Phalacropterix* Hübner, [1825]; *Phalacropteryx* Agassiz, 1847; *Arctus* Rambur, 1866 nec haan, 1849; *Stenophanes* Heylaerts, 1881
- 1410. Phalera Hübner, [1819]** (Notodontidae) **Synonym(s):** *Phalera* Hübner, [1819]; *Acrosema* Meigen, 1830; *Hammatophora* Westwood, 1843; *Dinara* Walker, 1856; *Horishachia* Matsumura, 1925; *Phaleromimus* Bryk, 1950
- 1411. Phalonidia Le Marchand, 1933** (Tortricidae) **Synonym(s):** *Phalonidia* Le Marchand, 1933; *Brevisociaria* Obraztsov, 1943.
- 1412. Phaneta Stephens, 1852** (Tortricidae) **Synonym(s):** *Catoptria* Guenée, 1845 nec Hbn., [1825]; *Phaneta* Stephens, 1852
- 1413. Phaselia Guenée, [1858]** (Geometridae) **Synonym(s):** *Phaselia* Guenée, [1858]
- 1414. Phaulernis Meyrick, 1895** (Epermeniidae) **Synonym(s):** *Aechmia* Stainton, 1854 nec Tr., 1833; *Phaulernis* Meyrick, 1895
- 1415. Pheosia Hübner, [1819]** (Notodontidae) **Synonym(s):** *Pheosia* Hübner, [1819]; *Leiocampa* Stephens, 1828; *Liocampa* Agassiz, 1847
- 1416. Phibalapteryx Stephens, 1829** (Geometridae) **Synonym(s):** *Phibalapteryx* Stephens, 1829; *Mesogramma* Stephens, 1850
- 1417. Phigalia Duponchel, 1829** (Geometridae) **Synonym(s):** *Phigalia* Duponchel, 1829; *Pterotocera* Staudinger, 1892; *Coniodes* Hulst, 1896; *Rhaphidodemas* Hulst, 1896; *Metriocera* Djakonov, 1949.
- 1418. Philedone Hübner, [1825]** (Tortricidae) **Synonym(s):** *Philedone* Hübner, [1825]; *Amphisa* Curtis, 1828
- 1419. Philereme Hübner, [1825]** (Geometridae) **Synonym(s):** *Philereme* Hübner, [1825]; *Scotosia* Stephens, 1829.
- 1420. Phleboeis Christoph, 1887** (Noctuidae) **Synonym(s):** *Phleboeis* Christoph, 1887; *Stenosomides* Strand, 1942 (cf. Koçak, 1991; Fibiger, 1997).
- 1421. Phlogophora Treitschke, 1825** (Noctuidae) **Synonym(s):** *Phlogophora* Treitschke, 1825; *Solenoptera* Duponchel, [1845]; *Brotolomia* Lederer, 1857; *Racoptera* Scott, 1858
- 1422. Phlyctaenomorpha Amsel, 1970** (Pylalidae) **Synonym(s):** *Phlyctaenomorpha* Amsel, 1970
- 1423. Photedes Lederer, 1857** (Noctuidae) **Synonym(s):** *Photedes* Lederer, 1857; *#Phothedes* Lederer, 1857
- 1424. Phragmacossia Schawerda, 1924** (Cossidae) **Synonym(s):** *Phragmacossia* Schawerda, 1924
- 1425. Phragmataecia Newman, 1850** (Cossidae) **Synonym(s):** *Phragmataecia* Newman, 1850; *Macrogaster* Duponchel, [1845] nec Thunb., 1805
- 1426. Phragmatobia Stephens, 1828** (Arctiidae) **Synonym(s):** *Phragmatobia* Stephens, 1828
- 1427. Phrealcia Chrétien, 1900** (Yponomeutidae) **Synonym(s):** *Phrealcia* Chrétien, 1900; *Procalantica* Rebel, 1901; *Rhabdocosma* Meyrick, 1935
- 1428. Phtheochroa Stephens, 1829** (Tortricidae) **Synonym(s):** *Phtheochroa* Stephens, 1829; *Trachysmia* Guenée, 1845; *Hysterosia* Stephens, 1852; *Idiographis* Lederer, 1859; *Propira* Durrant, 94; *Arce* Joannis, 1919; *Parahysterosia* Razowski, 1960; *Durrantia* Razowski, 1960 nec Busck, 1908.
- 1429. Phthonandria W. Warren, 1894** (Geometridae) **Synonym(s):** *Phthonandria* W. Warren, 1894
- 1430. Phycita Curtis, 1828** (Pylalidae) **Synonym(s):** *Phycis* Fabricius, 1798 nec Walbaum, 1792; *Phycita* Curtis, 1828; *Ceratium* Thienemann, 1828 nec Schrank, 1793; *Gyra* Gistel, 1848
- 1431. Phycitodes Hampson, 1917** (Pylalidae) **Synonym(s):** *Phycitodes* Hampson, 1917; *Rotruda* Heinrich, 1956.
- 1432. Phycodes Guenée, 1852** (Brachodidae) **Synonym(s):** *Phycodes* Guenée, 1852; *Tegna* Walker, 1866
- 1433. Phylapora Berio, 1980** (Noctuidae) **Synonym(s):** *Phylapora* Berio, 1980

1434. **Phyllocnistis Zeller, 1848** (Gracillariidae) Synonym(s): *Phyllocnistis Zeller, 1848*
1435. **Phyllodesma (Epicnaptera) Rambur, 1866** (Lasiocampidae) Synonym(s): *Epicnaptera Rambur, 1866*; #*Epicnapteryx O. Bang-Haas, 1927*
1436. **Phyllodesma (s.str.) Hübner, [1820]** (Lasiocampidae) Synonym(s): *Phyllodesma Hübner, [1820]*; *Ammatocampa Wallengren, 1869*
1437. **Phyllodesma Hübner, [1820]** (Lasiocampidae) Synonym(s): *Phyllodesma Hübner, [1820]*; *Ammatocampa Wallengren, 1869*
1438. **Phyllometra Boisduval, 1840** (Geometridae) Synonym(s): *Phyllometra Boisduval, 1840*; *Egea Duponchel, [1845]*
1439. **Phyllonorycter Hübner, 1822** (Gracillariidae) Synonym(s): *Phyllonorycter Hübner, 1822*; *Lithocolletis Hübner, [1825]*; *Eucestis Hübner, [1825]*; *Phyllorycter Walsingham, 1914*; *Hirsuta T.B. Fletcher, 1929*; *Asymmetrivalva Kuznetsov & Baryshnikova, 2004*
1440. **Phyllophila Guenée, 1852** (Noctuidae) Synonym(s): *Phyllophila Guenée, 1852*; #*Phyllophyla W. Warren, 1912*
1441. **Phytometra Haworth, 1809** (Noctuidae) Synonym(s): *Phytometra Haworth, 1809*; *Prothymia Hübner, [1823]*
1442. **Pima Hulst, 1888** (Pyalidae) Synonym(s): *Pima Hulst, 1888*
1443. **Piniphila Falkovitsh, 1962** (Tortricidae) Synonym(s): *Piniphila Falkovitsh, 1962*
1444. **Placodoma Chrétien, 1915** (Psychidae) Synonym(s): *Placodoma Chrétien, 1915*; *Pseudodiplodoma Kozhantschikov, 1956*
1445. **Plagodis Hübner, [1823]** (Geometridae) Synonym(s): *Plagodis Hübner, [1823]*; *Anagoga Hübner, [1823]*; *Azinephora Stephens, 1827*; *Eurymene Duponchel, 1829*; *Numeria Duponchel, 1829*.
1446. **Platyedra Meyrick, 1895** (Gelechiidae) Synonym(s): *Platyedra Meyrick, 1895*
1447. **Platyptilia Hübner, [1825]** (Pterophoridae) Synonym(s): *Platyptilia Hübner, [1825]*; *Platyptilus Zeller, 1841*; *Gillmeria Tutt, 1905*; *Fredericina Tutt, 1905*.
1448. **Platytes Guenée, 1845** (Pyalidae) Synonym(s): *Platytes Guenée, 1845*; *Nagahama Marumo, 1933*
1449. **Plecoptera Guenée, 1852** (Noctuidae) Synonym(s): *Plecoptera Guenée, 1852*; *Carteia Walker, [1863]*; *Biregula Saalmüller, 1891*; *Plecopteroides Strand, 1918*.
1450. **Plemyria Hübner, [1825]** (Geometridae) Synonym(s): *Plemyria Hübner, [1825]*
1451. **Pleurota (Protasis) Herrich-Schäffer, [1853]** (Oecophoridae) Synonym(s): *Protasis Herrich-Schäffer, [1853]*
1452. **Pleurota (s.str.) Hübner, [1825]** (Oecophoridae) Synonym(s): *Pleurota Hübner, [1825]*; *Eupleuris Hübner, [1825]*; *Macrochila Stephens, 1829*; *Palpula Treitschke, 1833 nec Koll., 1832*; *Acropogona Sodoffsky, 1837*
1453. **Pleurota Hübner, [1825]** (Oecophoridae) Synonym(s): *Pleurota Hübner, [1825]*; *Eupleuris Hübner, [1825]*; *Macrochila Stephens, 1829*; *Palpula Treitschke, 1833 nec Koll., 1832*; *Acropogona Sodoffsky, 1837*
1454. **Plodia Guenée, 1845** (Pyalidae) Synonym(s): *Plodia Guenée, 1845*
1455. **Plusia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Plusia Ochsenheimer, 1816*; *Chrysaspidia Hübner, [1821]*
1456. **Plusidia Butler, 1879** (Noctuidae) Synonym(s): *Plusidia Butler, 1879*
1457. **Plutella (Anadetia) Hübner, [1825]** (Yponomeutidae) Synonym(s): *Anadetia Hübner, [1825]*; *Pseudoplutella Baraniak, 2007*
1458. **Plutella (s.str.) Schrank, 1802** (Yponomeutidae) Synonym(s): *Plutella Schrank, 1802*; *Euota Hübner, [1825]*; *Creagria Sodoffsky, 1837*; *Evota Agassiz, 1847*.
1459. **Plutella Schrank, 1802** (Yponomeutidae) Synonym(s): *Plutella Schrank, 1802*; *Euota Hübner, [1825]*; *Creagria Sodoffsky, 1837*; *Evota Agassiz, 1847*.
1460. **Poecilocampa Stephens, 1828** (Lasiocampidae) Synonym(s): *Poecilocampa Stephens, 1828*; *Populaster Gistel, 1848*
1461. **Pogochaetia Staudinger, 1879** (Gelechiidae) Synonym(s): *Pogochaetia Staudinger, 1879*; *Chaetopogon Rye, 1881*; *Pogonocaetia Rye, 1881*
1462. **Polia Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Polia Ochsenheimer, 1816*; *Chera Hübner, [1821]*; *Aplecta Guenée, 1838*
1463. **Polychrysia Hübner, [1821]** (Noctuidae) Synonym(s): *Polychrysia Hübner, [1821]*
1464. **Polymitia Triberti, 1986** (Gracillariidae) Synonym(s): *Polymitia Triberti, 1986*
1465. **Polymixis (Bischoffia) Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *Bischoffia Hacker & Ronkay, 1992*
1466. **Polymixis (Brandticola) Hacker & L. Ronkay, 1992** (Noctuidae) Synonym(s): *Brandticola Hacker & L. Ronkay, 1992*
1467. **Polymixis (Eremophysa) Boursin, 1958** (Noctuidae) Synonym(s): *Eremophysa Boursin, 1958*
1468. **Polymixis (Parabrachionycha) Hacker, 1990** (Noctuidae) Synonym(s): *Parabrachionycha Hacker, 1990*

- 1469. Polymixis (s.str.) Hübner, [1820]** (Noctuidae) **Synonym(s):** *#Polia* Hübner, [1806]; *Polymixis* Hübner, [1820]; *Propolymixis* Berio, 1980; *Simplitype* Berio, 1980; *Myxinia* Berio, 1985; *Serpmyxis* Beck, 1991; *Xanthomixis* Beck, 1996
- 1470. Polymixis Hübner, [1820]** (Noctuidae) **Synonym(s):** *#Polia* Hübner, [1806]; *Polymixis* Hübner, [1820]; *Propolymixis* Berio, 1980; *Simplitype* Berio, 1980; *Myxinia* Berio, 1985; *Serpmyxis* Beck, 1991; *Xanthomixis* Beck, 1996
- 1471. Polymona Walker, 1855** (Lymantriidae) **Synonym(s):** *Polymona* Walker, 1855; *Oreinobia* Wallengren, 1865
- 1472. Polyocha Zeller, 1848** (Pyralidae) **Synonym(s):** *Polyocha* Zeller, 1848; *Epidauria* Rebel, 1901; *Epidauria* Hampson, 1901; *Fregenia* Hartig, 1948
- 1473. Polyochodes Chrétien, 1911** (Pyralidae) **Synonym(s):** *Polyochodes* Chrétien, 1911; *Ardekania* Amsel, 1951
- 1474. Polyphaenis Boisduval, 1840** (Noctuidae) **Synonym(s):** *Polyphaenis* Boisduval, 1840
- 1475. Polyploca Hübner, [1821]** (Thyatiridae) **Synonym(s):** *Polyploca* Hübner, [1821]; *Parmelina* Houlbert, 1921
- 1476. Polypogon Schrank, 1802** (Noctuidae) **Synonym(s):** *Polypogon* Schrank, 1802; *Herminia* Latreille, 1802; *Pechipogo* Hübner, [1825]; *Pogonitis* Sodoffsky, 1837; *Pechypogon* Agassiz, 1847; *Zanclognatha* Lederer, 1857; *Anitha* Walker, [1866]; *Cleptomita* Grote, 1873; *Megachyta* Grote, 1873; *Pityolita* Grote, 1873; *Mesoplectra* Butler, 1879; *Adrapso*, des Matsumura, 1925; *Quaramia* Berio, 1988; *Microphtha* Berio, 1989; *Zellerminia* Beck, 1996; *Gryphopogon* Beck, 1996
- 1477. Porritia Tutt, 1905** (Pterophoridae) **Synonym(s):** *Porritia* Tutt, 1905
- 1478. Powellinia Oberthür, 1912** (Noctuidae) **Synonym(s):** *Powellinia* Oberthür, 1912
- 1479. Praelongicera Amsel, 1956** (Tineidae) **Synonym(s):** *Praelongicera* Amsel, 1956
- 1480. Praestilbia Staudinger, 1892** (Noctuidae) **Synonym(s):** *Praestilbia* Staudinger, 1892
- 1481. Prays Hübner, [1825]** (Yponomeutidae) **Synonym(s):** *Prays* Hübner, [1825]; *Pepilla* Guenée, 1845
- 1482. Prionapteryx Stephens, 1834** (Pyralidae) **Synonym(s):** *Prionapteryx* Stephens, 1834; *Prionopteryx* Zeller, 1863; *Surattha* Walker, 1863; *Pindictora* Walker, 1863; *Nuarace* Walker, 1863; *Calarina* Walker, 1866; *Hyptomorphia* Rebel, 1892; *Platytesia* Strand, 1919; *Alloea* Turner, 1947 nec Haliday, 1833; *#Naurace* Bleszynski, 1962
- 1483. Pristocerella Kiefer, 1909** (Pyralidae) **Synonym(s):** *Pristocera* Ragonot, 1893 nec Klug, 1808; *Pristocerella* Kiefer, 1909; *#Prisocera* Osthelder, 1935; *#Pristocereia* Whalley, 1970.
- 1484. Pristophorodes Amsel, 1953** (Pyralidae) **Synonym(s):** *Pristophora* Ragonot, 1887 nec Newman, 1837; *Pristophorodes* Amsel, 1953
- 1485. Problepsis Lederer, 1853** (Geometridae) **Synonym(s):** *Caloptera* Frivaldsky, 1845 nec Gistl, 1834; *Problepsis* Lederer, 1853; *Argyris* Guenée, [1858]; *Problepsiodes* W. Warren, 1899
- 1486. Procapperia Adamczewski, 1951** (Pterophoridae) **Synonym(s):** *Procapperia* Adamczewski, 1951
- 1487. Prochlidonia Razowski, 1960** (Tortricidae) **Synonym(s):** *Prochlidonia* Razowski, 1960
- 1488. Prochoreutis Diakonoff & Heppner, 1980** (Choreutidae) **Synonym(s):** *Prochoreutis* Diakonoff & Heppner, 1980
- 1489. Prochoristis Meyrick, 1890** (Pyralidae) **Synonym(s):** *Prochoristis* Meyrick, 1890
- 1490. Prolita Leraut, 1993** (Gelechiidae) **Synonym(s):** *Lita* Treitschke, 1833 nec Koll., 1832; *Prolita* Leraut, 1993
- 1491. Promalactis Meyrick, 1908** (Oecophoridae) **Synonym(s):** *Promalactis* Meyrick, 1908
- 1492. Prophtasia Ragonot, 1887** (Pyralidae) **Synonym(s):** *Prophtasia* Ragonot, 1887
- 1493. Propiromorpha Obraztsov, 1955** (Tortricidae) **Synonym(s):** *Propiromorpha* Obraztsov, 1955
- 1494. Prorophora (Aproceratia) Amsel, 1950** (Pyralidae) **Synonym(s):** *Epischidia* Ragonot, 1901 nec Rbl., 1901; *Aproceratia* Amsel, 1950.
- 1495. Prorophora Ragonot, 1887** (Pyralidae) **Synonym(s):** *Prorophora* Ragonot, 1887
- 1496. Proserpinus Hübner, [1819]** (Sphingidae) **Synonym(s):** *Proserpinus* Hübner, [1819]; *Pterogon* Boisduval, 1828; *Pteropogon* Meigen, 1829; *Lepisesia* Grote, 1865; *Pogocolon* Boisduval, 1875; *Dieneces* Butler, 1881
- 1497. Proterospastis Meyrick, 1937** (Tineidae) **Synonym(s):** *Proterospastis* Meyrick, 1937; *Paratinea* G. Petersen, 1957
- 1498. Proteuchloris Hausmann, 1996** (Geometridae) **Synonym(s):** *Proteuchloris* Hausmann, 1996
- 1499. Protexarnis McDunnough, [1929]** (Noctuidae) **Synonym(s):** *Protexarnis* McDunnough, [1929]
- 1500. Protodeltote Ueda, 1984** (Noctuidae) **Synonym(s):** *Protodeltote* Ueda, 1984
- 1501. Protolampra McDunnough, [1929]** (Noctuidae) **Synonym(s):** *Protolampra* McDunnough, [1929]
- 1502. Protorhoe Herbulot, 1951** (Geometridae) **Synonym(s):** *Protorhoe* Herbulot, 1951
- 1503. Proutictis Bryk, 1938** (Geometridae) **Synonym(s):** *Diastictis* Hübner, [1823] nec Hbn., 1818; *Proutictis* Bryk, 1938
- 1504. Proxenus Herrich-Schäffer, [1850]** (Noctuidae) **Synonym(s):** *Proxenus* Herrich-Schäffer, [1850]
- 1505. Psammotis Hübner, [1825]** (Pyralidae) **Synonym(s):** *Psammotis* Hübner, [1825]; *Lemia* Guenée, 1845; *Lemiodes* Guenée, 1854
- 1506. Pselnophorus Wallengren, 1881** (Pterophoridae) **Synonym(s):** *Pselnophorus* Wallengren, 1881; *Crasimetis* Meyrick, 1890.
- 1507. Pseudamelia Obraztsov, 1954** (Tortricidae) **Synonym(s):** *Pseudamelia* Obraztsov, 1954

1508. **Pseudargyrotoza Obratzov, 1954** (Tortricidae) Synonym(s): *Pseudargyrotoza Obratzov, 1954*
1509. **Pseudatemelia Rebel, 1910** (Oecophoridae) Synonym(s): *Pseudatemelia Rebel, 1910*; *Tubulifera Spuler, 1910 nec Zopf, 1885*; *Tubuliferola Strand, 1917*; *Tubuliferodes Toll, 1956*
1510. **Pseudenargia Boursin, 1956** (Noctuidae) Synonym(s): *Pseudenargia Boursin, 1956*
1511. **Pseudeulia Obratzov, 1954** (Tortricidae) Synonym(s): *Pseudeulia Obratzov, 1954*
1512. **Pseudeustrotia W. Warren, 1913** (Noctuidae) Synonym(s): *Pseudeustrotia W. Warren, 1913*
1513. **Pseudluperina Beck, 1999** (Noctuidae) Synonym(s): *Pseudluperina Beck, 1999*
1514. **Pseudococcyx Swatschek, 1958** (Tortricidae) Synonym(s): *#Pseudococcyx Agenjo, 1955*; *#Subepiblemma Agenjo, 1955*; *Pseudococcyx Swatschek, 1958*; *Blastesthia Obratzov, 1960*.
1515. **Pseudohadena (Pseudopseustis) Hampson, 1910** (Noctuidae) Synonym(s): *Pseudopseustis Hampson, 1910*; *Tetrachela Hampson, 1918 nec Reuss, 1928*
1516. **Pseudohadena (s.str.) Alpheraky, 1889** (Noctuidae) Synonym(s): *Pseudohadena Alpheraky, 1889*
1517. **Pseudohadena Alpheraky, 1889** (Noctuidae) Synonym(s): *Pseudohadena Alpheraky, 1889*
1518. **Pseudoips Hübner, 1822** (Noctuidae) Synonym(s): *Pseudoips Hübner, 1822*; *Hylophila Hübner, [1825]*, *Chloeophora Stephens, 1827*; *Halias Treitschke, 1829*; *#Chloeophora Staudinger, 1887*
1519. **Pseudopanthera Hübner, [1823]** (Geometridae) Synonym(s): *Pseudopanthera Hübner, [1823]*; *Venilia Duponchel, 1829 nec Raf., 1815*
1520. **Pseudopostega Kozlov, 1985** (Opistegidae) Synonym(s): *Pseudopostega Kozlov, 1985*
1521. **Pseudosciaphila Obratzov, 1966** (Tortricidae) Synonym(s): *Pseudosciaphila Obratzov, 1966*
1522. **Pseudoswammerdamia Friese, 1960** (Yponomeutidae) Synonym(s): *Pseudoswammerdamia Friese, 1960*
1523. **Pseudosyria Rebel, 1927** (Pyralidae) Synonym(s): *Pseudosyria Rebel, 1927*
1524. **Pseudotelphusa Janse, 1958** (Gelechiidae) Synonym(s): *Pseudotelphusa Janse, 1958*; *Sattleria Capuse, 1968 nec Pov., 1965*; *Klaussattleria Capuse, 1968*
1525. **Pseudoterpna Hübner, [1823]** (Geometridae) Synonym(s): *Pseudoterpna Hübner, [1823]*
1526. **Pseudozarba W. Warren, 1914** (Noctuidae) Synonym(s): *Pseudozarba W. Warren, 1914*; *Euthytoma Turner, 1920*
1527. **Psoricoptera Stainton, 1854** (Gelechiidae) Synonym(s): *Psoricoptera Stainton, 1854*
1528. **Psorosa Zeller, 1846** (Pyralidae) Synonym(s): *Psorosa Zeller, 1846*; *Ectypsa Joannis, 1929*; *Sopsora Roesler, 1975*
1529. **Psyche Schrank, 1801** (Psychidae) Synonym(s): *Psyche Schrank, 1801*; *Fumaria Haworth, 1811*; *Fumea Haworth, 1812*; *Saccofera Sodoffsky, 1837*; *Saccofera Sodoffsky, 1837*; *Saccophora Agassiz, 1847 nec Brandt, 1837*; *Masonia Tutt, 1900*; *#Massonia Siedler, 1975*.
1530. **Pterolonche (Gomezustillus) Vives Moreno, 1987** (Pterolonchidae) Synonym(s): *Gomezustillus Vives Moreno, 1987*
1531. **Pterolonche (s.str.) Zeller, 1847** (Pterolonchidae) Synonym(s): *Pterolonche Zeller, 1847*
1532. **Pterolonche Zeller, 1847** (Pterolonchidae) Synonym(s): *Pterolonche Zeller, 1847*
1533. **Pterophorus Schäffer, 1766** (Pterophoridae) Synonym(s): *Pterophorus Schäffer, 1766*; *Pterophora Hübner, 1822*; *Aciptilia Hübner, [1825]*; *Aciptilus Zeller, 1841*; *Acoptilia Agassiz, 1847*.
1534. **Pterostoma Germar, 1812** (Notodontidae) Synonym(s): *Pterostoma Germar, 1812*; *Euchila Billberg, 1820*; *Orthorhinia Boisduval, [1828]*; *Ptilodontis Stephens, 1828*; *Odonptera Latreille, 1829*; *Orthorhinia Meigen, 1830*; *Orthorhinia Agassiz, 1847*.
1535. **Pterothrixidia Amsel, 1954** (Pyralidae) Synonym(s): *Pterothrixidia Amsel, 1954*
1536. **Ptilocephala (Deuterothyalina) Dalla Torre, 1913** (Psychidae) Synonym(s): *Hyalina Rambur, 1866 nec Schumacher, 1817*; *Deuterothyalina Dalla Torre, 1913*; *Deuterothyalina Dalla Torre, 1920*
1537. **Ptilocephala (s.str.) Rambur, 1866** (Psychidae) Synonym(s): *Ptilocephala Rambur, 1866*; *Pyropsyche Chapman, 1903*
1538. **Ptilocephala Rambur, 1866** (Psychidae) Synonym(s): *Ptilocephala Rambur, 1866*; *Pyropsyche Chapman, 1903*
1539. **Ptilodon Hübner, 1822** (Notodontidae) Synonym(s): *#Ptilodon Hübner, 1806*; *Ptilodon Hübner, 1822*; *Lophopteryx Stephens, 1828*; *Ptilodontella Kiriakoff, 1967*
1540. **Ptocheuusa Heinemann, 1870** (Gelechiidae) Synonym(s): *Ptocheuusa Heinemann, 1870*; *Syneuetis Wallengren, 1881*
1541. **Ptycholoma Stephens, 1929** (Tortricidae) Synonym(s): *Ptycholoma Stephens, 1929*
1542. **Puerphorus Arenberger, 1990** (Pterophoridae) Synonym(s): *Puerphorus Arenberger, 1990*
1543. **Pungeleria Rougemont, 1903** (Geometridae) Synonym(s): *Pungeleria Rougemont, 1903*
1544. **Pyla Grote, 1882** (Pyralidae) Synonym(s): *Pyla Grote, 1882*; *Pyla Ragonot, 1887*; *Matielella Leraut, 2001*
1545. **Pyralis Linnaeus, 1758** (Pyralidae) Synonym(s): *Pyralis Linnaeus, 1758*; *Spyrella Rafinesque, 1815*; *Asopia Treitschke, 1828*; *Sacatia Walker, 1863*
1546. **Pyrasia Martin, 1986** (Pyralidae) Synonym(s): *Pyrasia Martin, 1986*

- 1547. *Pyrausta Schrank, 1802* (Pylalidae) Synonym(s):** *Pyrausta Schrank, 1802* [Apr.]; *Botys Latreille, 1802* [Nov.]; *Haematia Hübner, 1818*; *Pyraustes Billberg, 1820*; *Botis Swainson, 1821*; *Heliaca Hübner, 1822*; *Tholeria Hübner, [1823]*; *Porphyritis Hübner, [1825]*; *Leimonia Hübner, [1825]*; *Panstegia Hübner, [1825]*; *Perilypa Hübner, [1825]*; *Osterophena Sodoffsky, 1837*; *Rhodaria Guenée, 1854*; *Limonia Agassiz, 1847*; *Herbula Guenée, 1854*; *Synchromia Guenée, 1854*; *Cindaphia Lederer, 1863*; *Sciorista W. Warren, 1890*; *Autocoscymia W. Warren, 1892*; *Mardinia Amsel, 1952*; *Trigonuncus Amsel, 1952*; *Rattana Pajni & Rose, 1979*
- 1548. *Pyraustimorpha Koçak & Seven, 1995* (Pylalidae) Synonym(s):** *Pyraustimorpha Koçak & Seven, 1995*
- 1549. *Pyrocleptria Hampson, 1903* (Noctuidae) Synonym(s):** *Pyrocleptria Hampson, 1903*
- 1550. *Pyroderces Herrich-Schäffer, [1853]* (Cosmopterigidae) Synonym(s):** *Pyroderces Herrich-Schäffer, [1853]*; *Syntomactis Meyrick, 1889*; *Anatrachyntis Meyrick, 1915*; *Lallia Chrétien, 1915*; *Lacciferophaga Zagulyaev, 1959*; *Sathrobrotia Hodges, 1962*; *#Anatrachynis Edwards & Nielsen, 1996*
- 1551. *Pyropteron Newman, 1832* (Sesiidae) Synonym(s):** *Pyropteron Newman, 1832*; *Pyropteron Agassiz, 1847*
- 1552. *Pyrrhia Hübner, [1821]* (Noctuidae) Synonym(s):** *Pyrrhia Hübner, [1821]*; *Syntomopus Guenée, 1837*
- 1553. *Ramitia Viidalepp, 1988* (Geometridae) Synonym(s):** *Ramitia Viidalepp, 1988*
- 1554. *Ramphis Riedl, 1969* (Cosmopterigidae) Synonym(s):** *Ramphis Riedl, 1969*
- 1555. *Rebelia Heylaerts, 1900* (Psychidae) Synonym(s):** *Rebelia Heylaerts, 1900*; *Leucanacantha Kozhantischikov, 1956*; *Micropsychia Gomez-Bustillo, 1979* nec *Agassiz, 1847*; *Micropsychinia Gomez-Bustillo, 1979*
- 1556. *Recophora Nye, 1975* (Noctuidae) Synonym(s):** *Phorocera Guenée, 1852* nec *Robineau-Desvoidy, 1830*; *Recophora Nye, 1975*
- 1557. *Recurvaria Haworth, 1828* (Gelechiidae) Synonym(s):** *Recurvaria Haworth, 1828*; *Lita Kollar, 1832*; *Telea Stephens, 1834*; *Aphanaula Meyrick, 1895*; *Hinnebergia Spuler, 1910*; *Microlechia Turati, 1924*
- 1558. *Reisserita Agenjo, 1952* (Tineidae) Synonym(s):** *Reisserita Agenjo, 1952*
- 1559. *Reisseronia Siedler, 1956* (Psychidae) Synonym(s):** *Reisseronia Siedler, 1956*
- 1560. *Reskovitsia Szent-Ivany, 1942* (Pylalidae) Synonym(s):** *Reskovitsia Szent-Ivany, 1942*
- 1561. *Rethera Rothschild & Jordan, 1903* (Sphingidae) Synonym(s):** *Rethera Rothschild & Jordan, 1903*; *Borshomia Austaut, 1905*
- 1562. *Rhagades (Wiegelia) Efetov & Tarmann, 1995* (Zygaenidae) Synonym(s):** *Wiegelia Efetov & Tarmann, 1995*
- 1563. *Rhagades Wallengren, 1863* (Zygaenidae) Synonym(s):** *Rhagades Wallengren, 1863*
- 1564. *Rhegmatothila Standfuss, 1888* (Notodontidae) Synonym(s):** *Rhegmatothila Standfuss, 1888*
- 1565. *Rheumaptera Hübner, 1822* (Geometridae) Synonym(s):** *Rheumaptera Hübner, 1822*; *Eulype Hübner, [1825]*; *Calocalpe Hübner, [1825]*; *Melanippe Duponchel, 1829*; *Rheumatoptera Gumpfenberg, 1887*; *Xenospora W. Warren, 1903*
- 1566. *Rhigognostis Staudinger, 1857* (Yponomeutidae) Synonym(s):** *Rhigognostis Staudinger, 1857*; *Caunaca Wallengren, 1880*; *Eumachaeristis Meyrick, 1938*; *#Subeidophasia Weber, 1938*; *Subeidophasia Moriuti, 1977*
- 1567. *Rhiza (Graphantha) L. Ronkay, Varga & Fabian, 1995* (Noctuidae) Synonym(s):** *Graphantha L. Ronkay, Varga & Fabian, 1995*
- 1568. *Rhiza (s.str.) Staudinger, 1889* (Noctuidae) Synonym(s):** *Rhiza Staudinger, 1889*
- 1569. *Rhiza Staudinger, 1889* (Noctuidae) Synonym(s):** *Rhiza Staudinger, 1889*
- 1570. *Rhizedra W. Warren, 1911* (Noctuidae) Synonym(s):** *Rhizedra W. Warren, 1911*
- 1571. *Rhodobates Ragonot, 1895* (Tineidae) Synonym(s):** *Rhodobates Ragonot, 1895*; *Paraphutella Rebel, 1900*; *Tineodoxa Amsel, 1955*
- 1572. *Rhodometra Meyrick, 1892* (Geometridae) Synonym(s):** *Rhodometra Meyrick, 1892*; *Sterrhanthia Butler, 1894*
- 1573. *Rhodophaea Guenée, 1845* (Pylalidae) Synonym(s):** *Rhodophaea Guenée, 1845*; *Aurana Walker, 1863*; *#Rhodophaea Caradja, 1927*; *#Rhodophaea Amsel, 1950*; *Longiculcita Roesler, 1975*
- 1574. *Rhodostrophia (Apostates) W. Warren, 1897* (Geometridae) Synonym(s):** *Apostates W. Warren, 1897*
- 1575. *Rhodostrophia (Asiotrophia) Koçak & Kemal, 2016* (Geometridae) Synonym(s):** *Asiotrophia Koçak & Kemal, 2016*; *#Asiatrophia Kemal & Koçak, 2017*
- 1576. *Rhodostrophia (Pellonia) Duponchel, 1829* (Geometridae) Synonym(s):** *Pellonia Duponchel, 1829*
- 1577. *Rhodostrophia (Pydna) Herrich-Schäffer, [1855]* (Geometridae) Synonym(s):** *Pydna Herrich-Schäffer, [1855]*
- 1578. *Rhodostrophia (s.str.) Hübner, [1823]* (Geometridae) Synonym(s):** *Rhodostrophia Hübner, [1823]*; *Delocharis Butler, 1883*; *Leptosidia Hampson, 1903*; *#Rodostrophia Brandt, 1938*
- 1579. *Rhodostrophia Hübner, [1823]* (Geometridae) Synonym(s):** *Rhodostrophia Hübner, [1823]*; *Delocharis Butler, 1883*; *Leptosidia Hampson, 1903*; *#Rodostrophia Brandt, 1938*
- 1580. *Rhopobota Lederer, 1859* (Tortricidae) Synonym(s):** *Rhopobota Lederer, 1859*; *Erinaea Meyrick, 1907*; *Norma Heinrich, 1923*; *Kundrya Heinrich, 1923*; *Eumarissa Clarke, 1976*

1581. **Rhoptria Guenée, [1858]** (Geometridae) Synonym(s): *Rhoptria Guenée, [1858]*; *Pseudognophos Staudinger, 1900*
1582. **Rhyacia (Anchorhyacia) Varga, 2011** (Noctuidae) Synonym(s): *Anchorhyacia Varga, 2011*
1583. **Rhyacia (Epipsilia) Hübner, [1821]** (Noctuidae) Synonym(s): *Epipsilia Hübner, [1821]*
1584. **Rhyacia (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Rhyacia Hübner, [1821]*; *Antirhyacia Beck, 1991*
1585. **Rhyacia Hübner, [1821]** (Noctuidae) Synonym(s): *Rhyacia Hübner, [1821]*; *Antirhyacia Beck, 1991*
1586. **Rhyacionia Hübner, [1825]** (Tortricidae) Synonym(s): *Rhyacionia Hübner, [1825]*
1587. **Rhyapagla Nye, 1975** (Noctuidae) Synonym(s): *Glaphyra Guenée, 1852 nec Newman, 1840*; *Rhyapagla Nye, 1975*
1588. **Rhyparia Hübner, [1820]** (Arctiidae) Synonym(s): *Rhyparia Hübner, [1820]*
1589. **Rileyiana Moucha & Chvala, 1963** (Noctuidae) Synonym(s): *Thecophora Lederer, 1857 nec Rondani, 1845*; *Rileyiana Moucha & Chvala, 1963*
1590. **Rivula Guenée, 1845** (Noctuidae) Synonym(s): *Rivula Guenée, 1845*; *Cholima Walker, 1863*; *Motina Walker, 1863*; *Rhazunda Walker, 1866*; *Pasira Moore, 1882 nec Stal, 1859*; *Rivulana Bethune-Baker, 1911*; *Alikangiana Strand, 1920*; *Pauroscelus Turner, 1945*
1591. **Roeslerstammia Zeller, 1839** (Roeslerstammiidae) Synonym(s): *Roeslerstammia Zeller, 1839*; *Tachytera Gistel, 1848*
1592. **Saluria Ragonot, 1887** (Pyralidae) Synonym(s): *Saluria Ragonot, 1887*; *Baroda Ragonot, 1888*
1593. **Saragossa Staudinger, 1900** (Noctuidae) Synonym(s): *Saragossa Staudinger, 1900*
1594. **Saturnia (Heraea) Hübner, 1822** (Saturniidae) Synonym(s): *Heraea Hübner, 1822*
1595. **Saturnia (Neoris) Moore, 1862** (Saturniidae) Synonym(s): *Neoris Moore, 1862*
1596. **Saturnia (Perisomena) Walker, 1855** (Saturniidae) Synonym(s): *Perisomena Walker, 1855*; *Typhloteta Rambur, 1866*
1597. **Saturnia (s.str.) Schrank, 1802** (Saturniidae) Synonym(s): *Saturnia Schrank, 1802*; *Nyctaon Billberg, 1820*; *Eriogyna Jordan, 1913*
1598. **Saturnia Schrank, 1802** (Saturniidae) Synonym(s): *Saturnia Schrank, 1802*; *Nyctaon Billberg, 1820*; *Eriogyna Jordan, 1913*
1599. **Sauterina Kuznetsov, 1979** (Gracillariidae) Synonym(s): *Sauterina Kuznetsov, 1979*
1600. **Schiffermuelleria Hübner, [1825]** (Oecophoridae) Synonym(s): *Schiffermuelleria Hübner, [1825]*; *Disqueia Spuler, 1910*
1601. **Schinia Hübner, [1818]** (Noctuidae) Synonym(s): *Schinia Hübner, [1818]*; *Melicleptria Hübner, 1823*; *Anthoecia Boisduval, 1840*; *Trypana Guenée, 1841*; *Oria Guenée, 1852*; *Rhodophora Guenée, 1852*; *Tamila Guenée, 1852*; *Euleucyptera Grote, 1865*; *Tricopia Grote, 1874*; *Heliophana Grote, 1875*; *Oxylos Grote, 1875*; *Pippon Grote, 1875*; *Porrina Grote, 1877*; *Rhododipsa Grote, 1877*; *Bessula Grote, 1881*; *Trileuca Grote, 1883*; *Pseudotamila Smith, 1893*; *Canidia Grote, 1890*; *Eupanychis Grote, 1890*; *Trichosellus Grote, 1890*; *Incita Grote, 1895*; *Palada Smith, 1900*; *Chloroleptria Hampson, 1903*; *Protoschinia Hardwick, 1970*
1602. **Schistostege Hübner, [1825]** (Geometridae) Synonym(s): *Schistostege Hübner, [1825]*
1603. **Schoenobius Duponchel, 1836** (Pyralidae) Synonym(s): *Schoenobius Duponchel, 1836*; *Erioproctus Zeller, 1839*
1604. **Schrankia Hübner, [1825]** (Noctuidae) Synonym(s): *Schrankia Hübner, [1825]*; *Hypenodes Guenée, 1854 nec Dbl., 1850*
1605. **Schreckensteinia Hübner, [1825]** (Schreckensteiniidae) Synonym(s): *Schreckensteinia Hübner, [1825]*
1606. **Sciota Hulst, 1888** (Pyralidae) Synonym(s): *Sciota Hulst, 1888*; *Apodentinodia Roesler, 1969*; *Clasperopsis Roesler, 1969*; *Paranephopterix Roesler, 1969*
1607. **Scirpophaga Treitschke, 1832** (Pyralidae) Synonym(s): *Scirpophaga Treitschke, 1832*; *Schoenophaga Duponchel, 1836*; *Spartophaga Duponchel, 1836*; *Schoinophaga Sodoffsky, 1837*; *Schoenophaga Agassiz, 1847 nec Dup., 1836*; *Apurima Walker, 1863*; *Tryporyza Common, 1960*
1608. **Sclerobiodes Amsel, 1951** (Pyralidae) Synonym(s): *Sclerobiodes Amsel, 1951*
1609. **Sclerocona Meyrick, 1890** (Pyralidae) Synonym(s): *Sclerocona Meyrick, 1890*
1610. **Scoliopteryx Germar, 1811** (Noctuidae) Synonym(s): *Scoliopteryx Germar, 1811*; *Pterodonta Reichenbach, 1817*; *Ephemias Hübner, [1821]*; *Euphais Hüber, 1822*; *Gonoptera Berthold, 1827 nec Billb., 1820*
1611. **Scoparia Haworth, [1811]** (Pyralidae) Synonym(s): *Scoparia Haworth, [1811]*; *Eudorea Curtis, 1827*; *Scopea Haworth, 1828*; *Cholius Guenée, 1845*; *Phegea Gistel, 1848*; *Tetraprosopus Butler, 1882*; *Xeroscopa Meyrick, 1884*; *Eudoria Chapman, 1912*
1612. **Scopula Schrank, 1802** (Geometridae) Synonym(s): *Scopula Schrank, 1802*; *Sphecodes Hübner, 1822 nec Latr., 1804*; *Sarodria Sodoffsky, 1837*; *Sarothria Agassiz, 1847*
1613. **Scotochrosta Lederer, 1857** (Noctuidae) Synonym(s): *Scotochrosta Lederer, 1857*
1614. **Scotomera Butler, 1881** (Pyralidae) Synonym(s): *Scotomera Butler, 1881*

1615. **Scotopteryx Hübner, [1825]** (Geometridae) Synonym(s): *Scotopteryx* Hübner, [1825]; *Onychia* Hübner, [1825]; *Eubolia* Duponchel, 1829; *Phasiane* Duponchel, 1829; *Eusebia* Bruand, 1846 nec Dup., [1845]; *Limonophila* Gumpfenberg, 1887; *Forbachia* Albrecht, 1920.
1616. **Scrobipalpa (Ergasiola) Povolny, 1967** (Gelechiidae) Synonym(s): *Ergasiola* Povolny, 1967
1617. **Scrobipalpa Janse, 1951** (Gelechiidae) Synonym(s): *Scrobipalpa* Janse, 1951
1618. **Scrobipalpula Povolny, 1964** (Gelechiidae) Synonym(s): *Scrobipalpula* Povolny, 1964
1619. **Scythocentropus Speiser, 1902** (Noctuidae) Synonym(s): *Centropus* Christoph, 1889 nec Ill., 1811; *Scythocentropus* Speiser, 1902; *Echobemia* Hampson, 1908; *Hugonia* Alpheraky, 1908; #*Scythocentropia* Oberthür, 1912
1620. **Scythris Hübner, [1825]** (Scythridae) Synonym(s): *Scythris* Hübner, [1825]; *Galanthia* Hübner, [1825]; *Butalis* Treitschke, 1833 nec Boie, 1826; *Copida* Sodoffsky, 1837
1621. **Seeboldia Ragonot, 1887** (Pyralidae) Synonym(s): *Seeboldia* Ragonot, 1887
1622. **Sefidia Amsel, 1950** (Pyralidae) Synonym(s): *Sefidia* Amsel, 1950; #*Sefida* Whalley, 1970
1623. **Selagia Hübner, [1825]** (Pyralidae) Synonym(s): *Selagia* Hübner, [1825]; *Anacria* Chrétien, 1910
1624. **Selania Stephens, 1834** (Tortricidae) Synonym(s): *Selania* Stephens, 1834; *Chretienia* Obraztsov, 1968 nec Splr., 1910; *Mevlanaia* Koçak, 1981
1625. **Selenia Hübner, [1823]** (Geometridae) Synonym(s): *Selenia* Hübner, [1823]
1626. **Selidosema Hübner, [1823]** (Geometridae) Synonym(s): *Selidosema* Hübner, [1823]; *Spermo* Gumpfenberg, 1887.
1627. **Semagystia Schoorl, 1990** (Cossidae) Synonym(s): *Semagystia* Schoorl, 1990; #*Samagystia* De Freina, 1994
1628. **Semioscopis Hübner, [1825]** (Oecophoridae) Synonym(s): *Semioscopis* Hübner, [1825]; *Epigraphia* Stephens, 1829
1629. **Semitocossus Yakovlev, 2007** (Cossidae) Synonym(s): *Semitocossus* Yakovlev, 2007
1630. **Sena Walker, 1862** (Lasiocampidae) Synonym(s): *Sena* Walker, 1862
1631. **Sesamia Guenée, 1852** (Noctuidae) Synonym(s): *Sesamia* Guenée, 1852; *Microsemyra* Butler, 1883; *Conicophoria* Matsumura, 1929
1632. **Sesia Fabricius, 1775** (Sesiidae) Synonym(s): *Sesia* Fabricius, 1775; *Trochilium* Scopoli, 1777; *Aegeria* Fabricius, 1807; *Sphecia* Hübner, [1819]; *Setia* Meigen, 1829; *Trochilia* Speyer & Speyer, 1858 nec Duj., 1841; *Sphecodoptera* Hampson, 1893
1633. **Setina Schrank, 1802** (Arctiidae) Synonym(s): *Setina* Schrank, 1802; *Endrosa* Hübner, [1819]; *Philea* Zetterstedt, 1839
1634. **Setoctena Wallengren, 1863** (Noctuidae) Synonym(s): *Setoctena* Wallengren, 1863; *Pseudocalpe* Hampson, 1894 (praeocc.); *Metaculasta* Butler, 1898
1635. **Shargacucullia (Prenanthcucullia) Beck, 1996** (Noctuidae) Synonym(s): *Prenanthcucullia* Beck, 1996
1636. **Shargacucullia (s.str.) G.Ronkay & L.Ronkay, 1992** (Noctuidae) Synonym(s): *Shargacucullia* G.Ronkay & L.Ronkay, 1992
1637. **Shargacucullia (Verbascullia) G.Ronkay, L.Ronkay & Gyulai, 2011** (Noctuidae) Synonym(s): *Verbascullia* G.Ronkay, L.Ronkay & Gyulai, 2011
1638. **Shargacucullia G.Ronkay & L.Ronkay, 1992** (Noctuidae) Synonym(s): *Shargacucullia* G.Ronkay & L.Ronkay, 1992
1639. **Siclobola Diakonoff, 1947** (Tortricidae) Synonym(s): *Siclobola* Diakonoff, 1947
1640. **Sidemias Staudinger, 1892** (Noctuidae) Synonym(s): *Sidemias* Staudinger, 1892
1641. **Sideridis (Aneda) Sukhareva, 1973** (Noctuidae) Synonym(s): *Aneda* Sukhareva, 1973
1642. **Sideridis (Conisania) Hampson, 1905** (Noctuidae) Synonym(s): *Conisania* Hampson, 1905
1643. **Sideridis (Dianthivora) Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *Dianthivora* Varga & L.Ronkay, 1991
1644. **Sideridis (Luteohadena) Beck, 1991** (Noctuidae) Synonym(s): *Luteohadena* Beck, 1991
1645. **Sideridis (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Sideridis* Hübner, [1821]; *Colonsideridis* Beck, 1991.
1646. **Sideridis Hübner, [1821]** (Noctuidae) Synonym(s): *Sideridis* Hübner, [1821]; *Colonsideridis* Beck, 1991.
1647. **Simplicia Guenée, 1854** (Noctuidae) Synonym(s): *Simplicia* Guenée, 1854; *Libisosa* Walker, [1859]; *Culicula* Walker, 1864; *Aginna* Walker, 1865; *Nabatha* Moore, 1887
1648. **Simyra Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Simyra* Ochsenheimer, 1816
1649. **Siona Duponchel, 1829** (Geometridae) Synonym(s): *Siona* Duponchel, 1829; #*Sionia* Okyar & Aytaç, 1999
1650. **Sitochroa Hübner, [1825]** (Pyralidae) Synonym(s): *Sitochroa* Hübner, [1825]; *Spilodes* Guenée, 1849
1651. **Sitotroga Heinemann, 1870** (Gelechiidae) Synonym(s): *Sitotroga* Heinemann, 1870; *Nesolechia* Meyrick, 1921; *Syngenomictis* Meyrick, 1927
1652. **Smerinthus Latreille, [1802]** (Sphingidae) Synonym(s): *Smerinthus* Latreille, [1802]; *Dilina* Dalman, 1816; *Merinthus* Meigen, 1830; *Bebroptera* Sod., 1837; *Eusmerinthus* Grote, 1877; *Copismerinthus* Kirby, 1892; *Bellia* Tutt, 1902 (praeoc.); *Daddia* Tutt, 1902; *Nicholsonia* Tutt, 1902 (praeoc.); *Bellinca*, Niia Strand, 1943.

1653. **Sophronia Hübner, [1825]** (Gelechiidae) Synonym(s): *Sophronia Hübner, [1825]*
1654. **Sorhagenia Spuler, 1910** (Cosmopterigidae) Synonym(s): *Sorhagenia Spuler, 1910*; *Cystioecetes Braun, 1915*; *Sorhageniella Riedl, 1965*
1655. **Spaelotis Boisduval, 1840** (Noctuidae) Synonym(s): *Spaelotis Boisduval, 1840*
1656. **Sparganothis Hübner, [1825]** (Tortricidae) Synonym(s): *Sparganothis Hübner, [1825]*; *#Sparganothis Stephens, 1834*; *Oenectra Guenée, 1845*; *Oenophthira Duponchel, 1845*; *#Aenectra Doubleday, 1849*; *#Oenectra Wocke, 1871*; *#Sparganythis Matsumura, 1931*; *#Sparganotis Kodama, 1956*
1657. **Spatalia Hübner, [1819]** (Notodontidae) Synonym(s): *Spatalia Hübner, [1819]*; *Heterodonta Duponchel, [1845]*; *Spataliodes Matsumura, 1924*; *Stenospatalia Matsumura, 1924*
1658. **Sphingonaepiopsis Wallengren, 1858** (Sphingidae) Synonym(s): *Sphingonaepiopsis Wallengren, 1858*; *#Sphingonaepeopsis Tutt, 1904*; *Pterodonta Austaut, 1905 nec R.L., 1817*; *Neopterodonta Eitschberger, 1999*
1659. **Sphinx Linnaeus, 1758** (Sphingidae) Synonym(s): *Sphinx Linnaeus, 1758*; *Spectrum Scopoli, 1777*; *Hyloicus Hübner, [1819]*; *Lethia Hübner, [1819]*; *Herse Agassiz, 1846*; *Hyloecus Agassiz, 1846*; *Linthia Butler, 1876*; *Gargantua Kirby, 1892*; *Mesosphinx Cockerell, 1920*
1660. **Spilarctia Butler, 1875** (Arctiidae) Synonym(s): *Spilarctia Butler, 1875*; *#Spilaretia Lewvanich, 2001*
1661. **Spilonota Stephens, 1829** (Tortricidae) Synonym(s): *Spilonota Stephens, 1829*; *Tmetocera Lederer, 1859*
1662. **Spilosoma Curtis, 1825** (Arctiidae) Synonym(s): *#Olistheria Hübner, [1820]*; *Spilosoma Curtis, 1825*; *Rhagonis Walker, 1862*; *Spilarctia Butler, 1875*; *Thanatarctia Butler, 1877*
1663. **Spiniphallellus Bidzilya & Karsholt, 2008** (Gelechiidae) Synonym(s): *Spiniphallellus Bidzilya & Karsholt, 2008*
1664. **Spiris Hübner, [1819]** (Arctiidae) Synonym(s): *Spiris Hübner, [1819]*; *Callopis Billberg, 1820*; *Eulepia Curtis, 1825*; *Emydia Boisduval, 1828*
1665. **Spodoptera Guenée, 1852** (Noctuidae) Synonym(s): *Spodoptera Guenée, 1852*; *Calogramma Guenée, 1852*; *Laphygma Guenée, 1852*; *Prodenia Guenée, 1852*; *Rusidrina Staudinger, 1892*; *Douzdrina De Laever, 1985*
1666. **Spoladea Guenée, 1854** (Pyralidae) Synonym(s): *Spoladea Guenée, 1854*; *Hymenia auct.*
1667. **Spudaea Snellen, 1867** (Noctuidae) Synonym(s): *Spudaea Snellen, 1867*
1668. **Spuleria Hofmann, 1898** (Agonoxenidae) Synonym(s): *Spuleria Hofmann, 1898*
1669. **Spulerina Vari, 1961** (Gracillariidae) Synonym(s): *Spulerina Vari, 1961*
1670. **Stagmatophora Herrich-Schäffer, [1853]** (Cosmopterigidae) Synonym(s): *Stagmatophora Herrich-Schäffer, [1853]*; *Parastagmatophora Riedl, 1965*
1671. **Stamnodes Guenée, [1858]** (Geometridae) Synonym(s): *Stamnodes Guenée, [1858]*; *Tora Walker, 1867*; *Marmopteryx Packard, 1874*; *Synneuria Mabilie, 1885*; *Lissopsis W. Warren, 1894*; *Grammicopteryx Thierry-Mieg, 1904*
1672. **Standfussiana Boursin, 1946** (Noctuidae) Synonym(s): *Standfussiana Boursin, 1946*
1673. **Stangeia Tutt, 1906** (Pterophoridae) Synonym(s): *Stangeia Tutt, 1906*
1674. **Stauropus Germar, 1812** (Notodontidae) Synonym(s): *Stauropus Germar, 1812*; *Terasion Hübner, [1819]*; *Neostauropus Kiriakoff, 1967*
1675. **Stegania Guenée, [1845]** (Geometridae) Synonym(s): *Stegania Guenée, [1845]*; *Terpnomicta Lederer, 1853*; *Liposchema W. Warren, 1914*
1676. **Stemmatophora Guenée, 1854** (Pyralidae) Synonym(s): *Stemmatophora Guenée, 1854*; *Actenia Guenée, 1854*; *Maradana Moore, [1884]*; *Koremalepis Hampson, 1891*; *Libora Ragonot, 1891*; *Elicia Ragonot, 1892*; *Scotomerodes Ragonot, 1895*; *Stygiochroa Ragonot, 1895*
1677. **Stenodrina Boursin, 1937** (Noctuidae) Synonym(s): *Stenodrina Boursin, 1937*
1678. **Stenoecia W. Warren, 1911** (Noctuidae) Synonym(s): *Stenoecia W. Warren, 1911*
1679. **Stenolechia Meyrick, 1894** (Gelechiidae) Synonym(s): *Stenolechia Meyrick, 1894*; *Poecilia Heinemann, 1870 nec Schneider, 1801*; *Gibbosa Omelko, 1988*
1680. **Stenolechiodes Elsner, [1996]** (Gelechiidae) Synonym(s): *Stenolechiodes Elsner, [1996]*
1681. **Stenoptilia Hübner, [1825]** (Pterophoridae) Synonym(s): *Stenoptilia Hübner, [1825]*; *Mimaeseoptilus Wallengren, 1862*; *Mimeseoptilus Zeller, 1867*; *Doxosteres Meyrick, 1886*; *Adkinia Tutt, 1905*
1682. **Stenoptilodes Zimmermann, 1958** (Pterophoridae) Synonym(s): *Stenoptilodes Zimmermann, 1958*
1683. **Stephensia Stainton, 1858** (Elachistidae) Synonym(s): *Stephensia Stainton, 1858*; *Kumia Falkovich, 1986*; *Austriana Traugott-Olsen, 1995*; *Canariana Traugott-Olsen, 1995*; *Holstia Traugott-Olsen, 1995*; *Gibraltarensis Traugott-Olsen, 1996*; *Keafottia Traugott-Olsen, 1996 nec Fern., 1904*; *Keafottina Kemal & Koçak, 2006*
1684. **Stibaromacha Meyrick, 1928** (Autostichidae) Synonym(s): *Stibaromacha Meyrick, 1928*
1685. **Stigmella Schrank, 1802** (Nepticulidae) Synonym(s): *Stigmella Schrank, 1802*
1686. **Stilbina (s.str.) Staudinger, 1892** (Noctuidae) Synonym(s): *Stilbina Staudinger, 1892*
1687. **Stilbina Staudinger, 1892** (Noctuidae) Synonym(s): *Stilbina Staudinger, 1892*
1688. **Stiphrometasia Zerny, 1914** (Pyralidae) Synonym(s): *Stiphrometasia Zerny, 1914*
1689. **Stomopteryx Heinemann, 1870** (Gelechiidae) Synonym(s): *Stomopteryx Heinemann, 1870*; *Inotica Meyrick, 1913*; *Acraeologa Meyrick, 1921*; *Kahelia Turati, 1922*
1690. **Stomphastis Meyrick, 1912** (Gracillariidae) Synonym(s): *Stomphastis Meyrick, 1912*

1691. **Streya Janse, 1958** (Gelechiidae) **Synonym(s):** *Streya Janse, 1958*
1692. **Strophedra Herrich-Schäffer, [1854]** (Tortricidae) **Synonym(s):** *Strophosoma Herrich-Schäffer, [1853] nec Billb., 1820; Strophedra Herrich-Schäffer, [1854].*
1693. **Stueningia Hausmann, 1993** (Geometridae) **Synonym(s):** *Stueningia Hausmann, 1993; #Steeegania Riemis, 1996*
1694. **Stygioides Bruand, 1853** (Cossidae) **Synonym(s):** *Stygioides Bruand, 1853; Bruandia Desmarest, 1857; Psychidostygia Daniel, 1955; Danielostygia Reisser, 1962*
1695. **Susia Ragonot, 1888** (Pyralidae) **Synonym(s):** *Susia Ragonot, 1888; Anephoptyx Amsel, 1955.*
1696. **Swammerdamia Hübner, [1825]** (Yponomeutidae) **Synonym(s):** *Swammerdamia Hübner, [1825]; #Swammerdamia Dugdale, Kristensen, Robinson & Scoble, 1999*
1697. **Symmoca Hübner, [1825]** (Autostichidae) **Synonym(s):** *Symmoca Hübner, [1825]; Mylothra Meyrick, 1907; Paradoris Meyrick, 1907 (preocc.); Nastoceras Chrétien, 19212 (preocc.); Asarista Meyrick, 1935; Irenidora Meyrick, 1938; Nastocerella Fletcher, 1940; Conquassata Gozmany, 1957; Kertomesis Gozmany, 1962; Hieronala Gozmany, 1963; Megasyymmoca Gozmany, 1963; Symmacantha Gozmany, 1963; Xenoplaxa Gozmany, 1963*
1698. **Synansphecchia Capuse, 1973** (Sesiidae) **Synonym(s):** *Synansphecchia Capuse, 1973*
1699. **Synanthedon Hübner, [1819]** (Sesiidae) **Synonym(s):** *Synanthedon Hübner, [1819]; Conopia Hübner, [1819]; Pyrhotani Grote, 1875; Vespamima Beutenmüller, 1894; Thamnosphecchia Spuler, 1910; Sylvora Engelhardt, 1946; Tipulia Kralicek & Povolny, 1977*
1700. **Synaphe Hübner, [1825]** (Pyralidae) **Synonym(s):** *Synaphe Hübner, [1825]; Cledeobia Stephens, 1829; Mitopoda Mann, 1854.*
1701. **Synclera Lederer, 1863** (Pyralidae) **Synonym(s):** *Synclera Lederer, 1863; #Synclera Möschler, 1886*
1702. **Syncopacma Meyrick, 1925** (Gelechiidae) **Synonym(s):** *Harpagus Stephens, 1834 nec Vigors, 1824; Syncopacma Meyrick, 1925*
1703. **Syndemis Hübner, [1825]** (Tortricidae) **Synonym(s):** *Syndemis Hübner, [1825]*
1704. **Syngrapha Hübner, [1821]** (Noctuidae) **Synonym(s):** *Syngrapha Hübner, [1821]; Caloplusia Smith, 1884; Palaeographa Kljutschko, 1983; Aingrapha Beck, 1991; Diasyngrapha Beck, 1991; Microsyngrapha Beck, 1991; Parsyngrapha Beck, 1991*
1705. **Synopsia Hübner, [1825]** (Geometridae) **Synonym(s):** *Synopsia Hübner, [1825]*
1706. **Synopsidia Djakonov, 1935** (Geometridae) **Synonym(s):** *Synopsidia Djakonov, 1935; Hashtaresia Wehrli, 1936*
1707. **Synoria Ragonot, 1888** (Pyralidae) **Synonym(s):** *Synoria Ragonot, 1888*
1708. **Syrianarpia Leraut, 1982** (Pyralidae) **Synonym(s):** *Syrianarpia Leraut, 1982*
1709. **Syringopais M. Hering, 1919** (Deoclonidae) **Synonym(s):** *Syringopais M. Hering, 1919; Nochelodes Meyrick, 1920*
1710. **Tabulaephorus Arenberger, 1993** (Pterophoridae) **Synonym(s):** *Tabulaephorus Arenberger, 1993*
1711. **Taftania Amsel, 1951** (Pyralidae) **Synonym(s):** *Taftania Amsel, 1951*
1712. **Taleporia Hübner, [1825]** (Psychidae) **Synonym(s):** *Taleporia Hübner, [1825]; Cochleophasia Curtis, 1834; Solenobia Duponchel, [1843]; Cochliophasia Agassiz, 1847; Talaeporia Agassiz, 1847*
1713. **Talis Guenée, 1845** (Pyralidae) **Synonym(s):** *Talis Guenée, 1845; Prosmixis Zeller, 1846; Araxates Ragonot, 1888; Drasa Kapur, 1950 nec Bryant, 1941*
1714. **Tarachephia Hampson, 1926** (Noctuidae) **Synonym(s):** *Tarachephia Hampson, 1926*
1715. **Tathorhynchus Hampson, 1894** (Noctuidae) **Synonym(s):** *Tathorhynchus Hampson, 1894; #Tathorhynchus Bethune-Baker, 1911; Xymehops Viette, 1954*
1716. **Tebenna Billberg, 1820** (Choreutidae) **Synonym(s):** *Tebenna Billberg, 1820; Porpe Hübner, [1825]*
1717. **Tecmerium Walsingham, 1907** (Blastobasidae) **Synonym(s):** *Tecmerium Walsingham, 1907; Oroclintrus Gozmany, 1957*
1718. **Tegostoma Zeller, 1847** (Pyralidae) **Synonym(s):** *Tegostoma Zeller, 1847*
1719. **Teinoptera Calberla, 1891** (Noctuidae) **Synonym(s):** *Teinoptera Calberla, 1891; Copiphana Hampson, 1906*
1720. **Telechrysis Toll, 1956** (Oecophoridae) **Synonym(s):** *Telechrysis Toll, 1956*
1721. **Teleiodes Sattler, 1960** (Gelechiidae) **Synonym(s):** *Teleia Heinemann, 1870 nec Hübn., [1825]; Teleiodes Sattler, 1960; Dubitationis M. Omelko & N. Omelko, 1998*
1722. **Teleiopsis Sattler, 1960** (Gelechiidae) **Synonym(s):** *Teleiopsis Sattler, 1960*
1723. **Teliphasa (Sultania) Koçak, 1987** (Pyralidae) **Synonym(s):** *Sultania Koçak, 1987*
1724. **Teliphasa Moore, 1887** (Pyralidae) **Synonym(s):** *Teliphasa Moore, 1887*
1725. **Telphusa Chambers, 1872** (Gelechiidae) **Synonym(s):** *Telphusa Chambers, 1872; Adrasteia Chambers, 1872; Adrastia Kirby, 1874*
1726. **Tephrys Ragonot, 1891** (Pyralidae) **Synonym(s):** *Tephrys Ragonot, 1891; Aphyletes Ragonot, 1893*
1727. **Tephronia Hübner, [1825]** (Geometridae) **Synonym(s):** *Tephronia Hübner, [1825]; Mniophila Boisduval, 1840 nec Stph., 1834; Gymnospile Gumpfenberg, 1887; L.B. Mannia Prout, 1915 nec Davidson, 1874; Eumannia D.S. Fletcher, 1979*

- 1728. Tethea Ochsenheimer, 1816** (Thyatiridae) Synonym(s): *Tethea Ochsenheimer*, 1816; *Palimpsestis* Hübner, [1821]; *Bombycia* Hübner, 1822; *Ceropacha* Stephens, 1829; *Ceratopacha* Stephens, 1850; *Saronaga* Moore, 1881; *Eutethia* Grote, 1902; *Episaronaga* Matsumura, 1933
- 1729. Thaleria Hübner, [1823]** (Geometridae) Synonym(s): *Thaleria* Hübner, [1823]; *Chlorochroma* Duponchel, [1845]; *Heterothaleria* Bryk, 1949
- 1730. Thalpophila Hübner, [1820]** (Noctuidae) Synonym(s): *Thalpophila* Hübner, [1820]; *Cerigo* Stephens, 1829; *#Talpophila* W. Warren, 1911
- 1731. Thaumetopoea (s.str.) Hübner, [1820]** (Thaumetopoeidae) Synonym(s): *Thaumetopoea* Hübner, [1820]; *Cnethocampa* Stephens, 1828; *Helianthocampa* De Freina & Witt, 1985
- 1732. Thaumetopoea (Traumatocampa) Wallengren, 1871** (Thaumetopoeidae) Synonym(s): *Traumatocampa* Wallengren, 1871
- 1733. Thaumetopoea Hübner, [1820]** (Thaumetopoeidae) Synonym(s): *Thaumetopoea* Hübner, [1820]; *Cnethocampa* Stephens, 1828; *Helianthocampa* De Freina & Witt, 1985
- 1734. Thera (Pennithera) Viidalepp, 1980** (Geometridae) Synonym(s): *Pennithera* Viidalepp, 1980
- 1735. Thera Stephens, 1831** (Geometridae) Synonym(s): *Thera* Stephens, 1831; *Corythea* Duponchel, [1845]
- 1736. Therapis Hübner, [1823]** (Geometridae) Synonym(s): *Therapis* Hübner, [1823]; *Caustoloma* Lederer, 1853
- 1737. Theresimima Strand, 1917** (Zygaenidae) Synonym(s): *Theresia* Spuler, 1906 nec Robineau-Desvoidy, 1830; *Theresimima* Strand, 1917
- 1738. Theretra Hübner, [1819]** (Sphingidae) Synonym(s): *Theretra* Hübner, [1819]; *Oreus* Hübner, [1819]; *Gnathostypis* Wallengren, 1858; *Hathia* Moore, [1882]; *Florina* Tutt, 1903.
- 1739. Theria Hübner, [1825]** (Geometridae) Synonym(s): *Theria* Hübner, [1825]; *Cheimatobia* Stephens, 1829; *Chimatobia* Agassiz, 1847
- 1740. Thetidia Boisduval, 1840** (Geometridae) Synonym(s): *Euchloris* Hübner, [1823] nec Bill., 1820; *Thetidia* Boisduval, 1840; *Aglossochloris* L.B. Prout, 1912; *Antonechloris* Raineri, 1994
- 1741. Thiodia Hübner, [1825]** (Tortricidae) Synonym(s): *Thiodia* Hübner, [1825]; *Botropteryx* Caradja, 1916; *Gypsonomoides* Obraztsov, 1946; *Foveifera* Obraztsov, 1946.
- 1742. Thisanotia Hübner, [1825]** (Pylalidae) Synonym(s): *Thisanotia* Hübner, [1825]
- 1743. Tholera Hübner, [1821]** (Noctuidae) Synonym(s): *Tholera* Hübner, [1821]; *Neuronia* Hübner, [1821]; *Charaeas* Stephens, 1829; *Nevronia* Agassiz, 1847; *Epineuronia* Rebel, 1901
- 1744. Thopeutis Hübner, 1818** (Pylalidae) Synonym(s): *#Tetrachila* Hübner, 1808; *Thopeutis* Hübner, 1818; *Topeutis* Hübner, [1825]; *Cephis* Ragonot, 1892; *Stenochilo* Hampson, 1896; *Homburgia* De Joannis, 1910.
- 1745. Thospia Ragonot, 1888** (Pylalidae) Synonym(s): *Thospia* Ragonot, 1888
- 1746. Thria Walker, [1858]** (Noctuidae) Synonym(s): *Thria* Walker, [1858]; *Subpandesma* Berio, 1966
- 1747. Thumatha Walker, 1866** (Arctiidae) Synonym(s): *Thumatha* Walker, 1866; *Pelobrochis* Lucas, 1892; *Dictenus* Butler, 1897.
- 1748. Thyatira Ochsenheimer, 1816** (Thyatiridae) Synonym(s): *Thyatira* Ochsenheimer, 1816; *Strophia* Ochsenheimer, 1816; *Calleida* Sodoffsky, 1837 nec Latr., 1824; *Thyathira* Bruand, 1845
- 1749. Thyridiphora W. Warren, 1888** (Pylalidae) Synonym(s): *Thyridiphora* W. Warren, 1888; *#Thyridiphora* Hampson, 1896
- 1750. Thyris Laspeyres, 1803** (Thyridae) Synonym(s): *Thyris* Laspeyres, 1803; *Apyralis* Hübner, 1822
- 1751. Thysanoplusia (Daubeplusia) Beck, 1991** (Noctuidae) Synonym(s): *Daubeplusia* Beck, 1991
- 1752. Thysanoplusia (s.str.) Ichinose, 1973** (Noctuidae) Synonym(s): *Thysanoplusia* Ichinose, 1973
- 1753. Thysanoplusia Ichinose, 1973** (Noctuidae) Synonym(s): *Thysanoplusia* Ichinose, 1973
- 1754. Tila Povolny, 1965** (Gelechiidae) Synonym(s): *Tila* Povolny, 1965
- 1755. Tiliacea Tutt, 1896** (Noctuidae) Synonym(s): *Tiliacea* Tutt, 1896; *Aurxanthia* Beck, 1991
- 1756. Timandra Duponchel, 1829** (Geometridae) Synonym(s): *Timandra* Duponchel, 1829; *Bradyepetes* Stephens, 1829; *Bradyepetes* Agassiz, 1847
- 1757. Tinagma Zeller, 1839** (Douglassiidae) Synonym(s): *Tinagma* Zeller, 1839
- 1758. Tinea Linnaeus, 1758** (Tineidae) Synonym(s): *Tinea* Linnaeus, 1758; *Tinaea* Geoffroy, 1762; *Tinearia* Rafinesque, 1815; *Ses* Hübner, 1822; *Acedes* Hübner, [1825]; *Autoses* Hübner, [1825]; *Scleroplasta* Meyrick, 1919; *Dystinea* Börner, 1925; *#Monopina* Zagulyaev, 1955; *Tineopsis* Zagulyaev, 1960; *Tineopsis* Bradley, 1972
- 1759. Tineola Herrich-Schäffer, [1853]** (Tineidae) Synonym(s): *Tineola* Herrich-Schäffer, [1853]
- 1760. Tinthia Walker, [1865]** (Sesiidae) Synonym(s): *Tinthia* Walker, [1865]; *Soronia* Moore, 1877 nec Erichson, 1843; *Zenodoxus* auct.
- 1761. Tischeria Zeller, 1839** (Tischeriidae) Synonym(s): *Tischeria* Zeller, 1839
- 1762. Titanio Hübner, [1825]** (Pylalidae) Synonym(s): *Titanio* Hübner, [1825]; *Titania* Agassiz, 1846; *Noctuomorpha* Guenée, 1854; *Cleptotypodes* Minet, 1983; *Denticornutia* Martin, 1986
- 1763. Toliella Riedl, 1969** (Cosmopterigidae) Synonym(s): *Toliella* Riedl, 1969
- 1764. Tortilia Chrétien, 1908** (Stathmopodidae) Synonym(s): *Tortilia* Chrétien, 1908; *Diadoxastis* Meyrick, 1913; *Apertodiscus* Amsel, 1935

1765. **Tortricodes Guenée, 1845** (Tortricidae) Synonym(s): *Oporinia Hübner, [1825] nec Hbn., [1825]; Tortricodes Guenée, 1845*
1766. **Tortrix Linnaeus, 1758** (Tortricidae) Synonym(s): *Tortrix Linnaeus, 1758; Heterognomon Lederer, 1859*
1767. **Trachea Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Trachea Ochsenheimer, 1816; Achatis Billberg, 1820; Berrhaea Walker, 1858*
1768. **Trachonitis Zeller, 1848** (Pyrilidae) Synonym(s): *Trachonitis Zeller, 1848*
1769. **Tretopteryx Ragonot, 1890** (Pyrilidae) Synonym(s): *Tretopteryx Ragonot, 1890*
1770. **Triaxomera Zagulyaev, 1959** (Tineidae) Synonym(s): *Triaxomera Zagulyaev, 1959*
1771. **Triberta De Prins, 2013** (Gracillariidae) Synonym(s): *Triberta De Prins, 2013*
1772. **Trichiura (s.str.) Stephens, 1828** (Lasiocampidae) Synonym(s): *Trichiura Stephens, 1828; Trichola Gistel, 1848*
1773. **Trichiura Stephens, 1828** (Lasiocampidae) Synonym(s): *Trichiura Stephens, 1828; Trichola Gistel, 1848*
1774. **Trichodezia W. Warren, 1895** (Geometridae) Synonym(s): *Trichodezia W. Warren, 1895; Neodezia W. Warren, 1904*
1775. **Trichophaga Ragonot, 1894** (Tineidae) Synonym(s): *Trichophaga Ragonot, 1894*
1776. **Trichoplusia McDunnough, 1944** (Noctuidae) Synonym(s): *Trichoplusia McDunnough, 1944; Thysanoplusia Inoue, 1973; Daubeplusia Beck, 1991.*
1777. **Trifurcula (Glaucolepis) Braun, 1917** (Nepticulidae) Synonym(s): *Glaucolepis Braun, 1917; Fedalmia Beirne, 1945; Sinoptricula Yang, 1989*
1778. **Trifurcula (Levarchama) Beirne, 1945** (Nepticulidae) Synonym(s): *Levarchama Beirne, 1945*
1779. **Trifurcula Zeller, 1848** (Nepticulidae) Synonym(s): *Trifurcula Zeller, 1848*
1780. **Triodia Hübner, [1820]** (Hepialidae) Synonym(s): *Triodia Hübner, [1820]; Alphus Wallengren, 1869 nec Thomson, 1860*
1781. **Triphosa Stephens, 1829** (Geometridae) Synonym(s): *Triphosa Stephens, 1829; Umbrosina Bruand, 1847; Speluncaris Bruand, 1847; Strepsizuga W. Warren, 1908*
1782. **Trisateles Tams, 1939** (Noctuidae) Synonym(s): *Aethia Hübner, [1825] nec Merrem, 1788; Sophronia Duponchel, [1845] nec Hbn., [1825]; Standfussia Spuler, 1907 nec Tutt, 1900; Trisateles Tams, 1939*
1783. **Turcopalpa Povolny, 1973** (Gelechiidae) Synonym(s): *Turcopalpa Povolny, 1973*
1784. **Tuta Kieffer & Jörgensen, 1910** (Gelechiidae) Synonym(s): *Tuta Kieffer & Jörgensen, 1910*
1785. **Typhonia Boisduval, 1834** (Psychidae) Synonym(s): *Coracia Hübner, [1819] nec Brisson, 1760; #Corasia Hübner, [1826]; Typhonia Boisduval, 1834; Melasina Boisduval, 1840; Melapsyche Kozhanchikov, 1956*
1786. **Tyria Hübner, [1819]** (Arctiidae) Synonym(s): *#Hipocrita Hübner, [1808] (rejected name); Tyria Hübner, [1819]; Euchelia Boisduval, 1828.*
1787. **Tyta Billberg, 1820** (Noctuidae) Synonym(s): *Tyta Billberg, 1820; Dysthymia Newman, 1863*
1788. **Udea Guenée, [1845]** (Pyrilidae) Synonym(s): *Udea Guenée, [1845]; Stantira Walker, 1863; Melanomecyna Butler, 1883; Mnesictena Meyrick, 1884; Protocolletis Meyrick, 1888; Mimudea W. Warren, 1892; Prototaulacistis Meyrick, 1899; Eudaimonisma Lucas, 1902; Otiophora Turner, 1908; Emphylica Turner, 1913; Notophytis Meyrick, 1932*
1789. **Ulochlaena Lederer, 1857** (Noctuidae) Synonym(s): *Ulochlaena Lederer, 1857*
1790. **Uresiphita Hübner, [1825]** (Pyrilidae) Synonym(s): *Uresiphita Hübner, [1825]; Uresiphoeta Agassiz, 1847; Mecyna Guenée, 1854 nec Doubl., [1849]*
1791. **Utetheisa Hübner, [1819]** (Arctiidae) Synonym(s): *Utetheisa Hübner, [1819]; Deiopeia Curtis, 1827.*
1792. **Valdovecaria Zerny, 1927** (Pyrilidae) Synonym(s): *Valdovecaria Zerny, 1927*
1793. **Valeria Stephens, 1829** (Noctuidae) Synonym(s): *Valeria Stephens, 1829*
1794. **Valerietta Draudt, 1938** (Noctuidae) Synonym(s): *Valerietta Draudt, 1938*
1795. **Venusia Curtis, 1839** (Geometridae) Synonym(s): *Venusia Curtis, 1839; Discoloxia W. Warren, 1895; Nomenia Pearsall, 1905*
1796. **Victrix (Rasihia) Koçak, 1989** (Noctuidae) Synonym(s): *Christophia Varga & Ronkay, 1989 nec Rag., 1887; Rasihia Koçak, 1989.*
1797. **Victrix (s.str.) Staudinger, 1879** (Noctuidae) Synonym(s): *Victrix Staudinger, 1879*
1798. **Victrix Staudinger, 1879** (Noctuidae) Synonym(s): *Victrix Staudinger, 1879*
1799. **Vulcaniella Riedl, 1965** (Cosmopterigidae) Synonym(s): *Vulcaniella Riedl, 1965*
1800. **Watsonalla Minet, 1985** (Drepanidae) Synonym(s): *Watsonalla Minet, 1985*
1801. **Watsonarctia Freina & Witt, 1984** (Arctiidae) Synonym(s): *Watsonarctia Freina & Witt, 1984; Eurachia Dubatolov, 1985; Eucastana Leraut, 1985.*
1802. **Wegneria Diakonoff, 1951** (Tineidae) Synonym(s): *Wegneria Diakonoff, 1951*
1803. **Wehrliola Strand, 1932** (Geometridae) Synonym(s): *Pfeifferia Wehrli, 1932 nec Gray, 1853; Wehrliola Strand, 1932; Pfeifferula Wehrli, 1934*
1804. **Wheeleria Tutt, 1905** (Pterophoridae) Synonym(s): *Wheeleria Tutt, 1905*
1805. **Wittia de Freina, 1980** (Arctiidae) Synonym(s): *Systrophia Hübner, [1819] nec Illig., 1806; Wittia de Freina, 1980; Strytopha Arora & Chaudhury, 1982*

- 1806. *Xanthia (Cirrha) Hübner, [1821]*** (Noctuidae) Synonym(s): *Cirrha Hübner, [1821]*
- 1807. *Xanthia Ochsenheimer, 1816*** (Noctuidae) Synonym(s): *Xanthia Ochsenheimer, 1816; Citria Hübner, [1821]; Mellinia Hübner, [1821]; Euthemonia Gistel, 1848 nec Stph., 1828*
- 1808. *Xanthocrambus Bleszynski, 1957*** (Pyralidae) Synonym(s): *#Xanthocrambus Bleszynski, 1955; Xanthocrambus Bleszynski, 1957*
- 1809. *Xanthodes Guenée, 1852*** (Noctuidae) Synonym(s): *Acontia Hübner, [1823] nec Ochs., 1816; Xanthodes Guenée, 1852*
- 1810. *Xanthorhoe Hübner, [1825]*** (Geometridae) Synonym(s): *Xanthorhoe Hübner, [1825]; Malenydris Hübner, [1825]; Ochyria Hübner, [1825]; Cidaria Stephens, 1829; Coremia Guenée, [1845] nec Audinet-Serville, 1834; Scotocoremia Butler, 1882; Monochryria W. Warren, 1901; Anisolasia W. Warren, 1904*
- 1811. *Xanthothrix Edwards, 1878*** (Noctuidae) Synonym(s): *Xanthothrix Edwards, 1878*
- 1812. *Xenochlorodes W. Warren, 1897*** (Geometridae) Synonym(s): *Xenochlorodes W. Warren, 1897; Hissarica Viidalepp, 1988*
- 1813. *Xenolechia Meyrick, 1895*** (Gelechiidae) Synonym(s): *Xenolechia Meyrick, 1895*
- 1814. *Xenophysa Boursin, 1969*** (Noctuidae) Synonym(s): *Xenophysa Boursin, 1969*
- 1815. *Xerocnephasia Leraut, [1979]*** (Tortricidae) Synonym(s): *Xerocnephasia Leraut, [1979]*
- 1816. *Xestia (Megasema) Hübner, [1821]*** (Noctuidae) Synonym(s): *Megasema Hübner, [1821]; Agrotiphila Grote, 1876; Agrotimorpha Barnes & McDunnough, 1929; Ashworthia Beck, 1996*
- 1817. *Xestia (s.str.) Hübner, 1818*** (Noctuidae) Synonym(s): *Xestia Hübner, 1818; Amathes Hübner, [1821]; Lytaea Stephens, 1829; Segetia Stephens, 1829; Hiptelia Guenée, 1852; Ericarthia Beck, 1996; Castanasta Beck, 1996; Palkermes Beck, 1996; Monticollia Beck, 1996*
- 1818. *Xestia Hübner, 1818*** (Noctuidae) Synonym(s): *Xestia Hübner, 1818; Amathes Hübner, [1821]; Lytaea Stephens, 1829; Segetia Stephens, 1829; Hiptelia Guenée, 1852; Ericarthia Beck, 1996; Castanasta Beck, 1996; Palkermes Beck, 1996; Monticollia Beck, 1996*
- 1819. *Xylena Ochsenheimer, 1816*** (Noctuidae) Synonym(s): *Xylena Ochsenheimer, 1816; Xylites R.L., 1817; Xylina Treitschke, 1826; Calocampa Stephens, 1829; Callicampa Agassiz, 1846*
- 1820. *Xylocampa Guenée, 1837*** (Noctuidae) Synonym(s): *Xylocampa Guenée, 1837*
- 1821. *Xylomoia Staudinger, 1892*** (Noctuidae) Synonym(s): *Xylomoia Staudinger, 1892; Xylomoia Hampson, 1909*
- 1822. *Xystophora Wocke, 1876*** (Gelechiidae) Synonym(s): *Doryphora Heinemann, 1870 nec Ill., 1807; Xystophora Wocke, 1876; Doryphorella Cockerell, 1888; #Xytosphora Pierce & Metcalfe, 1935*
- 1823. *Yponomeuta Latreille, 1796*** (Yponomeutidae) Synonym(s): *Yponomeuta Latreille, 1796*
- 1824. *Ypsolopha Latreille, [1796]*** (Yponomeutidae) Synonym(s): *Ypsolopha Latreille, 1796; Ypsolophus Fabricius, 1798; Cerostoma Latreille, 1802; Hypsolopha Billberg, 1820; Theristis Hübner, [1825]; Harpipterix Hübner, [1825]; Abebaea Hübner, [1825]; Harpipterix Stephens, 1834; Chaetochilus Stephens, 1834; Pteroxia Guenée, 1845; Hypolepia Guenée, 1845; Credemnon Wallengren, 1880; Periclymenobius Wallengren, 1880; Trachoma Wallengren, 1880; Pycnopogon Chrétien, 1922 nec Loew, 1847*
- 1825. *Zebeeba Kirby, 1892*** (Noctuidae) Synonym(s): *Nycteola Herrich-Schäffer, [1851] nec Hbn., 1822; Zebeeba Kirby, 1892*
- 1826. *Zeiraphera Treitschke, 1829*** (Tortricidae) Synonym(s): *Zeiraphera Treitschke, 1829; Charlotta Forbes, 1923; Sinusia Caradja, 1916*
- 1827. *Zekelita (Ravalita) Lödl & Mayerl, 1997*** (Noctuidae) Synonym(s): *Ravalita Lödl & Mayerl, 1997*
- 1828. *Zekelita (Rhynchodontodes) W. Warren, 1913*** (Noctuidae) Synonym(s): *Rhynchodontodes W. Warren, 1913*
- 1829. *Zekelita (s.str.) Walker, 1863*** (Noctuidae) Synonym(s): *Zekelita Walker, 1863*
- 1830. *Zekelita Walker, 1863*** (Noctuidae) Synonym(s): *Zekelita Walker, 1863*
- 1831. *Zelleria Stainton, 1849*** (Yponomeutidae) Synonym(s): *Zelleria Stainton, 1849; Eudrymopa Lower, 1908*
- 1832. *Zenophassus Tindale, 1941*** (Hepialidae) Synonym(s): *Zenophassus Tindale, 1941*
- 1833. *Zethes Rambur, 1833*** (Noctuidae) Synonym(s): *Zethes Rambur, 1833*
- 1834. *Zeuzera Latreille, 1804*** (Cossidae) Synonym(s): *Zeuzera Latreille, 1804; Aegolia Billberg, 1820; Latagia Hübner, [1820]*
- 1835. *Zitha Walker, [1866]*** (Pyralidae) Synonym(s): *Zitha Walker, [1866]; Tegulifera Saalmüller, 1880; Tamraca Moore, 1887; Angenora Ragonot, 1891; Katja Amsel, 1951; Praekatja Amsel, 1961*
- 1836. *Zophodia Hübner, [1825]*** (Pyralidae) Synonym(s): *Zophodia Hübner, [1825]; Olyca Walker, 1857; Melitara Walker, 1863; Dakrura Grote, 1878; Megaphycis Grote, 1882; Ozamia Ragonot, 1901; Yosemiteia Ragonot, 1901; Cactobrosis Dyar, 1915; Olycella Dyar, 1928; Parolyca Dyar, 1928; Nanaia Heinrich, 1929*
- 1837. *Zophodiodes Ragonot, 1887*** (Pyralidae) Synonym(s): *Zophodiodes Ragonot, 1887*
- 1838. *Zygaena (Agrumenia) Hübner, [1819]*** (Zygaenidae) Synonym(s): *Agrumenia Hübner, [1819]; Epizygaena Jordan, 1907; Agrumenoidea Holik, 1937; Coelestina Holik, 1953*
- 1839. *Zygaena (Mesembrynus) Hübner, [1819]*** (Zygaenidae) Synonym(s): *Mesembrynus Hübner, [1819]; Heschia Hübner, [1819]; Hyala Burgeff, 1926 nec Adams, 1852; Santolinophaga Burgeff, 1926; Peucedanophila Burgeff, 1926; Coelestis Burgeff, 1926; Yasumatsuia Strand, 1936; #Cirsiphaga Holik, 1953; Libania Holik &*

Sheljuzhko,1956; Usgenta Holik & Sheljuzhko,1956; Mesembrynoidea Holik & Sheljuzhko,1956; Cirsiphaga Tremewan,1961

1840. *Zygaena* (s.str.) Fabricius,1775 (Zygaenidae) Synonym(s): *Zygaena* Fabricius,1775; *Anthrocera* Scopoli,1777; *Euthychia* Hübner,[1819]; *Anthilaria* Hübner,[1819]; *Aeacis* Hübner,[1819]; *Thermophila* Hübner,[1819]; *Lycastes* Hübner,[1819]; *Silvicola* Burgeff,1926; *Lictoria* Burgeff,1926; *Peristygia* Burgeff,1926; *Polymorpha* Burgeff,1926 nec Soldani,1791; *Biezankoia* Strand,1936; *Huebneriana* Holik & Sheljuzhko,1957; *Burgeffia* Holik & Sheljuzhko,1957; *Rhaphidozygaena* Burgeff,1975

1841. *Zygaena* Fabricius,1775 (Zygaenidae) Synonym(s): *Zygaena* Fabricius,1775; *Anthrocera* Scopoli,1777; *Euthychia* Hübner,[1819]; *Anthilaria* Hübner,[1819]; *Aeacis* Hübner,[1819]; *Thermophila* Hübner,[1819]; *Lycastes* Hübner,[1819]; *Silvicola* Burgeff,1926; *Lictoria* Burgeff,1926; *Peristygia* Burgeff,1926; *Polymorpha* Burgeff,1926 nec Soldani,1791; *Biezankoia* Strand,1936; *Huebneriana* Holik & Sheljuzhko,1957; *Burgeffia* Holik & Sheljuzhko,1957; *Rhaphidozygaena* Burgeff,1975

List of the butterfly species of Turkey

The butterflies are listed below in alphabetical order as 412 species in 9 families.

Argynnidae (=Nymphalidae auct.)

1. **Aglais urticae (Linnaeus, 1758)** (Argynnidae) Synonym(s): *urticae* Linnaeus, 1758; *opima* Verity, 1919; *variegata* Querci, 1932; *strandii* Verity, 1936. Range (as codes): AL Bn Kts AT Ba BE BG BY CH CN Co CZ DE Dj DK EE ES FI FR GB GR HU IE Ii IS IT KG LB LT LU LV MK MN NL NO PL PT RO RU Sa SE Sem SI Si SK Sm So Sr Ti Tk TR T-S UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sr So Tt Sb Ch Kg Or Uk Aq Rk Kt Pp Kw Ty Om Pw No To Mu Kuz Sli At Mn Sp Tk As Tm Db Buc Ssn Tar Sau DsA TrA Ax KuA TeA Um Ku Kml Adu IQ IR Ab Jal Ak Elb Th Mz Kh GG AM AZ Smt Bku Cc US Msc Ny Arr Nra 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 56 58 60 61 62 65 66 69 70 73 74 75 76 78 81 02Fz 04D 04Db 05A 06D 06G 06H 06R 06Rd 12B 13A 13Ab 13Ax 13B 13Bg 13G 13Gs 13Gv 13Gw 23D 23Dc 25C 25Ca 25F 25Fa 25Fb 25Fc 30B 30Bb 30Ba2 30Bc 30Bk 30Bp 30C 30Ca 30D 30Df 30Dx 31M 33R 33Rb 39C 46G 46Gf 49E 49Ea 49F 49Fd 56F 56Fc 58G 58Ga 58R 62G 62Ga 65A 65Am 65Aa 65Am3 65As 65B 65Bk 65Bx 65D 65Dc 65Dc 65Dd 65Df 65Dk 65Dr 65Drb 65E 65Eb 65G 65Gd 65Ge 65Gv 65Gz 65F 65Fg 65Fj 65Fp 65Fq 65F2 65Fz 65K 65Kl 65Z 65Kg 65L 65Le 65N 65Nk 65Nr2 65Nm 66A 66P 66Pa 73A 73Ae 75F 75Fg 75Fj
2. **Apatura ilia ([Denis & Schiffermüller], 1775)** (Argynnidae) Synonym(s): *ilia* [Denis & Schiffermüller], 1775; *clytie* [Denis & Schiffermüller], 1775; *luteus* Esper, 1777; *roeselii* Bergsträßer, 1779; *vulgaris* Bergsträßer, 1779; *rubescens* Esper, 1781; *eos* Rossi, 1794; *julia* Schrank, 1801; *astasia* Hübner, 1826; *heos* Meigen, 1828, etc. Range (as codes): Ao AT Wn Ba BE BY CH CZ DE EE ES FR GR HU IT KG LT LU LV MK NL PL PT RU SK Sm So Sr TR UA Uk VI YU AL CN Ui Gn Rth Cc 75 75F 75Fa
3. **Apatura metis Freyer, 1829** (Argynnidae) Synonym(s): *metis* Freyer, 1829 Range (as codes): At BG BY GR HU RO RU Sb Sm So Sp Sr TR UA VI MK Sb KR KP JP Am Prj Us CN Mc Om KG Pw Ao 22 39 59 22M
4. **Araschnia levana (Linnaeus, 1758)** (Argynnidae) Synonym(s): *levana* Linnaeus, 1758; *prorsa* Linnaeus, 1758. Range (as codes): Bn At AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB GR Cc GG Lag Kak HU IT KG Kr LT LU LV NL PL RO RU Da SE SK Sm So Sr TR UA Uk VI YU Kts 22 39 39C
5. **Argynnis (Fabriciana) adippe (Rottemburg, 1775)** (Argynnidae) Synonym(s): *cydippe* Linnaeus, 1761 (rejected); *berecynthia* Poda, 1761 (rejected); *adippe* Rottemburg, 1775; *phryxa* Bergsträßer, 1780; *margaritacea* Retzius, 1783; *syrinx* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriope* Borkhausen, 1788; *baiuvarica* Spuler, 1901, etc. Range (as codes): Al AM AZ AL Amd At Bn Kts AT Aty Ba BE BG BY CH CN CZ DE DK EE ES FI FR GB GG GR HU Ir IR IT JP Ju KK KG Kl KP Kr Ld LT LU LV MK MN NL NO PK Gg PL Pm PT RO RU SE Si SK Sm So Sr TR Ts T-S UA Ui Prj Us YU Cw Dv Smt H-W Sur Ssx Ken Uk Buc Tar DsA TrA KuA Ax Um Adu Mu Mz Arr Geg Aj Smt Kak Bjo Lag Cc Ab 01 05 06 07 08 10 11 14 16 25 31 32 33 34 37 39 42 43 46 53 58 67 74 75 76 77 78 05A 06R 25F 25Fa 25Fb 33R 33Rb 39C 46G 46Gf 75F
6. **Argynnis (Fabriciana) niobe (Linnaeus, 1758)** (Argynnidae) Synonym(s): *niobe* Linnaeus, 1758 Range (as codes): Kz Elb Dam Gor AL Am At Sj Kts AT Aty Ba BE BG BY CH CN CZ DE DK EE ES FI FR GR HU Ir IT KG KK Kr LB LT LU LV MK MN NL NO PL PT RO RU Sb SE Si SK Sm So Sr Sz TR UA Ui Ku Um Adu Uk VI YU Sau Tar DsA TrA KuA Ax Ket T-S AM GG AZ IQ IR IL TM Kp TJ Hs Drw Pm Al Mu Nv Ord Tbl Smt Bjo Cc Ab Jal Mz Gls Kh AF Bd Bqu Prw Pnj 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80 02F 02Fe 04D 04Db 05A 06B 06H 06K 06P 06R 06Rd 06V 06Z 12A 12Ab 13A 13Ab 13Af 13Ax 13F 13F7 13F7i 13G 13Gv 13Gw 23E 23I 23Ia 23Ib 23M 24E 24Ea 25F 25Fa 25Fb 25Fc 27C 29A 29Ae 30A 30Aa 30B 30Bc 30Bx 30Bg 30Bf 30Bj 30Bq 30D 30Df 31M 33K 33O 44E 44Ej 44L 44Lc 46F 46Fc 46G 46Gf 49E 49Ea 49F 49Fd 56F 56Fc 62G 65A 65Ai 65B 65Bo 65Bx 65D 65Dd 65Dda 65Df 65Dj 65Dl 65Dlc 65Dk 65Dm 65Do 65Du 65Dü 65Dn 65F 65Fe 65Fg 65Fh 65Fj 65G 65Gb 65K 65Kö 65Z 65Kg 66A 66P 66Pa 80B 80Bc
7. **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller], 1775)** (Argynnidae) Synonym(s): *pandora* [Denis & Schiffermüller], 1775; *maja* Cramer, 1775 nec Fabricius, 1775; *cynara* Fabricius, 1777; *cyrnea* Schwerda, 1926; *transcaucasica* Moucha, 1967; *deserticola* Gross & Ebert, 1975. Range (as codes): AF AL AM At AT AZ BG B-H BY CH CN Cn Co Cr CZ DZ DE EE ES Fe FR GG GR HU HV IQ IR IT LB Kr MA MK PL PT RO RU Sa Si SK Sr SS TJ Pm TM TN TR T-S UA Ui UZ VI YU Z-G LAT Wn SY Aq Uk KG Nym Buc Ktm Sau Tar DsA Ket Bog Tu TeA KuA TrA Tm Ax KK Um PK Gg Ci Adr Ssa Slh Mu Mu18 Um Ae CY T-S Ab Oru Elb Th Mz Gls Nv Ord Tbl Bjo Smt Cc Mos Lbs Agi Blid Taz Dju Tth Mage Abe Dje Khh Sbd Orn Tlm Hrh Dzc Azr 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81 02E 04D 04Db 05A 06B 06C 06G 06H 06K 06N 06P 06R 06Rd 06V 06Z 09K 09Ka 12A 12Aa 12B 13A 13Ab 13Ac 13Ac2 13Ax 13C 13Cd 13F 13F7 13F7i 13G 13Gs 13Gv 13Gw 14I 14Ib 21K 21N 21Nb 21P 21O 23D 23Dc 23E 23I 23Ia 23Ib 23M 25F 25Fa 27C 27Cb 29A 29Ae 30B 30Bc 30Br 30D 30Df 30Dx 31F 31Fb 31M 33O 33R 33Rb 36F 36Fb 38H 38Hc 39C 44A 44Ab 44F 44Fb 44L 44Lc 44O 44Oi 46F 46Fc 46Fe 46Fi 46G 46Gi 46L 49E 49Ea 56F 58G 58Ga 58Gi 58R 58Rb 65A 65Ai 65Am 65Am2 65Am3 65Bx 65D 65Dk 65Dm 65Do 65Dr 65Drb 65G 65Gd 65Ge 65F 65Fe 65Fg 65Fj 65Fi 65Fu 65Ff 65Fp 65Fz 65K 65Kg 65Kl 65Z 65Kö 65Ks 65Ku 65Kz 66A 66P 66Pa 72E 72Ec 72Eg 72F 73A 73Ad 73Ad2 73D 73Db 76B 76Bf 76Bh 76C 76D 76Da 76Dg 78D 78Da 80A
8. **Argynnis (Speyeria) aglaja (Linnaeus, 1758)** (Argynnidae) Synonym(s): *aglaja* Linnaeus, 1758; *charlotta* Haworth, 1802; *emilia* Acerbi, 1802 nec Cr., 1779; *caroletta* Jermyn, 1827; *locuples* Verity, 1919 nec Butler, 1879; *emilocuples* Verity, 1919; *locupletata* Verity, 1922; *montesignum* Sagarra, 1926. Range (as codes): AM AL At Bn Kts AT Aty Ba BE BG BY CH CN CZ DE DK EE ES Mu FI FR GB GG GR HU IE IT Ju KG KK LT LU LV MK MN NL NO PL PT RO RU SE Si SK Sm So Sr St TR T-S UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sau Tar DsA TrA KuA Ax PK Ci Nwf Arr Geg Smt Akh Bku Bjo Sva Cc IR Ab Lkr Azr Ifr 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34

- 36 37 39 42 43 46 50 51 52 53 57 58 60 61 62 65 66 67 69 74 75 76 78 05A 06G 06R 06Rd 13F 13F7 13F71 13G 13Gv 14I 14Ib 25F 25Fa 29A 29Ac 30B 30Ba 30Bc 30Bx 30D 30Dt 31F 31Fb 33R 33Rd 36F 36Fb 62G 62Ga 65A 65Ai 65Au 65Ac 65Ac3 65D 65Do 65F 65Fj 65Fi 65Fz 66A 66P 66Pa 75F 75Fc 75Fi 78D 78Da
9. **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) Synonym(s): *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. Range (as codes): Ae AL Am At Kts AT Ba BE BG B-H BY CH CN Co CZ DE DK EE ES FI FR GB GR HU HV IE Ir IT JP Kb Kc KG KK KP Kr LT LU LV MK MA MN Mn NL NO Or PL PT RO RU Sa Sb SE Sh Si SK Sm So Sp Sr SS TR Arr T-S UA Ui Um Adu Uk Vi Ya YU Cw Dv Smt H-W Sur Ssx SY Kuz Sli Tar Ket DsA Sa DZ Mu Bn KuA TrA IQ Ama IR Ab Gh Mz Elb Cc AM GG AZ Geg Len Smt Bjo Aj Dja Dju Sbd BtNa Lbs Clo Blid 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 52 53 55 60 61 62 65 67 73 74 75 76 77 78 80 81 02Fz 05A 06R 13C 13Cd 13F 13G 13Gy 25F 25Fa 30A 30Aa 30B 30Bf 30Bg 30Bj 30D 30Df 33R 33Rb 36F 36Fb 39C 46G 46Gf 56F 65A 65Ai 65D 65Do 73A 73Ad 73D 73Df 75F 75Fd 80A
10. **Boloria (Clossiana) dia (Linnaeus,1767)** (Argynnididae) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919. Range (as codes): Cc AZ GG Tbl Smt Bjo AL Bn At Kts AT Ba BE BG BY Cb CH CZ DE EE ES FR GR HU IT KG Kg Kr Kw LT LU LV MK Mn NL No Om Or PL Pp Pw RO RU Sem SK Sm So Sp Sr Tk TR Tt Bs Ty UA Uk Vi YU DsA Sau Ket Tar T-S CN Ui 05 08 14 16 34 39 41 53 55 61 67 76 05A
11. **Boloria (Clossiana) euphrosyne (Linnaeus,1758)** (Argynnididae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *fingal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc. Range (as codes): AL At Bn Kts AT Aty Ba Bw Rp BE BG BY CH CN CZ DE DK EE ES FI FR GB GG Cc Abk Smt Bjo GR HU IE IT IR Ab Ak KG Kr LT LU LV MK MN NL NO PL PT RO RU SE Si SK Sm So Sr Sj TR UA Ui Uk Vi YU Cw Dv Smt H-W Sur Ssx Ken 03 05 06 08 14 16 18 22 25 26 29 31 30 36 37 41 43 52 57 60 61 66 74 75 78 81 05A 06R 14I 14Ib 30B 30Bj 31F 31Fb 66A 75F
12. **Boloria (Proclossiana) eunomia (Esper,[1799])** (Argynnididae) Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800. Range (as codes): AT At Kts Ba BG Stp Cc TR BL BY CZ DE Bv Bw EE ES FI FR IT LT LU LV NO PL RU No Sb SE Sr UA KG Nym Mn CAT Wat Trt US Col Mai Mch Mns Mon Wc Wy CA Lbr Mnt Abt Als 75 75F
13. **Boloria (s.str.) caucasica (Lederer,1852)** (Argynnididae) Synonym(s): *caucasica* Lederer,1852; *pontica* Crosson du Cormier, Guérin & De Lesse,1957. Range (as codes): AM Arr GG Cc Smt Bku Kc Os RU Da TR 08 29 52 53 61 75 76 75F 75Fg 76C
14. **Boloria (s.str.) graeca (Staudinger,1870)** (Argynnididae) Synonym(s): *graeca* Staudinger,1870 Range (as codes): AL BG B-H FR GR IT MK RO TR YU 25 25C 25Ca
15. **Brenthis daphne (Bergsträsser,1780)** (Argynnididae) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. Range (as codes): AZ Len Der Sms At AT Ba BG BY CH CN DE ES FR Co GG GR HU IT JP LT IR Ak MK PL RO RU Si SK Sm So Sr TR UA YU KG Uk TM Kp T-S TrA DsA Tar Sau Da Bjo Smt Cc Ab 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 49 59 60 62 65 69 73 76 80 05A 13F 13F7 13F71 13G 13Gw 23I 23Ia 25F 25Fa 25Fb 30A 30Aa 30B 30Bc 30Bx 30Bf 30Bj 31F 31Fb 33A 33Ag 33R 33Rd 35L 36F 36Fb 39C 45L 45La 49E 49Ea 65A 65Ai 80B 80Bc
16. **Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. Range (as codes): Buc At Bn Al At Ba BG BY CZ ES Mu FR GG Aj AM Arr Da Cc GR HU IT IR Ak Kr LT MK RO RU SK Sm Sr TR Arr UA Vi YU LAT Wn T-S KG Pm Sb Ur Nym Tar Sau TrA DsA Aa Tk Tu TM Kp CN Ui Ab 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 75 76 05A 06G 06K 06R 13G 13Ga 23I 23Ib 25F 25Fa 25Fb 29A 29Ac 30B 30Be 30Bg 49E 49Ea 58G 58Gi 65A 65Au 65D 65De 65Do 65F 65Fb 65Fe 65Fz 65K 65Kb 65Kc 65Kl 65Z 66P 66Pa 75F 75Fc 76C
17. **Brenthis ino (Rottemburg,1775)** (Argynnididae) Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträsser,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957. Range (as codes): At Kts AT Aty Ba BE BG BY CH CN Ui CZ DE DK EE ES FI FR GG Cc Tbl Mng AM Arr HU IT JP KG KK KP KR Ku LT LU LV MK MN NL NO PL RU SE SK Sm So Sr TR UA Ui Vi YU Kuz Sli Sau Tar T-S TrA TeA DsA 24 25 36 39 60 69 76 36F 36Fb
18. **Brenthis mofidii Wyatt,1968** (Argynnididae) Synonym(s): *mofidii* Wyatt,1968 Range (as codes): Elb IR Ab Mz TR IQ Er Ry 30 65 30A 30Aa 30B 30Ba1 30Bc 30Bx 30Bf 30Bg 30Bj 30Bq 30C 30Ce 30D 30Da 30Db 30Df 30Dt 65A 65At 65At4 65D
19. **Charaxes jasius (Linnaeus,1767)** (Argynnididae) Synonym(s): *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,1800; *unedonis* Hübner,1806; *faroensis* Ribbe,1909; *septentrionalis* Verity,1913; *europaeus* Verity,1917. Range (as codes): He IL Pa Hf Ae Co Cr ES Mu Mu18 FR GR IT PT Rd Sa Si TR YU DZ Agi DhM Sbd Hrh Clo MA Lkr TN JO CY ZA Gau Pre Rth Tva Lpo Spb Mdk Lj Nta Kzu Ptb Kru Pma Wb Suw Jh Wm Bfk BW NA SZ MZ ZW ZM ZR CF MW Zom TZ AO GA SO 07 09 33 34 35 48 80 33R 33Rb 34C 48Al 48Ah 48Aj 48D 48F
20. **Euapatura mirza Ebert,1971** (Argynnididae) Synonym(s): *mirza* Ebert,1971; *iwasei* Igarashi,1971. Range (as codes): IQ Ama IR Ha Km TR 13 30 56 65 72 73 13C 13Cf 13Cb 30A 30Ab 30B 30Bc 30Bx 30Bf 30Bj 30Bo 30Bq 30D 30Df 30Dfa 30Dx 56A 56E 65D 65Di 65Di 65Dh 65Di 65Dl 65Dlc 65Dk 65Dj 65Dm 65Do 65Dra 65Dv 65Dx 72E 72Eb 72Ef 72Eg 73A 73Aa 73Ab 73Ac 73Ag 73B
21. **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnididae) Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträsser,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917; *pychanpar* Lastukhin,2007 Range (as codes): AL Alt Bn At Kts AT Ba BE BG BY CH CN CZ DE DK EE ES Mu FI FR

- GB GR HU IR Ab Oru Elb Th IE IT Kno KP Kr LT LU LV MK NL PL PT RO Rth RU SE SK Sm So Sr TR Arr Ts UA Ui VI
YU Cw Dv Smt H-W Sur Ssx Ken Ts Kno Rth Cc DZ MA Agi Berr Blid Ifr 05 06 08 14 16 18 25 29 30 34 36 39 46 53 58
59 62 65 69 73 75 76 05A 06G 06R 06V 14I 14Ib 25F 25Fa 25Fb 25Fc 30B 30Bc 30D 30Dt 65D 65Dc 65Dk 65Fz 75F
75Fb 76C 76D 76Dd
22. **Euphydryas (Eurodryas) orientalis (Herrich-Schäffer,[1845])** (Argynnidae) Synonym(s):
orientalis Herrich-Schäffer,[1845]; *amasina* Seitz,1908. Range (as codes): TR 05 06 16 18 23 42 43 44 71 05A 06A
06K 06N 06Na
23. **Euphydryas (Hypodryas) iduna (Dalman,1816)** (Argynnidae) Synonym(s): *iduna*
Dalman,1816; *ichnea* Boisduval,1832 Range (as codes): At Kts BY FI Kc MN NO RU Sb SE TR Arr Ya CN Ui o4
24. **Hypolimnias misippus (Linnaeus,1764)** (Argynnidae) Synonym(s): *misippus* Linnaeus,1764 *inaria*
Cramer,[1779]; *alcippoides* Butler,1883. Range (as codes): AF AO AU Az BF BH BI BJ BW BZ CF CG CI CM CN DJ
DZ EG EH ER ET FI GA GH GM GN GO Bio GW Hn ID IN IR Hz KE KH KM LB LK LR LS LY MA MG ML MM MR MW
MY MZ NA NE NG OM PG PH PK QA RW SA SC SD SL SN SO ST SZ TD TG TH TN TR TW TZ UG US VN YE ZA Nta Kzu
Ptb Mdk BI CI PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui
Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ZM ZR
ZW Cp FI Mss Nca Tx Tva Lpo Gau Pre Spb Lj Jh Wri Ent Dbn Kny Kru Pma BR PE CMA CDO Lmp Nna Chb Pkk Loe
Nrt Bnk Ray Nst Chw Tnga Usa Ani Cp Pj MW Zom Mh Guj Mys Ap 33
25. **Inachis io (Linnaeus,1758)** (Argynnidae) Synonym(s): *io* Linnaeus,1758; *ioides* Ochsenheimer,1808;
caucasica Jachontov,1911. Range (as codes): Sms AL AM At Bn AT AZ Ba BE BG B-H BY CH CN Co Cr CZ DE Dj DK
EE ES FI FR GB GG GR HU HV IE IS IT KG KK Kr LT LU LV MK MT NL NO PL PT RO RU Sa SE Sem Si SK Sm So Sr SS
Tk TR T-S UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sau Tar Dsa Tea Kua Tra Ket T-S IR Len Gh Mz Cc 05 06 08
10 11 14 16 17 21 24 25 28 29 34 37 39 43 52 53 55 57 58 60 61 66 69 74 75 78 81 05A 06G 06R 14I 14Ib 21O 39C 66A 75F
75Fi 78D 78Da
26. **Issoria lathonia (Linnaeus,1758)** (Argynnidae) Synonym(s): *lathonia* Linnaeus,1758; *saturata*
Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926;
nigroprivata Verity,1933. Range (as codes): Adr AF AL At Kts AT Ba BE BG B-H BY CH CN Co CZ DE DK DZ
EE ES FI FR GB GR HU HV IE IR IT KG KK Kr LB Ld LT LU LV MA MK NL NO PK PL PT RO RU Sa SE Sem Si SK Sm
So Sr SS TJ Tk TM TN TR T-S UA Ui Uk UZ VI YU NP SI Ken Tm Sau Tar Dsa Tra Kua Ax Tea Mu Mu18 T-T Sz Ket PK
Ci Nwf Sfk BI MM Abb Mre IQ Cc GG AZ AM Nv MD Tls T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha
Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Gls Kh Nra Ifr Lkr Dju Agi Lbs Sbd Azr Hr Ng Lgh 01 03 04 05 06
07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49
50 51 52 53 55 56 57 58 59 60 61 62 65 66 67 69 70 71 73 74 75 76 77 78 80 81 04D 04Db 05A 06A 06B 06C 06G 06H
06K 06N 06P 06R 06Rd 06S 06V 06Z 12A 12Ab 13A 13Ab 13Ac 13Ai 13Ax 13B 13Bg 13F 13F35 13G 13Gö 13Gg 13Go
13Gs 13Gv 13Gw 21N 21Nb 21O 23E 23I 23Ia 23Ib 23M 25F 25Fa 27C 27Cb 30B 30Bc 30D 30Df 31F 31Fb 31M 33R 33Rb
36F 36Fb 39C 44A 44Aa 44Ab 44L 44Lc 46F 46G 46Gi 49E 49Ea 56D 56De 56F 56Fn 58G 58Gi 58N 65A 65Aj
65Ai 65Am 65Am1 65B 65Bk 65Bn 65Bn1 65Bx 65D 65Dg 65Dj 65Dk 65Do 65Dr 65G 65Gd 65Ge 65F 65Fg 65Fh 65Fd
65Fe 65Fi 65Fq 65Fs 65Ft 65K 65Kg 65Ka 65Kc 65Kl 65Z 65Kö 65Ks 65Kp 65N 65Nk 65Np 65Nm 66A 66P 66Pa 73D
73Da 73Dg 75F 75Fc 75Fi 75Fj 76A 76Ad 78D 78Da
27. **Limenitis (Azuritis) reducta Staudinger,1901** (Argynnidae) Synonym(s): *reducta*
Staudinger,1901. Range (as codes): Ae AL AM AT AZ BG B-H BY CH Co CZ DE ES Mu FR GG Cc GR HU HV IL IQ
Ssa IR Ab Ak Elb Fa Gls Kh IT JO Kp LB LU MK NL Rd RO RU Sa Si SK Sm Sr SS SY TM TR UA YU CY 01 02 03 05 06
07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 49 50 51 52 53
55 56 58 59 60 62 65 66 67 71 72 73 75 76 77 78 02Fz 05A 06B 06C 06G 06K 06P 06R 06Rd 06V 13C 13Cd 13Cf 13Cg 13E
13Ed 13F 13G 13Gy 21N 21Nb 21O 23Ib 25F 25Fa 25Fb 25Fc 27C 27Cb 30B 30Bc 30Bo 30Br 30D 30Df 31B 31L 31La 33K
33R 33Rb 36F 36Fb 39C 45L 45La 46F 46G 48A 48Ah 48D 49F 49Fc 56F 65A 65Ai 65Am 65Am3 65D 65Dk 65Dl 65Do
65F 65Fe 65Fd 65Fu 65K 65Kg 66A 72E 72Ec 73A 73Ad 73Ad2 73D 73Df 73Df 75F 75Fd 76Da 78D 78Da
28. **Limenitis (Ladoga) camilla (Linnaeus,1764)** (Argynnidae) Synonym(s): *camilla* Linnaeus,1764;
prorsa Linnaeus,1764 *nec* Linnaeus,1758; *sibilla* Linnaeus,1769; *luctuosus* Fourcroy,1785 *nec* Walch,1775. Range (as
codes): AT Ba BE BG BY CH CZ DE DK EE ES FR GG Smt Bjo GB GR HU IT KG Kr LT LU LV MK NL PL RO RU JP RU
Am Prj Us SE SK Sm So Sr TR UA AM Cc Uk VI YU Cw Dv Smt H-W Sur Ssx Ken 08 10 34 75
29. **Melitaea (Cinclidia) collina Lederer,1861** (Argynnidae) Synonym(s): *collina* Lederer,1861
Range (as codes): IL Pa IQ Ssa Shq LB SY TR IR Ab 01 02 13 21 23 24 27 30 31 33 44 46 56 62 63 65 73 80 02F 02Fc
13F 21L 21Le 21Lf 21Ld 21N 21Nb 21Nh 21P 23I 23Ia 23Ib 27C 27D 27Da 27Db 31M 31F 31Fb 33K 46G 46Gi 56F 62G
62Ga 63E 65D 65Dk 65Dt 65Dn 65K 65Kg 73A 73Aj 73Ak 80B 80Bc
30. **Melitaea (Cinclidia) ornata Christoph,1893** (Argynnidae) Synonym(s): *ornata* Christoph,1893;
uralensis Krulikowsky,1897 *nec* Evers.,1844; *ufensis* Krulkowsky,1902; *lokris* Fruhstorfer,1908; *telona*
Fruhstorfer,1908; *amanica* Rebel,1917; *emipunica* Verity,1919; *punicata* Ragusa,1919; *dorae* Graves,1925; *nigrogygia*
Verity,1939; *enoch* Higgins,1941; *#asciata* Wiltshire,1946; *capreola* Varga,1967; *kovaesi* Varga,1967; *abbas* Gross &
Ebert,1975 Range (as codes): BG Slv Rh Bgz He ALb IL Pa Hf JO LB Elb Th Bk Fa Ke TR Cc SY IQ Ama Hjo IR Shr
At Bn Ao Bs KG Or RU Sr Tt Uk VI TR HU 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31
32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 56 58 60 62 65 66 68 69 70 71 73 76 80 02E 02F 02Fc 05A 06B 06C 06G
06H 06K 06N 06Nc 06P 06R 06Rd 06S 06V 06Z 13C 13Cm 13F 13G 21L 21Le 21Lf 21N 21Nb 21O 27C 27Cb 27D 27Db
30B 30Bc 30Bx 31F 31Fb 33K 33R 33Rb 33Rg 36F 36Fb 44E 44Ei 44L 44Lc 49E 49Ea 56F 56Fi 56G 56Fb 56Fm 56Fy
56Fs 58C 58G 58Ga 58Gi 62H 65A 65Ao 65Am 65Am4 65D 65De 65Dr 65Drb 65F 65Fz 65Fc 65G 65Gf 65Gy 65L 65Le
65N 65Np 65Np7 65Nm 66A 66P 66Pa 73D 73Dg 76D 76Dg 80B 80Bd
31. **Melitaea (Cinclidia) phoebe (Goeze,1779)** (Argynnidae) Synonym(s): *#phoebe* [Denis &
Schifferrmüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783.
Range (as codes): Ae AL Ao At Bn Kts AT Ba BE BG B-H Bw BY CH CZ DE EE ES Mu FR GR HU HV IT KG Kr LT LU
LV MK PL PT RO RU Si SK Sm So Sr SS TR UA Uk VI YU CN Ui Um Tar Sau Dsa Tra Kua T-S Arr Nv Ord Smt Bjo AM
AZ GG Cc IR Ab MN 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 31 33 34 36 39 41 42 44 46 50 51 55 58 59 60

- 1 62 65 66 69 71 73 77 78 80 05A 06B 06R 06R 06R 06V 25F 25Fa 25Fb 25Fb 25Fb 30Bc 30Bc 30Bc 30D 30D 30Df 31F 31Fb 33K 65D 65Dc 65Dd 65Dda 65Df 65Dl 65Dlc 65Dk 65Dm 65Do 65Dp 65F 65Fc 65Fd 65Fg 65Fh 65Fm 65F2 65Fp 65Fe 65Fz 65K 65Kc 65Kl 65Z 65Kz 65Kg 66A 72E 72Eh 75F 75Fc 80C
- 32. Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) Synonym(s): *didyma* Esper,[1779]; *cytheris* Müschen,1781; *neera* Fischer de Waldheim,1840; *meridionalis* Staudinger,1861; *occidentalis* Staudinger,1861; *dalmatina* Staudinger,1861; *graeca* Staudinger,1870; *jaika* Krulikowsky,1897; *kasanskyi* Krulikowsky,1901; *mauritanica* Oberthür,1909; *mauretanica* Oberthür,1909; *patycosana* Turati,1911; *nisseni* Rothschild,1913; *interposita* Rothschild,1913; *oreithyia* Fruhstorfer,1917; *druentia* Fruhstorfer,1917; *lesora* Fruhstorfer,1917; *naina* Fruhstorfer,1917; *tarlonia* Fruhstorfer,1917; *seilemis* Fruhstorfer,1917; *marsilia* Fruhstorfer,1917; *cataprotea* Verity,1929; *libanotica* Belter,1934; *montium* Belter,1934; *variabilis* Belter,1934; *pontifex* Bryk,1940; *pfeifferi* Bryk,1940; *orinomus* Rüttimeyer,1942; *boschmai* Eisner,1942; *ibra* Higgins,1964; *pseudolatonia* Yakovlev,2002 Range (as codes): Ae AL AM Ao Bn At AT AZ Ba BE BG B-H BY CH CZ DE EE ES Mu Abr FR GG GR HU HV II IL IQ IT Kr LB LT LU LV MK NL PL Pt RO RU Tv Ry Si SK Sm So Sr SS TR UA Uk VI Ma DZ TN KK TeA KG TJ UZ AF Cn Uj Ku MN T-S Af Kua TrA Ket Mrk Sau Tar Sp Bg Hk Pk Uj Ku Ce Arr SY IL He Pa Hf Bsa Btina Sbd Eba Mkn Ouk Dju Tlm BSA DhM Lbs Hrh Orn Phv Clo Azr 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 76 78 80 02E 02Fz 04D 04Db 05A 06B 06G 06H 06K 06N 06Na 06P 06R 06Rd 06V 06Z 12B 13F 13G 13Gv 13Gw 14I 14Ib 18F 21K 21O 23C 23Cc 23D 23Dc 23I 23Ia 23Ib 23E 23M 25F 25Fa 25Fb 27C 27Cb 30B 30Bc 30Bx 31F 31Fb 31M 33R 33Rb 36F 36Fb 38H 38Hc 39C 44A 44Ab 44E 44O 44Oc 44L 46F 46Fc 46Fg 46G 46Gf 46Gi 49E 49Ea 49Ec 58C 58N 58R 58Rb 62D 62E 62F 62G 62Ga 63B 65B 65Bo 65Bx 65D 65De 65Dd 65Dda 65Dv 65E 65K 65Kb 65G 65Gl 65F 65Fb 65Fc 65Fe 65Fg 65Fh 65Fl 65Fq 65Ft 65F3 65Fz 65K 65Kc 65Kg 65Kl 65Z 65Kö 65Ks 65Kü 65N 65Nj 66P 66Pa 72E 72Eh 72Ei 76D 76Da 78D 78Da
- 33. Melitaea (Didymaeformis) gina Higgins,1941** (Argynnidae) Synonym(s): *gina* Higgins,1941 Range (as codes): TR IR Ak ByEs Fa Gh Ha Kd Lo Zj 30
- 34. Melitaea (Didymaeformis) interrupta Kolenati,1846** (Argynnidae) Synonym(s): *interrupta* Kolenati,1846; *#transcaucasica* Turati,1919; *caucasi* Verity,1922; *venosata* Niesiolowsky,1937; *distinctissima* Bryk,1940; *musatscherii* Alberti,1969; *itkolensis* Alberti,1969. Range (as codes): GG Cc TR IR Ab TM Kp 08 25 29 53 61 75 25F 25Fa 25Fc 75F
- 35. Melitaea (Didymaeformis) mesopotamica Coutsis & van Oorschot,2014** (Argynnidae) Synonym(s): *mesopotamica* Coutsis & van Oorschot,2014 Range (as codes): TR 63
- 36. Melitaea (Didymaeformis) perseae Kollar,[1849]** (Argynnidae) Synonym(s): *perseae* Kollar,[1849]; *caucasica* Staudinger,1861; *dogsoni* Grose-Smith,1887; *kaschtschenkoi* Christoph,1889; *paphlagonia* Fruhstorfer,1917; *magnacasta* Verity,1929; *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *hafiz* Higgins,1941; *afghana* Heydemann,1954; *darius* Gross & Ebert,1975; *sangdana* Eckweiler,1981; *jitka* Weiss & Major,2000 Range (as codes): IQ Kro Su Bgd IR Ab Khy Zj Fa By Ke TR JO AF Kab Bl Nwf Ci Pj PK SY LB IL He Pa Hf Kp TM Cc AZ Nv Ord Arr 02 04 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75 76 02E 02F 02Fc 02Fd 04B 13A 13Ab 13Af 13Ax 13B 13Ba 13G 13Gv 13Gw 21N 21Nb 21O 23D 23Dvc 23I 23Ib 25F 25Fa 25Fb 27D 27Db 27Dd 30B 30Bc 30Br 44L 44Lc 46G 46Gi 47D 49E 49Ea 49F 49Fd 56F 62G 62F 63B 63E 63M 65A 65Ac 65Ac2 65Ab 65Abb 65D 65De 65Dc 65Df 65G 65Gm 65F 65Fe 65Fg 65Fh 65Fm 65Fc 65Fw 65Fz 65K 65Kc 65Kd 65Kö 65Kl 65Z 65Kö 65Kz 65Kg 65N 65Nj 65Np 65Np1 65Np2 65Np4 65Np5 65Np7 65Np8 65Nr3 65Nr4 65Nm 76A 76Ac
- 37. Melitaea (Didymaeformis) syriaca Rebel,1905** (Argynnidae) Synonym(s): *syriaca* Rebel,1905; *pseudodidyma* Rebel,1905; *aabaca* Fruhstorfer,1911; *bloetei* Eisner,1942 Range (as codes): LB Bei JO IL Pa Hf He SY TR GR Ae BG 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 21 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 72 73 76 77 80 81 02Fz 02H 05A 06B 06H 06G 06K 06N 06R 06Rd 06V 06Z 12A 12Ab 12B 13A 13Ac 13Ac1 13Ax 13F 13G 13Ga 13Gv 21N 21Nb 23C 23Cc 23D 23Dc 23E 23I 23Ia 23Ib 23M 25F 25Fa 25Fb 25Fc 27C 27Cb 30B 30Bc 30Bx 30D 30Df 31K 31Ka 31F 31Fb 33A 33C 33O 33R 33Rb 33Rg 36F 36Fb 39C 44I 44L 44Lc 44O 44Oc 46G 46Gi 46Gf 48A 48Al 48D 49F 49Fd 49E 49Ea 58R 62G 62Ga 63B 63D 65A 65Ah 65Am 65Am4 65Au 65B 65Bk 65Bx 65D 65Dc 65Dd 65Dda 65Df 65G 65Gd 65Ge 65F 65Fe 65Fc 65Fp 65Fz 65Fm 65Fq 65Fü 65F2 65K 65Kl 65Z 65N 65Nr3 65Nm 66A 66P 66Pa 72E 72Eh 72Ei 76A 76Ac 80B 80Bc
- 38. Melitaea (Mellicta) athalia (Rottemburg,1775)** (Argynnidae) Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannica* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *anatolica* F.Wagner,1929; *subluciflua* Verity,1935; *mixtaeladussa* Verity,1940; *neglecta* Pfau,1962 Range (as codes): AL AT Ba BG B-H BL BY CH CZ DE DK EE ES Mu FI FR GB GR HU HV IT JP LT LU LV MK NL NO PL PT RO Rh RU SE Si SK Sm So Sr SS TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken At B

- kocaki* Wagener & Gross, 1976 Range (as codes): Aa AF At Bn Ba BG CN Db GR KG KK MK RO RU Sr TJ Tk TR Cc T-S UA Ui UZ JO Buc Nym Ktm Tar Sau DsA TrA Tu Bog Mkk IR Ab Jal Zj Elb Th Lo IQ 01 02 05 07 10 13 21 24 25 27 30 31 32 36 39 42 43 44 46 47 49 56 65 72 73 80 02E 05A 07D 13G 13Gv 21F 25F 25Fa 25Fb 27C 27Cb 30B 30Bc2 30Bx 30D 30Df 31M 39G 46G 46Gi 49E 49Ea 56F 65A 65Ai 65At 65B 65Bk 65D 65Dc 65Dd 65Dda 65Dl 65Dle 65Dm 65Do 65Dt 65Dn 65F 65Fb 65Fc 65Fe 65Fh 65Fj 65Fq 65Fz 65F2 65F3 65L 65Le 65M 65Md 65Ne 65Nb 65N 65Na 65Np 65Ns 65Nm
43. **Melitaea (s.str.) cinxia (Linnaeus, 1758)** (Argynnididae) Synonym(s): *cinxia* Linnaeus, 1758; *abacus* Retzius, 1783; *fulla* Quensel, 1791. Range (as codes): AL At Bn Kts AT Ba BE BG Hsk B-H BY CH CN CZ DE DK DZ EE ES Mu FI FR GB GR HU HV IT IQ IR Elb Ab Ak Fa Qz Ha KG Kr Ku LT LU LV MK MA MN NL NO PL PT RO RU SE SI SK Sm So Sr SS TR UA Ui Uk V1 YU Sau Tar DsA TrA Mz GG AZ AM Nv Arr Ord Smt Bjo Tbl Cc MD T-S Ssa Shq Hjo Skj Sbd Ouk Azr Ifr 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80 02Fz 05A 06A 06B 06G 06H 06K 06N 06P 06R 06Rd 06S 06V 06Z 12A 12Ab 13A 13Ab 13Ax 13B 13Ba 13Bg 13E 13Ea 13F 13G 13Gö 13Gg 13Go 13Gs 13Gü 13Gv 13Gw 21N 21Nb 23D 23Dc 23E 23I 23Ia 23Ib 23M 25F 25Fa 25Fb 25Fc 27C 29A 29Ae 30D 30Df 31F 31Fb 31M 33R 33Rb 33Rg 36F 36Fb 38H 38Hc 44A 44Aa 44E 44Ej 46F 46Fc 46G 49E 49Ea 49F 49Fb 58G 58Ga 58Gi 62G 62Ga 62E 62F 65A 65Ai 65Am 65Am3 65Am4 65As 65At 65Au 65B 65Ba 65Bn 65Bn1 65Bx 65D 65Dc 65Dd 65Dda 65Df 65Dr 65Drb 65G 65Gd 65Ge 65F 65Fb 65Fc 65Fc 65Fd 65Fe 65Fg 65Fh 65Fm 65Fz 65G 65Gg 65Gy 65K 65Kl 65Z 65Kg 65Kö 65Kz 65Ks 65L 65Le 65N 65Nr4 65Nr3 65Nr4 65Nr6 65Nr7 65Nm 66A 66P 66Pa 73D 73Dg 76C 76A 76Ab 76D 76Da
44. **Melitaea (s.str.) irka Coutsis & Oorschot, 2014** (Argynnididae) Synonym(s): *irka* Coutsis & Oorschot, 2014 Range (as codes): TR 08 25 29 61 75 08H 08Hb 25F 25Fa 25Fc 25N 25Na 75F 75Fa
45. **Neptis (s.str.) rivularis (Scopoli, 1763)** (Argynnididae) Synonym(s): *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffermüller, 1775; *coenobita* Cramer, 1780; *#tolunay* Koçak & Kemal, 2006. Range (as codes): Aa Ce AM Am At Bn Kts AT Aty Ba BG BY CH CN CZ GR GG Akh HU Ir IT IR Km Ab Ak JP KG Kmt KP KR MK MN PL RO Ru Ss Sh SK Sm So Sr TR TW UA Ui Um Adu Uk V1 Vv YU Bog Sb Prj Us Am Krl TrA KuA TeA Ax DsA Tk Ket Lps Mn Sem Sju Ssn Tar Sau Pm T-S Arr Nv Ord Tbl 04 25 36 75 76? 75F 76D 76Db
46. **Nymphalis antiopa (Linnaeus, 1758)** (Argynnididae) Synonym(s): *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927. Range (as codes): AL AM At Bn AT AZ Ba BE BG B-H BY CH CN CZ DE Dj DK EE ES FI FR GB GG GR HU HV IE IS IT KG Ku LT LU LV MK NL NO PL PT RO RU SE Sem SK Sm So Sr SS Tk TR UA Ui Uk V1 YU Ken Sau Tar DsA TeA KuA TrA Ket T-S US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Meh Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Tbl Smt Bjo Bku Kml Cc IR Ab 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 39 42 45 53 58 60 62 66 71 74 75 05A 06A 06B 06G 06K 06R 06Rd 06Z 33R 33Rb 66A 66P 66Pa
47. **Nymphalis polychloros (Linnaeus, 1758)** (Argynnididae) Synonym(s): *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896. Range (as codes): Ae AL AM Cc Ao At AT AZ Ba BE BG B-H BY CH Cm Co Cr CZ DE DK DZ Dju Blid ES Mu FI FR GB GG GR HU HV IE IQ IR Ab Elb Mz Gor Gls IT KG Kp Kr Ma RM MK MT NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS TM TN TR UA Uk V1 YU Sur Ssx Ken LB SY PK Ci Nwf Haz Mre CY Da Der Len EE LT LU LV Sbd Mage Agi Orn Anna Blid Btina Khkh Ktr DhM Ght Lkr Hrh Dzc 01 03 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 25 26 27 30 31 32 33 34 35 36 39 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73 78 05A 06A 06V 06K 06R 06Rd 12A 12Ab 12Ac 13C 13Cd 13F 13F33 13G 13Gw 21N 21Nb 25F 25Fa 25Fb 27C 27Cb 30B 30Bc 31M 33R 33Rb 36F 36Fb 44E 44Ej 45L 45La 47D 48A 48Ak 56B 56Bb 56F 60C 62G 62Ga 65A 65Ai 65D 65Dk 65Dv 65Dt 78D 78Da
48. **Nymphalis vaualbum ([Denis & Schiffermüller], 1775)** (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller], 1775; *l-album* Esper, [1781] Range (as codes): Bn At Kts AT Ba BG BY CA CN Ui CZ DK EE FI GG HU JP LV PL RO RU SE SK Sm So Sr TR UA US V1 YU LAT Wn MN KP KR Mc Sau Tar DsA Ket TrA PK Ci Nwf Ch T-S KG Smt Bku Bjo US Cf Cnt Col Fl Id Idp Iln Io Knt Mai Meh Mns Mon Mrl Msc NCa NDk Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Ut Vi Vr WVi Wc Ws Wy Cc 05 08
49. **Nymphalis xanthomelas (Esper, [1781])** (Argynnididae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller], 1775; *xanthomelas* Esper, [1781] Range (as codes): AF Ng Jla AL AM Cc At Bn AT AZ Ba BG B-H BY Ch CN Cr CZ Dj DK EE FI FR GB GG Smt Bjo GR HU HV IR Ab Zj Elb Mz JP Kab Kbb KG Kr LT LV MK Pag PL Pnj RO RU SE Sem SK Sm So Sr SS Tk TR UA Uk YU Syr Tm Ui Um Kml Sau Tar DsA Ax TrA KuA Kma Ci Wa Bl PK IN T-S 01 05 06 08 12 13 16 21 24 25 30 31 33 34 36 42 46 49 51 56 62 65 69 72 73 76 05A 12A 12Ai 13A 13Ab 13Ax 13C 13Cd 13F 13F35 13G 13Gw 21N 21Nb 25F 25Fa 25Fb 30B 30Bc 31M 33R 33Rb 49E 49Ea 56F 56Fb 65D 65Dü 65F 65F1 65Fz 72F 73A 73Ae
50. **Polygonia (Comma) c-album (Linnaeus, 1758)** (Argynnididae) Synonym(s): *c-album* Linnaeus, 1758; *g-album* Fourcroy, 1785. Range (as codes): AF AL At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr LB LT LU LV DZ MA TN MN NL NO PL PT RO RU Sa SE SI Si SK Sm So Sr Ti TR UA Ui Uk V1 YU Cw Dv Smt H-W Sur Ssx Ken GG AZ AM Nv MD MK HV SS B-H MD Cc IQ Ama IR Mz Elb TH CMa Krd Hr Ab Gls Tgr Ouk Dju Agi DhM Hrh Dzc 03 05 06 08 11 13 14 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 41 42 43 44 46 48 49 50 52 53 55 58 59 60 61 62 65 66 73 74 75 76 78 81 05A 06B 06K 06R 13C 13Cd 13F 13F33 13G 13Gv 21N 21Nb 27C 27Cb 30D 30Df 31M 39C 46F 46G 46Gf 48F 49E 49Ea 56F 65A 65Ai 65D 65Do 66A 78D 78Da
51. **Polygonia (Comma) egea (Cramer, [1775])** (Argynnididae) Synonym(s): *egea* Cramer, [1775] (*junior* homonym); *vaualbum* Esper, 1780; *l-album* Esper, 1789; *triangulum* Fabricius, 1793; *autumnalis* Stefanelli, 1873; *#balucha* Evans, 1932; *#pallida* Evans, 1932. Range (as codes): Ae AF AL BG BY CH CN Co Cr FR GR IT LB MK MT Bl PK Haz Mre IN Kma RO RU Sa Si Sr TR UA Ui YU JO IR Ab Elb Mz Th Fa Ss Krd IQ Mos TM Kp Cc AM AZ GG Nv Ord Lag Smt Bjo IL Pa Hf 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 68 71 72 73 76 78 80 02Fz 04D 04Db 05A 06D 06P 06R 13A 13Ac 13F 13G 13Gw 21N 21Nb 23D 23Dc 23I 23Ia 23Ib 23M 23E 25F 25Fa 27C 27Cb 30A 30Ad 30B 30Bc4 30Bx 30D 30Df 33R 33Rb 33Rg 33Rd 44E 44L 44Lc 46F 47D 47F 48A 48Aa 49E 49Ea 56F 56Fb 58G 58Ga 58Gi 62G 62Ga 62F 63B 65A 65Ai 65At 65B 65Bn 65Bn1 65D 65Dc 65Dc1 65Dg 65Dk 65Dl 65Dla 65Dm 65Do 65Dv 65G 65Gb 65Gt 65F 65Fb 65Fc 65Fd 65Fe 65Fz 65K 65Kl 65Z 65Kg 65L 65Le 65N 65Np 65Nm 66P 66Pa 80B 80Bc

- 52. *Precis (Junonia) orithya* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *orithya* Linnaeus, 1758
Range (as codes): TR BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW IQ Nsr Bji Bgd IR Lo Fa Ke JO KE KW LR LY MA MG ML MR MW MZ NA NE NG OM PK RW SA SD SL SN SO ST SZ TD TG TN TZ UG YE MG ZA Nta Kzu Ptb ZM ZR ZW SY IN LK MM Ci Mre Pj Nwf Pes Rm Cp Tra Tva Lpo Spb Lj Kru Dbn MZ ZW BW NA PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Tab Taw Tic Stu SG ID Sum Ja Bli Lb LS Baw Bor Clb Hn TH MY Lkw CMA Cuo Cuo7 Cu12 Cmz Cz11 Loc Nna Knc Cbi Shu Non Phi Nrt Cbu Ray Pht Sgk Yal Tng Hya PSu Nst Ths AE AF AO BF BH MW Zom Koh Msr Swa Kkar Ng Jla 21 31 63
- 53. *Thaleropsis ionia* (Eversmann, 1851)** (Argynnidae) Synonym(s): *ionia* Eversmann, 1851; *ammonia* Herrich-Schäffer, 1851. Range (as codes): Kas Cc AM GG GR IQ Sif AZ Ord Nv IR TR 03 05 06 07 08 13 21 23 24 25 28 30 32 33 42 44 47 48 56 58 60 62 65 70 73 05A 06R 13F 13G 13Gf 21L 21Le 21N 21Nb 25F 25Fa 30B 30Bc 30D 30Df 33A 33R 33Rb 44F 44O 44Oc 56F 62F 65A 65Ai 65Bx 65D 65Di 65Dw 65Dj 65Di 65Dk 65Dv 65Dm 65Do 65Dob 65Dr 65Drb 65Dw 65Dü 65G 65Gd 65Ge 70B 73A 73Ad 73Ad2 73Ak
- 54. *Vanessa (Cynthia) cardui* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawii* McCoy, 1868; *pallida* Schøyen, 1881; *japonica* Stichel, 1908; *universa* Verity, 1919; *takesakiana* Kato, 1925; *jacksoni* Clark, 1927 Range (as codes): Ad Ae AF AL As At AT Az BE BG BH BY Ch CH CN Co Cr CY CZ DE Dh DK EE ES FI FR GB GR Hd Hj HU IE IL IN IQ IR IS IT JO KG KK KW LB Ld LT LU LV MN MT Mu Nf Nj NL NO PH PK PL PT QA R RO RU SA Sa SE Si Si SK SY Ti TJ TM TR Tz Ua Ui UZ Ye YU SS HV B-H MK Mt AO BF BI BJ BW BZ CF CG CI CM Cn DJ Dj DZ EG EH ER ET FP GA GH GM GN GO GW KE KM LR LS LY MA MG ML MR MW MZ NA NE NG RW SC SD Sem SL SN SO ST SZ TD TG Tk TN TZ UG ZA ZM ZR ZW Cw Dv Smt H-W Sur Ssx Ken Cy LY Kts Tm Ci Um Sau Tar DsA TeA KuA TrA Ket Bn Ar Mu Mu18 GG AZ Nv AM MD NP Ab Ak Ahw Ar A-B Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ke Luz Ye Mno Neg Pal US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Ilm Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDK NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Ord Nta Kzu Ptb Gau Pre Est Spb Lj Tva Lpo Mdk Ent Kru Pma Pf Pa Hf TH CMA SD91 SD119 MW Zom Arr Oru Jal Msw Kh KP KR JP Koh Msr Nra Bhb Ad SO Zai Ifr Rbt Saia Tlm Orn Agi Blid Ges Dje Ogl Bsk Ktr Btma BSa Tmn Ah Ajj Hrh Sfr Mzg Onç Ceg Gtt Rbt Azr Idl Ath Ng Jla Hr BLM Prw Pnj 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 75 76 78 80 81 02B 02E 02Fz 04D 04Db 05A 06B 06C 06D 06G 06H 06K 06N 06R 06Rd 06V 06Z 13A 13Ab 13Ac 13Ax 13B 13Ba 13C 13Cf 13Cg 13D 13Da 13F 13F3 13F33 13F35 13G 13Gö 13Gg 13Gv 13Gk 13Go 13Gw 13Gz 14I 14Ib 21K 21L 21Le 21N 21Nb 21Nh 21P 21Pa 21O 23D 23Dc 23I 23Ia 23Ib 23E 23M 25A 25F 25Fb 25Fc 27C 27Cb 29A 29Ac 30B 30Bb 30Bc 30Bk 30D 30Df 31F 31Fb 31K 31Ka 31La 33R 33Rb 33Rd 33Rg 36D 36Db 39C 44A 44Aa 44Ab 44E 44L 44Le 45L 45La 46F 46Fc 47F 48A 48Ak 48D 48F 48L 49E 49Ea 49Ec 49F 49Fb 49Fe 49Ff 56A 56D 56Db 56Dc 56Dh 56Dg 56F 58C 58G 58Ga 58Gd 58Gi 62G 62Ga 62E 63B 63Ba 63D 63E 63G 63M 65A 65Aj 65Ai 65Am 65Am1 65Am3 65Ac 65At 65At1 65At2 65Au 65B 65Bk 65Bi 65Bx 65D 65Dc 65Dc 65Dk 65Di 65Dlc 65Dn 65Do 65Dr 65Drb 65Dt 65E 65Eb 65Ec 65Ec 65Ed 65F 65F1 65Fb 65Fd 65Fg 65Fj 65Fm 65Fn 65Fq 65Fr 65Fü 65Fw 65Fz 65G 65Gb 65Ge 65Gf 65Gy 65Gl 65Gi 65Gv 65Gz 65K 65Kc 65Ka 65Kl 65Z 65Kg 65Ks 65Ky 65Ky1 65L 65Le 65N 65Nc 65Nc4 65Ng 65Nh 65Nk 65Np 65Np1 65Np2 65Np3 65Np4 65Nm 65Nl 65No 65Nr5 65M 65Mc 65Md 66A 66P 66Pa 72E 72Ek 72F 73D 73Da 73Df 73H 75F 75Fg 75Fi 76A 76A 76B 76Bf 76Bh 76C 76D 76Da 78D 78Da 80B 80Bc
- 55. *Vanessa (s.str.) atalanta* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewiczii* Schille, 1896; *#klime* Fischer, 1896; *italica* Stichel, 1900. Range (as codes): IL He Pa Hf Ae AL Ao At AT Az Ba BE BG B-H BY CH CN Co Cr CZ DE DK DZ EE ES FI FR GB GR HU HV IE IR IS IT JO KG Kp Kr LB LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS TM TN TR T-S UA Ui Uk Vi YU Cw Dv Smt H-W PK Zh Bl Cc GG AZ AM CY US MX Sur Ssx Ken Cn Mu Mu18 Nv MD Elb Mz Gls CA GT CU HT NZ AU Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Ilm Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDK NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy IQ Bgd Ab Blid Orn Agi Len Krn Ktr Cst Tun Tlm Tgr Hrh Hmk Mzg Tou Clo Sbd Rbt 01 03 04 05 06 07 08 09 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 56 58 59 60 61 62 63 65 66 71 74 75 77 78 80 81 04D 04Db 05A 06G 06H 06R 06Rd 06S 06Z 09K 09Ka 13F 13F33 13G 13Gü 13Gy 13Gw 14I 14Ib 21N 21Nb 23E 27C 27Cb 30D 30Df 33A 33Ak 33R 33Rg 39C 45L 45La 46F 46Ff 48A 48Ak 48D 48F 48L 56B 56Bb 56F 58G 58Ga 58Gi 63D 63E 65A 65At 65At1 65D 65Dc 65F 65Fb 65Fq 65Fs 65Fz 65K 65Kq 65Z 65L 65N 65Nc 65No 65Nm 66A 66P 66Pa 75F 75Fi 77F

Danaidae

- 56. *Danaus (Anosia) chrysippus* (Linnaeus, 1758)** (Danaidae) Synonym(s): *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759 Range (as codes): Ad AF AL AO As BF BH BI BJ CF CG CI CM Cr CY Dh DZ EG EH ER ES Mu ET GA GH GM GN GO Bio GR Rd GW Hd Hj ID IN IQ Dy IR IT JO KE KG KW LB LR LS LY MA ML MR Mu MZ Nj RW SA Sa SD SL SN SO ST SY SZ TM TN TR Ci Kz Ahw Hz Kru ZM Bl Si Cn KM MG Fa Kh BW BZ DJ GW MW MZ NA NE NG RW SC TD TG TZ UG ZA Nta Tva Cap Lpo Spb Mdk Ltr Hgl Ent NWe Mpu Fs Nea Ec ZR ZW Wea Kzu AL As Ptb Tug TH CMA Cm1 Cuo Cuo2 Cuo5 Cuo7 Cuo9 Cu10 Nan Knc Shu Npt Bnk Ci CN Cp Cr Cu Dh Hd Hj ID IL Pa Hf IN IT KH Kma Kre KW Lh LK MM MT MY Nf Hr Nj NP OM PK Mre Bl QA SA Sa Sd Si Si SY VN YE PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Lj Gau Pre Mv Pma Pf Agh Nia Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia BLM Sib Siq Sis Stu Tab Taw Tic Slo Wb Jh Wri Ire Wjk Ls Mlc Tim Tnm Bgd Ja Flo Sly Tan Kla Bng Tuk Bnr Sla Kbn Kgr Ben SI Clc Mhw Kma Mpr NI HK Lh Sd Cp Oi Chn Ton EGo7 Nst Ths Tnga Usa Ani Eth Cp Dew MW Zom Ab Msr Haz Pes Bhb Gf Sfx Gha Omy Gtt Ng Jla Lgh ML 01 07 09 20 21 23 33 35 46 48 63 01A 01F 01N 33N 46G 63D

Hesperiidae

- 57. *Carcharodus (Lavatheria) lavatherae* (Esper, [1783])** (Hesperiidae) Synonym(s): *lavatherae* Esper, [1783]; *australior* Verity, 1919; *pyrenaeicus* Picard, 1948. Range (as codes): AL AT BG BY CH DE DZ ES Mu Mu18 FR GR HU IT MA RO RU SK Sm So Sr TR IR Ab UA VI YU Mt Ko MK SS HV B-H Ur Cc TN Ges Sbd Lbs 01 03 04

- 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 39 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 72 73
74 75 76 78 04D 04Db 05A 06R 06Rd 06Z 13C 13Cd 13F 13G 13Gv 23D 23Dc 23I 23Ia 23Ib 24E 24Ea 25F 25Fa 25Fb
25Fc 30B 30Bc 30Be 30Bc 30D 30Df 30Dt 33R 33Rb 33Rg 36D 36Dc 36F 36Fb 49E 49Ea 58G 58Gi 65A 65Ai 65At
65At1 65D 65Dc 65Dc 65Do 65F 65Fb 65Fg 65Fj 65Fz 66A 72E 72Ej 75F 76C 76D 76Dc 78D 78Da
58. **Carcharodus (Lavatheria) stauderi Reverdin, 1913** (Hesperiidae) Synonym(s): *stauderi* Reverdin, 1913; *fulvissima* Verity, 1925; *obscurata* Verity, 1925; *romei* Rothschild, 1933; *rungsii* Picard, 1950 Range (as codes): MA Ifr Rf AF DZ Ktr Ges Sbd Dja Ah Ajj EG Sn GG Cc GR Rd IL Js IR JO LB Bei Pa RU Sn SY TR LY Cy 01 05 07 23 24 27 30 31 35 36 42 44 46 50 58 60 65 76 05A 23C 23Cc 23D 23Da 27C 27Cb 30A 30Aa 30Ab 30B 30Br 31L 31La 31M 36F 36Fb 44L 44Lc 46H 46Hc 58G 58Gi 58Gj 65F 65Fg 65K 65Kc 65Z 65Kd 65Kg 65L 76B 76Ba 76D 76Df
59. **Carcharodus (Reverdinus) flocciferus (Zeller, 1847)** (Hesperiidae) Synonym(s): *flocciferus* Zeller, 1847; *altheae* Hübner, [1803] *nec* Esp., [1783]; *imperator* Hemming, 1934; *alchymillae* Hemming, 1936; *autumnalis* Verity, 1940. Range (as codes): MA Lkr Rf AL AT Ba BG BY CH CZ DE ES Mu FR GR Rd HU IT LT LV PL PT RO RU Sa Si SK Sm Sr TM TR IR Ab Sro UA VI YU Mt Ko MK SS HV B-H KG Sp Bv Bw Rp Cc 08 25 30 36 53 65 69 71 75 76 30B 30Bc 30Bx 30D 30Df 65D 65F 65Fp 65Fz 65N 65Np1 65Nr4 65Nr6 65Nm 76C
60. **Carcharodus (Reverdinus) orientalis Reverdin, 1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin, 1913; *centralanatolica* Pfeiffer, 1927; *aestatis* Graves, 1928; *aestatis* Verity, 1928; *postorientalis* Verity, 1928; *maccabaeus* Hemming, 1932. Range (as codes): IL He Pa LB AL BG BY GR JO IQ IR Ab Qba Kh Gl Mk RU TR Cc UA YU HV Mt 01 02 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 72 73 74 76 01D 01H 02F 02Fe 05A 06B 06G 06K 06N 06P 06R 06Rd 06V 06Z 13G 13Gs 13Gw 18F 21N 21Nb 25F 25Fa 25Fb 25Fc 27B 27C 27Cb 27D 27Db 30B 30Bc 30Bx 30Dt 31E 31L 31La 31K 31Ka 33K 33R 35T 36D 36Dc 36F 36Fb 44E 44L 44Lc 46F 47B 47F 49E 49Ea 56F 58G 58Gi 63D 63E 65A 65Am 65Am3 65D 65Dc 65Df 65Do 65Dp 65F 65Fc 65Fg 65Fi 65Fz 65G 65Gm 65K 65Kc 65Kö 65Ku 65Z 65Kw 65Kz 65Kg 65L 65Le 66A 72E 72Eg 76C
61. **Carcharodus (s.str.) alceae (Esper, [1780])** (Hesperiidae) Synonym(s): *alceae* Esper, [1780]; *malvae* Hufnagel, 1766 *nec* Linn., 1758; *malvarum* Hoffmannsegg, 1804; *magnaustalis* Verity, 1924; *corsicus* Picard, 1948. Range (as codes): AF AL AM Ao AT AZ Len Ba BE BG BY Ch Ci CN Co Cr CZ DE ES FR Gg GG GR Rd Gs Hd Hp HU IN IQ IR IT KG Kr Ku LB Ld LU MA Mre Haz Mus NL Pag PK PL PT RO RU Sa Si SK Sm Sml So Sr TM TN TR UA Ui Uk Up VI YE YU Mt Ko MK SS At Mn Sp Tk Aa Tm Sau Tar DsA Ax Tls Ng Hr Kab T-S Mu CH HV B-H DZ Bn CY IL Pa Hf Cc Arr Ab Ak Shf Gl Gor Kh Nar 01 02 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 39 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 75 76 78 79 80 01A 01H 01K 01F 02F 02Fc 04D 04Db 05A 06B 06G 06K 06R 06Rd 06V 06Z 12A 12Ai 13F 13G 13Go 13Gv 13Gw 21L 21Le 21Lf 21N 21Nb 21O 23D 23Da 23I 23Ia 25F 25Fa 27C 27Cb 27D 27Dd 27E 30A 30Aa 30B 30Bd 30Bc 30Bt1 30Bx 30Bh 30Bf 30Bj 30Bg 30Bj1 30Bo 30Br 30D 30Da 30Df 30Dt 31A 31Aa 31F 31K 31Ka 31O 33A 33Al 33O 33R 36D 36Db 36F 36Fb 39C 44E 44Ei 44L 44Lc 48A 48Aa 48Ak 48D 48F 49E 49Ea 49Ef 49F 49Fb 56F 63B 63Ba 63D 63E 65A 65Am 65Am1 65Am4 65B 65Bb 65Bx 65D 65Dc 65Dd 65Dd 65Dd 65Df 65Di 65Di 65Do 65Dp 65Dr 65Drb 65Dt 65Dw 65Dw 65E 65Ea 65Eb 65Ed 65F 65Fb 65Fd 65Fg 65Fu 65Fq 65F3 65Fi 65Fz 65G 65Gb 65Gn 65K 65Kb 65Kc 65Kl 65Z 65Kö 65Ks 65L 65Le 65N 65Na 65Np 65Np4 65Nm 66A 72E 72Eb 73A 73Ad 73Ad2 73D 73Db 75E 76B 76Bb 76Bf 76Bh 76D 76Da 76Df 78D 78Da 79B 80B 80Bc 80C 80G
62. **Carterocephalus palaemon (Pallas, 1771)** (Hesperiidae) Synonym(s): *palaemon* Pallas, 1771; *paniscus* Fabricius, 1775; *brontes* [Denis & Schiffermüller], 1775; *mesapano* Scudder, 1868; *skada* Edwards, 1870. Range (as codes): Bn At Kts AT Ba BE BG B-H BY CH CZ DE EE ES FI FR GB Cc GG Smt Bjo GR HU HV IT LT LU LV NL NO PL RO RU SE SK Sm So Sr SS TR UA MK Ir RU Sb Kuz Sli Or Bs Tt Ur Ch Om No JP Hsu US Cf Cnt Id Mai Mch Mns Mon Msc Ndk Nh Nje Org Pns Vr Wc Ws Wy Als Kod CN Ui CA Yuk BCo Abt Ssk Mnt On Qb Lbr Nfl DMK DKe 16 53
63. **Eogenes alcides Herrich-Schäffer, [1852]** (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer, [1852] Range (as codes): T-S BI Ci CN Cc GG AM AZ Nv Ord IR Ab Mz Kh IQ Kp PK TM TR Ui Ii Tk KG 05 08 20 23 24 25 30 35 36 42 50 56 60 62 63 65 66 72 73 05A 23Cc 23D 23Da 25F 25Fa 30B 30Bc 30Bx 30Bd 30Bg 36D 36Dc 36F 36Fb 56A 56Ac 56F 62F 65D 65K 65Kb 65Z 65N 65Nc 65Nj 65Np5 65Nm 72E 72Eb
64. **Eogenes lesliei (Evans, 1910)** (Hesperiidae) Synonym(s): *lesliei* Evans, 1910; *lesliei* Evans, 1926 Range (as codes): Ci IQ Mnf PK TR IR AF Ng Kab Ca 56 56A 56Ac 56B 56Bb 56F 56Fb 56Fg
65. **Erynnis (Heseropegasus) marloyi (Boisduval, [1834])** (Hesperiidae) Synonym(s): *marloyi* Boisduval, [1834]; *sericea* Freyer, 1838; *rustan* Kollar, [1849]. Range (as codes): AF AL BG GR IQ Rwz Shq IR Ab Qba Kp Fa Shr Kh LB MK RU TM TR Cc 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 56 58 60 62 65 66 70 71 72 73 76 01H 01K 05A 06B 06K 06N 06R 06Rd 06V 06Z 13G 13Ga 13Gö 13Gg 13Gs 13Gw 13Gz 21L 21Le 21N 21Nb 21O 23D 23Dc 23I 23Ib 25F 25Fa 30A 30Ac 30B 30Bd 30Bc 30Bx 30Bh 30Bk 30Bj 30Bg 30D 30Da 30Df 30Dt 31A 31Aa 31B 33R 35L 36D 36Dc 56F 65A 65Am 65Am4 65D 65Dc 65Di 65Do 65Dq 65Dp 65Dr 65Drb 65Dw 65F 65Fb 65Fd 65Fp 65Fz 65K 65Kd 65Kg 65L 65La 66A 72E 72Eg 73A 73Ad 73Ad2 73Aj
66. **Erynnis (s.str.) tages (Linnaeus, 1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus, 1758; *morio* Scopoli, 1763; *geryon* Rottentburg, 1775; *subclarus* Verity, 1921. Range (as codes): At AL AT Ba BE BG BY CH Cr CZ DE DK EE ES An Mu Mu18 FR GB GR HU IE IQ IR Ab IT KG Kr LB LT LU LV MN NL NO PL PT RO RU Sb SE SK Sm So Sr TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko MK SS HV B-H Mn Sau Tar CN Sz Ui Cc 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 49 50 51 52 54 56 58 59 62 63 65 66 67 69 70 71 73 75 76 78 01H 01K 05A 06B 06C 06D 06G 06K 06N 06P 06R 06Rd 06V 06Z 12A 12Aa 13F 13G 13Gw 14F 21N 21Nb 23D 23Dc 23E 23M 25F 25Fa 27C 27Cb 30A 30Aa 30B 30Bc 30Bx 30Bd 30Bh 30Bf 30Bg 30Br 30C 30Ce 30D 30Df 30Dt 31A 31K 31Ka 31L 31La 33K 33R 33Rb 36D 39C 44E 44Ei 44L 44Lc 44O 44Oc 46F 46Fc 46Fd 49E 49Ea 49F 49Fb 56F 63D 65A 65Ai 65Am 65Am4 65At 65D 65Dc 65Dk 65Di 65Do 65Dob 65Dq 65Dü 65Dn 65Dv 65Dw 65Dt 66A 73A 73Ad 75E 75F 75Fd 78D 78Da
67. **Gegenes nostradamus (Fabricius, 1793)** (Hesperiidae) Synonym(s): *nostradamus* Fabricius, 1793; *proclea* Walker, 1870; *karsana* Moore, 1874; *nostradamus* Rothschild, 1913; *pumiliominima* Verity, 1931; *megalegyna* Verity, 1940 Range (as codes): Ad AF AL As Ben BH Bl Br Ci Cr Cu Dh DJ EG ET ER ES Mu Mu18 GR Rd Hj HV IN

IT IQ Bgd Nsr JO KW LB IL Pa Hf MK Nwf OM Pj PK PT QA Rjp SA Sd Si SO SY TM TR Up UZ YE YE6o YU HV B-H Mt
DZ MA Rbt Azr Agi Eba Sbd Bsk Gha Aji Clo TN Cp Rw Nwf Ksl Ato SD 01 02 07 09 16 17 24 27 31 33 34 35 44 45 46 59
63 02E 02Ec 44O 44Oi 46L 56F 63B 63D 63E

- 68. *Gegenes pumilio* (Hoffmannsegg, 1804)** (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg, 1804; *pygmaeus* Cyrilli, 1787 nec Fabr., 1775; *aetna* Boisduval, 1840; *lefebuvii* Rambur, 1842; *monochroa* Rebel, 1907. Range (as codes): He IL AL Bl Ci ES Mu FR GR Rd HV AF Hr BlM Ng Hyb IN IT JO Kul MT Nwf Pj PK Si Sk TR Up YE YU Mt DZ Agi Clo MA TN IQ IR CY 01 07 09 27 31 33 35 48 01A 01D 01G 01F 09K 27C 27Cb 31A 31Aa 31F 48A 48Aa 48F 56F
- 69. *Hesperia comma* (Linnaeus, 1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus, 1758; *virgula* Retzius, 1783; *alpina* Bath, 1896; *galliaemeridiei* Verity, 1928; *alpapennina* Verity, 1928; *alpiumflava* Verity, 1928; *macrocomma* Verity, 1928; *superalpina* Verity, 1928; *atralpina* Verity, 1928. Range (as codes): AF AL KK At Kts AT Ba BE BG Bqu Btn BY B-H CH Ci CN CZ DE DK EE ES FI FR GB GR HU HV IN IT Ju Kbb Ku Ld Lho LT LU LV MK NL No NO PK PL PT RO RU SE Sha Si SK Sm So Sr Sz TR Ts T-S T-T SS UA Ui Up VI Yu YU Sur Ssx Mt Ko MA DZ KG Uk Rk Pw Om Mn Sp Or Bs Afr Lkr Ouk Lbs Tgz Mu Bn Amd Kg Ur Sb Tt TJ Pm Al DsA KuA TrA Tls Ax Ket IQ LB Cc GG Smt Bjo Kak Lag US MX Arz Cf Col Id Mai Mch Mns Mon NDK NMx Ne Neb Nh Org SDK Ut Wc Ws Wy Ab 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81 05A 06D 06H 06K 06Z 13A 13Ab 13Ac 13Ac1 13Ac3 13Ax 13F 13G 13Gw 23D 23Dc 30B 30Ba 30Bf 30D 30Df 30Dfa 33R 33Rb 35S 35Sb 46F 58G 58Gg 58Gj 65A 65Ac 65Aba 65Ac 65Ac2 65Am 65Am2 65B 65Bk 65Bx 65D 65G 65Ge 65Gn 65Gp 65Gm 65F 65Fc 65Fe 65Fi 65Ft 65Fq 65Fe 65Fs 65Fü 65Fz 65K 65Kc 65Kg 65Kl 65Z 65Kö 65Kw 65N 65Nr2 65Nr4 65Nm 66P 66Pa 70C 70Cb 76C
- 70. *Heteropterus morpheus* (Pallas, 1771)** (Hesperiidae) Synonym(s): *morpheus* Pallas, 1771; *speculum* Rottemburg, 1775; *steropes* Denis & Schiffermüller, 1775; *aracanthus* Fabricius, 1777; *speculifer* Fourcroy, 1785. Range (as codes): AT Ba BE BG B-H BY CH CZ DE DK EE ES FI FR HU HV IT Kr LT LV NL PL RO RU SE SK Sm So Sr SS TR UA YU Or Bs Kg Ty Om At Bn CN Mc Shs KP KR 34 39
- 71. *Muschampia nomas* (Lederer, 1855)** (Hesperiidae) Synonym(s): *nomas* Lederer, 1855 Range (as codes): LB Bei SY IQ Shq Slh TR IL He 01 02 03 05 06 07 12 13 21 23 27 31 32 33 38 42 44 46 47 49 50 51 58 60 62 63 65 70 72 73 02F 02Fe 05A 06B 06K 06R 06V 13F 13G 21O 23D 23Dc 23E 23M 27C 27Cb 31A 31Aa 31K 31M 33R 46H 46Hc 49E 49Ea 49F 49Fd 65A 65Ai 65Am 65Am3 72E 72Eh 72Ei 72Ek 73D 73Df
- 72. *Muschampia plurimacula* (Christoph, 1893)** (Hesperiidae) Synonym(s): *plurimacula* Christoph, 1893 Range (as codes): IR Srd TR 30 30B 30Bc 30Bx 30Bf 30D 30Dj
- 73. *Muschampia poggei* (Lederer, 1858)** (Hesperiidae) Synonym(s): *poggei* Lederer, 1858; *ioan* B.C.S. Warren, 1926 Range (as codes): GG Cc IQ Slh IR Ab LB SY TR AM Nv AZ 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70 72 73 13A 13Ac 13Ax 13F 13F7 13F71 13G 13Gv 23I 23Ib 24E 24Ea 27B 30B 30Bc 30D 49E 49Ea 49Ed 56B 56F 65A 65Am 65Am3 65Bx 65D 65Dc 65Df 65Dp 65E 65Eb 65G 65Ge 65F 65Fg 65Fh 65Fj 65Fi 65Fz 65K 65Kc 65Z 65Kz 65Kg 65N 65Np2 65Np8 65Nm 72E 72Eb 72Eg 72Eh 72Ei 72Ej 73D 73Df 73Dg
- 74. *Muschampia proteides* (F. Wagner, 1929)** (Hesperiidae) Synonym(s): *proteides* F. Wagner, 1929; *lycaonius* F. Wagner, 1929; *sovietica* Sichel, 1964; *lycaonius* Benjamin & Avni, 2001 [misident.]; *#lycaonius* Benjamin & Avni, 2001 Range (as codes): Cm IQ IR Ab JO KG Kr LB MK Pa RU Sr TR UA Uk KG Cc Am IL Pa Js Nab JO SY He LB Bei Zah Baa 01 03 05 06 07 08 13 14 15 20 21 24 25 27 32 33 38 42 43 44 46 48 49 51 56 58 60 65 70 73 76 05A 06B 06Bc 06D 06E 06H 06K 06N 06R 06Rd 06V 06Z 13F 13G 27D 27Dd 33P 44F 44Fb 46F 48G 48Gb 49F 49Fd 50G 50Gd 56F 58G 58Ga 58Gg 58Gj 65A 65Au 65Am 65Am2 65D 65Dd 65F 65Fb 65Fc 65Fr 65Fp 65Fz 65G 65Gb 65K 65Kg 65Ku 65Z 70C 70Cb 70Cd 76C
- 75. *Muschampia proto* (Ochsenheimer, 1808)** (Hesperiidae) Synonym(s): *proto* Ochsenheimer, 1808 Range (as codes): IR Ab LB AL ES Mu Mu18 An Grn Abr Cue FR GR IT PT Si TR YU Mt MK DZ MA MR JO Zq Lbs Sbd Azr Tlm Blid Cré Dju Orn Clo Tue 01 07 27 31 33 48 70 79 01D 07A 07B 07Bc 27B 33A 33R 33Rb 48A 48D 48L 70B 79B
- 76. *Muschampia tersa* Evans, 1949** (Hesperiidae) Synonym(s): *tersa* Evans, 1949 Range (as codes): Cc AZ Nv Dk Fa IQ Ry IR Ab Khy Th TR 13 30 56 65 73 13F 13G 30B 30Ba 30Bc 30Bx 30Bd 30Bh 30Bf 30Bj 30D 30Da 30Df 30Dt 56F 65B 65Bc 65D 65Df 65Dm 65Dp 65Dw 65F 65Fd 65Fj 65K 65Kg 65L 65Lb 73C 73Cd
- 77. *Muschampia tessellum* (Hübner, [1802])** (Hesperiidae) Synonym(s): *tessellum* Hübner, [1802]; *hibisci* Böber, 1812; *mazzola* Ochsenheimer, 1816 Range (as codes): AL Am Amd Bn At Ax AZ Ba BY Cm CN Fa Fe GG Cc GR IL Ir IR Ab Khy Kh Ju KG Uk KK Kno Kr Mc MK MN Na Nv Pa Pm RU Sm So Sp Sr T-A TJ TR Ts T-S UA Ui VI TM Kp Sb Ya Sb Au Sp Mn Tk Aa TrA DsA Tar Mrk Sau Ket TeA KuA Kuz Sli T-S 03 06 08 12 14 16 21 24 25 29 34 36 43 46 48 56 67 69 75 76 78 81 06K 06P 06V 06Z 12A 12Ab 25F 25Fa 25Fc 36D 36Dc 46G 46Ge 56F 56Fc 76C
- 78. *Ochlodes venatus* (Bremer & Grey, [1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey, [1852] Range (as codes): IR By Th Lo Ak Ab AL AT Ba BG BL BY CH CN CZ DE DK EE ES FI FR GB GR HU IT Kr LT LU LV Mc Na NL NO PL PT RO RU SE Si SK Sm So Sr Sz Ti TR Ts T-T UA Ui Vi Vv Yu Cw Dv Smt H-W Sur Ssx Ken Mt Ko B-H HV SS MK SY KK Kg Or Uk Bs Tr Cb Kg Ty Kw Pw Om No At Mn T-S Am Amd Ao Kts Mu Sp Tk At Bn Aa Db Kuz Sli Sau Tar DsA Ket Tu TeA KuA TrA Tls Ax IQ LB Cc Sro 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 35 36 37 39 41 42 43 46 52 53 56 58 60 61 62 65 66 69 72 73 74 75 78 81 02F 05A 06G 06R 06Rd 13F 13G 13Ga 14I 14Ib 30B 30Bc 30Bx 30Bf 30Bg 30D 30Da 31a 31Aa 33R 33Rb 36D 36Dc 39C 56F 65A 65Ai 65B 65Bk 65Bx 65D 65Dd 65Dda 65Do 65Dü 65Dn 65Dw 65G 65Ge 65K 65Kd 65Kg 65L 65La 66A 73C 73Cd 75E 75F 75Fd 78D 78Da
- 79. *Pelopidas thrax* (Hübner, [1821])** (Hesperiidae) Synonym(s): *thrax* Hübner, [1821]; *midea* Walker, 1870 Range (as codes): SD ET SO DJ KE UG SZ ZA Nta Kzu Ptb Tva Lpo Gau Mal Spb Mdk Kru Pf Ec Wca Fs Mpu Kny OM Cu CY EG IL Pa IN IR Ab Ak Thz IQ JO Kre Lhj MM Mpr PK SA Bhh Sd SI SY TR YE 01 07 09 10 31 33 35 46 48 01A 01F 31A 31F 31K 31Ka 33A 33Aa 33R 48F
- 80. *Pyrgus aladaghensis* De Prins & Poorten, 1995** (Hesperiidae) Synonym(s): *aladaghensis* De Prins & Poorten, 1995 Range (as codes): TR 51

- 81. *Pyrgus alveus* (Hübner,[1803])** (Hesperiidae) **Synonym(s):** *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ruffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991. **Range (as codes):** IR Am Bn At Kts AT Ba BE BG BY CH CN CZ DE EE ES FI FR GR HU Ui Li Ku IT Kr LT LU LV MK NL NO PL PT RO RU Sb SE Sj SK Sm So Sr TR Ts UA VI YU Mt Ko Kuz Sau Tar DsA KG T-S Bc Cc Arr 04 08 24 25 29 30 36 51 52 53 61 62 69 75 76 30B 30Bc 30Bc5 36D 36Dc 36De 75E 75F 75Fd 76C
- 82. *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) **Synonym(s):** *armoricanus* Oberthür,1910; *petheri* Romei,1927. **Range (as codes):** AL AT Ba BE BG B-H BY CH Co Cr CZ DE DK ES Mu FR GR HU HV IT MK NL PL LB PT RO RU Sa SE Si SK SS TR Cc UA YU Mt Ko Ur Kp TM IR Ab Kh IQ MA Ifr DZ Agi 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 41 42 43 44 46 48 49 51 52 53 56 58 60 61 62 65 66 68 69 70 71 73 74 75 76 79 02E 05A 06B 06G 06K 06R 06V 06Z 13F 13G 23I 23Ib 25F 25Fa 27C 27Cb 30B 30Bc 30Bx 30Bg 30D 30Df 36D 36Dc 36Dd 36F 36Fb 46F 49E 49Ea 49F 49Fb 51D 51De 56F 58G 58Gd 58Gi 65A 65Au 65As 65At 65At1 65B 65Bn 65Bn1 65D 65Dc 65Df 65Dk 65F 65Fc 65Fr 65Fq 65Fz 65G 65Gb 65K 65Kg 65M 65Md 66A 75F 76C 76E 76Ea
- 83. *Pyrgus bolkariensis* De Prins & Poorten,1995** (Hesperiidae) **Synonym(s):** *bolkariensis* De Prins & Poorten,1995 **Range (as codes):** TR 42 51
- 84. *Pyrgus carlinae* (Rambur,[1839])** (Hesperiidae) **Synonym(s):** *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954. **Range (as codes):** AT CH FR IT NL CH DE ES PT SS TR IR Ab Cc 08 13 24 25 36 65 69 75 76 13A 13Ab 13Ac 13Ac1 13Ax 13G 13Gv 13Gw 36D 65D 65Dc 65F1 65Fz 76C
- 85. *Pyrgus carthami* (Hübner,[1813])** (Hesperiidae) **Synonym(s):** *carthami* Hübner,[1813] **Range (as codes):** AL AT Ba BE BG B-H Brd Bv Bw BY CH CZ DE ES Mu FR GR HU HV IR Ab Oru IT KG Kp LT MK Mn NL PL PT Py RO RU Sb Sb SK Sm So Sr SS TM TR Arr UA Uk VI YU Mt Aq Ur 16 33? 39 71 ?33R ?33Rb
- 86. *Pyrgus cinarae* (Rambur,[1839])** (Hesperiidae) **Synonym(s):** *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 **Range (as codes):** AL BG Cm ES GR MK RU TR Cc UA VI Ur IR 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 65 76 01K 05A 06K 06Kb 06R 06Rc 06Z 13G 13Gv 25F 25Fa 25Fb 30D 30Dt 65F 65F1 65Fz 65D 65Do 65Dob 65N 65Nr4 65Nm 76C
- 87. *Pyrgus jupei* (Alberti,1967)** (Hesperiidae) **Synonym(s):** *jupei* Alberti,1967; *centralasiae* Renner,1991. **Range (as codes):** AZ GG Cc IR Kb Kc Nv RU TR 08 25 29 53 75 75F
- 88. *Pyrgus malvae* (Linnaeus,1758)** (Hesperiidae) **Synonym(s):** *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *althaeae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938. **Range (as codes):** AL AT At Bn Ba BE BG Bw BY CH CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr JP Hkk LT LU LV NL NO PL PT RO RU Am Us Sr Ur SE SK Sm So Sr TR T-S UA Ui VI MK YU Cw Dv Smt H-W Sur Ssx Ken Ko Mt Uk TrA DsA Tar Sau Mn Sp Aem Ax Kuz Aq CN Ui Ku Fe UZ Man 05 06 14 16 17 26 34 39 41 52 55 67 81 05A 06R
- 89. *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) **Synonym(s):** *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. **Range (as codes):** GR IL Pa JO LB SY TR Cc IR Ab Elb Th Kdj 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 56 58 60 61 65 66 69 70 71 73 76 80 02E 05A 06B 06C 06G 06P 06R 06Rd 06S 06V 06Z 12A 12Ab 13B 13Bg 13D 13Da 13F 13G 13Gö 13Gg 13Gv 13Gw 13Gs 13Gü 21N 21Nb 23I 23Ib 23M 25F 25Fa 27C 27Cb 30B 30Bc 30D 31K 31Ka 31M 33K 33R 33Rb 36D 36Dc 36F 36Fb 44A 44Ab 44L 44Lc 46F 49E 49Ea 49F 49Fb 56F 56Fa 63D 65A 65Ao 65Ai 65An 65Am 65Am4 65Au 65At 65D 65Dc 65Dd 65Dd4 65Di 65Dn 65Dr 65Drb 65E 65Ed 65F 65F1 65Fc 65Fh 65Fe 65F3 65Fj 65Fz 65K 65Kd 65Kg 65Kl 65Z 65N 65Np 65Nm 66A 76B 76Bf 76Bh 76D 76Da
- 90. *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) **Synonym(s):** *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. **Range (as codes):** AL AT Bn At Ba BG B-H BL BY CH CZ DE DK EE ES Mu FR GR HU HV Ir IT KG Kp LB LT LU LV MK PL PT Py RO RU SK So Sr SS TM TR UA Uk VI YU Mt Ko Cc GG AM IR Ab Kh IQ Sau Tar Mn CN Ui 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 75 76 05A 06B 06K 06P 06R 06S 06V 06Z 13G 13Gv 23I 23Ib 25F 25Fa 25Fc 30B 30Bc 31M 31F 31Fb 33C 33R 33Rb 36D 36Dc 36F 36Fb 38H 38Hc 46F 47F 49E 49Ea 49F 49Fb 49Fd 58G 58Gi 65A 65Ai 65At 65At1 65Am 65Am3 65B 65Bk 65Bn 65Bn1 65Bx 65D 65Dc 65Dd 65Dda 65Df 65Dm 65Dn 65F 65Fb 65Fc 65F1 65Fe 65Fm 65F3 65Fz 65G 65Ge 65K 65Kd 65Kg 65Kl 65Z 65Kö 65N 65Nr4 65Nr6 65Nm 66A 75A 75Ac 75E 76C 76D 76Db
- 91. *Pyrgus sidae* (Esper,[1784])** (Hesperiidae) **Synonym(s):** *sidae* Esper,[1784] **Range (as codes):** AL Ba BG B-H BY ES FR GR HV IT Kp MK RO RU So Sr SS TM TR Arr Cc IR Ab Kh GG UA VI YU Mt Ko KG Uk KK Na Ket Ax Ug Tls T-S 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 56 58 59 60 61 62 65 66 69 71 72 73 74 75 76 81 04D 04Db 05A 06B 06K 06G 06P 06R 06V 13C 13Cd 13D 13Da 13F 13G 13Ga 13Gv 13Gw 14I 14Ib 21N 21Nb 23I 23Ib 23M 25F 25Fa 25Fb 30A 30B 30Bc2 30Bx 30D 30Df 30Dt 33R 33Rb 36D 36Db 36Dc 49E 49Ea 49F 49Fd 56F 65A 65Ai 65Au 65D 65Dc 65Dc 65Dd 65Dda 65Df 65Dm 65Dn 65F 65Fb 65Fc 65F1 65Fe 65Fm 65F3 65Fz 65G 65Ge 65K 65Kd 65Kg 65Kl 65Z 65Kö 65L 65Le 65N 65Np 65Nm 66A 72E 72Ej 72Eh 72Ei 75E 75F 76C
- 92. *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) **Synonym(s):** *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. **Range (as codes):** AF AL At Kts Ba BG BY CN GR HU HV JO IQ IR LB KG KK Kr MK RO RU Si SK Sm Sr SS TR AM UA Ui VI YU Mt Ko Mn Sp Tk Aa Syr Tm Sau Mrk Tar TrA DsA Ax TeA Bl Ci Gg Kab Nwf Pag PK Sju Qu Urk Zi Shs Sng She Gor Mrw Man Nmg Br Smk Bsa Bei Aiz Zah Js Shq Dk Krd Shq Slh Km Amm Hal Dms Bld UA Cm Th T-S IL Pa Hf Rd Cc Ab Ak Msw 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80 02E 05A 06B 06C 06K 06G 06N 06Nc 06P 06R 06Rd 06S 06V 06Z 12A 12Ab 13A 13Ac 13Af 13Ax 13C 13Cd 13E 13Ea 13F 13G 13Gd 13Gv 21L 21Le 21Lf 21N 21Nb 21O 23D 23Dc 23I 23Ia 23Ib 23E 23M 25F 25Fa 25Fb 27C 27Cb 30A 30B 30Bc 30D 30Df 30Dt 31F 31K 31O 31L 31La 31A 31M 33K 33O 33R 33Rb 36D 36Dc 36F 36Fb 38H 38Hc 39C 44A 44Aa 44Ab 44E 44Ei 44Ej 44L 44Lc 44O 44Oc 45L 45La

- 46F 48A 48Ak 48Ah 48F 49E 49Ea 49F 49Fb 49Fd 56F 56Fi 58G 58Ga 58Gd 58Gi 58Gj 62F 63D 63E 65A 65Ai 65Am 65Am3 65Am4 65At 65B 65Bk 65Bo 65Bx 65D 65De 65Dc 65Dd 65Dda 65Df 65Dg 65Dk 65Do 65Dq 65Du 65Dv 65G 65Gn 65Gm 65Gz 65F 65Fb 65Fh 65Fg 65Fc 65Fe 65Fr 65Fp 65Fq 65Fi 65Fj 65F3 65Fx 65Fz 65K 65Kc 65Kl 65Z 65Kö 65Kz 65Kg 65L 65Le 65N 65Np 65Np1 65Np3 65Np4 65Np7 65Nr2 65Nr4 65Nr6 65Nr7 65Nm 66A 72E 72Ec 72Ei 75E 76C
93. **Spialia (s.str.) osthelderi (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi Pfeiffer,1932*
Range (as codes): AF IQ Su Dy TM TR Kp LB Bsa IR Ab Shr Ke Fa Kdj Se Msh Kh KK SY T-S Sus 13 21 23 27 30 31 46 63 13G 13Gw 23I 23Ia 27B 27C 27Cc 30B 30Bf 31M 63E
94. **Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis Herrich-Schäffer,[1845]; eupator Hemming,1932; kiki Higgins,1974*. Range (as codes): AL BG Cr GR He IL Pa LB Ksr NaS Bsa SY Bld TR SS HV MK Mt B-H Cc AZ Nv Ord IR Ab Srd Kh 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76 78 05A 06K 06V 13C 13Cd 13F 13F7 13F73 13G 23I 23Ia 23D 23Dc 25F 25Fa 30B 36D 36Dc 49F 49Fd 58G 58Gd 58Gi 65Bx 65D 65Dc 65Df 65Dp 65G 65Ge 65F 65Fc 65Fç 65Fü 65Fq 65Fz 65G 65Gf 65Gy 65K 65Kc 65Z 66A 76C
95. **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon Rottemburg,1775; heydeni Plötz,1884; clara-obsoleta Tutt,1920; phoenix Graves,1925; aurescens Verity,1948*. Range (as codes): DZ Tlm Taz Orn Csb MA TN AL AT Ba BE BG B-H Bv Bw CH Cr CZ DE ES Mu FR GB GR Rd HU HV IT LU MK NL PL PT RO Rp RU Si SK Sr SS TR Cc YU Ssx He CY IL Pa Hf IQ IR Ab LB SY Mt Ko Mu18 01 05 06 07 10 11 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 78 80 05A 06K 21N 21Nb 23D 23Dc 23M 30D 30Dt 33C 33R 33Rb 36D 36H 48A 48Aa 48Ak 48Ag 56A 56Ac 56C 65D 65Dw 73C 78D 78Da
96. **Thymelicus hyrax (Lederer,1861)** (Hesperiidae) Synonym(s): *hyrax Lederer,1861; pfeifferi Bytinski-Salz & Brandt,1937*. Range (as codes): Chi GG Cc GR IL Pa Hf IR Elb LB Le Rd Sms TR 01 05 06 07 08 09 13 16 18 23 24 25 27 29 30 31 33 35 36 42 46 48 65 72 73 76 01A 01H 01K 05A 09K 13C 13Cf 23M 25F 25Fa 25Fb 27C 27Cb 30A 30Aa 30B 30Be 30Bc 30Bx 30Bj 30Bh 31A 31M 36D 36F 36Fb 42V 48A 48Ay 48Ak 48Am 48A□56F 65D 65Dp 72E 72Ed 72Eg 73C 73Ce 80E
97. **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabilie,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934*. Range (as codes): At Kts AF AL Ao AT Ax Ba BG B-H BL BY CH CN Co CZ DE DK EE ES FI FR GB GR HU HV IL IR IT JO KG KK LB LT LU LV MA MK NL NO Pa PL PT RO RU SE Si SK Sm So Sr SS TM TR T-S UA Ui Uk Vi YU Sur Ssx Ken Mt Ko DZ TN Or Bs Tt Cb Kg Ty Kt Rk Pw Ka Sp Mn No Tk Aa Slh Mu Aq Bn Tm Kuz Sli Sau Tar Dsa Ax Tls Tra T-S GG AZ Nv Ord Smt Bjo Cc IQ Mos US Cnt Col Dw Id Idp Ilm Io Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Pns RDi Tnn Vi Vr WVi We Wy Ab Sro Jal Kh Ifr Lbs Afr Ges Lkr Ouk Dju Hr BLM 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 78 80 01H 01K 02E 02F 02Fc 02Fd 04D 04Db 05A 06B 06G 06K 06R 06V 06Z 13A 13Ac 13Af 13Ag 13Ah 13Ax 13B 13Ba 13D 13Da 13E 13Ea 13G 21L 21Lf 21N 21Nb 23D 23Dc 23I 23Ib 24E 24Ea 25F 25Fa 25Fb 25Fc 30A 30Aa 30B 30Bc 30Bx 30Bd 30Bh 30Bf 30Bg 30Bj 30Bk 30D 30Da 30Df 30Dfa 31A 31Aa 33K 33R 33Rb 36D 36Dc 36F 36Fb 44A 44Ab 44L 44Lc 46D 46Da 49E 49Ea 49Ec 56A 56Ac 56B 56F 58R 58Rb 65A 65Ai 65Au 65Am 65Am2 65Am3 65Am4 65B 65Bk 65Bo 65Bx 65D 65Dc 65Dl 65Db 65Dg 65Dp 65Dq 65Dm 65Du 65E 65Eb 65F 65Fb 65Fg 65Fh 65Fe 65Fj 65Fz 65G 65Ge 65K 65Kc 65Kd 65Kö 65Z 65Kg 65N 65Np 65Np1 65Np7 65Np8 65Nm 66A 73A 73C 73Ag 73Cd 73Ce 75E 75F 75Fd 76C 76D 76Da 76Df 80B 80Bc
98. **Thymelicus novus (Reverdin,1916)** (Hesperiidae) Synonym(s): *novus Reverdin,1916*. Range (as codes): IQ IR TR 04 05 13 21 23 25 30 46 47 56 62 65 73 04I 05A 13C 13Cf 13F 21N 21Nb 23D 23Dc 23M 23Ma 25F 25Fa 30A 30Aa 30B 30Bc 30Bx 30Bd 30Bh 30Be 30Bj 30Bf 30Bg 30D 30Da 30Df 56E 56F 65A 65Ai 65B 65Bk 65Bx 65D 65Dc 65Df 65Dq 65Dl 65Dlb 65Dm 65Do 65Dw 65G 65Ge 65K 65Kz 65Kg 65L 65Le 73A 73Ag 73C 73D 73Df 73H
99. **Thymelicus sylvestris (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris Poda,1761; flava Brünich,1763; linea Müller,1764; thaumas Hufnagel,1766; divaricatus Fourcroy,1785; venula Hübner,[1813]; obscura Verity,1905*. Range (as codes): AL AT Ba BE BG BY CH CZ DE DK EE ES Mu FR GB GR HU IT JO Kr LB LT LU LV MK NL PL PT RO RU Si SK Sm So Sr TR UA Vi YU Cw Dv Smt H-W Sur Ssx Ken MA DZ IR Ab Kh GlS Cc GG AZ AM SY IQ Slh Mnf Ur Or Bs 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 75 76 78 81 02E 04D 04Db 05A 06A 06B 06C 06D 06G 06K 06N 06P 06R 06Rd 06V 06Z 13A 13Ac 13Ax 13B 13Ba 13E 13Ea 13F 13G 13Ga 13Gv 13Gw 21N 21Nb 21O 23I 23Ib 25F 25Fa 25Fb 25Fc 27C 27Cb 30A 30Aa 30B 30Ba 30Bc 30Bx 30Bd 30Bh 30Be 30Bf 30Bj 30Br 30D 30Df 30Dt 31A 31Aa 31M 33K 33O 33R 33Rb 36D 36Dc 36F 36Fb 44L 44Lc 45L 45La 46F 48A 48Ak 48A□48D 49E 49Ea 49Ef 56A 56Ac 56B 56Ba 56F 58C 58G 58Ga 58Gi 58Gj 63E 65A 65Ai 65Am 65Am2 65Am3 65Am4 65B 65Bk 65Bo 65Bx 65D 65Dc 65Df 65Dg 65Dk 65Dl 65Dla 65Dm 65Dp 65Du 65F 65Fb 65Fj 65Fq 65F2 65Fm 65Fe 65Fg 65G 65Ge 65K 65Kc 65Kd 65Kg 65Kl 65Z 65Kö 65Kü 65L 65La 65Le 65N 65Np 65Np7 65Np8 65Nm 66A 73A 73C 73Ag 73Ac 73Cd 73D 73Df 75E 75F 76C 76D 76Db 78D 78Da

Libytheidae

100. **Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis Laicharting,1782*
Range (as codes): AL AT BG B-H Bw BY CH Cr CY DZ Clo Blid TN ES Mu FR GR HU HV IQ IR Ab Elb GlS IT Kp MK PK Ci Nwf PT RO RU Sa Si SK SS TM TR Cc UA YU Tra Ax Tls KG CN TW JP KP KR T-S 01 03 05 06 07 08 09 10 11 13 14 16 17 20 21 23 25 26 27 29 30 31 32 33 34 35 37 38 41 42 43 46 48 52 56 58 60 62 65 66 71 73 76 05A 06A 06K 06R 13C 13Cd 13F 13F33 13F35 21N 21Nb 23D 23Dc 25F 25Fa 27C 27Cb 30B 30Bc 30Br 30D 30Df 31M 33R 33Rb 46G 46Gi 56D 56Dc 56F 56Fb 60C 62G 62Ga 65A 65Ai 65At 65At1 65Bx 65D 65Dc 65Dl 65Dlc 65Di 65Dk 65Do 65G 65Ge 65Fz 65N 65Np7 65Nm 66A 66P 66Pa 73A 73Ad 73Ad2 73D 73Df

Lycaenidae

- 101. *Cacyreus marshalli* Butler,[1898]** (Lycaenidae) Synonym(s): *marshalli* Butler,[1898] Range (as codes): ZA MZ ZW Cap Tva Spb Ent Lj Nta Kzu Ptb Est Fre Gau Jh Mpu Brb Fs NL BE CH FR MA PT ES Mu IT Co Sa Si MT GB DE HV SS Md MT GR TR 35 48 48A
- 102. *Callophrys chalybeitincta* Sovinsky,1905** (Lycaenidae) Synonym(s): *chalybeitincta* Sovinsky,1905; *caerulescens* A.Bang-Haas,1912; *eitschbergeri* Dantchenko,2000; *nigra* Stradomsky,2005 Range (as codes): AZ Kir GG RU Kr Nov Da Ao TR Cc UA Kkv IR Ak Zj AM 08 25 69 75 76 75F 75Fd 76B 76Bj 76D 76Dd
- 103. *Callophrys danchenkoi* Zhdanko,1998** (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko,1998 Range (as codes): Cc AM Alg Eri IR Ab Ak Msw Elb Fa Ke Zj SY Dms TR IQ Ssa 04 07 13 25 30 36 56 58 65 73 07D 07Db 13B 13Ba 13G 13Ga 13Gö 13Gg 30B 30Ba1 30D 30Df 36F 36Fa 56F 58G 58Gi 65A 65Am 65Am1 65D 65Da 65Dc 65Dk 65Dn 65Dt 65Dy 65G 65F 65Fd 65Fe 65Fp 65Fq 65Fz 65G 65Gg 65Gi 65Gt 65Gy 65K 65Kl 65Z 65Ks 65N 65Np 65Np1 65Nm 73A 73Af 73C 73Cd
- 104. *Callophrys herculeana* Pfeiffer,1927** (Lycaenidae) Synonym(s): *herculeana* Pfeiffer,1927 Range (as codes): TR 13 21 32 42 56 65 13F 13G 13Ga 13Gv 21N 21Nb 32C 56B 56F 65A 65Ai 65D 65Dj 65Dk 65Dü 65Dn 65Dt 65K 65Kg
- 105. *Callophrys mystaphia* Miller,[1913]** (Lycaenidae) Synonym(s): *mystaphia* Miller,[1913] Range (as codes): TR Cc 02 30 36 46 56 62 65 30B 30Bg 30D 30Df 36D 36Da 56F 62E 65E 65Eb 65Ec 65K 65Kl 65Z
- 106. *Callophrys paulae* Pfeiffer,1932** (Lycaenidae) Synonym(s): *paulae* Pfeiffer,1932; *?alpicola* Koçak,1989 Range (as codes): Cc AM AZ TR IR Kh TM Kp 07? 24 25 30 38 46 50 51 60 62 65 69 70 73 75 07D 07Db 30B 30Bp 46G 65A 65Am 65Am1 65B 65Bk 65Bn 65Bn1 65Bx 65D 65Da 65Dl 65Dlc 65F 65Fp 65Fz 65G 65Ge 65Gd 65N 65Np 65Np1 65Np2 65Np4 65Nr4 65Nm 69B 69Ba 70A
- 107. *Callophrys rubi* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927 Range (as codes): Ae AL AM At Bn AT AZ Ba BE BG BY CH CN Co CZ DE DK DZ EE ES FI FR GB GG GR HU IE IQ IR IT KG Kp LB LT LU LV MK NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr TM TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken MA DZ TN TrA Sau Tar DsA PK Ci NwF Bl T-S Cc Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Arr Dju Ifr Clo Orn 01 03 04 05 06 07 10 12 13 14 16 17 18 22 24 26 28 29 30 31 33 34 35 36 37 38 39 40 44 45 46 48 49 50 51 52 55 56 58 60 62 66 70 71 73 80 01K 03E 04I 05A 06A 06B 06C 06G 06H 06K 06N 06P 06R 06Rd 06V 06Z 13A 13B 13Ba 13C 13Cf 13G 29F 30D 30Dt 31K 31Ka 31L 31La 33C 33K 36D 36Da 36F 36Fb 44A 44Ab 47B 49F 49Fb 60H 62E 66A 75F 75Fa 75Fd 76B 76Bj 76D 76Dd 80B 80Bc
- 108. *Celastrina argiolus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *?parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. Range (as codes): He IL Ae AL AM Ao At AT AZ Ba BE BG BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU IE IQ IR IT KG KK Ku LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr TM TN TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Kuz Sli DsA TrA KuA Ax Sau Ta JP MN KP KR TW Yu PH Luz Vv Sh Buc Mrk US CA MX PA LB Sj AF Als Ssk Mnt Mon We Nfl Ti Btn Ats BCo Cf Ut Ne NMx PA GT Us Mc Bry Ok SCa Tx Ge Lou Kan Aks Mss Alb Bn T-S Ab Ak Elb Th Ha Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm MX Arz Cf Cnt Col Dw Fl Id Idp Iln Knt Mai Mch Mis Mns Mon Mrl Msc NCa Ndk NMx Ne Neb Nh Nje Ny Oh Org Pns RDl Sdk Tnn Ut Vi Vr WVi We Ws Wy Nsr TH CMa CDo MM NP IN Clc SI Slo Ass VN Ann Cc Arr Shf Agi Ssa 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 65 66 67 69 72 73 75 76 78 81 01D 01G 01H 01K 02D 05A 06C 06G 06K 06R 06Rd 06Z 07A 07B 12A 12Ab 12Ai 13A 13Ab 13Ax 13B 13Ba 13Bg 13E 13Ea 13F 13F35 13G 13Ga 13Gö 13Gg 13Gv 13Gw 13Gs 21L 21Lf 21N 21Nb 21O 23D 23I 23Ia 23Ib 23M 25F 25Fa 27C 30B 30Bc 30D 30Df 30Dh 30Dt 31A 31Aa 31L 31La 31F 31M 33A 33K 33R 33Rg 36F 36Fb 39C 44F 44Fa 45L 45La 48A 48Ak 49E 49Ec 49F 49Fb 49Fe 53L 56F 62E 65Ai 65B 65Bk 65Bx 65D 65Dc 65Dk 65Dl 65Do 65Dt 65Dx 65F 65Fc 65Fd 65Fe 65Ff 65Fg 65Fh 65Fi 65Fj 65Fk 65Fl 65Fm 65Fn 65Fo 65Fp 65Fq 65Fr 65Fs 65Ft 65Fu 65Fv 65Fw 65Fx 65Fy 65Fz 65G 65Ge 65Gp 65K 65Kg 65N 65Np 65Nm 66A 72E 72Ec 73A 73Ad 73Ad2 73Aj 73C 73Cd 76B 76Ba 76C 78D 78Da 80B 80Bc 80Bd 80C
- 109. *Chilades (Freyeria) trochylus* (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *?trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *?supraradiata* Wagner,1931 Range (as codes): Ad Ae AF AO As BF BH BI BJ BW CF CG Chi CI CM Cr Dh DJ DZ EG EH ER ET GA GH GM GN Bio GR GW Hd Hj IL IN IQ IR JO KE Kw LB LR LS LY MA ML MM MR Mu MW MZ NA NE Nf NG Nj OM PK QA Rd RW SA SD SL Sms SN SO ST SY SZ TD TG TN TR ZA Gau Ptc Lpo Tva Spb Mdk Ent TM TZ UG YE ZM ZR ZW AU MY PG PH Luz VN Pa Hf He Ci Ato Kba Ab Elb Th Kp Fa Ss Kru Pma Cc CY LK Ng Jla Bl 01 02 03 05 06 07 08 12 13 16 18 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 72 73 76 79 80 01D 01G 01F 02C 02E 02F 02Fe 05A 06K 06N 06P 06V 12A 12Ai 18F 21N 21Nb 23Cc 23I 23Ia 25F 25Fa 27B 27C 27Cb 27D 27Db 27Dd 27E 30A 30B 30Br 31F 31L 31La 31O 31K 31Ka 32D 32H 33A 33Al 33E 33R 33Rb 33K 33Kb 33O 33P 33R 33Rb 38C 38Ca 40D 44E 44L 44Lc 44O 44Oc 46G 46Gf 46K 56F 58G 58Ga 62D 62E 62F 62H 63B 63Ba 63D 63E 63G 63M 65F 65Fb 65Fp 65Fz 65G 65Gn 72E 72Eb 73A 73Ab 73C 73Cd 76C 79B 80B 80Bc 80C 80E
- 110. *Chilades (Lachides) galba* (Lederer,1855)** (Lycaenidae) Synonym(s): *galba* Lederer,1855 Range (as codes): AF Hr BIM BH CY IL IQ Agh Bag Su Cc AZ IR Ab Fa Km Lo JO KW LB Bei Nf Nj QA SA SA78 SY TR AE PK Wa Bl Pm TJ 01 02 13 21 31 33 56 63 80 01A 01F 13C 13Cd 31F 33P 56F 56Fa 63D
- 111. *Cigaritis acamas* (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *?düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932 Range (as codes): DZ Idl Ah Tmn NE LY Ad AF Hr Kab Ng As BH Cy Dh EG Hd IL Pa Hf JO KW LB OM PK QA SA SD SO SY TR AE Ci Nwf Cp Sd Krc Bl Chm IR Elb Fa Ke TM Kp 01 12 13 21 23 24 27 30 31 33 46 47 56 62 63 65 73 80 01K 12A 12Ae 12Ai 13F 13G 13Gu 21N 21Nb 24E 24Ea 27C 27Cb 30B 30Bc 30D 30Df 30Dx 31A 31F 31L 31La 31M 46G 46Gf 56F 63D 65D 65Dl 65Dlc 65Di 73C 73Cd 80B 80Bb

- 112. Cigaritis cilissa Lederer, 1861** (Lycaenidae) Synonym(s): *cilissa Lederer, 1861; minima Staudinger, 1901* Range (as codes): IQ Ry TR LB IL Pa IR 01 02 12 23 24 27 30 31 33 44 46 48 62 63 01K 12A 12Aa 23I 24E 24Ea 30D 30Dt 31A 44L 44Lc 48A 48Ah 63E
- 113. Cigaritis uighurica Kemal & Koçak, 2005** (Lycaenidae) Synonym(s): *maxima Staudinger, 1901 nec Elw., 1892; uighurica Kemal & Koçak, 2005; ottostaudingeri Weidenhoffer & Bozano, 2007* Range (as codes): IQ IR Zj Fa Ke TR 01 02 13 21 23 24 27 30 33 44 46 47 56 65 72 73 80 13C 13Cg 21L 21Lf 23D 23Dc 23I 23Ia 24E 24Ea 30B 30Bc 30Bx 30Bd 30Bg 30D 30Df 30Dt 44L 44Lb 46F 46Ff 46G 46Gg 56A 56F 65D 65F 65Fc 65Fç 65Fd 65Fp 65Fz 72E 72Ec 73A 73C 73Cd 80B 80Bc
- 114. Cupido (Everes) alcetas (Hoffmannsegg, 1804)** (Lycaenidae) Synonym(s): *tiresias Hübner, [1800] nec tiresias Rottemburg, 1775; alcetas Hoffmannsegg, 1804; coretas Ochsenheimer, 1808* Range (as codes): AL AT At Bn Ba BG BY CH Co CZ ES FI FR GR HU IT MK RO RU SK Sm So Sr TR UA Cm YU KG Mn 03 05 06 11 14 16 26 41 42 74 78 05A 41C 41Cb 78D 78Da
- 115. Cupido (Everes) argiades (Pallas, 1771)** (Lycaenidae) Synonym(s): *argiades Pallas, 1771; tiresias Rottemburg, 1775; amyntas [Denis & Schiffermüller], 1775 nec Poda, 1761; irenae Dujardin, 1974* Range (as codes): AL Ao Am At Bn AT Ba BE BG BY CH CN CZ DE EE ES FI FR GB Cc GG GR HU Ii IT Ku LT LU LV MK NL PL RO RU SE Si SK Sm So Sr TR UA VI YU KG Or Bs Cb Ty Kw Om Pw Sp Mn No To Kuz Sli Tar SI BT JP PK Ch IN Ci Kma T-S TrA 03 05 06 08 11 14 16 17 25 29 34 37 41 52 53 60 61 75 81 05A 08D 25F 25Fa 53E 61K 75F 75Fa
- 116. Cupido (Everes) decoloratus (Staudinger, 1886)** (Lycaenidae) Synonym(s): *decoloratus Staudinger, 1886* Range (as codes): AL AT BG BY CZ ES GR HU RO RU SK TR UA YU 39
- 117. Cupido (s.str.) minimus (Fuessly, 1775)** (Lycaenidae) Synonym(s): *minimus Fuessly, 1775; alsus [Denis & Schiffermüller], 1775; pseudolus Bersträßer, [1779]; puer Schrank, 1801* Range (as codes): AL At Bn Kts AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB GR HU IE IT KK LT LU LV MK NL NO PL PT RO RU SE Si SK Sm So Sr TR Cc GG Smt Akh IR Ab UA VI YU Cw Dv H-W Sur Ssx Ken KG Uk Cb Kt Kw Om No Pw Sp Mn Bs Sau CN Ui 01 03 06 16 24 25 29 30 32 36 37 38 42 51 52 53 58 60 65 66 69 70 74 75 76 01H 01K 03E 06G 06R 29F 30B 38C 38Cb 51B 51Ba 58G 58Ga 58R 62E 65B 65Bk 65Bx 65G 65Gd 65Ge 66A 70A 75E
- 118. Cupido (s.str.) osiris (Meigen, [1829])** (Lycaenidae) Synonym(s): *osiris Meigen, [1829]; saportae Duponchel, 1832; violacea Verity, 1911; sebrus Boisduval, [1833]* Range (as codes): Lim Ae AL At AT Ba BG BY CH DE ES Mu FR GR HU IT KK MK PT RO RU SK Sr TR Arr Cc GG Smt Akh T-S UA YU KG Sau Tar Ds Ket Tls IR Ab Ak Msw CN Ui 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 39 41 42 44 46 48 50 51 52 53 56 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 78 81 01L 01La 04I 05A 06A 06C 06G 06B 06K 06N 06P 06R 06Rd 06S 06Z 13A 13Ab 13Ax 13B 13Ba 13Bg 13D 13Da 13G 13Ga 13Gv 13Gw 21N 21Nb 23D 25F 25Fa 25Fc 30B 30Bb 30Bc 30Bx 30Bk 30D 30Df 30Dh 30Dt 33K 36D 36Df 36F 36Fb 38G 38Ga 44E 44L 44Lc 46F 46Fc 46Fd 46H 46Hc 46F 46Fc 46Fd 56D 56Dh 56Dg 56Dh 56Dg 62E 65A 65Ac 65Ac2 65Am 65Am1 65Am2 65At 65B 65Bn 65Bn1 65Bk 65Bx 65D 65Dc 65Dç 65Dq 65Dn 65Do 65Dt 65F 65Fb 65Fc 65Fç 65Fd 65Fe 65Ff 65Fj 65F3 65Fw 65Fz 65G 65Ge 65K 65Kç 65Kg 65Kl 65Z 65Kü 65Kz 65L 65Le 65N 65Np 65Nm 66A 73C 73Cd 75E 76C 78D 78Da
- 119. Cupido (s.str.) staudingeri (Christoph, 1873)** (Lycaenidae) Synonym(s): *staudingeri Christoph, 1873* Range (as codes): TR IR Elb Gor Fa Sse Zj Ab TS Tkb 30 65 30B 30Bj 65Bx 65G 65Ge
- 120. Glaucopsyche (Apelles) astraea (Freyer, [1851])** (Lycaenidae) Synonym(s): *astraea Freyer, [1851]; #astrea Gerhard, 1853* Range (as codes): TR 01 05 07 20 32 33 38 42 44 46 51 58 60 62 66 70 05A 07D 38H 38Hc 38Hf 44E 44Ec 44Ei 46H 46Hc 58G 62E 66A 70B
- 121. Glaucopsyche (Iolana) lessei Bernardi, 1964** (Lycaenidae) Synonym(s): *lessei Bernardi, 1964; christinae Betti, 1977; cappadocia Betti, 1977* Range (as codes): Cc TR IQ Ssa LB 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 35 37 38 42 43 44 46 48 50 51 56 60 62 65 70 73 05A 06Kc 06N 06P 06R 06V 13C 13Cd 13F 13G 13Ga 13Gb 25F 25Fa 33K 33R 33Rb 46F 46F 62E 65A 65Ai 65D 65Dl 65Dm 65Do 65Doa 65Dn 65F 73D 73Dg
- 122. Glaucopsyche (s.str.) alexis (Poda, 1761)** (Lycaenidae) Synonym(s): *alexis Poda, 1761; damaetas [Denis & Schiffermüller, 1775; #sublugens Strand, 1909; #insulicola Turati & Fiori, 1930; mironi Coutsis, 1976]* Range (as codes): AF AL AM AT At Bn Cc AZ Ba BE BG BY CH Co CZ DE DK DZ Afl Lbs BtNa EE ES Mu Mu18 FI FR GG GR Rd HU Ii IT KG Ku LT LU LV MK NO PL PT RO RU SE Si SK Sm So Sr TM TN TR Arr LB IQ Ssa Rwz UA Uk VI YU He IL Pa Hf IR Ab Jal Th 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 56 58 60 61 62 65 66 68 69 70 71 73 74 76 80 01A 01H 01K 02E 02F 02Fc 04D 04Db 04I 05A 06A 06B 06C 06K 06N 06P 06R 06Rd 06S 06V 06Z 13D 13Da 13E 13Ea 13F 13G 13Gb 13Gö 13Gg 13Gv 21L 21Le 21Lf 21Ld 21N 21Nb 23I 25F 25Fa 25Fc 27C 27Cb 27D 27Db 27Dc 27Dd 27F 29A 30B 30Ba 30Bc 30Bg 30Db 30De 30Df 30Dt 31A 31Aa 31B 31F 31K 31Ka 31L 31La 33A 33Ah 33Ai 33C 33K 36D 36Da 36Dd 36F 36Fb 38H 38Hc 38Hf 44E 44Ei 44I 44Ia 44L 44Lc 46F 46Fc 46Fd 46G 47B 47E 56D 56Db 56F 65A 65Am 65Am1 65Am2 65Am4 65As 65At 65At1 65D 65Dç 65Dc 65Df 65Dg 65Dj 65Dk 65Dl 65Dq 65Dn 65Dm 65Dr 65Drb 65Dt 65E 65Eb 65Ec 65F 65Fb 65Fd 65Fç 65Fp 65Fe 65Fg 65Fh 65Fq 65Fz 65F3 65K 65Kd 65Kg 65Kl 65Z 65L 65Le 65N 65Na 65Np 65Np2 65Nr2 65Nr4 65Nm 66A 69B 73A 73Af 73C 73Cd 73D 73Df 73Dfc 73Dd 73E 73Eb 73H 76B 76Bb 76Bf 76Bh 76D 76Dd 76Dg 80B 80Bc 80C 80D 80E
- 123. Lampides boeticus (Linnaeus, 1767)** (Lycaenidae) Synonym(s): *boeticus Linnaeus, 1767; damoetes Fabricius, 1775; coluteae Fuessly, 1775; pisorum Fourcroy, 1785; boedicus Borkhausen, 1788; #baeticus Latreille, 1809; armeniensis Gerhard, 1886; bagus Distant, 1886* Range (as codes): Ae AF AL AM AZ Az Ba BE BG BH B-H BY CH CN Co Cr CY DE DK DZ EG ES FR GG GR HU IL IN IQ IR IT JO Kab Kbb KG KK KW LB Ld LY MA MK MN MT NL OM Pag PK Cp PT QA Rd RO RU SA Sa Si SK Sm So Sr SW SY TJ TM TN TR UA AE UZ YE YU Cw Dv Smt H-W Sur Ssx Ken Cy Ao Mu18 Ci He Ket DsA Tls TrA Cp T-S Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm PG Vu Dmp PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab MW Zom ZA Tva Lpo Spb Lj Mdk

Kru Pma Pf Nta Kzu Ptb Fre Gau Pre Jh Brn Mpu US Pa Hf TH Cma Cu07 Cu12 Lmp Sgk Hya PSu Nst Chw Ths Sya Bnk Kci MY Lkw In Ass MM VN Hw SD SD91 SD119 Bgd Cc SO Zai Ad DZ Ah Agi Anna Orn Sbd Ges Ng Jla Lgh Kab Hr BLM ML Bgd 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76 02E 05A 06B 06C 06D 06F 06K 06Kb 06P 06R 06RI 07B 07C 13A 13Ab 13Ae 13Af 13Ax 13F 13G 13Ga 13Gb 13Gv 13Gw 21L 21Le 21N 21Nb 21O 23C 23Cc 23I 23Ib 23M 27C 27Cb 30B 30Bb 30Bc 30Bk 30Bf 30D 30Dt 31F 31B 31A 31L 31La 31K 31Ka 32C 32D 33B 33C 33E 33R 33Rb 33Rb 36F 36Fb 38P 40D 44E 46G 46Gf 46L 48A 48Ak 48L 49E 49Ea 56B 56F 58G 58Gi 58Gj 62E 62F 63D 65A 65Ai 65Am 65Am2 65B 65Bk 65Bx 65D 65Dc 65Di 65Dg 65Do 65Dn 65E 65F 65Fç 65Fd 65Fe 65Fm 65Fg 65Fh 65Fj 65Fp 65Fz 65G 65Gb 65Ge 65K 65Kç 65Ks 65L 65Le 65N 65Nc 65Np 65Nm 72E 72Ec 73C 73Ce 73D 73Df 76B 76Ba 76C

- 124. *Leptotes pirithous* (Linnaeus,1767) (Lycaenidae) Synonym(s):** *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. Range (as codes): Ad Ae AL As AT BG BY CH Cm Co Cr CY DE Dh DZ EG ES Mu18 FR GR HU IL IT LB LY MA MK MT PT Rd RU SA Sa Si TN TR UA YE YU JO Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ces Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jaa Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm ZA Tva Lpo Spb Gau Pre Mpu Brb MZ Pa Hf SD SD91 SD119 TZ Tnga Usa Ani Agi 01 05 06 07 09 11 14 16 17 26 27 30 31 33 34 35 39 42 44 45 46 48 65 70 71 73 81 01F 05A 07B 27C 27Cb 31E 31F 33A 33Aa 33Ai 33R 39C 46G 46Gf 48F 48L 65D 65Di 73A 80E

- 125. *Lycaena (Alciphronia) alciphron* (Rottemburg,1775) (Lycaenidae) Synonym(s):** *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787. Range (as codes): AL Cc AM Bn At Kts At AZ Ba BG Bt BY CH CN Ui MN CZ DE DK EE ES Mu FR GG GR HU IQ IR Ab Ak Elb IT KG LT LV PL PT RO RU Si SK Sm So Sr TR UA YU KK Or Ch Ty Om Sp Tk Ae Rk Aq Tar Sau Dsa Ket KuA Tra Nrk 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 56 58 60 61 62 65 66 69 71 72 73 74 76 80 02Fz 03C 04D 04Db 05A 06B 06G 06K 06P 06R 06Rd 06V 12A 12Aa 12B 13A 13Ac 13Aç 13Ad 13Af 13Ax 13F 13Fç 13E 13Ea 13F 13G 13Ga 13Gv 13Gw 16R 21O 23D 23Dc 23I 23Ia 23Ib 23M 24B 24Bb 24G 24H 25F 25Fa 25Fb 25Fc 29A 29Ae 29F 30B 30Bc 30Bx 30Br 30D 30Df 30Du 31M 33R 33Rb 33Rd 36B 36D 36Dd 36Df 36E 36F 36Fb 36H 38G 38Ga 46F 46H 46Hc 49E 49Ea 49F 49Fd 56F 58C 58G 58Ga 62E 62F 65A 65Ac 65Ac2 65Ai 65B 65Bk 65Bo 65Bx 65D 65Dc 65Dd 65Dda 65Df 65Dg 65Dk 65Dm 65Do 65Doa 65Dp 65E 65Eb 65F 65Fe 65Fh 65Fç 65Fj 65Fp 65Fz 65G 65Gm 65K 65Kb 65Kc 65Kö 65Kü 65Kç 65Kl 65Z 65Km 66A 69B 69Ba 72E 72Ec 72Ei 73C 73Cd 75A 75Ab 75Ac 75D 75E 75F 75Fa 76A 76Ab 76C 80B 80Bc

- 126. *Lycaena (Heodes) ottomanus* (Lefèbvre,[1830]) (Lycaenidae) Synonym(s):** *ottomanus* Lefèbvre,[1830]; *legeri* Freyer,1830. Range (as codes): AL BG GR Mt TR MK 01 07 10 16 17 31 33 34 39 48 07B 07Bc 07F 07M 07Mb 17B 17Bb 31A 33A

- 127. *Lycaena (Heodes) virgaureae* (Linnaeus,1758) (Lycaenidae) Synonym(s):** *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. Range (as codes): AL AM TR Bn At Kts AT Aty Ba BE BG BY CH Cm CN CZ DE DK EE ES FI FR Cc GG IR Ab Qo GR HU IT Ju KG KK LT LU LV MK MN NL NO PL PT RO RU SE SK Sm So Sr St Tk UA Ui VI YU TeA Kuz Dsa Tra T-S 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76 78 04D 04Db 05A 06D 06E 06R 06Rd 13A 13Ac 13Ac1 13Ax 13F 13F7 13F71 13G 13Ga 13Gc 13Gv 25F 25Fb 25Fc 30B 30Bc 30D 30Db 30Dt 36D 36Db 36Dd 36F 36Fa 36Fb 36H 37V 46F 53N 65A 65At 65At1 65Au 65B 65Bk 65Bx 65D 65Dc 65Di 65Do 65F 65Fc 65Fg 65Fh 65Fj 65Fi 65Fq 65Ft 65Fu 65Fx 65Fp 65Fz 65G 65Ge 65Gp 65K 65Km 65Z 66A 75A 75Aa 75Ab 75F 75Fa 76A 76Ab 76C 78D 78Da

- 128. *Lycaena (Loweia) tityrus* (Poda,1761) (Lycaenidae) Synonym(s):** *tityrus* Poda,1761; *acrion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. Range (as codes): AF Ca AL Cc AM Bn At AT AZ Ba BE BG BY CH CZ DE DK EE ES FR GG GR HU IQ Hjo IR Ab Ak Msw Elb Th Ha IT LB LT LU LV MK NL PL PT RO RU SK Sm So Sr TR UA YU KG Ti Uk Aq Rk Ka Pw Om Sp Tk Dsa Tar Lps CN Ui 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 01K 04D 04Db 05A 06A 06B 06D 06G 06H 06K 06P 06R 06Rd 06S 06V 06Z 12A 12Aa 13A 12Ai 13Ab 13Ai 13Ax 13B 13Bg 13F 13G 13Ga 13Gv 13Gs 13Gü 13Gw 14I 14Ib 21K 21O 23I 23Ia 23Ib 23M 25F 25Fa 25Fb 25Fc 27C 27Cb 30B 30Bc 30D 30Df 30Dh 30Dt 34K 36D 36F 39C 44F 44Fb 46F 46Fc 46G 46Gf 49E 49Ea 49F 49Fb 49Fd 56F 58G 58Gj 58R 65A 65Ai 65Am 65Am1 65Am4 65At 65D 65Dc 65Dç 65Dk 65Di 65Dr 65Drb 65Dt 65E 65Eb 65Ec 65F 65Fh 65Fg 65Fe 65Fj 65Fu 65Fr 65Fq 65Fz 65G 65Gp 65Go 66A 73C 73Cd 78D 78Da 80A 80B 80Bc

- 129. *Lycaena (Margelycaena) euphratica* (Eckweiler,1989) (Lycaenidae) Synonym(s):** *euphratica* Eckweiler,1989 Range (as codes): TR IR Ab 02 12 13 25 30 49 65 72 73 02Fz 12B 13G 13Gb 13Gö 13Gç 13Gv 13Gw 30D 30Dt 49E 49Ea 65D 65Dç 65F 65Fb 65Fc 65Fe 65Fh 65Fz 72E 72Eh 73C 73Cd

- 130. *Lycaena (Palaeochrysophanus) candans* (Herrich-Schäffer,[1845]) (Lycaenidae) Synonym(s):** *candans* Herrich-Schäffer,[1845] Range (as codes): AL Cc GG Akh Cbo GR IR Ab Elb Mz RO TR Arr YU BG B-H HV MK Ril 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 52 53 58 60 61 65 66 69 75 76 05A 06G 13A 13Ad 14I 14Ib 25F 25Fc 30B 30Ba 30Bb 30Bk 36D 36Db 36F 36Fb 49F 49Fd 60C 65A 65B 65Bk 65Bx 65D 65Db 65F 65Fi 65Fq 65Fü 65Fz 65G 65Ge 65Gv 65Gz 65K 65Kq 65Z 66A 69B 69Ba 75A 75Ab 75Ac 75D 75E 75F 75Fe 76A 76Ab 76C

- 131. *Lycaena (Phoenicurusia) phoenicurus* (Lederer,1870) (Lycaenidae) Synonym(s):** *phoenicurus* Lederer,1870; *transcaucasica* Miller,1923 Range (as codes): TR Cc IR Ab Elb Th Ss Yz Kh TM Kp PK 04 36 76 04E 04Eb 36D 36Db

- 132. *Lycaena (Thersamolycaena) dispar* ([Haworth],1802) (Lycaenidae) Synonym(s):** *dispar* [Haworth],1802; *hippotoe* Rottemburg,1775 *nec* Linnaeus,1761. Range (as codes): At Bn AL Am Ao AT Ba BG BL BY CH Cm CN CZ DE DK EE FR GB GR HU IT IR Mz Gor KG Ku LT LU LV NL PL RO RU SE SK Sm So Sr TR UA Ui Uk VI YU Sau Ket Tar Dsa KuA Tra T-S Sb Am Prj Us 14 16 22 34 39 52 55 57 74 81 14F 39C

- 133. *Lycaena (Thersamonia) asabinus* (Gerhard,[1850]) (Lycaenidae) Synonym(s):** *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852]. Range (as codes): Cc GG IQ Hjo IR Ab Jal Qba LB TR 01 02 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 56 58 62 65 70 73 01K 02F 02Fd 02Fe 05A 12A

- 12Ab 13A 13Ab 13Ac 13Ax 13C 13Cd 13F 13G 13Gs 13Gü 13Gw 21O 23I 25F 25Fa 30B 30Bc 30D 30Df 33R 33Rb 36D 36Da 44E 44F 44Fb 44L 46F 46Fc 46G 46H 46Hc 47B 56F 58G 58Gi 62E 62F 65A 65Am 65Am4 65At 65B 65Bk 65Bo 65Bx 65D 65Dk 65Do 65Dr 65Drb 65Dt 65Gv 65Gz 65F 65Fc 65Fd 65Ff 65Fp 65Fr 65Fz 65K 65Kb 65Kl 65Z 65Kö 65Kz 65Kg 65L 65Le 65N 65Np 65Np2 65Nr4 65Nr7 65Nm 73A 73Ad 73Ad2
- 134. *Lycaena (Thersamonia) kefersteinii* (Gerhard,[1850])** (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852]. Range (as codes): He IL LB TR IQ Ssa Hjo IR Ab Khy Ak Sah Elb Th Cc GG Ru Smt Akh Sah Zj Mz 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 56 58 60 62 63 65 66 68 69 70 71 73 76 01K 02E 02Ec 02Fz 04C 04D 04Da 05A 06A 06B 06K 06Kc 06P 06V 06Z 07A 07Ad 12B 13F 13G 13Gv 14I 14Ib 21O 23D 23Dc 23I 23Ib 25E 25F 25Fa 25Fb 29A 30B 30Bc 30Bg 30Bk 33K 35S 35Sb 36D 36F 36Fb 38H 38Hc 44E 44Ei 46F 46Fc 46G 46H 46Hc 56F 58C 58G 58Ga 58Gd 58Gi 58Gj 62F 65A 65Am 65Am4 65B 65Bk 65Bn 65Bn1 65Bo 65Bx 65G 65Gc 65Gf 65Gy 65Gn 65Gs 65D 65Dc 65Df 65Dk 65Dr 65Drb 65F 65Fc 65Fd 65Fe 65Fi 65Fp 65Fr 65Fz 65G 65Gf 65Gg 65Gy 65K 65Kb 65Kc 65Kd 65Kl 65Z 65Km 65Kö 65Ks 65Ku 65Ky 65Kz 65L 65Le 65M 65Md 65N 65Np 65Np2 65Nr7 65Nm 66P 66Pa 69B 70C 70Ca 72E 72Eg 72Eh 73C 73Cd 76B
- 135. *Lycaena (Thersamonia) kurdistanica* (Riley,1921)** (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921 Range (as codes): AF Hr BIM IR Ak Ab Sro Shf Jal Krd Km IQ Hjo TR LB 13 30 49 56 65 72 73 13A 13Ab 13Ac 13Ac1 13Ai 13Ax 13F 13G 13Gv 13Gu 13Gü 13Gw 13Gc 30B 30Bb 30Bc 30C 30Ce 30D 30Df 30Dg 30Dh 30Du 49F 49Fb 49Ff 56F 65A 65Am 65Am4 65As 65At 65B 65Bk 65Bx 65D 65Dc1 65Dd 65Dda 65Dg 65Dh 65Dk 65Dr 65Drb 65Dn 65F 65Fd 65Fe 65Fk 65Fc 65F3 65Fi 65Fq 65Fx 65Ft 65Fp 65Fr 65Fü 65Fz 65G 65Gb 65Ge 65Gp 65Gs 65Gv 65Gz 65K 65Kb 65Kc 65Kd 65Kl 65Z 65Km 65Ks 65Ku 65Ky 65Kz 65L 65Le 65M 65Md 65N 65Np 65Nr4 65Nr2 65Nr2 65Nr4 65Nm 65M 65Md 72F 73A
- 136. *Lycaena (Thersamonia) lampon* (Lederer,1870)** (Lycaenidae) Synonym(s): *lampon* Lederer,1870 Range (as codes): IR Ab Khy Elb Th Mz Es Fa Ke Ss TR TM Kp 13 25 30 65 13G 13Gv 65B 65Bk 65Br 65Bx 65D 65G 65Gc 65Ge 65F 65Fe 65Fö 65Fü
- 137. *Lycaena (Thersamonia) thersamon* (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. Range (as codes): At Bn Ao He Kos AF AL AT Ba BG BY CN Ui CY CZ GR EG Sn HU Ii IL Pa Hf IR Kh IT JO KG KK MK PL Rd RO RU SK Sm Sr Tk TR T-S UA Uk VI YU SY Buc Nym SAT Sau Tar Mrk DsA TrA Aa Tk Rk Aq Syr Tm Cc 01 02 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 57 58 59 60 62 66 68 69 70 71 74 76 77 79 80 01F 02F 05A 06A 06B 06E 06H 06K 06Kg 06P 06R 06Rd 06V 06Z 12A 12Ab 12Ai 12B 23D 23Dc 23I 23Ia 23E 25F 25Fa 27C 27Cb 31A 31Aa 31L 31La 33A 33O 33R 33Rb 36F 36Fb 39C 44E 44Ei 44F 44Fa 44Fb 44L 44Le 46F 46E 46Eb 46G 48A 48Aa 48Al 48Aç 48Af 49E 49Ea 58C 58G 58Gd 58Gi 62D 62G 62H 62F 66A 70C 70Ca 70Cb 76C 76D 76Da 76Dd 79B
- 138. *Lycaena (Thersamonia) thetis* (Klug,1834)** (Lycaenidae) Synonym(s): *thetis* Klug,1834. Range (as codes): GR IQ IR Ab Sro Qba Elb Th LB Cc TR Arr 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 44 46 48 49 51 58 60 62 65 66 69 70 73 75 76 05A 06B 06R 06Ri 12E 12Ea 13A 13Aa 13Ac 13Ac1 13Ac2 13Ac3 13Acç 13Ax 13F 13F7 13F71 13G 13Gv 13Gu 24B 24Bb 24D 25F 25Fa 30B 30Bb 30D 30Df 30Dh 30Du 30Dd 33R 33Rd 36D 36Db 36F 36Fb 36H 44O 44Od 46F 49F 49Fd 58G 58Gi 58Gg 65A 65Ac 65Ac2 65Ab 65Abb 65B 65Bk 65Bx 65D 65Dc 65G 65Ge 65Gl 65Gp 65F 65Fe 65Fm 65Fq 65Fc 65Fu 65Fx 65Fw 65Fe 65Fh 65Fz 65G 65Ge 65K 65Kb 65Kc 65Kg 65Kl 65Z 65Km 65Kö 69B 69Ba 70C 70Cb 75F 75Fa 76B 76C
- 139. *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 Range (as codes): Ad Ae AF AL AM Ao As At AT Aty AZ Ba BE BG BY CH Cm CN Co Cr CY CZ DE DK EE ES FI FR GB GG GR HU IE IL IN IQ IR IT JO KG Kgs KK Kmt Ku LB LD LT LU LV MK MN MT NL NO PK PL PT RO RU SA SA Se Si SK Sm So Sr SY Ti TJ TR TM TR UA Ui Uk VI YE YU Cw Dv Smt Mu18 Bn Cy LY H-W Sur Ssx Ken MA DZ TN Pm Bik Ci Bl Ca Cp Sau Tar DsA Ax TrA KuA TeA Ket T-S Pes Mre Mus Krl JP US Cf UG ZR ET Md Mon Abt CA Msc Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Prj Us Pa Hf Sml Arr Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M Cre Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Svl Ter Tol Trg Val Vcl Zg Zm US Aks Cf Cnt Cnt Dw Ge Id Idp Iln Io Kan Knt Mai Meh Mis Mns Mon Mrl Msc NCA NDK NMx Neb Nh Nje Ny Oh Ok Org Pns RDi Sdk Tnn Ut Vi Vr WVi We Wy Um Adu Bgd Cc Msw Qba Bhh Gha Azr Rbt Ges Ng Jla Hr BIM 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 78 80 81 02E 02F 02Ff 02Fz 04D 04Db 05A 06B 06D 06G 06K 06P 06R 06Rd 06V 06Z 13A 13Ab 13Ac 13Ac1 13Af 13Ai 13Ax 13B 13Bg 13F 13F3 13G 13Ga 13Gö 13Gg 13Gv 13Gm 13Go 13Gs 13Gü 13Gy 13Gw 21L 21Le 21N 21Nb 23C 23Cc 23D 23Dc 23I 23Ia 23Ib 23E 23M 25F 25Fa 27C 27Cb 30B 30Bc 30Bk 30D 30Df 30Dt 31A 31Aa 31C 31Cb 31F 31K 31Ka 31L 31La 31M 33A 33Ai 33K 33R 33Rb 35T 35Td 36D 36Db 36F 36Fb 38H 38Hc 39C 44F 44Fb 44L 44Lc 45L 45La 46F 48A 48Aa 48Ak 48D 48F 48L 49E 49Ea 49F 49Fb 56F 58G 58Ga 58Gj 58Gi 60H 62F 63D 65A 65Ai 65Am 65Am1 65Ag 65Au 65B 65Bk 65Bn 65Bn1 65Bx 65D 65Dc 65Dk 65Dm 65Do 65Dr 65Drb 65Dt 65Dw 65E 65Eb 65Ec 65F 65Fc 65Fd 65Fe 65Fg 65Fn 65Fl 65Fj 65Fi 65Fq 65Fp 65F3 65Fu 65Ft 65Fx 65Fz 65G 65Ga 65Gb 65Ge 65Gp 65Gn 65K 65Kl 65Z 65Km 65Kö 65Ks 65Kü 65Kw 65Ky 65Ky1 65N 65Nc 65Nr2 65Nm 66A 73C 73Cd 73D 73Da 73Db 73Df 75F 75Fa 76A 76Ac 76Ad 76B 76Be 76Bf 76Bh 76Bj 76C 76D 76Db 78D 78Da 80B 80Bc
- 140. *Neolycaena* (Rhymnaria) *soezen* Seven,2014** (Lycaenidae) Synonym(s): *soezen* Seven,2014 Range (as codes): TR 26 26L 26La
- 141. *Phengaris arion* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *telegones* Bergsträßer,1779; *mamers* Bergsträßer,1779; *arctophoni* Bergsträßer,1779; *arcina* Fruhstorfer,1910; *eutyphron* Fruhstorfer,1915; *microchroa* Verity,1948; *gelbiae* Lempke,1956 Range (as codes): AL At Bn Kts AM Cc AT Ba BE BG BY CH CN Co CZ DE DK EE ES FI FR GB GG Bjo GR HU IT HV IR Ab Ak Ar Kb Kc LT LU LV MK NL PL PT RO RU Pja SE SK Sm So Sr St TR T-S UA Ui VI YU B-H Wat SAT Cat Nat Sau Tar DsA Ket Tu KuA TrA KG 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 75 76 04E 05A 06E 13G 13Gv 34M 36F 49F 49Fd 65D 65F 65Fe 65Fp 65Fz 65K 65Kd 65Kg 65Kz 75A 75Aa 75F 75Fa 76C

- 142. Phengaris nausithous (Bergsträßer,[1779])** (Lycaenidae) **Synonym(s):** *nausithous* Bergsträsser,1779; *nausithoe* Bergsträsser,1779; *arcas* Rottemburg,1775 nec Drury,1773; *erebus* Knoch,1782. **Range (as codes):** Cc AM AT Ba BY CH CZ DE ES FR GG HU KG NL PL RU VI Sb No SK Sm So Sr TR UA Kiw Uk HV YU Mn Sj At Bn 04 08 24 25 36 69 75 76 36E 36Eb 36F 75A 75Aa 75Ab 75C 75Ca 75F 75Fk 76C
- 143. Phengaris rebeli (Hirschke,1904)** (Lycaenidae) **Synonym(s):** *rebeli* Hirschke,1904; *coerulea* Vorbrodt,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949. **Range (as codes):** AL AT BE BG CH CZ DE ES FR GR IT HV KK SK YU Cc GG AM TR Ax KK KG Tk T-S Aa Dsa Ket TeA KuA TrA RU Kb Kc At Sj KP KR 08 18 24 25 29 36 37 60 65 69 74 75 76 36D 36F 65B 65Bk 65G 65Gd 65F 65Fe 75A 75Ab 75F 76C
- 144. Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) **Synonym(s):** *carmon* Gerhard,[1851, November]; *euryпилus* Freyer,[1851,December]. **Range (as codes):** AM AZ Cc Arr GG Smt Akh GR Sms IL Pa IR LB RU Kr SY TR 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76 79 01H 01K 02Ff 04D 04Db 05A 06B 06C 06D 06K 06R 06Rd 06V 06Z 07A 07Al 13A 13Ab 13Ac 13Ad 13Ae 13Af 13Ag 13Ah 13Ax 13B 13Ba 13C 13Cd 13Cf 13F 13G 13Gv 13Gw 21N 21Nb 21L 21Le 21O 23Cc 23I 23La 23Ib 24E 24Ea 25F 25Fa 25Fb 25Fc 27B 27C 30A 30B 30Bb 30Bc 30Bx 30Bk 30Br 30C 30D 30Df 30Dt 33O 33R 33Rb 35S 35Sb 38C 38Ca 42D 42Dc 42H 42X 42Xa 44E 44I 44L 44Lb 44Lc 44O 44Od 46G 46Gf 49E 49Ea 49F 49Fe 56B 56F 58C 58G 58Gd 58Gi 63D 63H 63M 65A 65Ai 65Am 65Am2 65Am3 65B 65Bk 65Bo 65Bx 65D 65Dc 65Dd 65Dda 65Df 65Dg 65Di 65Do 65E 65Eb 65F 65Fc 65Fg 65Fi 65Fh 65Fe 65Fm 65Fj 65Fi 65Fp 65Fz 65G 65Gl 65Gp 65Gm 65Gu 65Gz 65Gb 65K 65Kg 65Kb 65Kc 65Kl 65Z 65Kö 65Kü 65N 65Nb 65Np2 65Np5 65Np7 65Nr3 65Nr6 65Nm 66A 72E 72Eb 72Ec 72Eh 72Ei 72Ek 73A 73C 73Cd 76C 76D 76Da 76Dc 79B 79Ba
- 145. Plebejus (Kretania) iranicus (Forster,1938)** (Lycaenidae) **Synonym(s):** *iranicus* Forster,1938 **Range (as codes):** AF IR Ak Ab Jal Elb Ke Kp TM TR IQ 04
- 146. Plebejus (Lycaeides) argyrognomon (Bergsträßer,[1779])** (Lycaenidae) **Synonym(s):** *argyrognomon* Bergsträßer,[1779]; *argyrobilus* Bergsträßer,[1779]; *argyrocapelus* Bergsträßer,[1779]; *argyrocopus* Bergsträßer,[1779]; *argyroela* Bergsträßer,[1779]; *argyrophylax* Bergsträßer,[1779]; *ismenias* Meigen,1829; *ligurica* Oberthür,1910; *aegus* Chapman,1917 **Range (as codes):** AL Cc AM At Bn Kts AT Ba BG BL BY CH CN CZ DE ES FR GR HU IT Ju KK LT LV NO PL RO RU SE FI SK Sm So Sr TR UA Ui UZ YU KG Uk Kuz Sli Sau Tar Dsa Ax TrA TeA T-S Bc 08 25 38 51 61 69 75 75F 75Ff 75Fi
- 147. Plebejus (Lycaeides) christophi (Staudinger,1874)** (Lycaenidae) **Synonym(s):** *christophi* Staudinger,1874; *argivus* Staudinger,1886. **Range (as codes):** Aa AF Ng Hr BIM Aq Ci CN Fe Gg Gn IR Ab Ak Elb Kp Fa Ss KG KK Ky PK Pm T-A TJ Tk TM TR Ui UZ Krn Ii T-S Cc 36 75 76 36C 36Ca 36D 36Db 75F 75Fi 76A 76Ac 76C 76D 76Dg 76Da 76E 76Ea
- 148. Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) **Synonym(s):** *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. **Range (as codes):** T-S Ui Ku Cc AM Ao At AT Ba BE BG B-H BY CH Co CZ DE DK EE ES FI FR GG GR HU HV IT IR Ab Elb KG KK LB LT LV MK NL NO PL PT RO RU Sa Se Si SK Sm So Sr SS TR Arr UA Uk VI Yu Dsa TeA KuA TrA US Cf Col Id Mai Mch Mns Mon Ne Org Ut Wc Ws Wy 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 39 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76 01K 04D 04Db 05A 06R 13G 13Gv 13Gw 25F 25Fb 30B 30Ba 30Bb 30Bk 30D 30Dt 39C 46F 49E 49Ea 65A 65Ac 65Ac2 65Am 65Am2 65Bx 65D 65Dc 65F 65Fc 65Fe 65Fq 65Fz 65G 65Ge 66A 73A 73Ad 73Ad2 73C 73Cd 76C 76A 76Ab
- 149. Plebejus (Lycaeides) maracandicus (Erschoff,1874)** (Lycaenidae) **Synonym(s):** *maracandica* Erschoff,1874; *dschagatai* Groum-Grshimailo,1887; *buchara* Forster,1936. **Range (as codes):** AF Hr BIM UZ Br Smk RU KG Sb Ya Tv MN Au CN Dj T-S Ju KG Kl Kml Sem Tk Ui Cc AM Ao RU Sr TR Ur
- 150. Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) **Synonym(s):** *zephyrus* auct.; *modicus* Verity,1935; *microsephyrus* Verity,1935 **Range (as codes):** GG Smt Akh Cc TR RU Kc Teb 01 02 03 04 05 06 07 08 12 14 16 17 18 19 21 23 24 25 26 28 29 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 66 68 69 70 71 75 76 02Fz 04D 04Db 05A 06A 06B 06C 06K 06R 06Rd 06V 06Z 21O 23E 23I 23Ib 23M 25F 25Fa 25Fb 25Fc 33K 33R 33Rb 36F 36Fb 38H 38Hc 44L 44Lc 46F 46Fc 46Fd 56A 66A 76C
- 151. Plebejus (Plebejides) nichollae (Elwes,1901)** (Lycaenidae) **Synonym(s):** *nichollae* Elwes,1901 **Range (as codes):** SY JO TR LB He IL 27 31 65 27C 27Cb 31F 31Fb 31M 65F 65Fc 65Fz 80B 80Bc
- 152. Plebejus (Plebejides) sephirus (Frivaldszky,1835)** (Lycaenidae) **Synonym(s):** *sephirus* Frivaldszky,1835; *uhryki* Rebel,1911; *proximus* Szabo,1954; *kovaesi* Szabo,1954; *foticus* Szabo,1956. **Range (as codes):** BG HU MK AL RO TR Cc AM Ved 10 34 39
- 153. Plebejus (Plebejides) zephyrinus (Christoph,1884)** (Lycaenidae) **Synonym(s):** *zephyrinus* Christoph,1884 **Range (as codes):** TR Cc AZ Nv Ord GG IQ Ssa IR KG Kp TM Sau Mn Ak Ab Elb Mz Lo Fa Shr RU T-S Ax Fe UZ 13 30 56 65 72 73 76 13A 13Ag 13Ax 13B 13Ba 13Bg 13D 13Da 13E 13Ea 13G 13Ga 13Gv 13Gw 30A 30B 30Ba 30Bb 30Bc 30Bc2 30Bx 30Bg 30Bk 30D 30Df 30Dt 56F 65A 65Ai 65As 65At 65B 65Bk 65Bx 65D 65Dc 65Dd 65Dda 65Do 65Df 65Dg 65Dj 65Dk 65Dl 65Dq 65Dp 65Dm 65G 65Ge 65Gt 65F 65Fb 65Fc 65Fd 65Fm 65Fg 65Fh 65Fe 65Fp 65Fq 65Fs 65Fz 65Fi 65K 65Kl 65Z 65Kz 65Kg 65Ky 65Ky1 65L 65Le 65N 65Np 65Np2 65Np5 65Np7 65Nr2 65Nr3 65Nm 72E 72Eh 76C 76D 76Da
- 154. Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) **Synonym(s):** *argus* Linnaeus,1758; *aegon* Denis & Schiffermiller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931. **Range (as codes):** AL Ao At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu FI FR GB GR HU IT IR Elb Ab Ak IQ KG Ku LT LU LV NL NO PL PT RO RU Sa Se Si SK Sm So Sr TR Cc GG Smt Akh AZ AM UA Ui Kml Uk VI Ya YU Cw Dv Smt H-W Sur Ssx Ken Kuz Sli Sau Tar Mn Mgd KP KR JP Sh Us Arr Shf Khy AF Kab 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76 78 04D 04Db 05A 06B 06C 06E 06G 06H 06R 06Rd 06V 06Z 13A 13Ac 13Ac1 13Ac2 13Ac 13Ad 13Af 13Ag 13Ax 13F 13F7 13F71 13F73 13G 13Ga

13Gd 13Gv 13Gw 14I 14Ib 25F 25Fa 25Fb 25Fc 30B 30Bb 30Bc 30Bk 30D 33R 33Rd 36F 36Fb 38C 38Ca 38H 46F 46Fc 46Fg 49E 49Ea 49Ec 49Ef 49F 49Fd 58R 58Rb 65A 65Ac 65Ac2 65Ac4 65Am 65Am2 65B 65Bc 65Bo 65Bx 65D 65Dc 65Dç 65Dç1 65Df 65Do 65Doa 65F 65Fc 65Fe 65Fi 65Fg 65Fh 65Fü 65Fq 65Fp 65Fs 65Fw 65G 65Gb 65Gp 65Gv 65Gz 65H 65Ha 65K 65Kc 65Kg 65Kl 65Z 65Km 65Kö 65Kü 65Kş 66A 76C 76A 76Ab 76B 76Bf 76Bh 76D 76Da 78D 78Da

- 155. Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval,1840; #*pyrenicus* Naderi,2003 Range (as codes): Cc BG ES FR GR TR Arr YU RU Voo GG IR Ab UA Kkv 04 05 08 13 16 24 25 29 38 42 46 51 53 58 60 65 69 76 01L 01Lb 05A 13G 13Gw 25N 25Na 46H 46Hc 65B 65Bk 65Bx 65C 65F 65Fw 65Fz 65G 65Ge 65Gd 76C
- 156. Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; #*robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934. Range (as codes): Nwf Ci Bl Chm Bm Kab AF Cc AM AZ EG GG Smt Akh GR IL IQ IR Ab Ak Msw Zj By Fa Elb Th JO Kc KG KK LB NfNj OM PK Rd RU SA SY TJ TM TR Ld Ng Hr Log Kab 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 78 80 01K 02E 04D 04Db 05A 06C 06G 06K 13A 13Ac 13Ae 13Ax 13B 13Ba 13F 13G 13Gb 13Gv 13Gç 13Gw 21O 25F 25Fa 25Fb 25Fc 27C 27Cb 30A 30B 30Bc2 30Bx 30Bk 30Bo 30Br 30D 30Df 30Dt 30Du 33R 33Rb 36F 36Fb 40D 43G 44E 44L 44Lc 44O 44Oc 44Od 46F 48A 48Ak 48D 49A 49Aa 49E 49Ef 49F 49Fd 56F 58C 58G 58Ga 58Gi 58R 58Rb 63B 63D 63F 63H 63G 65A 65Ac 65Ac 65Ac2 65Am 65Am2 65B 65Bk 65Bx 65D 65Dc 65Dç 65Dç1 65Df 65Dg 65Di 65Dlc 65Dp 65Do 65G 65Ge 65Gp 65Gl 65E 65Ea 65Eb 65F 65Fc 65Fg 65Fh 65Fi 65Fj 65Fe 65Fn 65Fm 65Fp 65Fü 65Ft 65Fç 65Fz 65K 65Kc 65Kç 65Kş 65Kl 65Z 65Kö 65Kü 65Kz 65L 65Le 65N 65Nb 65Np 65Np5 65Nr3 65Nr4 65Nm 66A 72E 72Eh 76C 76D 76Da 78D 78Da
- 157. Polyommatus (Albulina (Plebejidea)) rosei (Eckweiler,1989)** (Lycaenidae) Synonym(s): *rosei* Eckweiler,1989 Range (as codes): TR IR Ab Lo 65 65K 65Kz 65Kg
- 158. Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycaenidae) Synonym(s): *alcedo* Christoph,1877 Range (as codes): Cc AM AZ IR Ab Yz Elb Ke TR IQ 08 13 24 25 27 29 30 32 36 38 50 51 56 58 62 65 69 73 76 13A 13Ac 13Ac1 13Ac3 13Acç 13Ax 13G 13Gv 13Gw 36F 36Fb 56F 65D 65Dç 65Dç1 65Do 65Doa 65Dp 65G 65Gb 65Gp 65Gs 65F 65Fe 65Fi 65Fj 65Fp 65Fz 65K 65Kg 65Kl 65Z 76D 76Da
- 159. Polyommatus (Albulina (Vacciniina)) morgianus (Kirby,1871)** (Lycaenidae) Synonym(s): *hyrcana* Lederer,1869 nec Feld.,1860; *morgiana* Kirby,1871. Range (as codes): TR Cc AZ Nv IR Ak Ab Kh Es Fa Ke Elb Mz Yz Ss 65 65B 65Bk 65Bx 65D 65Do 65G 65Gd 65Ge 65Gj
- 160. Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 nec Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. Range (as codes): AL Bn Kts At At Aty Ba BG BY CH CN CZ DE EE ES FI FR Cc GG GR HU Ir IT KK KG Kmt LB LT LV NO PK PL RO RU SE Si SK Sm So Sr TR T-S UA Ui YU Or Uk Bs Cb Kt Ty Kw Om Pw Sp Mn No Tk Aa Db Syr Tm Sau Tar Kuz Sli DsA Ket TeA KuA TrA Ax Bbu Ci Gg Nwf T-S IR Ab Sry Evi Arr 01 03 05 06 08 13 14 16 18 24 25 29 30 32 33 36 38 42 46 51 53 58 60 61 65 66 69 70 74 75 76 78 05A 06C 06D 06G 06R 13G 25F 25Fc 30B 30Bb 33R 33Rd 36F 46F 46Fc 65A 65Ab 65Abb 65B 65Bk 65Bx 65D 65Da 65G 65Ge 65F 65Fc 65Fz 65Fü 66A 70A 75F 75Fe 76C
- 161. Polyommatus (Aricia (Pseudoaricia)) hyacinthus (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993. Range (as codes): TR 03 07 11 14 26 32 42 60
- 162. Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) Synonym(s): *isauricus* Staudinger,1871 Range (as codes): LB TR Cc 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76 07G 33R 33Rd 35S 35Sb 44E 44Ed 44Ee 46F 46H 46Hc 70C 70Cb 76C
- 163. Polyommatus (Aricia (Pseudoaricia)) teberdinus (Sheljuzhko,1934)** (Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934 Range (as codes): Kc Teb RU Cc TR 25 25F 25Fb
- 164. Polyommatus (Aricia (Pseudoaricia)) torulensis Hesselbarth & Siepe,1993** (Lycaenidae) Synonym(s): *torulensis* Hesselbarth & Siepe,1993 Range (as codes): TR 29 60 66 29A 29Ac 60O 66A
- 165. Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980. Range (as codes): BG TR Cc GG RU IR Ak Ab 01 03 05 06 07 10 11 13 14 15 16 18 19 20 26 29 32 33 34 35 37 38 39 41 42 43 46 51 52 53 54 55 58 60 62 66 67 70 74 75 77 81 05A 06B 06E 06R 06Rd 06V 10H 13G 14I 14Ib 38C 38Ca 39C 46F 46G 46Gf 58R 66A 75F 75Fl
- 166. Polyommatus (Aricia (Ultraaricia)) bassoni (T.Larsen,1974)** (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974 Range (as codes): He IL Pa LB TR 31 80 31F 31Fb 80C 80E
- 167. Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; #*crassipunctata* Seitz,1909. Range (as codes): Cc AM IQ IR Ab Ak Nv Elb Th Es TR 08 13 21 24 25 30 36 38 44 46 53 62 65 76 80 13G 13Gt 25C 25Ca 30B 30Bb 30Bc2 30Bx 30Bk 30D 30Du 38C 38Ca 65A 65Ab 65Au 65B 65Bk 65Bx 65D 65Da 65G 65Gb 65Gd 65Ge 65Go 65F 65Fq 65Fr 65Fu 65Fi 65Fz 65K 65Kö 65Z 76B 76Bf 76Bh 76C
- 168. Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. Range (as codes): AL AM Ao At AT AZ Ba BE BG B-H BY CH CN Co Cr CZ DE DK FR GB GG GR ES Mu HU HV IL IQ IR IT JO KG KK Ku LB LT LU MK MT NL PL Rd RO RU SE Si SK Sm So Sr SS SY Tk TM TR T-S UA Ui Uk Vt YU Cw Dv Smt H-W Sur Ssx Ken LAT Wn Sau Tar DsA TrA Ax T-S PK Nwf Ci Mre Haz IN Kma Bl Sml Hp Ch CY Ab Sro Msw Qba Ak Elb Th Kp Fa Cc Arr AF Hr 01 02 03 04 05 06 07 08 09 10 11

- 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55
56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 78 81 01H 01G 01D 02E 02Ff 02Fz 04D 04Db 05A 06A 06B 06C 06D
06G 06K 06N 06Ne 06R 06Rd 06S 06V 06Z 13A 13Ab 13Af 13Ax 13D 13Da 13E 13Ea 13F 13F35 13G 13Gö 13Gg 13Gs
13Gw 21L 21Le 21Lf 21N 21Nb 21O 25F 25Fa 27C 27Cb 27D 27Db 27E 30A 30B 30Be 30Bk 30Br 30Bt1 30C 30D 30Df
31A 31Aa 31B 31L 31La 33K 33O 33R 33Rd 36F 36Fb 39C 44E 44F 44Fb 44L 44Lc 44T 45L 45La 46F 46Fc 46Fd 46G
46Gf 48A 48Ak 48Ad 48Ai 48F 49E 49Ea 49F 49Fb 56F 58C 58G 58Gi 63B 63Ba 63D 63E 63G 63M 65A 65Ah 65As
65At 65B 65Bk 65Bx 65D 65Dj 65Dg 65Dk 65Dq 65Dn 65Dr 65E 65Eb 65Ec 65Ed 65F 65Fd 65Fg 65Fh 65Fx 65Ft 65Fi
65Fz 65Fe 65G 65Ga 65Gb 65Ge 65Gh 65K 65Kl 65Z 65Km 65Ku 65N 65Nc 65Ni 65Np 65Np8 65Nm 65Nn 66A 70C
70Cb 72E 72Eb 72Ei 73A 73Ad 73C 73Cd 73D 73Db 76A 76Ac 76Ae 76E 76Ea 76D 76Da 76De 76Dg 78D 80C 80E 80G
- 169. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793) (Lycaenidae)** Synonym(s):
artaxerxes Fabricius,1793. Range (as codes): AT Bn At Kts Ba BG CH CZ DE DK DZ EE ES Mu FI FR GB GR HU IT
LT LV KG KK MK NO RO RU Kc Teb SE Si SK So Sr TR IR Ab Qo YU Sli Kuz NAT Tk DsA Lps Ket TrA Ax TeA KuA T-S
CN Ui KmI AF AM Cc AZ Kir GG Bku Bjo Smt 03 06 08 14 18 25 29 32 35 36 43 45 60 61 65 69 75 06R 14I 14Ib 65B
65Bk 65Bx 65G 65Gd 65Ge 75F
- 170. Polyommatus (s.str. (Agrodiaetus (Actisia))) actis (Herrich-Schäffer,[1851]) (Lycaenidae)** Synonym(s): *atys Gerhard,[May,1851] nec atys Hübner,1804 non Cramer,1780; actis Herrich-Schäffer,[December,1851]; athis Freyer,[December,1851].* Range (as codes): TR 05 06 25 58 60 66 05A 58G 66A
- 171. Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis (Carbonell,1997) (Lycaenidae)** Synonym(s): *artvinensis Carbonell,1997* Range (as codes): Cc TR 08 25 08H 25F 25Fa 25L 25R
- 172. Polyommatus (s.str. (Agrodiaetus (Actisia))) bilgini (Dantchenko & Lukhtanov,2002) (Lycaenidae)** Synonym(s): *bilgini Dantchenko & Lukhtanov,2002* Range (as codes): TR 24 29
- 173. Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius (Carbonell,1998) (Lycaenidae)** Synonym(s): *cilicius Carbonell,1998* Range (as codes): TR 03 33 51 70
- 174. Polyommatus (s.str. (Agrodiaetus (Actisia))) haigi (Dantchenko & Lukhtanov,2002) (Lycaenidae)** Synonym(s): *haigi Dantchenko & Lukhtanov,2002* Range (as codes): TR 13 65 13G 13Ge 65Bx 65D 65Dda 65Fz 65G 65Ge 65K 65Kd 65Kg
- 175. Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960) (Lycaenidae)** Synonym(s): *pseudactis Forster,1960* Range (as codes): Cc AM Eri IR Gor Ab Khy IQ Ry TR Arr 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76 30B 30Bd 30Bh 36D 44L 44Lc 46F 49E 49Ea 65A 65B 65Bk 65Bx 65D 65Dc 65Dg 65Dp 65G 65Ge 65Gf 65Gy 65F 65Fe 65Fj 65Ft 65Fz 65L 65Le 65N 65Np8 65Nr6 65Nm 66A 76C 76D 76Da
- 176. Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis (Koçak,1979) cilicinus Charmieux,2008 (Lycaenidae)** Synonym(s): *sertavulensis Koçak,1979; cilicinus Charmieux,2008* Range (as codes): TR 07 32 33 42 70 07D 07Db 32A 32Ab 33O 70C 70Cb
- 177. Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti Olivier, Poorten, Puplesiene & de Prins,2000 (Lycaenidae)** Synonym(s): *sigberti Olivier, Poorten, Puplesiene & de Prins,2000* Range (as codes): TR 01 03 24 26 28 32 38 42 51
- 178. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783]) (Lycaenidae)** Synonym(s): *admetus Esper,[1783]* Range (as codes): AT BG BY GR HU RU SK TR UA YU MK Mt KG Sb Cc AM Zng AZ Tlh 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 52 55 58 59 60 62 64 66 68 69 70 71 75 76 78 02E 05A 06B 06C 06G 06K 06N 06R 06Rd 06V 06Z 24L 25F 25Fa 33R 33Rd 44E 46F 58R 58Rb 62F 78D 78Da
- 179. Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932) (Lycaenidae)** Synonym(s): *alcestis Zerny,1932; ahmadi Carbonell,2001; karacetinae Lukhtanov & Dantchenko,2002.* Range (as codes): IL He Pa Cc AM GG IQ IR Ab Ak Mrd Zj LB TR SY Bld 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66 73 01K 04D 04Da 06K 06N 13G 13Gv 13Gw 21K 23I 23Ia 23Ib 24L 25F 25Fa 30B 30Ba 30Bc 30Bx 30Bd 30Bh 30Bg 30Bj 30D 30Dt 44E 46F 46Fj 58G 58Gi 62F 60C 65Bx 65D 65Dc 65Do 65Dp 65G 65Ge 65Fz 65K 65Kd 65Kg 65N 65Np 65Nr2 65Nm 66P 66Pa 73D 73Dg
- 180. Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976) (Lycaenidae)** Synonym(s): *aroaniensis Brown,1976* Range (as codes): GR ChI MK BG TR 39 39B 39Ba
- 181. Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003) (Lycaenidae)** Synonym(s): *dantchenkoi Lukhtanov, Wiemers & Meusemann,2003* Range (as codes): BG TR 65 65D 65Dp 65K 65Kd 65Kg
- 182. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938) (Lycaenidae)** Synonym(s): *demavendi Pfeiffer,1938; #demaventi de Lesse,1960* Range (as codes): IR Ab Ak Qba Msw Lo Kd Mz Kh TR Cc AM 04 05 06 13 18 23 24 25 30 36 38 50 56 58 60 62 65 66 71 73 76 05A 06C 06K 06N 06R 06Rd 06Z 13F 13G 13Gv 23D 23Dc 23I 23Ia 23Ib 30B 30Br 56F 58G 58Gg 58P 62F 65Bx 65D 65G 65Gd 65Gde 65Ge 65Gm 65Gs 65Gq 65K 65Kg 65L 65Le 65N 65Np 65Ns1 65Nm 66P 73D 73Db 76C
- 183. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960) (Lycaenidae)** Synonym(s): *eriwanensis Forster,1960* Range (as codes): Cc GG AM Eri Cc TR Arr IR Ab SIm 08 24 25 36 58 62 65 69 75 76 08H 24B 24G 25A 25R 36F 36Fb 36D 58N 62F 65A 65Am 65Am1 65Am2 65D 65Dp 69B 75A 75F 75Fa 76A 76Ab 76D 76Dg
- 184. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830]) (Lycaenidae)** Synonym(s): *ripartii Freyer,[1830].* Range (as codes): At Bn Ba BG BY ES FR GR IT KG KK RU Sm Sr TM TR

- UA Uk YU Sau Tar TrA DsA Tls Ax Syr Tm T-S CN Ui Cc 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76 78 05A 06B 06K 06R 06Rd 06V 13G 13Gv 25F 25Fa 30D 30Db 33R 33Rd 44F 44Fb 46F 65D 65De 65Do 65Fz 65G 65Go 65K 65Kd 65Kg 66A 70C 70Cb 76C 78D 78Da
- 185. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901) (Lycaenidae)**
Synonym(s): *antidolus Rebel,1901* Range (as codes): TR Cc IR Ab TS 04 12 13 24 25 30 62 65 76 30B 30Ba 30Bc 30Bx 30Bf 30Bg 30C 30Cd 30D 30Da 30Dd 30Df 30Dt 62F 65D 65Dc1 65Dc2 65Do 65F 65F1 65Fj 65Fp 65Fq 65Ft 65Fx 65Fz 65G 65Gb 65Gs 76D 76Dd 76Dj
- 186. Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster,1961) (Lycaenidae)** Synonym(s): *kurdistanicus Forster,1961* Range (as codes): TR 13 30 65 13A 13Ab 13Ax 13F 13F7 13F73 13G 13Gv 13Gw 13Gc 30Bb 30Bb 30D 30Du 56F 65D 65Dc1 65Dc2 65Dd 65Dda 65Dg 65Dh 65Dk 65Dr 65Drb 65Dn 65F 65Fd 65Fe 65Ff 65Fg 65Fh 65Fi 65Fj 65Fk 65Fl 65Fm 65Fn 65Fo 65Fp 65Fq 65Fr 65Fu 65Fz 65G 65Gp 65Gs 65Gv 65Gz 65K 65Kb 65Kg 65Kl 65Z 65Km 65Ks 65Ku 65N 65Nb 65M 65Md 72F 73D 73Df
- 187. Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837]) (Lycaenidae)**
Synonym(s): *menalcas Freyer,[1837]; epidolus Boisduval,1840; #amasina Neuburger,1900.* Range (as codes): TR 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74 78 04E 04Ea 05A 06C 06H 06K 06N 06Z 13A 13Ab 13Ax 13G 13Gv 23I 23Ia 25F 25Fa 38H 40E 44E 48D 58C 58G 58Ga 58Gi 58Gj 58Gk 58Gi 58O 58R 58Rb 62F 65L 65Lb 65K 65Kb 65G 65Gm 65F 65Fr 65K 65Kl 65Z 65Ku 65N 65Np4 65Nr4 65Nm 66P 66Pa 78D 78Da
- 188. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878) (Lycaenidae)** Synonym(s): *mithridates Staudinger,1878* Range (as codes): TR Cc IQ 02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 56 58 62 65 66 68 70 71 73 02E 05A 06D 06Db 06K 13A 13Ab 13Ax 13G 13Gv 21K 23D 23Dc 23I 23Ia 25F 25Fa 44E 44L 44Lc 44O 44Ob 44Oc 46F 46L 56F 56F1 58G 58Ga 58Gi 58Gj 58N 58R 65F 65Fa 65Ff 65Fi 65Fp 65Fz 65N 65Nb 65Np 65Nr4 65Nm 66P 66Pa 73D 73Dg
- 189. Polyommatus (s.str. (Agrodiaetus (Damaia))) dama (Staudinger,[1892]) (Lycaenidae)**
Synonym(s): *dama Staudinger,[1892]* Range (as codes): TR 01 02 44 46 47 01K 02Fz 44L 44Lb 44O 44Ob 46L 47D
- 190. Polyommatus (s.str. (Agrodiaetus (Damaia))) hopfferi (Gerhard,[1851]) (Lycaenidae)**
Synonym(s): *#hopfferi Herrich-Schäffer,[August,1851] (uninominal); hopfferi Gerhard,[November,1851]; hopfferi Herrich-Schäffer,31.December,1851]; hadjina Heyne,[1895]; malatia Forster,1961.* Range (as codes): TR Cc 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73 02E 05A 06B 06C 06K 06N 21K 23D 23Dc 25F 25Fa 30B 30Bc 30Bx 30Bd 30Bh 30Bf 30Bg 30Bj 44E 44L 44Lb 44O 44Oc 58G 58Ga 58Gi 58Gk 58R 58Rb 62D 62F 62G 62Gb 65D 65G 65Gb 73A 73Ac
- 191. Polyommatus (s.str. (Agrodiaetus (Damaia))) lycius (Carbonell,1996) (Lycaenidae)**
Synonym(s): *lycius Carbonell,1996* Range (as codes): TR 07 32 07D 07K
- 192. Polyommatus (s.str. (Agrodiaetus (Damaia))) poseidon (Herrich-Schäffer,[1851]) (Lycaenidae)** Synonym(s): *poseidon Herrich-Schäffer,[1851]; mesopotamica Staudinger,1892.* Range (as codes): TR Cc 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 65 66 69 70 71 76 80 05A 06B 06R 06Rd 06V 06Z 23C 23Cc 23D 23Dc 23I 23Ib 24L 33R 33Rd 44E 44L 44Lb 44Lc 44I 44O 44Oc 44Oi 50G 50Gc 58G 58Ga 58Gj 58Gi 58Gk 58R 58Rb 62F 65L 65Le 66A 73A 73Ac 76C
- 193. Polyommatus (s.str. (Agrodiaetus (Damaia))) theresiae Schurian, Oorschot & Brink,1992 (Lycaenidae)** Synonym(s): *theresiae Schurian et al.,1992* Range (as codes): TR 01 27 42 46 01K
- 194. Polyommatus (s.str. (Agrodiaetus (Musa))) erzindjanensis (Carbonell,2002) (Lycaenidae)** Synonym(s): *erzindjanensis Carbonell,[2003]* Range (as codes): TR 24
- 195. Polyommatus (s.str. (Agrodiaetus (Musa))) maraschi (Forster,1956) (Lycaenidae)**
Synonym(s): *maraschi Forster,1956* Range (as codes): TR 38 46 58 38C 38Ca 46G 58G 58Gi
- 196. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956) (Lycaenidae)**
Synonym(s): *wagneri Forster,1956* Range (as codes): TR Cc IQ IR 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76 06B 13G 13Gv 24B 24Bb 30B 30Bg 30D 30Dt 46F 50G 50Gc 65B 65Bk 65Bx 65D 65G 65Gd 65Ge 65F 65Fe 65K 65Kg 66A 76C
- 197. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959) (Lycaenidae)**
Synonym(s): *baytopi De Lesse,1959* Range (as codes): TR Cc IR Ak Ab Sil Arr 04 13 30 65 76 04D 04Db 13G 13Gv 30B 30Bc 30Bx 65B 65Bk 65Bx 65D 65Dp 65G 65Gd 65Ge 65F 65Ff 65Fz 65K 65Kg 76C
- 198. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal,2001 (Lycaenidae)** Synonym(s): *igisizilim Koçak & Kemal,2001* Range (as codes): TR 65 65A 65Ab 65D 65Dc 65Dc1 65Dp 65Fw 65Fz
- 199. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphicarmon Eckweiler & Rose,1993 (Lycaenidae)** Synonym(s): *iphicarmon Eckweiler & Rose,1993* Range (as codes): TR 32 32A 32Ab
- 200. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenius (Herrich-Schäffer,[1847]) (Lycaenidae)** Synonym(s): *iphigenia Herrich-Schäffer,[1847]* Range (as codes): IR Ab Qo GR TR Arr AM Cc IR Ab 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76 78 04D 04Db 05A 06G 06H 06Z 13G 13Gv 13Gw 14I 14Ib 24L 25F 25Fa 30B 30Bc 30Bc2 30Bx 30Bd 30Bh 30Bj 33R 33Rd 46F 48D 62E 65A 65Ac 65Ac1 65Am 65Am2 65B 65Bk 65Bx 65D 65Dc 65Dc1 65G 65Gd 65Ge 65F 65Fe 65Fg 65Fi 65Fq 65Fr 65Fs 65Fz 66A 76C 78D 78Da

- 201. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph, 1877)** (Lycaenidae)
Synonym(s): *phyllis* Christoph, 1877 Range (as codes): Cc RU Da AM AZ IR Elb Shh Nv TR IQ GG 38 46 51 58 46L
- 202. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse, 1960)** (Lycaenidae)
Synonym(s): *tankeri* De Lesse, 1960 Range (as codes): TR Cc 04 25 36 69 76 04D 04Db 25F 25Fa 69B 69Ba 76C
- 203. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse, 1957)** (Lycaenidae)
Synonym(s): *vanensis* De Lesse, 1957 Range (as codes): TR IQ Er Ry Cc AM IR Ak Ab GG 04 08 13 24 25 30 36 38 46 62 65 69 76 04D 04Db 13G 13Gv 30B 30Bb 30Bk 38H 46F 62G 62Ga 62Gb 65B 65Bk 65Bx 65D 65Dc 65Dç 65Dç1 65Dp 65G 65Gd 65Ge 65F 65Fq 65Fj 65F1 65Fp 65Fr 65Fü 65Fw 65Fz 65K 65Kc 65Kö 65Kr 65Kl 65Z 65Km 65Kg 76C
- 204. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) altivagans (Forster, 1956)** (Lycaenidae) Synonym(s): *altivagans* Forster, 1956; *vaspurakani* Lukhtanov & Dantchenko, 2003 Range (as codes): IR Ab Nv Ak Mrd Tbz TR RU Da Cc AZ AM Alg Arr 04 08 24 29 36 65 76 29F 65B 65Bk 65Bx 65D 65Df 65G 65Gc 65Ge 65Fz
- 205. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) anticarmon (Koçak, 1983)** (Lycaenidae) Synonym(s): *anticarmon* Koçak, 1983; *charmieuxi* Pagés, 1994 Range (as codes): TR 13 25 30 65 13G 13Gb 30B 30Bc 30Bx 30Bd 30Bh 30Bj 30C 30Cd 65A 65Am 65Am2 65D 65Dç 65Dç1 65F 65Fq 65Fç 65Fz
- 206. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) aserbeidschanus (Forster, 1956)** (Lycaenidae) Synonym(s): *aserbeidschana* Forster, 1956 Range (as codes): Cc AZ AM Da GG Nv TR IR Ab 08 25 29 36 69 25F 25Fa
- 207. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) caeruleus (Staudinger, 1871)** (Lycaenidae) Synonym(s): *caeruleus* Staudinger, 1871 Range (as codes): IR Cc TR Gor Mz Elb 05 76 05A 76C
- 208. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) eurypilos (Gerhard, [1851])** (Lycaenidae) Synonym(s): *eurypilos* Gerhard, [1851]; *carmon* Herrich-Schäffer, [1851 December]; *munzuricus* Rose, 1978 Range (as codes): TR Cc 01 02 03 05 06 07 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69 02Fz 05A 06G 06R 06Rd 25F 25Fa 46F 58R 58Rb 66A
- 209. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) guezelmavi Olivier et al., 1999** (Lycaenidae) Synonym(s): *guezelmavi* Olivier et al., 1999 Range (as codes): TR 42
- 210. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) huberti (Carbonell, 1993)** (Lycaenidae) Synonym(s): *huberti* Carbonell, 1993 Range (as codes): TR Arr AM Cc IR Ab Sil 04 08 13 24 25 29 30 36 65 69 76 13G 13Gv 25F 25Fa 30B 30Bc 30Bx 30Bl 36F 36Fb 65B 65Bk 65Bx 65D 65Dp 65G 65Gd 65Ge 65F 65Fq 65Fü 65K 65Kg 65Kl 65Z 76C 76D 76Da
- 211. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) ninae (Forster, 1956)** (Lycaenidae) Synonym(s): *ninae* Forster, 1956 Range (as codes): Cc AM Alg TR IR Ak Ab Sil 04 08 13 24 25 29 30 36 65 69 76 13G 13Gv 13Gw 25F 25Fa 30B 30Bc 30Bx 30Bg 65B 65Bk 65Bx 65D 65G 65Gb 65Gd 65Ge 65F 65Fe 65Fj 65Fq 65Fs 65G 65Gb 65K 65Kg 65N 65Ne
- 212. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) pierceae (Lukhtanov & Dantchenko, 2002)** (Lycaenidae) Synonym(s): *pierceae* Lukhtanov & Dantchenko, 2002; *#pierceae* Lukhtanov & Dantchenko, 2002 Range (as codes): TR 65 65Bx 65G 65Ge
- 213. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) schuriani (Rose, 1978)** (Lycaenidae) Synonym(s): *#schuriani* Rose, 1978 [conditionally proposed]; *kunchuy* Koçak, 1999 Range (as codes): TR 01 06 07 38 50 66 70 06K 38P 66A
- 214. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) surakovi Dantchenko & Lukhtanov, 1994** (Lycaenidae) Synonym(s): *surakovi* Dantchenko & Lukhtanov, 1994; *sekerciogluhi* Dantchenko & Lukhtanov, 2002 Range (as codes): AM Nv AZ Cc TR IR Ab 13 65 76 13G 13Gv 65D 65Df 65Dg 65F 65Fq 65Fü 65Fz 65K 65Kb 65Kc 65Z 76C
- 215. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) transcaspicus (Heyne, [1895])** (Lycaenidae) Synonym(s): *transcaspicus* Heyne, [1895]; *transcaspicus* Staudinger, 1899. Range (as codes): TR IR Kh TM Kp 29
- 216. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicola (Koçak, 1977)** (Lycaenidae) Synonym(s): *turcicola* Koçak, 1977; *#turcicolus* Nazari, 2003 Range (as codes): TR IR Ab Sro 65 65B 65Bk 65D 65Dç 65G 65F 65Fb 65Fc 65Fz 65K 65Ka 65Kd 65Kg 65N 65Np1 65Np5 65Nm
- 217. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicus (Koçak, 1977)** (Lycaenidae) Synonym(s): *turcicus* Koçak, 1977 Range (as codes): TR Cc GG AM IR 04 08 13 24 25 29 30 36 62 65 69 76 04D 04Db 13G 13Gw 30B 30Bd 30Bc 30Bx 30Be 30Bh 30Bj 62E 65Bx 65D 65Dç 65Dp 65G 65Gd 65Ge 65Fz 65K 65Kg 76C
- 218. Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) zapvadi (Carbonell, 1993)** (Lycaenidae) Synonym(s): *zapvadi* Carbonell, 1993 Range (as codes): TR IQ 13 30 65 13G 13Ga 13Gv 30B 30Be 30Bd 30Bh 30Bj 65A 65Am 65Am2 65Bx 65D 65G 65Gd 65Ge 65F 65Fg
- 219. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger, 1899)** (Lycaenidae) Synonym(s): *cyaneus* Staudinger, 1899; *pseudocyaneus* Forster, 1956. Range (as codes): AM AZ Hkd GG Cc TR IR Ke Ab Ak Mrd Ha Km Krd 25 36 65 76 65B 65Bk 65Bx 65D 65G 65Gb 65Gd 65Ge 65K 65Kb 65Ki 65Kj 65Kl 65Z 65Ky1 65Kg 76C

- 220. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba De Prins, 1991** (Lycaenidae)
Synonym(s): *merhaba De Prins, 1991* Range (as codes): TR Cc 08 25 08H 25F 25Fa 25L 25R 25N 25Na
- 221. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer, [1844])** (Lycaenidae) Synonym(s): *damocles Herrich-Schäffer, [1844]* Range (as codes): RU Ur Sr Ul So UA Cm TR Cc 08 25 25R
- 222. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller], 1775)** (Lycaenidae) Synonym(s): *damon [Denis & Schiffermüller], 1775* Range (as codes): AL Bn At Kts AT Ba BG BY CH CN CZ DE EE ES FR Cc GG GR IT KG KK Kr LV MN PL RU Kis SK Sm So Sr TR Arr T-S UA Ui Ur VI YU LAT Wn Kuz Sli Sau Tar TrA DsA KuA T-S 04 08 24 25 29 36 69 75 76 04D 04Db 25F 25Fb 25Fc 75A 75Ab 76C
- 223. Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli (Dantchenko & Lukhtanov, 2002)** (Lycaenidae) Synonym(s): *kanduli Dantchenko & Lukhtanov, 2002* Range (as codes): TR 13 24 65 13G 13Ge 65K 65Kd 65Kg
- 224. Polyommatus (s.str. (Agrodiaetus (s.str.))) putnami (Dantchenko & Lukhtanov, 2002)** (Lycaenidae) Synonym(s): *putnami Dantchenko & Lukhtanov, 2002* Range (as codes): TR 04 25
- 225. Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer, 1861)** (Lycaenidae) Synonym(s): *antiochena Lederer, 1861* Range (as codes): He IL Pa LB SY TR 01 02 13 21 27 30 31 33 46 49 56 65 73 80 01H 01L 01Lb 02F 02Fd 02Fe 13F 13G 13Gt 21L 21Lf 21Ld 21N 21Nb 27C 30B 30Bb 30Bc2 30Bx 30Bk 30D 30Df 31A 31Aa 31Cb 31F 31Fb 31L 31La 31M 33A 33K 46F 46Fc 46H 46Hc 49F 49Fb 49Ff 56D 56Db 56Dg 56F 65A 65Ai 65Am 65Am2 65D 65Dn 65Do 65Dq 65Ds 65Dt 65Dv 73D 73Df 80C
- 226. Polyommatus (s.str. (Cyaniris)) bellis (Freyer, [1842])** (Lycaenidae) Synonym(s): *bellis Freyer, [1842]* Range (as codes): AM GG Cc IR Ab Ak Elb Th Gor Se TR SY LB IQ He IL Pa 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 56 58 59 60 61 62 65 66 69 70 71 74 75 76 80 01L 01Lb 04D 04Db 05A 06A 06B 06C 06D 06G 06K 06P 06R 06Rd 06V 13A 13Ab 13Ax 13D 13Da 13G 27C 30D 30Df 44A 44Ab 44E 44Ei 46F 46Fc 49E 49Ea 56F 65A 65Am 65Am2 65Am3 65B 65Bk 65Bx 65D 65Dc 65Dd 65Dda 65Df 65Dg 65Dn 65Do 65Dt 65Dv 65G 65Gd 65Ge 65Gv 65Gz 65F 65Fd 65Fe 65F3 65Fm 65Fw 65Fz 65K 65Kö 65Kq 65Z 65Kg 65M 65Mc 66A 75F 76C
- 227. Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg, 1775)** (Lycaenidae) Synonym(s): *semiargus Rottemburg, 1775; acis Denis & Schiffermüller, 1775 nec Dry., 1773; byzas Bergsträßer, [1779]; byze Bergsträßer, [1779]; argopoeus Bergsträßer, [1779]; byzenus Bergsträßer, [1779]; argopoei Bergsträßer, [1779]; cimon Lewin, 1795; argianus Dalman, 1816.* Range (as codes): AL At Bn Kts AT Ba BE BG TR B-H CH CN Ui CZ DE DK EE ES FI FR GB GR HU HV Ii IT KK KG LT LU LV MA MK NL NO PL PT RO RU SE Si SK Sm So Sr SS UA Ur UZ VI YU Uk OR Bs Cb Kg Ty Sb Om To Pw Kw Fe Nmg Sp Mn Tk Aa Kuz No Sau Tar DsA TeA KuA TrA Ax AM GG AZ Bw T-S Cc Am MA Ifr Azr 39 39C
- 228. Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg, 1775)** (Lycaenidae) Synonym(s): *bellargus Rottemburg, 1775; thetis Rottemburg, 1775 nec Dru., 1773; adonis Denis & Schiffermüller, [1775]; salacia Bergsträßer, 1779; venilia Bergsträßer, 1779;; hyacinthus Lewin, 1795; urania Gerhard, [1851]; persemagna Verity, 1937; arentissima Verity, 1937; arens Verity, 1937; arentior Verity, 1937; anteaerentior Verity, 1937; parabellargus Verity, 1939; shakla Higgins, 1958* Range (as codes): AL AM AT AZ Cc Arr BG B-H BL BY CH CZ DE EE ES Mu Mu18 FR GB GG GR HU HV IQ Hjo IR Ab LB IT LT LU LV MK PL PT RO RU Si SK Sm So Sr SS TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 56 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 78 80 02Ff 04D 04Db 05A 06B 06G 06H 06K 06N 06P 06R 06Rd 06V 06Z 13C 13Cd 13D 13Da 13E 13Ea 13F 14I 14Ib 21K 21N 21Nb 21O 25F 25Fa 25Fb 25Fc 30B 30Bc 30Br 30D 30Df 33K 33O 33R 33Rd 36F 36Fb 38H 38Hc 44A 44Ab 44E 44Ei 44O 44Oc 46F 46Fc 46Fd 49F 49Fb 49Fe 56F 65A 65Ai 65Ao 65Am 65Am4 65B 65Bk 65Bx 65D 65Di 65Dh 65Dk 65Dr 65Drb 65Dq 65F 65Fe 65Fg 65Fh 65Fj 65Fi 65Fm 65Fp 65Fz 65Ft 65Fu 65Fx 65F3 65G 65Gd 65Ge 65H 65Ha 65K 65Ka 65Kl 65Z 65Kö 65L 65Le 65N 65Np 65Nm 66A 73A 75F 75Fi 76A 76Ac 76C 76D 76Dd
- 229. Polyommatus (s.str. (Lysandra)) coridon (Poda, 1761)** (Lycaenidae) Synonym(s): *coridon Poda, 1761; graeca Heyne, 1895; torgniensis Haverkamp, 1906; altica Neustetter, 1909; alpumpallida Verity, 1926; jurae Verity, 1926; insulana Verity, 1926; galliae Verity, 1926; narbonensis Verity, 1926; fumosa Verity, 1926; italagallia Verity, 1926; diniae Verity, 1926; minutepunctata Verity, 1926; bieneri Stauder, 1924; nicaeensis Dujardin, 1944.* Range (as codes): AL AT Ba BE BG Bw BY CH CZ DE EE ES FR GB GR HU IT LT LU NL PL RO RU Sa SK Sm So Sr TR UA Ur VI YU 34 39 34A 39C 39K 39Kb
- 230. Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer, [1852])** (Lycaenidae) Synonym(s): *corydonius Herrich-Schäffer, [1852]* Range (as codes): Cc AZ RU TR GG AM IR Ak Ab 04 08 12 13 23 24 25 29 36 49 58 62 65 69 73 75 76 04D 04Db 12A 12Ab 13G 13Gw 23I 23M 25F 25Fa 25Fb 25Fc 49F 49Fd 58F 62E 62G 65A 65Ac 65Ac2 65B 65Bk 65Bx 65D 65Dc 65G 65F 65Fc 65Fi 65Fr 65Fq 65Fz 65G 65Gd 65Gp 65Ge 65K 65Kb 65Kc 65Kl 65Z 65Km 65Kö 65Kg 65Kw 65N 65Nr4 65Nm 73A 73Ag 73C 73Cd 75D 75F 76C 76D 76Da
- 231. Polyommatus (s.str. (Lysandra)) dezinus Freina & Witt, 1983** (Lycaenidae) Synonym(s): *dezinus Freina & Witt, 1983* Range (as codes): TR 30 30B 30Bc 30Bx 30D 30Da
- 232. Polyommatus (s.str. (Lysandra)) ossmar (Gerhard, [1851])** (Lycaenidae) Synonym(s): *ossmar Gerhard, [1851]; corydonius sensu Röber, 1897* Range (as codes): TR 01 03 05 06 07 11 14 16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71 05A 06B 06D 06E 06H 06K 06R 06Rd 06V 06Z 14I 14Ib 32A 32Ab 33R 33Rd 46F 50G 50Gc 58G 58Gg 58Gi 58Gk
- 233. Polyommatus (s.str. (Lysandra)) syriacus (Tutt, 1914)** (Lycaenidae) Synonym(s): *syriacus Tutt, 1914* Range (as codes): LB TR SY 01 31 33 46 51 01K 01H 31L 31La

- 234. *Polyommatus* (s.str. (*Meleageria*)) *daphnis* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. Range (as codes): Aq Sms AL Cc AM AT AZ Ba BG B-H BY CH CZ DE ES FR GG GR HU HV Iq IR Ab Ak Mrd Qba Sro Lo Ha Elb Th Gor IT KG LB MK PL RO RU Si SK Sm So Sr SS SY TR UA VI YU LAT Wn 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 53 56 58 60 62 65 66 68 69 70 71 73 74 75 76 78 04D 04Db 05A 06B 06C 06D 06E 06K 06N 06R 06Rd 06V 06Z 13A 13Ab 13Ax 13F 13G 13Gv 13Gw 14I 14Ib 21K 24E 24Ea 30B 30Ba 30Bc 30Bx 30Bj 30Bd 30Bh 30Bf 30Br 30C 30D 30Da 30Db 30Df 30Dt 31M 33R 33Rd 34C 36F 36Fb 44E 44Ei 44F 44Fb 46F 46L 49E 49Ea 56F 58G 58Gj 58Gi 58Gk 58R 58Rb 65A 65Am 65Am2 65Ac 65Ac2 65B 65Bk 65Bx 65D 65Dc 65Dç 65Dç1 65Df 65Do 65Dp 65K 65Kb 65G 65Gd 65Ge 65Gm 65Gn 65Gs 65Go 65Gp 65F 65Fb 65Fc 65Fç 65Fg 65Fh 65Fe 65Fq 65Fj 65Fi 65Fp 65Ft 65Fü 65Fu 65Fr 65Fz 65K 65Kc 65Ké 65Kl 65Z 65Km 65Kö 65Kü 65Kz 65Kç 65Kw 65L 65Le 65N 65Np 65Np5 65Nr2 65Nr4 65Nm 75F 76C 76D 76Da
- 235. *Polyommatus* (s.str. (*Neolysandra*)) *alticola* (Christoph,1893)** (Lycaenidae) Synonym(s): *alticola* Christoph,1893; *alexander* Higgins,1981 Range (as codes): Cc AM TR Iq IR Ak Ab 04 08 13 23 24 25 29 30 36 44 49 62 65 69 73 76 13A 13Ab 13Af 13Ai 13Ax 13G 13Gv 36F 36Fb 65D 65E 65Eb 65F 65Fm 65Fe 65G 65Gv 65Gz 65I 65Ib 65M 65Mc 65Md 76C
- 236. *Polyommatus* (s.str. (*Neolysandra*)) *diana* (Miller,[1913])** (Lycaenidae) Synonym(s): *diana* Miller,[1913] Range (as codes): TR Cc IR Ab TS AM Eri 04 13 25 29 36 38 69 76 04E 13A 29A 29Ab 36D 38N 38Na 38Nb
- 237. *Polyommatus* (s.str. (*Neolysandra*)) *fatima* Eckweiler & Schurian,1980** (Lycaenidae) Synonym(s): *fatima* Eckweiler & Schurian,1980 Range (as codes): TR IR Ab Sil 30 65 30B 30Ba 30Bb 30Bc 30Bx 30Be 30Bk 30D 30Df 30Dt 65A 65Ab 65Abc 65Am 65Am1 65B 65Bk 65Bx 65D 65Do 65G 65Ge 65I 65Ib
- 238. *Polyommatus* (s.str. (*Neolysandra*)) *nazugum* Kemal & Koçak,2013** (Lycaenidae) Synonym(s): *nazugum* Kemal & Koçak,2013 Range (as codes): TR 46 46H 46Hc
- 239. *Polyommatus* (s.str. (*Neolysandra*)) *ponticus* (Courvoisier,1911)** (Lycaenidae) Synonym(s): *ponticus* Courvoisier,1911 Range (as codes): TR 01 05 06 07 12 28 30 38 42 46 49 52 58 65 05A 06D 06E 06R 12A 12Ab 30B 30Bc 46F 46Fg 49E 49Ea 65A 65Ai 65As 65At 65At1 65D 65Dç 65Dz 65Dza 65Fz
- 240. *Polyommatus* (s.str. (*Plebicula*)) *amandus* (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 *nec* Rottentburg,1775; *amandus* Schneider,1792 Range (as codes): Lsb Bn At AL AM AT AZ Ba BG BY Cc CH CN CZ DE DK EE ES FI FR GG GR HU Iq Ssa IR Ak Ab Jal Elb Th IT KG KK LB LT LV NO PL RU SE Si SK Sm So Sr Tk TR T-S UA Ui Uk Vl YU Aq Cb Bs Or Kg Pp Kw Ty Pw Om No Mn Sp Tk Aa Db Ax Kuz Sli Sau Tar DsA TrA TeA T-S 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 72 73 74 75 76 78 80 02E 05A 06B 06G 06K 06R 06Rd 06V 06Z 13F 13G 13Gç 13Gt 13Gv 14I 14Ib 24E 24Ea 27C 30A 30Aa 30B 30Ba 30Bc 30Bx 30Bd 30Bf 30Bg 30Bk 30Bj 30C 30Cd 30Ce 30D 30Da 30Db 30De 30Dk 30Dt 31A 31Aa 31L 31La 33K 33R 33Rd 36F 36Fb 38H 38Hc 44A 44Aa 46F 46G 46Ge 49E 49Ea 56F 65A 65Ai 65At 65Am 65Am2 65Am3 65B 65Bk 65Bx 65D 65Dc 65Dç 65Dda 65Df 65Dn 65Dt 65G 65Gd 65Ge 65Gv 65Gz 65F 65Fb 65Fç 65Fe 65Fn 65Fz 65G 65Ge 65K 65Kl 65Z 65L 65Le 65N 65Np 65Nç 65Nm 66A 72E 72Ej 75F 76C 78D 78Da
- 241. *Polyommatus* (s.str. (*Plebicula*)) *dorylas* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. Range (as codes): AL AT Ba BE BG BY CH CZ DE ES FR GG Cc GR HU IT KG LT LV PL RO RU SE SK Sr TR UA Uk YU LAT Wn 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76 05A 06G 06R 06Rd 46F 46H 46Hc 66A 76C
- 242. *Polyommatus* (s.str. (*Plebicula*)) *escheri* (Hübner,[1823])** (Lycaenidae) Synonym(s): *escheri* Hübner,[1823]; *agestor* Godart,1823. Range (as codes): BG BY CH ES Mu FR GR HU IT MT PT RU TR UA YU 17 20
- 243. *Polyommatus* (s.str. (*Sublysandra*)) *aedon* (Christoph,1877)** (Lycaenidae) Synonym(s): *aedon* Christoph,1877 Range (as codes): IR Ab Khy Elb Th Ha TR Cc 04 08 13 24 25 29 31 36 49 53 62 65 69 76 04D 04Db 13A 13Ad 13Ac 13Ac1 13Ac2 13Acç 13Af 13Ah 13Ax 13G 13Gç 13Gt 13Gv 13Gw 30B 30D 31A 36F 36Fb 49E 49Ea 65D 65Dd 65Dç 65F 65F1 65Fe 65Fz 65H 65K 65Kü 65Z 65N 65Nr2 65Nr3 65Nr4 65Nm 65Nj
- 244. *Polyommatus* (s.str. (*Sublysandra*)) *cornelius* (Freyer,[1850])** (Lycaenidae) Synonym(s): *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992. Range (as codes): TM TR AF 01 02 03 05 06 07 11 14 15 16 18 19 20 21 24 25 26 27 29 31 32 33 37 38 42 43 44 46 47 50 51 55 56 58 60 62 63 64 66 70 71 73 01K 01L 01Lb 02Fz 05A 06A 06B 06C 06G 06K 06R 06Rd 06V 06Z 21L 21Le 21N 21Nb 33K 33O 33R 33Rb 38P 46F 46Fc 46G 46Gi 66A 70A
- 245. *Polyommatus* (s.str. (*Sublysandra*)) *myrrhus* (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer,[1852] Range (as codes): TR Cc IR Ab Sro 03 05 06 18 30 32 38 58 60 66 71 73 05A 06D 06G 06R 06V 18F 30A 30Aa 30B 30Bf 30Bg 30Bh 30Bm 30D 73A 73C 73Aç 73Ac 73Cd
- 246. *Polyommatus* (s.str. (*Thersitesia*)) *thersites* (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. Range (as codes): Cc AZ Sms Kos AL AT Ba BE B-H BY CH CZ DE ES Mu FR GR HU HV IR Ak Ab Qba Elb Th IT KG KK LB MA MK MN PL PT Rd RO RU SK Sm So Sr SS SY TM TR UA YU TrA TeA T-S DsA Tar Sau Sj GG Tbl MA Azr Ifr 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 78 81 02Fz 06A 06B 06C 06D 06G 06H 06K 06N 06P 06R 06Rd 06S 06V 06Z 13A 13Ab 13Ac 13Ax 13B 13Bg 13G 13Gv 13Gw 30B 30Bc 30Bk 30D 31A 31Aa 31L 31La 31B 31F 36F 36Fb 38H 38Hc 39C 44A 44Ab 44O 44Oi 46F 46G 46Gf 49E 49Ea 58G 58Gj 58Gk 58Gi 58R 58Rb 65A 65B 65Bk 65Bx 65D 65Dç 65Dd 65Dda 65Dg 65E 65Ea 65G 65Gd 65Ge 65Go 65Gp 65Gm 65Gq 65F 65Fç 65Fg 65Fh 65Fe 65F1 65Fj 65Fx 65Fz 65G 65Gb 65Ge 65K 65Kc 65Kç 65Kl 65Z 65L 65Le 65N 65Np 65Np5 65Nr6 65Ns1 65Nm 66A 76B 76Bf 76Bh 76D 76Da 76Dg 76E 76Ea

- 247. *Polyommatus (s.str.) bollandi* Dumont, 1998** (Lycaenidae) Synonym(s): *bollandi* Dumont, 1998
Range (as codes): TR 31
- 248. *Polyommatus (s.str.) buzulmavi* Carbonell, 1991** (Lycaenidae) Synonym(s): *buzulmavi* Carbonell, 1991
Range (as codes): TR 30 65 30B 30Bc 30Bc2 30Bc4 30Bx 65A 65Am 65Am2 65Ac 65Ac2 65B 65Bn 65Bn1 65D 65Dc 65Fz
- 249. *Polyommatus (s.str.) ciloicus* De Freina & Witt, 1983** (Lycaenidae) Synonym(s): *ciloicus* De Freina & Witt, 1983
Range (as codes): TR IR Ab TS Qz Elb 30 30B 30Bc 30Bx 30Bg 30D 30Da
- 250. *Polyommatus (s.str.) eroides* (Frivaldsky, 1835)** (Lycaenidae) Synonym(s): *eroides* Frivaldsky, 1835
Range (as codes): AL Cc AZ Ba BG BY CZ EE GG LT LV MK PL RU SK Sm So Sr Tai TR Ze Sb CN Ui Ts Amd 05 06 14 16 28 37 42? 60 66 67 78 05A 06R 14I 14Ib
- 251. *Polyommatus (s.str.) eros* (Ochsenheimer, 1808)** (Lycaenidae) Synonym(s): *tithonus* Hübner, [1804] nec Linn., 1771; *eros* Ochsenheimer, 1808
Range (as codes): Ak AT CH DE ES FR GR IR Ab Sah Sbl IT YU KG DsA Ket TeA KuA TrA AF Hk PK Bl Wa Zh Qu Zi Ci Nwf Hyb IN Kma Up Bph Mil T-S RU Kr Cc Tai TR BY UA PL 08 24 25 29 69
- 252. *Polyommatus (s.str.) erotulus* Nekrutenko, 1985** (Lycaenidae) Synonym(s): *?amor sensu* Röber, 1897; *erotulus* Nekrutenko, 1985; *delessei* Carbonell, 1994.
Range (as codes): Cc AZ IR Ak TR ?33 51 ?33R ?33Rd 51B
- 253. *Polyommatus (s.str.) icarus* (Rottemburg, 1775)** (Lycaenidae) Synonym(s): *argus* Poda, 1761 nec Linn., 1758; *alexis* Scopoli, 1763 nec Pda, 1761; *thetis* Esper, 1777 nec Dru., 1773; *icarus* Rottemburg, 1775; *pampholyge* Bergsträßer, 1779; *candybus* Bergsträßer, 1779; *candiope* Bergsträßer, 1779; *candaon* Bergsträßer, 1779; *oceanus* Bergsträßer, 1779; *fusciolus* Fourcroy, 1785; *icarinus* Scriba, 1795; *pusillus* Gerhard, 1851; *celina* Austaut, 1879; *neglectus* Stradomsky & Arzanov, 1999
Range (as codes): Ae AF AL Ao AT Ba BE BG B-H BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GR HU HV IE Ii IL IQ IR IT JO KG KK Ku LB LT LU LV MA MK MN MT NL NO PK PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY TJ TM TN TR T-S Tv UA Ui Uk Us UZ VI YU Cw Dv Smt H-W Sur Ssx Ken Hjo Da Der AZ Bak Mu Mu18 Bn At Kts Sau Tar Buc Bkb Mrk Ssn Ktm Nym Sb DsA TrA KuA TeA Ax Ii Kuz Sli Bl Ci Nwf Kmt Sju Prj Pa Hf Cc Kc Pe Ir Irk Bc Arr Ab Sro Jal Shf Msw Swa Sgl Mdy BtNa Nra Abe Sbd Lbs Ges MA Tgr Rbt Azr LY Cy Hr BLM Ng Kab Ca 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 78 80 81 01A 01C 01H 01G 01F 01K 02B 02E 02G 02F 02Ff 02Fz 04D 04Db 05A 06A 06B 06C 06D 06E 06G 06H 06K 06N 06P 06R 06V 06Z 12A 12Ai 13A 13Ab 13Ad 13Af 13Ai 13Ax 13B 13Ba 13Bg 13D 13Da 13E 13F 13G 13Ga 13Gc 13Gv 13Gü 13Gy 13Gw 14I 14Ib 18F 21L 21Le 21N 21Nb 21O 27C 27Cb 27D 27Db 27Dd 30B 30Bb 30Bk 30Br 30D 30Df 31A 31Aa 31B 31E 31F 31L 31La 31K 31Ka 33A 33C 33K 33O 33R 33Rb 33Rd 36F 36Fb 38H 38Hc 39C 44E 44Ei 44L 44Le 44O 44Oc 45L 45La 46G 46Gf 46E 46Eb 46F 48A 48Aa 48Ad 48D 48F 48L 49E 49Ea 49Ed 49F 49Fb 49Ff 49Ff 56F 56Fc 56Fi 58G 58Gj 58Gi 58Gk 58R 58Rb 63B 63Ba 63D 63E 65A 65Ai 65Ag 65As 65Au 65Am2 65Ac 65Ac2 65B 65Bk 65Bx 65D 65Dd 65Dda 65Dj 65Dk 65Dr 65Drb 65Dm 65Do 65Dn 65E 65Ea 65Eb 65F 65Fc 65Fg 65Fe 65Fj 65Fh 65Fi 65Fm 65Fq 65Fr 65Fü 65Fu 65Fx 65Fi 65Fw 65Fz 65G 65Ga 65Gb 65Ge 65Gd 65Gm 65Gn 65H 65Ha 65K 65Ka 65Kb 65Kc 65Kg 65Kl 65Z 65Ks 65Kş 65Kö 65Ku 65Ky 65Ky1 65L 65Le 65M 65Mc 65Md 65N 65Ne 65Np 65Np2 65Np4 65Np7 65Nr3 65Nş 65Nm 66A 72E 72Eb 72F 73A 73Ad 73Ad2 73D 73Db 73Df 73E 73Eb 73H 75F 75Fi 76A 76Ac 76Ae 76B 76Ba 76Bf 76Bh 76C 76D 76Da 76Dg 76E 76Ea 78D 78Da 80B 80Bd 80C 80E
- 254. *Polyommatus (s.str.) persicus* (Bienert, 1870)** (Lycaenidae) Synonym(s): *persica* Bienert, 1870; *bienerti* Balint, [1993].
Range (as codes): AF Hr IQ IR Yz PK Ci TR TM Kp TJ Gis Pm CN KK Ti? Ui Um Yk Ga RU Tv T-S KG Drw TJ At DsA TrA KuA Sau Tar
- 255. *Pseudophilotes vicrama* (Moore, 1865)** (Lycaenidae) Synonym(s): *vicrama* Moore, 1865
Range (as codes): AF Ng Kab Jla AL At Bn AT Ba BG BY CY Ch Ci CN Cr CZ DE EE FI GR HU Ii IN IR Ab Ak Shf Elb Fa Kp IL Pa JO IQ Ssa IT KG Ld LT LV PK PL RO RU SK Sm So Sr Ti TM TR Cc GG Smt Akh UA Ui VI YU Uk Kt Ka Sp Sau Tar DsA TrA Db Syr Tm Ku T-S 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 42 43 44 45 46 47 48 49 50 51 56 58 60 62 63 64 65 66 67 68 69 70 71 72 73 74 76 78 80 01K 05A 06B 06G 06K 06P 06R 06Rd 06S 06V 06Z 07A 07B 07Bc 13F 13G 13Ga 13Gö 13Gş 13Gv 23I 23Ia 23Ib 23D 27C 30B 30Bc 30D 30Df 30Dt 31A 31Aa 31L 31La 33A 33C 33O 33R 33Rb 35T 36F 36Fb 44L 44Le 45L 45La 46F 46Fc 46G 46Gf 49F 49Fb 56F 58G 58Ga 58Gi 58R 58Rb 63D 63E 65A 65Am 65Am2 65Am3 65B 65Bk 65Bx 65D 65Dc 65Df 65Do 65F 65Fb 65Fd 65Fb 65Fc 65Fd 65Fe 65Fg 65Fl 65Fh 65Fq 65Fz 65G 65Gb 65Ge 65K 65Kl 65Z 65Ky1 65Kz 65Kg 65L 65Le 65N 65Np 65Np2 65Nm 66A 72E 72Ei 73A 73Ad 73Ad2 76B 76Bf 76Bh 76C 76D 76Da 76Dg 78D 78Da 80B 80Bc
- 256. *Quercusia quercus* (Linnaeus, 1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus, 1758; *longicauda* Riley, 1921
Range (as codes): AL AM Ao AT AZ Cc Len Ba BE BG B-H BY CH Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU HV IE IQ IR Fa IT KG LB Le LT LU LV MA MK NL NO PL PT Rd RO RU Sa Sms Se Si SK Sm So Sr SS TR UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Alv Atu Av Bad Bar Bgs C-M Cas Ccs Krd Da Der Cor Dja Uk Cn Gp Gu Hue Lda Leo Mdr Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Ter Tol Trg Val Vcl Zg Zm Akh Ab Rf 01 03 05 06 07 08 09 10 11 12 13 14 16 17 18 21 22 23 25 28 29 30 32 33 34 35 38 39 42 43 44 45 46 49 52 56 58 60 62 64 65 66 71 73 74 01K 05A 06B 06D 06R 06Rd 06V 12A 12Ab 12E 12Eb 13F 21N 21Nb 23I 30B 30Bf 30D 30Db 30Df 38H 38Hc 49E 49Ea 56F 61K 62E 62G 65A 65Ai 65D 65Dc 66A 73A 73Ad 73Ad2 73D 73Dg 75F
- 257. *Rubrapterus bavius* (Eversmann, 1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann, 1832
Range (as codes): Ba Ce Cm GR BG HU IL Pa Hf IR Ab Elb Mz KG LB MK RO RU Sm Sr SY TR Cc UA Uk VI 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 35 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80 05A 06C 06G 06K 06N 06P 06R 06S 06V 13F 13G 23M 30B 30Bc 30Bc2 30Bc5 30Bx 30D 30Df 31M 33C 33O 38H 38Hc 44E 46G 46Gf 47B 58G 58Ga 58Gc 58Gi 62E 62Eb 62H 63N 63Na 65A 65Am 65Am4 65D 65Dc 65Df 65Dg 65Dk 65Dm 65Dn 65F 65Fb 65Fc 65Fç 65Fz 65K 65Kb 65Z 65Kç 65Kd 65Kg 65N 65Np4 65Nm 73D 73Dg
- 258. *Satyrrium (Armenia) hyrcanicum* (Riley, 1939)** (Lycaenidae) Synonym(s): *hyrcanicum* Riley, 1939
Range (as codes): AF Bm Kota Cc AM AZ GG IR Ab Zj Elb Mz TJ TR 08 36 69 76 76C 76D 76Da

- 259. *Satyrrium (Armenia) ledereri* (Boisduval,1848) (Lycaenidae) Synonym(s):** *ledereri* Boisduval,1848 Range (as codes): Cc AZ GG GR LB Sms TR Arr IR Ab 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58 62 63 65 71 73 76 05A 06C 06Cb 06K 07A 30B 30Bc 30D 30Dt 36F 36Fb 44E 58G 58Ga 58Gi 62F 65D 65Dda 65Dn 65G 65Gb 65F 65Fp 65Fz 65K 65Kö 65Z 73C 73Cd 76D 76Da 76Dg
- 260. *Satyrrium (Nordmannia) abdominalis* (Gerhard,[1850]) (Lycaenidae) Synonym(s):** *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *gerhardti* Wiltshire,1943; *elita* Higgins,1964. Range (as codes): He IL AM Cc AZ GG IQ IR Elb Ab Khy Ak Fa Ke LB TR 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 70 71 72 73 76 80 02E 02F 02Fc 05A 06K 13C 13Cd 13G 13Ga 13Gd 13Gv 13Gw 21N 21Nb 21O 23D 24E 24Ea 27C 27Cb 30B 30Bc2 30Bx 30Bg 30Br 30D 30Db 30Df 31L 31La 33R 33Rb 36D 36F 36Fb 44L 44Lb 46F 46G 47D 56B 56F 58C 58G 58Ga 58Gi 62E 62G 63E 65A 65Aç 65Ai 65Au 65D 65Dd 65Dda 65Df 65Dm 65Dp 65Dv 65Dt 65Dn 65Ds 65F 65Fb 65Fc 65Fd 65Fe 65Fj 65Fq 65Fp 65Fü 65Fw 65Fz 65G 65Gb 65K 65Kl 65Z 65Kö 65Kü 70C 70Cb 72E 72Eh 73D 73Df 76C 80B 80Bc
- 261. *Satyrrium (Nordmannia) acaciae* (Fabricius,1787) (Lycaenidae) Synonym(s):** *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965. Range (as codes): AL AT Ba BE BG B-H BY CH Cm Cr CZ DE ES FR GR HU HV IT LU MK PL RO RU SK Sm Sr SS TR Cc UA VI YU Ur KG Aq 01 03 05 06 07 08 10 14 16 17 18 20 22 24 25 26 29 32 33 34 35 38 39 42 43 48 50 51 55 58 60 66 71 74 75 78 05A 06B 06C 06G 06H 06K 06P 06R 06C 06Cb 06K 06Ra 06Rd 06V 29C 29Ca 75F 75Fa 78D 78Da
- 262. *Satyrrium (Nordmannia) armenum* (Rebel,1901) (Lycaenidae) Synonym(s):** *armenum* Rebel,1901 Range (as codes): TR Cc 04 08 13 24 25 30 36 49 62 65 69 76 13G 13Ga 13Gc 13Gw 30D 30Df 30Dh 36D 36Dd 49E 49Ea 62G 65A 65Au 65D 65Dx 65F 65Fc 65Fd 65Fj 65L 69B 69Ba 76C
- 263. *Satyrrium (Nordmannia) ilicis* (Esper,[1779]) (Lycaenidae) Synonym(s):** *ilicis* Esper,[1779] Range (as codes): AL Cc AM AT AZ Ba BE BG B-H BY CH CZ DE DK EE ES Mu FR GG GR HU HV IQ IR Ab IT LB LT LU LV MK NL NO PL PT RO RU SE SK Sm So Sr SS TR UA VI YU SY IL Pa Hf 01 03 05 06 07 08 09 10 11 13 14 15 16 17 19 21 20 22 24 25 26 27 29 31 32 33 34 35 37 38 39 40 41 42 43 45 46 48 50 51 54 55 56 58 60 61 62 66 67 69 70 71 74 75 76 78 80 81 01H 01K 03E 05A 05G 06B 06C 06Cb 06G 06R 06Ra 06Rd 06V 07A 07Ac 07Ad 07B 07C 13C 13Cf 13D 27E 27C 27Cb 29F 31A 31Aa 31B 31C 31Cb 31F 31L 31La 31M 32D 32F 32I 33E 33R 33Rb 33Rg 33O 43G 44L 45L 45La 46F 46G 46Ga 46K 48A 48Ak 48F 58C 60C 62D 62E 62G 62H 66A 69B 69Ba 75F 75Fa 78D 78Da 80B 80Bc 80Bd 80C 80E 80G
- 264. *Satyrrium (Nordmannia) marcidum* (Riley,1921) (Lycaenidae) Synonym(s):** *marcidum* Riley,1921 Range (as codes): IQ IR Ab Km Krd TR 30 47 56 65 72 73 30B 30Bc 30Bx 30Bh 30Bj 30D 30Dt 47D 56B 56F 65D 65Dw 65Dr 65F 65Fe 72E 72Ec 72Ed 73C 73Cd 73A
- 265. *Satyrrium (Nordmannia) zabni* Oorschot & Brink,1991 (Lycaenidae) Synonym(s):** *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991. Range (as codes): IQ Er Slh IR Lo TR 02 12 13 21 23 25 27 30 31 44 46 47 49 56 62 65 72 73 02E 02Ff 13C 13Cf 13D 13Da 13E 13Ea 13F 13G 13Ga 13Gw 21N 21Nb 21O 30B 30Bc 31L 31La 47E 49E 49Ea 56B 56F 56Fa 62E 65D 65Dl 65Dlc 65Do 65Dn 65Du 65F 65Fb 65Fc 72E 72Em 73C 73Cd
- 266. *Satyrrium (Strymonidia) spini* (Fabricius,1787) (Lycaenidae) Synonym(s):** *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950. Range (as codes): AF AL AM AT AZ Ba BE BG BY CH CZ DE ES FR GG GR HU IQ IR Ab Ak Elb IT KG Kp LB Le LT LU PL PT RO RU SK Sm So Sr TM TR UA Uk Vi Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Arr Hr 01 03 04 05 06 07 08 13 15 16 17 18 19 21 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 63 65 66 68 69 70 71 73 74 75 76 78 80 01D 01H 01K 01G 03D 03E 04H 04I 05A 06B 06C 06K 06N 06R 06Rd 06V 07A 07B 07Bc 07G 13C 13Cf 21N 21Nb 24D 27E 29F 30D 30Df 30Du 31F 32A 32Ab 32I 32D 33E 33F 33G 33R 33Rb 33K 33O 33P 33R 33Rb 36D 36Dd 36Df 36F 36H 38C 38Ca 42D 42Dc 42E 44E 44L 44Lc 46F 49F 49Fe 56B 58G 58G 58Ga 58Gi 58Gg 62E 62G 63E 65A 65Ai 65Am 65Am1 65D 65Df 65Dg 65Dw 65Dö 65E 65F 65Fc 65Fp 65Fz 65G 65Gb 65K 65Km 65Z 73C 73Cd 75F 75Fa 76B 76C 76D 76Dc 78D 78Da 80B 80Bc 80Bd 80G
- 267. *Satyrrium (Strymonidia) w-album* (Knoch,1782) (Lycaenidae) Synonym(s):** *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911. Range (as codes): AL Cc AM AT AZ Ba BE BG B-H BY CH Cl Cm Ct CZ DE DK EE ES FI FR GB GG GR HU HV IT KG LT LU LV MK NL NO PL RO RU Da SE Si SK Sm So Sr SS TR IR Ab UA Uk Ur Vi YU Smt H-W Sur Ssx Ken Aq 05 06 07 08 13 14 16 24 34 39 41 42 44 48 53 55 65 05A 06R 06Rb 07A 07Af 13G 13Gy 42V 44E 44Eb 61K 65D 65Dw 65F 65Fm
- 268. *Scolitantides orion* (Pallas,1771) (Lycaenidae) Synonym(s):** *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943. Range (as codes): AL At Bn AT Ba BG B-H BY CH CN CZ DE EE ES FI FR GR HU Ii IT JP KG KP KR MK MN NO PL RO RU SE SK Sm So Sr Ti TR Cc T-S UA Ui Vi YU Uk Sau Mrk Tlk Tar DsA TrA Kts 01 05 06 07 08 16 25 27 33 34 39 41 05A 06F 41C 41Cb
- 269. *Tarucus (s.str.) balkanicus* (Freyer,[1843]) (Lycaenidae) Synonym(s):** *balkanicus* Freyer,[1843]; *#balkanicus* Röber,1897 Range (as codes): AE AF Ng Jla AL Cc AM AZ BG BH Cr CY Dh DZ Gha Bsk EG EH GG GR Hd IL IN IQ Nsr Agh Bgd IR Ab JO KK KW LB LY MA MK MR NE Nf NG Nj OM PK QA SA SD SI SY TJ TM TN TR UG UZ YE Bl Bol Nwf Pes Elb Th Kp 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23 25 27 30 33 35 36 39 44 46 48 56 59 60 62 65 67 70 71 72 73 78 80 01A 01K 02E 02Ff 05A 06R 06Rd 13C 13Cf 13Cg 21L 21Le 21N 21Nb 21O 23C 23Cc 23D 23Dc 27C 27Cb 30B 30Bf 33A 33Ak 33C 33R 36F 36Fb 39C 44I 44L 44Lc 46G 46Gf 48D 48L 56F 63D 65D 65Dk 65Dv 72E 72Eb 72F 73C 73E 73Eb 73H 80B 80Bc
- 270. *Thecla betulae* (Linnaeus,1758) (Lycaenidae) Synonym(s):** *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850]. Range (as codes): Ao At Bn AT Ba BE BG BY CH CN CZ DE DK EE ES FI FR GB GR HU IE It KG LT LU LV NL NO PL PT RO RU SE SK Sm So Sr TR Cc AZ Kir UA Ui Uk Vi YU Cw Dv GG Smt H-W Sur Ssx Ken Om No Kg Mn Sp Tk Kuz Sli Saut Tar Ku T-S Gna Lda Hue Nrr Alv Ct Atu 08 14 25 34 39 43 39C 43D

- 271. Tomares (nogelii) dobrogensis (Caradja,1895)** (Lycaenidae) Synonym(s): *obscura* Rühl,[1893]
Range (as codes): TR RO 01 06 14 50 06K 06V 14B
- 272. Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) Synonym(s): *nesimachus* Oberthür,1893 Range (as codes): TR SY LB JO IL 01 06 07 11 18 19 23 24 27 29 31 32 33 38 42 44 46 47 48 51 58 60 62 63 66 68 70 06B 06K 06V 06Z 27D 27Db 31F 31Fb 31M 31L 31La 33K
- 273. Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) Synonym(s): *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852] Range (as codes): RU Sr TR UA LB SY 01 03 05 06 07 14 18 19 21 23 26 27 32 33 38 42 44 46 50 51 55 58 60 62 66 71 05A 06A 06B 06C 06D 06G 06K 06N 06Nc 06P 06R 06Rd 06V 06Z 14I 14Ib 23I 44E 44L 44Lc 66A
- 274. Tomares callimachus (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus* Eversmann,1848; *epiphania* Boisduval,1848; *#dentata* Staudinger,[1892] Range (as codes): Cc AZ Kir TR IQ IR Ab Elb Fa Ao RU Sr Uk VI Cm Syr Tm Gj Ind KK KG TrA GG Tbl Smt Akh 13 21 23 30 36 44 46 47 56 63 65 73 76 13F 13F35 13G 13Gv 21N 21Nb 23I 30A 30Ae 30D 30Df 44L 44Lc 47D 56D 56Dc 63B 63Ba 65A 65Am 65Am4 65D 65Dc 65Df 65Dh 65Dp 65Dq 65Dt 65Dn 65Dü 65Dy 65E 65Eb 65Ec 65F 65Fb 65Fd 65Fe 65Fg 65F3 65F1 65Fz 65G 65Gf 65Gy 65Gi 65K 65Kd 65Kg 65Kk 65Kl 65Z 65Kz 65M 65Md 65N 65Nd 65Nc 65Nk 65Nn 65Np 65Np2 65Np4 65Nm 73D 73Da 76D 76Da 76B 76Bb 76D 76Dg
- 275. Tomares romanovi (Christoph,1882)** (Lycaenidae) Synonym(s): *romanovi* Christoph,1882 Range (as codes): Cc AZ GG Tbl IR Ab Elb Fa Kp Nv Ord TM TR Arr 04 12 13 21 23 30 36 47 56 62 65 72 73 76 04E 04Ea 13A 13Aa 13B 13Ba 13G 13Ga 13Gb 13Gv 21N 21Nb 23I 30B 30Bc 30Bk 30Bg 30D 30Da 30Df 36F 36Fb 47B 56D 56Db 62G 65A 65Ai 65Ap 65D 65Dd 65Dda 65Df 65Dg 65Dc 65Dc 65Dn 65Dp 65Dn 65Dq 65Dü 65Dt 65Dl 65E 65Eb 65Ec 65Ed 65F 65Fc 65Fd 65Fh 65Fz 72E 72El 73C 73Cd
- 276. Turanana cytis (Christoph,1877)** (Lycaenidae) Synonym(s): *cytis* Christoph,1876 Range (as codes): IR Ak Sah Elb Fa TM TR UZ 30 65 30B 30Bk 30Bm 65B 65Bk 65Bx 65G 65Gd 65Ge
- 277. Turanana endymion (Freyer,[1850])** (Lycaenidae) Synonym(s): *endymion* Freyer,[1850]; *#panagaea* Herrich-Schäffer,[1851]; *endymion* Gerhard,[1851]; *panagaea* Herrich-Schäffer,[1852] Range (as codes): Cc GG IL Pa He IR LB TR IQ Ssa Zj Ab Ak Elb Kp Se Ha TM Ke 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 55 56 58 60 62 65 66 69 70 71 72 73 76 80 02Fz 04D 04Db 05A 06C 06K 06R 06V 06Z 07A 07Al 13C 13Cd 13E 13Ea 13G 13Gc 13Gv 13Gw 13Gz 30B 30Bc2 30Bx 30Br 30D 30Df 31F 31Fb 32A 32Ab 32D 32I 33R 33Rb 35S 35Sb 36F 36Fb 38C 38Ca 42H 42V 44E 44L 44Lc 46F 46G 46Gi 46H 46Hc 55H 56F 58G 58Gi 65A 65Ai 65Am 65Am2 65Am3 65Am4 65B 65Bk 65Bx 65D 65Dc 65Dd 65Dda 65Df 65Dm 65Do 65Dw 65G 65Ge 65Gd 65Gt 65F 65Fc 65Fe 65Fg 65F1 65Fj 65Fq 65Fw 65Fz 65K 65Kc 65Z 65Kz 65Kg 65N 65Nr4 65Nm 66A 66P 66Pa 72E 72Ec 72Ej 72Ek 73C 73Cd 80B 80Bc
- 278. Turanana taygetica (Rebel,1902)** (Lycaenidae) Synonym(s): *taygetica* Rebel,1902 Range (as codes): GR TR 03 42 51 70 42B 70C 70Cb
- 279. Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865 Range (as codes): AF Ng Jla AU BH Cr CY MA TN DZ Tou Omy Gle ID IL Pa Hf IN IQ Diw IR Elb Th Fa JO KW LB MM Nf Nj OM PK Ci Cp Haz Mre QA SA Si SY TH Nrt Rat CMa Cnz Cuo Cuo1 Nst Chw MY Lkw TN TR AE VN YE PH Jol Luz Mno Pal 01 13 21 27 31 33 56 63 01A 01F 13F 27C 27Cb 31E 31F 33A 33Aa 33Al 33F 33P 56F 63D

Papilionidae

- 280. Archon apollinaris (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907 Range (as codes): Dk IQ Mos IR Lo Km TR 13 21 23 24 30 47 49 56 62 65 73 13F 13F33 13F35 21L 21Le 21K 21N 21Nb 23E 30A 30Aa 47C 57D 47Db 49E 49Ea 49Ec 49Ef 49F 49Fd 56F 56Fa 56Fb 56Fg 56G 62G 65A 65Am 65Am1 65Am3 65D 65Dh 65Dk 65Dl 65Dn 65Dp 65Dr 65Drb 65F 65F1 65Ff 65Fg 65Fy 65Fz 65K 65Ka 65Kb 65Kd 65Kg 65Nc 65Nc 65Kl 65Z 65L 65Le 65N 65Nb 65Nk 65No 65Np 65Nm 73A 73Ac 73Af 73Ak 73D 73Da 73Db 73F
- 281. Archon apollinus (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979. Range (as codes): GR JO IL Pa Hf LB Bei Rd SY Drz Ksb TR 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77 02F 02Fe 05A 06A 06Aa 06Ab 06B 06Ba 06D 06F 06Fa 06Fb 06G 06Ga 06Gb 06K 06Kb 06Kc 06Kd 06Ke 06O 06P 06Pa 06R 06Ra 06Rb 06Rc 06Rd 06Re 06Rk 06S 06Sb 06V 06Vb 06Vc 06Ve 06Vf 06Z 06Za 07A 07Ac 07Ad 23I 23Ib 23M 24E 25F 25Fa 27C 27Cb 31A 31Aa 31B 31K 31Ka 31L 31La 31Lb 31Lc 31M 33K 33R 35L 35X 44L 44Lc 46F 46Fc 48L 58G 58Ga
- 282. Iphiclidides podalirius (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. Range (as codes): AL Ao At AT Ba BE BG B-H BY CH CN Co Cr CZ DE Dj DK DsA EE ES Mu FI FR GR HU HV Ii IR IT Kb Ket KG Kp Kr Kt Ku Kun LT LU LV MK Mrk NL PL PT Pw Rd RO RU Sa Sau Sem Si SK Sm So Sp Sr Srm SS SW Tar Teb Ti Tk Tlk TM TR TrA T-S UA Ui Uk VI YU Rte Vrn Sjn Trb IL AM AZ GG LB Beq Bei SY He Mst Sof Rg Skp Bgz Slv Ppp Mt Ko Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Ple Lug Rio Seg Sma Sor Svl San Ter Tol Trg Val Vcl Zg Zm Agi Abe Lbs Saia Blid Btina Ktr Cst Phv Sbd Orn Dzc Ahr Hmk Hrh Dzc Dja Clo 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 75 76 77 78 81 02Ff 02Fz 02H 04D 04Db 05A 06A 06B 06F 06G 06K 06N 06P 06R 06Rd 06V 06Z 07A 07Ac 09K 09Ka 13C 13Cd 13F 13F35 13G 13Gü 13Gy 13Gw 14I 14Ia 21N 23D 23Da 23I 23Ib 23M 24E 24Ea 25F 25Fa 27C 30A 30B 30Bc2 30Bx 30Bo 30Br 30D 30Df 30Dt 31A 31Aa 31M 31F 31Fb 31L 31La 33K 33Kd 33R 33Rb 33Rg 36F 36Fb 39C 40D 43G 44E 44F 44Fb 44L 44O 45L 45La 48A 48Aa 48D 48F 49E 49Ea 49F 49Fe 56F 56Fb 56Fe 56Fh 56Fj 56Fy 58G 58Gi 65A 65Ai 65D 65Dc 65Dc 65Dd 65Dda 65Dj 65Di

- 65Dl 65Dk 65Do 65Dr 65Drb 65Drc 65Dv 65F 65Fd 65Fq 65F3 65Fz 65K 65Kğ 66A 73A 73Ad 73Ad2 73Ak 75F 76B 76Bb 78D 78Da
- 283. Papilio (s.str. (Alexanoria)) alexanor Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. Range (as codes): AF Kbb Ng AL B-H FR GR HV IL IQ AZ Nv Ord Cc Arr IR Ab Ak Zj Fa Elb Th IT JO KG KK LB Ftr Aiz MK Si TJ TM TR UZ SS B-H HV Syr Tm PK Bl T-S 01 02 03 04 05 06 07 08 10 16 17 25 30 31 32 33 35 36 42 43 44 45 46 47 48 52 58 60 62 65 69 70 71 73 74 76 02Fz 04B 04C 04Ca 05A 06K 06R 07A 07Ab 31B 31F 31Fb 31M 33R 33Rb 45L 45La 58G 58Gi 65D 65Dl 65F 65Fd 65K 65N 65Nr4 65Nm 70C 70Ca 76B
- 284. Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. Range (as codes): AF AL AM Ao At AT BE BH B-H BY Ch CH CN Co Cr CY CZ DE DK DZ EE ES Mu FI FR GB GG GR HV Ii IN IQ IR Ir IT KG Kmt Kp Kr Krl Ku KW LB LT LU LV MA MD MK MN MT NL NO OM PK PL PT QA Rd RU Sa SA SE Sh Si SK Sm So Sr SS SY TM TN TR UA Ui Uk US UZ VI Ya Ass BG BT Chb Hkk JP Kis Kr Mc MM NP Pja Shn SI Teb Ti Vv Yu Sjn Trb Mst Slv Rg Rtc Mt Ko JO Kts Tm KK KP KR Um Bn Cho Ax Dj DsA Ii Ket KuA Sau Sem Tar TeA Tk TrA T-S Ab Ak Elb Th Ss Ke Fa Ba Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ces CA Cd Agl Ng Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Lug Mdr Mlg Mu18 Nrr Ore Pv Ple Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Bei Bmm YU RO HU AZ TJ Zj Als Yuk BCo Abt Ssk Mnt On Qb Qg US MX Arz Cf Col Id Kan Mch Mon Ndk NMx Ne Neb Org Sdk Ut Ws Wy TW Hr Gn IL Pa Hf Shn Yu VN Ton Ass Cc Cp Haz Mre Ci Bt Skd Kh Khh Saia Ges Gf Abe Hrh Sfr Hmk BLM 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 75 76 77 78 80 02E 02F 05A 06B 06C 06K 06N 06R 06Rd 06S 06V 06Z 07B 07Bb 13A 13Aa 13Ab 13Ac 13Ac1 13Ax 13B 13Bb 13G 13Gk 13Go 13Gc 13Gv 13Gw 18F 23I 23Ia 24E 24Ea 27C 30B 30Bb 30Bc2 30Bx 30Bk 30Br 30D 30Df 30Du 30Dt 31A 31Aa 31F 31K 31Ka 31M 33A 33K 33R 33Rb 33Rg 39C 43G 44L 44Lc 46F 46Fc 48A 48Aa 48Ak 48D 48F 48L 56F 56Fg 56Fs 63D 63E 65A 65Am 65Am2 65Ac 65B 65Bk 65Bx 65D 65De 65De 65Dc 65Dk 65Do 65Dd 65Df 65Dg 65Dh 65Di 65Dj 65Dk 65Dl 65Dm 65Dn 65Dp 65Dq 65Du 65Dv 65Dw 65Dx 65Dy 65Dz 65E 65Ea 65Eb 65Ec 65Ed 65Ee 65Ef 65Eg 65Eh 65Ei 65Ej 65Ek 65El 65Em 65En 65Eo 65Ep 65Eq 65Er 65Es 65Et 65Eu 65Ev 65Ew 65Ex 65Ey 65Ez 65F 65Fa 65Fb 65Fc 65Fd 65Fe 65Fg 65Fh 65Fi 65Fj 65Fk 65Fl 65Fm 65Fn 65Fo 65Fp 65Fq 65Fr 65Fs 65Ft 65Fu 65Fv 65Fw 65Fx 65Fy 65Fz 65G 65Ga 65Gb 65Gc 65Gd 65Ge 65Gf 65Gg 65Gh 65Gi 65Gj 65Gk 65Gl 65Gm 65Gn 65Go 65Gp 65Gq 65Gr 65Gs 65Gt 65Gu 65Gv 65Gw 65Gx 65Gy 65Gz 65H 65Ha 65Hb 65Hc 65Hd 65He 65Hf 65Hg 65Hh 65Hi 65Hj 65Hk 65Hl 65Hm 65Hn 65Ho 65Hp 65Hq 65Hr 65Hs 65Ht 65Hu 65Hv 65Hw 65Hx 65Hy 65Hz 65I 65Ia 65Ib 65Ic 65Id 65Ie 65If 65Ig 65Ih 65Ii 65Ij 65Ik 65Il 65Im 65In 65Io 65Ip 65Iq 65Ir 65Is 65It 65Iu 65Iv 65Iw 65Ix 65Iy 65Iz 65J 65Ja 65Jb 65Jc 65Jd 65Je 65Jf 65Jg 65Jh 65Ji 65Jj 65Jk 65Jl 65Jm 65Jn 65Jo 65Jp 65Jq 65Jr 65Js 65Jt 65Ju 65Jv 65Jw 65Jx 65Jy 65Jz 65K 65Ka 65Kb 65Kc 65Kd 65Ke 65Kf 65Kg 65Kh 65Ki 65Kj 65Kk 65Kl 65Km 65Kn 65Ko 65Kp 65Kq 65Kr 65Ks 65Kt 65Ku 65Kv 65Kw 65Kx 65Ky 65Kz 65L 65La 65Lb 65Lc 65Ld 65Le 65Lf 65Lg 65Lh 65Li 65Lj 65Lk 65Ll 65Lm 65Ln 65Lo 65Lp 65Lq 65Lr 65Ls 65Lt 65Lu 65Lv 65Lw 65Lx 65Ly 65Lz 65M 65Ma 65Mb 65Mc 65Md 65Me 65Mf 65Mg 65Mh 65Mi 65Mj 65Mk 65Ml 65Mm 65Mn 65Mo 65Mp 65Mq 65Mr 65Ms 65Mt 65Mu 65Mv 65Mw 65Mx 65My 65Mz 65N 65Na 65Nb 65Nc 65Nd 65Ne 65Nf 65Ng 65Nh 65Ni 65Nj 65Nk 65Nl 65Nm 65Nn 65No 65Np 65Nq 65Nr 65Ns 65Nt 65Nu 65Nv 65Nw 65Nx 65Ny 65Nz 65O 65Oa 65Ob 65Oc 65Od 65Oe 65Of 65Og 65Oh 65Oi 65Oj 65Ok 65Ol 65Om 65On 65Oo 65Op 65Oq 65Or 65Os 65Ot 65Ou 65Ov 65Ow 65Ox 65Oy 65Oz 65P 65Pa 65Pb 65Pc 65Pd 65Pe 65Pf 65Pg 65Ph 65Pi 65Pj 65Pk 65Pl 65Pm 65Pn 65Po 65Pp 65Pq 65Pr 65Ps 65Pt 65Pu 65Pv 65Pw 65Px 65Py 65Pz 65Q 65Qa 65Qb 65Qc 65Qd 65Qe 65Qf 65Qg 65Qh 65Qi 65Qj 65Qk 65Ql 65Qm 65Qn 65Qo 65Qp 65Qq 65Qr 65Qs 65Qt 65Qu 65Qv 65Qw 65Qx 65Qy 65Qz 65R 65Ra 65Rb 65Rc 65Rd 65Re 65Rf 65Rg 65Rh 65Ri 65Rj 65Rk 65Rl 65Rm 65Rn 65Ro 65Rp 65Rq 65Rs 65Rt 65Ru 65Rv 65Rw 65Rx 65Ry 65Rz 65S 65Sa 65Sb 65Sc 65Sd 65Se 65Sf 65Sg 65Sh 65Si 65Sj 65Sk 65Sl 65Sm 65Sn 65So 65Sp 65Sq 65Sr 65Ss 65St 65Su 65Sv 65Sw 65Sx 65Sy 65Sz 65T 65Ta 65Tb 65Tc 65Td 65Te 65Tf 65Tg 65Th 65Ti 65Tj 65Tk 65Tl 65Tm 65Tn 65To 65Tp 65Tq 65Tr 65Ts 65Tt 65Tu 65Tv 65Tw 65Tx 65Ty 65Tz 65U 65Ua 65Ub 65Uc 65Ud 65Ue 65Uf 65Ug 65Uh 65Ui 65Uj 65Uk 65Ul 65Um 65Un 65Uo 65Up 65Uq 65Ur 65Us 65Ut 65Uv 65Uw 65Ux 65Uy 65Uz 65V 65Va 65Vb 65Vc 65Vd 65Ve 65Vf 65Vg 65Vh 65Vi 65Vj 65Vk 65Vl 65Vm 65Vn 65Vo 65Vp 65Vq 65Vr 65Vs 65Vt 65Vu 65Vv 65Vw 65Vx 65Vy 65Vz 65W 65Wa 65Wb 65Wc 65Wd 65We 65Wf 65Wg 65Wh 65Wi 65Wj 65Wk 65Wl 65Wm 65Wn 65Wo 65Wp 65Wq 65Wr 65Ws 65Wt 65Wu 65Wv 65Wx 65Wy 65Wz 65X 65Xa 65Xb 65Xc 65Xd 65Xe 65Xf 65Xg 65Xh 65Xi 65Xj 65Xk 65Xl 65Xm 65Xn 65Xo 65Xp 65Xq 65Xr 65Xs 65Xt 65Xu 65Xv 65Xw 65Xx 65Xy 65Xz 65Y 65Ya 65Yb 65Yc 65Yd 65Ye 65Yf 65Yg 65Yh 65Yi 65Yj 65Yk 65Yl 65Ym 65Yn 65Yo 65Yp 65Yq 65Yr 65Ys 65Yt 65Yu 65Yv 65Yw 65Yx 65Yy 65Yz 65Z 65Za 65Zb 65Zc 65Zd 65Ze 65Zf 65Zg 65Zh 65Zi 65Zj 65Zk 65Zl 65Zm 65Zn 65Zo 65Zp 65Zq 65Zr 65Zs 65Zt 65Zu 65Zv 65Zw 65Zx 65Zy 65Zz
- 285. Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758 Range (as codes): AF AL Cc AM AT Ba BG B-H BY CH CZ DE DK EE ES FI FR GG GR HU HV IR IQ IL IT KG KK Kr LB LT LV MK NO PL RO RU SE Si SK Sm So Sr SS TJ TM TR UA Uk UZ VI YU Mt Ko Mkl Trb Dur Sof Rg Rtc Slv Zag Skp Beo SY Aa Ax Dj DsA Ik Ike Ket T-S KuA Sem T-A Tk Tu TrA Ssa TI CN Ui Brk Fa Ab Ak Gh Gor Ara Lo Elb Mz Eri Alg AZ Nv Dz Teh Kc Ist Kh 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 61 62 65 66 67 69 73 74 76 78 80 01K 05A 06R 07A 07Ac 07D 07Db 12A 12Ab 13E 13Ea 13F 13G 13Ga 13Gö 13Gg 13Gv 13Gü 13Gw 14I 14Ib 25F 25Fc 30B 30Bb 30Bc3 30Bx 30Bj 30Bk 30Bl 30Bp 30D 30Da 30Df 30Dh 30Dt 31F 31Fb 31M 33K 33R 33Rb 46F 46Fc 46Fg 49E 49Ea 49F 49Fb 56D 56Dg 56F 56Fc 56Fi 62G 65A 65Ai 65Ap 65As 65Ac 65B 65Bk 65Bx 65D 65Dc 65Dd 65De 65Di 65Dl 65Dc 65Dk 65Dn 65Dm 65Dq 65Du 65Dv 65Dw 65Dx 65Dy 65Dz 65E 65Ea 65Eb 65Ec 65Ed 65Ee 65Ef 65Eg 65Eh 65Ei 65Ej 65Ek 65El 65Em 65En 65Eo 65Ep 65Eq 65Er 65Es 65Et 65Eu 65Ev 65Ew 65Ex 65Ey 65Ez 65F 65Fa 65Fb 65Fc 65Fd 65Fe 65Fg 65Fh 65Fi 65Fj 65Fk 65Fl 65Fm 65Fn 65Fo 65Fp 65Fq 65Fr 65Fs 65Ft 65Fu 65Fv 65Fw 65Fx 65Fy 65Fz 65G 65Ga 65Gb 65Gc 65Gd 65Ge 65Gf 65Gg 65Gh 65Gi 65Gj 65Gk 65Gl 65Gm 65Gn 65Go 65Gp 65Gq 65Gr 65Gs 65Gt 65Gu 65Gv 65Gw 65Gx 65Gy 65Gz 65H 65Ha 65Hb 65Hc 65Hd 65He 65Hf 65Hg 65Hh 65Hi 65Hj 65Hk 65Hl 65Hm 65Hn 65Ho 65Hp 65Hq 65Hr 65Hs 65Ht 65Hu 65Hv 65Hw 65Hx 65Hy 65Hz 65I 65Ia 65Ib 65Ic 65Id 65Ie 65If 65Ig 65Ih 65Ii 65Ij 65Ik 65Il 65Im 65In 65Io 65Ip 65Iq 65Ir 65Is 65It 65Iu 65Iv 65Iw 65Ix 65Iy 65Iz 65J 65Ja 65Jb 65Jc 65Jd 65Je 65Jf 65Jg 65Jh 65Ji 65Jj 65Jk 65Jl 65Jm 65Jn 65Jo 65Jp 65Jq 65Jr 65Js 65Jt 65Ju 65Jv 65Jw 65Jx 65Jy 65Jz 65K 65Ka 65Kb 65Kc 65Kd 65Ke 65Kf 65Kg 65Kh 65Ki 65Kj 65Kk 65Kl 65Km 65Kn 65Ko 65Kp 65Kq 65Kr 65Ks 65Kt 65Ku 65Kv 65Kw 65Kx 65Ky 65Kz 65L 65La 65Lb 65Lc 65Ld 65Le 65Lf 65Lg 65Lh 65Li 65Lj 65Lk 65Ll 65Lm 65Ln 65Lo 65Lp 65Lq 65Lr 65Ls 65Lt 65Lu 65Lv 65Lw 65Lx 65Ly 65Lz 65M 65Ma 65Mb 65Mc 65Md 65Me 65Mf 65Mg 65Mh 65Mi 65Mj 65Mk 65Ml 65Mm 65Mn 65Mo 65Mp 65Mq 65Mr 65Ms 65Mt 65Mu 65Mv 65Mw 65Mx 65My 65Mz 65N 65Na 65Nb 65Nc 65Nd 65Ne 65Nf 65Ng 65Nh 65Ni 65Nj 65Nk 65Nl 65Nm 65Nn 65No 65Np 65Nq 65Nr 65Ns 65Nt 65Nu 65Nv 65Nw 65Nx 65Ny 65Nz 65O 65Oa 65Ob 65Oc 65Od 65Oe 65Of 65Og 65Oh 65Oi 65Oj 65Ok 65Ol 65Om 65On 65Oo 65Op 65Oq 65Or 65Os 65Ot 65Ou 65Ov 65Ow 65Ox 65Oy 65Oz 65P 65Pa 65Pb 65Pc 65Pd 65Pe 65Pf 65Pg 65Ph 65Pi 65Pj 65Pk 65Pl 65Pm 65Pn 65Po 65Pp 65Pq 65Pr 65Ps 65Pt 65Pu 65Pv 65Pw 65Px 65Py 65Pz 65Q 65Qa 65Qb 65Qc 65Qd 65Qe 65Qf 65Qg 65Qh 65Qi 65Qj 65Qk 65Ql 65Qm 65Qn 65Qo 65Qp 65Qq 65Qr 65Qs 65Qt 65Qu 65Qv 65Qw 65Qx 65Qy 65Qz 65R 65Ra 65Rb 65Rc 65Rd 65Re 65Rf 65Rg 65Rh 65Ri 65Rj 65Rk 65Rl 65Rm 65Rn 65Ro 65Rp 65Rq 65Rs 65Rt 65Ru 65Rv 65Rw 65Rx 65Ry 65Rz 65S 65Sa 65Sb 65Sc 65Sd 65Se 65Sf 65Sg 65Sh 65Si 65Sj 65Sk 65Sl 65Sm 65Sn 65So 65Sp 65Sq 65Sr 65Ss 65St 65Su 65Sv 65Sw 65Sx 65Sy 65Sz 65T 65Ta 65Tb 65Tc 65Td 65Te 65Tf 65Tg 65Th 65Ti 65Tj 65Tk 65Tl 65Tm 65Tn 65To 65Tp 65Tq 65Tr 65Ts 65Tt 65Tu 65Tv 65Tw 65Tx 65Ty 65Tz 65U 65Ua 65Ub 65Uc 65Ud 65Ue 65Uf 65Ug 65Uh 65Ui 65Uj 65Uk 65Ul 65Um 65Un 65Uo 65Up 65Uq 65Ur 65Us 65Ut 65Uv 65Uw 65Ux 65Uy 65Uz 65V 65Va 65Vb 65Vc 65Vd 65Ve 65Vf 65Vg 65Vh 65Vi 65Vj 65Vk 65Vl 65Vm 65Vn 65Vo 65Vp 65Vq 65Vr 65Vs 65Vt 65Vu 65Vv 65Vw 65Vx 65Vy 65Vz 65W 65Wa 65Wb 65Wc 65Wd 65We 65Wf 65Wg 65Wh 65Wi 65Wj 65Wk 65Wl 65Wm 65Wn 65Wo 65Wp 65Wq 65Wr 65Ws 65Wt 65Wu 65Wv 65Wx 65Wy 65Wz 65X 65Xa 65Xb 65Xc 65Xd 65Xe 65Xf 65Xg 65Xh 65Xi 65Xj 65Xk 65Xl 65Xm 65Xn 65Xo 65Xp 65Xq 65Xr 65Xs 65Xt 65Xu 65Xv 65Xw 65Xx 65Xy 65Xz 65Y 65Ya 65Yb 65Yc 65Yd 65Ye 65Yf 65Yg 65Yh 65Yi 65Yj 65Yk 65Yl 65Ym 65Yn 65Yo 65Yp 65Yq 65Yr 65Ys 65Yt 65Yu 65Yv 65Yw 65Yx 65Yy 65Yz 65Z 65Za 65Zb 65Zc 65Zd 65Ze 65Zf 65Zg 65Zh 65Zi 65Zj 65Zk 65Zl 65Zm 65Zn 65Zo 65Zp 65Zq 65Zr 65Zs 65Zt 65Zu 65Zv 65Zw 65Zx 65Zy 65Zz
- 286. Parnassius (Driopa) nordmanni [Ménétries],[1850]** (Papilionidae) Synonym(s): *clarius* Eversmann,1845 nec Evers.,1843; *nordmanni* [Menetries],[1850]; *pataraeus* Westwood,1852; *minima* Honrath,1885; *christophi* Bryk & Eisner,1932; *bogosi* O.Bang-Haas,1934; *#fasciata* Sheljuzhko,1935; *#cohaerens* Sheljuzhko,1935; *#flavomaculata* Sheljuzhko,1935 Range (as codes): AZ Da Bgo Mkp Kus Cc GG RU TR 08 53 75 08D 75F 75Fg
- 287. Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) Synonym(s): *apollo* Linnaeus,1758 Range (as codes): AL AT Ba Bc BG B-H BY CH CN CZ DE Dj DK ES FI FR GR HU HV IT KG MK NO PL RO RU SE At Kts Sem Si SK Sm So Sr SS Tk TR Bn Ui YU Mt Ko Tar Sau Tt Kg Pp Pw Kw Kts Um Ku T-S Cc GG Aj Aba Bku Alv Kis Bjo AM Eri IR Ab Qo Kg Pp Pw Kw Ax Bc Bkr Dj DsA Ket Kml KuA Mn MN Sem TeA Tk Tls TrA Mu Um Adu At Kuz Sli Nat Sj Om To Sb Ir Irk Teh Kc Alg Dar Arr 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 61 62 65 67 69 74 75 76 78 01K 01L 01La 04D 04Db 05A 06R 13G 13Gv 14I 14Ib 25F 25Fa 25Fb 25Fc 25C 25Ca 25F 29C 29F 30B 30Bk 30Bb 30Bm 30D 30Dm 30Du 32A 32Ab 35S 35Sb 36D 61P 65B 65Bn 75D 75F 75Fc 75Ff 76C
- 288. Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boullet & Le Cerf,1912; *flavosignatus* Heydemann,1954 Range (as codes): SY TR AF AU BH CH CN ID IN IQ IR Th KW LK MM MY TW PH NF Nj OM PG PK QA SA TH CMA AE VN YE Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Alo Sbw Grm Sba Ass Slo Cm1 Phr Tak Non Chy Nrt Knc Bnk Rat Chu Chi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Dst Qs Cuo Cuo5 Cuo7 Cu10 Cu12 Phi Pno Ton Ann KH LA NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 Ctw5 Ctw6 Ctw7 Fa Kz Es Hz Ke Ss Yz Bu By Hil Sum Ja Bor Hn Flo Alo Bli CDo CD2 Tnc Hya Sgk Tda Pmy Bgd Cp Koh Msr Pes Nwf Bnu Bhh SO YE47 Ng Jla 47 47G 47Ga 47Gc 47Gf
- 289. Zerynthia (Allancastris) caucasica (Lederer,1864)** (Papilionidae) Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *#caucasia* Bernardi,1970. Range (as codes): Cc AM Eri GG Btm Kta Bjo Lag TR RU Kr Soc 14 16 28 41 52 53 54 61 67 81 14I 14Ib
- 290. Zerynthia (Allancastris) cerisyi (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989 Range (as codes): BG B-H CY GR IL Pa Hf JO LB Bei MK Rd SY TR YU Slv Skp Trv Rtc Ppp Bgz Ko 01 06 07 09 10 11 14 15 16 17 22 26 27 31 32 33 34 35 37 39 41 42 43 45 46 48 51 52 59 60 80 01H 01E 01Ea 01K 06R 07A 07Ac 07Ad 07B 07Bc 07D 07E 07F 07H 07I 14I 14Ia 27C 27Cb 31K 31Ka 31M 31L 31La 31Lb 33A 33F 33K 33P 43G 46G 46Gf 48A 48Al 80C 80G
- 291. Zerynthia (Allancastris) deyrollei (Oberthür,1869)** (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. Range (as codes): He IL Js Pa IQ Ssa Mos Bgd Slh Tkr IR Ab Oru Jal Kd Km JO LB Bsa Baa Aiz

Zah Bmd SY Dms TR 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50
51 56 58 60 62 63 64 65 66 68 70 71 73 80 01H 01K 02F 02Fc 02Fe 02Ff 03A 03D 03N 05A 06A 06B 06D 06G 06H 06K
06P 06R 06Rd 06S 06V 06Z 07A 07Ad 07Ak 13B 13Ba 13F 13F35 13G 13Ga 19C 19D 21L 21Le 21Lf 21Ld 21N 21Nb 23I
23Ib 23E 23M 25F 25Fa 27B 27C 27Cb 29A 29F 30B 30Bc 30D 30Df 30Dh 30Dt 30Dx 31A 31Aa 31B 31K 31Ka 31L 31La
32A 32C 32D 32E 32f 33E 33R 33Rg 37Y 38B 38C 38Cb 38L 42B 42D 42D 42Db 42Dc 42E 42f 42R 42X 42Xa 43K 44A
44Aa 44E 44Ej 44L 44Lb 44Lc 46F 46Fc 46K 47D 47E 47F 47H 49E 49Ea 49Ec 49Ef 49F 49Fd 49Fe 50G 50Ga 51D
51Da 51Dc 56F 56Fa 56Fi 56Fg 56Fh 56Fy 58C 58E 58G 58Ga 58Gi 60H 60Hb 62E 62F 62H 63D 63N 63Na 64F 65A
65Ai 65Am 65Am1 65Am3 65Ao 65At 65At1 65At2 65D 65Dk 65Dl 65Dm 65Dn 65Dr 65Drb 65Dp 65F 65Fe 65Fb 65Fd
65Ff 65Fg 65Fh 65Fi 65Fk 65Fl 65Fq 65Fm 65K 65Ka 65Kd 65Kl 65Z 65Kö 65L 65Le 65N 65Nc 65Np 65Np2 65Nm 66A
66P 68B 70C 70Cd 73A 73Ab 73Ae 73Ak 73C 73Cd 73D 73Da 73Db 73E 73H 79B 79Ba 80A 80B 80Be 80C

- 292. *Zerynthia* (s.str.) *polyxena* ([Denis & Schiffermüller],1775)** (Papilionidae) **Synonym(s):** *hypermnestria* Scopoli,1763 *nec* Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypspyle* Fabricius,1777; *aristolochiae* Schneider,1787 *nec* Fabricius,1775. **Range (as codes):** AT BG B-H BY Cr CZ FR GR HU HV IT KG Kr MK RO RU Si SK Sm So Sr SS TR UA Uk VI YU Mkl Wn Slv Sof Ser Mt Beo Ko LAT Wn 10 14 16 17 26 34 39 43 54

Pieridae

- 293. *Anthocharis cardamines* (Linnaeus,1758)** (Pieridae) **Synonym(s):** *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 **Range (as codes):** Aa AL AM At AT Ba BE BG B-H Bs BY CH CN Co CY CZ DE Dj DK EE ES FI FR GB GR HU HV IE IL IQ IR IT Kb KG KK Kr Ku LB Le LT LU LV MK Mn NL NO Or PL PT Pw RO RU Sa SE Sem Si Sj SK Sm Sms So Sp Sr SS SY Teb Tk TM To TR TrA T-S Tt Ty UA Ui Uk VI YU Cw Dv Smt Ssa Mu Sr VI H-W Sur Ssx Ken Mt Ko Sof Ril Rg Rtc Mkl Trb Ti Kts Bn Ax DsA His Al Gh Pa Hf Gh Kas Shq Rwz Cc CY Ab 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 39 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78 05A 06A 06B 06C 06G 06K 06N 06P 06R 06Rd 06S 06V 06Z 13F 13G 21N 21Nb 23I 23Ib 23E 27C 27Cb 30B 30Bc 30D 30Df 31A 31Aa 31K 31Ka 31L 31La 33A 33Ai 33K 33O 33R 33Rg 36F 36Fb 56D 56Db 56Dc 56F 56Fa 56Fb 56Fc 56Fg 56Fh 56Fk 56Fm 56Fp 56Fq 56Fy 58C 58E 58G 58Ga 58Gi 60H 60Hb 62E 62F 62H 63D 63N 63Na 64F 65A 65Ai 65Am 65Am1 65Am3 65Ao 65At 65At1 65At2 65D 65Dk 65Dl 65Dm 65Dn 65Dr 65Drb 65Dp 65F 65Fe 65Fb 65Fd 65Ff 65Fg 65Fh 65Fi 65Fk 65Fl 65Fq 65Fm 65K 65Ka 65Kd 65Kl 65Z 65Kö 65L 65Le 65N 65Nc 65Np 65Np2 65Nm 66A 66P 68B 70C 70Cd 73A 73Ab 73Ae 73Ak 73C 73Cd 73D 73Da 73Db 73E 73H 79B 79Ba 80A 80B 80Be 80C

- 294. *Anthocharis damone* Boisduval,1836** (Pieridae) **Synonym(s):** *damone* Boisduval,1836 **Range (as codes):** AL GR IT MK Si He GR IQ Ama Hjo Rwz Cc AM IR Ab Elb Th Es MK TR LB SY IL Pa Hf 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 49 51 56 65 69 70 73 76 01H 01K 04D 04Da 05A 07A 07Ad 07B 07Bc 13B 13Ba 13F 13F35 13G 13Gö 13Gg 13Gw 13Gs 13Gü 21N 21Nb 23M 25C 25F 25N 25R 27B 27C 27Cb 30B 30Bc 30Be 30Bg 30Bk 30Bm 30D 30Dt 31A 33K 33R 36D 36Db 36F 36Fb 43G 49F 49Fe 51D 51Da 56D 56Dc 56F 56Fc 56Fg 65A 65Ai 65Am 65Am1 65Ag 65At 65D 65Da 65Dc 65Dg 65Dh 65Dk 65Dl 65Dn 65Dm 65Dr 65Drb 65F 65Fb 65Fp 65Fq 65Fz 65G 65Ge 65K 65Kl 65Z 65Ks 65M 65Md 69B 70C 70Ca 70Cb 73A 73Ab 73Ae 73C 73Cd 76C

- 295. *Anthocharis grueneri* Herrich-Schäffer,[1851]** (Pieridae) **Synonym(s):** *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 **Range (as codes):** AM BG GR IL Js Pa IQ IR Ak Msw By Elb Th Lo LB MK SY TR Cc GG Bjo AZ Nv Ord 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 56 58 60 62 65 66 70 71 73 76 01H 01K 02Fz 05A 06B 06G 06K 06R 06Rd 06V 13F 13F35 13G 13Gö 13Gg 13Gw 13Gk 21N 21Nb 27B 27C 27Cb 30B 30Bk 30Bb 30D 30Df 30Dt 31A 31L 31La 31M 33R 36F 36Fb 44A 44Aa 44L 44Lb 44Lc 44Le 56D 56Db 56F 56Fb 56Fg 56Fh 56G 58G 58Gi 65A 65Ai 65Am 65Am1 65At 65B 65Bk 65Bx 65D 65Dc 65Df 65Dk 65Dm 65Dr 65Drb 65F 65Fb 65Fp 65Fq 65Fz 65G 65Ge 65K 65Kb 65Kl 65Z 65Ks 66A 73C 73Cd 76C

- 296. *Aporia* (s.str.) *crataegi* (Linnaeus,1758)** (Pieridae) **Synonym(s):** *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. **Range (as codes):** Ae AF AL AM Ao At AT AZ Ba BE BG B-H Bs BY Cb CH CN CY CZ DE DK DZ EE ES FI FR GG Gn GR HU HV IL IQ IR IT JP Kg Kk Kp Kr Krl LB LT LU LV MA MK MN NL No NO Om Or PL Pm PT Rd RO Ru Sb Se Si Sj SK Sm So Sr SS SY Sz Ti TJ TM To Tr Ts Tt UA Ui Uk VI Tm T-S Aq Ax Bog Dg DsA DsA Ka Kt Ktm KuA Kw Mn Pp Pw Rk Sp Syr Tar TeA Tk TrA Ze Mt Ko Sjn Sof Ril Slv Rtc Rg Vrn Beo JO Ktn Bn Kp Kh Ab Ak Kz Fa Ke Lo Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Cc SSa Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio Seg San Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Yz TN Kml Bc Mz Kh Blid Btina Tni Tis Sbd Orn Azr Hr BLM 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 75 76 78 80 81 02E 04D 04Db 05A 06A 06B 06C 06G 06K 06P 06R 06Rd 06V 07A 07Ac 12A 12Ab 13A 13Ae 13Af 13Ax 13C 13Cd 13E 13Ea 13F 13G 13Ga 13Gb 13Gc 13Gv 13Gü 13Gy 13Gw 21N 21Nb 21O 23E 23I 23Ia 23Ib 25F 25Fa 25Fb 25Fc 27C 27Cb 29A 29Ac 30B 30Bc 30Bx 30Bk 30Bo 30C 30Cd 30D 30Df 30Dt 31A 31E 31F 31Fb 31L 33A 33R 33Rb 36D 36Db 38H 38Hc 44A 44Aa 44E 44Ei 44L 44Lc 47F 49E 49Ea 49F 49Fd 56F 56Fc 56Fn 65A 65Ai 65Am 65Am2 65D 65Dc 65Dd 65Dda 65Do 65Dn 65Dt 65Dn 65Dl 65Dlc 65Dq 65F 65Fb 65Fd 65Fh 65F2 65Fz 65K 65Kl 65Z 66A 72E 72Eb 72Eh 72Ei 73A 73Ac 73Ac1 75F 75Fc 76C 78D 78Da

- 297. *Belenois aurota* (Fabricius,1793)** (Pieridae) **Synonym(s):** *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrix* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924. **Range (as codes):** AF Ng Hr Prw DJ DZ EG ER ET IL Js Pa Hf IN IQ Qg IR Kz Fa Ke Ss JO KE LB Bei LK MG NA OM PK Ci Cp C-P Koh SA Bh SD SO Zai SY TR TD Tbt TZ UG YE ZA Tva Lpo Kru Pf Spb Ent Lj Mdk Jh Pre Gau Nta Kzu Ptb Est Tug Wnn Mpu ZR MW Zom ML TM TJ NP 01 21

- 298. *Catopsilia florella* (Fabricius,1775)** (Pieridae) **Synonym(s):** *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881. **Range (as codes):** AO BF BH BI BJ BW CF CG CI CM Cn DJ DZ EG EH ER ET GA GH GM GN GO Bio GW IN IQ Jd Fat IR B-A Fa Hz KE LB IL LK LR LS LY MA ML MR MW Zom MZ NA NE NG OM PK RW SA SL SN SO ST SZ TD TG TN TR TZ UG YE ZA Tva Spb Lj Lpo Mdk Kru Pma Ent Nta Kzu Ptb ZM ZR ZW SD Ad Zai YE47 YE60 SD91 SD119 Bh Tnga Usa Ani Ate JO CY Tmn Ah 12

- 299. *Colias (Eriocolias) crocea* (Fourcroy, 1785) (Pieridae) Synonym(s):** *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893. Range (as codes): AL AM Ao AT AZ Az Ba BE BG B-H BY CH Co Cr CY CZ DE DK DZ EG ES FI FR GG GR HG HV IQ IR IT Kb Kr LB LT LU LY LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY Teb TR TN UA VI YU KG Aq Or Uk Vi Bs Cb Kt Kr Cw Dv Smt H-W Sur Ssx Ken Mt Sof Ril Syr Cy Rg Rtc Bgz Vrn Slv Sjj Trb Mkl Mst Ko JO He Il Ab Ak Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mui8 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Vg Zg Zm Pa Hf SA TD SD Agh Cc Arr Ab Khy Oru Jal Ak Shf Msw Qba Sro Mz Dju Tth Ess Tlm Saia Orn Agi Blid Ges Dje BSa Ogl Omy Tou Bsk Ktr Khh Btina Tun DhM Tgr Phv Ceg Cn Azr 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 02A 02E 02Fz 02Ff 02G 04D 04Db 05A 06B 06C 06D 06G 06H 06K 06N 06P 06R 06Rb 06Rd 06V 06Z 12A 12Ab 12Ai 12E 12Eb 13A 13Ab 13Ac 13Ac1 13Ac2 13Ae 13Af 13Ag 13Ah 13Ai 13Ax 13B 13Ba 13Bg 13C 13Cd 13D 13Da 13E 13Ea 13F 13G 13Ga 13Gö 13Gğ 13Gk 13Gs 13Gü 13Gv 13Gy 13Gw 13Gz 21L 21Le 21Ld 21La 21N 21Nb 21Nh 21O 23I 23Ib 23E 23M 25F 25Fa 25Fb 25Fc 27C 27Cb 27D 27Db 30B 30Bb 30Bc 30Bk 30Br 30Bt1 30D 30Df 31A 31Aa 31F 31Fb 31K 31Ka 31L 31La 33A 33Ai 33C 33K 33O 33R 33Rb 33Rg 35T 35Tc 36D 36Db 36F 36Fb 38H 38Hc 39C 44A 44Aa 44Ab 44E 44Ei 44F 44Fb 44L 44Le 45L 45La 46F 46Fc 46Fe 47E 47F 48A 48Aa 48Ak 48F 49E 49Ea 49F 49Fb 49Fe 49Ff 56D 56Dc 56Dh 56Dğ 56F 58G 58Ga 58Gd 58Gi 58Gk 58R 58Rb 65B 63Ba 63D 63E 65A 65Ac 65Ac2 65Ai 65Ag 65Am 65Am1 65Am3 65As 65At 65Ac 65Au 65B 65Bc 65Bi 65Bk 65Bn 65Bn1 65Bo 65Bx 65C 65D 65Da 65Dc 65Dc 65Dc 65Dc1 65Dd 65Dda 65Df 65Dk 65Di 65Dlc 65Dn 65Do 65Dr 65Drb 65Dt 65Dv 65E 65Eb 65Ec 65Ec 65F 65Fb 65Fc 65Fc 65Fd 65Fe 65Fg 65Fh 65Fi 65Fj 65Fm 65Ft 65Fx 65Fy 65Fw 65Fz 65G 65Ga 65Gf 65Gy 65Gg 65Gi 65Gj 65Gn 65Go 65Gs 65I 65K 65Kl 65Ka 65Z 65Ks 65Ku 65Kz 65Kğ 65Kw 65Ky 65K1 65L 65M 65Mb 65Mc 65Md 65N 65Nb 65Nc 65Nd 65Ne 65Np 65Np1 65Np5 65Np7 65Nr6 65Nr7 65Ns 65Ns1 65Nj 65Nm 70C 70Cb 72E 72Eb 72Eg 72Ei 73A 73Ad 73Ad2 73D 73Da 73Db 73Df 73H 75F 75Fi 76A 76Ab 76Ac 76B 76Ba 76E 76Ea 80E 80Ea
- 300. *Colias (Eriocolias) thisoa* Ménétériés, 1832 (Pieridae) Synonym(s):** *thisoa* Ménétériés, 1832; *helenia* Herrich-Schäffer, [1844]; *eos* Herrich-Schäffer, [1848]; *#ludmilla* Schulte, 1989. Range (as codes): Cc Arr AM At AZ CN Da GG IR Mz Elb Ab Ak Shh Kb KG KK Kl Kzb Pm RU Sda Shh Teb TJ Tk TR T-S Ui Um Kml Al T-A Irt KuA TeA TrA DsA Tar Sau Ktm Klb 04 08 25 30 36 53 65 69 73 75 76 30B 30Bb 30Bk 36D 36F 65A 65Ab 65B 65Bk 65Bx 65D 65G 65Gd 65Ge 65F 65Fw 65Fz 75F 75Fg 76C
- 301. *Colias (Neocolias) aurorina* Herrich-Schäffer, [1850] (Pieridae) Synonym(s):** *aurorina* Herrich-Schäffer, [1850]; *#alba* Rühl, [1893]; *#aurantiaca* Rühl, [1893]; *deserticola* Verity, [1909]; *#cleopatra* Kemal, 2015 Range (as codes): Cc Arr AM AZ GG Smt Akh Tbl IR Ab Ak Kh Th Ke Kp TM TR RU Da Ahy 01 03 04 05 06 07 08 12 13 14 19 21 23 24 25 29 30 31 32 33 36 37 38 42 44 46 48 49 50 51 53 56 58 60 61 62 65 66 69 70 75 76 80 05A 06B 06C 06H 06K 06R 06Rb 06Rd 06Z 12A 12Aa 13A 13Ac 13Ac2 13Ac 13Af 13Ax 13C 13Cd 13F 13G 13Gv 13Gw 13Gz 21O 23I 23Ia 25C 25F 25Fb 25Fc 30B 30Bb 30Bk 30D 30Dt 33R 33Rd 44O 44Of 49F 49Fd 56F 58R 65A 65Ac 65B 65Bk 65Bx 65D 65Do 65F 65Fb 65Fe 65Ff 65Fg 65G 65Ge 65K 65Kö 65Z 66A 70A 70C 70Cd 75F 76C
- 302. *Colias (Neocolias) caucasica* Staudinger, 1871 (Pieridae) Synonym(s):** *caucasica* Staudinger, 1871; *olga* Romanoff, 1882; *anna* Gerhard, 1882. Range (as codes): BG B-H Cc GG TR Arr MK YU Mt Ko Ril Dur 08
- 303. *Colias (Neocolias) chlorocoma* Christoph, 1888 (Pieridae) Synonym(s):** *chlorocoma* Christoph, 1888 Range (as codes): Cc Arr AM Arn AZ Alg GG IR Ab Aha Ak TR 04 13 24 25 29 30 36 38 51 65 69 76 13G 13Gv 13Gw 30B 30Bk 65Bx 65D 65G 65Ge 76C
- 304. *Colias (Neocolias) erate* (Esper, [1805]) (Pieridae) Synonym(s):** *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927 Range (as codes): AF Anj Ao AT At Att Aty Au Ba Bd BG Bqu BY Ci Cp Mre CN CZ Dj Ga GR Hk HU IR LB Kab Kbb KG KK Ku Ld Nu Pag PK PL Pnj RO RU Sem SK Sm So Sr TJ TM TR UA Ui Uk UZ VI YE YU Ser Gj Or Aq Mg Ky Rk Kt Ka Sp Tk As Db Tm TrA KuA TeA Ax Na Nym Ktm MK MD CY Syr TW DsA T-S Fa Ab Ak Shf ET SA As SD Hg Mre Dew Cp Mz Gls Kh Msr Nra Ng Jla Hr BLM Prw Pjr Kab Lgh 16 17 22 34 39 60 71
- 305. *Colias (s.str.) alfajariensis* Ribbe, 1905 (Pieridae) Synonym(s):** *alfajariensis* Ribbe, 1905 Range (as codes): AL AM AT AZ BE BG B-H BY CH Co CZ DE DK ES FR GB GG GR HU HV IR IT KG KK LT LU MK NL PL RO RU SK SS TM TR UA YU Cw Dv Smt H-W Sur Ssx Ken CN Ui Um MN Ab Ak Gh Th Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Vg Zm Aha Gls 01 02 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 21 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80 04D 04Db 05A 06B 06C 06G 06H 06K 06N 06R 06Rb 06Rd 06V 06Z 13G 14I 14Ib 21N 21Nb 25F 25Fa 25Fb 25Fc 38H 38Hc 44E 46F 46Fc 49E 49Ea 49Ef 58G 58Gi 58R 58Rb 65K 65L 66A 73C 73Cd 76C 78D 78Da
- 306. *Colias (s.str.) hyale* (Linnaeus, 1758) (Pieridae) Synonym(s):** *hyale* Linnaeus, 1758; *#amdensis* Verity, [1911]. Range (as codes): AL At AT BE BG B-H BY CH CN CZ DE Dj DK ES EE FI FR GB GG HU HV IT Kb KG KK Kno Kr Ku LT LU LV MK NL PL RO RU SE Sem SK Sm So Sr SS Teb TR Ts T-S UA Ui VI YU Tt Bs Cb Or Uk Aq Kg Sb Ty Ku Pp Ka Ze Sp Mn Tk Aa No To Om Tar Sau DsA Ket TeA KuA TrA Cw Dv Cc Smt H-W Sur Ssx Ken Mt Ko Irk Kts Bn Amd Grn Ple Nrr Hue 08 25 36 75
- 307. *Colotis (s.str.) fausta* (Olivier, [1804]) (Pieridae) Synonym(s):** *fausta* Olivier, [1804] Range (as codes): LB Bei Ad AF Ng As BH Dh Hd Hj IL Pa Hf IN LK IQ IR Hz Ke Ss Fa JO KW Nf Nj OM PK QA SA SO SY TD TR YE BI EG SA Bhh Krc Nwf Ca Pj Cp C-P TM 01 12 21 27 30 31 33 42 46 47 56 63 73 79 12A 12Ab 30B 30Bf 30Bg 31M 47G 56C 56Cb 56E 56Eg 56F 56Fa 56Fc 56Fk 56Fö 63D 63E 73A
- 308. *Euchloe (Elphinstonia) penia* (Freyer, [1852]) (Pieridae) Synonym(s):** *penia* Freyer, [1852]; *mesopotamica* Baker, 1889. Range (as codes): IL Pa He BG GR MK TR SY LB IQ Kbl Ukh IR Zj 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 56 58 59 62 65 69 70 71 02Fz 01K 06A 07A 07Ad 07D 07Db 32C 33E 33K 40G 43G 44E 44L 44Lb 46G 46Gf 56F 62H 65F 65Fe 80B 80Bd
- 309. *Euchloe (s.str.) ausonia* (Hübner, [1804]) (Pieridae) Synonym(s):** *ausonia* Hübner, [1804]; *marchandae* Geyer, [1832]. Range (as codes): Aa AF AL Cc AM Ao At AZ Ba BE BG B-H Bs BY CH Cm CN Co Cr FR GG GR HV IL IQ IT JO KG Kp Ku Ky LB LY MK Mn Or Rd RO RU Si Sm Sp Sr SS SY Tk Syr Tm TM TR T-S UA Ui Uk YU

- Mt Ko Slv Skp Vrn Rg Rtc TrA Aa Sau Tar DsA Mrk Nym Ktm CY IR Ak Msw Fa Lo Elb Th Zj MA DZ BtNa Orn Agi Dja Ah Eba Ktr TN Rbt Tlm Blid Cst Tun Ess Tth Saia Berr BSa Bsk KhH Lbs Hrh Hmk Ndr Ahr Ges Kab Ng Jla 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 50 51 54 56 58 60 62 63 65 66 68 70 71 73 74 76 77 78 80 02Fz 05A 06A 06B 06N 06Na 06R 06Rd 06K 06N 06V 06Z 13G 13Gö 13Gg 13Gv 21N 21Nb 23I 23Ib 27C 27Cb 27D 27De 30A 30Ab 30Ad 30B 30Bk 31A 31Aa 31C 31F 31M 33A 33K 33O 33R 33Rg 35L 35La 35T 44L 44Lc 48A 48Ad 48Ak 48Al 48L 56F 58G 58Ga 58Gi 62F 63B 63Ba 63D 65A 65Ac 65B 65Bk 65Bx 65D 65Da 65E 65Eb 65Ec 65F 65Fd 65G 65Ge 66A 73D 73Da 73Db 76A 76Aa 76Ac 76B 76Bb 76C 80B 80Bc
- 310. *Euchloe (s.str.) belemia (Esper,[1800])* (Pieridae) Synonym(s):** *belemia Esper,[1800]; glauce Hübner,[1804]; desertorum Turati,1905; distincta Röber,1907; evanescens Röber,1907; marmorata Chnéour,1934* **Range (as codes):** Bl Cn Cy DZ Bsk Ktr Agi Ah Ski Eba Dju EG ES IL Pa Hf IQ IR Bu Kz JO KW LB LY MA MT PK PT SA BhH SY TN TR YE Cz Mlg Hv Svl Cd Grn Jae Alm Mu Mu18 Alc Cue Ter Mdr Val Gu Bgs Tgr Ess Rbt Saia Orn Blid Berr Ges BSa KhH Lbs BtNa DhM Tun Phv Mzg Hrh Dzc Ahr Out Ceg Hmk Nbr Bea Clo Rbt 01 27 31 33 63 01F 27B 31A 31Aa 31F 31K 31Ka 33R 63B 63D
- 311. *Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)* (Pieridae) Synonym(s):** *cleopatra Linnaeus,1767; balearica Bubacek,1920.* **Range (as codes):** He AL BG B-I Cn Co Cr Cy DZ ES FR GR IL IT LB JO LY MA MT PT Rd Sa Si TN TR SS HV YU Mt SY Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Pa Hf Tol Trg Val Vcl Zg Zm Mu18 Sms CY Ktr Ndr Abe Orn Agi Blid Ges BSa KhH Lbs BtNa DhM Tun Ess Tgr Hrh Dzc Hmk Azr 01 07 09 17 27 31 33 35 45 46 48 59 63 80 17F 27C 27Cb 31A 31Aa 31K 31Ka 31F 31Fb 31L 31La 31M 33K 33R 33Rb 45L 45La 80B 80Bc
- 312. *Gonepteryx (s.str.) farinosa (Zeller,1847)* (Pieridae) Synonym(s):** *farinosa Zeller,1847* **Range (as codes):** Ae AL Cc AM AZ BG GG GR IQ IR Ab Ak Qba Elb Es Th Fa Ke LB MK Rd TJ TM Kp TR YU Mt 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 72 73 76 78 80 02E 02Fz 05A 06C 06K 13G 13Gv 13Gw 21N 21Nb 25F 25Fa 27C 30B 30Bc 31F 31K 31Ka 31L 31La 31M 33A 33O 33R 33Rb 33Rg 36F 36Fb 48A 48Ak 56F 58G 58Ga 58Gi 65D 65De 65Dh 65Dk 65Dl 65Do 65F 65Fb 65Fz 65K 72E 72Ec 76D 76Da 78D 78Da 80B 80Bc
- 313. *Gonepteryx (s.str.) rhamnii (Linnaeus,1758)* (Pieridae) Synonym(s):** *rhamnii Linnaeus,1758; gravesi Huggins,1956.* **Range (as codes):** AF AL Cc AM Asr AT At AZ Ba BE BG B-H BI BY CH Cls CN Ui Co CZ DE DK DZ ES FI FR GB Gg GG GR HU HV IE IN IQ IR IT Kb KG KK Kp Kr Ku LB Ld LT LU LV MA MK NL NO NP Nwf PK Ci PL PT RO RU Rw Sa SE Si SK Sm So Sr SS SY Sz Teb TJ TM TN TR UA Uk UZ VI Zi Gj Aq YU Ng Jla Lgh T-S Mu Bn Tk Aa Sp Mn At No To Om Ty Kg Ch Kw Pw Ka Sb Tt So Sau Tar DsA TrA Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Rtc Slv Bgz Sjl Trb LB Kts MM Ab Ak Msw Gh Mz Elb Th Arr Kh GlS Koh Sva Sgl Dju Rf Agi Blid BtNa Tun DhM Tgr Hrh 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 56 60 62 65 66 67 69 71 73 75 76 81 05A 06A 06C 06G 06H 06R 06Rb 13B 13Bg 13F 13F33 13G 13Gs 13Gw 24E 24Ea 25F 25Fa 25Fb 25Fc 30B 30Bb 30Bc 30Bk 30D 30Df 33A 33R 33Rg 33Rb 36F 36Fb 56D 56De 65A 65Ai 65Ag 65Am 65Am1 65D 65Da 65Dk 65Dl 65Dlc 65Dn 65Dm 65Do 65Df 65F 65F1 65Fd 65Fj 65Fq 65Fz 65K 65Kb 65Kl 65Z 65Km 65Ks 65N 65Nc 65Ng 65No 65Np 65Nm 66A 75F 75Fi 76D 76Da
- 314. *Leptidea duponcheli (Staudinger,1871)* (Pieridae) Synonym(s):** *duponcheli Staudinger,1871; #dupncheli Nazari,2003* **Range (as codes):** AL BG B-H ES FR GR MK TR Cc LB YU Mt Ko Slv IQ IR Ab Ak Elb Th Fa 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 56 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78 05A 06B 06C 06G 06K 06N 06P 06R 06Rd 06V 06Z 13B 13Ba 13Bg 13D 13Da 13G 13Gw 13Gs 18F 23D 23Dc 25F 25Fa 30B 30Bb 30Bk 30D 30Df 30Dt 33R 33Rb 33Rg 33Rd 36F 36Fb 46F 49E 49Ea 56F 58G 58Gi 58R 58Rb 65A 65Am 65Am1 65Am2 65At 65B 65Bk 65Bn 65Bn1 65Bx 65D 65De 65Dc 65Df 65Dh 65Dk 65Dl 65Dn 65Dr 65E 65Eb 65Ec 65F 65Fc 65Fç 65Fi 65Fd 65Fe 65Fg 65Fh 65Fq 65Fy 65F3 65Fz 65G 65Ge 65K 65Ka 65Kb 65Kc 65Kg 65Kl 65Z 65L 65Le 65N 65Np 65Np1 65Np2 65Nr7 65Nm 66A 76C 76D 76Da 78D 78Da
- 315. *Leptidea morsei (Fenton,1881)* (Pieridae) Synonym(s):** *morsei Fenton,1882* **Range (as codes):** Bn At Kts AT Ba BG B-H Bs BY CN Ui Ats CZ GR HU HV JP KG KP Kw MK Mkk Mn MN Om Or Pw RO RU Sb SK So Sp Sr SS TR Tt UA YU 13 13G
- 316. *Leptidea sinapis (Linnaeus,1758)* (Pieridae) Synonym(s):** *sinapis Linnaeus,1758; candidus Retzius,1783; erysimi Borkhausen,1788; lathyri Hübner,[1819]; loti Rennie,1832; umbratica Trimoulet,1858; sartha Rühl,1893; stabiarum Stauder,1914; nigrescens Verity,1919; patunae Stauder,1922; lathyricana Verity,1952.* **Range (as codes):** Aa AL At AT Aty Ba BE BG B-H Bs BY Ch CH CN Co Cr CZ DE Dj DK EE ES FI FR GB GR HU HV IE IT Kb Kg KG Kr Ku Kw LT LU LV MK Mn NL No NO Om Or PL Pp PT Pw RO RU Sa Sb SE Sem Si SK Sm So Sp Sr SS Teb Tk To TR T-S Tt Ty UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx SY Mt Ko Vrn Bgz Slv Sjl Trb Mst LB Kts DsA TrA Ket Sau Tar Bn Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm MA Rif Cz Ab 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 70 75 76 80 81 05A 06G 06R 06Rd 13F 13G 13Gö 13Gg 13Gw 14I 14Ib 25F 25Fa 27C 30B 30Bk 30D 30Dt 31A 31Aa 31B 31E 31F 31K 31Ka 31L 31La 31M 33A 33K 36F 36Fb 39C 46G 46Gf 65A 65Ai 65D 65Dl 65Dlc 65Do 65Dp 65F 65Fg 65Fh 65Fj 65Fq 66A 78D 78Da 80B 80Bc
- 317. *Pieris (Artogeia) bowdeni Eitschberger,[1984]* (Pieridae) Synonym(s):** *bowdeni Eitschberger,[1984]* **Range (as codes):** TR Cc AM IR TM Kp 08 13 14 24 25 29 53 65 69 75 76 13A 13Ab 13Ax 65Bx 65G 65Gd 65Ge 76D 76Db
- 318. *Pieris (Artogeia) bryoniae (Hübner,[1804])* (Pieridae) Synonym(s):** *bryoniae Hübner,[1804]; neobryoniae Miller,1933; wolfsbergeri Eitschberger,[1984]; debrosi Eitschberger,[1984] (cf. Leraut,1997).* **Range (as codes):** Cc AM At AT BG BY CH CZ DE DsA FR HU HV IT Kb KG PL RO RU Sau SK SS Tar Teb TR IR Zj UA T-S Ab 08 14 16 18 24 25 29 30 37 53 61 14I 14Ib 30B 30Bb 30Bk 30D 30Df
- 319. *Pieris (Artogeia) ergane (Geyer,[1828])* (Pieridae) Synonym(s):** *ergane Geyer,[1828]; narcaea Freyer,[1828].* **Range (as codes):** AL Cc Arr AM AT AZ BG B-H Cr ES FR GG GR HU HV IQ Hjo IR Ab Sro Msw Ak

Elb Th Kdj IT LB MK RO SS TR YU Mt Ko Mst Trb Ple Cue Hue Lda Gna 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23
24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76 02E 02Fz 04D 04Db
05A 06M 06R 06Rd 06Z 07D 07Db 13A 13Ab 13Ac 13Ac2 13Ac3 13Ax 13F 13F35 13G 13Gc 13Gö 13Gg 13Gv 13Gw
21O 23D 23Dc 23I 25F 25Fa 25Fb 25Fc 27D 27Dd 30B 30Bc2 30Bx 30Bk 30Bb 30Br 30D 30Df 30Dt 31B 31K 31Ka 33R
33Rg 36F 36Fb 44F 44Fb 44L 44Lc 46F 46G 46Gf 49E 49Ea 49F 49Fb 56F 58G 58Gj 58Gi 58Gk 63B 63Ba 63D 65A
65Ac 65Ac2 65Ac4 65Ai 65Am 65Am1 65Am2 65Am3 65Am4 65Ar 65As 65At 65B 65Bn 65Bn1 65Bk 65Bo 65Bx 65D
65Da 65De 65Dc 65Dd 65Dda 65Df 65Dh 65Dk 65Dl 65Dlc 65Do 65Dp 65E 65Eb 65Ec 65F 65Fc 65Fd 65Fe 65Fg 65Fh
65Fj 65Fi 65Fm 65Fq 65Fr 65Fs 65Ft 65Fu 65F3 65Fw 65Fz 65G 65Gf 65Gg 65Gy 65Gh 65Gi 65Gl 65Go 65Gp 65K
65Kb 65Kg 65Kc 65Kl 65Z 65Km 65Kq 65Kö 65Kü 65Kw 65N 65Np 65Nm 66A 73A 73Ad 73Ad2 76C 76D 76Da 76Dg

320. *Pieris (Artogeia) krueperi* Staudinger, 1860 (Pieridae) Synonym(s): *krueperi* Staudinger, 1860

Range (as codes): AF AL BG Chi GR IQ IR Elb Th Fa Ke Ss Kos Ld MK OM SA Bhh PK SY Syr TeA TR Cc Slv Tm Ike
KK KG T-S IN CN Ui Ga UZ Smk 01 02 07 08 09 10 13 16 17 21 25 30 32 33 35 36 39 42 45 46 48 51 56 58 62 65 70 72 73
76 80 13F 13G 13Gw 21N 21Nb 25F 25Fa 25Fb 30B 30Bc2 30Bx 30Br 30D 30Df 30Dt 33K 33R 36F 36Fb 39C 46G 46Gf
48D 56F 58G 58Ga 58Gi 65A 65Ac 65Ac4 65Am 65Am2 65Am3 65D 65De 65Dc 65Do 65Dd 65Dda 65Dp 65E 65Ea 65F
65Fc 65Fz 65K 65Kö 65Z 70B 72E 72Eg 72Eh 73A 73Ad 73Ad2 76B 76Bf 76Bh 80B 80Bc

321. *Pieris (Artogeia) mannii* (Mayer, 1851) (Pieridae) Synonym(s): *mannii* Mayer, 1851; *manni*

Verity, 1908; alpigena Verity, 1911; *roberti* Eitschberger & Steiniger, 1973. **Range (as codes):** AL AT BG B-H CH CZ
ES Mlg Grn Alm Mu Mdr Hue Gna Bar Ter FR GR HU HV IT Kr MA Tgz MK RU Co Sa Si SK SS TR Cc UA YU Mt Ko Sjn
Mst IR Ak Shf Mz Gls 01 02 03 06 07 08 10 11 13 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45
46 47 48 49 50 51 53 56 61 62 63 67 69 73 74 75 76 78 80 02E 13A 13B 13Bg 13C 13Cd 13G 13Gv 21N 21Nb 25F
25Fa 25Fb 30B 30Bc 30D 30Dt 36F 36Fb 44L 44Lc 46F 46Ff 46G 46Gf 49E 49Ea 49F 49Fb 56F 65A 65Ar
65D 65L 65Le 65M 65Md 65N 65Nj 65Ns1 65Nm 73D 73Df 76D 76Da

322. *Pieris (Artogeia) persis* Verity, 1922 (Pieridae) Synonym(s): *persis* Verity, 1922; *higginsii*

Bowden, 1961. Range (as codes): IR Kd TM Kp TR IQ Hjo Ry 13 21 30 44 49 56 65 73 76 13A 13Ab 13Ax 13G 13Gi
13Gö 13Gg 13Gc 13Gü 13Gw 21N 21Nb 30B 30Bb 30Bk 30Bf 30D 30Df 44F 44Fb 49F 49Fb 56F 65A 65Ai 65Ag 65Am
65Am1 65B 65Bk 65Bn 65Bn1 65D 65Dl 65Dlc 65Do 65Doa 65G 65Gt 65F 65Fi 65Fc 65Fz 65L 65Le 73D 73Df 76B 76Bf
76Bh

323. *Pieris (Artogeia) pseudorapae* Verity, 1908 (Pieridae) Synonym(s): *pseudorapae* Verity, 1908

Range (as codes): Cc Arr AM AZ BG B-H Da GG GR HV IQ Ssa Slh Hjo IR Elb Mz Th JO LB Le MD MK RO RU SY TR
UA YU 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43
44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81 05A 06A 06B 06K 06R
06Rd 06S 06V 06Z 13A 13Ab 13Ax 13B 13Ba 13F 13F33 13F35 13G 13Gs 13Gü 13Gv 13Gy 13Gw 21N 21Nb 21Nh 21O 23I
23Ib 23M 25F 25Fc 27C 27Cb 30B 30Bc 30Bc2 30Bx 30Bk 30Bb 30D 30Df 30Du 31A 31Aa 31B 31L 33R 36F 36Fb
39C 44F 44Fb 44L 44Lc 44O 44Oc 46F 46G 46Gf 49E 49Ea 56F 58G 58Ga 58Gi 58Gj 65A 65Ar 65Bx 65D 65Dc 65Dk
65Do 65F 65Fb 65Fg 65Fh 65Fz 65G 65Ge 65Gn 65K 65Kg 65N 65Np 65Nm 66A 73D 73Da 73Db 73Df 75F 76A 76Ab
76C 78D 76Da

324. *Pieris (Artogeia) rapae* (Linnaeus, 1758) (Pieridae) Synonym(s): *rapae* Linnaeus, 1758; *nelo*

Bergsträßer, 1780; metra Stephens, 1827; *alpica* Rossi, 1929. **Range (as codes):** Ae AF AL AT Az BE BG BH B-H BY
Ch CH Ci CN Cn Co Cr CY CZ DE DK DZ EE ES FI FR GB Gg GR Hk HU HV IE IN IQ IR IS IT JO JP KG KK Kp KW Ld
LT LU LV MA Mc Md MK MN MT Nf Nj NL NO OM PK PL PT QA Rd RO SA Sa SE Si SK SS SY TJ TM TN TR UA UZ YU
Aa Am Ao At Aty Ax Ba Bs Cb Ike Ir Ka Kg KP Kr KuA Kw Ky Mn No Om Pe Pr Pt Pw RU Sb Sj Sm So Sp Sr St TeA Tk
Tm Tra Tt Us Vi Cw Dv Smt H-W Sur Ssx Ken Mt Ko Ril Sjn Mst Mkl T-S Um Bl Ci Bn Dsa Sju Act Alc Alv Alm Atu Av
Bad Bar Bgs C-L C-M CRE Cas Cc Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv
Rio Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Lug Ple San US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan
Knt Lou Mai Meh Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sca SDk Tnn Tx Ut
Vi Vr WVi We Ws Wy AU Hw Agh Pa Hf TW Kml JP RU Am Us Sh TW VN D-l Ldo GG Az Kir AM Cc Arr Ab Jal Maz Gls
Kh Koh Nra Bhh Rbt Tbl Sok Ess Tlm Saia Orn Agi Blid Ges Ogl Btina Cst Tun Tgr Tou Bez Gle Ar Hl BM Kab AU
QAU NSw Syd SAU Cai 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 75 76
77 78 79 80 02E 05A 06A 06B 06C 06G 06H 06K 06N 06P 06R 06Rd 06V 06Z 07A 07Ad 07B 07Bb 07M 07Mb 13F
13F35 13G 13Gc 13Gs 13Gü 13Gy 13Gw 21L 21Lf 21N 21Nb 21Nh 23C 23C2 23D 23Dc 23Df 23E 23F 25F 25Fc
27C 27Cb 29A 29Ac 30B 30Bb 30Bc 30Bk 30D 30Dt 31A 31Aa 31F 31K 31Ka 31L 31La 31O 33A 33Ai 33C 33K 33O 36D
36Db 36F 36Fb 39C 42D 42Dc 44F 44Fb 44L 44Lc 44O 44Oi 45L 45La 46F 48A 48Aa 48Ak 48Ab 48D 48F 49E 49Ea
49F 49Fb 56F 58G 58Gk 58Gj 58Gi 63B 63Ba 63D 63E 65A 65Ar 65B 65Bk 65Bx 65D 65Dk 65Do 65G 65Ge 65Gt 65H
65He 65E 65Eb 65F 65Fd 65Fb 65Fg 65Fn 65Fr 65K 65Kb 65Kl 65L 65Lv 65M 65Md 65N 65Nc 66A 73A 73Ad 73Ak
73D 73Da 73Df 75F 75Fi 76B 76Bb 76Bf 76Bh 76C 76D 76Da 76E 76Ea 78D 78Da

325. *Pieris (s.str.) brassicae* (Linnaeus, 1758) (Pieridae) Synonym(s): *brassicae* Linnaeus, 1758;

chariclea Stephens, 1827; *venata* Verity, 1908; *cyniphia* Turati, 1924. **Range (as codes):** Adr AF AL At AT Az Bd BE
BG B-H Bs BY Cb CH CN Co Cr CY CZ DE DK EE ER ES FI FR GB GR Hk HU HV IE Ii IL IQ IR IS IT JO Ka Kab Kbb Kg
KG KK Kp Kr Kw Ky LB LT LU LV MK MT NL No NO NP Om Pag PK Ci PL PT Pw Rd RO RU Sa Sb SE Si SK So SS Tm
TM TR Tt UA Ui UZ Aa Ax Ike KuA Mn Sp Tk Tra Cw Dv Smt H-W Sur Ssx Ken Ko MA DZ TN Sjn Trb Sof Rg Rtc Slv Mt
LY Cy Sy Kts T-S Um Bn Dsa Elb Th Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Cc Cor Cue Cz Ct
Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Ssa Cc AZ Len Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vel Zg
Zm Lug Ple San Mu18 IN Ass Slo Dk TH Pa Hf Ab Ak Shf Mz Gls Kh Koh Swa Gg Bt Nwf Pes Mdy Rbt Azr Ess Orn Agi
Blid Bsk Ktr Tlm Cst Btina Tun Tgr Mzg Hrh Ng Hr Prw 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24
25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 56 58 60 61 63 65 66 70 71 73 74 75
76 77 78 80 81 02E 02Fz 04D 04Db 05A 06B 06C 06G 06K 06R 06Rd 06V 07A 07Ab 07Ag 07B 09K 09Ka 13A 13Ab
13Ac 13Ac3 13Ax 13B 13Ba 13Bg 13F 13F7 13F71 13G 13Gi 13Gö 13Gg 13Gk 13Go 13Gs 13Gc 13Gw 14I 14Ib 21N 21Nb 23G
23E 25F 25Fa 30B 30Bc 30Bk 30D 30Df 30Dt 30Dx 31A 31B 31C 31E 31F 31Fb 31K 31Ka 31L 31La 33A 33Ai 33C 33K
33R 33O 36D 36Db 39C 44A 44Aa 44E 44F 44Fb 44L 44Lc 45L 45La 46F 46Fc 48A 48Aa 48Ag 48Ak 48Al 48D 48F
48L 49E 49Ea 49F 49Fe 56F 56Fa 58G 58Gi 65A 65Ai 65Ar 65B 65Bk 65Bx 65D 65Dc 65Dk 65Dl 65Dlc 65Do 65Dw 65F
65Fb 65Fd 65Fc 65Fj 65F3 65Fg 65Fq 65G 65Ge 65Gt 65K 65Kö 65Kq 65Km 65Z 66A 73D 73Db 76A 76Ac 76B 76Bf
76Bh 76C 76D 76Dg 78D 78Da

- 326. *Pontia callidice* (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803]. Range (as codes): Aa AF At Kts AT Ax Bv Py Fo6 F65 BY Ch CH CN DE DsA ES FR Hu IQ IR Ab Ak Bk Elb Th IT KG KK KuA Ld Mn PK Ci Pm RU Sau Sp SS Tar TeA TJ Tk TR Arr Cc TrA UA Ui Ku Um T-S 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 70 73 76 05A 06B 13G 13Gv 13Gw 30B 30Bk 30Bb 42B 42Bb 44E 51B 51Ba 62E 62G 65Bx 65D 65F 65Fö 65Fs 65Fü 65Fw 65Fz 65G 65Ge 65K 65Kr 65Kq 65Z 69B 69Ba 70A 76C
- 327. *Pontia chloridice* (Hübner,[1813])** (Pieridae) Synonym(s): *rossiae* Esper,[1784] *nec rossiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür*,1881. Range (as codes): AF Ng Jla Bl Ao Aq Bn At Ba BG BY Cb Ci CY Dj DsA FI Gg GR IQ Kq IR Ab Ak Elb Th Kh Lo Ka Kbb KG KK Kw Ld LT LV MK Mn MN Mrk Om Or PK Pnj Pw Rk RU Sau Sb Sem Sm So Sp Sr Tar TeA Tk TR Cc Tt UA Uk Vl Slv Rg T-S CN Ui Adu Um 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76 05A 06R 06Rd 07A 07Af 07B 07Ba 12B 13G 13Gs 13Gw 21N 21Nb 21O 23C 23Cc 23M 23M 24L 25F 25Fa 25K 25N 30A 30Aa 30B 30Ba 30Bc 30Bx 30Bf 33A 35L 36D 36Db 46L 50G 50Gd 56A 56Aa 56E 56F 56Fa 56Fu 56Fy 56Fb 56F1 56F3 56Fé 56Fç 56Fz 56Fg 62F 65A 65Ai 65D 65Da 65Dh 65Do 65Doa 65F 65Fd 65G 65Gi 65K 65Kb 65Kc 65Kl 65Z 73A 73Ab 73C 73Cd 73D 73Dg 76B 76Ba
- 328. *Pontia daplidice* (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940. Range (as codes): Adr AF AL Ao AT Ba BE BG B-H Bw BY CH Cr CZ DE DK ES FI FR GB GR Hk HU HV IE IR IT Kab Kb Kbb Kr LT LU LV MK MT NL Nu Pag PK Ci Cp PL Pnj PT RO RU SA Sa Se Si SK Sm So Sr SS Teb TR UA Uk VI YE YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Slv Vrn Rtc ET NP JO Sjn He IL Hf Pa SO Ad Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm TH CMA CDo Chh Ma DZ Orn Ktr Bsk Dju TN Cc AZ Bak TM Krn Gor Gls Tth Ess Saia Agi Gha Ela Khh Cst Dje Tun DhM Lbs Hrh Sfr Hdd Ear Bea Gle Omy Gtt Bsk Clo Ah Ges Ng Hr BlM Prw Kab 30 63
- 329. *Pontia edusa* (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. Range (as codes): Aa Ae Aq Bn At Kts Aty Ax BG Bs Cb CN CY DE Dg Dj GG Gj GR IQ IR IT Kg KG KK Kp Kt KuA Ky Mg MK Mn No NrK Om Or Pp Rd Rk RU Sb Sem Sm Sp SS TeA TJ Tk Syr Tm TM TR TrA Ty Ui Uk UZ YU Ze SY Um Ku DsA T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Adu Sju Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ab Jal Sro Msw Ak Agh Cc 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 75 76 77 78 79 80 81 02E 02Fz 02G 04D 04Db 05A 06B 06D 06H 06K 06N 06P 06R 06Rd 06V 06Z 13A 13Ab 13Ac 13Ac2 13Ac3 13Ae 13Af 13Ag 13Ah 13Ax 13B 13Bg 13C 13Cd 13F 13F33 13G 13Gö 13Gg 13Gv 13Gw 18F 21N 21Nb 21O 23C 23Cc 23D 23De 23I 23G 25F 25Fa 25Fb 25Fe 27C 27Cb 27D 27Db 27Dd 30B 30Bc 30Bk 30Bb 30Br 30Bt1 30D 30Df 30Dt 30Du 31A 31Aa 31B 31F 33A 33C 33K 33O 33R 33Rb 33Rg 33Rd 36F 36Fb 39C 44E 44Ei 44F 44Fb 44I 44L 44Lb 44Lc 46D 46Da 46F 46G 46Gg 47F 48A 48Aa 48Ak 48Ah 48F 49E 49Ea 49F 49Fb 56F 58G 58Ga 58Gd 58Gj 58Gi 58R 58Rb 63B 63Ba 63D 63E 65A 65At 65Au 65B 65Bk 65Bn 65Bn1 65Bo 65Bx 65D 65De 65Dd 65Dda 65Df 65Di 65Dle 65Do 65Dp 65Dq 65Dr 65Drb 65E 65Eb 65Ec 65Eç 65F 65Fb 65Fç 65Fe 65Fh 65Fg 65Fn 65Fp 65Fr 65Ft 65Fu 65Fy 65Fw 65Fz 65F3 65G 65Gb 65Gf 65Gy 65Gm 65Gn 65Go 65Gp 65Gs 65K 65Ka 65Kb 65Kg 65Kç 65Kl 65Z 65Ks 65Kp 65Ku 65Kw 65Ky1 65L 65Le 65M 65Mb 65Mc 65Md 65N 65Nk 65No 65Np 65Np1 65Nş 65Nm 66A 73A 73Ad 73D 73Df 73H 75F 75Fc 76A 76Ac 76B 76Ba 76Bb 76C 76D 76Da 76Db 76E 76Ea 78D 78Da 80B 80Bc
- 330. *Zegris eupheme* (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erothoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851]. Range (as codes): MA Azr Ifr Cc AM At AZ CN DsA ES Mu Mu18 GG IQ Fat Qg Jd IR Ar Ab Khy Ak Zj Kz Fa Ha JO KG Ku MA Mn Nym Rk RU SA Sm Sp Sr TR Arr TrA DsA Ui Uk VI T-S SY Mu Lda Hue Mlg Sma Snv Sor Vel Zg Bgs Bar Alc Act Abr Mdr Cue Ter Cas Gu Seg Tol CRe Jae Grn Alm Av Trg 01 04 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76 04D 04Db 05A 06A 06B 06K 06R 06Rd 06Z 07A 07Ad 30B 30Bc 30Bx 30Be 30Bg 30D 30Dt 31M 33P 36D 36Db 36Df 36F 36Fb 38H 42B 42R 44E 44Ei 44L 58C 58G 58Ga 58Gf 65A 65Am 65Am4 65At 65At2 65B 65Bn 65Bn1 65D 65De 65Dç 65Dd 65Df 65Dj 65Dk 65Dn 65Dr 65Drb 65E 65Eb 65Eç 65F 65Fç 65Fe 65Ff 65Fm 65Fw 65Fz 65K 65Ka 65Kb 65Z 65Ks 65Kz 65Kg 65Ky 65Ky1 65M 65Mc 65Md 73C 73Cd 76A 76Ac 76B 76Bj 76C 76D 76Dd

Riodinidae

- 331. *Hamearis lucina* (Linnaeus,1758)** (Riodinidae) Synonym(s): *lucina* Linnaeus,1758 Range (as codes): AL AT BE BG BY CH CZ DE DK EE ES FR GB GR HU IT LT LU LV NL PL PT RO RU SE Si SK Sr TR UA YU Sur Ssx Ken 34 39 39C

Satyridae

- 332. *Aphantopus hyperantus* (Linnaeus,1758)** (Satyridae) Synonym(s): *hyperantus* Linnaeus,1758; *arete* Müller,1764; *vidua* Müller,1764; *tristan* Retzius,1783; *sajanus* O.Bang-Haas,1906. Range (as codes): AL At Kts Bn AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB GR TR HU IE IT LT LU LV MN NL NO PL RO RU SE SK Sm So Sr UA YU Cw Dv Smt H-W Sur Ssx Ken Sb Am KP CN MC 39 39C
- 333. *Arethusana arethusa* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 Range (as codes): Aa AL At Bn AT Aty Ao Ba Bs BE BG Bs BY Cb CH CN CZ Db DE ES Mu FR GR HU IT Ka KG KK Kw Mn NL Or PT Pw Rk RO RU SK Sm So Sp Sr Tk Syr Tm TR Cc GG Smt Akh T-S UA Ui Uk VI YU Wn Gj Kts Nym Sau Tar DsA KuA TrA TeA Ket Tls T-S IR Ab Ak Khy Qo 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76 05A 06B 06C 06D 06H 06K 06R 06Rd 06V 06Z 13A 13Ac 13Ac1 13Ac2 13Ac3 13Ax 13G 13Gv 13Gw 14I 14Ib 29A 29Ac 39C 58G 58Gg 65Bx 65D 65De 65F 65Fe 65Fq 65F1 65Fz 65G 65Gd 65Ge 65K 65Kg 65Kl 65Z 65N 65Np 65Nm 70C 70Cb 76C

- 334. *Brintesia circe* (Fabricius,1775) (Satyridae) Synonym(s):** *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettæ* Varin,1962. Range (as codes): AL AT BE BG BY CH CZ DE ES Mu FR GR HU IT Kr LU PL PT RO RU Da Der Sa Si SK Sr TR Cc AZ Len UA YU IR Ha Ab Oru Qba Ak IQ Slh S-T 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 63 64 65 67 70 71 72 73 76 78 01K 05A 06B 06D 06N 06R 06Rd 06V 06Z 07A 07Ah 07B 13F 21L 21Lf 21N 21Nb 24E 24Ea 27C 27Cb 29A 29Ac 31F 33R 33Rb 36F 36Fb 39C 44F 44Fb 45L 45La 46F 46G 46Gf 56F 58R 58Rb 65A 65Ai 65Am 65Am2 65K 65Kg 72E 72Ec 78D 78Da 79B 80A 80B 80Bd 80C 80E 80Ea
- 335. *Chazara (Neochazara) anthe* (Hoffmannsegg,1804) (Satyridae) Synonym(s):** *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. Range (as codes): Cc AM Ao Aq At AZ Ba Cm GG Gj IQ Ssa IR Ab Qba Ak Zj Elb Th Fa Ss TM Krn JO KG LB Mg Mn RU Sm So Sp Sr TR Arr UA Uk V1 Ktm Nym SY IL Pa Hf 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 78 81 02Fz 05A 06B 06C 06K 06N 06P 06R 06Rd 13A 13Ab 13Ac 13Ax 13G 13Gv 13Gw 14I 14Ib 36C 36Ca 36F 36Fb 44O 44Oi 46D 46F 46Ff 46G 46Gf 58G 58Gk 65B 65Bo 65Bx 65D 65E 65Ea 65F 65Fe 65Fu 65G 65Gd 65Ge 65K 65Kl 65Z 65Km 65Kz 65Kg 65Ks 65Kw 65N 65Np2 65Np4 65Nr4 65Nm 66A 70C 70Cb 76C 76D 76Da
- 336. *Chazara (s.str.) bischoffi* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s):** *bischoffi* Herrich-Schäffer,[1846] Range (as codes): IR Ab Ak Msw Cc TR Arr 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76 06B 06K 06Y 13A 13Ab 13Ax 13G 13Gv 13Gw 29A 29Ac 30B 30Bc 36F 36Fb 44O 44Od 46F 49F 49Fd 65B 65Bm 65Bx 65D 65Dc 65Dg 65Dga 65F 65Fb 65Fc 65Fd 65Fe 65Fp 65Fz 65G 65Ga 65Gb 65Gd 65Ge 65Gf 65Gm 65Gn 65Gq 65K 65Kr 65Z 65Ky1 65Kz 65Kg 65N 65Np5 65Nr4 65Nm 66A 76C 76D 76Da
- 337. *Chazara (s.str.) briseis* (Linnaeus,1764) (Satyridae) Synonym(s):** *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. Range (as codes): AF AL AM Ao At Bn Kts AT Aty AZ Ba BE BG B-H BY CH CN CY CZ DE DZ ES FR GG GR HU HV IQ IR IT Ju KG KK LU MA MK MN PL RO RU SE Si SK Sm So Sr SS TJ TM TN TR T-S UA Ui Uk Uz VI YU Tm V1 Ao Sr Uk Aq Or Sm Tt Ch Kt Kw Ty Om Pw Ka Rk Tar Sau Ssn Mn Buc At Bn Da Der Mu Trt Kts Ur Aa Ku Sem Tk Ui TeA KuA DsA Bc Ab Sro Qba Msw Ak Kd Mz Elb Kp Sju Cc Bc BtNa Hr 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 78 80 01A 01H 01K 02A 02B 02F 02Ff 02Fz 04D 04Db 05A 06B 06C 06D 06G 06H 06K 06N 06R 06Rd 06V 06N 06Z 12A 12Ab 12E 12Eb 13A 13Ab 13Ax 13F 13G 13Gv 13Gü 13Gw 21N 21Nb 21P 21K 27D 27E 30B 30Bc 30Br 30D 30Df 31A 33R 33Rb 34C 36F 36Fb 44F 44Fb 44L 44Lc 44O 44Od 44Oi 46D 46F 46Ff 46G 46Gf 49E 49Ea 49F 49Fe 56F 58G 58Gg 58Gj 58Gk 58R 58Rb 65A 65Ai 65At 65At1 65At4 65B 65Bk 65Bo 65Bx 65D 65Dc 65E 65Eb 65F 65Fc 65Fd 65Fe 65Fg 65Fi 65Fj 65Fk 65Ft 65Fx 65Fz 65K 65Kb 65G 65Ga 65Gb 65Gm 65Gn 65Go 65Gp 65Gq 65Gs 65K 65Kc 65Kl 65Z 65Kr 65Ks 65Ku 65Kü 65Ky1 65N 65Nb 65Np2 65Np3 65Np4 65Np5 65Nr2 65Nr3 65Nr4 65Nr6 65Nm 66A 70C 70Cb 73A 73Ad 73Ad2 76C 76D 76Da 76Dg 78D 78Da 80B 80Bc 80Bd
- 338. *Chazara (s.str.) egina* (Staudinger,[1892]) (Satyridae) Synonym(s):** *egina* Staudinger,[1892]; *aisha* Rose,1986. Range (as codes): TR IR Es 02 24 44 56 58 62 65 02Fz 44O 44Oc 56F 56Fg 65D 65Do 65Dp
- 339. *Coenonympha (s.str.) arcania* (Linnaeus,1761) (Satyridae) Synonym(s):** *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. Range (as codes): Co F2o Sa El Si Cr AL AT Ba BE BG BY CH CZ DE DK EE ES FR GR HU IT Kr LT LU LV NL NO PL PT RO RU SE SK Sm So Sr TR Cc UA VI YU Bs Or Tt Ch 03 05 06 08 10 14 16 17 18 25 26 29 31 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 78 81 05A 06R 14I 14Ib 25F 25Fb 39C 66A 78D 78Da
- 340. *Coenonympha (s.str.) glycerion* (Borkhausen,1788) (Satyridae) Synonym(s):** *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. Range (as codes): AT Kts Aty Ba BE BG BY CH CN CZ DE EE ES Fi FR GR HU IT LT LV MN PL RO RU SK Sm So Sr TR Cc UA Ui VI YU Uk Or Bs Ch Kg Om At Bn Kw Pp KG Kb KG Mn No Sau Tar Sp Nym Bkb Cm IR Ab Qo 04 08 24 25 29 30 36 65 69 76 30B 30Bb 30Bk 65B 65Bk 65Bx 65G 65Gc 65Gd 65Ge 76C
- 341. *Coenonympha (s.str.) leander* (Fabricius,1787) (Satyridae) Synonym(s):** *#leander* Esper,[1784]; *leander* Fabricius,1787 Range (as codes): AL Ba BG GR RO RU Sr TR Cc VI YU Bs Or Uk IR Ab Elb Th Ak Sah Gh TM Kp 03 04 05 06 07 08 13 16 24 25 29 30 36 42 51 60 65 69 76 05A 06N 06Nc 06R 13G 25F 25Fa 25Fb 25Fc 30B 30Bb 30Bk 51B 51Ba 51E 51Ea 65B 65Bk 65Bn 65Bn1 65Bo 65Bx 65D 65F 65Fe 65Fw 65Fz 65G 65Gc 65Gd 65Ge 65Gn 65Gp 65Gs 65Gz 65K 65Kü 65Z
- 342. *Coenonympha (s.str.) pamphilus* (Linnaeus,1758) (Satyridae) Synonym(s):** *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 Range (as codes): Aa AL AM Ao Aq AT Aty AZ Ba BE BG B-H Bs BY Ch CH CN Co CZ Db DE Dg DK EE ES Fe Fi FR Ga GB GG GR HU HV IQ IR IT Ju KG Kg KK Kr Ku Kw Ky LB LT LU LV LM MK Mn NL No Or PL Pp Psa PT Pw Rk Ro RU Sa SE Si SK Sm So Sp Sr SS Tk Tm TM TR T-S Tt UA Ui Uk UZ VI YU Ssa Slh MA MA DZ IE MA MT Om TN Ty DsA Tar Sar TrA Mrk Cw Dv Smt H-W Sur Ssx Ken At Bn SY Elb Kp Ab Oru Sro Ak Ha GlS Kh Cc Ouk Rf Lkr Azr Ifr Dju Tth Rbt Tlm Orn Berr Ges Dje BSa Khh BtNa Lbs Cst DhM Dze Hrh Ght 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 78 80 81 01G 01H 01K 05A 06A 06B 06C 06D 06G 06H 06K 06N 06P 06R 06Rd 06S 06V 06Z 12A 12Ab 12Ai 12B 12E 12Eb 13A 13Ab 13Ac 13Ax 13B 13Ba 13Bg 13C 13Cf 13D 13Da 13F 13G 13Ga 13Gö 13Gg 13Gv 13Gw 14I 14Ib 21L 21Le 21Lf 21Ld 21N 21Nb 21Nh 21O 23D 23Dc 23I 23Ia 23Ib 23E 25F 25Fa 25Fb 25Fc 30A 30Ab 30B 30Bb 30Bc 30Bk 30D 30Da 30Df 33K 36D 36Db 36F 36Fb 38H 38Hc 39C 44A 44Aa 44L 44Lb 44Lc 44O 44Oi 46F 46Fc 46Fd 46Ff 46G 46Gf 48D 48F 49E 49Ea 49F 49Fb 49Fe 49Ff 56B 56F 58C 58G 58Gd 58Gk 58K 58R 58Rb 62D 62H 62G 62Ga 62F 65A 65Ai 65Ag 65Am 65Am1 65As 65B 65Bn 65Bn1 65Bo 65Bx 65D 65Dc 65Df 65Dk 65Dl 65Dq 65Dn 65Dm 65Do 65Dr 65Dt 65E 65Eb 65Ec 65Eç 65Ed 65F 65Fb 65Fç 65Fd 65Fe 65Fg 65Fh 65Fi 65Fj 65Fq 65Ft 65Fz 65G 65Ga 65Gb 65Gd 65Gf 65Gy 65Gz 65K

- 65Kğ 65Kl 65Z 65Ks 65Kş 65Ky 65Ky1 65Kw 65L 65Le 65M 65Md 65N 65Nc 65Nl 65Np 65Nr2 65Nr6 65Nş 65Nm 66A 66P 66Pa 72F 76B 76Bf 76Bh 78D 78Da 80B 80Bc
- 343. Coenonympha (s.str.) saadi (Kollar,[1849])** (Satyridae) Synonym(s): *saadi* Kollar,[1849]; *iphias Eversmann,1851*. Range (as codes): Cc AM IR Ab Ak Msw Zj Fa Elb Th Ha TR Arr IQ Slh 02 12 13 21 23 25 27 30 44 46 47 56 58 62 63 65 72 73 76 02E 02Ff 02Fz 12A 12Ab 12B 13C 13Cf 13E 13Ea 13F 13G 13Gv 21K 21L 21Lf 21N 21Nb 21O 21P 23C 23Cc 23D 23Dc 23I 23Ia 23Ib 23M 30A 30Ab 30B 30Bc 30Bf 30Bg 30Bo 30Br 30Bt1 30D 30Da 44A 44Aa 44Ac 44E 44L 46G 46Gi 47D 47F 47H 56A 56B 56F 58G 58Ga 58Gi 62D 62E 62F 62H 63E 63M 65A 65Ai 65D 65Dc 65Dç1 65Dd 65Dda 65Dk 65Dl 65Dlc 65Do 65Doa 65Dn 65Fz 72E 72Eb 72Ec 72Ed 72Ef 72Ek 72F 73A 73Ac 73Ae 73C 73Cd 73Ce 73D 73Df 76B
- 344. Coenonympha (s.str.) symphita Lederer,1870** (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919 Range (as codes): BG Cc GG Smt Akh TR 04 08 25 36 75 76 25F 25Fb 36F 36Fb 75F 76C
- 345. Erebia aethiops (Esper,[1777])** (Satyridae) Synonym(s): *aethiops* Esper,[1777]; *ligea* Poda,1761 *nec* Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936. Range (as codes): At Kts Bn Ur AT Ba BE BG BY CH CZ DE FR GB Cc GG AZ AM GR HU IT Kr LT LU LV NL PL RO RU SK Sm So Sr TR UA YU KG Sp Mn CN Ui 05 08 14 18 25 29 36 37 52 53 55 57 60 61 74 75 76 77 78 05A 14I 14Ib 25F 25Fa 25Fb 25Fc 75F
- 346. Erebia graucasica Jachontov,1909** (Satyridae) Synonym(s): *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotshetova,1984. Range (as codes): IR Ak Sah Sbl RU TR Cc GG 08 25 29 53 60 69 75 25F 25Fc
- 347. Erebia hewitsonii Lederer,1864** (Satyridae) Synonym(s): *hewitsonii* Lederer,1864 Range (as codes): Cc GG Aba Smt Akh TR 08 25 29 53 61 75
- 348. Erebia iranica Groum-Grshimailo,1895** (Satyridae) Synonym(s): *iranica* Groum-Grshimailo,1895 Range (as codes): IR Elb TR Arr Cc RU Kc Teh GG Kzb 04 76 04C
- 349. Erebia ligea (Linnaeus,1758)** (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 *nec* Poda,1761; *permagna* Fruhstorfer,1909; *carthusianorum* Fruhstorfer,1909. Range (as codes): AL At Kts AT BE BG BY CH CZ DE DK EE FI FR GR HU IT LT LV NL NO PL RO RU SE SK Sr TR UA YU RU Or Sm Bs Cb Tt So Sb Ty Om To No Pr KG Sp Mn MN Sj Bry Tv Ya Mgd JP CN Ui
- 350. Erebia medusa ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller],1775 Range (as codes): AL AT Ba BE BG BY CH CZ DE EE FR GR HU IT LU MN NL PL RO RU Sb SK Sm So Sr TR Cc Arr UA YU LAT Wn 06 08 14 18 25 29 34 36 37 60 61 67 69 74 75 76 78 06R 14I 14Ib 36D 36Db
- 351. Erebia melancholica Herrich-Schäffer,[1846]** (Satyridae) Synonym(s): *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937. Range (as codes): TR Arr Cc GG AM 08 25 29 53 61 76 25F 25Fb 25Fc 76C
- 352. Erebia ottomana Herrich-Schäffer,[1847]** (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer,[1847] Range (as codes): AL BG B-H FR GR HV IT MK Mt TR YU 16 25 29 37 52 61 25F 25Fc
- 353. Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) Synonym(s): *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. Range (as codes): AL Cc AZ BG Elb GG GR IQ Slh IR Ab Qba Jal Ak Elb Th Fa Mz RO RU Sm Sr Th TR VI YU 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76 04D 04H 04Ha 05A 06D 13A 13Aç 13Af 13Ag 13Ah 13Ax 13D 13Da 13E 13Ea 13F 13F7 13F71 13G 13Ga 13Gv 13Gw 24E 24Ea 25F 25Fa 25Fc 30B 30Bc 30Be 30D 30Dç 36D 36F 36Fb 44L 44Le 46F 46Ff 49E 49Ea 49Ec 49Ef 49F 49Fe 56F 65A 65Ad 65D 65Dc 65Dl 65Dlc 65E 65Eb 65F 65Fb 65Fc 65Fe 65Fg 65Fh 65Fi 65Fl 65Fm 65Fu 65Fü 65Fz 65G 65Gl 65Gp 65K 65Kb 65Kc 65Kd 65Kğ 65Kz 65Kl 65Z 65Kö 65Kü 65L 65Le 65N 65Np 65Nr2 65Nr3 65Nr6 65Nm 66A 76C 76D 76Dj
- 354. Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. Range (as codes): Ae AL BG Cc GG GR HV IL Pa Hf IQ IR Ab Mak Ak Elb Th Fa JO LB Rd SY TM TR 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 73 74 75 77 78 80 02D 05A 06N 06R 06Rd 23I 23Ib 25F 25Fa 27C 27Cb 30B 30Ba 30Bf 30Bd 30Bg 30D 30Da 31A 31B 31L 33A 33Ae 33K 33Kc 35T 35Tb 39C 46F 46Ff 46G 46Gf 46L 48A 48Aa 48Ak 48D 62D 65D 65Do 65Dt 80B 80Bc
- 355. Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) Synonym(s): *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000. Range (as codes): AF Kab Nu Hr BlM Bd Shv Ng AM Cc IN IQ IR Ab Fa Ss Elb Th Kp AE OM TM TR Bl Ci Gg Hu Nwf PK Abb Thu Koh K-P CN Ui 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76 21O 23C 23Cc 24E 25F 25Fa 30A 30Ab 30B 30Bc 30Br 31M 36F 36Fb 47H 56F 58G 58Gd 62F 65D 65Dp 65Dx 73A 73Ad 73Ad2 76D 76Da
- 356. Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc. Range (as codes): AL AT BE BG B-H BY CH CZ DE ES Mu FR GR HU HV IT LT MK NL PL PT RO RU Si SK SS TR Cc Arr UA YU DZ Sbd Eba Afl Btina Dja Lbs Blid MA Ifr TN Brd 01 03 05 06 07 08 10 11 12 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 52 58 60 65 66 67 70 71 76 81 05A 06D 06E 06K 06R 06Rd 06V 06Z 12E 12Eb 13F 13G 13Ga 13Gv 13Gw 25F 25Fa 30B 30Bc 36F 36Fb 39C 46G 46Gf 65D 65Do 65F 65Fd 65Fe 65Ft 65Fu 76C
- 357. Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) Synonym(s): *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct. Range (as codes): MA Azr TN DZ Btina Lbs Clo Blid Saia Ges Co Sa Si El F2o IT FR TR Cc 01 03 05 06 07 09 11 13 14 16 17 18 20 22 26 27 31

- 32 33 34 35 37 39 40 42 43 45 46 48 51 58 60 66 67 70 71 75 78 80 01E 01Ea 05A 06B 06C 06D 06K 06N 06R 06Rd 06V 07A 07Ak 07G 13C 13Cd 27C 27Cb 31B 33R 33Rb 33Rg 45L 45La 48A 48Ak 66P 66Pa
- 358. *Hipparchia (Parahipparchia) mersina* (Staudinger,1871) (Satyridae) Synonym(s):** *mersina* Staudinger,1871; *malickyi* Kudrna,1977. Range (as codes): GR Sms TR 01 07 10 16 17 27 31 32 33 34 35 42 45 46 48 51 70 80 01H 01E 01Ea 01K 01G 01D 07A 07Ah 07Ac 07B 27C 27Cb 31B 33R 33Rb 33Rg 45L 45La 46B 46Bb 46E 46Eb 46G 46Gi 48A 48Al 48As 48Au 80B 80Ba 80C
- 359. *Hipparchia (Parahipparchia) pellucida* (Stauder,1924) (Satyridae) Synonym(s):** *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. Range (as codes): AM AZ Cm Cc GG GR Ika IQ Ssa IR Ab Ak Le TR Arr UA 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 78 80 01E 01Ea 02A 02F 05A 12B 13G 14I 14Ib 25F 25Fa 27C 27Cb 31B 31E 31F 31Fb 31M 35T 35Td 36F 36Fb 46G 46Gi 46K 46Ka 46L 56F 65D 66A 75F 75Fc 76A 76Ab 78D 78Da 80B 80Bc 80C
- 360. *Hipparchia (Parahipparchia) volgensis* (Mazochin-Porshnjakov,1952) (Satyridae) Synonym(s):** *volgensis* Mazochin-Porshnjakov,1952 Range (as codes): AL Ao BG GR Ko MK RU Sm Sr TR VI YU 39
- 361. *Hipparchia (Pseudotergumia) pisidice* (Klug,1832) (Satyridae) Synonym(s):** *pisidice* Klug,1832 Range (as codes): TR EG Sn JO IL Pa Hf LB Bei SY 63
- 362. *Hipparchia (s.str.) fagi* (Scopoli,1763) (Satyridae) Synonym(s):** *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orphanina* Fruhstorfer,1908; *sigurdripha* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuixiensis* Varin,1963. Range (as codes): AL Ao AT Ba BE BG B-H BY CH CZ DE ES FR GR HU HV IT Kr LU MK NL PL RO RU Si SK Sm So Sr SS UA VI YU TR
- 363. *Hipparchia (s.str.) syriaca* (Staudinger,1871) (Satyridae) Synonym(s):** *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. Range (as codes): Ae AL BG B-H CY GR HV IQ IR Ab LB Bei MK Rd RO TR Cc YU SY 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 52 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 78 80 01H 01K 05A 06R 06Rd 07A 07B 12E 12Ec 13F 13G 21N 21Nb 23D 23De 24E 24Ea 25F 25Fa 30D 30Df 30Dt 33A 33Ae 33Af 33K 33Kc 33R 33Rb 35T 35Td 48A 48Ai 48D 56A 56Ac 56F 62D 62F 65A 65Am 65Am2 65Am3 65F 65Fj 65N 65Np 65Nm 66A 66P 72E 72Eg 73C 73Cd 73D 73Db 73Df 75F 75Fc 78D 78Da 79B 80B 80Bc 80Bd
- 364. *Hyponephele (s.str. (Ereminephele)) naricoides* Gross,1977 (Satyridae) Synonym(s):** *naricoides* Gross,1977 Range (as codes): TR Cc AM IR Yz Ab Khy Ak 04 13 24 30 36 44 58 65 04B 04C 13A 13Aa 30B 30Bc 36D 44E 58G 58Gi 65G 65Gb 65B 65Bi 65Bx 65D 65G 65Ga 65Ge 65Gl 65K 65Kc 65Kl 65Z 65Kö 65Kğ 65Kw
- 365. *Hyponephele (s.str. (Iranonephele)) kocaki* Eckweiler,1978 (Satyridae) Synonym(s):** *kocaki* Eckweiler,1978 Range (as codes): TR IR Ab Sil 07 30 65 07D 30B 30Bb 30Bk 65Bx 65D 65Da 65G 65Ge 65K 65Kğ
- 366. *Hyponephele (s.str. (Tengrinephele)) cadusia* (Lederer,1869) (Satyridae) Synonym(s):** *cadusia* Lederer,1869 Range (as codes): IR Lo Fa Ab Ak Bk Es Ha Ke Elb Kp Kh TM Kp TR 65 65G 65Gb 65Gc 65Gn 65Gs 65K 65Kb 65Kc 65Kw 65Z
- 367. *Hyponephele (s.str. (Turaninephele)) urartua* De Freina & Aussem,[1987] (Satyridae) Synonym(s):** *urartua* De Freina & Aussem,[1987] Range (as codes): TR 25 30 73 25A 25C 25Ca 25F 25Fb 30B 30Ba 30Bc 30Bd 30Br 73C 73Cd
- 368. *Hyponephele (s.str. (Turaninephele)) wagneri* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s):** *wagneri* Herrich-Schäffer,[1846]; *schmidtii* Bang-Haas,1927. Range (as codes): AF Hr BI IQ IR Ab Zj Kdj Elb Ma Hz PK TR Arr 01 02 07 12 13 21 23 24 27 30 33 44 47 48 50 56 58 62 63 65 70 72 73 01H 02C 02E 02Ff 02Fz 02H 12B 13C 13Cf 13E 13Ea 21O 21P 23C 23Cc 23D 23Dc 23I 23Ia 23M 30D 30Df 33A 33Af 44E 44L 44Lb 47L 47La 47F 56F 58G 58Ga 58Gi 62G 62Ga 62F 62E 63B 63G 63M 65D 65Do 70C 70Cc 72E 72Eb 72Ed 72Ef 72Eg
- 369. *Hyponephele (s.str.) hasantahsin* Koçak & Kemal,2002 (Satyridae) Synonym(s):** *hasantahsin* Koçak & Kemal,2002 Range (as codes): TR 44
- 370. *Hyponephele (s.str.) lupina* (Costa,[1836]) (Satyridae) Synonym(s):** *lupina* Costa,[1836] Range (as codes): At Bn Ae AF AL AM Ao AZ Ba B-H Cr CY CZ DZ ES Mu FR GG GR HU Hr HV IL IQ IR IT JO KG KK LB MA MK MN PK PT Rd RU Si SK Sm Sr SS TJ TM TR UA UZ VI YU Uk Aq Ky Syr Tm Db Aa Tk Ka Kt Ty Pw Sp Mn Or Bs Sm Kg Sau Mrk Tar Dsa Iid T-S SY Tls CN Ui Il Ku Sju Hr Ax Kh Kp Cc Ab Krd Kro Su Sro Qba Jal Lbs Sbd Abe Dje Ktr Khh Btma Blm Kab Bl Bnu 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 78 80 02A 02E 02F 02Ff 02Fz 04D 04Db 05A 06B 06C 06D 06H 06K 06R 06Rd 06V 13A 13Ab 13Ac 13Ad 13Ae 13Af 13Ax 13D 13Da 13G 13Ga 13Gv 13Gw 21K 21L 21Le 21N 21Nb 21O 21P 25F 25Fa 27C 27Cb 30D 30Df 31M 36F 36Fb 44F 44Fb 44L 44Lc 44O 44Oi 45L 45La 46F 46G 46Gi 46K 46Ka 48A 48Ab 48Ad 48Ah 48Ae 56F 58R 58Rb 63D 65Bx 65D 65De 65Df 65Dg 65Do 65E 65Eb 65G 65Ga 65Gb 65Gd 65Ge 65Gn 65Go 65Gp 65Gs 65F 65Fb 65Fc 65Fe 65Fg 65Fh 65Fj 65Fi 65Fl 65Fr 65Fq 65Fu 65Fü 65Ft 65Fx 65Fz 65G 65Ge 65K 65Kğ 65Kl 65Z 65Kö 65Ks 65Kü 65Ké 65L 65Le 65N 65Nb 65Np 65Np1 65Nr2 65Nr3 65Nm 66A 72E 72Eb 72Eh 72F 73D 73Df 73H 76D 76Dg 80B 80Bc
- 371. *Hyponephele (s.str.) lycaon* (Rottemburg,1775) (Satyridae) Synonym(s):** *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005 Range (as codes): AL Ao AT Ba BG BY CH CN CZ DE EE ES Mu FI FR GR HU Ii IT IQ KG Ku LT LV PL PT RO RU Si SK Sm So Sr TR Cc UA Ui Uk VI YU SY At Bn Kts Kuz Sau Mrk Tar Ter KuA TrA Dsa Ket Ax IL He LB T-S IR Ab Khy Ar Sbl 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76 78 02Ff 02Fz 04D 04Db 12A 12Ai 13A 13Ac 13Ac1 13Ac2 13Ad 13G 13Ga 13Gv 13Gw 14I 14Ib 25F 25Fa 27C 30B 30Bc 33R 33Rb 33Rg 46F 46Fj 56F 65D 65Do 65F 65Fe 65Fg 65Fh 65Fj 65Fl 65Fr 65Fq 65Fp 65Fs 65Fü 65Fu 65Fx 65Fz 65G 65Gb 65Gl 65Gm 65Gz 65K 65Kb 65Kl 65Z 65Kö 65Kğ 65Kü 65N 65Nr2 65Nm

- 372. Hyponephele (s.str.) lycaonoides Weiss, 1978** (Satyridae) Synonym(s): *lycaonoides* Weiss, 1978; *#lycaonides* Nazari, 2003 Range (as codes): IR Ab Khy Th Diz Lo TR Cc AM Nv AZ 07 13 30 65 69 73 13F 30B 30Bo 30D 30DF 65A 65Ai 65D 65Do 65F 65Fp 65Fz 73D 73Dg
- 373. Hyponephele (s.str.) zuvandica Samodurov & Koroljev, 1996** (Satyridae) Synonym(s): *zuvandica* Samodurov & Koroljev, 1996; *#zuvandi* Korb, 2000 Range (as codes): Cc AM AZ TR IR Ab 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76 05A 06B 06C 06D 06H 06K 06R 06Rd 06Z 65G 66A
- 374. Idata cecilia (Vallantin, 1894)** (Satyridae) Synonym(s): *ida* Esper, 1784 *nec* Cramer, 1775; *cecilia* Vallantin, 1894; *aphrodite* Hemming, 1934. Range (as codes): AL Co DZ Ktr Clo Ndr Agi BSa Ktr Ght Btina DhM Tun Tlm Rbt Gf ES Mu Mu18 FR GR IT MA PT Sa Si TN TR YU LY Cy 05 16 34 05A
- 375. Kirinia (Melike) roxelana (Cramer, [1777])** (Satyridae) Synonym(s): *roxelana* Cramer, [1777]; *#anatolica* Koçak, 1989 Range (as codes): Ae AL BG Cc Cm CY GR Rd RO RU LB IQ Ssa IR Ab Lo TR UA YU SY 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 58 59 60 62 65 66 71 72 73 78 80 01K 02A 02F 02Fc 02Ff 05A 06B 06C 06G 06R 06Rd 07B 07Bb 07F 07M 12B 13B 13Ba 13C 13Cf 13F 15A 21L 21Lf 21N 21Nb 21O 21P 23C 23Cc 23D 23Dc 23M 24E 24Ea 27C 27Cb 31M 33R 33Rb 33Rg 39C 42D 42Dc 44A 44Aa 44L 45L 45La 46G 46Gf 47L 47La 47F 47Fa 48A 48Ab 48Ah 48Ae 48Ai 48Ak 48D 48F 49E 49Ea 56A 56B 56F 56Fc 62F 62G 62Ga 65A 65Ai 65D 65Do 65Dk 65Do 66A 72F 73A 73Ad 73Ad2 73C 73Cd 73D 73Df 78D 78Da 80A 80B 80Bc 80C
- 376. Lasiommata maera (Linnaeus, 1758)** (Satyridae) Synonym(s): *maera* Linnaeus, 1758; *pandion* Poda, 1761; *hiera* Fab., 1777; *maja* Fuchs, 1873; *monotonia* Schilde, 1885; *crimea* Bang-Haas, 1907; *atabryris* Fruhstorfer, 1909. Range (as codes): Ae AL Cc AM At Bn AT AZ Ba BE BG B-H Bs BY Cb CH Cr CY CZ DE DK EE ES Mu FI FR GG GR HU HV IL IT KG Kg Kr Kw LB LT LU LV MK Mn NL No NO Om Or PL Pp PT Rd RO RU SE Si SK Sm So Sp Sr SS Tk Tr Tt Ty UA Uk Vi YU At Sau Mrk Tar Dsa Cb Kg Pp Kw Ty Pw SY Sb T-S Arr Pa Hf CN U Mu18 Cc Pja Kis Tbl Ab MA DZ Rf Lkr Dju 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 52 53 56 57 58 60 61 62 65 66 67 68 71 73 74 75 76 78 80 01D 01G 01H 01K 02C 05A 06B 06G 06K 06R 06Rd 13A 13Ac 13Ac1 13Ax 13G 13Gv 13Gw 21N 21Nb 21O 25F 25Fa 25Fb 27C 27Cb 30B 30Be 31K 31Ka 31M 33A 33Ağ 33R 33Rb 36F 36Fb 46F 46G 46L 48A 48Ag 48D 56F 58G 58Gi 65A 65Ac 65Ac2 65Am 65Am4 65As 65At 65B 65Bn 65Bn1 65D 65Do 65F 65Fç 65Fe 65Fq 65Fz 65K 65Kc 65Kl 65Z 65Km 65Kö 65L 65Le 66A 80B 80Bc 80C
- 377. Lasiommata megera (Linnaeus, 1767)** (Satyridae) Synonym(s): *megera* Linnaeus, 1767; *caledonia* Verity, 1911; *alticola* Verity, 1911; *pseudoadrasta* Stauder, 1922; *infrapallens* Verity, 1922; *ocellator* Verity, 1923; *pallidedepulverata* Verity, 1923. Range (as codes): Ae AL AT BE BG B-H BY CH Co Cr CY CZ DE DK EE ES Mu Mu18 FI FR GB GR HU HV IE IL IQ Dy IR Ab Qba Jal Ak Msw Krd IT Kp Kr LB LT LU LV MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY TM TR Cc JO UA VI YU Cw Dv Smt H-W Sur Ssx Ken DZ MA TN Ski Ktr Dja Mkn Masc Ndr Saia Orn Agi Blid Ges Dje Bsk Btina Lbs Khh Cst Ess Mzg Hrh Ahr Azr Rbt 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 75 76 77 80 01D 01E 01Ea 01G 01H 02E 02F 02Ff 02H 05A 06B 06G 06K 06N 06P 06R 06Rd 06S 06Z 13A 13Ac 13Ac1 13Ax 13B 13Bg 13F 13G 13Ga 13Gv 13Gk 13Gm 13Go 13Gs 13Gü 13Gw 21L 21Le 21N 21Nb 21P 25F 25Fa 25Fb 27C 27Cb 30B 30Be 30D 30Df 31K 31Ka 33R 33Rg 36F 36Fb 39C 44A 44Ab 44L 44Lc 45L 45La 46G 48A 48Aa 48Ad 48Ab 48Ag 48Am 48D 49E 49Ea 56F 63E 65A 65Aç 65B 65Bk 65Gx 65D 65Dd 65Dda 65G 65Ge 65Gn 65F 65Fe 65Fj 65Fl 65Fq 65Fs 65Ft 65F3 65K 65Kğ 65Kö 65Z 65N 65Nc 65Np 65Nm 66A 72E 72Eb 72Ed 73A 73Ad 73Ad2 73D 73Db 73Dg 73H 75F 76A 76Ac 76Ad 80E
- 378. Lasiommata menava Moore, 1865** (Satyridae) Synonym(s): *menava* Moore, 1865. Range (as codes): T-S AF Kab Ng Bl Ch Ci Gg Hp IN IQ IR Ab Ak Elb Fa Ke Yz Knw Kp Ld PK TJ TM TR KK KG Ax Syr Tm 30 65 73 30B 30Bf 65D 65Dd 73A 73Ad 73Ad2 73C 73Cd
- 379. Lasiommata petropolitana (Fabricius, 1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius, 1787; *ominata* Krulikovsky, 1903; *calidia* Fruhstorfer, 1908; *parvalpestris* Verity, 1929. Range (as codes): AL AT Ba BG BY CH CZ DE DK EE ES FI FR GR HU Ir IT LT LV NO PL RO RU SE SK TR UA YU Da Cc Sb Ya MN Am Ur At Bn Kts Nym Ktm Mkk Sau Tar Tt Bs Or Cb Kg Pw Om Sp Tk Mn No To 05 06 08 14 18 24 25 29 37 39 60 75 81 05A 06R 14I 14Ib
- 380. Maniola (Telmessiola) halicarnassus Thomson, 1990** (Satyridae) Synonym(s): *halicarnassus* Thomson, 1990 Range (as codes): GR TR 48 48A 48Ak 48Ac 48Aa 48Ab 48Aç 48Al 48Ad 48Ag 48Ai 48An 48Ao 48Aö 48Ap 48Aq 48Ar 48Aş 48Au
- 381. Maniola (Telmessiola) telmessia (Zeller, 1847)** (Satyridae) Synonym(s): *telmessia* Zeller, 1847; *palleseus* Butler, 1868; *kurdistan* Heyne, 1894; *oreas* Le Cerf, 1912; *manioides* Le Cerf, 1912; *ornata* Turati & Fiori, 1930; *marenigrans* Verity, 1938; *pelekasii* Kattulas & Koutsaftikis, 1978. Range (as codes): Ae GR IL Pa Hf IQ IR Km Ab Lo Krd JO LB Rd SY TR 01 02 03 07 09 10 12 13 15 17 20 21 23 27 30 31 32 33 35 42 44 45 46 47 48 51 56 62 63 65 70 72 73 80 01A 01E 01Ea 01G 01H 01K 02A 02B 02E 02Ff 02Fz 12A 12Ab 12B 13C 13Cf 13D 13Da 13E 13Ea 13F 13G 13Gd 21K 21N 21Nb 21P 21O 23D 23Dc 23E 23I 23La 23Ib 23M 27C 27Cb 30A 30Ab 30D 30Df 30Dt 31M 33A 33R 33Rg 35T 35Td 36F 36Fb 44O 44Oi 44I 44L 44Lb 44O 44Oi 45L 45La 47L 47La 47F 47E 48A 48Ak 48Ab 48Aa 48Am 48Aç 48A 48Ai 48An 48Ao 48Aö 48Aş 48Au 48Aü 48Av 48B 33F 33Ff 56F 56Fc 56Fi 58G 58Gi 58Gk 65A 65Ai 65Au 65D 65Dç 65Dk 65Dn 65Di 65Dla 65Dq 65Dm 65Dt 65Fi 65Fz 65K 65Ku 65Z 65N 65Np 65Np8 65Nm 66F 72E 72Eb 72Ec 72F 73A 73Ad 73Ad2 73D 73Db 73Df 73H 80B 80Bc 80Bd 80C 80E 80G
- 382. Maniola (s.str.) jurtina (Linnaeus, 1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus, 1758; *janira* Linnaeus, 1758; *lemur* Schrank, 1801. Range (as codes): Ae AL AM Ao AT AZ Ba BE BG B-H Bw BY Cc CH Co Cr CZ DE DK EE ES FI FR GB GG GR HU HV IE IQ IR IT Kr LT LU LV MK MT NL NO PL PT RO RU Sa SE Si SK Sm So Sr SS TM TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken PT Cn MA DZ TN ES MT F66 Sr Sm Or Bs Cb Tt So Ao KG Uk Mu Ab Ak Oru Msw Qba Gh Mz Elb Th Lo Kd Ha GlS Rbt Ndr Saia Agi Blid Ges Dje BSa Btina DhM Tun Cst Phv Lbs Hrh Hmk Sbd Tgr Azr AF Hr 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 78 80 81 01E 01Ea 01K 05A 06A 06B 06C 06D 06G 06H 06K 06R 06Rd 06Z 13A 13Ab 13Aç 13Ax 13F 13G 13Ga 13Gv 14I 14Ib

- 21O 23I 23Ja 23E 24E 24Ea 25F 25Fa 25Fb 25Fc 29A 29Ae 30B 30Bc 33R 33Rg 39C 44L 46B 46Bb 46F 46G 46Gf 46Gg 46Gi 49E 49Ea 49Ef 58G 58Ga 58Gg 58Gi 58R 58Rb 62F 62G 62Ga 62Gb 65A 65Ai 65Au 65D 65Do 65E 65Eb 65F 65Fc 65Fg 65Fh 65Fj 65Fq 65Fu 65Ft 65Fx 65Fz 65G 65Go 65Gq 65Gs 65F 65Fi 65Fq 65Fz 65G 65Gb 65K 65Kz 65Kk 65Kl 65Z 65Kö 65Kü 65L 65Le 65N 65Ne 65Np 65Nm 66A 66P 66Pa 75F 75Fi 78D 78Da 80B 80Bc
- 383. *Maniola (s.str.) megalala (Oberthür,1909)* (Satyridae) Synonym(s):** *megalala Oberthür,1909; maraschi Pfeiffer,1932; antalyana Tauber,1970. Range (as codes):* GR Le TR 01 07 31 33 35 46 48 80 01A 01G 07B 07Bc 07M 07Mb 31B 31E 31L 31M 46B 46Bb 46G 46K 46Ka 48F 80B 80Bd 80Bc
- 384. *Melanargia (Parce) russiae (Esper,[1784])* (Satyridae) Synonym(s):** *russiae Esper,[1784]; suwarovius Herbst,1796; clotho Hübner,[1800]; varalauko Korb,2005 Range (as codes):* Fo4 Fo6 F12 F33 F48 F66 FR PT Abz AL IT MK Si AL AM Ao At Aty AZ BG BY CN ES GG GR HU IR IT KG KK MK RU Sm So Sr TM TR T-S UA Ui Uk VI Kt Kw No Om Or Pw RU Sem Sp Tk Ty Ur Vt Ze Kt Bs At Bn Tt Sr Ch Kg Kw Mn Na Rk Sau Tar Dsa TeA KuA TrA Ku Elb Mz T-S Kp Mu Gor Cc 04 13 25 30 36 65 69 75 76 04D 04Db 13B 13Ba 13G 13Gö 13Gg 13Gv 13Gw 13Gz 30B 30Bb 30Bg 30Bk 30D 30Da 65B 65Bk 65Bx 65G 65Gd 65Ge 65F 65Fe 65Fö 65Fü 65Fw 65Fz 76C
- 385. *Melanargia (Turcargia) grumi Standfuss,1892* (Satyridae) Synonym(s):** *grumi Standfuss,1892 Range (as codes):* IQ Ssa Slh TR IR Il Kd Km Bkn Lo Drd Krr Mml Pld 02 13 21 23 30 47 56 63 72 73 02F 02Ff 02Fz 13F 13G 21K 21P 21C 21L 21Lf 21N 21Nb 30D 30Df 56F 72E 72Eb 72Ec 72Ed 72Ef 72Eg 72Ei 72Ej 73H
- 386. *Melanargia (Turcargia) hylata (Ménétriés,1832)* (Satyridae) Synonym(s):** *hylata Ménétriés,1832 Range (as codes):* Cc AZ IR Ab Jal Ak Mrd Zj Elb Th Fa TR IQ 04 13 21 30 65 13A 13Ab 13Ac 13Ae 13Af 13Ag 13Ah 13Ax 13F 13G 13Gc 13Gv 13Gw 30B 30Bc 65A 65Ai 65B 65Bb 65Bc 65Bk 65Bo 65Bx 65D 65Dc 65Dd 65Df 65Dg 65Do 65E 65Ea 65F 65Fc 65Fe 65Fg 65Fi 65Ft 65Fz 65G 65Gb 65K 65Kb 65Kc 65Ké 65Kl 65Kr 65Z 65Kö 65Kü 65Kz 65Kk 65G 65Gf 65Gy 65Gm 65Gl 65L 65Le 65N 65Nj 65Np 65Np1 65Np2 65Np3 65Np4 65Nr3 65Nr2 65Nr6 65Ns 65Nm
- 387. *Melanargia (Turcargia) larissa (Geyer,[1828])* (Satyridae) Synonym(s):** *larissa Geyer,[1828]. Range (as codes):* AEu AL AM AZ BG B-H GG Cc Smt Akh Aba GR HV Lim MK Smo TR Arr YU IR 03 04 05 06 08 13 14 17 18 19 22 24 25 26 28 29 33 35 36 37 38 40 42 43 44 45 46 51 58 60 64 66 68 69 71 74 75 76 78 04D 04Db 05A 06A 06B 06C 06D 06E 06G 06H 06K 06N 06P 06R 06Rd 06S 06Y 06V 06Z 13G 13Gw 25F 25Fa 25Fb 25Fc 29A 29Ae 33R 33Rb 33Rg 36F 36Fb 44E 44L 44Le 44O 46D 46H 46Hb 46K 58G 58Ge 58Gi 58Gj 58Gk 66A 76C 78D 78Da
- 388. *Melanargia (Turcargia) syriaca (Oberthür,1894)* (Satyridae) Synonym(s):** *syriaca Oberthür,1894 Range (as codes):* TR IR Ab Kd 01 12 13 21 23 24 25 30 31 46 49 62 65 73 80 12A 12Aa 12C 12E 12Eb 12Ea 13D 13A 13F 13G 13Ga 13Gv 24L 25D 30B 30Ba 30Bc 30Be 30Bf 30Bo 30Bq 30D 30Da 31F 31Fb 31M 46G 46Gi 46F 46Ff 46Fi 46L 49E 49Ea 49Ed 49Ef 49F 49Fd 62E 62F 62G 62H 65A 65Ac 65Ac 65Ac2 65Ai 65Au 65At 65At2 65Am 65Am1 65Am2 65Am3 65Am4 65D 65Do 65Di 65Dk 65F 65Fa 65Fb 65Fc 65Fd 65Fe 65Fg 65Fm 65Fq 65Fs 65Fz 65G 65Gb 65K 65Kö 65Z 80A 80Bd
- 389. *Melanargia (Turcargia) titea (Klug,1832)* (Satyridae) Synonym(s):** *titea Klug,1832 Range (as codes):* IL Pa JO LB Bei SY TR 01 02 27 31 33 44 46 63 80 02A 02E 01A 01E 01Ea 01F 27C 27Cb 31A 31Aa 31B 31L 31La 31M 33A 33N 33P 33R 33Rg 44F 46G 46Gf 46Gi 46K 46Ka 63B 63E 63G 63N 63Na 63M 80B 80Ba 80Bb 80Bc 80Bd 80E
- 390. *Melanargia (s.str.) galathea (Linnaeus,1758)* (Satyridae) Synonym(s):** *galathea Linnaeus,1758; leucomelas Esper,1783; leucomelanos Fourcroy,1785; galene Ochsenheimer,1807; bitorensis Guillemot,1858; pygmaea Fruhstorfer,1916; malmmediensis Derenne,1926; xanthonica Varin,1948. Range (as codes):* AL Cc AM AT Ba BE BG B-H BY CH CZ DE DK EE ES FI FR GB GG GR HU HV IT IR Ak Kr LT LU LV MK NL PL RO RU SE Si SK Sm So Sr TR UA VI YU KH UK Or Sur Ssx Ken 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 78 81 05A 06R 14I 14Ib 36D 36Dd 39C 66A 78D 78Da
- 391. *Minois dryas (Scopoli,1763)* (Satyridae) Synonym(s):** *dryas Scopoli,1763; drymeia Fruhstorfer,1908; spiripontis Gaillard,1959; bucica Varin,1961; annae Douma-Petridou & Koufsaftikis,1988. Range (as codes):* AL At Bn Kts AT Aty Ba BG BY CH CN CZ DE ES FR GR HU IT IR Ak Kr LU PL RO RU Sb SK Sm So Sr TR Cc GG Bjo Lag Tbl Kir AM AZ Bak Da Hkd Kis Pja UA Ui Ju Gn Fkn Hun VI YU Ur Sau Tar Dsa Tra Tt Or Uk Gj Kt Ch Kg Pp Ty Kw Pw Ka Om No Ao T-S Ku Krl KP KR Mc JP Ab 08 34 39 41 53 60 61 75 39C 53H 75F
- 392. *Pararge aegeria (Linnaeus,1758)* (Satyridae) Synonym(s):** *aegeria Linnaeus,1758; meone Cramer,1782; egeria Ochsenheimer,1807; sardoa Verity,1908. Range (as codes):* Ae AL AM AT AZ Ba BE BG BY Cc CH Co Cr CY CZ DE DK DZ EE ES Mu Mui8 FI FR GB GG GR HU IE IT LB LT LU LV MA MT NL NO PL PT RO RU Sa SE Si SK Sm Sr TN TR UA VI YU Sr Or Bs Tt Cw Dv Smt H-W Sur Ssx Ken SY IQ IR Ab Sbd Agi Tth Rbt Tlm Saia Orn Blid Ges Ktr Bsk Khb Btina Cst Phv 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 26 27 28 29 30 31 32 33 34 35 38 39 41 42 44 46 47 48 52 53 55 56 58 60 61 65 67 73 74 75 77 80 81 05A 06R 13C 13Cd 13F 13F7 13F71 21N 21Nb 27C 27Cb 30C 30Cb 31K 31Ka 31M 33A 33R 33Rg 39C 44F 44Fb 44O 44Od 44Oi 44L 48D 48F 48L 56F 65A 65Ai 73D 73Df 73Dg 75F 75Fd 80C
- 393. *Proterebia afra (Fabricius,1787)* (Satyridae) Synonym(s):** *afra Fabricius,1787 Range (as codes):* Ba Cm GR HV IR Ab Oru KG Kr RU Sm So Sp Sr TM Kp Elb TR UA Uk VI T-S At Bn Nym Ktm Bkb Mrk Sau Tar Dsa Ax Db Bog Tk Aa CN Ui Cc AZ 02 06 13 23 24 25 32 33 36 38 51 58 65 66 68 70 71 02Fz 06A 06K 06Ke 06N 06S 13B 13Bg 13G 13Gw 13Gk 13Go 13Gm 13Gs 13Gü 23D 23Dc 58G 58Ga 58Gg 58Gd 65B 65Bn 65Bn1 65G 65Gf 65Gt 66P 66Pa 68B 70C 70Cb 70Cd
- 394. *Pseudochazara (Achazara) anthelea (Hübner,[1824])* (Satyridae) Synonym(s):** *anthelea Hübner,[1824]; atavirensis Coutsis,1973. Range (as codes):* Ae AL BG B-H Cr CY GR MK Rd TR Cc IR Kd Mz 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72 80 02B 02C 02Fz 05A 06B 06C 06D 06H 06K 06N 06R 06Rd 13A 13Ab 13Ax 13F 14I 14Ib 20P 21O 25F 25Fa 33A 33Ac 33Af 33K 33Kb 36F 36Fb 40D 40G 44E 44F 44Fb 44L 44Le 44O 44Oi 45L 45La 46F 46Ff 46Fg 48Aa 48Ab 48Ac 56F 64A 65D 65Dm 66A 70C 70Cb 71C 72E 72Eb 72Ed 72Eg 72Ek 80B 80Bc
- 395. *Pseudochazara (Achazara) telephassa (Geyer,[1827])* (Satyridae) Synonym(s):** *telephassa Geyer,[1827] Range (as codes):* AF Ng Jla Pag Kab Cc AZ Bl Gg Hyb Nwf IL Pa Hf IQ IR Ab Ak Shf Msw Ahz Ar Ara

B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj JO LB PK SY TM TR 01 02 12 13 21 23 27 30 31 36 44 46 47 50 56 62 63 72 73 76 80 02A 02C 02E 02Ff 02Fz 02H 13F 56F 63D 63E 72E 72Eg 73D 73Df 76B 76Ba 76C 76D 76Da 80A

- 396. *Pseudochazara* (s.str.) *aurantiaca* (Staudinger,1871) (Satyridae) Synonym(s):** *aurantiaca* Staudinger,1871 Range (as codes): IR Elb Arr TR Cc GG Aba 76 76C 76D 76Da
- 397. *Pseudochazara* (s.str.) *beroe* (Freyer,[1843]) (Satyridae) Synonym(s):** *beroe* Freyer,[1843] Range (as codes): TR Arr Cc IR Ab Ak 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76 80 06R 13A 13Ac 13Ax 13G 13Gv 13Gw 25F 25Fb 25Fc 65B 65Bk 65Bx 65D 65Dp 65Gb 65Gd 65Ge 65G 65F 65Fs 65Fü 65Fw 65Fz 65K 65Kc 65Z 70C 70Cb 80B 80Bc
- 398. *Pseudochazara* (s.str.) *geyeri* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s):** *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 Range (as codes): AL GR MK Cc TR Arr IR Ab 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76 05A 06N 13A 13Ac 13Ac1 13Ac2 13Ac3 13Ax 13G 13Gv 13Gw 25F 25Fc 36F 36Fb 58G 58Gg 65B 65Bk 65Bx 65D 65Dp 65F 65Fs 65Fü 65G 65Gd 65Ge 65Gn 65Gp 65Gv 65Gz 65K 65Kc 65Kl 65Z 65Kö 65Kg 65Kw 76C 76D 76Da
- 399. *Pseudochazara* (s.str.) *guriensis* (Staudinger,[1878]) (Satyridae) Synonym(s):** *guriensis* Staudinger,[1878] Range (as codes): Cc AM GG Aba Smt Akh RU Kb Kr Da TR 08
- 400. *Pseudochazara* (s.str.) *lydia* (Staudinger,1878) (Satyridae) Synonym(s):** *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978. Range (as codes): TR 01 03 07 15 16 20 32 33 35 42 43 48 64 70 33R 33Rb 70A 70Ac 70C 70Cb
- 401. *Pseudochazara* (s.str.) *mamurra* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s):** *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,[1896] Range (as codes): GR He IL LB TR Arr Cc RU Da SY IR Ab Ak Fa Ke Ss 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 70 73 76 01K 02Fz 05A 07A 07Af 13A 13Ab 13Ax 13G 13Gv 25C 25Ca 25F 25Fa 25Fb 25Fc 33O 33R 33Rd 36F 36Fb 38H 38Hc 42B 44E 51B 58G 58Gg 58Gh 58Gi 65Bx 65D 65Dc 65F 65Fç 65Fe 65Fp 65Fz 65G 65Gd 65Ge 65K 65Kg 66A 70C 76C 76D 76Da
- 402. *Pseudochazara* (s.str.) *mniszechii* (Herrich-Schäffer,[1851]) (Satyridae) Synonym(s):** *mniszechii* Herrich-Schäffer,[1851] Range (as codes): Cc GG Aba Smt Akh GR TR IR 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74 78 05A 06B 06D 06H 06K 06N 06R 06Rd 06V 06Y 06Z 14I 14Ib 25F 25Fa 25Fb 46F 66A 78D 78Da
- 403. *Pseudochazara* (s.str.) *pelopea* (Klug,1832) (Satyridae) Synonym(s):** *pelopea* Klug,1832 Range (as codes): IL Pa IQ TIH IR Ab Sro Ak Elb Th Ke Fa JO LB SY TM Kp Kh TR Cc 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53 56 58 62 63 65 72 73 76 80 01K 02A 02B 02C 02E 02F 02Ff 02Fz 13A 13Ab 13Ac 13Ax 13F 13G 13Ga 13Gv 13Gw 21K 23C 23Cc 23I 23Ia 23Ib 23M 30B 30Bc 30Br 30D 30Df 44L 44Lc 44O 44Oi 46D 46F 46Ff 49A 49Aa 49E 49Ea 49Ef 56F 65A 65Ac 65Ac2 65Ai 65Am 65Am3 65B 65Bk 65Bx 65D 65Dc 65Do 65E 65Eb 65F 65Fç 65Fe 65Fd 65Fe 65Fg 65Fh 65Fj 65Fq 65Fx 65Fz 65G 65Ga 65Gb 65Gc 65Gd 65Ge 65Gf 65Gy 65Gn 65Go 65Gp 65K 65Kb 65Kc 65Kl 65Z 65Km 65Kö 65Kş 65Ku 65Kü 65Kz 65Kg 65Kw 65N 65Np 65Np2 65Np3 65Np4 65Np5 65Np7 65Np8 65Nr2 65Nr3 65Nr6 65Nm 65Ns 72E 72Eg 72Ek 73A 73Ad 73Ad2 73C 76B 76Ba 76C 76D 76Da 80B 80Bc
- 404. *Pseudochazara* (s.str.) *schakuhensis* (Staudinger,1881) (Satyridae) Synonym(s):** *schakuhensis* Staudinger,1881; *brandti* Holik,1949. Range (as codes): IR Elb Se Ak Es TR 30
- 405. *Pyronia tithonus* (Linnaeus,1771) (Satyridae) Synonym(s):** *tithonus* Linnaeus,1771; *tiphon* Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis* Fourcroy,1785 *nec* Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moulty,1938; *armoricanus* Moulty,1938 Range (as codes): AL BE BG Bw BY CH Co DE DK ES Mu FR GB GR HU IE IT LU NL PL PT RO RU Sa TR UA YU Cw Dv Smt H-W Sur Ssx Ken MA Rf 03 05 11 14 16 17 19 20 34 35 39 41 42 55 59 60 67 05A 14F 39C
- 406. *Satyrus* (*Asatyrus* (s.str.)) *amasinus* Staudinger,1861 (Satyridae) Synonym(s):** *bryce* Herrich-Schäffer,[1852] *nec* Hübn.,[1800]; *amasinus* Staudinger,1861 Range (as codes): Cc GG TR IL He LB 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 70 71 76 02Fz 05A 06C 06K 23D 23Dc 24E 24Ea 25F 25Fa 25Fc 44L 44Lc 46F 46Fj
- 407. *Satyrus* (*Asatyrus* (s.str.)) *ferulus* (Fabricius,1793) (Satyridae) Synonym(s):** *proserpina* Cyrillo,1787 *nec* Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 *nec* Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800]. Range (as codes): AL At AT Ba BG BY CH CN ES FR Gn GR IT KG MA MN RU Sm Sr TR Tv Ui T-S YU Am Kt Sau Tar DsA TrA Bog Sju T-I UA 01 03 07 32 33 42 46 51 01K 07A 07Aa 07Af 07B 07D 33A 46F 46Fg 46Fj
- 408. *Satyrus* (*Asatyrus* (s.str.)) *iranicus* Schwingenschuss,1939 (Satyridae) Synonym(s):** *iranicus* Schwingenschuss,1939; *kyros* Gross & Ebert,1975. Range (as codes): IR Elb Th Ab Ak Sbl TR 13 30 65 73 13G 13Gö 13Gv 13Gw 65B 65Bk 65Bx 65E 65Eb 65F 65Fb 65Fc 65Fu 65Fü 65Fp 65Fz 65G 65Ge 65Gl 65K 65Kö 65Kq 65Kr 65Z 65Kz 65Kg
- 409. *Satyrus* (s.str.(s.str.)) *favonius* Staudinger,[1892] (Satyridae) Synonym(s):** *favonius* Staudinger,[1892] Range (as codes): IR Ab Khy TS Lo Kd Sqq Bne TR Cc IQ 01 04 07 08 12 13 24 25 27 30 31 33 36 42 44 46 49 51 53 58 62 63 65 73 76 01K 07A 07Ak 12B 13G 13Gw 25F 25Fb 30B 30Bc 30Br 30Bt1 31M 33R 33Rb 33Rd 44L 46F 46Ff 46Fj 46L 49F 49Fd 65A 65Am1 65Am3 65D 65Dc 65Dç1 65Dp 65G 65Gp 65F 65Fe 65Fj 65Fi 65Fp 65Fz 65K 65Kl 65Z 65N 65Nr4 65Nm 76D 76Da
- 410. *Satyrus* (s.str.(s.str.)) *parthicus* Lederer,1869 (Satyridae) Synonym(s):** *parthicus* Lederer,1869; *pimpla sensu* Wiltshire,1957 Range (as codes): IR Elb Th Ab Ak TR Cc Arr IQ 08 13 24 25 29 30 65 69 13G 13Gv 25F 25Fc 65Bx 65D 65Dp 65F 65Fs 65G 65Gd 65Ge

- 411. *Triphysa phryne* (Pallas,1771)** (Satyridae) Synonym(s): *phryne* Pallas,1771; *tircis* Cramer,1777; *dohrnii* Zeller,1850 Range (as codes): Ao At Bn Ba CN Ir KG Kl RU Sm Sr Om TR Arr Cc T-S Ui Uk Vl Gj Aq Sp Bkb Ktm Sau Mrk Tar DsA TrA Aa Tk Mn o4 76 76B 76Bh 76C
- 412. *Ypthima asterope* (Klug,1832)** (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978. Range (as codes): Ad Ae AF Ng Jla As CY Dh EG GR Hd Hj IL Pa Hf IN Ass MM May Shn Mpr IQ IR JO KW LB OM PK Rd SA SY TR AE YE ZA Tva Lpo Spb Mpu Brb Wea Kru K12 Wv Kaa Ly Suw Wri Wb NA AO VN Ann TH o1 o7 31 33 48 o1A o1G 31K 31Ka 33A 33Ah 33Ai

List of the moth species of Turkey

In the following list, 5158 species of 67 families are listed. These families are as follows in alphabetical order: Adelidae, Agonoxenidae, Alucitidae, Arctiidae, Autostichidae, Blastobasidae, Bombycidae, Brachodidae, Brahmaeidae, Bucculatricidae, Carposinidae, Choreutidae, Cimeliidae, Coleophoridae, Cosmopterigidae, Cossidae, Ctenuchidae, Deoclonidae, Douglassiidae, Drepanidae, Elachistidae, Endromidae, Epermeniidae, Eriocottidae, Eriocraniidae, Ethmiidae, Gelechiidae, Geometridae, Glyphipterygidae, Gracillariidae, Heliodinidae, Hepialidae, Incurvariidae, Lasiocampidae, Lecithoceridae, Lemoniidae, Limacodidae, Lymantriidae, Lyonetidae, Micronoctuidae, Micropterigidae, Momphidae, Nepticulidae, Noctuidae, Notodontidae, Oecophoridae, Opistegidae, Prodoxidae, Psychidae, Pterolonchidae, Pterophoridae, Pyralidae, Roeslerstammidae, Saturniidae, Schreckensteiniidae, Scythridae, Sesiidae, Sphingidae, Stathmopodidae, Thaumetopoeidae, Thyatiridae, Thyridae, Tineidae, Tischeriidae, Tortricidae, Yponomeutidae, and Zygaenidae.

Adelidae

- 413. *Adela auricella* Ragonot, 1874** (Adelidae) Synonym(s): *auricella* Ragonot, 1874 Range (as codes): PT ES FR PL RU AT HU CZ SK IT YU GR TR
- 414. *Adela australis* (Heydenreich, 1851)** (Adelidae) Synonym(s): *alrovandella* De Villers, 1789; *australis* Heydenreich, 1851; *australis* Herrich-Schäffer, 1855 Range (as codes): ES FR Co Si IT CH YU AL BG TR 35 35T
- 415. *Adela chlorista* (Meyrick, 1912)** (Adelidae) Synonym(s): *chlorista* Meyrick, 1912 Range (as codes): TR 31
- 416. *Adela croesella* (Scopoli, 1763)** (Adelidae) Synonym(s): *croesella* Scopoli, 1763; *podaella* Linnaeus, 1767; *sultzella* Linnaeus, 1767; *malletella* Fourcroy, 1785; *fasciata* Esper, 1791; *sultzii* Haworth, 1828; *sulzeriella* Zeller, 1839; *laqueatella* Zeller, 1850. Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY 05 16 05A 16A
- 417. *Adela mazzolella* (Hübner, [1801])** (Adelidae) Synonym(s): *aurella* [Denis & Schiffermüller], 1775 nec Fabr., 1775; *mazzolella* Hübner, [1801]; *armeniella* Rebel, 1902 Range (as codes): ES FR IT AT CZ SK HU RO GR TR Cc AM Eri 44 76
- 418. *Adela reaumurella* (Linnaeus, 1758)** (Adelidae) Synonym(s): *reaumurella* Linnaeus, 1758; *viridella* Scopoli, 1763; *sphingiella* Hübner, 1793; *viridis* Haworth, 1828; *#nigra* Zeller, 1853; *speyeri* Zeller, 1853; *vernella* Bruand, 1859 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT Vor Trl Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL BG TR DK NO SE LV LT RU MD UA BY 16
- 419. *Adela repetitella* Mann, 1861** (Adelidae) Synonym(s): *repetitella* Mann, 1861 Range (as codes): GR TR 05 06 70 05A 70D
- 420. *Adela violella* ([Denis & Schiffermüller], 1775)** (Adelidae) Synonym(s): *violella* [Denis & Schiffermüller], 1775; *tombacinella* Stainton, 1851 Range (as codes): ES FR IT BE NL LU DE CH AT Trl Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO BG TR Cc RU MD UA BY 75 75F 75Fb
- 421. *Cauchas anatolica* (Rebel, 1902)** (Adelidae) Synonym(s): *anatolica* Rebel, 1902 Range (as codes): GR TR 14 42
- 422. *Cauchas fibulella* ([Denis & Schiffermüller], 1775)** (Adelidae) Synonym(s): *fibulella* [Denis & Schiffermüller], 1775; *pulchella* Eversmann, 1844; *immaculata* Wocke, 1877 Range (as codes): ES FR IT GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 423. *Cauchas florella* (Staudinger, 1871)** (Adelidae) Synonym(s): *florella* Staudinger, 1871 Range (as codes): TR RU MD UA BY 0 06
- 424. *Cauchas leucocerella* (Scopoli, 1763)** (Adelidae) Synonym(s): *leucocerella* Scopoli, 1763; *conformella* Zeller, 1839; *bimaculella* Fischer v. Röslerstamm, 1840 Range (as codes): FR IT DE AT PL CZ SK HU RO YU AL BG GR TR LV RU MD UA BY
- 425. *Cauchas rufifrontella* (Treitschke, 1833)** (Adelidae) Synonym(s): *rufifrontella* Treitschke, 1833 Range (as codes): FR IT DE AT PL CZ SK HU RO YU AL GR TR DK RU MD UA BY 05 16 35 42 05A 16A
- 426. *Cauchas rufimitrella* (Scopoli, 1763)** (Adelidae) Synonym(s): *rufimitrella* Scopoli, 1763; *purpuratella* Zeller, 1850 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT Vor Trl Krt Stm Slz UAT LAT Wn PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY
- 427. *Cauchas tridesma* (Meyrick, 1912)** (Adelidae) Synonym(s): *trifasciella* Staudinger, 1879 (*praeocc.*); *tridesma* Meyrick, 1912. Range (as codes): TR RU Sr 05 05A
- 428. *Nematopogon adansoniella* (De Villers, 1789)** (Adelidae) Synonym(s): *adansoniella* De Villers, 1789; *panzerella* Fabricius, 1794; *panzeri* Haworth, 1828; *sabulosella* Walker, 1863; *annulatella* Ragonot, 1876;

- pseudopilella* Peyerimhoff, 1877. Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK RO YU AL TR DK SE EE LT RU MD UA BY 61
429. **Nematopogon pilella** ([Denis & Schiffermüller], 1775) (Adelidae) Synonym(s): *pilella* [Denis & Schiffermüller], 1775; *pilea* Haworth, 1828; *minutella* Snellen, 1884; *submetallica* Caradja, 1920; *flavicomella* Müller-Rutz, 1927 Range (as codes): FR IT GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
430. **Nematopogon robertella** (Clerck, 1759) (Adelidae) Synonym(s): *#robertella* Clerck, 1759; *pilulella* Hübner, [1813]. Range (as codes): AET DZ Clo FR IT BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 61
431. **Nematopogon schwarziella** Zeller, 1839 (Adelidae) Synonym(s): *schwarziellus* Zeller, 1839; *carteri* Stainton, 1854 Range (as codes): ES FR IT IE GB BE NL DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Chu MD UA BY 61
432. **Nematopogon swammerdamella** (Linnaeus, 1758) (Adelidae) Synonym(s): *swammerdamella* Linnaeus, 1758; *reamurella* Peyerimhoff, 1877. Range (as codes): FR IT IE GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Chu MD UA BY 16 16A
433. **Nemophora barbatella** (Zeller, 1847) (Adelidae) Synonym(s): *barbatellus* Zeller, 1847; *chalcochrysellus* Mann, 1855; *constantinella* Baker, 1888; *demaioni* Ragonot, 1889; *#padrejusto* Agenjo, 1965 Range (as codes): AET DZ Cst ES FR Co Sa Si IT YU AL BG GR Rd Cr TR 16 16A
434. **Nemophora chrysochraon** (Razowski, 1978) (Adelidae) Synonym(s): *pfeifferella* Hübner, [1813] (fig. 422) *nec* Hbn, [1813] (fig. 398); *chrysochraon* Razowski, 1978; *#chrysochranon* Razowski, 1978; *huebneri* Koçak, 1980 Range (as codes): FR DE CH AT PL SK HU RO YU BG TR Cc RU 16 75 16A 75F 75Fb
435. **Nemophora cupriacella** (Hübner, [1819]) (Adelidae) Synonym(s): *cupriacella* Hübner, [1819] Range (as codes): ES FR IT IE GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn PL CZ SK HU RO YU AL TR DK SE FI LV LT Cc GG LB 46
436. **Nemophora degeerella** (Linnaeus, 1758) (Adelidae) Synonym(s): *degeerella* Linnaeus, 1758; *debornella* Scopoli, 1772; *striatella* Fabricius, 1781; *phryganoides* Retzius, 1783; *geerella* Hübner, 1796; *degeerii* Haworth, 1828 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL BG TR Cc DK NO SE FI EE LV LT RU MD UA BY 75 75F 75Fb
437. **Nemophora dumerilella** (Duponchel, 1839) (Adelidae) Synonym(s): *basochesella* Hübner, [1824] (n.o.); *dumerilella* Duponchel, 1839; *inauratella* Duponchel, 1844; *#fervidellus* Zeller, 1853; *#zelleriellus* Zeller, 1853; *#dumeriliellus* Rebel, 1901 Range (as codes): ES FR BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SE EE RU 05 13 05A 13B 13Bg 13G 13Gü 13Gw
438. **Nemophora eretna** Kemal & Koçak, 2006 (Adelidae) Synonym(s): *eretna* Kemal & Koçak, 2006 Range (as codes): TR 65 65D 65D1
439. **Nemophora fasciella** (Fabricius, 1775) (Adelidae) Synonym(s): *fasciella* Fabricius, 1775; *schiffermillerella* [Denis & Schiffermüller], 1775; *fascia* Haworth, 1828; *schiffermuellerella* Treitschke, 1833; *annae* Zeller, 1853; *purpureus* Stainton, 1867 Range (as codes): FR IT GB BE NL DE AT PL CZ SK HU RO YU AL BG GR TR EE RU MD UA BY IL Pa 05 16 31 33 44 46 65 05A 31K 31Ka 31Ka5 65A 65Ai 65Am 65Am1 65F 65Fb
440. **Nemophora istriana** (Heydenreich, 1851) (Adelidae) Synonym(s): *istriana* Heydenreich, 1851; *dalmatinellus* Zeller, 1853; *beyruthella* Bruand, 1858; *chlorista* Meyrick, 1912 Range (as codes): ES YU TR LB Bei 16 31 16A 31M
441. **Nemophora metallica** (Poda, 1761) (Adelidae) Synonym(s): *metallica* Poda, 1761; *scabiosella* Scopoli, 1763; *viridella* Hübner, 1796; *aerosellus* Zeller, 1850; *rebelellus* Turati, 1924 Range (as codes): ES FR IT GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY 05 16 75 05A 16A 75F
442. **Nemophora mollella** (Hübner, [1813]) (Adelidae) Synonym(s): *mollella* Hübner, [1813]; *glabrata* Meyrick, 1922 Range (as codes): FR IT HU RO YU TR RU MD UA BY 05 16 45 16A
443. **Nemophora prodigella** (Zeller, 1853) (Adelidae) Synonym(s): *prodigellus* Zeller, 1853; *auricellus* Ragonot, 1874; *splendidus* Staudinger, 1880 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU AL RU MD UA BY TR 05 16 44
444. **Nemophora raddella** (Hübner, 1793) (Adelidae) Synonym(s): *raddella* Hübner, 1793; *latreillella* Fabricius, 1798; *raddaellus* Wocke, 1871; *algeriensis* Walsingham, 1907 Range (as codes): AET DZ Clo Cst PT ES FR Si IT MT CH CZ SK HU RO YU AL BG GR TR RU MD UA BY 45 46

Agonoxenidae

445. **Blastodacna libanotica** Diakonoff, 1939 (Agonoxenidae) Synonym(s): *libanotica* Diakonoff, 1939 Range (as codes): LB Ale TR 25 41 25K
446. **Chrysoclista ankaraensis** Seven Çalışkan, 2014 (Agonoxenidae) Synonym(s): *ankaraensis* Seven Çalışkan, 2014 Range (as codes): TR 06 06G 06Gb

- 447. *Chrysoclista linneella* (Linnaeus, 1761)** (Agonoxenidae) Synonym(s): *#linneella* Clerck, 1759; *linneella* Linnaeus, 1761; *schaefferella* Duponchel, 1828; *gemmatella* Costa, 1836; *obscuriilinneella* Bruand, 1859 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU SS MD UA BY US Ny On CA
- 448. *Haplochrois theae* (Kuznetsov, 1916)** (Agonoxenidae) Synonym(s): *theae* Kuznetsov, 1916 Range (as codes): GG Cc TR CN 53
- 449. *Heinemannia festivella* ([Denis & Schiffermüller], 1775)** (Agonoxenidae) Synonym(s): *festivella* [Denis & Schiffermüller], 1775; *kokujevi* Krulikowsky, 1903 Range (as codes): ES FR Si IT NL DE AT CZ SK HU RO YU AL BG LB Bsa TR SE RU MD UA BY
- 450. *Heinemannia laspeyrella* (Hübner, 1796)** (Agonoxenidae) Synonym(s): *laspeyrella* Hübner, 1796 Range (as codes): IT DE AT PL CZ SK HU RO YU AL BG TR NO SE FI EE LV LT RU Ur Sb MD UA BY 71
- 451. *Spuleria flavicaput* (Haworth, 1828)** (Agonoxenidae) Synonym(s): *flavicaput* Haworth, 1828; *aurifrontella* Geyer, [1832]; *aurocapitella* Bruand, [1851]; *flavicapitella* Doubleday, 1859 Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK SE RU MD UA BY

Alucitidae

- 452. *Alucita cancellata* (Meyrick, 1908)** (Alucitidae) Synonym(s): *cancellata* Meyrick, 1908 Range (as codes): FR IT RO YU TR RU MD UA BY SY Dms IL Js IR Kh Kd Bne Lo GlS Km MK B-H HV SS 06 13 31 42 13F 13F71 42B
- 453. *Alucita cinnerethella* Amsel, 1935** (Alucitidae) Synonym(s): *cinnerethella* Amsel, 1935 Range (as codes): TR CY IL Pa IR Fa Shr 31 31M
- 454. *Alucita cymatodactyla* Zeller, 1852** (Alucitidae) Synonym(s): *cymatodactyla* Zeller, 1852. Range (as codes): ES FR IT HU YU TR Cc IL Pa Js MK B-H HV SS LB IR Elb Th Mz By GlS 06 23 38 44 76 76C
- 455. *Alucita desmodactyla* Zeller, 1847** (Alucitidae) Synonym(s): *desmodactyla* Zeller, 1847 Range (as codes): AET DZ Anna TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU GR Cr TR RU MD UA BY IR Elb Mz Plr Dam Es Cc AM Eri 42 46
- 456. *Alucita grammodactyla* Zeller, 1841** (Alucitidae) Synonym(s): *grammodactyla* Zeller, 1841 Range (as codes): PT FR IT BE NL LU DE CH AT PL CZ SK HU RO HV MK BG GR DK SE EE TR LB IR Ar Ab Oru 01 05 06 16 29 42 44 45 46 55 58 61 71 05A 16A 58G
- 457. *Alucita hexadactyla* Linnaeus, 1758** (Alucitidae) Synonym(s): *hexadactyla* Linnaeus, 1758; *polydactyla* Hübner, [1813]; *poecilodactyla* Stephens, 1835; *#cartereaui* Jourdheuille, 1883 Range (as codes): MA TN DhM PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR Cr TR DK NO SE FI LV LT RU Cc AZ Len KG Uk 05 31 46 05A 31M
- 458. *Alucita huebneri* Wallengren, 1859** (Alucitidae) Synonym(s): *huebneri* Wallengren, 1859 Range (as codes): ES FR Sa IT LU DE CH AT PL CZ SK HU RO YU TR GR RU MD UA IR Kdj Elb By 06 33 50
- 459. *Alucita klimeschi* Scholz, 1997** (Alucitidae) Synonym(s): *klimeschi* Scholz, 1997 Range (as codes): CY TR 33 65
- 460. *Alucita major* (Rebel, 1905)** (Alucitidae) Synonym(s): *major* Rebel, 1905 Range (as codes): Sa Si IT RO HV BG GR Cr TR LB Bsa 07 42 46
- 461. *Alucita palodactyla* Zeller, 1847** (Alucitidae) Synonym(s): *palodactyla* Zeller, 1847; *perittodactyla* Staudinger, 1859; *parthenodactyla* Chrétien, 1915 Range (as codes): AET DZ Bsk Cst TN Tun PT ES FR Co Sa Si IT DE CH YU GR Cr TR RU MD UA BY IL Pa IR LB Bei 05 16 34 05A 16A
- 462. *Alucita pseudohuebneri* Scholz, 1997** (Alucitidae) Synonym(s): *pseudohuebneri* Scholz, 1997 Range (as codes): IR Elb Th Se TR 33
- 463. *Alucita tridentata* Scholz & Jäckh, 1994** (Alucitidae) Synonym(s): *tridentata* Scholz & Jäckh, 1994 Range (as codes): FR Co Sa Si IT GR TR 41
- 464. *Alucita zonodactyla* Zeller, 1847** (Alucitidae) Synonym(s): *zonodactyla* Zeller, 1847 Range (as codes): ES FR Si IT CH HV MK GR Cr TR IL Pa Hf Js LB Bei SY Dms 33 35 46

Arctiidae

- 465. *Andala semiramis* (Staudinger, 1892)** (Arctiidae) Synonym(s): *semiramis* Staudinger, 1892; *brandti* Daniel, 1949 Range (as codes): TR IR Lo Bk Ab Khy Oru Fa Sse Ke Ss Mz Th Qm Ak IQ PK 13 24 30 56 65 73 24E 30B 30Bd 30Be 30Bh 30Bt1 30Bz 30D 30Df 30Dt 56F 65A 65Am 65Am4 65At 65At5 65Ac 65Ac3 65D 65Dg 65Dx 65F 65Fe 65Fp 65Fz 73C 73Cd
- 466. *Arctia* (Epicallia) *marchandi* De Freina, 1983** (Arctiidae) Synonym(s): *marchandi* De Freina, 1983. Range (as codes): TR IR By Mz Th Elb Kdj Es Ab Oru Ak Ar Km Qz Zj 12 30 49 65 73 12E 12Eb 30B

- 30Bf 30Bd 30Be 30Bg 30Bt1 30Bz 30C 30D 30Df 65A 65Am 65Am1 65Am4 65Ai 65An 65D 65Dh 65Dlc 65Ds 65Du 65K 65Kl1 65Z 65N 65Np2 65Np5 65Nm 73C 73A 73Ab 73Cd
- 467. *Arctia (Epicalia) villica* (Linnaeus,1758)** (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. Range (as codes): PT FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd TR LV LT RU Kg Ur Ch Sb MD UA Cm BY Cc GG AZ Kir Len AM IR LB Bsa IL Pa KK 01 03 04 05 06 07 10 13 14 15 16 17 19 21 22 23 26 27 29 31 32 33 34 36 37 39 42 44 46 48 55 56 60 61 62 64 66 71 75 80 03C 03Ca 05A 05G 06B 06R 06Ra 06Rk 07B 07C 10D 10N 13C 13F 14I 14Ib 15C 16A 17E 17H 17M 19G 21N 21Nb 23M 26G 27D 31K 31Ka3 31Ka5 31Ka7 31M 33A 33Aa 33E 33P 34B 34S 36D 36De 37P 39H 42B 42D 43M 44E 44Ei 48L 55F 56F 56Fz 60C 61K 61Ka 62E 64B 73C 73A 73Ab 73Cd 75F 75Fe 80B 80Bb
- 468. *Arctia (Eucharia) festiva* (Hufnagel,1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménéttriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928; *arafati* De Freina,1997 Range (as codes): PT ES FR Si IT BE NL LU DE AT PL CZ SK HU RO YU AL BG GR Rd TR SY Hal LB IR Ak Shf Zj Tbz Ar Kd Snj Km Ha Ma Ke Kh Fa Hz LV LT MD UA BY KK Ax RU Tv MN CN Ui IMn Hph GG Tbl Bjo Kir Smt Akh AZ Bak Cc AM KG Ssn Tk Ii UZ Fe Man IQ Shq 05 06 12 13 14 16 17 21 24 25 27 32 36 38 40 42 44 47 49 56 58 60 63 64 65 71 75 05A 06K 06Kc 06R 06Ra 12A 12Ab 12Af 13A 13Ab 13Ax 14E 16A 21L 21Lg 25F 25T 27B 27D 36F 38F 40C 42B 44A 44E 44Ei 44L 44Le 47L 47La 47F 49F 49Fb 56F 56Fb 56Fh 58G 60C 63B 63Ba 63E 64A 65A 65An 65Am 65Am1 65E 65Eb 65Ec 65K 65Kl 65Kl3 65Z 65Ky 65Ky1 65Kz 65Kg 65N 65Np 65Nm 71C 75E
- 469. *Arctia (s.str.) caja* (Linnaeus,1758)** (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 *nec* Rom.,1884; *rebeli* Wnukowsky,1929. Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT MD UA Cm BY GG Cc AZ Nv AM KG Ssn CN Ui Kml Hph Tek Kty KK TJ Pm Fe UZ AF PK Ch Snn IN Up Alh Khs IR Elb Mz Ar MN RU Sb Kmt Am Vv To Mgd Ya Sj Ir Irk Ur Kr KP KR JP Clu Hkk CA US Als Ut Jn Lng Lvv 05 08 14 25 32 36 58 60 61 65 75 05A 08H 14L 14Ib 14H 25F 25N 36D 58R 60C 75F 75Fj
- 470. *Arctia (s.str.) flavia* (Fuessly,1779)** (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927 Range (as codes): FR IT CH AT BG TR GG Cc UA KG Ssn RU Us At Tv Sj Sb Ya Am Vv Or Ur MN U-B CN Ui Mc
- 471. *Atolmis rubricollis* (Linnaeus,1758)** (Arctiidae) Synonym(s): *rubricollis* Linnaeus,1758 Range (as codes): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY Cc GG Smt Bjo 14 16 53 61 75 14B 14Bb 16A 53B 61K 61Ka 75F 75Fb
- 472. *Axiopoenia karelini* Ménéttriés,1863** (Arctiidae) Synonym(s): *karelini* Ménéttriés,1863; *transcaucasia* Sheljuzhko,1926; *manissadjiani* O.Bang-Haas,1927. Range (as codes): Cc GG Btm Tbl Abk Sok TR AM Mig AZ Nv IQ Rww Brs IR Bzg Ab Lo Km Kz Bk By Es Fa Shr 08 21 24 25 30 36 44 56 62 65 72 76 08A 98H 24E 25R 30D 30Dx 36D 44L 56F 56Fn 62E 65D 65Df 76A 76Ac
- 473. *Callimorpha dominula* (Linnaeus,1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. Range (as codes): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IQ IR Gh Mz Gls Ab Ak Cc AM GG Smt Bjo Lag AZ DK NO SE FI EE LV LT RU VI MD UA Lvv BY TM 04 08 14 16 25 30 36 39 41 43 73 75 05A 08H 14B 14Bb 16A 25F 30B 30Bf 36F 39H 43D 75F 75Fa 75Fc 81F
- 474. *Chelis maculosa* (Gerning,1780)** (Arctiidae) Synonym(s): *maculosa* [Denis & Schiffermüller],1775; *maculosa* Gerning,1780; *monacensis* Osthelder,1933. Range (as codes): PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU MN TM Kp KG Uk UA Cm Sb CN Ui
- 475. *Chelis reticulata* (Christoph,1887)** (Arctiidae) Synonym(s): *reticulata* Christoph,1887 Range (as codes): TR Cc GG AZ Nv IR Th Gls Gor AM RU Da Kb Teb TM Kp LB IR 04 07 08 24 25 30 36 42 49 53 58 60 65 69 70 75 04D 04Da 07B 08H 25A 25C 25Ca 25R 30D 30Da 36F 42B 42Bb 49E 49Ea 53N 58G 58R 60C 65A 65At 65At5 65G 65Ge 69A 70A 70Ac 75E
- 476. *Coscinia (s.str.) cribraria* (Linnaeus,1758)** (Arctiidae) Synonym(s): *cribraria* Linnaeus,1758; *cribrum* Linnaeus,1761; *chrysocephala* Hübner,[1804]; *punctigera* Freyer,1834; *sibirica* Staudinger,1892; *bivittata* South,1900; *fumidaria* O.Bang-Haas,1927; *arenaria* Lempke,1937; *nikitini* O.Bang-Haas,1938; *pannonica* Daniel,1955; *benderi* Marten,1957 Range (as codes): AET DZ TN Dhm MA Agi BSa PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD Cm UA BY KG Ssn Sb Ya MN CN Ui At Mc CY 16 16A
- 477. *Cybosia mesomella* (Linnaeus,1758)** (Arctiidae) Synonym(s): *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eborea* Esper,1787; *lutarella* Haworth,1809; *eremella* Vorbodt,1914; *mesomellula* Strand,1922; *albida* Catherine,1922; *obscura* Lempke,1961 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY 16 16A
- 478. *Cymbalophora oertzeni* (Lederer,1855)** (Arctiidae) Synonym(s): *oertzeni* Lederer,1855 Range (as codes): IL Pa Hf LB Bei TR IQ IR Fa 13 31 44 56 63 13C 13Cf 31L 31Lg 31La 31A 31Aa 44F 44Fb 56F 56Fi 56Fj 56Fc 56Fv 63D
- 479. *Cymbalophora rivularis* (Ménéttriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménéttriés,1832; *dannehli* Dannehl,1929. Range (as codes): IT MK AL BG GR TR GG AZ Hkd Cc Kir IR Ab Ak Oru Tbz RU Da AM UA 01 23 25 30 36 42 65 70 01K 23I 25F 25N 30B 30Bg 30D 30Da 36F 42B 42Bb 65D 65Df 65F 65Fa 65Fe 65Bx 65G 65Ge 70A 70Ac
- 480. *Diacrisia sannio* (Linnaeus,1758)** (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892. Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA Lvv Cm BY Cc GG AZ RU At Sb Sj KK Ik CN Ui Ju MN KG Aa Ket Ssn T-S JP 60

- 481. *Diaphora mendica* (Linnaeus, 1761) (Arctiidae)** Synonym(s): *#mendica* Clerck, 1759; *mendica* Linnaeus, 1761; *rustica* Hübner, [1791] Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Tbl Bjo Lag Kir AZ Da Der IR Gh SY JO LB Bsa DK NO SE FI EE LV LT RU MD UA Lvv BY 05 06 07 08 10 12 16 24 31 33 35 36 44 46 49 50 51 54 56 60 65 05A 06K 07C 08H 10U 16A 31K 31Ka 31L 31C 33E 36F 49E 49Ea 49F 49Fb 50G 50Gc 51D 51Da 54C 56F 56F1 60C 65D 65Dlc 65Ds 65Dy 65F 65Fg 65Fr
- 482. *Eilema (Collita) griseola* (Hübner, [1803]) (Arctiidae)** Synonym(s): *griseola* Hübner, [1803]; *plumbeolata* Stephens, 1829; *stramineola* Doubleday, 1847. Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Bry Chu Cm Pt St Sr To Ty Tt No Mo Pe Am Sb Us Vv Sh MD UA Lvv Cm BY CN Mc KP KR JP Hkk Krl 46
- 483. *Eilema (s.str.) caniolum* (Hübner, [1808]) (Arctiidae)** Synonym(s): *caniola* Hübner, [1808] Range (as codes): AET DZ Bsa Gue PT ES FR Co Sa Si IT MT IE GB BE DE CH AT SK HU RO YU AL BG GR Cr Rd TR RU MD UA BY 05 07 10 16 17 26 28 30 34 42 48 53 55 57 62 71 05A 07B 07C 10D 10P 10U 16A 17H 26K 28O 30B 30Bh 34S 48D 48G 48Gb 53L 55D 57G 62E
- 484. *Epatolmis caesarea* (Goeze, 1781) (Arctiidae)** Synonym(s): *#luctifera* [Denis & Schiffermüller], 1775; *caesarea* Goeze, 1781; *japonica* Walker, [1865]. Range (as codes): ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Bjo Smt Akh EE LV LT RU Sr Pt Sb Mnu Kj Ss Am MN MD UA BY CN Mc Kig Hun Sz Yu Hph Kgs Stg She Shs JP Kyu 06 16 06R 06Ra 06Re 16A
- 485. *Euplagia quadripunctaria* (Poda, 1761) (Arctiidae)** Synonym(s): *quadripunctaria* Poda, 1761; *hera* Linnaeus, 1767; *magna* Spuler, 1910 *nec* Hol., 1897; *latefasciata* Bubacek, 1915. Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LV LT RU Ur VI Pt MD UA BY SY LB Bsa IR Ak Gh Mz Ar Gls Se Kh Cc AM Dar AZ Adz Kir GG Bjo Lag Mng Tbl TM Kp 01 05 06 07 08 09 13 14 16 21 25 29 31 33 34 35 36 41 45 46 48 51 52 53 56 58 60 62 65 75 78 05A 05E 06R 06Re 06Rd 07A 07B 07Bb 07O 08H 09K 09M 13G 13G1 13Gü 13Gw 14B 14Bb 14I 14Ib 16A 16C 16F 21N 21Nb 25F 25R 29D 29F 31K 31Ka 31M 33A 33Aj 34B 34S 35O 36C 36D 41F 46G 46Gf 48D 52H 56F 58I 60H 60Hb 62H 65A 65Ai 65D 65F 65Fm 75F 75Fa 78D 78Da
- 486. *Euplagia splendidior* (Tams, 1922) (Arctiidae)** Synonym(s): *splendidior* Tams, 1922; *tkatshukovi* Sheljuzhko, 1935. Range (as codes): IR Ab Oru Kd Mrv Km Il By Es Lo Fa Shr Ma IQ Rvw Shq Mos TR Cc AM Eri Ink AZ Nv Ord 13 30 36 56 62 65 73 76 13A 13Ac 13Ac1 13Ax 13F 13F38 13F7 13F71 30B 30Ba 30Bf 30Bg 30Bh 30Bj 30Br 30C 30Cd 30D 30Db 30Dp 30Df 30Dt 36C 36D 36Db 36Dd 56F 56Fa 56Fc 56Fx 65A 65Ai 65Am 65Am4 65Ac 65Ac3 65D 65Df 65Dm 65F 65Fc 65Fp 65Fz 65K 65Kp 65L 65Lb 65Le 65N 65Np 65Nr4 65Nm 73A 73Ad 73D 73Dg 76C
- 487. *Hyphantria cunea* (Drury, [1773]) (Arctiidae)** Synonym(s): *cunea* Drury, [1773]; *punctatissima* Smith, 1797; *budea* Hübner, [1823]; *textor* Harris, 1828; *mutans* Walker, 1856; *collaris* Fitch, 1857; *punctata* Fitch, 1857; *pallida* Packard, 1864; *candida* Walker, 1865; *suffusa* Strecker, 1900; *brunnea* Strecker, 1900 Range (as codes): MX US Ny Tx Io Fl Nh FR IT DE CH AT PL CZ SK HU RO YU BG GR TR IR Gh DK EE LT RU MD UA BY CN Lng She Stg 22 52 22C 52F
- 488. *Hyphoraia aulica* (Linnaeus, 1758) (Arctiidae)** Synonym(s): *aulica* Linnaeus, 1758; *pustulata* Müller, 1764 Range (as codes): FR IT BE LU DE CH AT PL CZ SK HU RO YU BG TR GG Tbl Cc DK SE FI EE LV LT RU MD UA BY Kis Sb Om No Mnu Kj Am Us MN CN Ui Mc Lng KP KR JP Hkk 14 36 60 81 14I 14Ib 36F 60C 81F
- 489. *Katha depressa* (Esper, [1787]) (Arctiidae)** Synonym(s): *deplana* Esper, [1787] *nec* Linn., 1771; *depressa* Esper, [1787]; *helvola* Hübner, [1803]; *ochreola* Hübner, [1803]; *helvola* Ochsenheimer, 1810. Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo IR Mz DK NO SE FI EE LV LT RU MD UA Lvv BY 10 14 39 53 61 10N 39H 53B 61K 61Kc
- 490. *Lacydes spectabilis* (Tauscher, 1806) (Arctiidae)** Synonym(s): *spectabilis* Tauscher, 1806; *intercissa* Freyer, 1842. Range (as codes): RU KG Ssn Uk T-S Sb TM AF Bd CN Ui Kml MN IR Th Dam Elb Mz Gls Kp Kh Fa Sse Ak Mz Gls Ma Se IQ TR Cc AM KK 03 06 13 23 24 25 26 30 38 42 46 50 51 56 58 65 68 70 71 73 03A 03Aa 06R 06Ra 06Y 13A 13Ab 13Ax 13C 13Cf 13G 13Gw 13Gü 23I 25A 25N 25Na 26K 30B 30Bg 30D 30Da 42B 46G 50G 51B 51Bc 56F 58G 58Gg 65A 65Ab 65B 65Bk 65D 65Da 65F 65Fe 65Fg 65G 65Gb 65K 65Ku 65Z 68B 70A 70Ac 71B 73C 73Cd 73Ce
- 491. *Lithosia quadra* (Linnaeus, 1758) (Arctiidae)** Synonym(s): *quadra* Linnaeus, 1758; *flava* Müller, 1764; *deplana* Linnaeus, 1771; *quadrata* Walckenaer, 1802; *dives* Butler, 1877. Range (as codes): PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY Cc GG AZ Len IR Gls Mz Kh 04 08 14 28 29 36 52 53 60 61 75 81 08H 08Hc 14B 14Bb 28O 29A 29Ac 36F 52G 53B 53N 60C 61D 61K 61Kc 75F 75Fa 75Fb 75Fe 81F
- 492. *Manulea (Agenjoa) lurideola* ([Zincken], 1817) (Arctiidae)** Synonym(s): *lurideolum* [Zincken], 1817; *complanula* Boisduval, 1834; *plumbeolana* Herrich-Schäffer, 1852. Range (as codes): AET DZ Lbs PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY 05 06 08 14 16 25 34 36 39 53 60 75 81 05A 06R 08H 08Hc 16A 25F 34S 36F 39H 53B 60H 75F 81F
- 493. *Manulea (s.str.) complana* (Linnaeus, 1758) (Arctiidae)** Synonym(s): *complana* Linnaeus, 1758; *ochrocephala* Fourcroy, 1785; *sericea* Gregson, 1860; *molybdeola* Guenée, 1861; *balcanica* Daniel, 1939. Range (as codes): FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA Lvv BY Cc GG Bjo Smt Mng Dar AM Da Der KG Lps IR Gls 05 06 08 14 16 18 25 33 34 36 39 44 46 58 65 75 05A 06R 06Rb 06Re 08H 14B 16A 18F 25F 33A 33Ac 34A 34S 36D 36F 39H 44I 44Ic 58G 58Gi 65A 65Ac 65Ac3 65D 65Df 75F 75Fe
- 494. *Manulea (s.str.) costalis* (Zeller, 1847) (Arctiidae)** Synonym(s): *#morosina* Herrich-Schäffer, 1847; *costalis* Zeller, 1847 Range (as codes): MK AL BG GR Rd Cr TR Cc 01 06 07 08 10 16 25 33 34 36 42 45 46 48 51 53 56 75 01H 06R 06Re 07C 08H 10N 16A 25F 33F 36F 36Fb 42B 45K 48G 48Gb 51B 51Ba 53N 56E 56Ea 56F
- 495. *Manulea (s.str.) lutarella* (Linnaeus, 1758) (Arctiidae)** Synonym(s): *lutarella* Linnaeus, 1758; *luteola* [Denis & Schiffermüller], 1775; *alboflava* Retzius, 1783; *flava* Fabricius, 1798; *lutea* Fabricius, 1798 *nec* Fabr., 1775

- Range (as codes): PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG Lps Cc GG Smt Mng Bjo Bku Da Kus 25 76 25T 76C
- 496. *Manulea (s.str.) palliatella* (Scopoli,1763)** (Arctiidae) Synonym(s): *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866. Range (as codes): AET DZ Bsk ES FR Sa Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb IQ Brs Cc GG Bjo Smt Da Der LT RU MD UA BY KG Lps AF Nu 01 06 10 12 13 14 24 25 39 45 60 62 65 71 81 01H 06R 06Re 06Rd 10D 12A 12Aa 13F 13F71 25F 39H 45K 62E 65A 65Ac 65Ac3 65B 65Bk 65D 65Df 81F
- 497. *Manulea (s.str.) pseudocomplana* (Daniel,1939)** (Arctiidae) Synonym(s): *pseudocomplana* Daniel,1939 Range (as codes): ES FR IT CH AT CZ SK HU YU BG GR TR Cc IR Kh 06 13 16 25 29 36 42 46 56 62 06R 06Re 13F 13F71 16A 25F 29A 29Ac 36D 36F 42B 56F 62E
- 498. *Manulea (s.str.) pygmaeola* (Doubleday,1847)** (Arctiidae) Synonym(s): *pygmaeolum* Doubleday,1847 Range (as codes): AET DZ TN Dhm PT ES FR GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo DK SE FI EE LV LT RU MD UA Cm BY IR Mz GlS TM Kp 06 07 08 10 25 34 35 36 57 60 76 06R 06Rb 06Re 07C 08H 10D 25F 34S 36F 57G 60C 76C
- 499. *Miltochrista miniata* (Forster,1771)** (Arctiidae) Synonym(s): *miniata* Forster,1771; *rosea* Fabricius,1775; *rubicunda* [Denis & Schiffermüller],1775; *minialis* Thunberg,1784; *rosacea* Fourcroy,1785; *roseana* De Villers,1789; *rosea* Donovan,1793 *nec* Fabricius,1775; *destrigata* Dannehl,1928; *mosbacheri* Roesler,1967. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY 34 52 61 34A 34S 52G 61L
- 500. *Muscula brevifurca* (Wiltshire,1957)** (Arctiidae) Synonym(s): *brevifurca* Wiltshire,1957 Range (as codes): TR IQ Shq
- 501. *Muscula muscula* (Staudinger,1899)** (Arctiidae) Synonym(s): *muscula* Staudinger,1899 Range (as codes): TR GR Rd IQ Shq LB Bei CY SY IL Pa IR Mz 01 07 13 31 33 35 46 48 56 71 80 01H 07B 07O 07M 13F 13F38 31K 31Ka 31Ka3 31Ka5 33A 33Ac 33P 48G 48Gb 56F 80B 80Bd
- 502. *Nudaria mundana* (Linnaeus,1761)** (Arctiidae) Synonym(s): *mundana* Linnaeus,1761; *transparens* Retzius,1783; *munda* Fabricius,1793; *nuda* Hübner,[1803]; *hemerobia* Hübner,[1803]; *alpina* Uffeln,1912 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LT RU MD UA Lvv BY AM Cc 16
- 503. *Ocnogyna (Somatrachia) anatolica* Witt,1980** (Arctiidae) Synonym(s): *anatolica* Witt,1980 Range (as codes): TR 04 25 49 62 65 04G 25C 25Ca 25F 25Fb 49E 49Ea 62G 65D 65Dd 65Di 65Dz 65F 65Fp 65Fz
- 504. *Ocnogyna (Somatrachia) parasita* (Hübner,1790)** (Arctiidae) Synonym(s): *parasita* Hübner,1790 Range (as codes): FR IT CH CZ SK HU RO YU BG GR TR RU 05 06 07 09 15 17 20 35 42 43 45 05A 06P 06R 06Ra 07A 09M 17H 20N 35A 35O 35S 42K
- 505. *Ocnogyna (s.str.) armena* Staudinger,1871** (Arctiidae) Synonym(s): *armena* Staudinger,1871 Range (as codes): TR Cc AM AZ RU Da IQ? TM Kp UZ TJ AF IR ArL Kz Bk Kh Th Kdj Bu Fa Shr 25 63 25D 63D
- 506. *Ocnogyna (s.str.) bellieri* (Lederer,1855)** (Arctiidae) Synonym(s): *bellieri* Lederer,1855; *banghaasi* Staudinger,1895. Range (as codes): LB Bei TR IQ Dia Su 01 02 07 31 33 42 46 63 01A 02 07C 31A 31Aa 31L 31M 33G 33E 33R 33Re 33P 63M
- 507. *Ocnogyna (s.str.) herrichi* Staudinger,1879** (Arctiidae) Synonym(s): *herrichi* Staudinger,1879 Range (as codes): TR LB Bei 01 12 33 44 46 49 62 01K 12E 33K 44I 46K 49E 49Ea 62H
- 508. *Ocnogyna (s.str.) loewii* (Zeller,1846)** (Arctiidae) Synonym(s): *#löwii* Zeller,1846; *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931. Range (as codes): GR Rd TR LB Bei IL Pa Hf EG LY Cy IR Ak Tbz Ke AF IQ 01 04 07 13 15 21 27 30 31 32 33 56 65 80 04D 04Da 13C 13Cd 13G 13G1 15D 21L 27B 30B 30Bg 32E 31A 31Aa 31L 33N 56F 56Fb 56Fo 65B 65Bk 65F 65Fp 65Fz 65K 65Kl 65Klo 65Z 65L 65Le 65N 65Nc 80B 80Bc 80G
- 509. *Paidia (Conjuncta) conjuncta* (Staudinger,1892)** (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892 Range (as codes): AET DZ Agi Cc TR AF Pag Slg PK Gg Ch IR Elb Th Fa IQ Dk 04 08 24 25 30 47 58 63 73 25F 30B 30Bc 30Bh 30Bj 30D 30Db 30Dt 58N 63B 73A 73Aa
- 510. *Paidia (s.str.) albescens* (Staudinger,1892)** (Arctiidae) Synonym(s): *albescens* Staudinger,1892 Range (as codes): TR LB Bro Bsa 01 31 33 46 80 01K 31A 33G 46G 46Gf 80B 80Bb
- 511. *Paidia (s.str.) brunneagrisescens* Daniel,1932** (Arctiidae) Synonym(s): *#brunneagrisescens* Daniel,1932 Range (as codes): TR 80 80B 80Bb
- 512. *Paidia (s.str.) cinerascens* (Herrich-Schäffer,[1847])** (Arctiidae) Synonym(s): *cinerascens* Herrich-Schäffer,[1847] Range (as codes): TR GR Pl Cr IQ Rwz AZ Cc Nv Ord JO Amm IL Pa Js Hf 03 05 06 16 42 46 51 58 71 03H 05A 06R 16A 42B 42O 46G 51B 51Bc 58G 58Gi 71B
- 513. *Paidia (s.str.) rica* (Freyer,[1855])** (Arctiidae) Synonym(s): *murina* Hübner,1790 (*preocc.*); *rica* Freyer,[1855] Range (as codes): AET DZ Sbd PT ES FR IT BE DE CH AT CZ SK HU GR Cr TR 08 30 44 56 65 73 08H 08Ha 30B 30Bc1 30Bc 30Bt1 30Bz 30D 30Df 44L 44Lc 56F 65A 65Ai 65D 65Dh 65Du 65Dv 73A 73Ad 73Ad2
- 514. *Parasemia plantaginis* (Linnaeus,1758)** (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR GG Smt Aba Akh Bku AM AZ Cc IR Elb Mz DK NO SE FI EE LV LT MD UA BY MN JP Hkk RU Ur Sb Ya Prj Us Am Mgd KP KR KG Tar Ssn CN Mc IMn Lng Jn Ui Ts Sz Shs CA US 16 25 30 53 61 73 76 16A 25C 25Ca 30B 30Bb 30Bk 30Ba 53B 53N 61K 61Kb 73F 73Fa 76C

- 515. *Pelosia muscerda* (Hufnagel,1766)** (Arctiidae) Synonym(s): *muscerda* Hufnagel,1766 Range (as codes): ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Cc Bjo Smt Tbl Lag Da Der DK NO SE FI EE LV LT RU MD UA Lvv BY 52 53 55 61 52H 53B 55D 61D 61L
- 516. *Pelosia obtusa* Herrich-Schäffer,[1847]** (Arctiidae) Synonym(s): *obtusa* Herrich-Schäffer,[1847]; *taurica* Daniel,1939. Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR TR IR Mz DK SE LV LT RU MD UA BY 46
- 517. *Phragmatobia fuliginosa* (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 Range (as codes): AET DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Th Mz Kdj GG AZ Kir AM LB Bei JO IL Hf DK NO SE FI EE LV LT RU Sr MD UA BY AF Bark TJ KK KG Ssn CN Ui Ku Ts Kno Gn UZ Fe Ti CA Bd Hr Gbh Fz Srb Pli Dw Cc Smt Bjo Tbl Mng Da Der IQ SY Sc On Mai Wc BCo NCa Mnt Ssk Vc Yuk Ts B-B Ab Khy Oru Ak Aha Gh Mz Glz Kh Kd Bne Km Fa Pag Kön PK Gg Hu Psu Khh DhM Anna Lvv 01 05 06 07 12 13 14 16 19 22 24 26 30 31 32 33 34 35 36 42 44 46 50 52 53 55 56 61 65 71 76 05A 06D 06F 06K 06Kb 07C 07O 12A 12Aa 13A 13Ab 13Ax 14B 14Bb 16A 16E 19P 22A 26K 30A 30Ad 31K 31Ka 33F 33P 34P 34R 34Rb 34S 36D 44L 44Lb 46D 51B 51Ba 52H 53L 55D 55F 56A 56Aa 56C 56Cc 56F 56Fo 61L 65N 65Np 65Nm 73D 73Dd
- 518. *Phragmatobia placida* (Frivaldsky,1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky,1835 Range (as codes): YU AL BG GR TR RU UA Cm Cc AM AZ Nv Ord AF TM LB Ale Bsa IQ IR Elb Th Kdj Mz Ak Tbz Kdv IL Pa 04 05 06 10 13 21 23 30 31 32 33 36 42 43 46 50 51 55 56 58 60 65 73 04I 05A 06R 06Rb 06Rk 13F 13G 13Gz 21N 21Nb 23M 30B 30Bd 30Bg 30Bh 30D 30Df 31M 36F 42B 42J 42X 42Xa 43M 46G 46Gf 50G 50Gc 51D 51De 55F 56F 58G 58Gi 60C 65A 65Ai 65D 65Ds 65F 65Fg 65Fp 65Fz 65K 65Kl 65Z 73C 73A 73Ab 73Cd
- 519. *Rhyparia purpurata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909. Range (as codes): PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT AZ Len Cc GG Tbl Bjo Smt Kir RU MD UA BY KG Ssn KK Cm VI To Sr Ir Am Ss SY MN CN Ui Jn Lng IMn Gn Mc Kig KP KR JP IR Ak Gh 05 06 08 16 29 30 34 36 39 56 60 65 73 05A 06K 06Kc 08H 16A 29C 30B 30Ba 30Be 30Bf 36F 39H 56F 56Fs 60C 65F 65Fg 65Fç 65Fz 73C 73Cd
- 520. *Setina aurata* (Ménétriés,1832)** (Arctiidae) Synonym(s): *aurata* Ménétriés,1832; *#pontica* Draudt,1933; *pontica* Schwingenschuss,1939 Range (as codes): TR GG Bjo Aba Smt Lag Cc AZ Len AM 06 08 14 25 36 53 75 76 06R 06Rb 06Re 08G 14B 14Bb 25C 25Ca 25F 36D 53B 53N 75F 76C
- 521. *Setina flavicans* (Geyer,[1836])** (Arctiidae) Synonym(s): *flavicans* Geyer,[1836] Range (as codes): PT ES FR TR AZ Kir Cc 05 25 53 05A
- 522. *Setina roscida* ([Denis & Schiffermüller],1775)** (Arctiidae) Synonym(s): *roscida* [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca* Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979 Range (as codes): FR IT DE CH AT PL CZ SK HU RO YU BG TR GG Smt Akh Cc SE RU MD UA BY 16 25 29 16A 25C 29A 29Ac
- 523. *Spilarctia lutea* (Hufnagel,1766)** (Arctiidae) Synonym(s): *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododaktyla* Bryk,1948; *reisseri* Koutsaftikis,1973 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY CN She Ahw Lng Jn Mc IMn Ui JP 10 28 34 52 53 61 10U 10N 10P 28L 34S 52H 53B 61L
- 524. *Spilosoma lubricipedum* (Linnaeus,1758)** (Arctiidae) Synonym(s): *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; *? sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *#lubrecipeda* De Freina,1981. Range (as codes): AET DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR TR GG Smt Bjo Lag AM AZ Kir Da Der Cc DK NO SE FI EE LV LT RU MD UA Lvv BY CN Sz Stg TW Yu Mc Hun IMn PK Haz Mre 08 14 16 22 34 52 53 55 61 08H 08Hc 14B 14I 14Ib 16A 22A 34S 52H 53B 53F 55L 61K 61Ka 61L
- 525. *Spilosoma urticae* (Esper,[1789])** (Arctiidae) Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791 Range (as codes): PT ES FR Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Prj Us Krl Am Sb MD UA Lvv BY CN Ui Sz IR Mz Cc Th Ar Gh Glz GG Bjo Tbl Smt Lag Da Der Kir Sok Abk KG KK UZ 53 53G 53L
- 526. *Spiris striata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obraztsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948. Range (as codes): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY DK SE EE LV LT RU Sb Ya MD CM UA BY GG AZ Len Cc KG Ssn CN Ui MN At 05 06 08 10 14 16 25 26 28 34 45 60 66 69 75 78 05A 06E 06R 06Re 08H 10D 14B 14Bb 16A 26G 34S 60C 66P 69Ba 75A 75Aa 75F 75Fe 78D 78Da
- 527. *Thumatha senex* (Hübner,[1808])** (Arctiidae) Synonym(s): *senex* Hübner,[1808]; *syriaca* Daniel,1939. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY 46
- 528. *Tyria jacobaeae* (Linnaeus,1758)** (Arctiidae) Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908. Range (as codes): PT ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD CM UA BY GG Lag Der Da Cc AZ AM Nv Sb KG Lps UZ KK KG TJ CN Ui CA BCo US Cf Org TS NZ AU 04 05 06 07 13 16 19 23 25 29 30 34 36 48 60 65 71 04D 04Da 04I 04Ia 05A 06A 06Aa 06K 06Kc 06R 06Ra 06Rd 07C 13G 13Gw 13Gs 16A 19P 23M 25A 25D 29C 30B 30Bd 30Bg 30D 30Da 34S 36D 60H 65A 65Am 65Am1 65Am4 65Bx 65G 65Ge
- 529. *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacherjee & Gupta,1969; *menoni* Bhattacherjee & Gupta,1969. Range (as codes): CV Az PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU

AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg CN Ui GP IQ Agh TH CMA Knc Shu Ab Oru Gh Mz Kh Gls Se Th Qz Kd Bne Mrv Snj Lo Km Il Es Yz By Bk Fa Ke Ss Hz Bu Kz Tbl Bjo Smt Lag Der Da Bak Len PK Nwf Pes Bt Skd Bl Cp SO IN Cn Md ID Ja VN LK Cob Pdy Dek AU Bhb SO Zai YE Ad MA DZ TN Afl Ess Tun Tgr Khh Btina Ktr BSa Gha Dje Ges Agi Gle Hdd Bsk Ah Ajj 01 05 07 13 16 21 30 31 33 36 44 46 47 48 56 58 63 65 73 80 01F 01H 05A 07B 07M 13G 13Gg 13F 16A 21F 30B 30Bh 31K 31Ka 31Ka5 33F 36D 36Db 44I 44Ic 44L 44Lb 44Lc 47D 56A 56F 56Fh 58N 63B 63Ba 63D 65A 65Am 65Am4 65F 65Fe 65N 65Np 65Nm 73D 73Db 80A

- 530. *Watsonarctia deserta* (Bartel,1902)** (Arctiidae) **Synonym(s):** *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980 **Range (as codes):** ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR AM Alg Cc TR IR Elb Mz RU Or MD UA BY KG Sb Pe At Mnu Kj Ir MN CN Ui Ju 13 24 25 36 38 60 66 13G 13Gw 13Gs 25A 25T 36D 36F 38H 60C
- 531. *Wittia sororcula* (Hufnagel,1766)** (Arctiidae) **Synonym(s):** *sororcula* Hufnagel,1766; *crocella* Fourcroy,1785; *crocinea* De Villiers,1789; *aureola* Hübner,[1808]; *aurantia* Haworth,1809. **Range (as codes):** PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR IR Mz DK SE FI EE LV LT RU MD UA Lvv BY 05 14 34 53 05A 14B 14Bb 34A 34S

Autostichidae

- 532. *Amselina cedeștiella* (Zeller,1868)** (Autostichidae) **Synonym(s):** *cedeștiella* Zeller,1868; *dissoluta* Staudinger,1870; *paracedeștiella* Caradja,1920; *gouländriorum* Gozmany,1982 **Range (as codes):** MK BG GR TR RU Sr MD UA Cm KG Uk 03 05 06 19 30 32 42 46 51 71 05A 19R 30B 30Bj 42B 51D 51Da
- 533. *Amselina emir* (Gozmany,1961)** (Autostichidae) **Synonym(s):** *emir* Gozmany,1961; *parapsesta* Gozmany,1986 **Range (as codes):** GR TR SY Hal IR Elb Plr 01 03 05 06 09 11 32 33 42 46 50 51 70 71 03H 06R 06Y 09K 42B 46L 50G 51D 51Da
- 534. *Amselina manisadjiani* Gozmany,2008** (Autostichidae) **Synonym(s):** *manisadjiani* Gozmany,2008 **Range (as codes):** TR 47 47D
- 535. *Amselina minorita* (Gozmany,1968)** (Autostichidae) **Synonym(s):** *minorita* Gozmany,1968 **Range (as codes):** TR 32
- 536. *Amselina olympi* (Gozmany,1957)** (Autostichidae) **Synonym(s):** *olympi* Gozmany,1957 **Range (as codes):** TR 07 14
- 537. *Apatema mediopallidum* Walsingham,1900** (Autostichidae) **Synonym(s):** *mediopallidum* Walsingham,1900; *minor* Rebel,1916; *bifasciatum* Chrétien,1922; *phanerodoxa* Meyrick,1926; *proterocline* Meyrick,19238; *melitensis* Amsel,1952 **Range (as codes):** AET MA Rf Tgr DZ Anna Bsk TN DhM Tun PT ES FR Co Sa Si IT MT AT HU RO YU AL BG GR Rd Cr JO Amm SY Dms Ltk TR CY AF 06 19 29 33 34 42 55 06R 19R 33R 42J
- 538. *Apatema whalleyi* (Popescu-Gorj & Capuse,1965)** (Autostichidae) **Synonym(s):** *whalleyi* Popescu-Gorj & Capuse,1965 **Range (as codes):** AT SK HU RO GR Cr TR IR 19 19R
- 539. *Apiletria endopercna* (Meyrick,1936)** (Autostichidae) **Synonym(s):** *endopercna* Meyrick,1936 **Range (as codes):** AM Cc IQ Bag Dia Bgd Mos SY Dms TR IR Fa Bne Bu Ha Avd Yz Ab Khy Kdj Th Sdt Km Kd Mrv Snj 06 13 23 33 42 44 56 65 06Y 13A 33O 42B 51D 51Da 56F 56F1 56Fs 65A 65Ai 65G 65Gf 65Gy 65Np2 65Nm
- 540. *Apiletria luella* Lederer,1855** (Autostichidae) **Synonym(s):** *luella* Lederer,1855 **Range (as codes):** AET DZ Agi LY Cy JO IL Pa Hf EG CY TR LB Bei Bsa Bmm 33 33R 33Ra
- 541. *Apiletria purulentella* Stainton,1867** (Autostichidae) **Synonym(s):** *purulentella* Stainton,1867 **Range (as codes):** TR Cc AM Eri JO Amm IL Pa Hf LB Bsa Bei SY Dms IQ Shq Dia Ry Mos Bgd Kbl TM IR Elb Kdv Lo Kd Fa Shr 01 05 06 07 13 42 44 46 47 63 76 80 01K 05A 05E 06Y 07D 13A 13Ae 13Ax 13B 42B 44L 47D 76C 80B 80Ba 80Bb 80Bc
- 542. *Aprominta aga* Gozmany,1962** (Autostichidae) **Synonym(s):** *aga* Gozmany,1962 **Range (as codes):** GR Ae Le TR 03 06 07 32 42 06R 07B 42B
- 543. *Aprominta arenbergeri* Gozmany,1968** (Autostichidae) **Synonym(s):** *arenbergeri* Gozmany,1968 **Range (as codes):** TR 01 33 51 33R
- 544. *Aprominta bifasciata* (Staudinger,1870)** (Autostichidae) **Synonym(s):** *bifasciata* Staudinger,1870; *virginella* Rebel,1902. **Range (as codes):** GR TR LB IQ 01 16 31 33 35? 42 46 51 16A 31M 33A 33Ac 33Ad 33Ak 42D
- 545. *Aprominta designatella* (Herrich-Schäffer,[1855])** (Autostichidae) **Synonym(s):** *designatella* Herrich-Schäffer,[1855] **Range (as codes):** RO MK AL BG GR RU TR 16 16A
- 546. *Aprominta kyra* (Gozmany,1961)** (Autostichidae) **Synonym(s):** *kyra* Gozmany,1961 **Range (as codes):** TR 07 47 65 07B 07Bc 47D 65A 65Ac 65Ac3 65Z
- 547. *Aprominta marthae* Gozmany,2000** (Autostichidae) **Synonym(s):** *marthae* Gozmany,2000 **Range (as codes):** TR 07 07B
- 548. *Aprominta syriacella* (Ragonot,1895)** (Autostichidae) **Synonym(s):** *syriacella* Ragonot,1895 **Range (as codes):** TR 31 31M

- 549. *Aprominta yatagan* Gozmany, 2008** (Autostichidae) Synonym(s): *yatagan* Gozmany, 2008 Range (as codes): TR 23 23C
- 550. *Arragonia anatolica* Gozmany, 1986** (Autostichidae) Synonym(s): *anatolica* Gozmany, 1986 Range (as codes): TR 06 33 50 58 06Y 06Yc 33O 50G 58G
- 551. *Charadraula cassandra* Gozmany, 1967** (Autostichidae) Synonym(s): *cassandra* Gozmany, 1967 Range (as codes): HV RO Cr SY Hal TR CY IR Mz 01 09 33 35 09K
- 552. *Deroxena venosulella* (Möschler, 1862)** (Autostichidae) Synonym(s): *venosulella* Möschler, 1862; *neglectella* Lederer, 1863. Range (as codes): FR AT SK HU RO YU GR TR GG RU Cc CN Ui Ku KG Uk 05 16 33 16A
- 553. *Dysspastus undecimpunctellus* (Mann, 1864)** (Autostichidae) Synonym(s): *undecimpunctellus* Mann, 1864; *cinerascens* Gozmany, 1968 Range (as codes): RO HV MK AL GR CY TR 01 16 31 33 51 16A 31M
- 554. *Holcopogon bubulcellus* (Staudinger, 1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger, 1859; *pulverulellus* Constant, 1865; *barbata* Walsingham, 1900. Range (as codes): AET MA Rbt DZ TN DhM PT ES FR Co Sa Si IT MT AT HU RO YU AL BG MK GR Cr TR SE RU MD UA BY LB IL KG Uk 01 05 16 42 46 65 70 05A 16A 42B
- 555. *Oegoconia caradjai* Popescu-Gorj & Capuse, 1965** (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse, 1965 Range (as codes): AET MA DZ Hsb TN Sfx Gf LY PT ES Mu FR Co Si BE IT GB DE CH CZ HU RO YU BG GR Cr Rd TR RU EG SA As UZ TJ IR Elb Mz Dam Plr Shh Srd GlS AZ AM GG Cc IQ LB Bsa NZ 05 06 42 50 65 71 76 05A 06R 06Y 42B 50G 65A 65Am 65Am4 76C
- 556. *Oegoconia deauratella* (Herrich-Schäffer, [1854])** (Autostichidae) Synonym(s): *deauratella* Herrich-Schäffer, [1854]; *kindermannella* Herrich-Schäffer, [1854]; *bacescui* Popescu-Gorj & Capuse, 1965 Range (as codes): GB NL DK FI DE PL AT IT Sa HU RO BG GR TR RU Cc AZ AM GG UA IR CA On 05 06 29 32 38 42 46 81
- 557. *Oegoconia uralskella* Popescu-Gorj & Capuse, 1965** (Autostichidae) Synonym(s): *uralskella* Popescu-Gorj & Capuse, 1965 Range (as codes): FR Co CH DE CZ AT IT RU Cc GR BG TR GG AM Eri AZ At LB Bsa IR Elb Kdj Dam KG Uk AF 16 46
- 558. *Parasymmoca latiuscella* (Stainton, 1867)** (Autostichidae) Synonym(s): *latiuscella* Stainton, 1867; *contristella* Caradja, 1920; *sulamit* Gozmany, 1963 Range (as codes): TR LB Bsa Bei SY Ltk Dms IL Pa Js 05 06 16 33 38 42 46 06R 42B
- 559. *Parasymmoca secreta* Gozmany, 2008** (Autostichidae) Synonym(s): *secreta* Gozmany, 2008 Range (as codes): TR 06 06R
- 560. *Stibaromacha ratella* (Herrich-Schäffer, 1854)** (Autostichidae) Synonym(s): *ratella* Herrich-Schäffer, 1854; *sericeella* Rebel, 1917; *sebdorella* Chrétien, 1922; *#viettei* Agenjo, 1952 Range (as codes): MA Tgr Azr Ouk DZ Sbd Tni Tis Blid Gue Anna TN DhM PT ES Mu FR CY TR 05 06 05A 06Y
- 561. *Symmoca* (s.str.) *deprinsi* Gozmany, 2001** (Autostichidae) Synonym(s): *deprinsi* Gozmany, 2001 Range (as codes): TR 07
- 562. *Symmoca* (s.str.) *longipalpella* Rebel, 1914** (Autostichidae) Synonym(s): *longipalpella* Rebel, 1914 Range (as codes): EG EG61 TR 46
- 563. *Symmoca* (s.str.) *mannii* Gozmany, 2008** (Autostichidae) Synonym(s): *mannii* Gozmany, 2008 Range (as codes): TR 47 47D
- 564. *Symmoca* (s.str.) *perobscurata* Gozmany, 1957** (Autostichidae) Synonym(s): *perobscurata* Gozmany, 1957; *torrida* Gozmany, 1961 Range (as codes): PT ES Mu TR 47
- 565. *Symmoca* (s.str.) *pyrrhella* Ragonot, 1895** (Autostichidae) Synonym(s): *pyrrhella* Ragonot, 1895; *zeitunella* Rebel, 1902; *straminella* Gozmany, 1986 Range (as codes): TR 06 31 44 46 65 31M 44E 44Ei 46G 46L 65N 65Np1 65Nm
- 566. *Symmoca* (s.str.) *salinata* Gozmany, 1986** (Autostichidae) Synonym(s): *salinata* Gozmany, 1986 Range (as codes): TR 04 42 66 70 04D 04Da 42J 66P 70G
- 567. *Symmoca* (s.str.) *sparsella* (De Joannis, 1891)** (Autostichidae) Synonym(s): *sparsella* De Joannis, 1891; *ratellina* Turati, 1919 Range (as codes): ES Mu LB Bei IL Pa Hf Js JO Amm EG Cr TR SY Dms IQ Shq Rwz Dia
- 568. *Symmoca* (s.str.) *vitiosella* Zeller, 1868** (Autostichidae) Synonym(s): *vitiosella* Zeller, 1868 Range (as codes): TR Rd CY GR 07 32 33 42 48 33A 33Ak 48D

Blastobasidae

- 569. *Blastobasis phycidella* (Zeller, 1839)** (Blastobasidae) Synonym(s): *phycidella* Zeller, 1839; *roscidella* Zeller, 1847 Range (as codes): DZ TN Gf Cn PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR LT RU MD UA BY LB Bsa Bmm IR Mz GlS 05 16 05A 16A
- 570. *Hypatopa inunctella* (Zeller, 1839)** (Blastobasidae) Synonym(s): *inunctella* Zeller, 1839; *haliciella* Klemensiewicz, 1898; *fuscella* Klemensiewicz, 1898 Range (as codes): ES FR Si IT BE NL DE CH AT PL CZ SK HU RO TR DK SE FI LV LT RU MD UA BY

- 571. *Tecmerium perplexum* (Gozmany,1957)** (Blastobasidae) **Synonym(s):** *perplexum* Gozmany,1957
Range (as codes): HU GR CY Sa CZ SK TR

Bombycidae

- 572. *Bombyx mori* (Linnaeus,1758)** (Bombycidae) **Synonym(s):** *mori* Linnaeus,1758; *sinensis* Moore & Hutton,1862; *croesi* Moore & Hutton,1862; *fortunatus* Moore & Hutton,1862; *arracanensis* Moore & Hutton,1862; *textor* Moore & Hutton,1862. **Range (as codes):** ES FR BG TR ZA TH CN 16 46 16A 46G

Brachodidae

- 573. *Brachodes anatolicus* Kallies,2001** (Brachodidae) **Synonym(s):** *anatolicus* Kallies,2001 **Range (as codes):** TR 58 58R
- 574. *Brachodes appendiculatus* (Esper,[1783])** (Brachodidae) **Synonym(s):** *appendiculata* Esper,[1783]; *vahlia* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *gerassimovii* Kozhantschikov,1923 **Range (as codes):** DZ Lbs ES FR IT DE AT CZ SK HU RO YU AL BG GR TR SY RU Cc AM Eri Ur Sb KG 05 06 38 42 44 50 65 71 76 05A 06R 06Rl 65F 65Fp 65Fz 76C
- 575. *Brachodes araxellus* Zagulyaev,1999** (Brachodidae) **Synonym(s):** *araxella* Zagulyaev,1999 **Range (as codes):** TR 76 76C
- 576. *Brachodes beryti* (Stainton,1867)** (Brachodidae) **Synonym(s):** *nana* Lederer,1855 *nec* Treit.,1834; *berytii* Stainton,1867 **Range (as codes):** LB Bei GR Pl TR 01 07 27 31 33 01K 07C 07Cc 27B 31B 33R 33Rb
- 577. *Brachodes buxeus* Kallies,2001** (Brachodidae) **Synonym(s):** *buxeus* Kallies,2001 **Range (as codes):** TR 01 07 31 42 65 01K 07A 31M 42D 65A 65At 65At1
- 578. *Brachodes candefactus* (Lederer,1858)** (Brachodidae) **Synonym(s):** *candefacta* Lederer,1858; *diacona* Lederer,1858 **Range (as codes):** SY Dms TR IR Elb Mz Zj LB Bsa 01 13 21 24 25 31 33 46 49 58 65 01K 01L 01La 13G 13Go 13Gw 24B 24Bb 25A 25Ab 31M 33R 33Rb 46L 58R 65Bx 65G 65Ge
- 579. *Brachodes compar* (Staudinger,1879)** (Brachodidae) **Synonym(s):** *compar* Staudinger,1879 **Range (as codes):** TR IR 05 33 46 05A
- 580. *Brachodes dispar* (Herrich-Schäffer,[1854])** (Brachodidae) **Synonym(s):** *dispar* Herrich-Schäffer,[1854] **Range (as codes):** TR RU 51
- 581. *Brachodes fulguritus* (Fischer v. Waldheim,1832)** (Brachodidae) **Synonym(s):** *fulgurita* Fischer v. Waldheim,1832; *orbonota* Freyer,1842; *exilis* Herrich-Schäffer,[1856]; *confinis* Boisduval,[1875] **Range (as codes):** TR RU KG Uk 13 13G 13Gw 13Gn 13Go
- 582. *Brachodes nanus* (Treitschke,1834)** (Brachodidae) **Synonym(s):** *nana* Treitschke,1834 **Range (as codes):** PT ES Si? RO YU AL BG GR TR RU
- 583. *Brachodes orientalis* (Rebel,1905)** (Brachodidae) **Synonym(s):** *orientalis* Rebel,1905 **Range (as codes):** TR 38
- 584. *Brachodes pumilus* (Ochsenheimer,1808)** (Brachodidae) **Synonym(s):** *pumila* Ochsenheimer,1808; *chimaera* Hübner,[1808] **Range (as codes):** FR IT DE AT SK HU RO YU AL BG GR MK HV Cc TR SY RU CN Ui Ku KG Ssn KK 01 36 46 76 01K 36F 36Fb 46G 76C
- 585. *Brachodes tristis* (Staudinger,1879)** (Brachodidae) **Synonym(s):** *tristis* Staudinger,1879 **Range (as codes):** GR MK BG LB TR 33
- 586. *Phycodes chalcocrossa* Meyrick,1909** (Brachodidae) **Synonym(s):** *chalcocrossa* Meyrick,1909; *mesopotamica* Rebel,1910 **Range (as codes):** SA IL Pa TR 47 56 56F 56Fb
- 587. *Phycodes radiata* (Ochsenheimer,1808)** (Brachodidae) **Synonym(s):** *radiata* Ochsenheimer,1808; *hirudinicornis* Guenée,1852; *hyblaeella* Walker,1866; *#superbella* Rebel,1910; *tertiana* Diakonoff,1978 **Range (as codes):** AF Nu NP PK Cp H-A Kba IN LK TR 47

Brahmaeidae

- 588. *Brahmaea* (s.str.) *ledereri* Rogenhofer,1873** (Brahmaeidae) **Synonym(s):** *ledereri* Rogenhofer,1873 **Range (as codes):** SY Hal TR 07 23 24 30 31 33 46 62 65 73 80 30B 31M 33R 33Rb 46G 65D 65Dy

Bucculatricidae

- 589. *Bucculatrix albedinella* (Zeller,1839)** (Bucculatricidae) **Synonym(s):** *albedinella* Zeller,1839; *boyerella* Duponchel,[1840]. **Range (as codes):** FR Sa Si? IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR NO SE FI LV LT RU MD UA BY 16 16A
- 590. *Bucculatrix anthemidella* Deschka,1972** (Bucculatricidae) **Synonym(s):** *anthemidella* Deschka,1972 **Range (as codes):** TR 06 06R
- 591. *Bucculatrix basifuscella* Staudinger,1880** (Bucculatricidae) **Synonym(s):** *basifuscella* Staudinger,1880 **Range (as codes):** TR 05 05A
- 592. *Bucculatrix bechsteinella* (Bechstein & Scharfenberg,1805)** (Bucculatricidae) **Synonym(s):** *bechsteinella* Bechstein & Scharfenberg,1805; *crataegi* Zeller,1839; *crataegifoliella* Duponchel,1842; *crataegella* Herrich-Schäffer,1862. **Range (as codes):** PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 593. *Bucculatrix cidarella* (Zeller,1839)** (Bucculatricidae) **Synonym(s):** *cidarella* Zeller,1839 **Range (as codes):** FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT TR? RU MD UA BY 71? 71C
- 594. *Bucculatrix infans* Staudinger,1880** (Bucculatricidae) **Synonym(s):** *infans* Staudinger,1880 **Range (as codes):** TR 05 05A
- 595. *Bucculatrix nigricomella* (Zeller,1839)** (Bucculatricidae) **Synonym(s):** *nigricomella* Zeller,1839; *aurimaculella* Stainton,1849 **Range (as codes):** PT ES FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY 16
- 596. *Bucculatrix oppositella* Staudinger,1880** (Bucculatricidae) **Synonym(s):** *oppositella* Staudinger,1880 **Range (as codes):** TR 05 05A
- 597. *Bucculatrix pseudosylvella* Rebel,1941** (Bucculatricidae) **Synonym(s):** *pseudosylvella* Rebel,1941 **Range (as codes):** PT HV MK TR
- 598. *Bucculatrix ulmella* Zeller,1848** (Bucculatricidae) **Synonym(s):** *ulmella* Zeller,1848; *sircomella* Stainton,1848; *venustella* Stainton,1849. **Range (as codes):** FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK GR TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 599. *Bucculatrix ulmicola* Kuznetsov,1962** (Bucculatricidae) **Synonym(s):** *ulmicola* Kuznetsov,1962 **Range (as codes):** RU Sr TR 71 71C

Carposinidae

- 600. *Carposina berberidella* Herrich-Schäffer,[1854]** (Carposinidae) **Synonym(s):** *berberidella* Herrich-Schäffer,[1854] **Range (as codes):** ES IT DE AT PL CZ SK HU YU TR LT RU GG Cc AM 06 42 44 06R
- 601. *Carposina scirrhosella* Herrich-Schäffer,[1854]** (Carposinidae) **Synonym(s):** *scirrhosella* Herrich-Schäffer,[1854]; *orientella* Stanoiu & Nemeş,1968 **Range (as codes):** DE AT CZ SK HU YU RO BG TR LB 06 13 16 65 06R 13A 13Ab 13Ax 65N 65Nm

Choreutidae

- 602. *Anthophila fabriciana* (Linnaeus,1767)** (Choreutidae) **Synonym(s):** *fabriciana* Linnaeus,1767; *oxyacanthella* Linnaeus,1767; *urticana* Denis & Schiffermüller,[1775]; *excisum* Retzius,1783; *gilibertiana* Villers,1789; *oxyacanthae* Fabricius,1798; *dentana* Hübner,1799; *fabricii* Haworth,1811; *dentanal* Treitschke,1829; *parietariae* Stainton,1855; *fabriciella* Herrich-Schäffer,1862; *parietariella* Herrich-Schäffer,1862 **Range (as codes):** PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Krl Sh MD UA BY KP KR JP TW CA Mnt 05 16 05A 16A
- 603. *Choreutis muhabbet* Koçak,2008** (Choreutidae) **Synonym(s):** *muhabbet* Koçak,2008 **Range (as codes):** TR 13 65 13F 65D 65Dr 65Dx
- 604. *Choreutis nemorana* (Hübner,[1799])** (Choreutidae) **Synonym(s):** *nemorana* Hübner,[1799]; *incisalis* Treitschke,1828; *nemoranal* Treitschke,1829; *nemorella* Herrich-Schäffer,1862 **Range (as codes):** Md Cn DZ Anna MA PT ES Co MT AT GR Cr CY TR IQ Shq IR Gh Tgo Ak Qm RU MD UA Cm Cc GG AZ AM TM CN Yu 05 13 16 17 44 46 47 48 56 05A 13C 13Cd 16A 44L 44Lc 44O 44Oi 56F 56Fi
- 605. *Choreutis pariana* (Clerck,1759)** (Choreutidae) **Synonym(s):** *#pariana* Clerck,1759; *lutosa* Haworth,1811; *parialis* Treitschke,1828; *pariella* Herrich-Schäffer,1862 **Range (as codes):** Cn DZ ES FR GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Sh Krl SA JP CA US Col 16 16A
- 606. *Millieria dolosana* (Herrich-Schäffer,[1854])** (Choreutidae) **Synonym(s):** *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854]; *#dolasana* Desmarest,[1857] **Range (as codes):** DZ MA PT ES FR Co IT DE AT PL CZ SK HU RO YU HV MK AL TR LB Bei IL Js Pa SY Dms UA Cm RU Sr 05 16 42 05A 16A

- 607. *Prochoreutis myllerana* (Fabricius, 1794)** (Choreutidae) Synonym(s): *myllerana* Fabricius, 1794; *mylleri* Haworth, 1811; *augustana* Hübner, [1813]; *scintilulana* Hübner, [1825]; *scintilulalis* Treitschke, 1835; *albipunctalis* Zetterstedt, 1839; *müllerana* Heyden, 1865 Range (as codes): PT ES FR Co Sa Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc MD UA BY JP Hkk 05 16 05A 16A
- 608. *Prochoreutis sehestediana* (Fabricius, 1777)** (Choreutidae) Synonym(s): *sehestediana* Fabricius, 1777; *punctosa* Haworth, 1811; *philonyma* Meyrick, 1912; *phalaraspis* Meyrick, 1923 Range (as codes): ES FR GB BE NL DE CZ SK HU DK SY TR SE FI EE LV LT RU MD UA BY LK IN Hp NP JP
- 609. *Prochoreutis stellaris* (Zeller, 1847)** (Choreutidae) Synonym(s): *stellaris* Zeller, 1847; *irradiata* Meyrick, 1913 Range (as codes): FR BE Si IT CH AT SK HU AL GR Cr BG TR RU Da Cc IR Mz Elb Gor GlS 16 31
- 610. *Tebenna bjerkanndrella* (Borgström, 1784)** (Choreutidae) Synonym(s): *cardui* Ström, 1783; *bjerkanndrella* Borgström, 1784; *prunnerella* Rossi, 1794; *vibrana* Hübner, [1813]; *fibrana* Hübner, [1825]; *pretiosana* Duponchel, 1842; *vibralis* Treitschke, 1835; *australis* Zeller, 1857; *kawabei* Arita, 1975 Range (as codes): TN Gf PT ES FR Co Si MT DE CH AT PL CZ SK DK SE FI EE LV RU MD UA BY TR Cc IL ZA Tva Gau Pre JP Hkk Sb Krl 16 46 76 16A
- 611. *Tebenna micalis* (Mann, 1857)** (Choreutidae) Synonym(s): *micalis* Mann, 1857; *isschikii* Matsumura, 1931; *bradleyi* Clarke, 1971; *hypocroca* Diakonoff, 1978 Range (as codes): Cn Md MA DZ TN Gf PT ES FR Sa IT MT IE GB SK HU YU MK AL HV GR TR Cc AZ IR Fa Ha Kz GlS Th Ak AF Srb Dwe Pag Blh Gbh NP Kdu CN TkG JP Hkk Ri SA As YE Sk RE ID Ja AU NZ 17 34 76 34H

Cimeliidae

- 612. *Axia (Epicimelia) theresiae* (Korb, 1900)** (Cimeliidae) Synonym(s): *theresiae* Korb, 1900 Range (as codes): TR Cc IR Ab Oru SY Hal IQ 06 13 24 29 30 36 42 44 49 50 58 65 70 73 76 06A 06Aa 06C 06Cb 06N 13G 13Gt 13Gw 13Gs 29F 30B 30Ba 30Be 30Bh 30Bj 30Bj1 30C 30Cb 30D 30Da 30Dt 36D 36Db 42R 44E 44Ei 44F 44Fa 49F 49Fb 58G 65A 65Ai 65Am1 65Am4 65An 65D 65Dl 65Ds 65Dt 65F 65Fe 65Fp 65Fz 65Fm 70D 73C 73Cd 76A
- 613. *Axia (s.str.) nesiota* Reisser, 1962** (Cimeliidae) Synonym(s): *nesiota* Reisser, 1962 Range (as codes): GR Pl Sms Cr TR 48 48G 48Gb
- 614. *Axia (s.str.) olga* (Staudinger, [1900])** (Cimeliidae) Synonym(s): *olga* Staudinger, [1900] Range (as codes): TR GG Bjo Smt Cc 14 54 57 61 81 14I 14Ib 61K 81F

Coleophoridae

- 615. *Augasma aeratellum* (Zeller, 1839)** (Coleophoridae) Synonym(s): *aeratellum* Zeller, 1839 Range (as codes): ES FR IT GB BE DE CH AT PL CZ SK HU RO YU GR TR DK SE LV LT RU
- 616. *Coleophora adelogrammella* Zeller, 1849** (Coleophoridae) Synonym(s): *adelogrammella* Zeller, 1849; *collina* Frey, 1880; *separatella* Benander, 1939. Range (as codes): PT ES FR Co IT CH AT CZ YU TR IR Mz Clu DK NO SE FI EE LV RU MD UA BY 06 58 06A 06Aa 58G
- 617. *Coleophora adjectella* Herrich-Schäffer, 1861** (Coleophoridae) Synonym(s): *adjectella* Herrich-Schäffer, 1861 Range (as codes): ES FR Sa Si IT GB CH AT CZ SK GR TR DK SE 06 06A 06Aa
- 618. *Coleophora adjunctella* Hodgkinson, 1882** (Coleophoridae) Synonym(s): *adjunctella* Hodgkinson, 1882; *paludicola* Stainton, 1885; *aratorensis* Barasch, 1934 Range (as codes): FR IT IE GB BE NL DE AT PL CZ SK HU DK NO SE FI EE LV RU MD UA BY RO TR IR Ab Oru AF Kab 71 71B
- 619. *Coleophora agrianella* Rebel, 1934** (Coleophoridae) Synonym(s): *agrianella* Rebel, 1934 Range (as codes): YU MK BG TR AM Cc 23 23M
- 620. *Coleophora agridensis* Baldizzone, 2001** (Coleophoridae) Synonym(s): *agridensis* Baldizzone, 2001 Range (as codes): TR 04
- 621. *Coleophora albella* (Thunberg, 1788)** (Coleophoridae) Synonym(s): *albella* Thunberg, 1788; *leucapennella* Hübner, 1796; *leucapennis* Haworth, 1828; *albifuscella* Zeller, 1839 Range (as codes): DZ Anna PT ES FR IT Si GB DE CH AT PL CZ SK HU RO YU BG GR TR LB Bsa CY IR Gor NO SE FI LV LT RU 16 16A
- 622. *Coleophora albicans* Zeller, 1849** (Coleophoridae) Synonym(s): *albicans* Zeller, 1849; *artemisiella* Scott, 1861; *simillimella* Fuchs, 1881; *digitella* Palm, 1947 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RO RU MD UA BY 42 42B
- 623. *Coleophora albicostella* (Duponchel, 1842)** (Coleophoridae) Synonym(s): *albicostella* Duponchel, 1842; *marginatella* Herrich-Schäffer, 1854; *approximata* Gozmany, 1956 Range (as codes): PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU AL GR TR CY SY Dms LB Bro Say IR Elb Kdv EE LV LT Cc AM RU Sb At 16 46 16A
- 624. *Coleophora albiochrella* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *albichrella* Toll & Amsel, 1967 Range (as codes): AF Kab Pag IR Ak Mrd TR AM Cc 36 36D

- 625. *Coleophora albipennella* Staudinger, 1879** (Coleophoridae) Synonym(s): *albipennella* Staudinger, 1879 Range (as codes): TR AM Geg Eri Cc IR Elb Th Fa Kd RU Sb At MN 05 06 42 58 65 05A 06R 42B 58G 65A 65At 65At5
- 626. *Coleophora albostraminata* Toll, 1960** (Coleophoridae) Synonym(s): *albostraminata* Toll, 1960 Range (as codes): ES Rd TR
- 627. *Coleophora albotitae* Rebel, 1935** (Coleophoridae) Synonym(s): *albotitae* Rebel, 1935 Range (as codes): TR 06 46 58 69 06R 58G
- 628. *Coleophora alcyonipennella* (Kollar, 1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar, 1832; *cuprariella* Zeller, 1847; *praticolella* Zeller, 1849; *cuprifulgella* Toll, 1962 Range (as codes): MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Ghz IQ Hjo Ry IR Elb Th Kh Msh Ab Mak AF Nu Pag Kab Bd PK Swa Mdy DK NO SE FI EE LV LT RU MD UA BY JP NZ AU NSw Syd KK CN Ui Ku Um 05 06 12 14 16 33 34 36 41 46 53 55 76 05A 12A 12Ab 14I 14Ib 16A 36D 55E
- 629. *Coleophora aleramica* Baldizzone & Stübner, 2007** (Coleophoridae) Synonym(s): *aleramica* Baldizzone & Stübner, 2007 Range (as codes): IT YU ME AT SK HV MK GR TR JO 06 07 35 06R
- 630. *Coleophora amasicola* Toll, 1942** (Coleophoridae) Synonym(s): *amasicola* Toll, 1942 Range (as codes): TR 05 06 05A 06R 06Ra
- 631. *Coleophora amasiella* Stainton, 1867** (Coleophoridae) Synonym(s): *amasiella* Stainton, 1867 Range (as codes): TR IL Pa SY Dms JO IR Se IQ Rba AF Kab 05 06 42 46 68 05A 06Y 42B 46G 68B
- 632. *Coleophora amentastra* Falkovitsh, 1972** (Coleophoridae) Synonym(s): *amentastra* Falkovitsh, 1972 Range (as codes): TR AF Kab TM UZ 38 38C 38Ca
- 633. *Coleophora amethystinella* Ragonot, 1885** (Coleophoridae) Synonym(s): *amethystinella* Ragonot, 1885; *metallica* Toll, 1961 Range (as codes): ES An TR IL Pa PT FR MK IQ Agh MA Azr Ifr 35 44 65 44L 44Lc 65A 65Am 65Am2
- 634. *Coleophora ammophora* (Falkovitsh, 1989)** (Coleophoridae) Synonym(s): *ammophora* Falkovitsh, 1989 Range (as codes): TR IR Ab Mak Kh AF Gz TM 06 25 58 06Y 25A 58G
- 635. *Coleophora angustiorella* Fuchs, 1903** (Coleophoridae) Synonym(s): *angustiorella* Fuchs, 1903 Range (as codes): AM Eri Cc TR IT MK HV 35
- 636. *Coleophora arenbergeri* Glaser, 1981** (Coleophoridae) Synonym(s): *arenbergeri* Glaser, 1981 Range (as codes): TR 42
- 637. *Coleophora argentipennella* Duponchel, 1838** (Coleophoridae) Synonym(s): *argentipennella* Duponchel, 1838 Range (as codes): TR
- 638. *Coleophora argentula* (Stephens, 1834)** (Coleophoridae) Synonym(s): *argentula* Stephens, 1834; *cothurnella* Duponchel, 1843; *argentulella* Doubleday, 1859; *argentulella* Bruand, 1859 Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU YU AL BG RO TR DK NO SE FI EE LV LT RU MD UA BY 06 06R
- 639. *Coleophora argyrella* Herrich-Schäffer, 1861** (Coleophoridae) Synonym(s): *argyrella* Herrich-Schäffer, 1861 Range (as codes): TR RU Sr AF Kab 46
- 640. *Coleophora armeniae* Baldizzone & Patzak, 1991** (Coleophoridae) Synonym(s): *armeniae* Baldizzone & Patzak, 1991 Range (as codes): Cc AM Geg Eri RU TR UA KG KK CN Ui 65 76
- 641. *Coleophora asiaeminoris* Toll, 1952** (Coleophoridae) Synonym(s): *asiaeminoris* Toll, 1952 Range (as codes): TR 05
- 642. *Coleophora asperginella* Christoph, 1862** (Coleophoridae) Synonym(s): *asperginella* Christoph, 1862 Range (as codes): RU Cc TR 76 76C
- 643. *Coleophora asthenella* Constant, 1893** (Coleophoridae) Synonym(s): *asthenella* Constant, 1893 Range (as codes): DZ Bsk TN Gf ES FR Sa Si IT TR 33 33O
- 644. *Coleophora astragalella* Zeller, 1849** (Coleophoridae) Synonym(s): *astragalella* Zeller, 1849; *fimbriosella* Herrich-Schäffer, 1861; *plusiella* Constant, 1865; *persimilis* Rebel, 1904 Range (as codes): ES FR IT CH AT CZ SK HU RO B-H YU TR LB Bsa RU UA KG Uk 04 05 06 16 42 50 58 04D 04Da 05A 06H 16A 42B 50G 50Gd 58G
- 645. *Coleophora audeoudi* Rebel, 1935** (Coleophoridae) Synonym(s): *audeoudi* Rebel, 1935 Range (as codes): MK TR 06 42 42B
- 646. *Coleophora bagorella* (Falkovitsh, 1977)** (Coleophoridae) Synonym(s): *bagorella* Falkovitsh, 1977; *capusiella* Nemes, 2003 Range (as codes): RO RU MN CN Ui TR 65 65K
- 647. *Coleophora baischi* Baldizzone, 2007** (Coleophoridae) Synonym(s): *baischi* Baldizzone, 2007 Range (as codes): TR 25 25C
- 648. *Coleophora ballotella* (Fischer v. Röslerstamm, 1839)** (Coleophoridae) Synonym(s): *ballotella* Fischer v. Röslerstamm, 1839; *alexinschiella* Nemes, 2004 Range (as codes): ES FR IT DE AT PL CZ SK HU RO YU BG GR TR LT RU MD UA BY KG Uk 16 71 16A 71B
- 649. *Coleophora basimaculella* Mann, 1864** (Coleophoridae) Synonym(s): *basimaculella* Mann, 1864 Range (as codes): GR Rd TR LB Ghz EG 09 16 09K 16A

- 650. *Coleophora berlandella* Toll, 1956** (Coleophoridae) Synonym(s): *berlandella* Toll, 1956 Range (as codes): MA DZ TN LY Cy ES TR
- 651. *Coleophora bernoulliella* (Goeze, 1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze, 1783; *anatipenella* Hübner, 1796 Range (as codes): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU UA MD BY Cc AM Geg Eri IR Elb Kdv Ha Avd GlS Kh Mz Clu Fa 06 29 61
- 652. *Coleophora bilineatella* Zeller, 1849** (Coleophoridae) Synonym(s): *bilineatella* Zeller, 1849; *perserenella* Rebel, 1919; *broennoeella* Strand, 1920; *joannisella* Suire, 1930; *sergii* Gozmany, 1956 Range (as codes): ES FR Sa IT CH AT CZ SK HU YU GR TR KG Uk 06
- 653. *Coleophora bilineella* Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *bilineella* Herrich-Schäffer, 1855; *argenteimbella* Millière, 1875; *zonatella* Toll, 1960 Range (as codes): PT ES FR Co Sa IT AT HU RO GR Cr TR CY LY 38 38C 38Ca
- 654. *Coleophora bitlisella* Baldizzone, 1994** (Coleophoridae) Synonym(s): *bitlisella* Baldizzone, 1994 Range (as codes): TR IR Kd Bne 13 13C
- 655. *Coleophora bivittella* Staudinger, 1879** (Coleophoridae) Synonym(s): *bivittella* Staudinger, 1879 Range (as codes): TR CY IR Kh Elb Se 05 20 42 51 65 05A 42O 51D 51Da 65D 65Df
- 656. *Coleophora bornicensis* Fuchs, 1886** (Coleophoridae) Synonym(s): *bornicensis* Fuchs, 1886 Range (as codes): DE TR 68 68B
- 657. *Coleophora botaurella* Herrich-Schäffer, 1861** (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer, 1861 Range (as codes): TR RU Sr TM Ur IR Kd Snj Km AF KG Uk CN Ui Ku 44 44E 44Eh
- 658. *Coleophora breviscula* Staudinger, 1880** (Coleophoridae) Synonym(s): *breviscula* Staudinger, 1880 Range (as codes): GR TR IT CH 05 05A
- 659. *Coleophora caelebipennella* Zeller, 1839** (Coleophoridae) Synonym(s): *caelebipennella* Zeller, 1839; *bifurcella* Turati, 1930 Range (as codes): ES FR Co IT NL DE CH AT PL CZ SK HU RO TR AF Pag Kab Sfk PK Swa Mdy DK NO SE FI EE LV LT RU 16 42 16A 42B
- 660. *Coleophora calycotomella* Stainton, 1869** (Coleophoridae) Synonym(s): *calycotomella* Stainton, 1869; *sarothamni* Rössler, 1877; *oranella* Toll, 1952; *afra* Toll, 1952; *paraobviella* Toll, 1961 Range (as codes): MA LY DZ PT ES FR Sa Si BE IT MT NL DE YU AL GR Cr TR SY Dms LB Bei Say 01 27 33
- 661. *Coleophora canariipennella* Toll, 1959** (Coleophoridae) Synonym(s): *canariipennella* Toll, 1959 Range (as codes): IQ Hjo Ry TR 50 50G
- 662. *Coleophora capillata* Baldizzone, 1994** (Coleophoridae) Synonym(s): *capillata* Baldizzone, 1994 Range (as codes): TR 51 51D 51Da
- 663. *Coleophora cappadociae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *cappadociae* Baldizzone, 1994 Range (as codes): TR 12 12C
- 664. *Coleophora cartilaginella* Christoph, 1872** (Coleophoridae) Synonym(s): *cartilaginella* Christoph, 1872; *echinella* Staudinger, 1879; *dubiosa* Toll, 1952; *paraspumosella* Toll, 1957; *medicagivora* Toll, 1961 Range (as codes): ES PT YU RU MD Cm TM TR IR Se Fa Elb Th Lo AF Pag Kab Nu HU MK 04 05 06 12 23 38 42 51 71 04D 04Da 06R 12A 12Ab 23M 38C 38Ca 42J 51D 51Da
- 665. *Coleophora caucasica* Stainton, 1867** (Coleophoridae) Synonym(s): *caucasica* Stainton, 1867 Range (as codes): Cc AM Eri GG Akh TR RU Or Kyi KG 24 45 76 76C
- 666. *Coleophora chamaedriella* Bruand, 1852** (Coleophoridae) Synonym(s): *chamaedriella* Bruand, 1852; *setipalpella* Staudinger, 1879. Range (as codes): MA ES FR Sa IT BE CH AT PL CZ SK HU RO YU AL GR TR IQ Mos 05 05A
- 667. *Coleophora cherasforella* Baldizzone, 2001** (Coleophoridae) Synonym(s): *cherasforella* Baldizzone, 2001 Range (as codes): Cc AM TR 76
- 668. *Coleophora christenseni* Baldizzone, 1983** (Coleophoridae) Synonym(s): *christenseni* Baldizzone, 1983 Range (as codes): GR Cr TR 58 58G
- 669. *Coleophora colutella* (Fabricius, 1794)** (Coleophoridae) Synonym(s): *colutella* Fabricius, 1794; *serenella* Duponchel, 1843; *crocineella* Tengström, 1848; *stanoiuii* Nemes, 2004 Range (as codes): TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU GR TR Cc AM Eri DK NO SE FI EE LV LT RU MD UA BY IR GlS 06
- 670. *Coleophora confusa* Staudinger, 1880** (Coleophoridae) Synonym(s): *confusa* Staudinger, 1880 Range (as codes): TR 05 06 38 41 42 05A 06R 38C 38Ca 41A 42R
- 671. *Coleophora congeriella* Staudinger, 1859** (Coleophoridae) Synonym(s): *congeriella* Staudinger, 1859; *suboriolella* Toll, 1944 Range (as codes): LY ES An Grn FR IT AT CZ SK HU BG GR TR 55 55E
- 672. *Coleophora conspersa* Baldizzone & Tabell, 1999** (Coleophoridae) Synonym(s): *conspersa* Baldizzone & Tabell, 1999 Range (as codes): TR 07
- 673. *Coleophora conspicuella* Zeller, 1849** (Coleophoridae) Synonym(s): *conspicuella* Zeller, 1849; *centaureicolella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920 Range (as codes): DZ Eba ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR Cc SY Dms LB Bsa IQ Hjo Ry DK SE FI EE LV LT AM Cc RU Sb At Us KG MD UA BY CN Ui Ku 05 06 46 76 05A 06R 46G 76C

- 674. *Coleophora conyzae* Zeller, 1868** (Coleophoridae) Synonym(s): *conyzae* Zeller, 1868, *xenia* M. Hering, 1935; *angustilinea* Toll, 1962; *mellechella* Toll, 1962; *vicolii* Nemes, 2003 Range (as codes): PT ES FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL GR Cr TR SE EE LV 33
- 675. *Coleophora coracipennella* (Hübner, 1796)** (Coleophoridae) Synonym(s): *coracipennella* Hübner, 1796; *coracipennis* Haworth, [1828]; *nigricella* Stephens, 1834; *occidentis* Zeller, 1873; *varii* Patzak, 1969. Range (as codes): FR Si IT GB BE NL DE CH AT CZ SK HU RO YU TR EE RU MD UA BY 16 16A
- 676. *Coleophora coronillae* Zeller, 1849** (Coleophoridae) Synonym(s): *coronillae* Zeller, 1849; *coronillella* Herrich-Schäffer, 1854; *constantella* Bruand, 1858 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU BG TR Cc AM Di IR Ab Oru LT RU MD UA BY 06 42 46 58 06R 58G
- 677. *Coleophora corsicella* Walsingham, 1898** (Coleophoridae) Synonym(s): *corsicella* Walsingham, 1898; *calcariella* Chrétien, 1901; *flavescentella* Toll, 1961 Range (as codes): ES FR Co IT SK HU YU MK GR TR 42
- 678. *Coleophora cracella* (Vallot, 1835)** (Coleophoridae) Synonym(s): *cracella* Vallot, 1835; *lugduniella* Stainton, 1859 Range (as codes): ES FR SK HU BG TR RU MD UA BY RO 65 65A 65Am 65Am1
- 679. *Coleophora crepidinella* Zeller, 1847** (Coleophoridae) Synonym(s): *crepidinella* Zeller, 1847 Range (as codes): DZ TN PT ES Sa Si IT MT GR TR IL Pa 06 06H
- 680. *Coleophora crispella* Baldizzone, 1994** (Coleophoridae) Synonym(s): *crispella* Baldizzone, 1994 Range (as codes): TR 06 07 23 06R 23M
- 681. *Coleophora cuprariella* Zeller, 1847** (Coleophoridae) Synonym(s): *cuprariella* Zeller, 1847; *metalllicella* Fuchs, 1903 nec Hodg., 1892; *fuchsiella* Odejans, 1971 Range (as codes): GR Rd AM Eri Cc TR 07 35 48 48G
- 682. *Coleophora currucipennella* Zeller, 1839** (Coleophoridae) Synonym(s): *currucipennella* Zeller, 1839; *pedifera* Geoffroy, 1785; *nemorum* Heinemann, 1854; *tristrigella* Heinemann & Wocke, 1876; *alaudipennella* Capuse, 1971; *cristinae* Capuse, 1971 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK NO SE EE LV LT RU MD UA BY 16 41 55 81 16A 41A 55E 81E
- 683. *Coleophora daglarica* Baldizzone & Tabell, 1999** (Coleophoridae) Synonym(s): *daglarica* Baldizzone & Tabell, 1999 Range (as codes): TR 42
- 684. *Coleophora deauratella* Lienig & Zeller, 1846** (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller, 1846 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU AL GR TR Cc AM LB Ghz DK NO SE FI EE LV LT RU RO CN CA US 16 23 76 23M
- 685. *Coleophora denigrella* Gerasimov, 1930** (Coleophoridae) Synonym(s): *denigrella* Gerasimov, 1930 Range (as codes): AF Hr UZ TM TR 76 76A 76Aa 76B
- 686. *Coleophora dianthi* Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942 Range (as codes): FR Sa Si IT CH? AT PL CZ SK HU RO YU BG GR TR IR Ab Oru Th Elb Plr Glc Cc AM Eri Geg IQ Hjo Ry SE FI EE LV LT RU 01 06 12 33 01D 06R 12A 12Aa 33R
- 687. *Coleophora didymella* Chrétien, 1899** (Coleophoridae) Synonym(s): *didymella* Chrétien, 1899 Range (as codes): FR IT TR 42
- 688. *Coleophora dignella* Toll, 1961** (Coleophoridae) Synonym(s): *dignella* Toll, 1961 Range (as codes): ES FR IT AT YU GR TR RO RU Sb KG 06 07 14 42 06R 07M 42J
- 689. *Coleophora discordella* Zeller, 1849** (Coleophoridae) Synonym(s): *discordella* Zeller, 1849; *doryniella* Hartig, 1939 Range (as codes): MA PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU GR TR DK NO SE FI EE LV RU MD UA BY 06
- 690. *Coleophora ditella* Zeller, 1849** (Coleophoridae) Synonym(s): *ditella* Zeller, 1849; *tanaceti* Roesler, 1866 nec Mühl., 1865; *roessleri* Heinemann & Wocke, [1876]; *anatolica* Toll, 1952 Range (as codes): ES FR IT NL DE CH AT PL CZ SK HU RO YU Cc AM Geg Eri TR IR Elb Th Kh Es Mz Clu Ab Oru Gor BG RU MN 42 58 42B 42O 58G
- 691. *Coleophora dubiella* Baker, 1888** (Coleophoridae) Synonym(s): *dubiella* Baker, 1888; *reisseri* Rebel, 1926; *eucera* Toll, 1952; *microeucera* Toll, 1960; *leucostrigella* Toll, 1960 Range (as codes): DZ Lbs ES FR TR Cc JO IQ Rba IR Ab Mak Qm Fa AF RU 06 50 06Y 50G 50Ga
- 692. *Coleophora echinacea* Falkovitsh, 1972** (Coleophoridae) Synonym(s): *echinacea* Falkovitsh, 1972 Range (as codes): TR MN 06 06D
- 693. *Coleophora etrusca* Baldizzone, 1990** (Coleophoridae) Synonym(s): *etrusca* Baldizzone, 1990 Range (as codes): IT TR 06 23 33 06R 23M 33R
- 694. *Coleophora eupepla* (Gozmany, 1954)** (Coleophoridae) Synonym(s): *eupepla* Gozmany, 1954 Range (as codes): HU MK ES FR GR RU Or Ur TR 50
- 695. *Coleophora eupreta* Walsingham, 1907** (Coleophoridae) Synonym(s): *eupreta* Walsingham, 1907; *nageli* Rebel, 1910; *circumdatella* Turati, 1934; *argentariella* Klimesch, 1952; *africana* Toll, 1957; *gozmanyi* Toll, 1960; *betica* Glaser, 1981 Range (as codes): DZ Bsk TN Gf LY PT ES FR IT AT YU TR IR Fa Hz B-A 58 58G
- 696. *Coleophora ferruginea* Baldizzone, 1994** (Coleophoridae) Synonym(s): *ferruginea* Baldizzone, 1994 Range (as codes): TR Cc AM Geg Eri IR Km Elb Th Kdj Ab Oru 06 29 38 58 06R 29A 38C 38Ca 58G

- 697. *Coleophora filaginella* Fuchs, 1881** (Coleophoridae) Synonym(s): *filaginella* Fuchs, 1881; *graurii* Nemes, 2004 Range (as codes): DE GR RO TR 06 06R
- 698. *Coleophora fiorii* Toll, 1953** (Coleophoridae) Synonym(s): *fiorii* Toll, 1953 Range (as codes): ES IT TR 06 70 06D 70C 70Cb
- 699. *Coleophora flaviella* Mann, 1857** (Coleophoridae) Synonym(s): *flaviella* Mann, 1857; *infibulatella* Hofmann, 1874 Range (as codes): LY PT ES FR Si IT DE AT CZ SK HU YU GR RO TR IR Elb Th 06 29 06F 29A
- 700. *Coleophora flavineella* Toll, 1952** (Coleophoridae) Synonym(s): *flavineella* Toll, 1952 Range (as codes): TR 05
- 701. *Coleophora flavipennella* (Duponchel, 1843)** (Coleophoridae) Synonym(s): *flavipennella* Duponchel, 1843 Range (as codes): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI LV LT RU MD UA BY 06 16 55 06R 16A 55E
- 702. *Coleophora follicularis* (Vallot, 1802)** (Coleophoridae) Synonym(s): *follicularis* Vallot, 1802; *troglydytella* Duponchel, 1843; *derivatella* Zeller, 1849; *adustella* Müller-Rutz, 1923; *inulaefoliae* Benander, 1936 Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV RU MD UA BY 81 81E
- 703. *Coleophora fretella* Zeller, 1847** (Coleophoridae) Synonym(s): *fretella* Zeller, 1847; *pabulella* Zeller, 1847; *marianii* Toll, 1942; *gilveolella* Toll, 1954 Range (as codes): DZ TN ES Si AT IT GR TR 09 16 35 09K 16A 35U 35Ua
- 704. *Coleophora fringillella* Zeller, 1839** (Coleophoridae) Synonym(s): *fringillella* Zeller, 1839 Range (as codes): FR IT AT HU RO TR
- 705. *Coleophora frischella* (Linnaeus, 1758)** (Coleophoridae) Synonym(s): *frischella* Linnaeus, 1758; *dannehli* Toll, 1952; *auronitella* Toll, 1962 Range (as codes): MA ES FR IT IE GB BE LU DE CH AT CZ SK HU GR TR IL AF Slg DK NO SE FI EE LV LT RU RO KG Uk 05 35 44 46 05A
- 706. *Coleophora fuscicornis* Zeller, 1847** (Coleophoridae) Synonym(s): *fuscicornis* Zeller, 1847 Range (as codes): MA LY PT ES FR IT Sa Si GB HU YU GR Cr TR LB SY IL Pa IR 09 42 77 09E
- 707. *Coleophora fuscociliella* Zeller, 1849** (Coleophoridae) Synonym(s): *fuscociliella* Zeller, 1849; *bucovinae* Nemes, 2004 Range (as codes): Si IT DE AT PL CZ SK HU YU TR RU RO 06 16 06H 16A
- 708. *Coleophora galbulipennella* Zeller, 1838** (Coleophoridae) Synonym(s): *galbulipennella* Zeller, 1838; *otitae* Zeller, 1839; *albotitae* Rebel, 1936; *obliterata* Toll, 1952 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR Cc AM Geg Eri IR Ab Oru SE EE LV LT RU MD UA BY 06 13 29 46 73 06R 13G 13Gw 73C 73Cd
- 709. *Coleophora gallipennella* (Hübner, 1796)** (Coleophoridae) Synonym(s): *gallipennella* Hübner, 1796 Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO TR DK NO SE EE LV LT Cc AM RU MD UA BY 05 16 71 05A 16A 71C
- 710. *Coleophora gaviaepennella* Toll, 1952** (Coleophoridae) Synonym(s): *gaviaepennella* Toll, 1952 Range (as codes): ES FR IT SK TR Cc AM Geg Eri RU 04 58 61 04D 04Da 04I 58G 61L
- 711. *Coleophora gazella* Toll, 1952** (Coleophoridae) Synonym(s): *gazella* Toll, 1952; *gazella* Toll & Amsel, 1967; *argandabella* Amsel, 1968 Range (as codes): TR IQ Rba IR Kd Elb Th Kh Msh AF Kab TM 06 13 42 58 06Y 13G 13Ge 58G
- 712. *Coleophora genistae* Stainton, 1857** (Coleophoridae) Synonym(s): *genistae* Stainton, 1857 Range (as codes): PT ES FR Sa IT GB BE NL AT CZ SK HU RO MK GR TR DK SE 17
- 713. *Coleophora glaucicolella* Wood, 1892** (Coleophoridae) Synonym(s): *glaucicolella* Wood, 1892 Range (as codes): PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU YU AL BG GR? RO IR Mz TR DK NO FI EE LV LT RU MD UA BY Sb CA US Oh 42 55 81 42D 55E 81E
- 714. *Coleophora goluensis* Baldizzone, 1994** (Coleophoridae) Synonym(s): *golusensis* Baldizzone, 1994 Range (as codes): TR 06 07 23 42 71 06D 06R 06Y 07G 23M 42O 71C
- 715. *Coleophora granuloseella* Staudinger, 1880** (Coleophoridae) Synonym(s): *granuloseella* Staudinger, 1880 Range (as codes): MK CY LB Bsa TR 05 06 33 42 05A 06A 06Aa 06Y 33O
- 716. *Coleophora gryphipennella* (Hübner, 1796)** (Coleophoridae) Synonym(s): *gryphipennella* Hübner, 1796; *obscura* Haworth, 1828; *mariniella* Hodgkinson, 1881; *scolopiphora* Hering, 1926. Range (as codes): PT FR IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI LV LT RU Sb JP Cc AM MD UA BY 29
- 717. *Coleophora gurunensis* Baldizzone, 1994** (Coleophoridae) Synonym(s): *gurunensis* Baldizzone, 1994 Range (as codes): TR 58 58G
- 718. *Coleophora hartigi* Toll, 1944** (Coleophoridae) Synonym(s): *hartigi* Toll, 1944 Range (as codes): IT DE AT CZ SK YU BG GR TR 77
- 719. *Coleophora helianthemella* Millièrre, 1870** (Coleophoridae) Synonym(s): *helianthemella* Millièrre, 1870 Range (as codes): DZ LY PT ES FR Sa Si IT GR Cr TR CY LY 63 63B
- 720. *Coleophora hemerobiella* (Scopoli, 1763)** (Coleophoridae) Synonym(s): *hemerobiella* Scopoli, 1763; *anseripennella* Hübner, [1813] Range (as codes): FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc AM Geg Eri LB Bsa IR DK NO SE FI SS EE LT KG Uk 06 50 61 06R

- 721. *Coleophora heringi* Toll, 1952** (Coleophoridae) Synonym(s): *heringi* Toll, 1952 Range (as codes): TR AF Pag Kab Bkt BdA 05 06 50 06R 50G 50Gd
- 722. *Coleophora herniariae* Baldizzone, 2001** (Coleophoridae) Synonym(s): *herniariae* Baldizzone, 2001 Range (as codes): TR 06
- 723. *Coleophora hieronella* Zeller, 1849** (Coleophoridae) Synonym(s): *hieronella* Zeller, 1849 Range (as codes): DZ MA TN PT ES Sa Si IT HU YU GR Cr TR IR Mz Clu LB Ghz SY Dms 06 16 41 55 06R 16A 41A 55E
- 724. *Coleophora horridula* Baldizzone, 2001** (Coleophoridae) Synonym(s): *horridula* Baldizzone, 2001 Range (as codes): Cc TR 76
- 725. *Coleophora hystricella* Toll, 1957** (Coleophoridae) Synonym(s): *hystricella* Toll, 1957 Range (as codes): DZ TN TR 06 06Y
- 726. *Coleophora inclita* Baldizzone, 1994** (Coleophoridae) Synonym(s): *inclita* Baldizzone, 1994 Range (as codes): IR Th TR 63 63B
- 727. *Coleophora inflatae* Stainton, 1857** (Coleophoridae) Synonym(s): *inflatae* Stainton, 1857 Range (as codes): TR 46
- 728. *Coleophora inusitatella* Caradja, 1920** (Coleophoridae) Synonym(s): *inusitatella* Caradja, 1920; *spenceri* Toll, 1960 Range (as codes): PT ES An Grn TR 42
- 729. *Coleophora iranella* Toll, 1959** (Coleophoridae) Synonym(s): *#agramella* Rebel, 1935; *iranella* Toll, 1959; *agramella* Baldizzone, 1982 Range (as codes): IR Elb Mz Dam Ab Mak Mrd Ak AF TR 14 65 65A 65An
- 730. *Coleophora isomoera* (Falkovitsh, 1972)** (Coleophoridae) Synonym(s): *isomoera* Falkovitsh, 1972 Range (as codes): MA ES TR UZ MN CN Ui 03 11 32 35 42 50 03H 11E 32M 35U 42J 50G
- 731. *Coleophora ispartae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *ispartae* Baldizzone, 1994 Range (as codes): TR 06 32 06A 06Aa 32E
- 732. *Coleophora ivrizensis* Baldizzone, 1994** (Coleophoridae) Synonym(s): *ivrizensis* Baldizzone, 1994 Range (as codes): TR 23 38 42 23I 23Ib 38C 38Ca 42J
- 733. *Coleophora jerusalemella* Toll, 1942** (Coleophoridae) Synonym(s): *jerusalemella* Toll, 1942 Range (as codes): DZ ES GR Cr LB JO IL Js Pa SA IR Hz B-A Kc CY SY TR AE 07
- 734. *Coleophora karakurti* Baldizzone, 1994** (Coleophoridae) Synonym(s): *karakurti* Baldizzone, 1994 Range (as codes): TR 04 36 36F 36Fb
- 735. *Coleophora kasyi* Toll, 1961** (Coleophoridae) Synonym(s): *kasyi* Toll, 1961 Range (as codes): HU MK FR TR 50 71 50G 50Ga
- 736. *Coleophora kautzi* Rebel, 1933** (Coleophoridae) Synonym(s): *kautzi* Rebel, 1933; *pirizanella* Toll, 1959; *andalusiae* Toll, 1960 Range (as codes): ES An FR Co Sa MK GR TR IR Fa RU RO 03 06 32 42 50 70 73 03H 06D 42D 42Dd 50G 50Gd 70C 70Cb 73C 73Cd
- 737. *Coleophora klimeschiella* Toll, 1952** (Coleophoridae) Synonym(s): *klimeschiella* Toll, 1952 Range (as codes): HU RO GR RU TR IR Mz Kdj Elb PK TM US Tx NMx Cf Ut
- 738. *Coleophora kroneella* Fuchs, 1899** (Coleophoridae) Synonym(s): *kroneella* Fuchs, 1899 Range (as codes): IT AT CZ HU RO BG GR TR Cc AM Geg IR Kd Snj 33 58 330 58G
- 739. *Coleophora kuehnella* (Goeze, 1783)** (Coleophoridae) Synonym(s): *kuehnella* Goeze, 1783; *lamellifera* Geoffroy, 1785; *lamellatella* De Villers, 1789; *palliatella* Zincken, 1813; *palliipennella* Treitschke, 1833; *enervatella* Zeller, 1849; *auricigrandella* Bruand, [1851] Range (as codes): PT ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU AL TR Cc DK NO SE FI EE LV LT RU 06 16 65 06R 06Y 16A 65F 65Fb
- 740. *Coleophora lacera* (Falkovitsh, 1993)** (Coleophoridae) Synonym(s): *lacera* Falkovitsh, 1993 Range (as codes): RU Sb At Ur TR
- 741. *Coleophora lagopella* Baldizzone, 2001** (Coleophoridae) Synonym(s): *lagopella* Baldizzone, 2001 Range (as codes): TR 27
- 742. *Coleophora landryi* Baldizzone, 2016** (Coleophoridae) Synonym(s): *landryi* Baldizzone, 2016 Range (as codes): AM Eri Cc TR 24 25 30 36 25A 30D 36F
- 743. *Coleophora lassella* Staudinger, 1859** (Coleophoridae) Synonym(s): *lassella* Staudinger, 1859; *teidensis* Walsingham, 1908; *gotlandica* Benander, 1939; *telavivella* Toll, 1942 Range (as codes): Cn MA PT ES FR Co Sa Si IT IE GB BE NL DE PL GR TR CY IL DK NO SE FI LV RU MD UA BY RO 01 12 33 41 12A 41A
- 744. *Coleophora laticostella* Mann, 1859** (Coleophoridae) Synonym(s): *laticostella* Mann, 1859 Range (as codes): IT Si YU TR 05 16 05A 16A
- 745. *Coleophora lebedella* (Falkovitsh, 1982)** (Coleophoridae) Synonym(s): *lebedella* Falkovitsh, 1982 Range (as codes): DZ ES GR Cr UZ TR IR Hz B-A RU Ur PK
- 746. *Coleophora ledi* Stainton, 1860** (Coleophoridae) Synonym(s): *ledi* Stainton, 1860 Range (as codes): FR DE AT PL CZ SK SE FI EE LV LT TR RU MD UA BY
- 747. *Coleophora limosipennella* (Duponchel, 1843)** (Coleophoridae) Synonym(s): *limosipennella* Duponchel, 1843; *limoniella* Stainton, 1884 Range (as codes): FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL GR TR Cc AM Di DK NO SE FI EE LV LT 16 16A

- 748. *Coleophora lineariella* Zeller, 1849** (Coleophoridae) Synonym(s): *lineariella* Zeller, 1849 Range (as codes): TR 05 16 05A 16A
- 749. *Coleophora lixella* Zeller, 1849** (Coleophoridae) Synonym(s): *lixella* Zeller, 1849 Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR Cc AM Geg Eri DK SE FI EE LV LT RU MD UA BY 05 06 29 38 42 50 58 65 05A 06F 06R 38C 38Ca 42J 50G 58G 65A 65Am 65Am4
- 750. *Coleophora lusciniapennella* (Treitschke, 1833)** (Coleophoridae) Synonym(s): *lusciniapennella* Treitschke, 1833; *viminetella* Zeller, 1849. Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK RO AL TR DK NO SE FI EE LV LT 06 06R
- 751. *Coleophora luteolella* Staudinger, 1880** (Coleophoridae) Synonym(s): *luteolella* Staudinger, 1880; *mendosella* Toll, 1960 Range (as codes): MA PT ES FR Sa Si IT MT GR Cr AM Di Cc TR IR Mz Clu Gls AF Kab Pag CY 01 05 06 11 34 41 42 50 70 01D 05A 06R 06Y 11E 42B 50G 70C 70Ch
- 752. *Coleophora lutipennella* (Zeller, 1838)** (Coleophoridae) Synonym(s): *lutipennella* Zeller, 1838. Range (as codes): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bei Bsa DK NO SE EE LV LT RU MD UA BY 16 16A
- 753. *Coleophora lycaoniae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *lycaoniae* Baldizzone, 1994 Range (as codes): TR 42 42D 42Dd
- 754. *Coleophora machinopis* (Meyrick, 1936)** (Coleophoridae) Synonym(s): *machinopis* Meyrick, 1936; *#machinopis* Amsel, 1949; *alhagii* Falkovich, 1972 Range (as codes): TR IQ Dia Rmd IR Qm TM UZ 63 63E
- 755. *Coleophora malatiella* Toll, 1952** (Coleophoridae) Synonym(s): *malatiella* Toll, 1952 Range (as codes): RO TR IR Mz Dam Elb Fa UA 06 42 44 65 06R 06Y 42B 44L 65A 65Ai 65Am 65Am4 65N 65Np1 65Nm
- 756. *Coleophora mareki* Tabell & Baldizzone, 2014** (Coleophoridae) Synonym(s): *mareki* Tabell & Baldizzone, 2014 Range (as codes): IT FR Sa BG GR HU CZ AT UA MK TR IQ Mos 09 09K 09Ka
- 757. *Coleophora mausolella* Chrétien, 1908** (Coleophoridae) Synonym(s): *mausolella* Chrétien, 1908; *thermoleuca* Meyrick, 1922; *palaestinella* Toll, 1942 Range (as codes): MA DZ LY Cy PT ES Co Si IT GR TR CY IL Pa AE
- 758. *Coleophora mayrella* (Hübner, [1813])** (Coleophoridae) Synonym(s): *fabriciella* De Villiers, 1789 *nec* Swed., 1787; *mayrella* Hübner, [1813]; *spissicornis* Haworth, [1828]; *trochilipennella* Costa, [1836]; *coruscipennella* Clemens, 1860; *aeneusella* Chambers, 1874; *auropurpuriella* Chambers, 1874; *moldaviella* Nemes, 2004 Range (as codes): DZ Anna PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO MD YU AL GR TR IL Cc AM Geg DK NO SE FI EE LV LT RU KG Uk CA BCo US Knt Pns Ws 05 16 34 46 61 05A 16A 34M 61L
- 759. *Coleophora medelichensis* Krone, 1908** (Coleophoridae) Synonym(s): *medelichensis* Krone, 1908 Range (as codes): ES FR IT AT CZ SK HU YU BG GR Cr TR RO 06 38 41 42 50 51 06R 06Y 38C 38Ca 41A 42J 50G 51D 51Da
- 760. *Coleophora milvipennis* Zeller, 1839** (Coleophoridae) Synonym(s): *milvipennis* Zeller, 1839 Range (as codes): ES FR Sa IT GB NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT 05 55 05A 55E
- 761. *Coleophora minaxella* Toll, 1952** (Coleophoridae) Synonym(s): *minaxella* Toll, 1952 Range (as codes): TR 42
- 762. *Coleophora miserella* Staudinger, 1880** (Coleophoridae) Synonym(s): *miserella* Staudinger, 1880 Range (as codes): TR 05 05A
- 763. *Coleophora narbonensis* Baldizzone, 1990** (Coleophoridae) Synonym(s): *narbonensis* Baldizzone, 1990 Range (as codes): FR HU MK TR 42 420
- 764. *Coleophora necessaria* Staudinger, 1880** (Coleophoridae) Synonym(s): *necessaria* Staudinger, 1880; *indiges* Falkovitsh, 1992. Range (as codes): TR TM RU 05 06 13 50 58 05A 06Y 13C 50G 58G
- 765. *Coleophora nigradorsella* Amsel, 1935** (Coleophoridae) Synonym(s): *nigradorsella* Amsel, 1935 Range (as codes): MK GR TR IL Pa Jf TM 23
- 766. *Coleophora nitidipennella* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *nitidipennella* Toll & Amsel, 1967 Range (as codes): TR IR Ab Mak AF
- 767. *Coleophora niveicostella* Zeller, 1839** (Coleophoridae) Synonym(s): *niveicostella* Zeller, 1839; *longicostella* Stainton, 1867 Range (as codes): TN Gf ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Cc LB Bro IL Pa DK SE LV 55 55E
- 768. *Coleophora niveistrigella* Heinemann & Wocke, [1877]** (Coleophoridae) Synonym(s): *niveistrigella* Heinemann & Wocke, [1877] Range (as codes): FR DE CH AT PL CZ SK HU LV LT RU TR 06 06D
- 769. *Coleophora nomgona* Falkovitsh, 1975** (Coleophoridae) Synonym(s): *nomgona* Falkovitsh, 1975 Range (as codes): MN KG RU RO HU TR RU 06 50 06Y 50G
- 770. *Coleophora nutantella* Mühlig & Frey, 1857** (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey, 1857; *amphibiella* Guenée, 1876 Range (as codes): ES FR Si IT GB? DE CH AT CZ PL SK HU YU GR RO TR Cc AM Geg Eri IR Mz Clu DK NO SE EE LV LT RU MD UA BY 06 29 06R
- 771. *Coleophora obliterated* Toll, 1952** (Coleophoridae) Synonym(s): *obliterated* Toll, 1952 Range (as codes): TR 21

- 772. *Coleophora obtectella* Zeller, 1849** (Coleophoridae) Synonym(s): *obtectella* Zeller, 1849 Range (as codes): ES FR Si IT AT HU YU BG GR Cr TR Cc AM Eri Geg LB IL 04 06 12 13 25 29 42 50 58 61 04D 04Da 06A 06Aa 06D 06R 12C 13G 13Gw 25C 40X 40Xa 50G 58G 61L
- 773. *Coleophora obviella* Rebel, 1914** (Coleophoridae) Synonym(s): *obviella* Rebel, 1914 Range (as codes): IT AT HU SK YU AL TR
- 774. *Coleophora occatella* Staudinger, 1880** (Coleophoridae) Synonym(s): *occatella* Staudinger, 1880 Range (as codes): BG RU Sr MD UA TR RO KG Uk 05 06 05A 06Y
- 775. *Coleophora ochrea* (Haworth, [1828])** (Coleophoridae) Synonym(s): *ochrea* Haworth, [1828]; *argentipennella* Duponchel, 1838; *hapsella* Zeller, 1839; *aridatella* Zeller, 1849; *castelensis* Rebel, 1919; *quadrilineella* Turati, 1930; *argentivittella* Toll, 1952; *digramella* Toll, 1953; *hispanica* Toll, 1960 Range (as codes): DZ Ges PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO Cr TR IR Km Ksh Cc AM SE RU MD UA BY 03 06 13 30 42 46 71 03H 06D 06F 13C 30B 42D 42Dd 46G 46Gd 71B
- 776. *Coleophora ochripennella* Zeller, 1849** (Coleophoridae) Synonym(s): *ochripennella* Zeller, 1849 Range (as codes): FR IT BE NL DK DE CH AT PL CZ SK HU RO GR GR TR IR Mz Clu Cc AM Di 33 61 81 33R 81E
- 777. *Coleophora onobrychiella* Zeller, 1849** (Coleophoridae) Synonym(s): *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865 Range (as codes): IT DE CH AT PL CZ SK HU YU GR TR SY Dms IR Ab Oru Hz B-A Elb Kdj SE EE LV LT RU MD UA BY RO 06 16 29 42 50 55 58 06H 16A 42B 50G 55E 58G
- 778. *Coleophora onopordiella* Zeller, 1849** (Coleophoridae) Synonym(s): *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003 Range (as codes): FR IT AT PL CZ SK HU RO BG GR ME Ctn MK Oeh TR Cc AM Geg SY Dms IR Fa Elb Th Kdj IL Pa IQ Dia 05 06 23 25 33 38 42 45 46 50 51 58 65 71 05A 06R 06Y 25A 33B 38C 38Ca 42O 46H 50G 50Gd 51D 51Da 65A 65Am 65Am3
- 779. *Coleophora oriolella* Zeller, 1849** (Coleophoridae) Synonym(s): *oriolella* Zeller, 1849 Range (as codes): PT ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU 06 58 06Y 58G
- 780. *Coleophora ornatipennella* (Hübner, 1796)** (Coleophoridae) Synonym(s): *ornatipennella* Hübner, 1796; *ornatea* Haworth, 1828; *#agrammella* Rebel, 1935 Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IL EE RU KG Uk CN Ui Ku 05 14 16 33 42 46 76 05A 16A
- 781. *Coleophora paphlagoniae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *paphlagoniae* Baldizzone, 1994 Range (as codes): TR 06 06R
- 782. *Coleophora paraptarmica* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel, 1967 Range (as codes): TR SY Dms IR Kh Msh Fa AF Kab PK Swa Klm TM 06 06Y
- 783. *Coleophora parcella* Toll, 1952** (Coleophoridae) Synonym(s): *parcella* Toll, 1952 Range (as codes): TR Cc AM Geg IR Ab Oru Kd Bne Th Kdv Elb 58 61 58G 61L
- 784. *Coleophora parthenica* Meyrick, 1891** (Coleophoridae) Synonym(s): *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968. Range (as codes): MA DZ Bsk TN Gf RO GR Cr TR LB JO IR Kh Elb Th Msh Hz B-A Fa Es IQ Bgd CY PK Sd Krc RU 06 33 42 06Y 42X
- 785. *Coleophora partitella* Zeller, 1849** (Coleophoridae) Synonym(s): *partitella* Zeller, 1849; *davidii* Nemes, 2003 Range (as codes): ES FR IT DE AT PL CZ SK HU YU TR NO SE FI LV RU MD UA BY RO 16 29 16A
- 786. *Coleophora parvicuprella* Baldizzone & Tabell, 2006** (Coleophoridae) Synonym(s): *parvicuprella* Baldizzone & Tabell, 2006 Range (as codes): BG GR TR 35 35C
- 787. *Coleophora passeripennella* Baldizzone, 2001** (Coleophoridae) Synonym(s): *passeripennella* Baldizzone, 2001 Range (as codes): TR 06
- 788. *Coleophora pellicornella* Zerny, 1930** (Coleophoridae) Synonym(s): *pellicornella* Zerny, 1930 Range (as codes): PT ES TR CN Ui 03 06 50 70 03H 06D 50G 50Gb 70C 70Cb
- 789. *Coleophora pennella* ([Denis & Schiffermüller], 1775)** (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller], 1775; *borowskiella* Goeze, 1783; *mucosa* Fourcroy, 1785; *mucosella* De Villers, 1789; *onosmella* Brahm, 1791; *struthionipennella* Hübner, 1796; *cornuuum* Vallot, 1818; *hispanicella* Möschler, 1866; *diffinis* Staudinger, 1880; *nervosella* Müller-Rutz, 1927; *flavilineella* Toll, 1952; *gogovi* Capuse, 1971 Range (as codes): MA PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG Cr TR Cc IR Gor DK SE LV LT RU MD UA BY 05 06 16 29 33 46 50 58 05A 06H 16A 50G 58G
- 790. *Coleophora phlomidella* Christoph, 1862** (Coleophoridae) Synonym(s): *phlomidella* Christoph, 1862 Range (as codes): DZ Lbs RU Sr TR KG Uk 42 42B
- 791. *Coleophora phlomidis* Stainton, 1867** (Coleophoridae) Synonym(s): *phlomidis* Stainton, 1867; *spiniferella* Toll, 1952; *subochrea* Toll, 1952 Range (as codes): TR SY Dms Cc AM Geg IR Fa Elb Th TM RU Sr RO 05 06 12 23 33 42 46 47 58 05A 06R 58G
- 792. *Coleophora phrygiae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *phrygiae* Baldizzone, 1994 Range (as codes): TR 03 06 25 38 42 58 06Y 25A 42J 58G
- 793. *Coleophora poliakantha* Baldizzone, 2001** (Coleophoridae) Synonym(s): *poliakantha* Baldizzone, 2001 Range (as codes): TR 44 58

- 794. *Coleophora preisseckeri* Toll, 1942** (Coleophoridae) Synonym(s): *preisseckeri* Toll, 1942 Range (as codes): ES FR AT SK HU YU MK TR RO RU Ur 06 06R
- 795. *Coleophora propinqua* Staudinger, 1880** (Coleophoridae) Synonym(s): *propinqua* Staudinger, 1880 Range (as codes): TR LB Bei Baa Bsa IR Fa 06 33 51
- 796. *Coleophora protecta* Walsingham, 1907** (Coleophoridae) Synonym(s): *protecta* Walsingham, 1907 Range (as codes): TM LB TN Gf DZ Bsk Hes Ktr MA IR Elb Th Ke Fa IQ TR 61 61L
- 797. *Coleophora pseudociconiella* Toll, 1952** (Coleophoridae) Synonym(s): *pseudociconiella* Toll, 1952; *patrascui* Nemeş, 2003 Range (as codes): Sa AT SK HU RO YU BG TR RU Ur 42 42D 42Dd
- 798. *Coleophora ptarmicia* Walsingham, 1910** (Coleophoridae) Synonym(s): *ptarmicia* Walsingham, 1910; *zimmermanni* Rebel, 1937; *ptarmica* Toll, 1962 Range (as codes): FR IT Si AT CZ SK HU LV LT TR RU CN 06 55 06Y 55E
- 799. *Coleophora pyrenaica* Baldizzone, 1980** (Coleophoridae) Synonym(s): *pyrenaica* Baldizzone, 1980 Range (as codes): PT ES FR TR 06 50 70 06D 50G 70C 70Cb
- 800. *Coleophora pyrrhulipennella* Zeller, 1839** (Coleophoridae) Synonym(s): *pyrrhulipennella* Zeller, 1839 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ YU GR Cr TR DK NO SE FI EE LV LT RU MD UA BY RO 16 77 16A
- 801. *Coleophora quadristraminella* Toll, 1961** (Coleophoridae) Synonym(s): *quadristraminella* Toll, 1961; *pontica* Reznik, 1984 Range (as codes): FR IT MK HV YU GR TR EG Cc AM UA Cm 42 ?65 42D 42Dd ?65D ?65Df
- 802. *Coleophora qulikushella* Toll, 1959** (Coleophoridae) Synonym(s): *qulikushella* Toll, 1959 Range (as codes): IR Lo Ab Khy Mak Mha Km Fa TR GR 06 33 42 51 58 71 06Y 06R 51D 51Da 58G
- 803. *Coleophora reisseri* Rebel, 1926** (Coleophoridae) Synonym(s): *reisseri* Rebel, 1926 Range (as codes): FR ES DZ TN LY TR
- 804. *Coleophora rhinoceros* Baldizzone, 2001** (Coleophoridae) Synonym(s): *rhinoceros* Baldizzone, 2001 Range (as codes): Cc TR 76
- 805. *Coleophora riffelensis* Rebel, 1913** (Coleophoridae) Synonym(s): *riffelensis* Rebel, 1913; *fischeri* Toll, 1950; *klemensiewiczzi* Toll, 1950 Range (as codes): FR CH AT SK HU YU EE LV TR IR 06 41 06R 41A
- 806. *Coleophora salicorniae* Heinemann & Wocke, 1877** (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke, 1877; *cypricella* Rebel, 1928. Range (as codes): Cn PT ES FR Sa Si IT GB BE NL AT HU RO YU GR TR TM IR Fa Shr CY EG DK SE FI RU MD UA BY CN Ui UZ 01 06 01F 06Y
- 807. *Coleophora salsolella* Chrétien, 1915** (Coleophoridae) Synonym(s): *salsolella* Chrétien, 1915; *nigradorsella* Amsel, 1935. Range (as codes): DZ Bsk MK GR TR IL TM RU 23
- 808. *Coleophora sarehma* Toll, 1956** (Coleophoridae) Synonym(s): *sarehma* Toll, 1956; *exasperatella* Toll, 1957; *#sarhema* Baldizzone, 1982 Range (as codes): Cn DZ MA TN TR IR Hz B-A SA 33 33O
- 809. *Coleophora saxicolella* (Duponchel, 1843)** (Coleophoridae) Synonym(s): *saxicolella* Duponchel, 1843; *bucovinensis* Nemeş, 2004 Range (as codes): ES FR Sa IT IE GB NL DE AT PL CZ SK HU YU GR TR DK NO SE FI EE LV RO RU MD UA BY
- 810. *Coleophora serpylletorum* Hering, 1889** (Coleophoridae) Synonym(s): *serpylletorum* Hering, 1889; *assisti* Nemeş, 2003 Range (as codes): ES FR IT GB NL DE CH AT PL CZ SK HU RO YU GR TR DK LV LT 06 14 25 33 38 42 50 58 06R 25C 38C 38Ca 58G
- 811. *Coleophora serratella* (Linnaeus, 1761)** (Coleophoridae) Synonym(s): *serratella* Linnaeus, 1761; *fusedinella* Zeller, 1849; *metallicella* Hodgkinson, 1892; *aethiopiformis* Strand, 1902; *salmani* Heinrich, 1929; *parasalmani* Oudejans, 1971 Range (as codes): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT AM Cc RU MD UA BY CA US Sb JP
- 812. *Coleophora serratulella* Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *serratulella* Herrich-Schäffer, 1855 Range (as codes): FR CH AT CZ SK YU GR RO TR KG Uk 46
- 813. *Coleophora silenella* Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *silenella* Herrich-Schäffer, 1855; *dragusanii* Nemeş, 2004 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IR Gor Mz Clu LV LT RU 06 06A
- 814. *Coleophora sobrinella* Toll, 1944** (Coleophoridae) Synonym(s): *sobrinella* Toll, 1944 Range (as codes): TR 58 58G
- 815. *Coleophora soffneriella* Toll, 1961** (Coleophoridae) Synonym(s): *soffneriella* Toll, 1961 Range (as codes): IT YU AL BG GR TR 01 41 41A
- 816. *Coleophora squamella* Constant, 1885** (Coleophoridae) Synonym(s): *squamella* Constant, 1885; *paragenistae* Kasy, 1964 Range (as codes): FR Sa IT AT CZ SK YU RO TR 17
- 817. *Coleophora squamosella* Stainton, 1856** (Coleophoridae) Synonym(s): *squamosella* Stainton, 1856; *erigerella* Ford, 1935; *podolensis* Toll, 1938; *sabulicola* Benander, 1939 Range (as codes): FR IT GB CH AT PL CZ SK HU DK NO SE FI LV LT Cc TR RU At MD UA BY 38 38G 38Ga

- 818. *Coleophora stramentella* Zeller, 1849** (Coleophoridae) Synonym(s): *stramentella* Zeller, 1849; *canariella* Herrich-Schäffer, 1855; *noacki* Rebel, 1935; *podolensis* Toll, 1938 Range (as codes): AT CZ SK HU RO YU MK BG TR RU MD UA BY 06 07 16 29 38 58 71 06F 07M 16A 29A 58G 71B
- 819. *Coleophora subochracea* Toll, 1952** (Coleophoridae) Synonym(s): *subochracea* Toll, 1952 Range (as codes): TR 21
- 820. *Coleophora subula* (Falkovitsh, 1993)** (Coleophoridae) Synonym(s): *subula* Falkovitsh, 1993 Range (as codes): RU Ur At Sb TR Cc TJ TM 25 76
- 821. *Coleophora symphistropha* (Reznik, 1976)** (Coleophoridae) Synonym(s): *symphistropha* Reznik, 1976 Range (as codes): TR Cc AM IQ SY AZ IR Elb Th Ke KG 13 76 13G 13Ge 76C
- 822. *Coleophora tabelli* Baldizzone, 2001** (Coleophoridae) Synonym(s): *tabelli* Baldizzone, 2001 Range (as codes): TR 04
- 823. *Coleophora taeniipennella* Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer, 1855; *galactaula* Meyrick, 1928 Range (as codes): ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU YU AL GR TR IR Mz Clu Cc AM DK NO SE FI LV LT RU MD UA BY RO 29
- 824. *Coleophora tamesis* Waters, 1929** (Coleophoridae) Synonym(s): *tamesis* Waters, 1929 Range (as codes): ES FR IT IE GB BE NL DE AT PL CZ SK HU YU BG GR RO JO TR CY AF Kab DK NO SE FI LV LT RU MD UA BY 23 23M
- 825. *Coleophora tanaceti* Mühlhig, 1865** (Coleophoridae) Synonym(s): *tanaceti* Mühlhig, 1865 Range (as codes): ES Sa IT BE NL DE AT PL CZ SK HU BG TR RO DK NO SE FI LV LT RU MD UA BY 42
- 826. *Coleophora taurica* Baldizzone, 1994** (Coleophoridae) Synonym(s): *taurica* Baldizzone, 1994 Range (as codes): TR 33 33R
- 827. *Coleophora tauricella* Staudinger, 1880** (Coleophoridae) Synonym(s): *tauricella* Staudinger, 1880; *skopusella* Amsel, 1935; *egenella* Toll, 1952; *kurdistanella* Amsel, 1955 Range (as codes): HV GR BG TR SY Dms IL Pa IQ Shq 06 33 41 42 44 47 06R 41A 44E 44Ei
- 828. *Coleophora taygeti* Baldizzone, 1983** (Coleophoridae) Synonym(s): *taygeti* Baldizzone, 1983 Range (as codes): FR ES IT GR TR RO 06 16 06R 16A
- 829. *Coleophora testudo* Falkovitsh, 1973** (Coleophoridae) Synonym(s): *testudo* Falkovitsh, 1973 Range (as codes): TR IR Elb Th AF Kab Ke TM UZ 06 06H
- 830. *Coleophora tetraciliata* Baldizzone, 2007** (Coleophoridae) Synonym(s): *tetraciliata* Baldizzone, 2007 Range (as codes): TR LB Bro IR Fa Kaz 07 09 33 41 42 55 09K 33R 41A 42X 42Xa 55N
- 831. *Coleophora therinella* Tengström, 1848** (Coleophoridae) Synonym(s): *therinella* Tengström, 1848 Range (as codes): ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 832. *Coleophora thymi* Hering, 1942** (Coleophoridae) Synonym(s): *thymi* Hering, 1942 Range (as codes): IT DE AT CZ SK HU GR TR 06 06Y
- 833. *Coleophora tollamseliella* Oudejans, 1971** (Coleophoridae) Synonym(s): *tenuis* Toll & Amsel, 1967; *tollamseliella* Oudejans, 1971 Range (as codes): PK Swa Klm IR Elb Th Kh Msh AF TM TR 33 33O
- 834. *Coleophora treskaensis* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *treskaensis* Toll & Amsel, 1967; *sciurella* Baldizzone, 1987 Range (as codes): ES FR IT MK YU TR IR AF TM 06 26 06A 06Aa 06Y
- 835. *Coleophora trifariella* Zeller, 1849** (Coleophoridae) Synonym(s): *trifariella* Zeller, 1849 Range (as codes): PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU TR RU MD UA BY 31 31F
- 836. *Coleophora trifolii* (Curtis, 1832)** (Coleophoridae) Synonym(s): *trifolii* Curtis, 1832; *chalybaella* Costa, [1836]; *melilotella* Scott, 1861. Range (as codes): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR IR Elb Th AF DK NO SE FI EE LV LT RU MD UA BY IQ Agh Bgd CN Ui Kl CA BCo 05 35 50 65 05A 50G 65A 65An
- 837. *Coleophora trigeminella* Fuchs, 1881** (Coleophoridae) Synonym(s): *trigeminella* Fuchs, 1881 Range (as codes): PT ES FR IT GB NL DE CH AT CZ SK HU YU AL TR Cc AM Geg DK NO SE FI LV LT RO 06 29 06R
- 838. *Coleophora trimaculella* Baldizzone, 2001** (Coleophoridae) Synonym(s): *trimaculella* Baldizzone, 2001 Range (as codes): Cc TR IR Kh 76
- 839. *Coleophora tringella* Baldizzone, 1988** (Coleophoridae) Synonym(s): *tringella* Baldizzone, 1988 Range (as codes): KG Uk TR RU Ur 36 38 36D 38G 38Ga
- 840. *Coleophora tripeniella* Baldizzone, 1994** (Coleophoridae) Synonym(s): *tripeniella* Baldizzone, 1994 Range (as codes): AF Kab IR Ke TR 06 06Y
- 841. *Coleophora tristella* Staudinger, 1879** (Coleophoridae) Synonym(s): *tristella* Staudinger, 1879 Range (as codes): TR 05 46 05A
- 842. *Coleophora turca* Baldizzone, 1994** (Coleophoridae) Synonym(s): *turca* Baldizzone, 1994 Range (as codes): TR 50 50G 50Gd
- 843. *Coleophora univittella* Staudinger, 1880** (Coleophoridae) Synonym(s): *univittella* Staudinger, 1880 Range (as codes): GG Cc TR AM Geg Eri IR Elb Th Se Kz Fa Kd Snj AF Pag Kab UA Cm Kp TM 04

06 13 29 32 38 42 44 45 47 50 58 70 04D 04Da 06R 06Y 13G 13Ge 32C 38C 38Ca 42O 44F 44Fa 50G 50Ga 58G 58I 58Ia 61L

- 844. *Coleophora uralensis* Toll, 1961** (Coleophoridae) Synonym(s): *uralensis* Toll, 1961 Range (as codes): ES FR YU HU RU Ur MD UA BY AF Kab Gz TR 06 06R
- 845. *Coleophora valesianella* Zeller, 1849** (Coleophoridae) Synonym(s): *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914 Range (as codes): ES FR IT CH AT RO YU HV MK GR TR IR Shr Fa Mz Clu Ab Mak CY 06 07 32 42 50 58 71 06D 07M 32C 42O 50G 50Gd 58G 71B
- 846. *Coleophora variicornis* Toll, 1952** (Coleophoridae) Synonym(s): *variicornis* Toll, 1952 Range (as codes): TR PL FR IT HV MK AL GR Rd BG 05 06 50 05A 06R 50G
- 847. *Coleophora versurella* Zeller, 1849** (Coleophoridae) Synonym(s): *versurella* Zeller, 1849; *tardipennella* Zeller, 1849; *miserella* Staudinger, 1880; *agricolella* Fuchs, 1886; *atlanticella* Rebel, 1896; *enchorda* Meyrick, 1931; *pallorella* Benander, 1939; *thalassella* McDunnough, 1940; *constanti* Hering, 1942; *pisella* Amsel, 1953; *saccharella* Amsel, 1953; *amaranthivora* Oku, 1965 Range (as codes): AE LY MA PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL IR Hz B-A Elb Th AF Kab IN Bi Pus NZ CA US AR CL DK NO SE FI EE LV LT RU Cc AM MD UA BY 07 33 07M
- 848. *Coleophora vestianella* (Linnaeus, 1758)** (Coleophoridae) Synonym(s): *vestianella* Linnaeus, 1758; *laripennella* Zetterstedt, 1839; *galbulipennella* Duponchel, 1843; *annulatella* Tengström, 1848; *tengstroemella* Doubleday, 1859; *subtractella* Caradja, 1920 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR Cc AM Geg Eri AF Bd Pag Kab IR Fa Shr Elb Th CN JP DK NO SE FI EE LV LT RU MD UA BY
- 849. *Coleophora vibicella* (Hübner, [1813])** (Coleophoridae) Synonym(s): *vibicella* Hübner, [1813]; *vibicipennella* Treitschke, 1833; *brunneella* Müller-Rutz, 1922 Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY 16 16A
- 850. *Coleophora vicinella* Zeller, 1849** (Coleophoridae) Synonym(s): *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862. Range (as codes): DZ Anna ES FR IT DE AT CZ SK HU RO YU GR TR Cc AM Geg Eri IR GlS Elb Th RU UA 05? 42 05A 42B
- 851. *Coleophora virgatella* Zeller, 1849** (Coleophoridae) Synonym(s): *virgatella* Zeller, 1849 Range (as codes): FR IT BE DE CH AT PL CZ SK HU B-H BG GR TR RO 16 16A
- 852. *Coleophora vulnerariae* Zeller, 1839** (Coleophoridae) Synonym(s): *vulnerariae* Zeller, 1839; *icterella* Duponchel, 1840; *vulnerariella* Doubleday, 1859; *vulnerariella* Bruand, 1859 Range (as codes): PT ES FR Co? Si? IT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR? TR DK NO SE EE LV LT RU MD UA BY 05 06 46 05A
- 853. *Coleophora vulpecula* Zeller, 1849** (Coleophoridae) Synonym(s): *vulpecula* Zeller, 1849; *vulpeculoides* Toll, 1952 Range (as codes): ES FR IT DE AT CZ SK HU YU BG TR IR Mz Clu Elb Kdv GlS AF Pag Kab Cc AM RU At Sb 46 50 50G 50Gd
- 854. *Coleophora wiltshirei* Toll, 1959** (Coleophoridae) Synonym(s): *wiltshirei* Toll, 1959 Range (as codes): TR IR Lo Kd Bne IQ Hjo 01 42 01K
- 855. *Coleophora wockeella* Zeller, 1849** (Coleophoridae) Synonym(s): *wockeella* Zeller, 1849; *fumigatella* Caradja, 1920; *italiae* Toll, 1960 Range (as codes): ES FR IT GB BE DE CH AT PL SK HU RO YU AL TR LV 05 06 16 45 46 65 05A 16A 65A 65Am 65Am4
- 856. *Coleophora xanthoargentea* Toll, 1959** (Coleophoridae) Synonym(s): *xanthoargentea* Toll, 1959 Range (as codes): IR Fa TR 06 06R
- 857. *Coleophora zelleriella* Heinemann, 1854** (Coleophoridae) Synonym(s): *zelleriella* Heinemann, 1854 Range (as codes): PT ES FR IT NL DE AT PL CZ SK HU RO YU AL BG GR TR IR GlS Fa Elb Th SY Dms DK SE LV LT RU MD UA BY JP Ur Us AM Cc 33 42
- 858. *Coleophora zofodella* Baldizzone, 2001** (Coleophoridae) Synonym(s): *zofodella* Baldizzone, 2001 Range (as codes): TR 26 73
- 859. *Goniodoma auroguttella* (Fischer v. Röslerstamm, 1841)** (Coleophoridae) Synonym(s): *auroguttella* Fischer v. Röslerstamm, 1841 Range (as codes): PT FR IT CH? AT PL CZ SK HU RO GR TR KG Uk RU MD UA BY 05 42 05A 42B
- 860. *Metriotes lutarea* (Haworth, [1828])** (Coleophoridae) Synonym(s): *lutarea* Haworth, [1828]; *modestella* Duponchel, 1838; *splendidella* Lienig & Zeller, 1846; *bucovinella* Nemes, 2004 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK SE EE LV LT RU MD UA BY

Cosmopterigidae

- 861. *Alloclita deprinsi* Koster & Sinev, 2003** (Cosmopterigidae) Synonym(s): *deprinsi* Koster & Sinev, 2003 Range (as codes): TR 33
- 862. *Allotalanta autophaea* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *autophaea* Meyrick, 1913 Range (as codes): TR 33
- 863. *Anatrachyntis badia* (Hodges, 1962)** (Cosmopterigidae) Synonym(s): *badia* Hodges, 1962 Range (as codes): ES Cn FR US NL PL GB IT Si GR TR

- 864. *Anatrachyntis rileyi* (Walsingham,1882)** (Cosmopterigidae) Synonym(s): *rileyi* Walsingham,1882; *stigmatophora* Walsingham,1882 Range (as codes): Cn FR TH US Hw AU PH ID IN ZA IQ AF TR
- 865. *Ascalenia echidnias* (Meyrick,1891)** (Cosmopterigidae) Synonym(s): *echidnias* Meyrick,1891; *signatella* Chrétien,1915; *oranella* Lucas,1939; *satellita* Gozmany,1960. Range (as codes): Md DZ Bsk Agi Gf TN TR B-A EG SA SA63 IR Ss Hz AF Hr Ca PK Bl Qu IN Bba
- 866. *Ascalenia vanella* (Frey,1860)** (Cosmopterigidae) Synonym(s): *vanella* Frey,1860; *seeboldiella* Ragonot,1882. Range (as codes): Cn ES FR Si DE CH AT SK HU GR Cr TR RU MD UA BY 23 29
- 867. *Ascalenia vanelloides* Gerasimov,1930** (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov,1930; *#eremella* Amsel,1933; *eremella* Amsel,1935. Range (as codes): Si TR Cc AZ SA IL Jer Pa IQ Bgd IR Elb Th AF UZ Br TJ TM Mgab Mrw Kp K-K Bdz SA SA63 33 33O
- 868. *Ascalenia viviparella* Kasy,1969** (Cosmopterigidae) Synonym(s): *viviparella* Kasy,1969 Range (as codes): TR UA Cm IR Kh Msh Sbz AF Arh Ca Hr RU VI Mrw Mgab Da Cc AM Eri TM K-K Kp Bdz Rpt UZ Br MN KG
- 869. *Coccidiphila gerasimovi* Danilevsky,1950** (Cosmopterigidae) Synonym(s): *gerasimovi* Danilevsky,1950 Range (as codes): Cn PT ES Co IT? GR TR IL Pa GG Aj Btm Abk Sok Cc RU Kr Soc
- 870. *Coccidiphila ledereriella* (Zeller,1850)** (Cosmopterigidae) Synonym(s): *ledereriella* Zeller,1850; *unedella* Millière,1876; *rungsella* Nel & Brusseau,1997 Range (as codes): Cn MA DZ TN PT ES FR Co Si YU TR 16 16A
- 871. *Cosmopterix crassicervicella* Chrétien,1896** (Cosmopterigidae) Synonym(s): *crassicervicella* Chrétien,1896; *flavipes* Turati,1930; *superba* Gozmany,1960; *dalii* Agenjo,1981 Range (as codes): MR DZ ES PT EG GR TR GG Cc
- 872. *Cosmopterix scribaiella* Zeller,1850** (Cosmopterigidae) Synonym(s): *scribaiella* Zeller,1850; *hermsiella* Hering,1889; *japonica* Kuroko,1960 Range (as codes): DZ FR IT BE NL DE CH AT PL CZ SK HU RO TR DK SE LV LT RU MD UA BY Us JP Krl 16 16A
- 873. *Cosmopterix zieglerella* (Hübner,[1810])** (Cosmopterigidae) Synonym(s): *zieglerella* Hübner,[1810]; *eximia* Haworth,1828 Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE EE LV RU MD UA BY JP
- 874. *Eteobalea albiapicella* (Duponchel,1843)** (Cosmopterigidae) Synonym(s): *albiapicella* Duponchel,1843 Range (as codes): ES FR Co IT DE CH AT CZ SK HU RO YU GR TR IL Pa RU MD UA BY 05 07 16 05A 16A
- 875. *Eteobalea anonymella* (Riedl,1965)** (Cosmopterigidae) Synonym(s): *anonymella* Riedl,1965 Range (as codes): DZ ES FR IT DE AT PL CZ SK HU RO YU BG GR TR IR SE FI EE LV LT RU Sr MD UA BY 06 13 06R 13A 13Ab 13Ax
- 876. *Eteobalea dohrnii* (Zeller,1847)** (Cosmopterigidae) Synonym(s): *dohrnii* Zeller,1847 Range (as codes): DZ Anna PT ES Mu FR Co Si MT IT GR Cr TR SY 13 30 42 13F 13F7 13F71 30D 30Df 42G
- 877. *Eteobalea intermediella* (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966 Range (as codes): PT ES FR Sa Si IT AT SK HU RO YU BG GR Cr CY Cc TR RU MD UA BY IR
- 878. *Eteobalea isabellella* (Costa,1836)** (Cosmopterigidae) Synonym(s): *isabellella* Costa,1836; *opulentella* Herrich-Schäffer,1853; *rutilella* Chrétien,1896. Range (as codes): DZ TN ES Co Si IT HU RO YU B-H HV MK AL BG GR TR 70 70C 70Cc
- 879. *Eteobalea serratella* (Treitschke,1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920 Range (as codes): MA Rbt DZ Agi Phv PT ES FR Co Si IT CH CZ SK AT HU HV SS YU MK DE PL RU BG GR TR UA Cc AM AZ MT YU LB Bsa SY Hal IL Pa RU Sr KG Uk 05 06 16 31 38 42 46 76 31M 76C
- 880. *Eteobalea siciliae* (Riedl,1966)** (Cosmopterigidae) Synonym(s): *siciliae* Riedl,1966 Range (as codes): ES Si DZ TR 31 31Lg
- 881. *Eteobalea sumptuosella* (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *amseli* Osthelder,1940 Range (as codes): MA DZ Eba TN ES FR Co IT YU HV MK AL BG GR TR RU Cc MD UA BY LB Bei CY IL Js SY Hal TM AF Pag Kab KG Uk 05 06 16 42 46 58 65 05A 06R 65A 65Ac 65Ac3 65D 65Df 65Fz
- 882. *Eteobalea tririvella* (Staudinger,1871)** (Cosmopterigidae) Synonym(s): *tririvella* Staudinger,1871; *kasyi* Riedl,1965. Range (as codes): IT AT CZ SK HU RO YU SE EE LV RU Sr Sb MD UA BY TR Cc KG Uk Ui CN Ku MN 65 76 65D 65Df 65Fz
- 883. *Hodgesiella christophi* Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *christophi* Koster & Sinev,2003 Range (as codes): TR 42 50 58 58G
- 884. *Pancalia leuwenhoekella* (Linnaeus,1761)** (Cosmopterigidae) Synonym(s): *leuwenhoekella* Linnaeus,1761; *schmidtella* Treitschke,1833 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE EE LV LT RU Sb Us MD UA BY CN Mc 05 16 44 46 05A 16A
- 885. *Pancalia nodosella* (Bruand,[1850])** (Cosmopterigidae) Synonym(s): *nodosella* Bruand,[1850]; *nodosella* Mann,1854 Range (as codes): ES FR NL AT SK B-H HV AL BG TR LV RU KK

- 886. *Pancalia schwarze* (Fabricius, 1798)** (Cosmopterigidae) Synonym(s): *schwarze* Fabricius, 1798; *latreillella* Curtis, 1830. Range (as codes): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY JP 10 16 10K 10Ka 16A
- 887. *Pyroderces argyrogrammos* (Zeller, 1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller, 1847; *goldeggella* Herrich-Schäffer, [1853] Range (as codes): MR MA DZ Cn PT ES FR Co Sa Si IT MT CH AT CZ SK HU RO YU AL BG GR Cr CY TR KG Uk LB Bei Bsa RU MD UA BY SY IL Pa IR Elb Dam Gor Gls Kh 05 16 22 31 48 75 05A 16A 31K 31Ka 31Ka3 48L 75F 75Fd
- 888. *Pyroderces caesaris* Gozmany, 1957** (Cosmopterigidae) Synonym(s): *caesaris* Gozmany, 1957 Range (as codes): HV BG RU UA Cm TR 07
- 889. *Ramphis libanoticus* Riedl, 1969** (Cosmopterigidae) Synonym(s): *libanoticus* Riedl, 1969 Range (as codes): GR Cr Rd CY LB Bsa SY TR 23 42 23I 42R 42Rc
- 890. *Sorhagenia fibigeri* Koster & Sinev, 2003** (Cosmopterigidae) Synonym(s): *fibigeri* Koster & Sinev, 2003 Range (as codes): TR 33 50
- 891. *Sorhagenia lophyrella* (Douglas, 1846)** (Cosmopterigidae) Synonym(s): *lophyrella* Douglas, 1846; *tolli* Riedl, 1962 Range (as codes): ES FR IT GB DE CH AT PL CZ SK HU RO MK AL BG GR TR Cc DK NO SE FI EE LV RU Sr MD UA BY
- 892. *Sorhagenia rhamniella* (Zeller, 1839)** (Cosmopterigidae) Synonym(s): *rhamniella* Zeller, 1839; *asperipunctella* Bruand, 1850 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK RO DK TR NO SE EE LV LT RU Sr Cc MD UA BY IR Gls 06
- 893. *Sorhagenia taurensis* Koster & Sinev, 2003** (Cosmopterigidae) Synonym(s): *taurensis* Koster & Sinev, 2003 Range (as codes): TR 33
- 894. *Stagmatophora beata* Walsingham, 1907** (Cosmopterigidae) Synonym(s): *beata* Walsingham, 1907 Range (as codes): MA DZ ES FR IT HU GR Cr TR LB Bei SY Hal IR Kh KuB Th RU MD UA BY 58
- 895. *Tolliella fulguritella* (Ragonot, 1895)** (Cosmopterigidae) Synonym(s): *fulguritella* Ragonot, 1895; *copidobathra* Meyrick, 1936. Range (as codes): TR LB Bsa JO IQ Hjo Er 31 46 63 31M 63E
- 896. *Vulcaniella anatolica* Koster & Sinev, 2003** (Cosmopterigidae) Synonym(s): *anatolica* Koster & Sinev, 2003 Range (as codes): TR 33 33B
- 897. *Vulcaniella caucasica* Sinev, 1986** (Cosmopterigidae) Synonym(s): *caucasica* Sinev, 1986 Range (as codes): TR Cc AZ AM 04
- 898. *Vulcaniella cognatella* Riedl, 1990** (Cosmopterigidae) Synonym(s): *cognatella* Riedl, 1990 Range (as codes): IT HV MK GR TR 34 34Q 34Qa
- 899. *Vulcaniella fiordalisa* (Petty, 1904)** (Cosmopterigidae) Synonym(s): *fiordalisa* Petty, 1904; *gnaphaliella* Chrétien, 1922. Range (as codes): MA PT ES Mu FR Co Sa IT HV TR LB Bsa 06
- 900. *Vulcaniella glaseri* (Riedl, 1966)** (Cosmopterigidae) Synonym(s): *glaseri* Riedl, 1966 Range (as codes): TR 06 58 06R 58G
- 901. *Vulcaniella grabowiella* (Staudinger, 1859)** (Cosmopterigidae) Synonym(s): *grabowiella* Staudinger, 1859 Range (as codes): TN Gf PT ES FR Sa IT YU MK GR TR 06 06R
- 902. *Vulcaniella grandiferella* Sinev, 1986** (Cosmopterigidae) Synonym(s): *grandiferella* Sinev, 1986 Range (as codes): YU MK GR TR RU UA Cc AZ
- 903. *Vulcaniella karadaghella* Sinev, 1986** (Cosmopterigidae) Synonym(s): *karadaghella* Sinev, 1986 Range (as codes): Cc AZ UA Cm TR
- 904. *Vulcaniella pomposella* (Zeller, 1839)** (Cosmopterigidae) Synonym(s): *pomposella* Zeller, 1839 Range (as codes): FR Co Si DE CH AT PL CZ SK HU RO MK GR TR Cc LV RU MD UA BY SY Dms 06 34 76 06R
- 905. *Vulcaniella pontica* Koster & Sinev, 2003** (Cosmopterigidae) Synonym(s): *pontica* Koster & Sinev, 2003 Range (as codes): TR 50 50G 50Ga

Cossidae

- 906. *Acosus terebrus* (Denis, 1785)** (Cossidae) Synonym(s): *#terebra* [Denis & Schiffermüller], 1775; *terebra* Denis, 1785. Range (as codes): PT ES FR IT DE CH AT PL SK HU RO BG TR GG Bjo Smg Kak Cc AM SE FI EE LV LT RU Ur MD UA BY IR Kh CN Mc 12 14 32 36 49 56 36F 49E 49Ea
- 907. *Azygophleps regia* (Staudinger, 1892)** (Cossidae) Synonym(s): *regia* Staudinger, 1892; *#regina* Wiltshire, 1957 Range (as codes): Cc TR IQ IR PK Ch Gg Bl 01 08 12 13 21 30 56 65 01K 08H 12A 13C 13Cf 30B 30Bh 30Bd 56F 56Fa 65D
- 908. *Cossulus argentatus* (Staudinger, 1887)** (Cossidae) Synonym(s): *argentatus* Staudinger, 1887; *araxes* De Freina, 1982 Range (as codes): TR Cc AM AZ Nv Ord LB Bsa IR Elb Kdv 04 12 13 25 30 36 42 46 49 51 58 65 69 73 76 04D 04Da 04I 12C 13A 13Ab 13Ax 25R 25Rb 25T 30B 30Bl 30D 30Da 30Df 36F 36Fa 36Fb 49E 49Ea 51B 58G 58Ga 58Gg 65A 65Ac 65Ac3 65Ab 65Aba 65Bx 65D 65Df 65F 65Fl 65Fz 65G 65Ge 69B 69Ba 73C 73Cd 76C

- 909. *Cossulus lena* Yakovlev, 2008** (Cossidae) Synonym(s): *lena* Yakovlev, 2008 Range (as codes): TR 65 65B
- 910. *Cossulus lignosus* (Brandt, 1938)** (Cossidae) Synonym(s): *lignosus* Brandt, 1938 Range (as codes): TR Cc IR Fa See Com Elb Th IQ LB Bsa 06 42 46 50 58 73 06Y 06Yb 42B 42O 58G 58Ga 73C 73Cd
- 911. *Cossulus nedretus* De Freina & Yakovlev, 2005** (Cossidae) Synonym(s): *nedretus* De Freina & Yakovlev, 2005 Range (as codes): TR 58 58G 58Gi
- 912. *Cossulus turcomanicus* (Christoph, 1893)** (Cossidae) Synonym(s): *turcomanicus* Christoph, 1893 Range (as codes): Cc TR? AF Hr Slg PK IR TM Kp 76
- 913. *Cossus cossus* (Linnaeus, 1758)** (Cossidae) Synonym(s): *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794 Range (as codes): DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR IQ Hjo Shq DK NO SE FI EE LV LT RU Ur Sb Am Daur MD UA BY Cc GG Tbl Bjo Mng Lag Kir Len Aj Akh Btm Smg Sok Abk AZ LB Bsa IR Elb Th Mz GlS Kh KG Uk CN Yu Mc KP KR JP MN 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 56 58 60 61 62 65 70 73 76 01K 05A 12A 12Aa 12E 13C 13Cf 13G 13Gü 13Gw 16A 19P 23G 23Ga 30B 30Ba 30Bl 30Be 30D 30Df 46G 49E 49Ea 56F 56Fq 56Fs 56F6 58G 60C 62E 65Bx 65D 65Dl 65Dlc 65G 65Ge 65K 65Kd 65Kg 70C 70Cf 73C 73Cd 73A 73Aa 76B
- 914. *Cossus divisa* Rothschild, 1912** (Cossidae) Synonym(s): *divisa* Rothschild, 1912 Range (as codes): TR
- 915. *Cossus funkei* (Röber, 1896)** (Cossidae) Synonym(s): *funkei* Röber, 1896 Range (as codes): TR 33 33R 33Rb
- 916. *Deserticossus janychar* Yakovlev, 2006** (Cossidae) Synonym(s): *janychar* Yakovlev, 2006 Range (as codes): TR 06 42 06Y 42B
- 917. *Deserticossus volgensis* (Christoph, 1893)** (Cossidae) Synonym(s): *volgensis* Christoph, 1893 Range (as codes): RU Sr Cc Da TR 42
- 918. *Dieida ledereri* Staudinger, 1871** (Cossidae) Synonym(s): *ledereri* Staudinger, 1871 Range (as codes): SY TR IR Cc AZ Nv Ord IQ 30 33 46 30B 30Be 33R 33Rb
- 919. *Dyspessa aphrodite* Yakovlev & Witt, 2007** (Cossidae) Synonym(s): *aphrodite* Yakovlev & Witt, 2007 Range (as codes): GR TR 17
- 920. *Dyspessa arabeska* Yakovlev, 2005** (Cossidae) Synonym(s): *arabeska* Yakovlev, 2005 Range (as codes): TR 41 41A
- 921. *Dyspessa argaeensis* Rebel, 1902** (Cossidae) Synonym(s): *argaeensis* Rebel, 1902; *taurica* Rebel, 1902. Range (as codes): TR 01 38
- 922. *Dyspessa artemis* Yakovlev, 2008** (Cossidae) Synonym(s): *artemis* Yakovlev, 2008 Range (as codes): TR 73 73A 73Ağ
- 923. *Dyspessa blonda* Yakovlev, 2008** (Cossidae) Synonym(s): *blonda* Yakovlev, 2008 Range (as codes): TR 73 73C 73Cd
- 924. *Dyspessa cerberus* Daniel, 1939** (Cossidae) Synonym(s): *cerberus* Daniel, 1939 Range (as codes): TR SY Hal 46 65 46G 65D 65Df
- 925. *Dyspessa defreina* Yakovlev, 2008** (Cossidae) Synonym(s): *defreina* Yakovlev, 2008 Range (as codes): TR 02 06 23 58 02E 06Y 23I 23Ib 58G
- 926. *Dyspessa emilia* (Staudinger, 1879)** (Cossidae) Synonym(s): *emilia* Staudinger, 1879 Range (as codes): TR GR 01 05 06 07 19 33 42 50 58 05A 33G 58N
- 927. *Dyspessa hethitica* Daniel, 1932** (Cossidae) Synonym(s): *hethitica* Daniel, 1932; *hetithica* De Freina, 1981 Range (as codes): TR 23 44 46 60 65 23I 46G 46Gi
- 928. *Dyspessa infusca* (Staudinger, 1892)** (Cossidae) Synonym(s): *infusca* Staudinger, 1892; *cypriaca* Rebel, 1927; *kurdistan* Turati, 1909. Range (as codes): TR Cc RU LB Bei CY UA Cm SY 01 05 06 07 14 16 17 20 21 26 33 36 42 45 46 58 60 66 70 05A 06R 06Rb 06Rd 16A 42B 58N
- 929. *Dyspessa kabylaria* A. Bang-Haas, 1906** (Cossidae) Synonym(s): *kabylaria* A. Bang-Haas, 1906; *turbinans* Turati, 1926. Range (as codes): DZ Khh Bsk TN Gab Gf EG Sn EG11 IL Pa TR? JO SA IR Fa
- 930. *Dyspessa pallidata* Staudinger, 1901** (Cossidae) Synonym(s): *pallidata* Staudinger, 1892; *pallidata* Staudinger, 1901; *nigrita* Wagner, 1931; *dueldueli* Daniel, 1939. Range (as codes): TR LB Bsa Cc AM IR Ss GG Smt Akh RU 01 03 05 31 42 46 58 46G 46Gi 58N
- 931. *Dyspessa salicicola* (Eversmann, 1848)** (Cossidae) Synonym(s): *salicicola* Eversmann, 1848 Range (as codes): RO MK BG GR TR Cc GG Tbl Akh Smt Kak Akk AM Eri UA Cm RU Ur Sr IR Mz GlS TM Kp Mrw KG CN Ui Kml Tbl Mng Kir Der Da AZ 04 06 10 17 22 33 36 39 65 76 04I 06R 06Ra 10D 36D 36F 65D 65Dg 65N 65Nr2 65Nm 76C
- 932. *Dyspessa stroehlei* Yakovlev, 2008** (Cossidae) Synonym(s): *stroehlei* Yakovlev, 2008 Range (as codes): TR 65 75 65D 65Dg 75D
- 933. *Dyspessa tyumasevae* Yakovlev, 2008** (Cossidae) Synonym(s): *tyumasevae* Yakovlev, 2008 Range (as codes): TR 42
- 934. *Dyspessa ulula* (Borkhausen, 1790)** (Cossidae) Synonym(s): *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscata* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 *nec* Roth., 1912. Range (as codes): PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR RU MD UA BY CY LB Bei IR Kd KG Ssn IQ Mkp GG Tbl Bjo Kir Kak Cc AZ 05 06 07

- 13 14 16 17 20 21 26 33 36 42 44 45 46 48 58 60 65 66 05A 06R 06Rb 06Rd 13A 13Ab 13Ax 16A 42B 44E 44Ei 48F 58N
65A 65Ai 65D 65Dg 65Dh 65G 65Gf 65Gy 65N 65Np2 65Nr2 65Nm
935. **Dyspessa wagneri** Schwingenschuss, 1939 (Cossidae) Synonym(s): *wagneri* Schwingenschuss, 1939 Range (as codes): UA Cm TR IR Elb Mz
936. **Dyspessa zurvan** Yakovlev, 2008 (Cossidae) Synonym(s): *zurvan* Yakovlev, 2008 Range (as codes): TR IR Ab Khy 76 76A 76Ac
937. **Dyspessacossus fereidun** (Groum-Grshimailo, 1895) (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo, 1895; *firdusi* Wagner, 1937. Range (as codes): IR Elb Dam Th Cc AM IQ Ry Shq TR CN Ui 30 31 33 46 65 73 80 30B 30Bc 30Bc1 30Bd 30C 30Cd 30D 30Da 30Dp 30Dt 65D 73A 73Aa 80B 80Bb
938. **Dyspessacossus hadjinensis** Daniel, 1953 (Cossidae) Synonym(s): *hadjinensis* Daniel, 1953 Range (as codes): TR o1
939. **Isoceras bipunctatum** (Staudinger, 1887) (Cossidae) Synonym(s): *bipunctatum* Staudinger, 1887 Range (as codes): TR IL Js Pa LB Cc GG Kak AZ Nv Ord IR Fa Ahz IQ Ry Dia 06 07 13 25 27 29 30 33 38 46 49 56 58 60 63 71 73 06R 06Rb 13C 13Cg 30B 30Be 30Bh 30D 30Da 30Df 38C 38Cb 46F 56F 63L
940. **Isoceras huberi** Eitschberger & Ströhle, 1987 (Cossidae) Synonym(s): *huberi* Eitschberger & Ströhle, 1987 Range (as codes): TR AM AZ Nv Ord Cc GG Smt Akh 65 65Bx 65G 65Ge
941. **Kotchevnik durrelli** Yakovlev, 2005 (Cossidae) Synonym(s): *durrelli* Yakovlev, 2005 Range (as codes): Cc AM Alg RU Da TR
942. **Paracossulus thrips** (Hübner, [1818]) (Cossidae) Synonym(s): *thrips* Hübner, [1818]; *fuchsiana* Eversmann, 1832; *kindermanni* Freyer, 1836. Range (as codes): PL HU RO BG RU Da Der Ur Sr KG Uk TR GG Tbl Cc AZ Kir 30 36 65 76 30D 30Da 30Dp 36D 65K 65Kd 65Kg 65Kz 76C
943. **Parahypopta caestrum** (Hübner, [1808]) (Cossidae) Synonym(s): *caestrum* Hübner, [1808]; *teredo* Boisduval, 1829; *radoti* Homberg, 1911; *nigrosignatus* Rothschild, 1912. Range (as codes): PT ES FR Si IT AT CZ SK HU RO YU MK AL BG GR Rd Cr TR RU Da Der UA AZ Kir Cc GG Kak Tbl LB IL Hf Pa 03 07 22 33 03A 03Aa 07C
944. **Paropta paradoxus** (Herrich-Schäffer, 1851) (Cossidae) Synonym(s): *paradoxus* Herrich-Schäffer, 1851; *l-nigrum* Bethune-Baker, 1894; *pharaonis* A. Bang-Haas, 1910 Range (as codes): CY GR Rd TR LB SY Ltk IL Js Hf Jf Pa EG EGo5 YE OM SA IR 33 35
945. **Phragmacossia territa** Staudinger, 1878 (Cossidae) Synonym(s): *territa* Staudinger, 1878; *transcaspica* Grum-Grshimailo, 1895 Range (as codes): TR IQ Bsy LB Bsa SY Cc AM TM Rpt UZ Smk TJ IR Elb Dam AF Slg PK Nwf IL Pa EG 05 42 46 51 65 05A 46G 46Gf 42B 51B 51Bc 65B 65Bo 65Bx 65D 65Df 65G 65Gb
946. **Phragmataecia albida** Erschoff, 1874 (Cossidae) Synonym(s): *albida* Erschoff, 1874; *erschoffi* Reisser, 1962 Range (as codes): Cr GR TR Cc TM Kp AF IR Kh TM UZ KG CN Ui Ku RU 05 08 24 25 30 33 35 36 38 44 46 50 58 71 73 08H 08Ha 50G
947. **Phragmataecia castaneae** (Hübner, 1790) (Cossidae) Synonym(s): *castaneae* Hübner, 1790; *arundinis* Hübner, [1808]; *minor* Moore, 1879; *pygmaea* Graeser, 1888; *minima* Hampson, 1891 Range (as codes): MA TN ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Kz Mz DK SE FI EE LV LT RU Vv Sb Am MD UA BY IQ Ama Da Der TM GG Pti AZ Kir Cc LB SY EG BD IN CN Ui JP 04 36 42 46 48 04A 46G 46Gf 48L
948. **Semagystia cuhensis** De Freina, 1994 (Cossidae) Synonym(s): *cuhensis* De Freina, 1994 Range (as codes): TR Cc AM 25 65 25A 25D 65Bx 65D 65Df 65G 65Ge
949. **Semagystia enigma** Yakovlev, 2007 (Cossidae) Synonym(s): *enigma* Yakovlev, 2007 Range (as codes): TR 30 30B 30Bh
950. **Semitocossus johannes** (Staudinger, 1900) (Cossidae) Synonym(s): *johannes* Staudinger, 1900; *striolatus* Rothschild, 1912 Range (as codes): TR JO IL Pa Js SA 45
951. **Stygia mosulensis** Daniel, 1965 (Cossidae) Synonym(s): *mosulensis* Daniel, 1965 Range (as codes): BG GR IQ Mos TR IR Ak Tbz 21 50 56 70 21N 21Nb 50G 50Gc 56F 56Fi
952. **Stygioides colchica** (Herrich-Schäffer, [1851]) (Cossidae) Synonym(s): *colchica* Herrich-Schäffer, [1851]; *amasina* Herrich-Schäffer, [1851]; *stygiella* Bruand, 1853; *tricolor* Lederer, 1858 Range (as codes): IT GR TR RU SY Dms LB JO 05 06 07 33 42 46 05A 42B
953. **Stygioides nuppenenorum** Yakovlev & Saldaitis, 2011 (Cossidae) Synonym(s): *nuppenenorum* Yakovlev & Saldaitis, 2011 Range (as codes): TR 07 07C
954. **Zeuzera pyrina** (Linnaeus, 1761) (Cossidae) Synonym(s): *pyrina* Linnaeus, 1761; *hypocastani* Poda, 1761; *aesuli* Linnaeus, 1767; *hilaris* Fourcroy, 1785; *octopunctata* Boisduval, 1832; *decipiens* Kirby, 1892 Range (as codes): MA DZ Khh Anna LY EG PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Bjo Tbl Lag Smg Smt Akh Abk Sok Aj Cc IQ DK NO SE EE LV LT RU MD UA BY IL Pa Hf LB Bsa IR Mz Us Vv CN US Ny TW LK KP KR JP IN 06 07 08 14 31 34 38 42 45 46 50 56 61 65 06R 06Ra 06Rb 08H 31M 34P 56F 65D 65Dlc

Ctenuchidae

- 955. *Amata aequipuncta* (Turati,1917)** (Ctenuchidae) Synonym(s): *aequipuncta* Turati,1917; *#aequipunctata* De Freina,1994 Range (as codes): TR Cc SY LB IQ 01 05 31 32 33 36 46 51 58 01H 05A 31K 31Ka 31Ka5 31M 32C 33N 36F 46G 46F 46Fg 51D 51Da 58G
- 956. *Amata antiochena* (Lederer,1861)** (Ctenuchidae) Synonym(s): *antiochena* Lederer,1861; *tringulata* Culot,1909 Range (as codes): TR LB Bei SY 31 33
- 957. *Amata caspia* (Staudinger,1877)** (Ctenuchidae) Synonym(s): *caspia* Staudinger,1877; *#caspica* Romanoff,1884; *minuta* A.Bang-Haas,1910 *nec* Bsd.,1833; *martinierici* Bryk,1941; *banghaasi* Obratzsov,1966; *minutissima* Obratzsov,1966; *schachti* De Freina,1994 Range (as codes): Cc AM Eri AZ Len TR Arr TM Kp Mrw KG Tk Ssn DsA Tk Dj Ii UZ Fe T-S Aa Tk KK Ik MN CN Ui Um Au Gn Ts Kno RU Ao Ur Pja Da Der Sb IQ AF 36 76 36F 76A 76Aa 76B
- 958. *Amata hakkariana* (De Freina,1982)** (Ctenuchidae) Synonym(s): *hakkariana* De Freina,1982 Range (as codes): TR 30 65 73 30B 30Bc2 30Bh 30D 30Df 65D 65Dlc 65Dü 65Dn 73A 73Aa
- 959. *Amata kruegeri* (Ragusa,1904)** (Ctenuchidae) Synonym(s): *#kruegeri* Ragusa,1904; *kruegeri* Turati,1917 Range (as codes): FR Co Si IT CH AT RO YU HV MK AL BG TR GR RU Da Cc MD UA
- 960. *Amata phegea* (Linnaeus,1758)** (Ctenuchidae) Synonym(s): *phegea* Linnaeus,1758; *quercus* Fabricius,1793 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LT RU MD UA BY Cc 39
- 961. *Amata rossica* (Turati,1917)** (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (*praeocc.*); *rossica* Turati,1917; *tanaica* Obratzsov,1941 Range (as codes): TR RU Sr Pe Tt Or Ur Ro Da Tua Soc St Pja Kis Vlk Kb Teb Nal Cc GG Sva Tbl Lag Aj Btm Im Kta Bjo Smt Akh Aba AM Alg Eri Svn AZ Kir UA Cm KG Uk IR Ak Kly 04 05 06 07 08 14 16 24 28 33 37 38 43 55 58 60 64 71 75 76 05A 06R 06Re 06Rd 07C 08H 16A 33A 33E 33F 33P 37P 38H 38Ha 58G 58N 60C 64F 75A 75D 75Db 76C
- 962. *Amata sintenisi* (Standfuss,1892)** (Ctenuchidae) Synonym(s): *sintenisi* Standfuss,1892; *aurivala* Schawerda,1923 Range (as codes): IQ Mos TR 47 63 73 47D 63E 73A 73Ak 73C 73Cd
- 963. *Amata tanina* (De Freina,1982)** (Ctenuchidae) Synonym(s): *tanina* De Freina,1982. Range (as codes): TR 73 73C 73Cd
- 964. *Amata taurica* (Turati,1917)** (Ctenuchidae) Synonym(s): *#taurica* Hampson,1898; *taurica* Turati,1917. Range (as codes): TR SY 31 31M
- 965. *Amata transcaspica* Obratzsov,1941** (Ctenuchidae) Synonym(s): *transcaspica* Obratzsov,1941 Range (as codes): TR TM Krn I-B Cc AZ 02 12 21 25 44 58 73 02F 02Fc 02Fd 02Fz 21L 21Ld 21N 21Nb 21Nh 44A 44Ab 44E 44Ei 44F 58R 58Rc 73A
- 966. *Amata wiltshirei* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939 Range (as codes): IQ Ry TR IR Ab Oru Ak Zj TS 30 30D 30Dd
- 967. *Callitomis dimorpha* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *dimorpha* Bytinski-Salz,1939; *#nigerrima* Bytinski-Salz,1939 Range (as codes): Cc TR Arr 76 76 76A
- 968. *Dysauxes (Adauctis) punctata* (Fabricius,1781)** (Ctenuchidae) Synonym(s): *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876 Range (as codes): MA DZ TN PT ES FR Co Si IT BE LU CH AT PL CZ SK HU RO RU MD UA BY TR AZ Da Nv Ord Kir Der Len Cc GG Tbl Smt Bjo 01 17 25 36 42 55 56 75 76 01H 36D 36Dd 56F 56Fp 75F 75Fa 76C
- 969. *Dysauxes (s.str.) ancilla* (Linnaeus,1767)** (Ctenuchidae) Synonym(s): *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goeze,1783; *lomopicta* Fourcroy,1785; *fuscoptera* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933. Range (as codes): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU MD UA BY AM GG Cc 06 32 06E 06R 06Rb 06Re 32N
- 970. *Dysauxes (s.str.) famula* (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983. Range (as codes): FR Co Si IT MT CH AT HU RO SS B-H HV MK YU AL BG GR Rd Cr TR Cc RU Us MN IQ Ry Rwz Kq IL Pa Hf IR Mz Gls Kh TM Kp Ch 01 04 06 07 08 10 11 12 13 14 16 17 21 23 25 30 31 33 34 36 38 42 44 45 46 50 56 59 60 65 71 73 76 01A 04A 06R 06Rb 06Re 07B 08H 10P 11E 12E 13G 13Gü 13Gw 21C 23I 25F 30B 30Bh 30Bd 30Be 31K 31Ka 33A 33Ak 33F 33G 33O 33N 33P 36F 38H 38Hc 42D 44I 44Ic 44O 46D 46G 46Gf 46Gi 50G 56E 56Eb 56F 59D 60C 65A 65Am 65Am4 65D 65Df 65F 65Fi 65Fp 65Fz 65N 65Np2 65Nm 73C 73Ce 73D 73Db 76C
- 971. *Dysauxes (s.str.) fraterna* Ignatyev & Zolotuhin,2006** (Ctenuchidae) Synonym(s): *fraterna* Ignatyev & Zolotuhin,2006 Range (as codes): Cc AM Eri TR 04 06 13 38 49 50 56 66 13G 56F
- 972. *Dysauxes (s.str.) syntomida* (Staudinger,1892)** (Ctenuchidae) Synonym(s): *syntomida* Staudinger,1892 Range (as codes): TR 47

Deoclonidae

- 973. *Syringopais temperatella* (Lederer, 1855)** (Deoclonidae) **Synonym(s):** *temperatella* Lederer, 1855; *fuscofasciata* Stainton, 1867; *ochrolitella* Staudinger, 1871; *xenicopa* Meyrick, 1920 **Range (as codes):** GR CY TR LB Bei IL Pa Hf IQ Shq Dia Mos Dk Tfa Hmm IR Lo 02 15 20 21 27 32 35 42 46 47 63 02F 02Fd 02Fz 21L 21Lc 21Ld 21Lf 27D 27Db 27Dc 27Dd 63B 63Ba

Douglasiidae

- 974. *Klimeschia cinereipunctella* (Turati & Fiori, 1930)** (Douglasiidae) **Synonym(s):** *cinereipunctella* Turati & Fiori, 1930; *lutumella* Amsel, 1938. **Range (as codes):** GR Cr TR IL Js Pa IQ Hjo Shq 23 44
- 975. *Klimeschia transversella* (Zeller, 1839)** (Douglasiidae) **Synonym(s):** *transversella* Zeller, 1839 **Range (as codes):** PT ES FR IT BE DE AT PL CZ SK HU RO YU GR TR IR Elb Kdj DK SE FI EE LV LT RU MD UA BY 05 05A
- 976. *Klimeschia vibratoriella* (Mann, 1862)** (Douglasiidae) **Synonym(s):** *vibratoriella* Mann, 1862 **Range (as codes):** TR 16 35 16A
- 977. *Tinagma anchusellum* (Benander, 1936)** (Douglasiidae) **Synonym(s):** *anchusellum* Benander, 1936 **Range (as codes):** DK SE EE LV PL DE AT HU BG GR TR IL Pa IR Elb Kdj Th 05 06 23 42 46 65 05A 65N 65Nc 65Np 65Np1 65Nm
- 978. *Tinagma columbellum* (Staudinger, 1880)** (Douglasiidae) **Synonym(s):** *columbellum* Staudinger, 1880. **Range (as codes):** TR IR Fa Shr IL Pa 05 42 46 05A
- 979. *Tinagma hedemanni* (Caradja, 1920)** (Douglasiidae) **Synonym(s):** *hedemanni* Caradja, 1920 **Range (as codes):** IT AT MK Och TR 32 42
- 980. *Tinagma minutissimum* (Staudinger, 1880)** (Douglasiidae) **Synonym(s):** *minutissimum* Staudinger, 1880. **Range (as codes):** TR RU 05 05A
- 981. *Tinagma ocnestomellum* (Stainton, 1850)** (Douglasiidae) **Synonym(s):** *ocnerostomellum* Stainton, 1850; *echii* Herrich-Schäffer, 1854. **Range (as codes):** PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU YU GR TR SY Dms DK NO SE FI EE LV LT RU MD UA BY 05 06 16 33 05A 16A

Drepanidae

- 982. *Cilix asiatica* A. Bang-Haas, 1907** (Drepanidae) **Synonym(s):** *asiatica* A. Bang-Haas, 1907; *depalpata* Strand, 1913 **Range (as codes):** GG Smt Akh Cc AM AZ Len UA Cm TR IL Hf Pa LB Bsa IR Elb IQ AF Srb Bsg 05 06 07 10 12 13 17 21 30 31 33 36 42 44 45 46 47 49 50 56 58 60 65 71 73 05A 06R 06Rb 07A 07C 13F 13F7 13F71 17M 21N 21Nh 30B 30Bh 30Bt1 30Bz 30D 30Df 31K 31Ka 36D 36Db 44E 44Ei 49E 49Ea 56F 58N 60G 65A 65Ai 65An 65Am 65Am4 65D 65Ds 65F 65Fp 65Fz 65N 65Np6 65Nm 73C 73Cd
- 983. *Cilix glaucata* (Scopoli, 1763)** (Drepanidae) **Synonym(s):** *glaucata* Scopoli, 1763; *modesta* Müller, 1764; *ruffa* Linnaeus, 1766; *spinula* [Denis & Schiffermüller], 1775; *candidula* [Denis & Schiffermüller], 1775; *compressa* Fabricius, 1777 **Range (as codes):** DZ Clo Gue Ahr PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK AL BG GR Cr Rd TR Cc GG Smt Bjo Lag AZ Kir Mng DK NO SE FI RU MD UA BY TM Kp 06 14 17 32 33 39 42 64 06R 06Rb 33G 39C
- 984. *Drepana falcatoria* (Linnaeus, 1758)** (Drepanidae) **Synonym(s):** *falcatoria* Linnaeus, 1758; *sicula* [Denis & Schiffermüller], 1775; *falcula* [Denis & Schiffermüller], 1775; *falcata* Retzius, 1783 nec Fabr., 1775; *falcatorialis* Haworth, 1802; *infernalis* Bytinski-Salz, 1939 **Range (as codes):** ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 985. *Watsonalla binaria* (Hufnagel, 1767)** (Drepanidae) **Synonym(s):** *binaria* Hufnagel, 1767; *falcata* Fabricius, 1775; *falculataria* De Villers, 1789; *falcatalis* Haworth, 1802; *uncula* Hübner, [1802] **Range (as codes):** DZ Sbd Agi Ges DhM TN ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG Lag IQ Brs LB Bsa DK SE FI LV LT RU MD UA BY 02 05 06 08 10 12 13 14 16 21 30 31 42 46 49 50 53 56 62 65 71 73 75 02F 02Fd 02Fz 05A 06R 06Rb 06Re 12E 12Ec 13F 13F38 13G 13Gg 16A 21N 21Nb 21Nh 30B 30Ba 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka3 31Ka7 42B 49E 49Ea 49F 49Fb 56F 56Fo 56Fn 56F6 62E 65A 65Ai 65An 65D 65Dl 65Dlc 65Ds 73Ac 73Ac2 73A 73Ad 73Ad2 73C 73Cd 75F 75Fd
- 986. *Watsonalla cultraria* (Fabricius, 1775)** (Drepanidae) **Synonym(s):** *cultraria* Fabricius, 1775; *hamula* [Denis & Schiffermüller], 1775; *cultrialis* Haworth, 1802; *unguicula* Hübner, [1803]; *fasciata* Stephens, 1829 **Range (as codes):** ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE RU MD UA BY 16 39 16A
- 987. *Watsonalla uncinula* (Borkhausen, 1790)** (Drepanidae) **Synonym(s):** *uncinula* Borkhausen, 1790 **Range (as codes):** PT ES FR Co Sa Si IT RO YU GR Cr TR 07 10 12 30 33

Elachistidae

- 988. *Elachista (Aphelosetia) pollinariella* Zeller, 1839** (Elachistidae) **Synonym(s):** *pollinariella* Zeller, 1839 **Range (as codes):** PT ES FR IT BE NL LU DE CH AT PL CZ SK HU RO DK TR SE FI EE LV LT RU Cc Kr MD UA BY 16 16A
- 989. *Elachista (Dibrachia) anatoliensis* Traugott-Olsen, 1990** (Elachistidae) **Synonym(s):** *anatoliensis* Traugott-Olsen, 1990 **Range (as codes):** TR 06 38 50 06R 38Ca 50G
- 990. *Elachista adscitella* Stainton, 1851** (Elachistidae) **Synonym(s):** *cinctella* auct.; *adscitella* Stainton, 1851 **Range (as codes):** ES FR IT IE GB NL DE CH AT PL CZ SK HU TR DK NO SE FI EE LV RU Da Kb Us Ur Cc UA 16 16A
- 991. *Elachista albifrontella* (Hübner, [1817])** (Elachistidae) **Synonym(s):** *albifrontella* Hübner, [1817] **Range (as codes):** FR IT IE GB BE NL LU DE CH AT PL CZ SK RO TR DK NO SE FI EE LV LT RU VI Ur At UA 16 16A
- 992. *Elachista anserinella* Zeller, 1839** (Elachistidae) **Synonym(s):** *anserinella* Zeller, 1839; *disertella* Herrich-Schäffer, [1855]. **Range (as codes):** FR IT BE DE CH AT PL CZ SK HU RO YU BG TR DK NO SE LV LT RU VI Ur Sb UA 16 16A
- 993. *Elachista argentella* (Clerck, 1759)** (Elachistidae) **Synonym(s):** *argentella* Clerck, 1759; *alabastrella* [Denis & Schiffermüller], 1775; *melanopis* Fourcroy, 1785; *alabastrata* De Villers, 1789; *cygnipennella* Hübner, 1796; *cygnipennis* Haworth, 1828; *semialbella* Stephens, 1834 **Range (as codes):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Cc Kr MD UA BY 05 06 16 33 42 46 05A 16A
- 994. *Elachista atrisquamosa* Staudinger, 1880** (Elachistidae) **Synonym(s):** *atrisquamosa* Staudinger, 1880 **Range (as codes):** IT AT HV YU GR TR 05 15 71 05A 71C
- 995. *Elachista athroa* Kaila, 2017** (Elachistidae) **Synonym(s):** *athroa* Kaila, 2017 **Range (as codes):** TR 42 42B
- 996. *Elachista austera* Kaila, 2015** (Elachistidae) **Synonym(s):** *austera* Kaila, 2015 **Range (as codes):** TR 42 42B
- 997. *Elachista bisulcella* (Duponchel, 1843)** (Elachistidae) **Synonym(s):** *bisulcella* Duponchel, 1843; *zonariella* Tensgröm, 1847 **Range (as codes):** FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU Cc Kr VI At UA 16 16A
- 998. *Elachista blancellae* Traugott-Olsen, 1992** (Elachistidae) **Synonym(s):** *blancellae* Traugott-Olsen, 1992 **Range (as codes):** TR 06
- 999. *Elachista canapennella* (Hübner, [1813])** (Elachistidae) **Synonym(s):** *canapennella* Hübner, [1813]; *pulchella* Haworth, [1828] *nec* Fabricius, 1794; *obscura* Stainton, 1849; *incanella* Herrich-Schäffer, [1855], etc. **Range (as codes):** FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK TR NO SE FI EE LV LT RU Cc Kb VI UA 05 16 46 05A 16A
- 1000. *Elachista chionella* Mann, 1861** (Elachistidae) **Synonym(s):** *chionella* Mann, 1861 **Range (as codes):** YU AL TR 05 33 42 71 05A 42B 71C
- 1001. *Elachista chrysodesmella* Zeller, 1850** (Elachistidae) **Synonym(s):** *chrysodesmella* Zeller, 1850 **Range (as codes):** PT ES FR Co IT BE NL DE CH AT PL CZ SK YU AL TR SE EE RU UA Cm
- 1002. *Elachista cingillella* (Herrich-Schäffer, [1855])** (Elachistidae) **Synonym(s):** *cingillella* Herrich-Schäffer, [1855]; *densicornuella* Hodgkinson, 1879 **Range (as codes):** ES FR Co IT GB NL DE CH AT PL CZ SK HU RO YU TR GR NO SE FI LV RU Ur Us UA Cm 16 46 16A
- 1003. *Elachista collitella* (Duponchel, 1843)** (Elachistidae) **Synonym(s):** *collitella* Duponchel, 1843; *grossepunctella* Herrich-Schäffer, 1855 **Range (as codes):** ES FR Si IT GB BE DE CH AT CZ SK HU RO YU TR
- 1004. *Elachista contaminatella* Zeller, 1847** (Elachistidae) **Synonym(s):** *contaminatella* Zeller, 1847; *fadella* Millière, 1876; *suspectella* Chrétien, 1896; *hypoleuca* Walsingham, 1907; *arzamastsevi* Lastukhin, 2009 **Range (as codes):** Cn PT DZ ES FR Sa Si IT AT SK HU YU AL BG TR UA Cm RU Cc Kr Ao VI Ur TM
- 1005. *Elachista dalmatiensis* Traugott-Olsen, 1992** (Elachistidae) **Synonym(s):** *dalmatiensis* Traugott-Olsen, 1992 **Range (as codes):** AT HV BG GR TR 42 42X 42Xa
- 1006. *Elachista deceptricula* Staudinger, 1880** (Elachistidae) **Synonym(s):** *deceptricula* Staudinger, 1880 **Range (as codes):** ES YU GR BG TR UA Cm GR 05 38 42 50 68 71 05A 42B 50G 50Ga 71C
- 1007. *Elachista deresyensis* Traugott-Olsen, 1988** (Elachistidae) **Synonym(s):** *deresyensis* Traugott-Olsen, 1988 **Range (as codes):** TR 50 50G 50Ga
- 1008. *Elachista disemiella* Zeller, 1847** (Elachistidae) **Synonym(s):** *disemiella* Zeller, 1847 **Range (as codes):** PT ES FR Si IT HU TR 05 05A
- 1009. *Elachista dispilella* Zeller, 1839** (Elachistidae) **Synonym(s):** *dispilella* Zeller, 1839; *manni* Traugott-Olsen, 1990; *steueri* Traugott-Olsen, 1990; *jaeckhi* Traugott-Olsen, 1990; *gebzeensis* Traugott-Olsen, 1990 **Range (as codes):** FR IT NL DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT YU RU Cc Kr Ur At Bry Or UA 06 16 41 42 50 68 06A 06R 16A 42B
- 1010. *Elachista dispunctella* (Duponchel, 1843)** (Elachistidae) **Synonym(s):** *dispunctella* Duponchel, 1843; *cahorsensis* Traugott-Olsen, 1992; *imbi* Traugott-Olsen, 1992; *karsholti* Traugott-Olsen, 1992; *mannella* Traugott-Olsen, 1992; *multipunctella* Traugott-Olsen, 1992; *pocopunctella* Traugott-Olsen, 1992; *povolnyi*

- Traugott-Olsen,1992; punctella Traugott-Olsen,1992; hallini Traugott-Olsen,1992; intrigella Traugott-Olsen,1992; skulei Traugott-Olsen,1992; nielspederi Traugott-Olsen,1992* Range (as codes): ES FR IT HV GB BE DE CH AT PL CZ SK HU RO LV RU VI Ur Or Cc Kr MD UA Cm GR TR KG 42 42X 42Xa
- 1011. *Elachista festucicolella* Zeller,1853** (Elachistidae) Synonym(s): *festucicolella* Zeller,1853; *#festucicolella* Staudinger,1880. Range (as codes): BE? DE CH AT PL CZ? SK? BG GR? TR SE RU UA 05 05A
- 1012. *Elachista flavescens* Parenti,1981** (Elachistidae) Synonym(s): *flavescens* Parenti,1981 Range (as codes): TR RU Ur Cc AM UA 03 06 29 38 42 03O 06A 42B
- 1013. *Elachista gangabella* Zeller,1850** (Elachistidae) Synonym(s): *gangabella* Zeller,1850; *taeniatella* Stainton,1857; *ursinella* Chrétien,1896 Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR GR DK SE RU MD UA Cc Kb Ur St 16 16A
- 1014. *Elachista gleichenella* (Fabricius,1781)** (Elachistidae) Synonym(s): *gleichenella* Fabricius,1781; *gleichella* Fabricius,1794; *magnificella* Duponchel,1843; *trifasciella* Tengström,1848; *fractella* Herrich-Schäffer,1855 Range (as codes): FR IT IE GB BE DE CH AT PL CZ SK HU YU GR TR DK NO SE FI EE LV LT RU Kb Kr Lag Ur Sb At Am Us MD UA Cm Cc GG
- 1015. *Elachista griseella* (Duponchel,1843)** (Elachistidae) Synonym(s): *griseella* Duponchel,1843; *dispositella* Frey,1859 Range (as codes): FR IT CH AT PL CZ SK HU RO YU TR RU Cm AM Cc Sb UA 05 16 05A 16A
- 1016. *Elachista incanella* Herrich-Schäffer,[1855]** (Elachistidae) Synonym(s): *incanella* Herrich-Schäffer,[1855] Range (as codes): TR 05 16 46 05A 16A
- 1017. *Elachista kleini* Amsel,1935** (Elachistidae) Synonym(s): *kleini* Amsel,1935 Range (as codes): PT ES YU TR
- 1018. *Elachista laterotis* Kaila,2015** (Elachistidae) Synonym(s): *laterotis* Kaila,2015 Range (as codes): TR 42 42B
- 1019. *Elachista levasi* Sruoga,1998** (Elachistidae) Synonym(s): *levasi* Sruoga,1998; *purella* Sruoga,2000 Range (as codes): TM Kp GR UA Cm TR KG 29
- 1020. *Elachista maculata* Parenti,1978** (Elachistidae) Synonym(s): *maculata* Parenti,1978 Range (as codes): MK BG GR TR
- 1021. *Elachista maculicerusella* Bruand,1849** (Elachistidae) Synonym(s): *cerusella* Hübner,1796 *nec* [Denis & Schiff.],1775; *maculicerusella* Bruand,1849; *monosemiella* auct. Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 1022. *Elachista melancholica* Frey,1859** (Elachistidae) Synonym(s): *melancholica* Frey,1859 Range (as codes): TR 05 16 05A 16A
- 1023. *Elachista minusculella* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *minusculella* Traugott-Olsen,1992 Range (as codes): TR 41
- 1024. *Elachista modesta* Parenti,1978** (Elachistidae) Synonym(s): *modesta* Parenti,1978 Range (as codes): Rd TR 07
- 1025. *Elachista mus* Parenti,1981** (Elachistidae) Synonym(s): *mus* Parenti,1981 Range (as codes): AZ Cc Nv Ord IR TR AF TM MN
- 1026. *Elachista nuraghella* Amsel,1951** (Elachistidae) Synonym(s): *nuraghella* Amsel,1951; *grotenfelti* Kaila,2012 Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT MK AT YU BG GR TR SY 42 42B 42Bb
- 1027. *Elachista ohridella* Parenti,2001** (Elachistidae) Synonym(s): *ohridella* Parenti,2001 Range (as codes): MK BG TR 44
- 1028. *Elachista parvula* Parenti,1978** (Elachistidae) Synonym(s): *parvula* Parenti,1978; *minusculella* Traugott-Olsen,1992; *blancella* Traugott-Olsen,1992 Range (as codes): FR IT CH YU BG RU UA Cm TR 06 38 41 06R 38Ca 41A
- 1029. *Elachista pollutella* (Duponchel,1844)** (Elachistidae) Synonym(s): *pollutella* Duponchel,1844 Range (as codes): FR IT LU DE CH AT CZ SK HU RO YU AL GR TR RU Ur At MD UA Cm BY MN 05 65? 05A
- 1030. *Elachista pollutissima* Staudinger,1880** (Elachistidae) Synonym(s): *pollutissima* Staudinger,1880 Range (as codes): YU TR 05 71 05A 71D
- 1031. *Elachista pullicomella* Zeller,1839** (Elachistidae) Synonym(s): *pullicomella* Zeller,1839; *rectifasciella* Stainton,1851; *bohemanni* Wallengren,1852; *pullella* Herrich-Schäffer,1855 Range (as codes): FR IT BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc Kb VI Ur KG UA Cm
- 1032. *Elachista revinctella* Zeller,1850** (Elachistidae) Synonym(s): *revinctella* Zeller,1850 Range (as codes): IT CZ HU YU AL EE TR 16 16A
- 1033. *Elachista rudectella* Stainton,1851** (Elachistidae) Synonym(s): *rudectella* Stainton,1851 Range (as codes): Co IT DE CH AT PL CZ SK HU RO BG GR TR RU Ur At Tv UA 05 16 05A 16A
- 1034. *Elachista rufocinerea* (Haworth,[1828])** (Elachistidae) Synonym(s): *rufocinerea* Haworth,[1828]; *oleae* Haworth,[1828]; *floslactis* Haworth,[1828]; *rufocinerella* Herrich-Schäffer,1855; *rufocinereella* Bruand,1859 Range (as codes): FR IT IE GB BE NL DE AT CZ SK HU RO YU MK GR TR DK UA 16 16A
- 1035. *Elachista scalpra* Kaila,2018** (Elachistidae) Synonym(s): *scalpra* Kaila,2018 Range (as codes): TR 38 50 38O 50G

- 1036. Elachista squamosella (Duponchel, 1843)** (Elachistidae) Synonym(s): *squamosella Duponchel, 1843* Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG TR RU Cc Ur At UA Cm Kb AM TM
- 1037. Elachista turkensis Traugott-Olsen, 1990** (Elachistidae) Synonym(s): *turkensis Traugott-Olsen, 1990* Range (as codes): TR 06 38 42 50 06Y 38Ca 42B 42Bb 50G 50Ga
- 1038. Elachista unifasciella (Haworth, [1828])** (Elachistidae) Synonym(s): *unifasciella Haworth, [1828]* Range (as codes): FR IT GB LU DE AT PL CZ SK HU RO AL TR DK SE LV RU Cc Kr
- 1039. Elachista vegliae Parenti, 1978** (Elachistidae) Synonym(s): *vegliae Parenti, 1978* Range (as codes): YU BG TR
- 1040. Perittia echiella Joannis, 1902** (Elachistidae) Synonym(s): *echiella Joannis, 1902* Range (as codes): PT ES Sa Si GR TR
- 1041. Perittia huemeri (Traugott-Olsen, 1990)** (Elachistidae) Synonym(s): *huemeri Traugott-Olsen, 1990* Range (as codes): HV HU TR 42 42U
- 1042. Perittia junnilaisella Kaila, 2009** (Elachistidae) Synonym(s): *junnilaisella Kaila, 2009* Range (as codes): TR 42 42B 42Bb
- 1043. Perittia karadaghella Sinev & Budashkin, 1991** (Elachistidae) Synonym(s): *karadaghella Sinev & Budashkin, 1991* Range (as codes): UA Cm TR 42 50 42B 50G
- 1044. Perittia mucronata (Parenti, 2001)** (Elachistidae) Synonym(s): *mucronata Parenti, 2001* Range (as codes): GR TR IR Elb Th Kdj 23 42 42B 42Bb
- 1045. Perittia ravida Kaila, 2009** (Elachistidae) Synonym(s): *ravida Kaila, 2009* Range (as codes): GR TR 42 42B
- 1046. Stephensia abbreviatella (Stainton, 1851)** (Elachistidae) Synonym(s): *abbreviatella Stainton, 1851; maxima Höfner, 1897; myosotivora Müller-Rutz, 1937* Range (as codes): AT PL CZ SK RO MK TR RU Cc Kb
- 1047. Stephensia brunnichella (Linnaeus, 1767)** (Elachistidae) Synonym(s): *brunnichella Linnaeus, 1767; stephensella Douglas, 1848; staudingeri Nielsen & Traugott-Olsen, 1981* Range (as codes): PT FR IT GB BE NL DE CH AT CZ SK HU RO AL BG TR GR DK NO SE FI LV RU MD UA Cm Cc AM BY 16 16A

Endromidae

- 1048. Endromis versicolora (Linnaeus, 1758)** (Endromidae) Synonym(s): *versicolora Linnaeus, 1758; versicolor Schrank, 1801; lapponica Bau, 1877; sachalinensis Matsumura, 1929; asiaorientis Warnecke, 1943; meridionalis Rougeot, 1971; subpyrinaea Gomez-Bustillo et al., 1974* Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY RU Kc Teh Cc AM Eri 14 34 53

Epermeniidae

- 1049. Epermenia (Calotripis) aequidentella (Hofmann, 1867)** (Epermeniidae) Synonym(s): *aequidentella Hofmann, 1867; daucellus Peyerimhoff, 1870* Range (as codes): Cn DZ Anna ES B-I FR Co Sa Si IT GB DE NO CH AT CZ HU RO YU AL GR TR LB Bei Bsa IR Elb Mz Clu IL Pa EE MN RU Sb Cc 46
- 1050. Epermenia (Calotripis) chaerophyllella (Goeze, 1783)** (Epermeniidae) Synonym(s): *chaerophyllella Goeze, 1783; testaceella Hübner, [1813]; fasciculellus Stephens, 1834; nigrostriatellus Heylaerts, 1883; turatiella Constantini, 1923* Range (as codes): ES FR Co? Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR SY DK NO SE FI EE LV LT 06 16 46 06R 16A
- 1051. Epermenia (Calotripis) insecurella (Stainton, 1849)** (Epermeniidae) Synonym(s): *insecurella Stainton, 1849; dentosella Stainton, 1851; iniquellus Wocke, 1867; plumbeella Rebel, 1915; kruegerella Schawerda, 1921* Range (as codes): ES FR IT GB DE CH AT PL CZ SK HU YU TR LB Bei Bsa MN EE RU MD UA BY Cc IR Ss 06 42 65
- 1052. Epermenia (Calotripis) strictella (Wocke, 1867)** (Epermeniidae) Synonym(s): *strictella Wocke, 1867; anthracoptila Meyrick, 1931* Range (as codes): Cn ES FR Sa IT CH AT PL SK HU RO YU BG GR LV RU MD UA BY TR IR AF Kbb Pnj Bd Pag MN Cc 46
- 1053. Epermenia (s.str.) ochreomaculella (Millière, 1854)** (Epermeniidae) Synonym(s): *ochreomaculella Millière, 1854; prohaskaella Schawerda, 1921* Range (as codes): ES FR IT CH YU AL BG UA Cm GR TR Cc LB Bsa MN RU Sb AF 23 29 33 44 44E 44Ei
- 1054. Epermenia (s.str.) orientalis Gaedike, 1966** (Epermeniidae) Synonym(s): *orientalis Gaedike, 1966* Range (as codes): TR IR Elb Kdj Th Fa Dam LB SA SA63 IQ Rba AF PK Bl Qu 29
- 1055. Epermenia (s.str.) pontificella (Hübner, 1796)** (Epermeniidae) Synonym(s): *pontificella Hübner, 1796* Range (as codes): ES FR Co IT DE CH AT PL CZ SK HU YU AL BG GR TR LT RU MD UA BY 14 16 16A
- 1056. Epermenia (s.str.) wockeella (Staudinger, 1880)** (Epermeniidae) Synonym(s): *wockeella Staudinger, 1880* Range (as codes): TR 05 06 47 05A

- 1057. *Ochromolopis staintonella* (Millière,1869)** (Epermeniidae) **Synonym(s):** *staintonellus* Millière,1869. Range (as codes): PT ES B-I FR Sa Si IT CH YU GR Cr TR 41
- 1058. *Ochromolopis zagulajevi* Budashkin & Sachkov,1991** (Epermeniidae) **Synonym(s):** *zagulajevi* Budashkin & Sachkov,1991 Range (as codes): IT HV MK AL GR BG TR RU Cc AM Eri GG Tbl Cm IR Kdj Ss 04 16 25 33 44 46 50 55 58 77 04C 16A 25C 33R 44E 44Ed 46L 50G 50Ga 55N 58G 77F
- 1059. *Phaulernis fulviguttella* (Zeller,1839)** (Epermeniidae) **Synonym(s):** *fulviguttella* Zeller,1839; *flavimaculella* Stainton,1849; *auromaculata* Frey,1865. Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK RO YU TR DK NO SE FI EE LV LT RU MD UA BY 16 16A

Eriocottidae

- 1060. *Deuterotinea balcanica* Zagulyaev,1972** (Eriocottidae) **Synonym(s):** *balcanica* Zagulyaev,1972 Range (as codes): BG TR 71 71D
- 1061. *Deuterotinea casanella* (Eversmann,1844)** (Eriocottidae) **Synonym(s):** *casanella* Eversmann,1844 Range (as codes): RO TR RU Uk KG 05 71 05A 71D
- 1062. *Deuterotinea palaestinensis* Rebel,1900** (Eriocottidae) **Synonym(s):** *palaestinensis* Rebel,1900 Range (as codes): TR IL JO 46
- 1063. *Deuterotinea syriaca* Lederer,1857** (Eriocottidae) **Synonym(s):** *syriaca* Lederer,1857 Range (as codes): TR IL Pa Hf 46
- 1064. *Eriocottis fuscanellella* Zeller,1847** (Eriocottidae) **Synonym(s):** *fuscanellella* Zeller,1847 Range (as codes): DZ Anna Sa Si IT MT TR 05 16 45 05A 16A
- 1065. *Eriocottis paradoxella* (Staudinger,1859)** (Eriocottidae) **Synonym(s):** *paradoxella* Staudinger,1859 Range (as codes): PT ES Bar FR TR 05 05A

Eriocraniidae

- 1066. *Dyseriocrania subpurpurella* (Haworth,[1828])** (Eriocraniidae) **Synonym(s):** *subpurpurella* Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839]. Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT Vor Trl Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU Chu MD UA Cm 05 16 34 59 71 05A 16A 71C

Ethmiidae

- 1067. *Ethmia amasina* (Staudinger,1879)** (Ethmiidae) **Synonym(s):** *amasina* Staudinger,1879 Range (as codes): TR SY Hal IQ Hjo Ry IR Elb Th Fa 01 02 05 06 13 46 65 01K 02F 02Fd 02Fe 02Fz 05A 06R 13G 13Gg 65D 65G 65Gf 65Gy 65K 65Kl 65Z
- 1068. *Ethmia aurifluella* (Hübner,[1810])** (Ethmiidae) **Synonym(s):** *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882; *helvetica* Müller-Rutz,1922; *cambyes* Wiltshire,1947 Range (as codes): MA PT ES FR Sa IT CH AT RO YU AL BG GR Rd TR RU IR Fa Ha SY KG 13 16 35 42 44 48 65 13G 13Gö 13Gg 13Gw 16A
- 1069. *Ethmia bipunctella* (Fabricius,1775)** (Ethmiidae) **Synonym(s):** *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947; *euphoria* Kun,2007 Range (as codes): Cn MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL GR Cr CY TR DK NO SE FI EE LV LT RU Kb MD UA BY KG Uk IL Pa Hf Js IR Elb Th Km Kd Zj Kh IQ Shq LB Bsa Cc AM 04 05 06 16 20 30 35 36 42 46 56 60 65 71 04D 04Db 05A 16A 30B 30Bg 36D 36Db 56A 56F 56Fm 60G 65N 65Nm
- 1070. *Ethmia candidella* (Alpheraky,1908)** (Ethmiidae) **Synonym(s):** *candidella* Alpheraky,1908; *orientella* Caradja,1931. Range (as codes): MA DZ TN PT ES FR IT CH AT CZ SK HU RO YU GR TR IL Jt Pa GG AM Cc IQ Bgd IR Fa Shr Elb Mz RU MD UA BY KG Tk KK UZ 13 16 21 30 36 42 46 65 71 73 13A 13Ab 13Ax 21N 21Nb 30D 30Df 36D 36Db 65A 65Am 65Am4 65D 65Df 65F 65F1 65Fp 65Fz 65N 65Np 65Np7 65Nm
- 1071. *Ethmia caradjae* (Rebel,1907)** (Ethmiidae) **Synonym(s):** *caradjae* Rebel,1907; *chosroes* Wiltshire,1947 Range (as codes): TR IQ Hjo Ry IR Fa 02 05 30 46 56 65 02F 02Fe 02Fz 05A 30B 30Bt1 30Bz 46G 56F 65A 65An
- 1072. *Ethmia chrysopyga* (Zeller,1844)** (Ethmiidae) **Synonym(s):** *chrysopyga* Zeller,1844; *callidella* Walsingham,1910. Range (as codes): PT ES FR Si IT BE RO MK AL GR TR SY Hal LB Bsa 05 16 30 33 42 44 56 65 05A 16A 56F 56Fb 65D 65Df 65F 65Fb 65Fp 65Fz
- 1073. *Ethmia defreinai* Ganev,1984** (Ethmiidae) **Synonym(s):** *defreinai* Ganev,1984 Range (as codes): TR 32
- 1074. *Ethmia derbendella* Sattler,1967** (Ethmiidae) **Synonym(s):** *derbendella* Sattler,1967 Range (as codes): TR IR Elb Th 06 06R

- 1075. *Ethmia distigmatella* (Erschoff,1874)** (Ethmiidae) Synonym(s): *distigmatella* Erschoff,1874; *bipunctella* Rebel,1936; *distichella* Rebel,1940. Range (as codes): TR GR Cr UZ Smk AF Bd Srb Pli Gbh Kab IR TM 46
- 1076. *Ethmia dodecea* (Haworth,[1828])** (Ethmiidae) Synonym(s): *decemguttella* Hübner,[1810] nec Fabr.,1794; *dodecea* Haworth,[1828]. Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU B-H TR DK SE EE RU Ur Tt Ao Sb At Ya MD UA BY IR Elb Th KG Uk 05 14 05A
- 1077. *Ethmia flavianella* (Treitschke,1832)** (Ethmiidae) Synonym(s): *flavianella* Treitschke,1832 Range (as codes): FR IT HV SS B-H MK AL TR? 16? 16A
- 1078. *Ethmia fumidella* (Wocke,1850)** (Ethmiidae) Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931. Range (as codes): PT ES AT PL SK HU RO GR Cr TR RU UA IQ IR Kh 16 21 35 45 46 65 73 16A 21N 21Nh 65L 65Le 73A 73Aç
- 1079. *Ethmia haemorrhoidella* (Eversmann,1844)** (Ethmiidae) Synonym(s): *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953. Range (as codes): IT SK HU RO B-H HV MK AL BG GR TR RU 01 05 16 16A
- 1080. *Ethmia hakkarica* Koçak,1986** (Ethmiidae) Synonym(s): *hakkarica* Koçak,1986 Range (as codes): TR 30 56 65 30B 30Bf 30Bç 30Bz 30D 30Df 56F 56Fs 65A 65Am 65Am1 65D 65Df 65Fz
- 1081. *Ethmia infelix* Meyrick,1914** (Ethmiidae) Synonym(s): *confusella* Rebel,1901 (praeocc.); *infelix* Meyrick,1914; *kurdistanella* Amsel,1959 Range (as codes): TR IQ Ry Hjo Shq 21 47 63 21L 21Lc 47D 63E
- 1082. *Ethmia interposita* Sattler,1967** (Ethmiidae) Synonym(s): *interposita* Sattler,1967 Range (as codes): TR IL Jer Js Jt Zq Pa JO 33 33F
- 1083. *Ethmia iranella* Zerny,1940** (Ethmiidae) Synonym(s): *iranella* Zerny,1940 Range (as codes): ES HU GR TR IR Elb Th Dam Kh SY Hal 13 46 71 13A 13Ab 13Ax
- 1084. *Ethmia pseudoscythrella* (Rebel,1902)** (Ethmiidae) Synonym(s): *pseudoscythrella* Rebel,1902 Range (as codes): TR 42 65
- 1085. *Ethmia pusiella* (Linnaeus,1758)** (Ethmiidae) Synonym(s): *pusiella* Linnaeus,1758; *scaella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796. Range (as codes): ES FR IT GB DE CH AT PL CZ SK HU RO YU B-H AL GR TR IL Pa IQ Bgd Ama NO SE FI EE LV LT RU Ur Sb Vv MD UA BY MN KG Tk Dj CN Ui Ju KK Ik RU Kj Mnu IR Fa Shr 05 16 26 35 42 44 45 46 05A 16A 42B
- 1086. *Ethmia quadrillella* (Goeze,1783)** (Ethmiidae) Synonym(s): *quadrillella* Goeze,1783; *inversella* Fourcroy,1785; *funerella* Fabricius,1787; *funerea* Haworth,1828; *afflatella* Fuchs,1903. Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT MD UA BY TR KG Ssn RU Sb At Tt 16 53
- 1087. *Ethmia quadrinotella* (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922. Range (as codes): CV MA DZ Bsk EG SA SD LY Cy TN BH IQ Kbl AF Ca Hr PK Gg Ch GR TR Cc AM Eri SY IL Hf Pa Js IR Elb Kdj Th AE 01 05 06 31 42 46 56 71 76 05A 31M 42B 56F 56Fm
- 1088. *Ethmia rothschildi* (Rebel,1912)** (Ethmiidae) Synonym(s): *rothschildi* Rebel,1912 Range (as codes): RO TR 06 06R
- 1089. *Ethmia similis* Sattler,1967** (Ethmiidae) Synonym(s): *similis* Sattler,1967 Range (as codes): TR IR Ak Ab Cc 05 13 21 30 47 65 76 13F 13F38 13F7 13F71 21L 21Lc 30B 30D 30Df 65A 65Am 65Am1 65Am2 65D 65K 65Kl1 65Z 76B 76Bh
- 1090. *Ethmia suspecta* Sattler,1867** (Ethmiidae) Synonym(s): *suspecta* Sattler,1967 Range (as codes): TR SY Dms JO Zq 44 47 63 76 44L 47D 63E 76B
- 1091. *Ethmia terminella* T.B.Fletcher,1938** (Ethmiidae) Synonym(s): *sexpunctella* Hübner,[1810] nec Fabr.,1794; *terminella* T.B.Fletcher,1938. Range (as codes): MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI LV LT RU MD UA BY JO Jt IL Pa 16 34
- 1092. *Ethmia treitschkeella* (Staudinger,1879)** (Ethmiidae) Synonym(s): *treitschkeella* Staudinger,1879 Range (as codes): TR 05 06 42 44 05A 44E 44Ei
- 1093. *Ethmia tripunctella* (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879 Range (as codes): MK BG TR IQ Ry Hjo IR Km 02 05 44 46 65 71 73 02F 02Fe 02Fz 05A 46G 65A 65Am 65Am4 65An 65D 73D 73Df

Gelechiidae

- 1094. *Acanthophila alacella* (Zeller,1839)** (Gelechiidae) Synonym(s): *alacella* Zeller,1839 Range (as codes): PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ur MD UA BY Cc GG TR IR Gh Tgo Gls
- 1095. *Acompsia* (s.str.) *cinerella* (Clerck,1759)** (Gelechiidae) Synonym(s): *cinerella* Clerck,1759; *murinella* Scopoli,1763; *ardeliella* Hübner,[1817]; *cinerea* Haworth,1828; *spodiella* Treitschke,1833 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Us At MD UA BY Sb KG Cc AM Eri 05 06 16 38 69 05A 06R 16A 38C 38Ca 69B 69Ba
- 1096. *Acompsia* (s.str.) *fibigeri* Huemer & Karsholt,2002** (Gelechiidae) Synonym(s): *fibigeri* Huemer & Karsholt,2002 Range (as codes): TR 69 69B 69Ba

- 1097. *Acompsia (s.str.) schepleri* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *schepleri* Huemer & Karsholt, 2002 Range (as codes): TR 58 58I 58Ia
- 1098. *Agnippe lunaki* (Rebel, 1941)** (Gelechiidae) Synonym(s): *lunaki* Rebel, 1941; *penicillata* Amsel, 1961 Range (as codes): MK Och GR TR 27 42 46 65 27D 27Da 42D 46G 65A 65Ai
- 1099. *Agnippe pseudolella* (Christoph, 1888)** (Gelechiidae) Synonym(s): *pseudolella* Christoph, 1888; *cephalella* Caradja, 1920. Range (as codes): RU Sr Ur Ao KG Uk Tks TR IR Elb Kdj AF Pic TM Kp Ger TJ Dsb CN IMn 42 44 50 65 44E 44Eh 44Ei 50G 50Gc 65D 65Df
- 1100. *Altenia anamuria* Kemal & Koçak, 2018** (Gelechiidae) Synonym(s): *anamuria* Kemal & Koçak, 2018 Range (as codes): TR 30 33 44 56 30D 30Df 33A 33Ac 33Ak 56F 56Fb
- 1101. *Altenia mersinella* (Staudinger, 1879)** (Gelechiidae) Synonym(s): *mersinella* Staudinger, 1879; *melanostictella* Ragonot, 1895; *sagittella* Caradja, 1920; *praedicata* Meyrick, 1923; *tribolopis* Meyrick, 1927 Range (as codes): CY LB Bei SY TR IR Es 31 33 46 31M
- 1102. *Altenia scriptella* (Hübner, 1796)** (Gelechiidae) Synonym(s): *scriptella* Hübner, 1796 Range (as codes): PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE LV LT RU Ur Cc MD UA BY IR Kh
- 1103. *Altenia wagneriella* (Rebel, 1926)** (Gelechiidae) Synonym(s): *wagneriella* Rebel, 1926; *danilevskyi* Piskunov, 1973 Range (as codes): HV MK GR TR IR TJ TM 05 05A
- 1104. *Anacampsis obscurella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *obscurella* [Denis & Schiffermüller], 1775; *subsequella* Hübner, 1796. Range (as codes): ES FR IT BE DE AT CZ SK HU RO YU AL BG GR TR Cc IR GlS RU Ur MD UA BY 05 16 46 05A 16A
- 1105. *Anacampsis panormitella* (Caradja, 1920)** (Gelechiidae) Synonym(s): *panormitella* Caradja, 1920 Range (as codes): TR 16 16A
- 1106. *Anacampsis populella* (Clerck, 1759)** (Gelechiidae) Synonym(s): *populella* Clerck, 1759; *tremella* Denis & Schiffermüller, 1775; *populi* Haworth, 1828; *Stephens*, 1834; *tremulella* Duponchel, [1839] Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR GlS DK NO SE FI EE LV LT RU MD UA BY
- 1107. *Anacampsis scintillella* (Fischer v. Röslerstamm, 1841)** (Gelechiidae) Synonym(s): *scintillella* Fischer v. Röslerstamm, 1841; *brunneella* Herrich-Schäffer, 1854; *contuberniella* Staudinger, 1859 Range (as codes): TN PT ES FR Sa Si IT BE DE CH AT CZ SK HU RO YU AL BG GR TR SE LT RU UA 05 16 05A 16A
- 1108. *Anacampsis timidella* (Wocke, 1887)** (Gelechiidae) Synonym(s): *timidella* Wocke, 1887; *quercella* Chrétien, 1907; *disquei* Mees, 1907; *suberiella* Caradja, 1920. Range (as codes): ES FR Sa IT DE CH AT CZ SK HU YU AL GR TR RU Ur Sb MD UA BY Cc 71
- 1109. *Anarsia aleurodes* Meyrick, 1922** (Gelechiidae) Synonym(s): *aleurodes* Meyrick, 1922 Range (as codes): TR IQ Bgd
- 1110. *Anarsia innoxia* Gregersen & Karsholt, 2017** (Gelechiidae) Synonym(s): *innoxia* Gregersen & Karsholt, 2017 Range (as codes): DK BG HV CZ FR DE Bw GR HU IT NL NO RO SK TR Cr ES CY EE LT 22 65 22F 65F 65Fd
- 1111. *Anarsia lineatella* Zeller, 1839** (Gelechiidae) Synonym(s): *lineatella* Zeller, 1839; *heratella* Amsel, 1967; *tauricella* Amsel, 1967. Range (as codes): MA DZ Bsk LY TN EG PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB SY Dms DK SE FI LV LT RU MD UA BY Cc AM KG TM TJ UZ IQ IR GlS PK AF Hr IN Ch US Ut Cf CA AU 01 05 06 09 16 31 33 35 44 46 71 05A 16A 33O
- 1112. *Anarsia spartiella* (Schränk, 1802)** (Gelechiidae) Synonym(s): *spartiella* Schränk, 1802; *genistae* Stainton, 1854; *ragonotella* Réal, 1994; *krausei* Réal, 1994; *lhommeella* Réal, 1994; *acutiloba* Réal, 1994; *pseudospartiella* Réal, 1994 *ungemachi* Réal, 1994 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR LB Bsa Bmm DK SE RU Ur Sb Cc MD UA BY MN KG Uk 16 71 16A
- 1113. *Apatetris mirabella* Staudinger, 1880** (Gelechiidae) Synonym(s): *mirabella* Staudinger, 1880 Range (as codes): TR 05 05A
- 1114. *Apodia bifractella* (Duponchel, 1843)** (Gelechiidae) Synonym(s): *bifractella* Duponchel, [1843] Range (as codes): DZ PT ES FR Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR SE FI EE LV Cc RU Ur Mo Or Gub MD UA BY 05 16 05A 16A
- 1115. *Approaerema anthyllidella* (Hübner, [1813])** (Gelechiidae) Synonym(s): *anthyllidella* Hübner, [1813]; *caliginosella* Duponchel, 1843; *psoralella* Millièrre, 1865; *sparsiciliella* Barrett, 1891; *alfalfella* Amsel, 1958; *aureliana* Capuse, 1964 Range (as codes): DZ Bsk PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR Cc IR Mz GlS Kh DK NO SE FI EE LV LT RU MD UA BY ZA Nta Kzu Kkf Wca Cto Tva Gau Pre 05 16 42 46 71 76 05A 16A 42B
- 1116. *Aristotelia baltica* A.Sulcs & I.Sulcs, 1983** (Gelechiidae) Synonym(s): *baltica* A.Sulcs & I.Sulcs, 1983 Range (as codes): LT LV EE RU Mo Us Ur Sr B-H TR 51 51C
- 1117. *Aristotelia cupreella* Zerny, 1934** (Gelechiidae) Synonym(s): *cupreella* Zerny, 1934 Range (as codes): TR
- 1118. *Aristotelia decoratella* (Staudinger, 1880)** (Gelechiidae) Synonym(s): *decoratella* Staudinger, 1880 Range (as codes): PT FR Co Sa Si IT CH BG TR RU MD UA BY KG Uk 16 44 16A

- 1119. *Aristotelia decurtella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *decurtella* Hübner,[1813]; *turbatella* Treitschke,1835; *amoenella* Joannis,1891 Range (as codes): ES FR IT BE DE CH AT CZ SK HU YU ME Ctn AL BG GR TR IR 46
- 1120. *Aristotelia euprepella* Zerny,1934** (Gelechiidae) Synonym(s): *euprepella* Zerny,1934 Range (as codes): TR LB Bsa IQ Hjo Er 46
- 1121. *Aristotelia fervidella* Mann,1864** (Gelechiidae) Synonym(s): *fervidella* Mann,1864; *#feroidella* Staudinger,1880. Range (as codes): TR 05 16 05A 16A
- 1122. *Aristotelia jactatrix* Meyrick,1926** (Gelechiidae) Synonym(s): *jactatrix* Meyrick,1926 Range (as codes): TR 46
- 1123. *Aristotelia mirabilis* (Christoph,1888)** (Gelechiidae) Synonym(s): *mirabilis* Christoph,1888; *osthelderi* Rebel,1935 Range (as codes): PT ES UA Cm TR RU Ur Sr 06 42 06Y
- 1124. *Aristotelia pancaliella* (Staudinger,1871)** (Gelechiidae) Synonym(s): *pancaliella* Staudinger,1871 Range (as codes): RU Sr SY Dms TR 05 21 38 42 05A 21G 38E 42T
- 1125. *Aristotelia parvula* (Staudinger,1879)** (Gelechiidae) Synonym(s): *parvula* Staudinger,1879 Range (as codes): TR 05 05A
- 1126. *Aristotelia punctatella* (Staudinger,1879)** (Gelechiidae) Synonym(s): *punctatella* Staudinger,1879 Range (as codes): TR 05 05A
- 1127. *Aristotelia retusella* Rebel,1891** (Gelechiidae) Synonym(s): *retusella* Rebel,1891 Range (as codes): TR 16
- 1128. *Aristotelia subericinella* (Duponchel,1843)** (Gelechiidae) Synonym(s): *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907 Range (as codes): DZ Cst ES FR Co Sa IT CH AT CZ SK HU RO YU BG GR TR KG Uk MN RU Ur Sb Cc SS HV UA Cm 06 46 56 65 56F 56Fs 65A 65Ab 65Aba
- 1129. *Aroga aristotelis* (Millière,[1876])** (Gelechiidae) Synonym(s): *aristotelis* Millière,[1876]; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham,1904; *#aplasticella* Rebel,1913; *hyrcanella* Toll,1947 Range (as codes): DZ Bsk Ktr TN Gf ES Grn FR Si IT RO AL BG GR TR GG Cc IR Elb Mz Plr Kdv Kh IQ Ry RU Ur MN 01 05 13 21 33 42 46 65 71 01K 05A 13F 13F38 21F 33O 42B 46G 65A 65Ai 65L 65Le 65N 65Np2 65Nm
- 1130. *Aroga flavicomella* (Zeller,1839)** (Gelechiidae) Synonym(s): *flavicomella* Zeller,1839; *aureodorsella* Bruand,1859 Range (as codes): ES FR Si IT DE CH AT PL CZ SK HU RO YU BG RU Ur Sb KR KG MN CN TR
- 1131. *Aroga kurdistan* Derra,2011** (Gelechiidae) Synonym(s): *kurdistan* Derra,2011; *#kuristana* Derra,2011 Range (as codes): TR 13 23 30 65 70 73 13C 13Cc 23I 23Ib 30B 30Bj 65D 65Df 70C 70Cb 73C 73Cd
- 1132. *Aroga pascuicola* (Staudinger,1871)** (Gelechiidae) Synonym(s): *pascuicola* Staudinger,1871; *eremella* Chrétien,1915 Range (as codes): PT ES Co Sa TN Gf TR 46
- 1133. *Aroga velocella* (Zeller,1839)** (Gelechiidae) Synonym(s): *velocella* Zeller,1839; *subsequella* Treitschke,1833; *nebulea* Stephens,1835; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyen,1882; *aterrimella* Rebel,1889; *peperistis* Meyrick,1926; *rupicolella* Müller-Rutz,1934 Range (as codes): ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Sb Cc MD UA BY 06 16 33 65 06R 16A 65A 65Ai
- 1134. *Athrips amoenella* (Frey,1882)** (Gelechiidae) Synonym(s): *amoenella* Frey,1882; *#allgunnensis* Svensson,1993 Range (as codes): ES IT Co CH SE FI TR GR KK KG UA Cm RU Ur
- 1135. *Athrips nigricostella* (Duponchel,1842)** (Gelechiidae) Synonym(s): *nigricostella* Duponchel,1842 Range (as codes): FR IT DE CH AT PL CZ SK HU RO GR TR UA Cm KG KK RU Ur 16 16A
- 1136. *Athrips rancidella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960. Range (as codes): ES FR Co IT GB DE CH AT PL CZ SK HU RO YU GR TR IL RU MD UA BY SY Dms IR Kh GlS TM TJ 05 46
- 1137. *Atremaea lonchoptera* Staudinger,1871** (Gelechiidae) Synonym(s): *lonchoptera* Staudinger,1871 Range (as codes): FR IT NL DE AT PL SK HU RO BG TR RU Ur Sb 46
- 1138. *Brachmia blandella* (Fabricius,1798)** (Gelechiidae) Synonym(s): *blandella* Fabricius,1798; *gerronella* Zeller,1850 Range (as codes): PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR IR Mz DK NO SE FI LV LT RU Ur Cc MD UA BY
- 1139. *Bryotropha arabica* Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952 Range (as codes): MA DZ Ges Hes TN Gf LY Cy ES An Grn Mu FR BG CY Cr GR MK Cc AZ IQ Shq Mos TR SY Dms IR Fa Kd IL Pa Amm LB Bsa JO Pet TM 05 06 15 16 23 26 29 33 42 44 46 47 50 63 71 06H 06R 06Y 23M 33R 42B 46G 47D 47Dc 50G 63E
- 1140. *Bryotropha azovica* Bidzilya,1996** (Gelechiidae) Synonym(s): *azovica* Bidzilya,1996 Range (as codes): UA CY TR MK BG GR 16 41 33 63 77 16A 33O 41A 63H 63M 77F
- 1141. *Bryotropha desertella* (Douglas,1850)** (Gelechiidae) Synonym(s): *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854. Range (as codes): MA PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR AL Cr TR DK NO SE FI EE LV LT RU MD UA BY TM 05 06 16 05A 16A
- 1142. *Bryotropha domestica* (Haworth,1828)** (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algiricella* Chrétien,1917

- Range (as codes): MA DZ Cst Hes Bsk TN Gf LY Cy PT Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK HU HV YU AL GR Cr LB Bsa Bei Cc AM Eri CY TR IR Fa Gls Kh IL Pa Js JO Amm SA As YE Sna TM
- 1143. *Bryotropha dryadella* (Zeller,1850)** (Gelechiidae) Synonym(s): *dryadella* Zeller,1850; *saralella* Amsel,1952 Range (as codes): DZ Elt GB PT ES FR Co Sa Si IT AL MK BG GR Cr TR 16 38 46 16A
- 1144. *Bryotropha hendrikseni* Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hendrikseni* Karsholt & Rutten,2005 Range (as codes): CY BG Cr HV MK TR UA Cm TM Kp 06 07 29 32 42 06R 42U
- 1145. *Bryotropha horribilis* Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten,2005 Range (as codes): SY Dms Ltk LB Bsa JO Amm TR IR Ab Oru Kd Snj 44 71 44F
- 1146. *Bryotropha hulli* Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005 Range (as codes): CY HV GR Sms TR BG MK SY 06 07 22 38 41 48 77 06R 07C 22F 38Ca 41A 48G 48Gb 77F
- 1147. *Bryotropha plebejella* (Zeller,1847)** (Gelechiidae) Synonym(s): *plebejella* Zeller,1847; *ancillula* Walsingham,1908; *inexpectella* Nel,1999 Range (as codes): DZ PT ES FR Co Sa Si IT AT RO YU BG GR Cr TR LB Bsa
- 1148. *Bryotropha sabulosella* (Rebel,1905)** (Gelechiidae) Synonym(s): *sabulosella* Rebel,1905 Range (as codes): Cc TR CY IR Elb Th Snj MK Och 06 32 20 29 38 50 71 76 06H 06R 38Ca 50G 71C 76B 76Be
- 1149. *Bryotropha senectella* (Zeller,1839)** (Gelechiidae) Synonym(s): *senectella* Zeller,1839; *obscura* Heinemann,1870; *phoebusella* Millière,1876; *larseni* Strand,1927 Range (as codes): FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG Uk CN 14 46
- 1150. *Bryotropha similis* (Stainton,1854)** (Gelechiidae) Synonym(s): *similis* Stainton,1854; *thaleella* Zeller,1857; *similella* Doubleday,1859; *stolidella* Morris,1870; *confinis* Stainton,1871; *obscuricinerea* Nolcken,1871; *dufraneella* De Joannis,1928; *novisimilis* Li & Zheng,1997 Range (as codes): PT FR IT IS GB BE NL LU DE AT CZ SK BG TR DK NO SE FI EE LV LT RU MD UA BY CN
- 1151. *Bryotropha sutteri* Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *sutteri* Karsholt & Rutten,2005 Range (as codes): GR TR Sa Si ES TN 16 41 59 16A 41A
- 1152. *Bryotropha tachyptilella* (Rebel,1916)** (Gelechiidae) Synonym(s): *tachyptilella* Rebel,1916 Range (as codes): SK HU BG TR RU RO UA Cm 06 23 32 42 65 06R 23L 42B 65A 65An
- 1153. *Bryotropha terrella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *terrella* [Denis & Schiffermüller],1775; *inulella* Hübner,[1825]; *pauperella* Hübner,[1825]; *latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Uk IR Mz Gls 05 16 42 05A 16A
- 1154. *Carpatolechia fugitivella* (Zeller,1839)** (Gelechiidae) Synonym(s): *fugitivella* Zeller,1839; *#fugitivella* Noack,1960. Range (as codes): ES FR Sa? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU ME Ctn GR TR DK NO SE FI EE LV LT RU Ur Cc Sb Us KP KR MN MD UA BY IR Gls 06
- 1155. *Carpatolechia humeralis* (Zeller,1839)** (Gelechiidae) Synonym(s): *decurella* Haworth,1812 *nec* Hübner,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964 Range (as codes): Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE RU Ur MD UA BY CY KG 16 33 35 46 65 16A 46G 46Gi 65A 65At 65At5
- 1156. *Carpatolechia notatella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *notatella* Hübner,[1813]; *#euratella* Herrich-Schäffer,1853; *euratella* Herrich-Schäffer,1854; *oskella* Piskunov,1973 Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Ur Cc TR MD UA BY
- 1157. *Carpatolechia proximella* (Hübner,1796)** (Gelechiidae) Synonym(s): *proximella* Hübner,1796; *signatella* Eversmann,1844; *peritella* Constant,1885; *#ochracella* Romaniszyn,1933 Range (as codes): FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU Ur Cc Sb MD UA BY
- 1158. *Caryocolum afghanum* Huemer,1988** (Gelechiidae) Synonym(s): *afghanum* Huemer,1988 Range (as codes): TR AF Pag 38 38C 38Ca
- 1159. *Caryocolum albithoracellum* Huemer,1989** (Gelechiidae) Synonym(s): *albithoracellum* Huemer,1989 Range (as codes): TR 44 44E 44Eh
- 1160. *Caryocolum alsinellum* (Zeller,1868)** (Gelechiidae) Synonym(s): *alsinellum* Zeller,1868; *albifrontella* Heinemann,1870; *tristella* Heinemann,1870; *semidecandriella* Tutt,1887; *semidecandrella* Threlfall & Stainton,1887 Range (as codes): MA ES FR Co IT IE GB BE NL DE AT PL CZ SK HU YU GR Cr TR DK SE EE LV RU Am MD UA BY 06 33 06R 33F
- 1161. *Caryocolum amaurellum* (M.Hering,1924)** (Gelechiidae) Synonym(s): *amaurellum* M.Hering,1924; *viscaria* Schütze,1926 Range (as codes): IT DE CH AT CZ SK HU GR DK NO SE FI LV RU Ur TR UA 06 38 06R 38C 38Ca
- 1162. *Caryocolum anatolicum* Huemer,1989** (Gelechiidae) Synonym(s): *anatolicum* Huemer,1989 Range (as codes): TR 06 06R

- 1163. *Caryocolum blandellum* (Douglas,1852)** (Gelechiidae) Synonym(s): *blandellum* Douglas,1852 Range (as codes): FR IE GB BE NL DE CH AT PL CZ SK HU YU DK NO SE FI EE LV RU Ur Sb MD UA BY Ch GR TR AF BdA o6 o6R
- 1164. *Caryocolum blandulellum* (Tutt,1887)** (Gelechiidae) Synonym(s): *blandulellum* Tutt,1887 Range (as codes): ES FR CH FI IT GB NL DE CZ SK YU HV GR TR DK SE 33 33K
- 1165. *Caryocolum fibigerium* Huemer,1988** (Gelechiidae) Synonym(s): *fibigerium* Huemer,1988 Range (as codes): MA ES FR Si? IT BG GR TR 33 33C 33Ca
- 1166. *Caryocolum hispanicum* Huemer,1988** (Gelechiidae) Synonym(s): *hispanicum* Huemer,1988 Range (as codes): ES GR TR o6 5o o6R 5oG 5oGb
- 1167. *Caryocolum inflativorellum* (Klimesch,1938)** (Gelechiidae) Synonym(s): *inflativorellum* Klimesch,1938; *xuthella* Rebel,1940; *census* Gozmany,1954 Range (as codes): SK HU RO MK TR 42 42B
- 1168. *Caryocolum iranikum* Huemer,1989** (Gelechiidae) Synonym(s): *iranikum* Huemer,1989 Range (as codes): TR IR Km Kd Mrv Lo 42 42B
- 1169. *Caryocolum junctellum* (Douglas,1851)** (Gelechiidae) Synonym(s): *junctellum* Douglas,1851; *aganocarpa* Meyrick,1935 Range (as codes): ES FR IT GB BE DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ur MD UA BY CN JP o5 o5A
- 1170. *Caryocolum leucomelanellum* (Zeller,1839)** (Gelechiidae) Synonym(s): *leucomelanellum* Zeller,1839; *gypsophilae* Stainton,1869 Range (as codes): ES FR IT DE CH AT PL CZ SK HU YU AL GR TR Cc RU Ur Sb MD UA BY 76
- 1171. *Caryocolum marmoreum* (Haworth,1828)** (Gelechiidae) Synonym(s): *marmoreum* Haworth,1828; *manniella* Zeller,1839; *marmorella* Herrich-Schäffer,1855 Range (as codes): MA Cn Md PT ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ HU YU AL GR Cr DK NO SE TR CY CA BCo 42
- 1172. *Caryocolum mucronatellum* (Chrétien,1900)** (Gelechiidae) Synonym(s): *mucronatellum* Chrétien,1900; *poschiavensis* Rebel,1936 Range (as codes): PT ES FR IT DE CH AT YU GR TR EG Sn 38 38B
- 1173. *Caryocolum petrophilum* (Preissecker,1914)** (Gelechiidae) Synonym(s): *petrophilum* Preissecker,1914; *kemnerella* Palm,1947 Range (as codes): FR Si IT CH AT NO SE FI MK TR RU Ur At
- 1174. *Caryocolum proximum* (Haworth,[1828])** (Gelechiidae) Synonym(s): *proximum* Haworth,[1828]; *maculiferella* Douglas,1851; *maculivicinella* Bruand,1859; *horticolla* Peyerimhoff,1871. Range (as codes): FR Co Sa IT GB DE CH AT PL CZ SK HU RO YU ME Ctn AL GR Cr IL Pa TR DK SE EE RU MD UA BY 23 46 23I 23Ib
- 1175. *Caryocolum schleichi* (Christoph,1872)** (Gelechiidae) Synonym(s): *schleichi* Christoph,1872; *syriacum* Povolny,1977 Range (as codes): MA DZ ES FR IT DE CH AT CZ SE FI EE LV RU Ur Sb TR MD UA BY JO Amm SY Dms Hal AF Pag MN 58 58G
- 1176. *Caryocolum* sp.** (Gelechiidae) Synonym(s): Range (as codes): TR 33 33A 33Af
- 1177. *Caryocolum stramentella* (Rebel,1935)** (Gelechiidae) Synonym(s): *stramentella* Rebel,1935; *emarginatum* Huemer,1988 Range (as codes): IT Pmt TR 33 42 5o 42B 33B 5oG
- 1178. *Caryocolum tetrameris* (Meyrick,1926)** (Gelechiidae) Synonym(s): *tetrameris* Meyrick,1926 Range (as codes): TR IR Kh Fa AF BdA 46
- 1179. *Catatinagma conchylidella* (Hofmann,[1898])** (Gelechiidae) Synonym(s): *conchylidella* Hofmann,[1898] Range (as codes): PT ES TR o6 42 42B
- 1180. *Caulastrocecis interstratella* (Christoph,1873)** (Gelechiidae) Synonym(s): *interstratella* Christoph,1873; *salinatrix* Meyrick,1926 Range (as codes): RU Ur Ao At TR KG Uk 38 38O
- 1181. *Caulastrocecis pudicella* (Mann,1861)** (Gelechiidae) Synonym(s): *pudicella* Mann,1861 Range (as codes): ES SK HV RO TR UA o5 16 o5A 16A
- 1182. *Chionodes distinctella* (Zeller,1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979 Range (as codes): MA DZ Afl Orn PT ES Grn An FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn HV AL BG GR TR Cc SY Hal DK NO SE FI EE LV LT RU MD UA BY KG Uk AF Kab BdA Kbb Slg IR Kh KK MN CN Ti o6 13 16 25 38 58 76 o6R 13G 13Gw 16A 25C 38Ca 58I 58Ia
- 1183. *Chionodes fumatella* (Douglas,1850)** (Gelechiidae) Synonym(s): *fumatella* Douglas,1850; *celerella* Stainton,1851; *oppletella* Herrich-Schäffer,1854; *reuttiella* Heinemann,1870; *nigricans* Heinemann,1870; *syrticola* Staudinger,1871; *carpella* Piskunov,1971 Range (as codes): ES FR IT IE GB NL BE DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Ur Sb Cc Kb At MN MD UA BY
- 1184. *Chrysoesthia drurella* (Fabricius,1775)** (Gelechiidae) Synonym(s): *drurella* Fabricius,1775; *myllerella* Fabricius,1794; *zinckeella* Hübner,[1813]; *zinckenella* Hübner,[1825]; *druryella* Zeller,1850; *hermannella* auct. Range (as codes): DZ Anna ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY CA o5 16 o5A 16A
- 1185. *Chrysoesthia sexguttella* (Thunberg,1794)** (Gelechiidae) Synonym(s): *sexguttella* Thunberg,1794; *auropunctella* Thunberg,1794; *stipella* sensu Hübner,1796; *aurofasciella* Stephens,1834; *naeviferella* Duponchel,[1843].

Range (as codes): ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU
Ur Sb MD UA BY JP CA 05 16 05A 16A

- 1186. *Deltophora maculata* (Staudinger,1879)** (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
Range (as codes): GR Cr TR SY Hal Ltk LB Say Bro Bei IL Rml Js Pa JO Cc AM Eri GG Bjo Tbl Len AZ YE IR Elb Th
Kh AF Hr Nu Kab TM 01 05 06 07 27 29 31 33 42 44 46 80 01E 01Ea 05A 06R 07B 07Bc 27D 27Da 27Db 27Dd 31M 33R
42B 44I 44Ic 46G 80B 80Ba
- 1187. *Dichomeris barbella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *barbella*
[Denis & Schiffermüller],1775 Range (as codes): IT DE AT CZ HU YU TR RU Ur Cc MD UA BY KG Uk 16 16A
- 1188. *Dichomeris derasella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *derasella*
[Denis & Schiffermüller],1775; *fasciella* Hübner,1796; *unguiculatus* Fabricius,1798; *coreana* Matsumura,1931;
paranthes Meyrick,1936 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK LV LT RU
MD UA BY KP KR Sb Cc CN 05 16 05A 16A
- 1189. *Dichomeris juniperella* (Linnaeus,1761)** (Gelechiidae) Synonym(s): *juniperella* Linnaeus,1761;
juniperi Haworth,1828. Range (as codes): PT ES FR IT GB DE CH AT PL CZ SK RO YU BG TR DK NO SE FI EE LV
LT RU MD UA BY 16 16A
- 1190. *Dichomeris lamprostoma* (Zeller,1847)** (Gelechiidae) Synonym(s): *lamprostoma* Zeller,1847; *zulu*
Walsingham,1881; *scutata* Meyrick,1894. Range (as codes): Cn MA DZ Anna Ajj PT ES FR Sa Si MT TR IQ Mos Bgd
ZA NA Abc Nta Kzu Umk Gau Pre Tva Lpo Nbs IN ID Ja 16 16A
- 1191. *Dichomeris limosella* (Schläger,1849)** (Gelechiidae) Synonym(s): *limosella* Schläger,1849;
deflectivella Reutti,1853. Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO YU TR SE FI EE LV LT RU MD UA
BY Ur Sb Us MN CN 16 16A
- 1192. *Dichomeris syndyas* Meyrick,1926** (Gelechiidae) Synonym(s): *syndyas* Meyrick,1926; *#syndias*
Ponomarenko,1997 Range (as codes): TR
- 1193. *Dirhinosisia arnoldiella* (Rebel,1905)** (Gelechiidae) Synonym(s): *arnoldiella* Rebel,1905 Range (as
codes): TR IL Pa Hf GR Rd 06 38 46 65 06R 38G 65D 65Dl 65Dlc
- 1194. *Dirhinosisia cervinella* (Eversmann,1844)** (Gelechiidae) Synonym(s): *cervinella* Eversmann,1844;
trifasciella Rebel,1905 Range (as codes): RU Or Ur Cc At UA HU HV BG TR 16
- 1195. *Dirhinosisia nitidula* (Stainton,1867)** (Gelechiidae) Synonym(s): *nitidula* Stainton,1867 Range (as
codes): IL Pa TR SY Ltk LB Say 07 12 31 07B 31F
- 1196. *Dirhinosisia unifasciella* (Rebel,1929)** (Gelechiidae) Synonym(s): *unifasciella* Rebel,1929 Range (as
codes): TR 42 42B
- 1197. *Ephysteris promptella* (Staudinger,1859)** (Gelechiidae) Synonym(s): *promptella*
Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomicra*
Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910; *fanatica* Meyrick,1921; *dispensata*
Meyrick,1921; *xanthorhabda* Gozmany,1951 *australiae* Povolny,1977; *#promptella* Sattler,1978. Range (as codes):
ZW Vf PT ES FR Si IT SK HU YU GR TR IL SA IR Elb Th AF PK ZA Wca Ec Fs Tva Mpu Lpo Gau Pre Nta Kzu EG IN LK
PG AU QAU 04 27 39 71 04B 39K
- 1198. *Eulamprotes atrella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *atrella*
[Denis & Schiffermüller],1775; *quadripunctella* Fabricius,1781; *umbriferella* Herrich-Schäffer,1854; *aurimaculella*
Höfner,1896 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE
LV LT RU MD UA BY LB Bsa 46
- 1199. *Eulamprotes atrifrontella* Karsholt & Huemer,2013** (Gelechiidae) Synonym(s): *atrifrontella*
Karsholt & Huemer,2013 Range (as codes): TR 06 06R
- 1200. *Eulamprotes helotella* (Staudinger,1859)** (Gelechiidae) Synonym(s): *helotella* Staudinger,1859;
damonella Millière,1876; *algeriella* Baker,1888; *doliodes* Meyrick,1891; *striatopunctella* Rebel,1891; *levisella*
Chrétien,1922 Range (as codes): DZ Lbs PT ES FR Co Sa IT GR TR
- 1201. *Eulamprotes superbella* (Zeller,1839)** (Gelechiidae) Synonym(s): *superbella* Zeller,1839 Range
(as codes): DZ Anna Cst FR IT BE NL DE CH AT PL CZ SK HU RO YU GR TR DK SE FI EE LV RU Ur MD UA BY MN
06
- 1202. *Eulamprotes wilkella* (Linnaeus,1758)** (Gelechiidae) Synonym(s): *wilkella* Linnaeus,1758;
merianella Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862. Range (as codes): ES FR Co Si IT IE GB
BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR DK NO SE FI EE LV LT RU Ur Sb Cc Tv Us Sh MD UA BY KG
TrA KK 06 16 06R 16A
- 1203. *Euscrobipalpa acuminatella* (Sircom,1850)** (Gelechiidae) Synonym(s): *acuminatella*
Sircom,1850; *pulliginella* Sircom,1850; *cirsiella* Stainton,1851; *porcella* Heinemann,1870; *ingloriella* Heinemann,1870;
gracilella Stainton,1871 Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR
TR DK NO SE FI EE LV LT RU Sb MD UA BY KG IR AF CN Ahw CA On Qb 05 16 71 05A 16A
- 1204. *Euscrobipalpa anatolica* Povolny,1973** (Gelechiidae) Synonym(s): *anatolica* Povolny,1973 Range
(as codes): TR 06 42 71 06Y 42J 71D 71Db
- 1205. *Euscrobipalpa artemisiella* (Treitschke,1833)** (Gelechiidae) Synonym(s): *artemisiella*
Treitschke,1833; *paniculatella* Novickij,1924 Range (as codes): ES FR Co Sa Si IE GB BE NL DE CH AT PL CZ SK
HU RO YU AL BG GR TR SY Dms DK SE FI EE LV LT RU Ur Sb Cc MD UA BY KG Uk MN CN Ui KG

- 1206. *Euscrobipalpa atriplicella* (Fischer v. Röslerstamm, 1841)** (Gelechiidae) Synonym(s): *atrella* Thunberg, 1788 nec [Den. & Schiff.], 1775; *atriplicella* Fischer v. Röslerstamm, 1841; *detersella* Clemens, 1860 nec Z., 184; *infumatella* Fuchs, 1901; *brackenridgiella* Busck, 1903; *chenopodiella* Busck, 1906; *arogantella* Povolny, 1967; *altajica* Povolny, 1969 Range (as codes): PT ES FR Co Sa Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AF Adr DK NO SE FI EE LV LT RU At MD UA BY CN Hnn Mc IMn Jn Ts She Sz Ti Ui US o6
- 1207. *Euscrobipalpa bryophiloides* Povolny, 1966** (Gelechiidae) Synonym(s): *bryophiloides* Povolny, 1966 Range (as codes): LV RU Ur MD UA BY TR FI MN CN IMn She Ui IR KG TM UZ 42 42X
- 1208. *Euscrobipalpa chetitica* Povolny, 1974** (Gelechiidae) Synonym(s): *chetitica* Povolny, 1974 Range (as codes): TR o6
- 1209. *Euscrobipalpa chrysanthemella* (Hofmann, 1867)** (Gelechiidae) Synonym(s): *chrysanthemella* Hofmann, 1867; *opificella* Mann, 1878 Range (as codes): IT DE CH AT CZ SK YU DK UA TR 38 38Ca
- 1210. *Euscrobipalpa divisella* (Rebel, 1936)** (Gelechiidae) Synonym(s): *divisella* Rebel, 1936 Range (as codes): ES TR 42 46 42B
- 1211. *Euscrobipalpa erichi* Povolny, 1964** (Gelechiidae) Synonym(s): *erichi* Povolny, 1964 Range (as codes): AT SK HU RO MK TR RU IL Pa Jer UA CN IMn Ui IR MN
- 1212. *Euscrobipalpa fraterna* (Povolny, 1969)** (Gelechiidae) Synonym(s): *fraterna* Povolny, 1969 Range (as codes): TN TR RU Sr TM Krn SA KG Tv MN
- 1213. *Euscrobipalpa gallincolella* (Mann, 1872)** (Gelechiidae) Synonym(s): *gallincolella* Mann, 1872; *eremaula* Meyrick, 1891; *lyciella* Walsingham, 1900; *desertella* Rebel, 1900; *reisseri* Gregor & Povolny, 1955; *philolycii* M. Hering, 1957 Range (as codes): MA DZ Kdr TN EG IL Pa ES FR Sa Si IT YU TR 46
- 1214. *Euscrobipalpa halophila* Povolny, 1973** (Gelechiidae) Synonym(s): *halophila* Povolny, 1973 Range (as codes): TR o6 42
- 1215. *Euscrobipalpa heretica* Povolny, 1973** (Gelechiidae) Synonym(s): *heretica* Povolny, 1973; *submagnificella* Povolny, 1977 Range (as codes): TR IR Mak Ab RU Ur At KK KG ES AF CN Ui o6 71
- 1216. *Euscrobipalpa indignella* (Staudinger, 1879)** (Gelechiidae) Synonym(s): *indignella* Staudinger, 1879; *hyocyamivora* Gerasimov, 1930; *pseudobsoletum* Povolny & Gregor, 1955; *grossa* Povolny, 1966 Range (as codes): TR IR Ab Oru IL Pa RU Sr Cc St IQ CN Ui AF Bm Kab TM Kp SY Dms AZ Cc UA o5 o6 50 o5A o6R 50G 50Ga
- 1217. *Euscrobipalpa lutea* Povolny, 1977** (Gelechiidae) Synonym(s): *lutea* Povolny, 1977 Range (as codes): RU Ur Or TR 38
- 1218. *Euscrobipalpa meteorica* Povolny, 1984** (Gelechiidae) Synonym(s): *meteorica* Povolny, 1984 Range (as codes): TR o6
- 1219. *Euscrobipalpa nana* Povolny, 1973** (Gelechiidae) Synonym(s): *nana* Povolny, 1973 Range (as codes): TR IR Ab Mak KK Frz o6 38
- 1220. *Euscrobipalpa nitentella* (Fuchs, 1902)** (Gelechiidae) Synonym(s): *nitentella* Fuchs, 1902; *seminella* Pierce & Metcalfe, 1935 Range (as codes): TN ES FR IE GB NL DE AT CZ SK HU RO DK NO SE FI EE LV RU Ur Sb MD UA BY TR MN AF CN Ts Ui KG No
- 1221. *Euscrobipalpa obsoletella* (Fischer v. Röslerstamm, 1841)** (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm, 1841; *miscitalella* Clarke, 1932; *bipunctella* Hartig, 1941; *calaritanella* Amsel, 1951; *hospes* Povolny, 1964 Range (as codes): ZA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR AF DK NO SE FI EE LV LT RU Ur Sb Cc MN MD UA BY CN IMn Ui ZA US o6
- 1222. *Euscrobipalpa occulta* (Povolny, 2002)** (Gelechiidae) Synonym(s): *occulta* Povolny, 2002; *sibirica* Bidzilya, 2009 Range (as codes): TR RU Sb At Sr Ur 41
- 1223. *Euscrobipalpa ocellatella* (Boyd, 1858)** (Gelechiidae) Synonym(s): *ocellatella* Boyd, 1858; *submissella* Stainton, 1859; *portosanctana* Stainton, 1859; *horticolella* Rössler, 1866; *obscurior* Rebel, 1926; *orientale* Gregor & Povolny, 1954 Range (as codes): DZ Bsk TN PT ES FR Co Sa Si IT MT IE GB BE DE CH AT CZ SK HU RO YU HV AL BG GR TR DK RU IR Th Elb Kdj Dam o5 71 o5A
- 1224. *Euscrobipalpa preservata* (Povolny, 2002)** (Gelechiidae) Synonym(s): *preservata* Povolny, 2002 Range (as codes): TR o6 6Y
- 1225. *Euscrobipalpa pulchra* Povolny, 1967** (Gelechiidae) Synonym(s): *pulchra* Povolny, 1967 Range (as codes): TR SY IR Th Elb AF Bm IL Pa MN LT RU Ur UA MN CN Ui KK KG 42 71 42K
- 1226. *Euscrobipalpa remota* Povolny, 1972** (Gelechiidae) Synonym(s): *remota* Povolny, 1972 Range (as codes): DZ Hes ES TR UA JO IL Jer Pa IR Th Ss o6 42 o6R o6Y 42J
- 1227. *Euscrobipalpa salinella* (Zeller, 1847)** (Gelechiidae) Synonym(s): *salinella* Zeller, 1847; *omachella* Oberthür, 1888; *salicorniae* F. Hering, 1889; *spergulariella* Chrétien, 1910; *zernyella* Rebel, 1918; *caliacrae* Caradja, 1932; *thymalae* Amsel, 1939; *corsicanum* Gregor & Povolny, 1954; *ignotum* Gregor & Povolny, 1954 Range (as codes): MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE AT PL CZ HU RO AL BG GR DK SE FI LV RU MD UA BY IR Mz CY TR Cm KG MN
- 1228. *Euscrobipalpa samadensis* (Pfaffenzeller, 1870)** (Gelechiidae) Synonym(s): *samadensis* Pfaffenzeller, 1870; *plantaginella* Stainton, 1883; *brunhildae* Schawerda, 1921; *mariae* Zimmermann, 1926; *testacella*

- Rebel, 1935; echo Meyrick, 1937* Range (as codes): ES FR IT IS IE GB BE NL DE CH AT CZ SK HU YU DK NO SE FI LV RU Ur MD UA BY TR GR 04 04B
- 1229. *Euscrobipalpa selectella* (Caradja, 1920)** (Gelechiidae) Synonym(s): *selectella* Caradja, 1920; *fraterna* Povolny, 1969 Range (as codes): RU UA GR KG Uk MN TR SA TN CN Hph IMn Ui
- 1230. *Euscrobipalpa smithi* Povolny & Bradley, 1965** (Gelechiidae) Synonym(s): *smithi* Povolny & Bradley, 1965 Range (as codes): MA DZ ES TR SY LB CN Ui MN UA
- 1231. *Euscrobipalpa suaedella* (Richardson, 1893)** (Gelechiidae) Synonym(s): *suaedella* Richardson, 1893; *flavidorsella* Amsel, 1952; *hartigi* Povolny, 1977 Range (as codes): Cn PT ES Mu Grn An FR Sa Co IT GB LY Cy CY TR 06 06Y
- 1232. *Euscrobipalpa suaedivorella* (Chrétien, 1915)** (Gelechiidae) Synonym(s): *suaedivorella* Chrétien, 1915; *detersipunctella* Toll, 1947. Range (as codes): IR Th Elb Kz Mz Kh DZ Bsk TN RU TR 71 71B
- 1233. *Euscrobipalpa turcica* (Povolny, 2002)** (Gelechiidae) Synonym(s): *turcica* Povolny, 2002 Range (as codes): TR 06 06Y
- 1234. *Euscrobipalpa vasconiella* (Rössler, 1877)** (Gelechiidae) Synonym(s): *vasconiella* Rössler, 1877; *drahomirae* Povolny, 1966 Range (as codes): Cn Md MR DZ PT ES Bq Bb FR Sa Si IT GR RU TR IR AF Hr Cc
- 1235. *Euscrobipalpa vladimiri* Povolny, 1966** (Gelechiidae) Synonym(s): *vladimiri* Povolny, 1966 Range (as codes): TR LB Bsa SY 42 46 42B
- 1236. *Euscrobipalpa voltinella* (Chrétien, 1898)** (Gelechiidae) Synonym(s): *voltinella* Chrétien, 1898 Range (as codes): MA DZ ES FR IT HV UA YU TR
- 1237. *Filatima spurcella* (Duponchel, 1843)** (Gelechiidae) Synonym(s): *spurcella* Duponchel, 1843; *fuscantella* Heinemann, 1870. Range (as codes): PT ES FR IT BE DE CH AT PL CZ SK HU RO YU AL TR Cc AM RU Ur MD UA BY 05 06 16 05A 06R 16A
- 1238. *Gelechia basipunctella* Herrich-Schäffer, [1854]** (Gelechiidae) Synonym(s): *basipunctella* Herrich-Schäffer, [1854]; *basiguttella* Heinemann, 1870; *albicans* Heinemann, 1870 Range (as codes): FR IT DE CH AT LAT PL CZ HU RO TR RU Ur Sb MN
- 1239. *Gelechia dujardini* Huemer, 1991** (Gelechiidae) Synonym(s): *dujardini* Huemer, 1991 Range (as codes): FR IT HV MK GR TR
- 1240. *Gelechia hippophaella* (Schränk, 1802)** (Gelechiidae) Synonym(s): *hippophaella* Schränk, 1802; *basalis* Stainton, 1854; *acupediella* Frey, 1870 Range (as codes): FR IT GB BE NL DE CH AT PL RO TR DK NO SE FI RU MD UA BY
- 1241. *Gelechia* sp ?n** (Gelechiidae) Synonym(s): Range (as codes): TR 30 30D 30Df
- 1242. *Gelechia pistaciae* Filipjev, 1934** (Gelechiidae) Synonym(s): *pistaciae* Filipjev, 1934 Range (as codes): TM IR Kc TR 02 63
- 1243. *Gelechia repetitrix* Meyrick, 1931** (Gelechiidae) Synonym(s): *repetitrix* Meyrick, 1931 Range (as codes): TR 06
- 1244. *Gelechia rhombelliformis* Staudinger, 1871** (Gelechiidae) Synonym(s): *rhombelliformis* Staudinger, 1871 Range (as codes): BE NL DE AT PL CZ SK HU RO DK LV LT TR RU MD UA BY 46
- 1245. *Gelechia sabinella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *sabinella* Zeller, 1839; *hoffmanniella* Strand, 1901; *kalevalella* Kanerva, 1936. Range (as codes): PT ES FR Co Sa IT GB BE NL DE Bv CH AT PL CZ SK HU RO TR DK NO SE FI EE LV RU MD UA BY 16 46 16A
- 1246. *Gelechia scotinella* Herrich-Schäffer, [1854]** (Gelechiidae) Synonym(s): *#scotinella* Herrich-Schäffer, [1853]; *scotinella* Herrich-Schäffer, [1854]; *confusella* Heinemann, 1870; *consprucata* Heinemann, 1870; *kiesenwetteri* Heuäcker, 1873; *lakatensis* Rebel, 1904; *baueri* Rebel, 1917 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU B-H RO BG GR TR DK SE LV LT RU MD UA BY
- 1247. *Gelechia senticetella* (Staudinger, 1859)** (Gelechiidae) Synonym(s): *senticetella* Staudinger, 1859; *obscuripennis* Frey, 1880; *limitanella* Rebel, 1904; *#senticella* Rebel, 1932; *nigrostriatella* Zerny, 1936. Range (as codes): MA ES FR Si IT GB NL CH AT SK HU YU GR TR IR Elb Mz 42 42B
- 1248. *Gnorimoschema herbichii* (Nowicki, 1864)** (Gelechiidae) Synonym(s): *herbichii* Nowicki, 1864; *pusillella* Rebel, 1893; *tengstroemiella* Joannis, 1910; *pazsiczkyi* Rebel, 1913; *parenthesella* Toll, 1936; *tengstroemi* Hackman, 1946 Range (as codes): PT ES FR NL DE PL SK HU RO YU DK NO SE FI EE LV LT RU Kmt Sb IQ TR MN CA On CN IMn Ui TM UZ AF 71
- 1249. *Gnorimoschema nordlandicolella* (Strand, 1902)** (Gelechiidae) Synonym(s): *nordlandicolella* Strand, 1902; *cyceonodes* Meyrick, 1926; *eucausta* Meyrick, 1929; *fennicella* Hackman, 1946 Range (as codes): NO SE FI RU At Ya MD UA BY UZ TM TR EE KK KG CN Ui 38 38C 38Ca
- 1250. *Gnorimoschema soffneri* Riedl, 1965** (Gelechiidae) Synonym(s): *soffneri* Riedl, 1965; *antiquum* Povolny, 1966 Range (as codes): FR Co GR Cr ES Si IT HU BG IQ TR IR Elb AF
- 1251. *Harpagidia magnetella* (Staudinger, [1871])** (Gelechiidae) Synonym(s): *magnetella* Staudinger, [1871]; *pallidibasella* Ragonot, 1895; *melitophanes* Meyrick, 1931 Range (as codes): TR Cc AM IL Pa LB Bsa IR Elb IQ Dia 16 23 30 31 45 46 56 63 65 16A 23M 30B 30Bc 30Bz 30Bc1 30D 30Df 31M 45L 56F 56Fb 63D 65D 65Dl 65Dlc

- 1252. *Isophrictis anthemidella* (Wocke,1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke,1871; *magna* Amsel,1935 Range (as codes): PT ES FR Co Sa Si IT LU DE CH AT PL CZ SK HU RO YU BG GR TR LB Bsa IL Pa Cc DK SE FI EE LV LT RU Ur MD UA BY IR GlS 05 06 31 35 46 56 65 71 73 75 05A 31M 56F 56Fg 65D 65DI 65N 65Nc 73A 73Ak 75F 75Fk
- 1253. *Isophrictis invisella* (Constant,1885)** (Gelechiidae) Synonym(s): *invisella* Constant,1885 Range (as codes): Co Sa Si TR 46
- 1254. *Isophrictis kefersteiniellus* (Zeller,1850)** (Gelechiidae) Synonym(s): *kefersteiniella* Zeller,1850; *senicula* Meyrick,1913; *leptidella* Turati,1924 Range (as codes): PT ES FR Sa Si IT MT YU GR Cr TR 16 16A
- 1255. *Isophrictis lineatellus* (Zeller,1850)** (Gelechiidae) Synonym(s): *lineatellus* Zeller,1850; *albilineella* Bruand,1859 Range (as codes): PT ES FR Co Sa Si IT GR TR 16 16A
- 1256. *Isophrictis striatella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *striatella* [Denis & Schiffermüller],1775; *tanacetella* Schrank,1802 Range (as codes): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Rd TR DK NO SE FI EE LV LT RU MD UA BY KG Uk 16 31 48 65 16A 31K 31Ka 48L 65A 65Am 65Am4
- 1257. *Istrianis brucinella* (Mann,1872)** (Gelechiidae) Synonym(s): *brucinella* Mann,1872 Range (as codes): Si HV TR EG IN PK 16 16A
- 1258. *Istrianis femoralis* (Staudinger,1876)** (Gelechiidae) Synonym(s): *femoralis* Staudinger,1876; *comendonella* Staudinger,1879; *gravosensis* Rebel,1937; *angustipennis* Rebel,1941; *funebrella* Rebel,1941 Range (as codes): ES Grn Snv IT GR Si SS HV MK CY Cm UA TR IL Pa IR TM KK 06 33 46
- 1259. *Iwaruna biguttella* (Duponchel,1843)** (Gelechiidae) Synonym(s): *biguttella* Duponchel,1843 Range (as codes): PT ES FR Sa IT BE CH AT PL CZ SK RO? TR RU MD UA BY Cc 05 16 46 05A 16A
- 1260. *Klimeschiopsis kiningerella* (Duponchel,1844)** (Gelechiidae) Synonym(s): *kiningerella* Duponchel,1844; *atralbella* Palm,1947 Range (as codes): FR IT DE AT CZ HU RO YU GR TR NO SE FI LV 06 06R
- 1261. *Megacraspedus argyroneurellus* Staudinger,1876** (Gelechiidae) Synonym(s): *argyroneurellus* Staudinger,1876 Range (as codes): AT? RU Ur Sr Or Gub MD UA Cm BY Cc TR KG Uk CN Ui Ku IR Elb Mz Plr 06
- 1262. *Megacraspedus attritellus* Staudinger,1871** (Gelechiidae) Synonym(s): *attritellus* Staudinger,1871 Range (as codes): RU MD UA BY TR KG Uk 06
- 1263. *Megacraspedus imparellus* (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *imparellus* Fischer v. Röslerstamm,1843 Range (as codes): IT DE AT CZ SK HU RO TR 16 16A
- 1264. *Megacraspedus incertellus* Rebel,1930** (Gelechiidae) Synonym(s): *incertellus* Rebel,1930 Range (as codes): BG GR TR 46
- 1265. *Megacraspedus monolorellus* Rebel,1905** (Gelechiidae) Synonym(s): *monolorellus* Rebel,1905 Range (as codes): TR 38
- 1266. *Megacraspedus separatellus* (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *separatellus* Fischer v. Röslerstamm,1843 Range (as codes): ES FR Si AT CZ HU RO AL GR Cr RU Ur At Cc MD UA BY TR 16 16A
- 1267. *Mesophleps silacella* (Hübner,1796)** (Gelechiidae) Synonym(s): *pyropella* Hübner,1793 nec [Denis & Schiff.],1775; *silacella* Hübner,1796; *silacea* Haworth,1828; *apicellus* Caradja,1920; *calaritanus* Amsel,1939 Range (as codes): DZ Sbd PT ES An Grn FR Sa Si IT GB BE LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE FI EE LV LT RU MD UA BY 05 06 16 05A 06R 16A
- 1268. *Mesophleps trinotella* Herrich-Schäffer,[1856]** (Gelechiidae) Synonym(s): *trinotella* Herrich-Schäffer,[1856]; *aurantiella* Rebel,1915; *barysphena* Meyrick,1923; *subtilipennis* Turati,1924 Range (as codes): DZ MA LY Cy ES FR Co Sa Si IT MT CH AT CZ SK HU YU MK GR TR RU Ur Cc CY MD UA BY TM 05 16 71 05A
- 1269. *Metanarsia incertella* (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *incertella* Herrich-Schäffer,1861; *longivittella* Rebel,1914; *halmypopis* Meyrick,1926; *rhamniferella* Lucas,1940 Range (as codes): DZ ES Grn Hue Zg MA TN KG Uk RU Sr Sb Ur TR UZ MN CN Ui Ku 06 38 42 65 68 06Y 65G 65Gb
- 1270. *Metanarsia modesta* Staudinger,1871** (Gelechiidae) Synonym(s): *modesta* Staudinger,1871; *kurdistanella* Amsel,1959 Range (as codes): IT RO RU Ur Sb MD UA BY KG Uk TR IQ Hjo Cc AM IR 25 42
- 1271. *Metzneria aestivella* (Zeller,1839)** (Gelechiidae) Synonym(s): *aestivella* Zeller,1839; *carlinella* Stainton,1851; *selaginella* Mann,1855; *torridella* Mann. Range (as codes): Cn TN Gf LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV RU MD UA BY IL Pa SY LB Bsa Bmm 05 16 05A 16A
- 1272. *Metzneria agraphella* (Ragonot,1895)** (Gelechiidae) Synonym(s): *agrappella* Ragonot,1895; *incognita* Walsingham,1904. Range (as codes): MA DZ Bsk Hes Ktr TN Gf Sa Cr TR IL Pa 31 46 31M
- 1273. *Metzneria aprilella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer,[1854]; *igneella* Tengström,1859; *sanguinolentella* De Joannis,1910 Range (as codes): ES An FR Si IT GB NL DE BE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Ur Sb Mo MD UA BY IL Pa LB Bsa IR KG UZ 05 06 16 27 30 33 42 44 46 49 65 73 05A 16A 27D 27Da 27Db 30D 30Df 33A 33Ac 33Ak 44E 44Ei 49F 49Fb 65G 65Gf 65Gy 65L 65Le 65N 65Np 65Nm 73D 73Df 73Dfc

- 1274. *Metzneria artificella* (Herrich-Schäffer, 1861)** (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer, 1861; *litigiosella* Millière, 1879; *pannonicella* Rebel, 1915 Range (as codes): ES Cue Abr FR IT CH AT HU RO YU BG TR LB Bsa IR Kdj Elb Gls RU Sr 05 21 23 65 71 05A 65A 65Am 65Am1
- 1275. *Metzneria ehikeella* Gozmany, 1954** (Gelechiidae) Synonym(s): *ehikeella* Gozmany, 1954 Range (as codes): DZ Cst ES FR DE AT CZ SK HU DK Cc TR SY Dms LB Bsa SE FI EE LV LT RU Ur MD UA BY 06 46 71 06R 06Y
- 1276. *Metzneria intestinella* (Mann, 1864)** (Gelechiidae) Synonym(s): *intestinella* Mann, 1864 Range (as codes): PT ES FR IT RO YU MK AL BG GR TR Cc AM KG Uk CN Ui Ku 05 06 16 23 46 05A 16A
- 1277. *Metzneria metzneriella* Stainton, 1851** (Gelechiidae) Synonym(s): *paucipunctella* Douglas, 1850 nec Zeller, 1851; *metzneriella* Stainton, 1851. Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU Ur MD UA BY KG Uk IL 42 46
- 1278. *Metzneria paucipunctella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *paucipunctella* Zeller, 1839; *zimmermanni* Hering, 1940; *confusalis* Lucas, 1955. Range (as codes): MA Ifr Rbt DZ Lbs PT ES An Grn FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR LT LB Bsa Cc AM Eri KG Uk CN Ui Ku 06 46
- 1279. *Metzneria santolinella* (Amsel, 1936)** (Gelechiidae) Synonym(s): *santolinella* Amsel, 1936; *consimilella* Hackman, 1947. Range (as codes): PT FR Sa IT DE AT PL SK HU DK SE FI EE LV LT RU Ur Or Gub TR Cc
- 1280. *Metzneria subflavella* Englert, 1974** (Gelechiidae) Synonym(s): *subflavella* Englert, 1974 Range (as codes): PT ES FR IT HU RU IR Elb Kh UA TR 21 21P
- 1281. *Metzneria tenuiella* (Mann, 1864)** (Gelechiidae) Synonym(s): *tenuiella* Mann, 1864; *infelix* Walsingham, 1908; *insignificans* Walsingham, 1908. Range (as codes): PT ES Cn FR HV YU TR IL Pa Js 16 16A
- 1282. *Metzneria varennei* Nel, 1997** (Gelechiidae) Synonym(s): *pannonicella* Rebel, 1915; *varennei* Nel, 1997. Range (as codes): FR Py TR IL Pa LB Bsa 46
- 1283. *Microcraspedus deserticolella* (Staudinger, 1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger, 1871; *albocapitella* Rebel, 1928; *buvati* Povolny, 1992 Range (as codes): TR RU Ur Sr IR Elb Shr Th Ab Oru CY GR MT UA Cm AF Hr 06 76 06R 06Y 76A
- 1284. *Microcraspedus diminutella* (Zeller, 1847)** (Gelechiidae) Synonym(s): *diminutella* Zeller, 1847 Range (as codes): FR Si TR 06
- 1285. *Mirificarma aflavella* (Amsel, 1935)** (Gelechiidae) Synonym(s): *aflavella* Amsel, 1935 Range (as codes): GR Rd IL Hf Pa TR JO SY Hal 31 46
- 1286. *Mirificarma eburnella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller], 1775; *formosella* Hübner, 1796 nec [Denis & Schiffermüller], 1775; *flammella* Hübner, [1825]; *rufeformosella* Bruand, 1859. Range (as codes): DZ Agi Orn Cst PT ES FR Co Sa Si IT MT BE DE CH AT PL CZ SK HU RO HV B-H MK YU AL BG GR Cr Rd TR SY IL Pa Hf LB Cc AM CY RU MD UA BY US Cf 16 33 36 16A 36D 36Db
- 1287. *Mirificarma flavella* (Duponchel, [1844])** (Gelechiidae) Synonym(s): *flavella* Duponchel, [1844]; *segetella* Zeller, 1847. Range (as codes): DZ Agi Cst TN ES FR Co Sa Si BE RO GR Cr TR IL Pa Hf Js CY LB 16 35 16A
- 1288. *Mirificarma lentiginosella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *lentiginosella* Zeller, 1839 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK SE EE KG Uk Cc AM RU Ur
- 1289. *Mirificarma maculatella* (Hübner, 1796)** (Gelechiidae) Synonym(s): *maculatella* Hübner, 1796 Range (as codes): PT ES FR IT DE CH AT PL CZ SK HU RO YU HV AL GR TR RU MD UA BY SY 01 05 42 01H 05A
- 1290. *Mirificarma rhodoptera* (Mann, 1866)** (Gelechiidae) Synonym(s): *rhodoptera* Mann, 1866 Range (as codes): RO Tlc GR TR LB Bsa 46
- 1291. *Monochroa arundinetella* (Stainton, 1858)** (Gelechiidae) Synonym(s): *arundinetella* Stainton, 1858 Range (as codes): FR GB NL DE PL SK HU DK SE FI LV TR UA 46
- 1292. *Monochroa lutulentella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *lutulentella* Zeller, 1839; *brunickii* Rebel, 1913 Range (as codes): FR IE GB NL DE CH AT PL CZ SK HU TR UA Cc AM DK NO SE FI EE LV LT
- 1293. *Monochroa melagonella* (Constant, 1895)** (Gelechiidae) Synonym(s): *melagonella* Constant, 1895 Range (as codes): ES FR IT TR
- 1294. *Monochroa servella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *servella* Zeller, 1839; *farinosae* Stainton, 1867 Range (as codes): PT IT DE CH AT PL CZ SK HU BG TR DK SE FI EE LV
- 1295. *Monochroa tenebrella* (Hübner, [1817])** (Gelechiidae) Synonym(s): *tenebrella* Hübner, [1817]; *fuscocuprea* Haworth, 1828; *subcuprella* Stephens, 1834; *tenebrosella* Zeller, 1839; *parvella* Heydenreich, 1851; *fuscocuprella* Doubleday, 1859; *buffonella* Millière, 1876 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 1296. *Neofaculta confidella* (Rebel, 1935)** (Gelechiidae) Synonym(s): *confidella* Rebel, 1935 Range (as codes): TR IQ Ry 30 46 47 80 30D 30Df 46G 47D 80B 80Bb
- 1297. *Neofaculta ericetella* (Geyer, [1832])** (Gelechiidae) Synonym(s): *ericetella* Geyer, [1832]; *gallinella* Treitschke, 1833; *lanceolella* Stephens, 1834; *fuscella* Duponchel, 1844; *orcella* Zerny, 1927; *atlanticella* Amsel, 1938; *tenalella* Amsel, 1938; *#amseli* Dufrane, 1955; *pyrenemontana* Dufrane, 1955 Range (as codes): DZ Cst PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL TR DK NO SE FI EE LV LT RU Sb MD UA BY KG Uk 16 16A

- 1298. *Neofriseria peliella* (Treitschke, 1835)** (Gelechiidae) Synonym(s): *peliella* Treitschke, 1835 Range (as codes): DZ PT ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK RO TR DK NO SE FI EE LV LT RU Ur MD UA BY
- 1299. *Neofriseria sceptrophora* (Meyrick, 1926)** (Gelechiidae) Synonym(s): *sceptrophora* Meyrick, 1926 Range (as codes): Cc TR AF 76 76C
- 1300. *Neofriseria singula* (Staudinger, 1876)** (Gelechiidae) Synonym(s): *singula* Staudinger, 1876 Range (as codes): ES FR Sa Si GB NL DE AT PL CZ SK HU TR DK SE LV IR Gls
- 1301. *Nothris congressariella* (Bruand, 1858)** (Gelechiidae) Synonym(s): *congressariella* Bruand, 1858; *declaratella* Staudinger, 1859 Range (as codes): Cn TN Gf ES FR Sa Si IT GB CH SS Nno MK HV YU GR Cr IL Pa Hf TR 05 31 36 42 66 69 31M 36D 36Df 66F 69B 69Ba
- 1302. *Nothris gregerseni* Karsholt & Sumpich, 2015** (Gelechiidae) Synonym(s): *gregerseni* Karsholt & Sumpich, 2015 Range (as codes): MA SE DK TR 04 13 24 25 29 33 36 38 65 13A 13Ac 13Ac1 13Ac2 13Ax 33A 33Ac 36F 36Fb 65A 65Am 65Am4 65D 65Df
- 1303. *Nothris radiata* (Staudinger, 1879)** (Gelechiidae) Synonym(s): *radiata* Staudinger, 1879 Range (as codes): TR 05 08 25 36 38 42 50 65 05A 25A 36D 36F 36Fb 42B 42K 50G 50Gd 65G 65Gb
- 1304. *Nothris sabulosella* Rebel, 1935** (Gelechiidae) Synonym(s): *sabulosella* Rebel, 1935 Range (as codes): TR 06 13 25 36 42 58 65 06R 13A 13Ac 13Ac2 13Ax 25A 36F 36Fb 38H 42B 58G 58R 65D 65Df 65F 65Fm 65K
- 1305. *Nothris skyvai* Sumpich & Karsholt, 2015** (Gelechiidae) Synonym(s): *skyvai* Sumpich & Karsholt, 2015 Range (as codes): SS B-H ME HV TR GR 46 46G 46Gi
- 1306. *Nothris sulcella* Staudinger, 1879** (Gelechiidae) Synonym(s): *sulcella* Staudinger, 1879; *magna* Nel & Peslier, 2007 Range (as codes): GR MK TR IL Pa 05 35 44 46 05A 44E 44Ed
- 1307. *Nothris verbascella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller], 1775; *verbascella* Brahm, 1791; *lutarea* Haworth, 1828; *discretella* Rebel, 1889; *clarella* Amsel, 1935 Range (as codes): MA DZ Anna Lbs PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV TR BG MK GR Sms LB Bsa DK NO SE FI EE LV RU Cc Sb MD UA BY KG Uk IR Elb Dam Shh IQ Dy Hjo IL Pa 02 05 06 07 14 16 22 24 25 32 33 36 38 42 44 46 50 58 65 02F 02Fe 02Fz 05A 06R 16A 25A 36F 36Fb 44L 44Lc 58G 58Gi 65A 65Am 65Am4 65D 65Df 65F 65Fp 65Fz 65G 65Gb 65L 65Le 65N 65Np 65Np6 65Nm
- 1308. *Ornatalva heluanensis* (Debski, 1913)** (Gelechiidae) Synonym(s): *heluanensis* Debski, 1913; *frankeniivorella* Chrétien, 1917; *oasicolella* Turati, 1924; *siculella* Mariani, 1937. Range (as codes): DZ Bsk MA TN LY Cy SD EG EG34 ES Mu Si MT HV RU IL Pa SY SA IQ TR IR Gls AF PK UZ MN CN Ts NHu Ui 48
- 1309. *Ornatalva mixolitha* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *mixolitha* Meyrick, 1918 Range (as codes): DZ MA TN TR RU IQ SD IN IR PK AF MN CN Ui Pay 06 33 71
- 1310. *Ornatalva ochraceofusca* Sattler, 1967** (Gelechiidae) Synonym(s): *ochraceofusca* Sattler, 1967 Range (as codes): TR AF 23 29 71
- 1311. *Ornatalva ornatella* Sattler, 1967** (Gelechiidae) Synonym(s): *ornatella* Sattler, 1967 Range (as codes): RO RU TR AF IR MN CN Ui Pay IMn 33
- 1312. *Ornatalva plutelliformis* (Staudinger, 1859)** (Gelechiidae) Synonym(s): *plutelliformis* Staudinger, 1859; *olbiaella* Millière, [1861]; *siewersiellus* Christoph, 1867; *sinuatella* Walsingham, 1904 Range (as codes): Cn Md MA DZ Bsk Hes TN Gf LY PT ES An Hv FR Sa Si IT MT HU RO MK GR Cr TR RU MD UA BY KG Uk SD Pa IL Pa Hf LB Bei SA IQ Bgd KW IR Bmp Ana Ke Kh Gls AF PK CY CN IMn Ui 07 17 23 42
- 1313. *Palumbina guerinii* (Stainton, [1857])** (Gelechiidae) Synonym(s): *guerinii* Stainton, [1857]; *terebintella* Rondani, 1876; *pistaciae* Anagnostopoulos, 1935. Range (as codes): DZ Bsk PT ES FR Si IT MT YU HV GR TR CY LB IR IN
- 1314. *Parastenolechia nigrinotella* (Zeller, 1847)** (Gelechiidae) Synonym(s): *nigrinotella* Zeller, 1847; *nigralbella* Herrich-Schäffer, [1854]. Range (as codes): ES FR Si IT AT PL CZ SK HU RO YU TR LB Bsa 16 16A
- 1315. *Pectinophora gossypiella* (Saunders, 1844)** (Gelechiidae) Synonym(s): *gossypiella* Saunders, 1844; *umbripennis* Walsingham, 1885 Range (as codes): ZA ES Si IT MT YU AL BG GR TR DK RU MD TH MM MY ID Ja PH IN SA
- 1316. *Pexicopia malvella* (Hübner, [1805])** (Gelechiidae) Synonym(s): *umbrella* auct.; *malvella* Hübner, [1805]; *lutarea* Haworth, 1828 Range (as codes): DZ PT ES FR Sa Si IT GB BE NL LU DE Bw CH AT PL CZ SK HU RO YU BG GR TR Cc Da Der IL DK NO SE FI EE LV LT RU Ur Sb Mo MD UA BY IR Gls KG Uk 05 06 30 65 76 05A 06R 30D 30Df 65A 65Am 65Am1 65Ac 65Ac3 76A 76B
- 1317. *Phthorimaea operculella* (Zeller, 1873)** (Gelechiidae) Synonym(s): *terrella* Walker, 1864; *operculella* Zeller, 1873; *piscipellis* Zeller, 1873; *solanella* Boisduval, 1874; *tabacella* Ragonot, 1879; *sedata* Butler, 1880; *#terella* Pinhey, 1975 Range (as codes): MA DZ TN PT ES FR Co Si IT MT GB BE NL DE HU RO YU BG GR Cr TR DK RU MD UA BY ZA Ec Wca Fs Nta Kzu Tva Lpo Gau Mpu Pre Pie Sa YE IN TH US Tx
- 1318. *Platyedra subcinerea* (Haworth, [1828])** (Gelechiidae) Synonym(s): *subcinerea* Haworth, [1828]; *vilella* Zeller, 1847. Range (as codes): PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bei DK SE LV RU MD UA BY IR Gls Kh CN Ui Ku IL Pa Hf AF Hr 05 06 16 33 35 46 76 06R 76C
- 1319. *Pogochaetia solitaria* Staudinger, 1879** (Gelechiidae) Synonym(s): *solitaria* Staudinger, 1879 Range (as codes): FR Py IT CH AT TR IR Elb Th Fa Rd GR 05 05A

- 1320. *Prolita sexpunctella* (Fabricius,1794)** (Gelechiidae) Synonym(s): *sexpunctella* Fabricius,1794; *virgella* Thunberg,1784; *longicornis* Curtis,1827; *histrionella* Geyer,[1832]; *zebrella* Treitschke,1833; *alpicola* Frey,1867; *alternella* Keafott,1908; *petulans* Braun,1925. Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK RO YU AL BG GR TR DK NO SE FI EE LV LT RU SA 16 16A
- 1321. *Prolita solutella* (Zeller,1839)** (Gelechiidae) Synonym(s): *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932. Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU Ur MD UA BY KG Uk 05 06 16 46 05A 16A
- 1322. *Pseudotelphusa istrella* (Mann,1866)** (Gelechiidae) Synonym(s): *istrella* Mann,1866; *decuriella* Mann,1872; *trifasciella* Rebel,1916 Range (as codes): IT RO YU GR BG Slv TR UA Cm 06 32 06R 32M
- 1323. *Pseudotelphusa paripunctella* (Thunberg,1794)** (Gelechiidae) Synonym(s): *paripunctella* Thunberg,1794; *triparella* Zeller,1839; *trijugella* Erschoff,1877; *sultanella* Caradja,1920; *arenicolella* Caradja,1920; *myricae* Gilles,1936; *pseudowagae* Svensson,1993 Range (as codes): DZ Bsk PT ES FR Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY IR Elb Kdv 16 42 16A 42B
- 1324. *Pseudotelphusa scalella* (Scopoli,1763)** (Gelechiidae) Synonym(s): *scalella* Scopoli,1763; *aleella* Fabricius,1794; *alternella* Hübner,1796 nec Den. & Schiff.,1775; *alternella* Haworth,1828; *bicolorella* Treitschke,1832 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK SE FI EE LV LT RU Ur MD UA BY 16 16A
- 1325. *Psoricoptera gibbosella* (Zeller,1839)** (Gelechiidae) Synonym(s): *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreella* Lucas,1946. Range (as codes): DZ PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc AZ Len DK NO SE FI EE LV LT RU Ur Sb Us KP KR MD UA BY CN JP 42 76 42B 76C
- 1326. *Ptocheuusa campicolella* (Mann,1857)** (Gelechiidae) Synonym(s): *campicolella* Mann,1857 Range (as codes): PT Co Sa Si IT TR CY 16 16A
- 1327. *Ptocheuusa inopella* (Zeller,1839)** (Gelechiidae) Synonym(s): *inopella* Zeller,1839; *amesella* Chrétien,1907 Range (as codes): DZ Bsk FR DE AT PL CZ HU GR TR DK SE EE LV LT RU MD UA BY IR GlS 16 16A
- 1328. *Ptocheuusa paupella* (Zeller,1847)** (Gelechiidae) Synonym(s): *paupella* Zeller,1847; *inulella* Curtis,1850; *leucoglypta* Meyrick,1918 Range (as codes): PT ES An FR Co Sa Si IT MT IE GB BE NL AT HU YU GR TR IN RU Ur 16 65 16A 65Ké 65Kğ
- 1329. *Recurvaria leucatella* (Linnaeus,1761)** (Gelechiidae) Synonym(s): *#leucattella* Clerck,1759; *leucatella* Linnaeus,1761; *leucatea* Haworth,1828; *albocingulella* Duponchel,1839 Range (as codes): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn BG TR DK NO SE FI EE LV LT RU Ur Cc MD UA BY LB Bsa 06 16 30 65 16A 30Df 65A 65Ai 65At 65At5
- 1330. *Recurvaria nanella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa Bmm DK SE LV LT RU Ur Cc Sb KG MD UA BY US CA 46
- 1331. *Scrobipalpa (Ergasiola) ergasima* (Meyrick,1916)** (Gelechiidae) Synonym(s): *ergasima* Meyrick,1916; *intestina* Meyrick,1921; *mignatella* Caradja,1920; *mirabilis* Gregor & Povolny,1955; *perdava* Clarke,1962 Range (as codes): DZ Cn ES FR Co Sa Si GR TR IQ IR SA PK IN Ben Pus MM ID JP ZA Tva Gau Pre Cc GG
- 1332. *Scrobipalpa aptatella* (Walker,1864)** (Gelechiidae) Synonym(s): *aptatella* Walker,1864; *heliopa* Lower,1900 Range (as codes): FR IT YU TR IR Fa Shr AU ZA Nta Kzu Tva Lpo Ec IN LK ID Ja TH CN Ui
- 1333. *Scrobipalpula psilella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *psilella* Herrich-Schäffer,[1854]; *cacuminum* Frey,1870. Range (as codes): ES FR Si? IT GB DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Th Elb Ab Mak Oru AF 06 38 06R
- 1334. *Scrobipalpula tussilaginis* (Frey,1867)** (Gelechiidae) Synonym(s): *tussilaginis* Frey,1867; *tussilaginella* Heinemann,1870. Range (as codes): FR DE LV HU RO RU Sb BY KG Uk GR TR SE GB
- 1335. *Sitotroga cerealella* (Olivier,1789)** (Gelechiidae) Synonym(s): *cerealella* Olivier,1789; *hordei* Kirby,1815; *arctella* Walker,1864; *melanartha* Lower,1900; *palearis* Meyrick,1913; *ochrescens* Meyrick,1938 Range (as codes): PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LV LT RU MD UA BY ZA TH SA 06 46
- 1336. *Sophronia consanguinella* Herrich-Schäffer,[1855]** (Gelechiidae) Synonym(s): *consanguinella* Herrich-Schäffer,[1855]; *marginella* Toll,1936 nec *marginella* Thunberg,1794 non Den. & Schiff.,1775 Range (as codes): DZ DE AT CZ SK HU BG TR PL RU Ur 42 46
- 1337. *Sophronia finitimella* Rebel,1905** (Gelechiidae) Synonym(s): *finitimella* Rebel,1905 Range (as codes): GR TR 06 13 38 42 56 06R 13A 13Ab 13Ax 38Ca 42R 42Ra 56F 56Fm
- 1338. *Sophronia humerella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *humerella* [Denis & Schiffermüller],1775 Range (as codes): ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU GR TR DK SE FI EE LV LT RU MD UA BY 05 05A
- 1339. *Sophronia illustrella* (Hübner,1796)** (Gelechiidae) Synonym(s): *illustrella* Hübner,1796 Range (as codes): IT AT CZ SK HU RO YU AL TR 14 16 14B 14Bb 16A

- 1340. *Sophronia semicostella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *marginella* Thunberg,1794 nec Den. & Schiff.,1775; *semicostella* Hübner,[1813]; *parenthesella* Haworth,[1828] Range (as codes): PT ES FR IT GB BE NL LU DE Bw Bv Nrw CH AT Trl PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA Lvv Kiw BY KG 13 13A 13Ab 13Ax
- 1341. *Spiniphallellus fuscescens* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *fuscescens* Bidzilya & Karsholt,2008 Range (as codes): TR 25 36 25A 36F
- 1342. *Stenolechia gemmella* (Linnaeus,1758)** (Gelechiidae) Synonym(s): *gemmella* Linnaeus,1758; *nivella* Fabricius,1794; *nivea* Haworth,1828; *lepidella* Zeller,1839; *nigrovittella* Duponchel,[1839]. Range (as codes): ES FR IT? GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY 06 42 06R
- 1343. *Stenolechia sagittella* Caradja,1920** (Gelechiidae) Synonym(s): *sagittella* Caradja,1920 Range (as codes): TR 46
- 1344. *Stenolechiodes pseudogemmellus* Elsner,[1996]** (Gelechiidae) Synonym(s): *pseudogemmellus* Elsner,[1996] Range (as codes): FR BE DE GR IT CZ AT PL SK HV TR
- 1345. *Stomopteryx detersella* (Zeller,1847)** (Gelechiidae) Synonym(s): *detersella* Zeller,1847; *obliteratella* Turati,1924; *griseella* Dufrane,1955 Range (as codes): MA PT ES An Grn FR Si IT SK HU RO YU AL BG GR Cr TR RU Cc AZ Bak AM Eri 05 06 16 33 42 45 46 56 65 71 76 05A 16A 56F 56Fb 65G 65Gb 76C
- 1346. *Stomopteryx gaesata* (Meyrick,1913)** (Gelechiidae) Synonym(s): *gaesata* Meyrick,1913 Range (as codes): TR IR Elb Mz 33 65 65A 65Aş 65B 65Bo 65Bx 65D 65Df 65Fz 65G 65Gb 65K 65Kd 65N 65Nr2 65Nm
- 1347. *Stomopteryx remissella* (Zeller,1847)** (Gelechiidae) Synonym(s): *remissella* Zeller,1847; *vetustella* Herrich-Schäffer,1855; *submissella* Frey,1880 nec Stt.,1859; *rufobasella* Rebel,1916; *yunusemrei* Koçak,1986 Range (as codes): ES Si IT DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE IR Elb Dam Mz IL Pa LB Bsa Bmm 06 16 46 16A
- 1348. *Streyella anguinella* (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934 Range (as codes): DZ ES HV SS GR TR LB Bsa IQ RU Sr Ur 13 46 56 65 70 13A 13Ab 13Ax 56F 56Fb 65A 65Ai 65D 65Df 65Fp 65Fz 65G 65Gb 70C 70Cf
- 1349. *Syncopacma captivella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *captivella* Herrich-Schäffer,[1854] Range (as codes): PT ES FR IT BE NL DE PL CZ CH HU RO HV TR 33 46 33R 33Rb 46G
- 1350. *Syncopacma cinctella* (Clerck,1759)** (Gelechiidae) Synonym(s): *cinctella* Clerck,1759; *vorticella* Scopoli,1763; *ligulella* [Denis & Schiffermüller],1775; *vittata* Fourcroy,1785; *vittatella* De Villers,1789; *albistrigella* Stephens,1834; *cincticulella* Heydenreich,1851 nec Br.,1850; *sircomella* Stainton,1854; *finlandica* Gozmany,1957 Range (as codes): DZ PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb Ur Us MD UA BY 05 16 05A 16A
- 1351. *Syncopacma cincticulella* (Bruand,1850)** (Gelechiidae) Synonym(s): *cincticulella* Bruand,1850 Range (as codes): ES Grn FR IT DE CH AT PL CZ SK HU RO TR RU Ur At Sb MD UA BY 05 05A
- 1352. *Syncopacma coronillella* (Treitschke,1833)** (Gelechiidae) Synonym(s): *coronillella* Treitschke,1833; *fournieri* Nel,1998 Range (as codes): ES FR Si IT LU DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY IR GlS 01 05 65 01K 05A 65A 65An
- 1353. *Syncopacma maraschella* (Caradja,1920)** (Gelechiidae) Synonym(s): *maraschella* Caradja,1920 Range (as codes): TR 46 46G
- 1354. *Syncopacma patruella* (Mann,1857)** (Gelechiidae) Synonym(s): *patruella* Mann,1857 Range (as codes): ES FR Co Si IT DE CH AT PL HU RO YU GR TR 06
- 1355. *Syncopacma polychromella* (Rebel,1902)** (Gelechiidae) Synonym(s): *polychromella* Rebel,1902; *rebeliella* Caradja,1920; *argyrobiella* Caradja,1920 Range (as codes): Cn DZ GB PT ES Si IT MT GB YU TR IR Mz LB IL Pa Hf CY JO KW YE IN RU Ur UA Ode MN 12 13 27 30 33 44 46 56 65 12A 12Ab 13A 13Ab 13Ax 13F 13F38 27D 27Da 30D 30Df 33R 44I 44Ic 46G 56F 56Fb 56Fm 65A 65Am 65Am1 65G 65Gb 65N 65Np2 65Nm
- 1356. *Syncopacma sangiella* (Stainton,1863)** (Gelechiidae) Synonym(s): *sangiella* Stainton,1863 Range (as codes): PT ES FR Sa IT IE GB DE CH AT PL CZ SK HU TR NO SE FI LV RU MD UA BY
- 1357. *Syncopacma semicostella* (Staudinger,1871)** (Gelechiidae) Synonym(s): *semicostella* Staudinger,1871; *albicapitella* Bidzilya,1996 Range (as codes): RU Ur Sr UA Cm Da Cc AZ Tlh TR PK Abb 36 58 58G
- 1358. *Syncopacma splendens* (Staudinger,1881)** (Gelechiidae) Synonym(s): *splendens* Staudinger,1881 Range (as codes): TR 05 05A
- 1359. *Syncopacma syncrita* (Meyrick,1926)** (Gelechiidae) Synonym(s): *syncrita* Meyrick,1926. Range (as codes): TR 46
- 1360. *Syncopacma taeniolella* (Zeller,1839)** (Gelechiidae) Synonym(s): *taeniolella* Zeller,1839 Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LT RU MD UA BY 16 16A
- 1361. *Teleiodes cisti* (Stainton,1869)** (Gelechiidae) Synonym(s): *cisti* Stainton,1869 Range (as codes): Cn PT FR Co Sa IT BG GR TR

- 1362. *Teleiodes luculella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *luculella* Hübner,[1813] Range (as codes): ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI LV LT RU MD UA BY
- 1363. *Teleiodes vulgella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *vulgella* [Denis & Schiffermüller],1775; *aspera* Haworth,1828. Range (as codes): ES FR IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI LV LT RU MD UA BY 29 46 29A 29Aa
- 1364. *Teleiopsis bagriotella* (Duponchel,1840)** (Gelechiidae) Synonym(s): *bagriotella* Duponchel,1840; *elatella* Herrich-Schäffer,1853 Range (as codes): PT ES FR IT CH AT PL SK RO YU GR TR RU MD UA BY
- 1365. *Teleiopsis diffinis* (Haworth,[1828])** (Gelechiidae) Synonym(s): *diffinis* Haworth,[1828]; *dissimilella* Treitschke,1833; *tristis* Staudinger,1879. Range (as codes): DZ PT ES An FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Sb MD UA BY 05 06 16 05A 06R 16A
- 1366. *Teleiopsis latisacculus* Pitkin,1988** (Gelechiidae) Synonym(s): *latisacculus* Pitkin,1988 Range (as codes): MK TR EG 13 13A 13Ae 13Ax
- 1367. *Teleiopsis rosalbella* (Fologne,1862)** (Gelechiidae) Synonym(s): *rosalbella* Fologne,1862 Range (as codes): FR IT BE DE CH B-H TR
- 1368. *Teleiopsis terebinthinella* (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *#terebinthinella* Herrich-Schäffer,1854; *terebinthinella* Herrich-Schäffer,[1856] Range (as codes): IT RO YU AL BG GR Cr TR LB SY 01 05 16 27 46 05A 16A
- 1369. *Telphusa comedonella* (Staudinger,1880)** (Gelechiidae) Synonym(s): *comedonella* Staudinger,1880 Range (as codes): TR 33
- 1370. *Telphusa praedicata* Meyrick,1923** (Gelechiidae) Synonym(s): *praedicata* Meyrick,1923 Range (as codes): TR
- 1371. *Tila sequanda* Povolny,1974** (Gelechiidae) Synonym(s): *sequanda* Povolny,1974 Range (as codes): TR 38 42 55 38Ca 42B 55E
- 1372. *Turcopalpa glaseri* Povolny,1973** (Gelechiidae) Synonym(s): *glaseri* Povolny,1973 Range (as codes): TR UA 42
- 1373. *Tuta absoluta* (Meyrick,1917)** (Gelechiidae) Synonym(s): *absoluta* Meyrick,1917 Range (as codes): Cn PT ES FR CH IT AL GR BG DE CY MT MA DZ TN LY SY IL Pa TR RU AR BO BR CL CO EC PY UY VE ET UG KE 07 31 33 35 42 31A 31G 31L 31H 31K 31O 42G 42O
- 1374. *Uliaria rasilella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rasilella* Herrich-Schäffer,[1854]; *insulella* Dumont,1921; *occidentella* Zerny,1927. Range (as codes): ES FR IT HU RO LV RU Ur MD UA BY Ur Sb Us Cc TR KP KR JP CN TW
- 1375. *Xenolechia aethiops* (Humphreys & Westwood,1845)** (Gelechiidae) Synonym(s): *aethiops* Humphreys & Westwood,1845; *aterrima* Edleston,1844; *aethiopella* Doubleday,1859; *squamulella* Peyerimhoff,1871; *tristis* Staudinger,1879 Range (as codes): ES FR Co Sa IT IE GB NL DE YU TR DK RU MD UA BY
- 1376. *Xenolechia pseudovulgella* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *pseudovulgella* Huemer & Karsholt,1999 Range (as codes): GR TR 01 33 35 01J 33F 33O 35B
- 1377. *Xystophora carchariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *carchariella* Zeller,1839 Range (as codes): PT FR IT DE AT PL CZ SK HU RO YU BG TR SE EE LT RU Us Ur MD UA BY CN 16 16A

Geometridae

- 1378. *Abraxas (Calospilos) pantaria* (Linnaeus,1767)** (Geometridae) Synonym(s): *pantaria* Linnaeus,1767 Range (as codes): MA Tgr PT ES FR Co Sa Si IT TR Cc AM 13 30 13C 13Cf 30D 30Dü
- 1379. *Abraxas (Calospilos) sylvata* (Scopoli,1763)** (Geometridae) Synonym(s): *sylvata* Scopoli,1763 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc TR GG Lag AZ DK NO SE FI EE LV LT RU MD UA BY JP 14 61 81 61K
- 1380. *Abraxas (s.str.) grossulariata* (Linnaeus,1758)** (Geometridae) Synonym(s): *grossulariata* Linnaeus,1758; *cuneifera* W. Warren,1895; *memorabilis* Inoue,1946 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Mng Bjo Smt Kir AZ AM DK NO SE FI EE LV LT RU Am Sj KG DsA KK CN Ts MD UA BY KP KR JP 36 36D 36Da
- 1381. *Acanthovalva inconspicuaris* (Hübner,[1819])** (Geometridae) Synonym(s): *inconspicuaris* Hübner,[1819]; *pumicaria* Lederer,1855; *osyraria* Guenée,[1858]; *cinerascens* Butler,1875; *perturbata* Bastelberger,1908; *cinnamomaria* Rothschild,1914 Range (as codes): ZA ZA01 Tva Lpo Spb Bbg Mal ZA06 Nta Kzu ZA14 ZA16 Mpu ZA17 ZA21 ZA24 NWe ZA26 ZA28 Gau Fs Nca Wca Ec SZ NA BW AO ZW MW MZ ZM KE ET MA DZ Ges GR IL Pa Hf LB Bei CY Cr TR IR ES An YE Hd YE30 SY Hal PK CN Sz 07 09 33 46 80 09K 09Ka 33A 33Ad 46G 80B 80Bc
- 1382. *Acasis appensata* (Eversmann,1842)** (Geometridae) Synonym(s): *appensata* Eversmann,1842; *appensaria* Herrich-Schäffer,1848; *baikalensis* Bang-Haas,1906; *callaina* Hausmann & Huemer,2011 Range (as codes): FR DE IT CH AT PL CZ SK HU BG NO SE FI EE LV RU Tt Sj MD TR

- 1383. Agriopsis bajaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *aerugaria* [Denis & Schiffermüller],1775; *bajaria* [Denis & Schiffermüller],1775; *vittaria* Sulzer,1776; *rubrostriata* Goeze,1781; *ligustriaria* Lang,1789; *sericearia* Borkhausen,1794; *cineraria* Esper,[1801]; *sorditaria* Hübner,[1809]; *legrasi* Dumont,1925 Range (as codes): MA PT ES FR Sa Si IT BE LU DE CH AT CZ SK HU RO YU BG GR Cr TR Cc GG Tbl RU MD UA BY IL Pa CY 05 17 34 45 56 58 05A 17H 56F 56Fb 56Fg 56Ft 58N
- 1384. Agriopsis brumaria (Borkhausen,1794)** (Geometridae) Synonym(s): *leucophaearia* [Denis & Schiffermüller],1775; *brumaria* Borkhausen,1794; *nigricaria* Hübner,[1799]. Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE LV LT RU MD UA BY 06 34 39 71 06R
- 1385. Agriopsis budashkini Kostyuk,2009** (Geometridae) Synonym(s): *budashkini* Kostyuk,2009 Range (as codes): UA Cm GR TR
- 1386. Alcis repandata (Linnaeus,1758)** (Geometridae) Synonym(s): *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 *nec* Wrnk.,1941 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY CN Ui Kön Sz Sz1 06 14 16 34 56 61 75 81 06P 06Pb 06R 06Ri 16A 34R 34Rb 56F 75F 75Fb
- 1387. Aleucis mimetes (Wehrli,1932)** (Geometridae) Synonym(s): *mimetes* Wehrli,1932 Range (as codes): TR IQ 31 44 46 71
- 1388. Aleucis orientalis (Staudinger,1892)** (Geometridae) Synonym(s): *orientalis* Staudinger,1892 Range (as codes): YU MK AL GR Sms UA IL Pa Js JO TR Cc AZ 01 05 07 17 21 31 35 46 47 56 59 65 71 01H 05A 17H 21N 21Nh 31M 56F 65A 65An 65F 65Fa
- 1389. Alsophila aceraria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *aceraria* [Denis & Schiffermüller],1775; *quadripunctaria* Esper,1801 *nec* Pda.,1761 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Mng AM RU MD UA Cm BY 01 12 56 01H 12A 12Ab 12Ac 56F 56Fg
- 1390. Alsophila hirsutaria (Fabricius,1781)** (Geometridae) Synonym(s): *aescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] *nec* Linn.,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794. Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG Tbl Bjo AM TR DK NO SE EE LV LT RU MD UA BY TM Kp 06 65 65D 65Dlc 65L 65Le
- 1391. Amorphogynia necessaria (Zeller,1849)** (Geometridae) Synonym(s): *necessaria* Zeller,1849; *inversarius* Rebel,1903; *grupchei* Carnelutti,1986 Range (as codes): BG Slv MK GR TR Cc GG Tbl Bjo Bku Kir AZ 05 06 09 34 42 45 65 71 76 05A 42B 76A 76Aa 76B 76Bb
- 1392. Angerona prunaria (Linnaeus,1758)** (Geometridae) Synonym(s): *prunaria* Linnaeus,1758 Range (as codes): ES FR IT IE GB BE NL LU CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 1393. Anticlea badiata (Lang,1789)** (Geometridae) Synonym(s): *badiata* [Denis & Schiffermüller],1775; *badiata* Lang,1789; *radiata* Spener & Spener,1843. Range (as codes): MA DZ ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI LT RU MD UA Cm BY Cc AM AZ Ur At Bry KG Sp Tar MN 05 06 14 06R 06Rb
- 1394. Anticlea derivata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788. Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI LV LT RU MD UA Cm BY Cc GG AZ Tbl Lag AM At Sb Ya Am Sh Us MN KG Sp Tar Tk DsA CN Ui Tlk 06 14 16 39 42 06R 06Rb 16A
- 1395. Apeira syringaria (Linnaeus,1758)** (Geometridae) Synonym(s): *syringaria* Linnaeus,1758; *jaspoides* Fourcroy,1785; *circularia* Thunberg,1792 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag AZ DK NO SE FI EE LV LT RU MD UA BY 14 34 39 52 57 52G 52Gb
- 1396. Aplasta ononaria (Fuessly,1783)** (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* De Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *faecataria* Hübner,[1819]; *ononata* Bellier,1861 Range (as codes): PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IQ LB Bsa JO SY RU MD UA BY IL Pa He IR AM Cc 01 02 05 06 09 12 13 14 16 17 21 23 30 31 33 39 40 41 42 44 46 48 56 59 65 71 80 01H 01J 02Fc 02F 02Fe 02Fz 05A 12A 12Ab 12Ai 13G 13Gd 13F 13F38 16A 21N 21Nb 30D 30Df 33A 33Ak 33R 42B 44A 44Ab 56F 65A 65Ai 65Au 65D 65Dp 65F 65Fc 65Fo 65Fp 65Fg 65Fz 65K 65Kc 65N 65Nd 65L 65Lb 65Le 65N 65Np6 65Np7 65Nr2 65Nr3 65Nm 80B 80Bc
- 1397. Aplocera annexata (Freyer,[1830])** (Geometridae) Synonym(s): *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 Range (as codes): GR UA TR Cc Arr GG Smt Akh AM IR 05 06 13 14 16 18 24 25 33 36 38 42 44 46 51 58 60 61 65 69 76 80 05A 13G 13Gü 13Gs 13Gw 16A 18F 25A 38K 42B 44L 46Fb 58N 65D 65Df 65Dg 65Dga 65F 65Fb 65Fp 65Fz 65K 65Kb 65Z 65Kz 65Kg 65N 65Np2 65Nr4 65Nm 80B 80Bc
- 1398. Aplocera columbata (Metzner,1845)** (Geometridae) Synonym(s): *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848 Range (as codes): BG GR TR RU Cc GG Bjo Bku Smt Mng AZ AM Dar Da Kus 05 06 13 14 16 24 25 42 58 65 76 05A 13A 13Ax 13Ac 13Ac2 13G 13Gw 16A 58G 58Gg 65A 65Ac 65Ac3 76C
- 1399. Aplocera efformata (Guenée,[1858])** (Geometridae) Synonym(s): *efformata* Guenée,[1858]; *pallidata* Staudinger,1871 Range (as codes): MA PT ES FR Co Si? IT MT GB BE NL LU DE CH AT PL CZ SK HU YU AL BG GR Cr Rd TR DK NO SE LV LT RU MD UA BY PK Thu 14 17 22 34 39 45 55 81
- 1400. Aplocera fraternata (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *fraternata* Herrich-Schäffer,1861 Range (as codes): TR 16 33 42 46 51 16A 42B

- 1401. *Aplocera fraudulentata* (Herrich-Schäffer, 1861)** (Geometridae) Synonym(s): *fraudulentata* Herrich-Schäffer, 1861 Range (as codes): TR 14 16 52 67 16A 52G 52Gb 52Gd
- 1402. *Aplocera numidaria* (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *numidaria* Herrich-Schäffer, [1852] Range (as codes): TR Cc AM GG 05 08 25 42 60 65 76 05A 42B 65A 65Ab 65Aba 65F 65Fw 65Fz 76C
- 1403. *Aplocera obsitaria* (Lederer, 1853)** (Geometridae) Synonym(s): *obsitaria* Lederer, 1853; *pseudopallidata* Bytinski-Salz & Brandt, 1937 Range (as codes): TR Cc IQ IR Fa Shr Sse Th Elb Nss LB Bsa IL Pa He 04 05 21 25 30 42 44 46 47 58 62 65 76 05A 30D 30Df 42B 44E 44Eh 44Ei 46C 46G 46Gi 47D 58N 65A 65Ac 65Ac3 65Am 65Am4 65D 65Dd 65Dda 65F 65Fm 65Fp 65G 65Gf 65Gt 65Gy 65H 65K 65Kl1 65Z 65N 65Np1 65Np2 65Nm
- 1404. *Aplocera opificata* (Lederer, 1870)** (Geometridae) Synonym(s): *opificata* Lederer, 1870; *kawrigini* Christoph, 1885 Range (as codes): TR Cc AZ Kir 13 24 25 44 47 65 76 13A 13Ac 13Ac2 13Ax 44E 44Eb 44Eh 47D 76C
- 1405. *Aplocera plagiata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *plagiata* Linnaeus, 1758; *duplicata* Fabricius, 1775; *terlineata* Goeze, 1781; *triplicata* Geoffroy, 1785; *plagiaria* Boisduval, 1840; *scotica* Richardson, 1952 Range (as codes): DZ Lbs PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv IQ Rwx IR Ab Oru Fa Sse Com Kz GlS Kh CY DK NO SE FI EE LV LT RU Krl MD UA BY CN Ui Ju Kön IL Pa Js He LB Bsa 01 05 06 13 14 16 17 18 22 23 24 29 30 31 33 34 35 38 39 42 44 45 46 56 58 60 61 62 65 71 75 80 81 01H 05A 05G 06R 06Rb 13A 13Ab 13Ax 13G 13Gü 13Gw 13Gs 16A 18F 30B 30Bt1 30Bz 30D 30Df 31D 31F 42B 44E 44Eh 46G 46Gi 56F 58N 60H 60Hb 61K 65A 65Aa 65Am 65Am1 65Am4 65An 65Ai 65As 65D 65Df 65F 65Fg 65Fp 65Fz 65K 65Kb 65Kl 65Kl1 65Z 65Le 65Nc 65Nc4 65Np 65Np1 65Nr4 65Nm 75F 75Fb 80B 80Bc
- 1406. *Aplocera simpliciatata* (Treitschke, 1835)** (Geometridae) Synonym(s): *simpliciatata* Treitschke, 1835 Range (as codes): FR IT AT RO YU AL BG GR TR 16
- 1407. *Aplocera uniformata* (Urbahn, 1971)** (Geometridae) Synonym(s): *uniformata* Urbahn, 1971 Range (as codes): TR Cc GG Smt Akh Abk Sok AM RU Kb Teh Kr Soc 06 14 29 36 53 62 14B 14Bd
- 1408. *Apocheima hispidarium* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *hispidaria* [Denis & Schiffermüller], 1775; *ursularia* Donovan, 1808; *tauararia* Newman, 1833. Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE LV LT RU MD UA BY 06 21 34 44 56 06R 21N 21Nh 34A 56F 56Fb
- 1409. *Apochima flabellaria* (Heeger, 1838)** (Geometridae) Synonym(s): *flabellaria* Heeger, 1838; *marmararia* Buresch, 1915 Range (as codes): AET ES An Sa Si IT MT MK BG GR Rd Cr TR Cc GG Tbl LB RU IQ Bgd Mj CY IL Pa Js Jf JO UA IR TM Kp UZ TJ KG 01 07 10 17 21 26 31 34 44 45 46 47 48 56 65 72 01J 01H 10K 17H 21N 21Nh 26K 31A 31Ab 31M 34C 34Ca 34P 47D 48H 48L 56A 56Ac 56F 56Ft 65N 65Nc 65Nc4 72F 72Fa
- 1410. *Archicaris notha* (Hübner, [1803])** (Geometridae) Synonym(s): *notha* Hübner, [1803] Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Lag Cc AZ DK NO SE FI EE LV LT RU MD UA BY Sb At Ur Prj Us CN 06 22 34 06R 06Rb
- 1411. *Archicaris parthenias* (Linnaeus, 1761)** (Geometridae) Synonym(s): *parthenias* Linnaeus, 1761 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU TR MD UA BY Sh Sj At Am Prj Us MN
- 1412. *Artiora evonymaria* (Hübner, [1799])** (Geometridae) Synonym(s): *evonymaria* [Denis & Schiffermüller], 1775; *evonymaria* Hübner, [1799]. Range (as codes): IT DE AT PL CZ SK HU RO SS YU MK GR BG TR LT RU MD UA Cm Cc 06 06R 06Rb
- 1413. *Ascotis selenaria* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *selenaria* [Denis & Schiffermüller], 1775; *dianaria* Hübner, [1817]; *seleneris* Okyar & Aytaç, 1999 Range (as codes): ES FR Co Sa Si IT MT LU DE CH AT PL CZ SK HU RO SS YU AL BG GR Cr TR Cc AZ RU MD UA BY IL Pa Mer CY PK Swa Sgl Klm SdS 01 05 10 14 16 17 21 22 31 33 34 45 46 52 56 57 61 65 81 01D 01J 01H 05A 16A 17H 21N 21Nb 31A 31Ab 31F 31K 31Ka 31Ka3 31M 33R 46G 46Gf 52C 52G 52Gb 56F 61K 61Ka 65A 65Ai
- 1414. *Asovia maeoticaria* (Alpheraky, 1876)** (Geometridae) Synonym(s): *maeoticaria* Alpheraky, 1876; *decoloraria* Alpheraky, 1889 Range (as codes): RO BG GR RU MD UA BY TR 05 14 32 39 42 45 55 60 05A 42B 55F 60H 60Hb
- 1415. *Aspitates (Napuca) ochrearia* (Rossi, 1794)** (Geometridae) Synonym(s): *ochrearia* Rossi, 1794; *sulphuraria* Fabricius, 1794; *trifoliaria* Haworth, 1809; *citraria* Hübner, [1826]; *laetula* Hulst, 1896; *parvularia* Lempke, 1953 Range (as codes): DZ Ges Anna PT ES Mu FR Co Sa Si IT MT GB BE NL RO YU AL BG GR Rd TR CY IQ Dia RU MD UA Cm BY IL Pa Car US 01 05 06 16 17 21 22 33 34 35 39 41 45 46 56 59 64 71 79 80 01G 01J 01H 05A 16A 17H 21L 21La 21Ld 21Lf 21N 21Nc 35T 39G 56F 56Fi 80B 80Bc
- 1416. *Aspitates quadripunctata* (Goeze, 1781)** (Geometridae) Synonym(s): *gilvaria* [Denis & Schiffermüller], 1775; *quadripunctata* Goeze, 1781; *fenica* Fuchs, 1899 Range (as codes): DZ Clo PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Arr FI EE LV LT RU MD UA BY Cc GG Mng Smt CN Ui Au Chk Ts Kno Sz MN KG Ssn 04 06 13 14 17 42 58 76 04C 13A 13Ac 13Ac3 13Ax 17H 42B 42Bb 58G 58Gg 58Gj 76C
- 1417. *Asthena albulata* (Hufnagel, 1767)** (Geometridae) Synonym(s): *albulata* Hufnagel, 1767; *candidata* [Denis & Schiffermüller], 1775; *candidaria* Hübner, [1799]; *candidulata* Haworth, 1809; *albularia* Boisduval, 1840 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Tbl Bjo Lag Sok Len AZ AM 14 22 34 39 61 81 61K 61Ka
- 1418. *Asthena anseraria* (Herrich-Schäffer, 1855)** (Geometridae) Synonym(s): ? *asparagi* Fourcroy, 1785; *anseraria* Herrich-Schäffer, 1855; *soldaria* Turati, 1879 Range (as codes): FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK EE LV LT RU MD UA BY CN JP 52 52G

- 1419. *Bellachima diaphanaria* (Püngeler,1904)** (Geometridae) Synonym(s): *diaphanaria* Püngeler,1904 Range (as codes): TM Kp IR Elb TR AM Cc 04 12 13 30 51 56 65 04D 04Db 12A 12Ac 13F 30D 30Df 51B 51Ba 56F 56Fc 56Fj 65F 65Fe 65Fq 65K 65Z
- 1420. *Biston achyrus* Wehrli,1936** (Geometridae) Synonym(s): *achyra* Wehrli,1936; *engonia* Wehrli,1941 Range (as codes): TR IL Pa JO 21 46 56 21N 21Nh 56F 56Fg
- 1421. *Biston betularius* (Linnaeus,1758)** (Geometridae) Synonym(s): *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941. Range (as codes): DZ Anna PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ Kir GG Lag DK NO SE FI EE LV LT RU MD UA BY KK Ax Ik At Sb Am Prj Us JP NP CN Sz 08 14 18 19 52 53 57 61 75 81 52G 52Gb 52Gd 61K 75F 75Fa
- 1422. *Biston stratiarius* (Hufnagel,1767)** (Geometridae) Synonym(s): *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913 Range (as codes): DZ Bsk PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Mng Smt DK NO SE FI EE LV LT RU MD UA BY 01 05 13 33 34 42 01H 05A 13C 13Cd 13G 13G1 42B
- 1423. *Bupalus piniarius* (Linnaeus,1758)** (Geometridae) Synonym(s): *piniaria* Linnaeus,1758; *tiliaria* Linnaeus,1758; *iberaria* Kolenati,1846 Range (as codes): PT ES Mu FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY
- 1424. *Cabera exanthemata* (Scopoli,1763)** (Geometridae) Synonym(s): *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935. Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY CN Ui Kun Kml JP CA 09 16 22 16A
- 1425. *Cabera pusaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *pusaria* Linnaeus,1758; *strigata* Scopoli,1763; *rotundaria* Haworth,1809; *confinaria* Freyer,1832; *heyeraria* Herrich-Schäffer,1848 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Mng Smt Lag Kir Bku AZ AM DK NO SE FI EE LV LT RU MD UA BY IR CN 14 34 37 39 52 60 61 67 81 39B 52A 52C 52G 52Gb 60H 60Hb 61K 81F
- 1426. *Campaea margaritaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* De Villers,1789; *rubrociliata* Schawerda,1932 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag Bku AZ DK NO SE FI LV LT RU MD UA BY 05 06 08 14 16 34 37 39 52 57 61 65 75 80 81 05G 06R 06Rb 52G 52Gb 61K 65F 65Fr 75F 75Fb 80B 80Bc
- 1427. *Camptogramma bilineatum* (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871 Range (as codes): MA TN DZ Orn Clo PT ES Mu FR Co Si IT MT IE GB Sc Sht BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR AZ IQ IR Ab Oru Msw Ak Jal Fa Sse Mz GlS Kh DK NO SE FI EE LV LT RU Ur At MD UA Cm BY AZ Kir Cc AM GG KG TM Kp IL Pa LB Bsa 01 02 05 06 10 13 14 16 17 18 21 22 23 28 30 33 34 35 36 38 39 42 44 45 46 48 52 56 57 59 60 65 73 80 01B 01D 01K 02F 02Fc 02Fz 05A 06R 06Rb 06Rd 10K 10Ka 13A 13Ab 13Ax 13C 13Cc 13F 13G 13Gd 13Gg 16A 21L 21Lf 28N 30D 30Df 30Dx 31D 33G 33R 36D 36Db 44F 44Fb 44L 44Lc 44O 44Oi 48G 48D 52A 52G 52Gb 56C 56Cc 56F 56Fa 56Fc 56Fi 56Fn 56Fg 57E 60G 65A 65Ai 65Au 65At 65At2 65B 65Bn 65Bn1 65D 65Di 65Dlc 65Do 65Doa 65F 65Fd 65Fi 65Fz 65L 65Le 65N 65Np 65Nm 73A 73Ad 73Ad2 73D 73Df 80B 80Bc
- 1428. *Camptogramma grisescens* (Staudinger,1892)** (Geometridae) Synonym(s): *grisescens* Staudinger,1892 Range (as codes): GR Cr TR 05 38 50 60 71 05A 38H 38Ha 50G 50Gd
- 1429. *Carsia lythoxylata* (Hübner,[1799])** (Geometridae) Synonym(s): *lythoxylata* Hübner,[1799]; *lythoxylaria* Boisduval,1840. Range (as codes): FR IT CH YU AL BG TR Cc GG Mng 05 25 71 76 05A 76C
- 1430. *Casilda antophilaria* (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. Range (as codes): DZ Ges Mri ES FR IT YU AL GR Rd Cr CY TR RU Da Der UA Cm Cc AM GG AZ Len IR IQ CN Ui Ku KG 06 07 16 33 42 48 06Y 16A 42B 48L
- 1431. *Cataclysmes riguata* (Hübner,[1813])** (Geometridae) Synonym(s): *riguata* Hübner,[1813] Range (as codes): PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM LT RU Tv MD UA BY IR Elb Mz Th AF TM Kp TJ KK T-S KG Lps At Ur Am Cm CN Ui Ku Cc GG Kir AZ AM 05 06 13 14 16 24 36 38 42 50 58 65 71 76 05A 13F 13F71 16A 36D 36Db 50G 58N 65A 65Ai 65Am 65Am4 76C
- 1432. *Cataclysmes subtilisparsata* Wehrli,1932** (Geometridae) Synonym(s): *subtilisparsata* Wehrli,1932; *elbursica* Wagner,1937 Range (as codes): IR Mz Elb Th Mz Cc AM AZ TR 02 23 30 44 46 56 65 73 02F 02Fz 30B 30Bg 56F 56Fm 46G 46Gi 65Bx 65G 65Ge 73C 73Cd
- 1433. *Catarhoe basochesiata* (Duponchel,1831)** (Geometridae) Synonym(s): *basochesiata* Duponchel,1831; *indecora* W. Warren,1899; *algoricata* Lucas,1907 Range (as codes): MA TN DZ PT ES FR Co Sa Si IT MT GR? TR?
- 1434. *Catarhoe cuculata* (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933 Range (as codes): DZ TN ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag Hkd AM AZ DK NO SE FI EE LV LT RU Ur Sb Ya Am Sh MD UA BY CN Ui Kun Um KK Ik KG UZ MN 13 17 42 13F 42B

- 1435. *Catarhoe cupreata* (Herrich-Schäffer, 1839)** (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer, 1839 Range (as codes): DZ Sa Si GR Rd Cr TR IL LB CY 17 31 46 31M
- 1436. *Catarhoe hortulanaria* (Staudinger, 1879)** (Geometridae) Synonym(s): *hortulanaria* Staudinger, 1879; *palaestinensis* Staudinger, 1895 Range (as codes): TR IL Pa CY GR Sms Nx Cr LB 01 05 07 09 27 48 05A 27D 27Da
- 1437. *Catarhoe mosulensis* (Schawerda, 1924)** (Geometridae) Synonym(s): *mosulensis* Schawerda, 1924; *cinneretharia* Amsel, 1935 Range (as codes): IQ Mos TR IL Pa Tbg 63 63B 63Ba
- 1438. *Catarhoe permixtaria* (Guenée, [1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer, 1851; *permixtaria* Guenée, [1858] Range (as codes): IT RO YU MK BG GR TR LB AZ Nv Cc Kir Ord Tbl GG AM IR GlS TM Kp IL Pa Car Js JO 05 06 13 14 16 17 30 31 42 46 56 65 71 05A 13F 13G 13Gg 16A 30B 30Bc 30Bt1 30Bz 30Bd 30Be1 30D 30Df 31M 42B 56F 65A 65An 65At 65At5 65Ai 65B 65Bo 65Bx 65D 65Df 65Dg 65Dga 65Dh 65F 65Ff 65Fm 65Fp 65Fz 65G 65Gf 65Gy 65H 65Hg 65K 65Kl 65Z 65Kd 65Kg 65L 65Le 65N 65Np8 65Nm
- 1439. *Catarhoe putridaria* (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer, [1852]; *bulgariata* Millière, 1868 Range (as codes): ES FR Sa Si IT RO YU AL BG GR TR Cc GG Bjo Kir Ord AZ Nv AM IR Kh TM Kp LB Bsa IL Pa 05 06 25 38 42 58 65 76 05A 06R 06Rb 42B 58N 65D 65Df 65F 65Fp 65Fz 65Fr 76C
- 1440. *Catarhoe renodata* (Püngeler, 1909)** (Geometridae) Synonym(s): *renodata* Püngeler, 1909 Range (as codes): TR TM Kp IR GlS 29 42 70 42B 70C 70Cf
- 1441. *Catarhoe rubidata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller], 1775 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Ur IR Fa Shr Sse Elb Th Kdj Cc GG Tbl Bjo Lag Kir Hkd AZ AM RU Ur KK KG UZ TJ TM Kp 01 05 12 13 16 22 34 39 65 01J 05A 13B 13Ba 13G 13Gd 16A 65L 65Lb
- 1442. *Cepphis advenaria* (Hübner, [1799])** (Geometridae) Synonym(s): *advenaria* Hübner, [1799] Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY 34 52 52C
- 1443. *Charissa (Cnestrognophos) adjectaria* (Staudinger, 1898)** (Geometridae) Synonym(s): *adjectaria* Staudinger, 1898 Range (as codes): TM UZ IL Pa TR 72
- 1444. *Charissa (Cnestrognophos) ali* (Brandt, 1938)** (Geometridae) Synonym(s): *ali* Brandt, 1938 Range (as codes): TR IR Fa Kz Com 46 46H
- 1445. *Charissa (Cnestrognophos) anthina* (Wehrli, 1953)** (Geometridae) Synonym(s): *anthina* Wehrli, 1953 Range (as codes): TR Cc AZ Nv Ord 14 25 25F
- 1446. *Charissa (Cnestrognophos) libanotica* (Wehrli, 1931)** (Geometridae) Synonym(s): *libanotica* Wehrli, 1931 Range (as codes): LB Bsa TR Cc AM 07 56 07D 07Db 56F 56Fs
- 1447. *Charissa (Cnestrognophos) luticiliata* (Christoph, 1887)** (Geometridae) Synonym(s): *luticiliatus* Christoph, 1887 Range (as codes): IL Pa JO TR IR Mz OM TM Kp EG 65 65A 65Am 65Am2 65Am4
- 1448. *Charissa (Cnestrognophos) mutilata* (Staudinger, 1879)** (Geometridae) Synonym(s): *mutilata* Staudinger, 1879 Range (as codes): TR Cc AM 05 06 13 14 23 25 42 44 46 47 51 58 61 65 05A 13A 13Ac 13Ac1 13Ax 14E 25A 42B 44E 44Ei 44L 44Lc 46G 46Gi 51B 51Bc 58N 65D 65Df 65L 65Le
- 1449. *Charissa (Cnestrognophos) rjabovi* (Wehrli, 1929)** (Geometridae) Synonym(s): *rjabovi* Wehrli, 1929 Range (as codes): TR IR Ha Avd Cc AZ Nv Ord AM 25 65 65A 65Abc 65Am 65Am1 65Am2 65Am4 65D 65Df 65N 65Np2 65Nm
- 1450. *Charissa (Cnestrognophos) annubilata* (Christoph, 1885)** (Geometridae) Synonym(s): *annubilata* Christoph, 1885 Range (as codes): TR Cc AZ Nv Ord Lag GG IR Th Elb Mz Fa Shr Com Kz 53 56 65 73 53N 56F 56Fb 56Fj 56Fv 65F 65Fp 65Fz 65K 65Kl 65Kl3 65Z 73A 73Ac
- 1451. *Charissa (Euchrognophos) darashama* (Wehrli, 1953)** (Geometridae) Synonym(s): *Gnophos annubilata* var. *darashama* Wehrli, 1953, [in] Seitz, A., Gorss-Schmett. Erde 4 (Suppl.): 606, fig. 50e. Syntypes 5* 1+: [Armenien]: Darasham, Schachtachty, Negram am Flusse Arax... leg. Rjabov (ZIN, St Petersburg). _Cc AM Eri TR 25 25F
- 1452. *Charissa (Euchrognophos) dubitaria* (Staudinger, 1892)** (Geometridae) Synonym(s): *dubitaria* Staudinger, 1892 Range (as codes): TR LB Bsa Cc AM IR Fa Sse Com Kz 30 33 38 47 56 65 30D 30Df 33A 33Ac 56F 56Fa 65A 65Am 65Am3 65Am4 65D 65Df 65K 65Kl 65Z 65N 65Np6 65Nm
- 1453. *Charissa (Euchrognophos) effendii* (Viidalepp & Piriev, 1993)** (Geometridae) Synonym(s): *effendii* Viidalepp & Piriev, 1993 Range (as codes): TR Cc AZ 25 25F
- 1454. *Charissa (Euchrognophos) mucidaria* (Hübner, [1799])** (Geometridae) Synonym(s): *mucidaria* Hübner, [1799]; *herrichi* Oberthür, 1913; *nubilarius* Reisser, 1936 Range (as codes): MR DZ Orn PT ES Mu FR Co Sa Si IT MT CH BG GR Cr Cc AM GG TR 48 58 48L 58N
- 1455. *Charissa (Euchrognophos) nannodes* (Wehrli, 1936)** (Geometridae) Synonym(s): *nannodes* Wehrli, 1936 Range (as codes): TR 65 65A 65Am 65Am4 65K
- 1456. *Charissa (Euchrognophos) staudingeri* (Wnukowsky, 1929)** (Geometridae) Synonym(s): *graecaria* Staudinger, 1892 nec Stgr., 1871; *staudingeri* Wnukowsky, 1929 Range (as codes): TR GR PI Cr Sms

- 1457. Charissa (Euchrognophos) subtaurica (Wehrli,1934)** (Geometridae) **Synonym(s):** *#subtaurica* Wehrli,1932; *subtaurica* Wehrli,1934 Range (as codes): GR Sms TR LB Bei Bsa IL Pa Js CY JO 01 05? 07 16? 21 31 33 42 46 48 56? 65? 01B 01D 01G 01K 07B 21L 21Lc 31K 31Ka 31M 33A 33Ac 33Aj 33G 46G 48B 56F? 65K?
- 1458. Charissa (Euchrognophos) symmicta (Wehrli,1953)** (Geometridae) **Synonym(s):** *symmicta* Wehrli,1953 Range (as codes): RU Kb Cc TR 08 14 08H
- 1459. Charissa (Kemtrognohphos) ambiguata (Duponchel,1830)** (Geometridae) **Synonym(s):** *ambiguata* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU BG GR TR GG Cc AZ AM EE LV LT RU MD UA BY Sb CN MN 05 17 39 05A 17H 39B
- 1460. Charissa (Kemtrognohphos) ciscaucasica (Rjabov,1964)** (Geometridae) **Synonym(s):** *ciscaucasica* Rjabov,1964 Range (as codes): RU Da Cc AM TR IR TM 07 08 25 36 53 75 07A 07Af 08H 08Hb 25F 25K 36F 53N 75D 75F 75Fb
- 1461. Charissa (Kemtrognohphos) mardinaria (Staudinger,1901)** (Geometridae) **Synonym(s):** *mardinaria* Staudinger,1901 Range (as codes): TR IQ Dk IR Kd Snj 38 44 47 51 56 65 44L 44Lc 51B 51Bc 56F 56Fa 56Fb 56Fh 56Fö 56Fx 56Fw 56F6 65A 65Am 65Am4 65D 65Df 65Fp 65Fz 65G 65Ge 65Bx
- 1462. Charissa (Kemtrognohphos) onustaria (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *onustaria* Herrich-Schäffer,[1852]; *oneraria* Guenée,[1858] Range (as codes): ES FR Co Sa Si IT RO YU AL BG GR TR GG Cc AZ AM IQ IL Pa JO IR GlS Kh 05 07 14 16 23 31 33 44 46 52 56 61 65 67 05A 16A 23M 23Ma 31M 44L 44Lc 52G 52Gb 56D 56Dd 56F 56Fb 56F1 56Fv 56F3 65A 65Ai 65An 65F 65Fb
- 1463. Charissa (Kemtrognohphos) zeitunaria (Staudinger,1901)** (Geometridae) **Synonym(s):** *zeitunaria* Staudinger,1901 Range (as codes): TR Cr Cc AM Eri 06 13 18 25 33 42 46 51 56 65 71 06K 06Kc 13A 13Ac 13Ac2 13Ax 18F 25F 33A 33Ac 42B 46L 51B 51Bc 56F 56Fs 65B 65Bk 65D 65Df 65G 65K
- 1464. Charissa (Neognophina) pfeifferi (Wehrli,1926)** (Geometridae) **Synonym(s):** *pfeifferi* Wehrli,1926 Range (as codes): GR Sms TR LB Bsa 01 32 33 42 44 46 51 70 32C 33A 33Ac 42B 44L 44Lc 51B 51Bc
- 1465. Charissa (Organognophos) asymmetra (Wehrli,1936)** (Geometridae) **Synonym(s):** *asymmetrus* Wehrli,1936 Range (as codes): TR AM AZ GG Cc IR Elb Dam 51 51B 51Bc
- 1466. Charissa (Organognophos) wanensis (Wehrli,1936)** (Geometridae) **Synonym(s):** *wanensis* Wehrli,1936 Range (as codes): IQ TR 04 13 65 04D 13A 13Ac 13Ac1 13Ax 65A 65Am 65Am4 65Bx 65D 65Df 65G 65Ge
- 1467. Charissa (Rhopalognohphos) glaucinaria (Hübner,[1799])** (Geometridae) **Synonym(s):** *glaucinaria* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924 Range (as codes): PT ES FR Si IT DE CH AT PL CZ SK RO YU AL BG GR TR Cc GG UA 05 33 05A
- 1468. Charissa (s.str.) certhiata (Rebel & Zerny,1931)** (Geometridae) **Synonym(s):** *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953. Range (as codes): B-H YU AL BG GR TR Cc AM GG 42 51 65 42B 51B 51Bc 65A 65Ab 65Aba
- 1469. Charissa (s.str.) obscurata ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 *nec* Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808 Range (as codes): DZ Mage PT ES Mu FR Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc GG AM MD UA BY 05 14 16 17 22 33 34 42 81 05A 17H 34A 42B
- 1470. Charissa (s.str.) zezae (Wehrli,1953)** (Geometridae) **Synonym(s):** *zezae* Wehrli,1953 Range (as codes): TR Cc AM GG RU Da 25 25N 25Na
- 1471. Chemerina caliginearia (Rambur,1833)** (Geometridae) **Synonym(s):** *caliginearia* Rambur,1833; *caliginata* Boisduval,1840; *ramburaria* Boisduval,1840; *andalusica* Ribbe,1912; *punctinervis* Rothschild,1914; *adriatica* Schwingenschuss & F.Wagner,1927 Range (as codes): DZ Ges PT ES An Mu FR Co Sa Si IT YU GR TR 01 17 01J 17H
- 1472. Chesias leuconeura L.B.Prout,1931** (Geometridae) **Synonym(s):** *leuconeura* L.B.Prout,1931; *sureyata* Rebel,1933. Range (as codes): TR 06 25 71
- 1473. Chesias rufata (Fabricius,1775)** (Geometridae) **Synonym(s):** *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinereata* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952 Range (as codes): MA DZ PT ES FR Co Sa IT GB Sc BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GR DK SE LT RU MD UA BY 16 16A
- 1474. Chesistege korbi (Bohatsch,1910)** (Geometridae) **Synonym(s):** *korbi* Bohatsch,1910 Range (as codes): TR JO IQ TM Kp Cc AM 06 13 24 30 31 46 56 58 65 71 76 13G 13Gö 13Gğ 30D 30Df 56F 56Fa 56Fb 56Fc 56Fç 56Fj 56Fw 58N 65A 65Am 65Am4 65D 65Df 65F 65Fp 65Fz 65N 65Nb 76C 76D 76Dj
- 1475. Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) **Synonym(s):** *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. Range (as codes): DZ Clo TN PT ES Mu FR Sa Si IT MT RO YU AL BG GR TR Cc AZ AM GG Ord Der Da Nv CY IQ Agh IR Mz GlS Fa Sse RU MD UA BY CN Ui Ku KK Ik IL Pa Jf Hf PK Nwf YE Hd YE68 08 16 30 42 46 48 56 65 08H 08Ha 16A 30B 30Bt1 30Bz 42B 48L 56A 56Ac 56F 56Fi
- 1476. Chiasmia (Godonela) sp.** (Geometridae) **Synonym(s):** Range (as codes): TR 65 65D 65Dy

- 1477. Chiasmia (Godonela) syriacaria (Staudinger, 1871)** (Geometridae) Synonym(s): *syriacaria* Staudinger, 1871; *venerata* Christoph, 1887; *#syriacata* Wehrli, 1934. Range (as codes): Cr TR Cc CY TM Kp IR Ahz Srd IQ Bgd Agh Mq Sbn Dk Amr IL Pa Hf Jf LB Bei BH o6 31 46 76 31M 76C
- 1478. Chiasmia clathrata (Linnaeus, 1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus, 1758; *almacola* Wehrli, 1934. Range (as codes): MA DZ PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY CN Ui Ju Kun Ii KG Ssn Lps o2 o5 o6 10 13 14 16 18 21 22 30 31 33 34 36 42 46 49 50 56 65 71 75 80 81 o2F o2Fd o2Fz o5A o6R o6Rb 10K 10Ka 13Gö 13Gg 16A 18F 21N 21Nb 21Nc 21Nh 30B 30Bb 30Bk 30D 30Df 31D 36D 36Db 49E 49Ea 49F 49Fb 56F 56Fg 65A 65Ai 65D 65Ds 65Dt 65F 65Fb 75F 75Fb 80B 80Bc
- 1479. Chlorissa asphaleia Wiltshire, 1966** (Geometridae) Synonym(s): *asphaleia* Wiltshire, 1966; *#esphaleia* Scoble, 1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world]. Range (as codes): TR Cc IR Elb Th 36 65 36F 65D
- 1480. Chlorissa cloraria (Hübner, [1813])** (Geometridae) Synonym(s): *cloraria* Hübner, [1813]; *porrinata* Zeller, 1848; *porrinaria* Heydenreich, 1851. Range (as codes): PT ES FR Co IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Smt LT RU MD UA BY CN Ui Kun 10 14 81 10K 10Ka
- 1481. Chlorissa pretiosaria Staudinger, 1877** (Geometridae) Synonym(s): *pretiosaria* Staudinger, 1877 Range (as codes): RU Ao Cc GG Akh TR IR KK o8 o8H o8Hb
- 1482. Chlorissa viridata (Linnaeus, 1758)** (Geometridae) Synonym(s): *viridata* Linnaeus, 1758; *volutata* Fabricius, 1775; *sirene* De Villers, 1789 Range (as codes): DZ Ges PT ES FR Co Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Sok Kir Cc DK NO SE FI EE LV LT RU Ur MD UA BY CN Ui Tlk Kun UZ Fe KK Ik IR Ab Jal o6 14 16 17 18 37 57 16A 18F
- 1483. Chloroclysta citrata (Linnaeus, 1761)** (Geometridae) Synonym(s): *citrata* Linnaeus, 1761; *variata* Thunberg, 1784 *nec* [Denis & Schiff., 1775; *marmorata* Fabricius, 1794; *strigulata* Fabricius, 1794; *immanata* Haworth, 1809; *amoenata* Stephens, 1831; *immanaria* Doubleday, 1849; *acutata* Guenée, 1858; *pythonissata* Millière, 1872 Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 52 53 52J 52Ja
- 1484. Chloroclysta guriata (Emich, 1873)** (Geometridae) Synonym(s): *guriata* Emich, 1873 Range (as codes): Cc GG TR
- 1485. Chloroclysta miata (Linnaeus, 1758)** (Geometridae) Synonym(s): *miata* Linnaeus, 1758; *miaria* [Denis & Schiffermüller], 1775; *viridifasciaria* Goeze, 1781; *virgata* Fourcroy, 1785 *nec* Hufn., 1767; *coraciata* Hübner, [1799]; *viridulata* Zetterstedt, 1839; *coraciaria* La Harpe, 1853 Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Arr Cc GG DK NO SE FI EE LV LT RU MD UA BY IR Fa Sse Elb Th AF TJ Pm o6 14 30 65 76 o6H o6R 14E 30D 30Df 65A 65Ai 65F 65Fp 65Fz
- 1486. Chloroclysta siterata (Hufnagel, 1767)** (Geometridae) Synonym(s): *siterata* Hufnagel, 1767; *psittacata* [Denis & Schiffermüller], 1775; *rubroviridata* Donovan, 1810; *psittacaria* Boisduval, 1840 Range (as codes): MA PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE FI EE LV LT RU Ur MD UA Cm BY 14 33 46 56 65 75 56F 56Fq 65D 75F 75Fb
- 1487. Chloroclysta truncata (Hufnagel, 1767)** (Geometridae) Synonym(s): *truncata* Hufnagel, 1767; *centumnotata* Schulze, 1775; *russata* [Denis & Schiffermüller], 1775; *perfuscata* Haworth, 1809; *commantotata* Haworth, 1809; *saturata* Stephens, 1831; *russaria* Boisduval, 1840; *perfuscaria* La Harpe, 1853 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG GR TR Cc GG Tbl Bjo Bku Kir AM AZ Da DK NO SE FI EE LV LT RU MD UA BY 36 53 61 36F
- 1488. Chloroclystis v-ata (Haworth, 1809)** (Geometridae) Synonym(s): *v-ata* Haworth, 1809; *coronata* Hübner, [1813]; *coronaria* Doubleday, 1849 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Tbl Lag Sok 52 53 52G 52Gb
- 1489. Chrysocraspeda charites (Oberthür, 1916)** (Geometridae) Synonym(s): *charites* Oberthür, 1916 Range (as codes): TR 31 31M
- 1490. Cidaria fulvata (Forster, 1771)** (Geometridae) Synonym(s): *fulvata* Forster, 1771; *cuspidata* Thunberg, 1784 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Mng DK NO SE FI EE LV RU MD UA BY o6 13 14 24 29 42 58 61 65 69 75 76 13G 13Gü 13Gw 42B 58N 61K 65B 65Bo 65Bx 65F 65Fp 65Fz 75F 75Fb 76C
- 1491. Cinglis humifusaria (Eversmann, 1837)** (Geometridae) Synonym(s): *humifusaria* Eversmann, 1837 Range (as codes): DZ Ges Bsk ES TR RU Cc AM GG AZ TM CN Ui Ku o8 24 36 42 76 o8H o8Ha 36D 36Db 76D
- 1492. Cleora cinctaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *cinctaria* [Denis & Schiffermüller], 1775; *pascuaria* Brahm, 1791; *consimilaria* Duponchel, 1829. Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI LV LT RU Sb MD UA BY CN Ui Tlk JP o6 16 16A
- 1493. Cleorodes lichenarius (Hufnagel, 1767)** (Geometridae) Synonym(s): *lichenaria* Hufnagel, 1767 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY 14 34 61 34A
- 1494. Cleta filacearia (Herrich-Schäffer, [1847])** (Geometridae) Synonym(s): *filacearia* Herrich-Schäffer, [1847] Range (as codes): ES FR IT CH? YU AL BG GR TR Cc GG Tbl Bjo Smt Kir AZ Nv AM RU Da UA Cm Ur o1 o5 o6 31 36 46 49 o1L o5A 31F 31Fb 46F 49F 49Fb

- 1495. *Cleta perpusillaria* (Eversmann, 1847)** (Geometridae) Synonym(s): *perpusillaria* Eversmann, 1847
Range (as codes): PT ES RU UA Cm TR Cc AM TM 05 39 42 65 65L 65Le 65N 65N§ 65Nm
- 1496. *Coenocalpe millierata* (Staudinger, 1901)** (Geometridae) Synonym(s): *millierata* Staudinger, 1901; *zerhounaria* Oberthür, 1921 Range (as codes): MA ES FR GR MT BG TR 01 07 01J
- 1497. *Coenotephria florianii* Hausmann, 2011** (Geometridae) Synonym(s): *florianii* Hausmann, 2011
Range (as codes): LB Lkl TR 58 58G
- 1498. *Coenotephria schneideraria* (Lederer, 1855)** (Geometridae) Synonym(s): *schneideraria* Lederer, 1855; *taurica* Staudinger, 1901; *eteocretica* Rebel, 1906 Range (as codes): Cr Rd CY LB Bei Bsa TR 07 33 39 56 59 33G 56D 56F
- 1499. *Coenotephria tophaceata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *tophaceata* [Denis & Schiffermüller], 1775 Range (as codes): ES FR IT DE CH AT CZ SK RO YU BG TR GR 17
- 1500. *Colostygia fezae* Hausmann, 2011** (Geometridae) Synonym(s): *fezae* Hausmann, 2011 Range (as codes): GG Teb Kc Cc TR 25 29 53 75 25F 25N 25Na 53M 75F 75Ff
- 1501. *Colostygia olivata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *olivata* [Denis & Schiffermüller], 1775 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG AM AZ DK NO SE FI EE LV RU Ur At MD UA BY 14 56 56F
- 1502. *Colostygia pectinataria* (Knoch, 1781)** (Geometridae) Synonym(s): *viridaria* Fabricius, 1775 *nec* Cl., 1759; *pectinataria* Knoch, 1781 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU Ur At Sj K-R MD UA Cm BY Cc GG lag Bjo Bku 14 22 34 39 61 61K
- 1503. *Colotois pennaria* (Linnaeus, 1761)** (Geometridae) Synonym(s): *pennaria* Linnaeus, 1761; *cerasi* Fabricius, 1775; *bifidaria* Haworth, 1809 Range (as codes): DZ Ges MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Bjo DK NO SE FI EE LV LT RU Us MD UA BY CY 01 05 06 12 13 22 33 34 39 52 56 65 75 01G 01H 05A 06R 06Rb 12A 12Ab 13C 13Cd 13Ce 52G 52Gb 56F 56Fb 56Fo 65A 65An 65Am 65Am4 65L 65Le 75F 75Fb
- 1504. *Comibaena bajularia* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *pustulata* Hufnagel, 1767 *nec* Müller, 1764; *bajularia* [Denis & Schiffermüller], 1775 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Cc GG Mng MD UA BY 07 13 14 31 32 37 39 42 52 57 60 61 13G 13Gg 31F 31K 31Ka 52G 52Gb 60H 60Hb 61K 61Ka
- 1505. *Cosmorhoe ocellata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *ocellata* Linnaeus, 1758; *lynca* Fabricius, 1775; *lynceata* Fabricius, 1781; *ocellaria* Boisduval, 1840 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ IR GlS DK NO SE FI EE LV LT RU MD UA BY CN Ui Ku 01 05 06 14 16 22 33 34 35 59 61 80 81 01D 01M 05A 05G 06R 06Rb 16A 31D 61K 61Ka
- 1506. *Costaconvexa polygrammata* (Borkhausen, 1794)** (Geometridae) Synonym(s): *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG Tbl Lag Kir Len AM LB IL Pa IQ IR Fa Shr Mz Kh AF DK SE FI LV LT RU Ur KK KG TJ UZ TM MD UA Cm BY CN Ui Ku 01 05 18 33 42 65 01B 01D 01G 01H 01J 05A 33R 42B 65A 65Ai
- 1507. *Crocallis* (s.str.) *elingomorpha* Stadie & Fiebig, 2014** (Geometridae) Synonym(s): *elingomorpha* Stadie & Fiebig, 2014 Range (as codes): TR Cc GG RU 08 53
- 1508. *Crocallis* (s.str.) *elinguaria* (Linnaeus, 1758)** (Geometridae) Synonym(s): *elinguaria* Linnaeus, 1758; *trapezaria* Boisduval, 1840 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG Bjo Mng Smt DK NO SE FI EE LV LT RU MD UA BY 05 14 42 46 05A 42B 46G 46Gf
- 1509. *Crocallis* (s.str.) *inexpectata* Warnecke, 1940** (Geometridae) Synonym(s): *inexpectata* Warnecke, 1940 Range (as codes): GR Sms Cc TR RU Da 05 08 18 25 33 42 50 51 52 56 58 62 65 66 05A 25F 33E 42B 50G 50Gd 51B 52C 56F 58G 58Gd 58R 62E 65Bx 65G 65Ge 65N 65Np 65Nm 66P
- 1510. *Crocallis* (s.str.) *loebeli* Stadie & Fiebig, 2014** (Geometridae) Synonym(s): *loebeli* Stadie & Fiebig, 2014 Range (as codes): TR 02 07 30 38 44 50 58 62 65 70 02F 02Fz 07A 30B 30Bc 30D 30Df 38E 44E 44F 44Fb 50G 50Gd 58G 58Gh 58Gi 62G 65A 65Ai
- 1511. *Crocallis* (s.str.) *rothei* Stadie & Fiebig, 2014** (Geometridae) Synonym(s): *rothei* Stadie & Fiebig, 2014 Range (as codes): TR 04 30 65 04D 04Da 30B 30Ba 30Bc 65F 65Fe
- 1512. *Crocallis* (s.str.) *sylvana* Fiebig, 2014** (Geometridae) Synonym(s): *sylvana* Fiebig, 2014 Range (as codes): TR 62 62E
- 1513. *Crocallis* (s.str.) *transcaucasica* Wehrli, 1940** (Geometridae) Synonym(s): *transcaucasica* Wehrli, 1940 Range (as codes): TR Cc GG AZ AM 25 75 25F 75F 75Fb
- 1514. *Crocallis* (s.str.) *tusciaria* (Borkhausen, 1793)** (Geometridae) Synonym(s): *tusciaria* Borkhausen, 1793; *extimaria* Hübner, [1799] Range (as codes): PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Kir AZ AM RU MD UA BY 01 05 17 31 34 42 46 56 58 01H 01J 05A 17H 31K 31Ka 31Ka3 31M 42B 56F 58N
- 1515. *Culpinia prouti* (Thierry-Mieg, 1913)** (Geometridae) Synonym(s): *prouti* Thierry-Mieg, 1913; *feroniaria* Oberthür, 1916. Range (as codes): TR CY IL Pa Hf Car LB Bsa 01 31 01D 31C 31K 31M

- 1516. *Cyclophora albiocellaria* (Hübner, 1789)** (Geometridae) **Synonym(s):** *albiocellaria* Hübner, 1789; *ocellaria* Hübner, 1799; *argusaria* Boisduval, 1840 **Range (as codes):** PT ES FR Co Si IT DE CH AT CZ SK HU RO YU AL BG GR TR RU UA IR TM 05 16 05A 16A
- 1517. *Cyclophora albipunctata* (Hufnagel, 1767)** (Geometridae) **Synonym(s):** *albipunctata* Hufnagel, 1767; *suspensa* Retzius, 1783; *pupillaria* Brahm, 1791; *circularia* Fabricius, 1798; *vusarmana* Walker, 1861; *ianthinarium* Stichel, 1901; *subroseata* Woodforde, 1902 **Range (as codes):** DZ Clo PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR Cc GG DK NO SE FI EE LV LT RU MD UA BY Ur Sb Am JP
- 1518. *Cyclophora annularia* (Fabricius, 1775)** (Geometridae) **Synonym(s):** *annularia* Fabricius, 1775; *annulata* Schulze, 1775 **Range (as codes):** ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag Kir AZ DK SE FI EE LV LT RU MD UA BY 14 16 34 53 46 61 81 16A 53C 61K
- 1519. *Cyclophora linearia* (Hübner, [1799])** (Geometridae) **Synonym(s):** *zonata* Fourcroy, 1785; *De luteolaria* Villers, 1789; *linearia* Hübner, [1799]; *strabonaria* Zeller, 1851 **Range (as codes):** PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR AZ GG DK NO SE LV LT RU MD UA Cm Cc GG Lag AZ AM IR Elb 01 14 22 31 34 37 39 52 61 65 81 31D 52A 52C 52G 52Gb 61K 61Ka 65A 65Ai
- 1520. *Cyclophora pendularia* (Clerck, 1759)** (Geometridae) **Synonym(s):** *pendularia* Clerck, 1759; *orbicularia* Hübner, 1799 **Range (as codes):** PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV RU MD UA BY CN Ui Kun 17 22 39 59
- 1521. *Cyclophora porata* (Linnaeus, 1767)** (Geometridae) **Synonym(s):** *porata* Linnaeus, 1767; *huebneraria* Haworth, 1809; *poraria* Latreille, 1825 **Range (as codes):** PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag Len AZ DK SE LT RU MD UA Cm BY IL Pa Hf Car IR Elb Mz 05 13 14 16 22 39 46 59 75 05A 13G 13Gg 16A 75F 75Fd
- 1522. *Cyclophora punctaria* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *punctaria* Linnaeus, 1758; *amata* Linnaeus, 1758; *teutonaria* Linnaeus, 1758; *amataria* Linnaeus, 1761; *fultaria* De Villers, 1789; *communifasciata* Donovan, 1808; *unifasciata* Donovan, 1808; *subangularia* Haworth, 1809; *acutaria* Roquette, 1857; *naevata* Bastelberger, 1900 **Range (as codes):** PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag Kir Mng Smt Len AZ AM DK NO SE FI EE LV LT RU Pja MD UA Cm BY IR Elb 01 05 08 13 16 17 34 42 46 52 55 56 60 81 01G 05A 13F 13F38 13F71 16A 46G 46Gf 52G 52Gb 56F 60H 60Hb
- 1523. *Cyclophora pupillaria* (Hübner, [1799])** (Geometridae) **Synonym(s):** *pupillaria* Hübner, [1799]; *nolaria* Hübner, 1809; *gyrata* Hübner, [1813]; *gyraria* Treitschke, 1827; *mirtalis* Costa, 1834; *calaritana* Turati, 1911; *asiaeminoris* Amsel, 1935; *granti* L.B. Prout, 1935 **Range (as codes):** MA DZ Ges TN Az PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT SK HU RO YU AL BG GR Cr Rd TR Cc GG Aj Akh DK SE RU MD UA BY IR Fa IL Pa Hf Car LB Bsa 01 06 07 14 16 17 31 33 34 42 45 46 48 52 58 65 80 81 01B 01D 01G 01H 16A 31A 31D 31F 31K 31Ka 31Ka5 33A 33Ac 33Ad 33Aj 42B 46B 46F 46L 48D 52G 52Gb 58N 65A 65Ai 80B 80Bc
- 1524. *Cyclophora quercimontaria* (Bastelberger, 1897)** (Geometridae) **Synonym(s):** *quercimontaria* Bastelberger, 1897; *nigrosarsaria* Scoble, 1999; *privataria* Scoble, 1999 **Range (as codes):** PT ES FR IT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY Cc GG AM AZ IR Elb Mz 08 14 52 65 81 52G 52Gb 65F 65Fp
- 1525. *Cyclophora ruficiliaria* (Herrich-Schäffer, [1855])** (Geometridae) **Synonym(s):** *ruficiliaria* Herrich-Schäffer, [1855]; *schaefferaria* La Harpe, 1855; *circumdataria* Bastelberger, 1898; *mattiacata* Bastelberger, 1898; *privataria* Bastelberger, 1898; *ruberrima* Bastelberger, 1898 **Range (as codes):** PT ES FR Sa IT BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR IQ IR GlS RU MD UA BY 01 14 16 22 34 39 59 01M
- 1526. *Cyclophora suppunctaria* (Zeller, 1847)** (Geometridae) **Synonym(s):** *suppunctaria* Zeller, 1847; *amabilis* Schawerda, 1922; *grisea* Schawerda, 1938 **Range (as codes):** TN ES FR Co Sa Si IT CH AT PL SK HU RO YU AL BG GR Cr TR UA Cm IR Fa Lo SA SA63 14 30 33 42 56 71 33A 33Ak 56F
- 1527. *Dasycorsa modesta* (Staudinger, 1879)** (Geometridae) **Synonym(s):** *modesta* Staudinger, 1879 **Range (as codes):** RO YU BG GR CY TR LB Bsa IL Pa Tbs IQ IR 01 05 14 17 21 22 30 31 33 34 39 42 44 46 48 49 56 59 65 71 73 01H 01J 17H 21N 21Nh 30D 30Df 31K 31Ka 31M 33A 33Ak 39G 42B 44L 44Lc 48L 49F 49Fb 56A 65Ac 56F 65A 65An 65Am 65Am2 65D 65Df 65E 65F 65Fp 65Fd 65F1 65Fz 65K 65Kl 65Kl3 65Z 65Ky 65Ky1 65N 65Nm 65Np 73A 73Aç
- 1528. *Digrammia rippertaria* (Duponchel, 1830)** (Geometridae) **Synonym(s):** *rippertaria* Duponchel, 1830; *hebetata* Hulst, 1881; *ponderosa* Barnes & McDunnough, 1917; *demaculata* Barnes & McDunnough, 1917; *tulareata* Cassino & Swett, 1923. **Range (as codes):** US CA ES FR Si? IT RO RU MD UA BY TR Cc CN Ui Au Khr Tlk Ku Kön 36 36F
- 1529. *Docirava dervenaria* (Mentzer, 1981)** (Geometridae) **Synonym(s):** *dervenaria* Mentzer, 1981 **Range (as codes):** MK BG GR Cr TR 81
- 1530. *Docirava erubescens* (Staudinger, 1892)** (Geometridae) **Synonym(s):** *erubescens* Staudinger, 1892; *palumbata* Metzner, 1981 **Range (as codes):** TR IR Elb Th Nss 05
- 1531. *Docirava mundata* (Staudinger, 1892)** (Geometridae) **Synonym(s):** *mundata* Staudinger, 1892 **Range (as codes):** TR LB Bei 01 05 13 38 42 44 46 56 58 65 66 01H 05A 13A 13Ab 13Ax 38H 38Hc 42B 44E 44Eh 44O 44Ob 46G 46Gf 56F 56Fc 56Fq 56Fs 65D 65Df 65F 65Fp 65Fq 65Fz 65N 65Np1 65Nm
- 1532. *Docirava mundulata* (Guenée, [1858])** (Geometridae) **Synonym(s):** *mundulata* Guenée, [1858]; *submundulata* Staudinger, 1892 **Range (as codes):** LB Bei TR JO IL Pa Car Hf Js 13 21 23 30 31 46 47 63 65 73 05A 13F 31K 31Ka 31Ka3 47D 63E 65A 65Am 65Am4 65K 65Ku 65Z 73Aç 73Aç2

- 1533. *Docirava musculata* (Staudinger,1892)** (Geometridae) Synonym(s): *musculata* Staudinger,1892
Range (as codes): GR Ae Sms TR IQ IR TM 05 23 25 28 30 33 38 44 46 51 62 65 71 05A 23D 23Dc 28N 30D 30Df 44E 44Ei 44L 44Lc 62H 65A 65Am 65Am4 71B 71Ba
- 1534. *Drepanopterula limaria* (Christoph,1885)** (Geometridae) Synonym(s): *limaria* Christoph,1885
Range (as codes): TR Cc AZ Nv Ord 56 65 56F 65A 65Am 65Am4
- 1535. *Dyscia* (Calodyscia) *innocentaria* (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; #*innocentana* Pugaev & Zolotuhin,2006 Range (as codes): Co Sa Si IT YU HV AL MK BG RO Do GR RU Ao MD UA Cm TR IQ Er Ama Shq IR Gor Gls Kh TM Kp Noc JO Amm IL Pa Hf Js SY Dms CY Cc Da GG Bjo Lag AZ Kir AM Eri AF KG UZ Smk CN Ui Au 01 05 06 07 13 14 16 17 18 20 21 25 27 30 34 35 36 38 42 44 45 46 47 50 56 65 71 13A 13Ab 13Ax 21L 21Le 27D 27Db 30D 30Df 42B 47D 47Da 56F 65A 65Ai 65Am 65Am1 65Am3 65Am4 65D 65Df 65F 65Fp 65Fz 65L 65Le 65N 65Np 65Np7 65Nm
- 1536. *Dyscia* (Rjabovana) *negrama* Wehrli,1950** (Geometridae) Synonym(s): *negrama* Wehrli,1950; *rjabovi* Vardikjan,1957 Range (as codes): Cc AM AZ Nv IR Ak Tbz TR 58 58G
- 1537. *Dyscia* (Warneckeella) *malatyana* (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Wehrli,1934 Range (as codes): TN LY TR Cc AZ AM Eri GG RU Ao Da IR Es Ss Elb Th Ke Se Kh IQ Rba TM Kp KG Kmk Tk Dj UZ Smk KK AF Kab PK Bl Qu CN T-S Kno 44 70 76 44L 44Lb 76C
- 1538. *Dyscia* (s.str.) *conspersaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840; #*conspersana* Pugaev & Zolotuhin,2006 Range (as codes): ES FR IT AT CZ SK HU RO GR Rd TR Cc GG AM Eri AZ RU MD UA BY 01 05 06 14 16 17 18 22 25 31 34 35 36 39 42 46 50 51 58 60 65 70 75 05A 06R 06Rd 16A 17H 31O 42B 65D 65Dh
- 1539. *Dyscia* (s.str.) *lentiscaria* (Donzel,1837)** (Geometridae) Synonym(s): *lentiscaria* Donzel,1837; *agacles* Oberthür,1923 Range (as codes): DZ Ges PT ES Mu FR IT TR Cc AM 58 65 58N 65D 65Du
- 1540. *Ecliptopera silaceata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *silaceata* [Denis & Schiffermüller],1775; *insulata* Haworth,1809; *cuneata* Donovan,1810; *silacearia* Boisduval,1840 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR Cc GG Bjo Bku Lag Kir AZ BG DK NO SE FI EE LV LT RU Kmt Sb MD UA BY US 14 52 53 61 52G 52Gb 61K
- 1541. *Ectropis bistortata* (Goeze,1781)** (Geometridae) Synonym(s): #*crepuscularia* [Denis & Schiffermüller],1775; *virginaria* Cramer,[1780]; *bistortata* Goeze,1781; *biundulata* Villers,1789; *biundularia* Borkhausen,1794; *baeticaria* Scharfenberg,1805; *strigularia* Stephens,1831; *defessaria* Freyer,1847; *occiduaria* Guenée,[1858]; *divisaria* Walker,1860 nec Wlk.,1860; *intrataria* Walker,1860; *signaria* Walker,1860; *spatiosaria* Walker,1860; *abraxaria* Walker,1860; *cineraria* Walker,1860; *crepusculata* Herrich-Schäffer,1863; *fumataria* Minot,1869; *tristis* Riesen,1897 Range (as codes): DZ Clo ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY 16 52 81 16A 52G 52Gb 52Gd
- 1542. *Ellicrinia cordiaria* (Hübner,1790)** (Geometridae) Synonym(s): *cordiaria* Hübner,1790 Range (as codes): AT SK HU RO YU BG GR RU MD UA BY TR Cc AZ Nv AM GG Lag Kir Ord Der Da IQ Dk IR FA Sse IN Kul Hp 01 02 05 06 09 13 14 16 18 22 24 30 36 38 42 44 45 46 51 56 58 59 61 65 71 73 01B 01H 02F 02Fe 02Fz 13F 13F38 13F7 13F71 16A 18F 30B 30Bc 30Bz 30D 30Df 36D 36Db 38K 42B 46G 46Gf 56F 56Fn 58N 61K 65A 65Ai 65Am 65Am2 65Am4 65An 65F 65Fm 65H 65Hb 65N 65Np6 65Nm 73A 73Ad1
- 1543. *Ellicrinia subcordaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *tritomata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861. Range (as codes): TR IR Kz Fa Com RU Ur CN Ui Khr Ku Ga KK Ik KG Ssn UZ Fe 65 76 65F 65Fr 76A 76Ac
- 1544. *Ellicrinia trinotata* (Metzner,1845)** (Geometridae) Synonym(s): *trinotata* Metzner,1845 Range (as codes): CH SK HU RO YU AL BG GR TR Cc AM RU 05 06 16 21 22 34 38 39 42 45 59 71 76 05A 16A 21N 21Nb 21Nh 42B 76B 76Bb
- 1545. *Electrophaes corylata* (Thunberg,1792)** (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU K-R Ur Ya Am US Sh Krl MD UA Cm BY KG MN JP 14 17
- 1546. *Ematurga atomaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag AZ AM DK NO SE FI EE LV LT RU MD UA BY CN Ui Li Ku Gn KG Tk 05 06 11 12 13 14 16 17 22 33 34 37 39 41 45 52 54 55 57 58 60 67 74 81 05A 12A 12Ab 13F 13G 13Gö 13Gs 13Gw 16A 33G 37F 52G 52Gb 52J 52Ja 58N 60H 60Hb
- 1547. *Enanthyperythra legataria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *legataria* Herrich-Schäffer,[1852] Range (as codes): MK GR? TR Cc AZ Nv Ord 05 06 14 16 32 44 56 65 70 05A 16A 44L 44Lc 56D 65A 65Am 65Am1 65D 65Dy 65L 65Le 70C 70Cf
- 1548. *Ennomos* (Deuteronomos) *erosarius* (Hübner,1790)** (Geometridae) Synonym(s): #*erosaria* [Denis & Schiffermüller],1775; *erosaria* Hübner,1790; *tiliaria* Hübner,1790; *crassaria* Fabricius,1804; *quercinaria* Borkhausen,1794; *unicoloria* Esper,[1801]; *ochraria* Stephens,1831. Range (as codes): MA Ifr DZ Cst PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG TR DK NO SE FI EE LV LT RU MD UA BY 12 12A 12Ab 12E

- 1549. Ennomos (Deuteronomos) fraxineti Wiltshire, 1947** (Geometridae) Synonym(s): *effractarius* sensu Wehrli, 1934; *fuscantaria* sensu Wiltshire, 1946; *fraxineti* Wiltshire, 1947 Range (as codes): TR IR Elb Th GlS IQ Slf 13 30 42? 44? 56 65 80 13C 13Cd 13F 13F38 30B 30Bc 30Bc1 30D 30Df 42B? 44L? 56F 56Fq 65A 65Ai 80B 80Bb
- 1550. Ennomos (Deuteronomos) fuscantarius (Haworth, 1809)** (Geometridae) Synonym(s): *fuscantaria* Haworth, 1809; *effractarius* sensu auct. Range (as codes): MA TN DZ Sbd Dzc Orn TR PT ES FR IT Si GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H Mk GR BG DK NO SE FI EE LV LT RU MD UA Cm Cc GG BY CY 22 34 44?
- 1551. Ennomos (Deuteronomos) quercarius (Hübner, [1813])** (Geometridae) Synonym(s): *quercaria* Hübner, [1813] Range (as codes): PT ES An FR Si IT CH AT PL SK HU RO YU MK AL BG GR Cr TR Cc GG Mng Smt AZ AM IR GlS Fa IQ RU MD UA Cm BY CY Cr LB Bsa IL Pa JO 05 07 14 30 31 33 34 42 55 56 60 65 05A 14I 30D 30Df 31A 31Ab 42B 55F 56F 56Fb 65A 65Am 65Am4 65Ai
- 1552. Ennomos (s.str.) quercinarius (Hufnagel, 1767)** (Geometridae) Synonym(s): *quercinaria* Hufnagel, 1767; *angularia* [Denis & Schiffermüller], 1775; *equestraria* Fabricius, [1776]; *zona* Fourcroy, 1785; *carpinaria* Hübner, [1799] Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H Mk AL BG GR TR Cc GG Bjo Bku Smt Mng Lag Len AZ AM IR GlS DK NO SE LV LT RU MD UA Cm BY 11 14 34 39 81 14B 14I 81F
- 1553. Entephria caesiata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *caesiata* [Denis & Schiffermüller], 1775 Range (as codes): ES FR Co IT IS IE GB DE CH AT PL CZ SK HU RO YU BG TR Cc AM DK NO SE FI EE LV RU Kol K-R Ur Sb Kmt Sh MD UA BY MN JP CA
- 1554. Entephria cyanata (Hübner, [1809])** (Geometridae) Synonym(s): *cyanata* Hübner, [1809]; *bubaceki* Reisser, 1926; *altivolans* Wehrli, 1926; *leucocyanata* Reisser, 1935; *acyana* L.B. Prout, 1938; *petronensis* Herbulot, 1968; *gerennae* Gyulai, 1984; *alanica* Tsveetkov, 2012 Range (as codes): MA ES An FR Co IT NL DE CH AT PL SK HU RO YU AL BG GR RU Kus Da Kr Cc MD UA Cm TR
- 1555. Entephria ignorata (Staudinger, 1892)** (Geometridae) Synonym(s): *ignorata* Staudinger, 1892 Range (as codes): TR RU Da Kus Cc IR Elb Mz TM Kp 13 51 69 13G 13Gw 51B 69B 69Ba
- 1556. Epilobophora sabinata (Geyer, [1831])** (Geometridae) Synonym(s): *sabinata* Geyer, [1831] Range (as codes): ES FR IT CH AT RO TR 16 16A
- 1557. Epione repandaria (Hufnagel, 1767)** (Geometridae) Synonym(s): *repandaria* Hufnagel, 1767; *apiciaria* [Denis & Schiffermüller], 1775; *marginaria* De Villers, 1789; *demarginaria* Wehrli, 1940; *franziscaria* Müller, 1962 Range (as codes): PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 34
- 1558. Epione vespertaria (Linnaeus, 1767)** (Geometridae) Synonym(s): *vespertina* Linnaeus, 1767; *paraellaria* [Denis & Schiffermüller], 1775; *affiniaria* Borkhausen, 1794; *amura* Wehrli, 1940 Range (as codes): ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO BG TR Cc DK NO SE FI EE LV LT RU MD UA BY KP KR Am 16 29 36 61 29C 36F
- 1559. Epirrhoe alternata (Müller, 1764)** (Geometridae) Synonym(s): *alternata* Müller, 1764; *sociata* Borkhausen, 1794; *degenerata* Haworth, 1809; *subtristata* Haworth, 1809; *contristata* Donovan, 1811; *aparinata* Hübner, [1825]. Range (as codes): PT ES FR Co Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Kol K-R Ur Sb Ya Bry Sj Krl MD UA Cm BY TR CN Ui Kun KK KG UZ TJ Pm MN Cc GG Tbl Mng Lag Bjo Bku Kir AZ Da Kus AM 11 14 16 52 53 55 61 71 75 81 52G 52Gb 52Gd 55F 75F 75Fb
- 1560. Epirrhoe galiata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller], 1775; *quadriannulata* Haworth, 1809; *unilobata* Haworth, 1809; *chalybeata* Hübner, [1813]; *eophanata* Krulikowsky, 1906; *emina* Schawerda, 1912 Range (as codes): MA DZ PT ES Mu FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc GG Bjo Lag AM AZ DK NO SE FI EE LV LT RU MD UA Cm BY LB Bsa 05 06 14 16 29 31 34 42 46 48 51 80 05A 16A 31D 42B
- 1561. Epirrhoe molluginata (Hübner, [1813])** (Geometridae) Synonym(s): *molluginata* Hübner, [1813] Range (as codes): ES FR IT BE LU DE CH AT PL CZ SK HU RO MD YU BG GR TR Cc GG Aba AM AZ RU Da 14 25 25F
- 1562. Epirrhoe rivata (Hübner, [1813])** (Geometridae) Synonym(s): *rivata* Hübner, [1813] Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc AZ AM 16 22 39 59 61 16A 61K
- 1563. Epirrhoe tristata (Linnaeus, 1758)** (Geometridae) Synonym(s): *tristata* Linnaeus, 1758; *limbosignata* Nolcken, 1867 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Akh AM AZ DK NO SE FI EE LV LT RU K-R Ur Sb Ya Am Us Sh MD UA BY KG KK MN 16 75 16A 75F 75Fg
- 1564. Epirrita dilutata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#dilutata* [Denis & Schiffermüller], 1775; *nebulata* Thunberg, 1784; *impluviata* Borkhausen, 1794; *fimbriata* Haworth, 1809; *inscriptata* Donovan, 1811; *neglectata* Weaver, 1852; *unicolorata* Lambillion, 1905 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag AZ DK NO SE FI EE LV LT RU MD UA BY 01 14 34 01G
- 1565. Epirrita terminassianae (Vardikjan, 1974)** (Geometridae) Synonym(s): *terminassianae* Vardikjan, 1974 Range (as codes): AM Cc TR GR Sms Cr 25
- 1566. Erannis ankeraria (Staudinger, 1861)** (Geometridae) Synonym(s): *ankeraria* Staudinger, 1861 Range (as codes): IT AT FR DE DK SE PL HU RO BG SS HV TR 01 31 44 01H

- 1567. *Erannis declinans* (Staudinger, 1879)** (Geometridae) **Synonym(s):** *declinans* Staudinger, 1879. **Range (as codes):** BG MK RO TR Cc RU Da AM IR 01 05 25 33 46 56 01J 05A 56F
- 1568. *Erannis defoliaria* (Linnaeus, 1761)** (Geometridae) **Synonym(s):** *#defoliaria* Clerk, 1759; *defoliaria* Linnaeus, 1761 **Range (as codes):** ES Mu FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Kir Lag AZ AM DK NO SE FI EE LV LT RU MD UA BY 06 22 34 39 46 56 75 06R 06Rb 56F 56Fb 75F 75Fb
- 1569. *Euchoeca nebulata* (Scopoli, 1763)** (Geometridae) **Synonym(s):** *nebulata* Scopoli, 1763; *obliterata* Hufnagel, 1767; *heparata* [Denis & Schiffermüller], 1775; *strigata* Thunberg, 1788 *nec* Sc., 1763; *hepararia* Hübner, [1799] **Range (as codes):** ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo 39
- 1570. *Eucrostes indigenata* (De Villers, 1789)** (Geometridae) **Synonym(s):** *indigenata* De Villers, 1789; *fimbriolaria* Hübner, [1817]; *indigenaria* Treitschke, 1827; *nudilimbaria* Mabilie, 1880 **Range (as codes):** DZ Ges ES Mu FR Co Sa Si IT MT HU YU AL BG GR Cr TR IL Pa Js CY 07 16 31 48 16A 31K 31Ka 31L
- 1571. *Eulithis mellinata* (Fabricius, 1787)** (Geometridae) **Synonym(s):** *mellinata* Fabricius, 1787; *associata* Borkhausen, 1794; *marmorata* Hübner, [1799]; *spinaciata* Haworth, 1809; *marmoraria* Boisduval, 1840. **Range (as codes):** FR IT IE GB BE NL LU DE CH AT PL CZ SK RO Cc GG Bjo TR DK NO SE FI EE LV LT RU MD UA BY
- 1572. *Eulithis populata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *populata* Linnaeus, 1758; *dotata* Linnaeus, 1758; *popularia* Boisduval, 1840. **Range (as codes):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 1573. *Eulithis prunata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *prunata* Linnaeus, 1758; *ribesaria* Boisduval, 1840 **Range (as codes):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Bku Smt Mng DK NO SE FI EE LV LT RU MD UA BY 61 75 75F
- 1574. *Eulithis pyraliata* ([Denis & Schiffermüller], 1775)** (Geometridae) **Synonym(s):** *#pyraliata* [Denis & Schiffermüller], 1775; *?aurantiaca* Fourcroy, 1785; *pyraliaria* Boisduval, 1840; *dotata sensu* Staudinger, 1877 **Range (as codes):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY 42 51 75 42B 75C 75F 75Fb
- 1575. *Eulithis roessleraria* (Staudinger, 1871)** (Geometridae) **Synonym(s):** *roessleraria* Staudinger, 1871; *pseudoledereri* Schwingenschuss, 1939. **Range (as codes):** TR 01 33 42 46 33R 33Rb 33G 42B
- 1576. *Eumera hoeferi* Wehrli, 1934** (Geometridae) **Synonym(s):** *#höferi* Wehrli, 1934; *hoeferi* Wehrli, 1934; *#hoferi* Wiltshire, 1937. **Range (as codes):** TR IQ Brs Ry Rwz Dia Cc AZ Nv Dz IR Fa Sse 30 38 44 56 73 30D 30Df 44I 44Ic 56F 56Fb 56Fv 56Fc 73D 73Db
- 1577. *Eumera regina* Staudinger, 1892** (Geometridae) **Synonym(s):** *regina* Staudinger, 1892 **Range (as codes):** PL HV YU MK BG GR TR 05 14 33 42 58 05A 42B 58N
- 1578. *Eumera turcosyrica* Wehrli, 1932** (Geometridae) **Synonym(s):** *turcosyrica* Wehrli, 1932; *#turcosyriaca* Wehrli, 1934 **Range (as codes):** TR IL Pa Js 31 33 42 46 73 31K 31Ka 31M 33A 33Ac 46G 73D 73Db
- 1579. *Euphyia adumbraria* (Herrich-Schäffer, 1852)** (Geometridae) **Synonym(s):** *adumbraria* Herrich-Schäffer, 1852; *cretacea* F. Wagner, 1922 **Range (as codes):** IT DE AT YU Cc GG Kir AZ TR
- 1580. *Euphyia biangulata* (Haworth, [1809])** (Geometridae) **Synonym(s):** *biangulata* Haworth, [1809]; *picata* Hübner, [1813] **Range (as codes):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY Cc GG Bjo Bku AM AZ IR GlS 14 34 52 60 75 52G 52Gb 60H 60Hb 75F 75Fb
- 1581. *Euphyia chalusata* Wiltshire, 1970** (Geometridae) **Synonym(s):** *chalusata* Wiltshire, 1970 **Range (as codes):** TR IR Elb Th GlS AZ Cc 06 56 71 06R 06Rb 56F
- 1582. *Euphyia frustata* (Treitschke, 1828)** (Geometridae) **Synonym(s):** *frustata* Treitschke, 1828; *muscosata* Donzel, 1837 **Range (as codes):** MA DZ PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Kir AZ AM IQ LB Bsa 05 42 46 60 61 65 05A 42B 46G 46Gi 46F 65A 65Am 65Am1 65Am4 65D 65Df 65Fz
- 1583. *Euphyia scopulata* (Brandt, 1938)** (Geometridae) **Synonym(s):** *scopulata* Brandt, 1938 **Range (as codes):** TR IR Kz B-F 65 65F 65Fp
- 1584. *Euphyia sintenisi* (Staudinger, 1892)** (Geometridae) **Synonym(s):** *sintenisi* Staudinger, 1892; *sultania* Wehrli, 1938. **Range (as codes):** TR Cc GG AM IR Elb Th 14 23 42 23D 23Dc 42B
- 1585. *Eupithecia abbreviata* Stephens, 1831** (Geometridae) **Synonym(s):** *nebulata* Haworth, 1809; *abbreviata* Stephens, 1831 **Range (as codes):** MA TN PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE LT RU MD UA BY 05 22 71
- 1586. *Eupithecia abietaria* (Goeze, 1781)** (Geometridae) **Synonym(s):** *pini* Retzius, 1783 *nec* Linn., 1758; *abietaria* Goeze, 1781; *strobilata* Borkhausen, 1794; *togata* Hübner, [1817]; *bilunulata* Zetterstedt, 1839; *togaria* Boisduval, 1840. **Range (as codes):** FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Am Prj Us MD UA BY
- 1587. *Eupithecia achyrdaghica* Wehrli, 1929** (Geometridae) **Synonym(s):** *achyrdaghica* Wehrli, 1929 **Range (as codes):** TR IL Pa SY Dms 06 46 06R 46G 46Gi
- 1588. *Eupithecia actaeata* Walderdorff, 1869** (Geometridae) **Synonym(s):** *actaeata* Walderdorff, 1869; *bergunensis* Dietze, 1875 **Range (as codes):** FR IT BE LU DE CH AT PL CZ SK HU RO TR AL DK NO SE FI EE LV LT RU Ur Sb Krl Kmt Sh MD UA BY JP TW

- 1589. *Eupithecia adscriptaria* Staudinger, 1871** (Geometridae) Synonym(s): *adscriptaria* Staudinger, 1871 Range (as codes): MK BG GR TR Cc AM Arr 16 42 76 42B
- 1590. *Eupithecia albofasciata* Staudinger, 1879** (Geometridae) Synonym(s): *albofasciata* Staudinger, 1879 Range (as codes): TR Arr Cc GG AM 05 06 25 76
- 1591. *Eupithecia alliaria* Staudinger, 1870** (Geometridae) Synonym(s): *alliaria* Staudinger, 1870; *notata* Dietze, 1910 nec *Stph.*, 1831 Range (as codes): MA DZ PT ES FR IT CH AT PL CZ SK HU RO YU BG GR TR RU MD UA Cm AZ GG Cc 06 42 58 75 06R 42B 58N 75F 75Fd
- 1592. *Eupithecia amasina* Bohatsch, 1893** (Geometridae) Synonym(s): *#amasina* Bohatsch, 1893; *dinaria* Vardikjan, 1985. Range (as codes): TR Cc AM Eri 05 25 58 05A
- 1593. *Eupithecia antalica* Mironov, 2001** (Geometridae) Synonym(s): *antalica* Mironov, 2001 Range (as codes): GR TR 01 07
- 1594. *Eupithecia antigraphata* Mironov, 2013** (Geometridae) Synonym(s): *antigraphata* Mironov, 2013 Range (as codes): TR 60 60c
- 1595. *Eupithecia arenbergeri* Pinker, 1976** (Geometridae) Synonym(s): *arenbergeri* Pinker, 1976 Range (as codes): TR 61 61K 61Kb
- 1596. *Eupithecia armeniaca* Vardikjan, 1970** (Geometridae) Synonym(s): *djakonovi* Vardikjan, 1961 nec *Shch.*, 1956; *armeniaca* Vardikjan, 1970 Range (as codes): AM Cc Eri TR 06 07 18 25 06R 25F
- 1597. *Eupithecia assimilata* Doubleday, 1856** (Geometridae) Synonym(s): *assimilata* Doubleday, 1856; *fumosa* Hulst, 1896; *grisescens* Dietze, 1910 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc AZ Lag DK NO SE FI EE LV LT RU MD UA BY TR TM Kp UZ US Msc
- 1598. *Eupithecia bastelbergeri* Dietze, 1913** (Geometridae) Synonym(s): *bastelbergeri* Dietze, 1913 Range (as codes): TR IQ IR Fa KK KG Na 44
- 1599. *Eupithecia biornata* Christoph, 1867** (Geometridae) Synonym(s): *biornata* Christoph, 1867 Range (as codes): RO GR BG RU Sr Da Cc MD TR UA Cm CN Ui Ku MN KG 76
- 1600. *Eupithecia breviculata* (Donzel, 1837)** (Geometridae) Synonym(s): *breviculata* Donzel, 1837; *anatolica* Schwingenschuss, 1939 [ssp.]; *georgica* Vojnits, 1977 [ssp.] Range (as codes): MA DZ Onç TN PT ES FR Co Sa Si IT MT DE CH HU RO YU AL BG GR Cr Rd TR Cc AZ Lag Kir Len Nv SY RU UA IL Pa CY JO IR Mz TM Kp Da 01 02 05 06 10 14 16 17 21 30 31 35 36 39 42 46 56 65 71 80 01D 01G 01H 01J 02F 02Fd 02Fz 05A 06R 10K 10Ka 16A 21N 21Nb 21Nc 21Nh 30B 30Bç 30Bt1 30Bz 30D 30Df 31M 36D 36Db 42B 56F 65A 65Am 65Am4 65At 65At5 65D 65Dg 65F 65Fg 65Fp 65Fz 65L 65Le 80B 80Bc
- 1601. *Eupithecia brunneata* Staudinger, 1900** (Geometridae) Synonym(s): *brunneata* Staudinger, 1900 Range (as codes): TR IL IQ IR 47 56 73 47D 56F 73E 73Eb
- 1602. *Eupithecia calligraphata* Wagner, 1929** (Geometridae) Synonym(s): *calligraphata* Wagner, 1929 Range (as codes): TR 42
- 1603. *Eupithecia cerussaria* (Lederer, 1855)** (Geometridae) Synonym(s): *cerussaria* Lederer, 1855 Range (as codes): GR TR CY LB Bei IL Pa JO 33 35 42 46 42B 46G
- 1604. *Eupithecia convallata* Brandt, 1938** (Geometridae) Synonym(s): *convallata* Brandt, 1938; *terricolor* Vojnits, 1988 Range (as codes): IR Fa AF Kab Srb TR 30 30B 30Bg
- 1605. *Eupithecia cucullaria* (Rebel, 1901)** (Geometridae) Synonym(s): *undata* Bohatsch, 1893 nec *Frr.*, 1840; *cucullaria* Rebel, 1901 Range (as codes): IT SS HV B-H AL BG MK Cr GR TR 07 38 39 42
- 1606. *Eupithecia dearmata* Dietze, [1904]** (Geometridae) Synonym(s): *dearmata* Dietze, [1904]; *harterti* Rothschild, 1915 Range (as codes): TR DZ Ah Onç TD TN 47
- 1607. *Eupithecia denotata* (Hübner, [1813])** (Geometridae) Synonym(s): *denotata* (Hübner, [1813]; *atraria* Herrich-Schäffer, [1848]; *campanulata* Herrich-Schäffer, 1861; *primulata* Millière, 1874; *jasioneata* Crewe, 1881; *livida* Dietze, 1910; *pseudocastigata* Pinker, 1976 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY CN Ui Ju 06 07 36
- 1608. *Eupithecia denticulata* (Treitschke, 1828)** (Geometridae) Synonym(s): *denticulata* Treitschke, 1828 Range (as codes): ES FR DE CH SK HU RO BG TR Cc GG Bjo AM 04 06 25 31 42 58 65 66 75 76 04D 06E 06Ea 06R 06Rb 58N 65D 65Df 65Fz 66P 75F 75Fd 76C
- 1609. *Eupithecia despectaria* Lederer, 1853** (Geometridae) Synonym(s): *despectaria* Lederer, 1853 Range (as codes): RU At Sb KG CN Ui Ku Ii KK TJ UZ TR 25 25F
- 1610. *Eupithecia distinctaria* Herrich-Schäffer, [1848]** (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer, [1848]; *constrictata* Guenée, [1858]; *sextiata* Dardoin & Millière, 1867; *piemonticola* Schwingenschuss, 1954 Range (as codes): MA PT ES FR Co IT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv Ord Cc GG SE LT RU UA Cm LB Bsa 07 14 33 42 46 65 42B
- 1611. *Eupithecia dodoneata* Guenée, [1858]** (Geometridae) Synonym(s): *dodoneata* Guenée, [1858]; *quercifoliata* A. Bang-Haas, 1874; *austrina* Herbulot, 1962 Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI LV LT RU MD UA BY 46
- 1612. *Eupithecia dubiosa* Dietze, 1910** (Geometridae) Synonym(s): *dubiosa* Dietze, 1910 Range (as codes): LB Bei TR CY 07 44 44O 44Ob

- 1613. *Eupithecia egenaria* Herrich-Schäffer, [1848]** (Geometridae) Synonym(s): *egenaria* Herrich-Schäffer, [1848]; *undosata* Dietze, 1875 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY 53
- 1614. *Eupithecia ericeata* (Rambur, 1833)** (Geometridae) Synonym(s): *ericeata* Rambur, 1833; *millierata* Staudinger, 1871; *#euxinata* Bohatsch, 1893 Range (as codes): ES FR Co Sa Si IT CH AT CZ SK HU YU AL BG GR Cr TR CY Rd UA Cm RU SY Ltk 05 14 56 56F
- 1615. *Eupithecia expallidata* Doubleday, 1856** (Geometridae) Synonym(s): *expallidata* Doubleday, 1856 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK RO TR FI EE RU MD UA BY
- 1616. *Eupithecia extensaria* (Freyer, 1845)** (Geometridae) Synonym(s): *extensaria* Freyer, 1845; *prolongata* Lienig, 1846; *sydyi* Staudinger, 1885; *leuca* Dietze, 1910; *prolongata* Dietze, 1910 *nec* Lien., 1846; *occidua* L.B. Prout, 1914 Range (as codes): ES GB RO LV LT RU Prj Us Da At Sb MD UA Cm BY Cc AZ Kir IR Ab TR CN Ui Ku Kun KK KG MN KP KR JP 25
- 1617. *Eupithecia extraversaria* Herrich-Schäffer, [1852]** (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer, [1852]; *libanotidata* Guenée, [1858] Range (as codes): MA ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR LV RU MD UA BY 06 14 31 80 06R 31C 80B
- 1618. *Eupithecia extremata* (Fabricius, 1787)** (Geometridae) Synonym(s): *extremata* Fabricius, 1787; *glaucomictata* Mann, 1855; *hangayi* Vojnits, 1977. Range (as codes): LY PT ES FR Co Si DE AT SK HU RO YU AL BG GR TR IQ RU MD UA BY Cc AZ Kir IL Pa Tbs Car LB Bsa IR 06 21 31 32 33 35 42 45 46 56 65 06R 21N 21Nh 31K 31Ka 31M 32C 42B 56F 65A 65Ai 65Am 65Am4 65F 65Fr 65Fp 65Fz
- 1619. *Eupithecia furcata* Staudinger, 1879** (Geometridae) Synonym(s): *furcata* Staudinger, 1879 Range (as codes): TR 05 46 05A
- 1620. *Eupithecia fuscicostata* Christoph, 1887** (Geometridae) Synonym(s): *fuscicostata* Christoph, 1887; *fuscostigma* Alpheraky, 1892; *salami* Brandt, 1938; *domogledana* Vojnits & Szabo, 1988 Range (as codes): Cc AZ IR Elb Fa Sse RO GR MK Och TR GG AM RU 04 07 08 25 30 60 25A 60C
- 1621. *Eupithecia gelbrechti* Mironov, 2013** (Geometridae) Synonym(s): *gelbrechti* Mironov, 2013 Range (as codes): TR 70 70C 70Cb
- 1622. *Eupithecia gemellata* Herrich-Schäffer, 1861** (Geometridae) Synonym(s): *gemellata* Herrich-Schäffer, 1861; *schmidii* Dietze, 1872 Range (as codes): FR Co Si IT CH AT HU RO YU AL BG GR TR LB Bsa 13 16 46 13F 13F7 13F71 16A
- 1623. *Eupithecia graphata* (Treitschke, 1828)** (Geometridae) Synonym(s): *graphata* Treitschke, 1828; *corticulata* Freyer, 1840; *italicata* Guenée, [1858] Range (as codes): ES FR IT CH AT SK HU YU BG GR TR Arr Cc GG Bjo AM RU Ur MD 05 06 25 76 05A 06R
- 1624. *Eupithecia gratiosata* Herrich-Schäffer, 1861** (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer, 1861; *subseparata* Christoph, 1885 Range (as codes): MA DZ TN PT ES FR Sa Si IT PL RO YU AL BG GR TR IQ LB Bsa Cc GG AZ IR 16 25 30 31 45 56 58 65 16A 30D 30Df 56F 58N 65A 65Am 65Ai 65Am1 65Am4 65At 65At5 65D 65F 65Fd 65Fr
- 1625. *Eupithecia gueneata* Millière, 1862** (Geometridae) Synonym(s): *gueneata* Millière, 1862; *busambraria* Ragusa, 1889 Range (as codes): MA ES FR Si IT CH AT PL CZ SK HU RO YU AL GR TR Cc AZ Lag TM Kp IR AM 04 30 65 30B 30Bd 30D 30De 30Df 65A 65Ai 65Am 65Am4 65B 65Bo 65Bx 65D 65Df 65F 65Fp 65Fz 65G 65Gf 65Gy
- 1626. *Eupithecia haworthiata* Doubleday, 1856** (Geometridae) Synonym(s): *haworthiata* Doubleday, 1856; *gozmanyi* Vojnits, 1972 Range (as codes): ES FR IE GB NL BE DE PL DK SE SS CZ HU AT IT CH Sa Co BG HV YU GR AL MK RO GG Cc AZ TR UA Cm 52 61 52G 52Gb
- 1627. *Eupithecia icterata* (De Villiers, 1789)** (Geometridae) Synonym(s): *icterata* De Villiers, 1789; *oxydata* Treitschke, 1828; *cognata* Stephens, 1831; *ligustigata* Donzel, 1838; *ferrugata* Duponchel, 1842; *#ligusticata* Dietze, 1910 Range (as codes): MA ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Arr GG Bjo Mng Lag Da DK NO SE FI EE LV LT RU MD UA Cm IQ IR Elb Mz KG 14 36 65 76 80 36F 76C
- 1628. *Eupithecia impurata* (Hübner, [1813])** (Geometridae) Synonym(s): *impurata* Hübner, [1813]; *modicata* Hübner, [1813]; *proluaria* Freyer, 1852; *badeniata* Schütze, 1952; *germanicata* Schütze, 1952; *gremmingerata* Schütze, 1952; *langeata* Schütze, 1952; *franconiata* Schütze, 1956; *thuringiata* Schütze, 1956; *westfalicata* Weigt, 1982 Range (as codes): FR Si IT BE NL LU DE Bw CH AT PL CZ SK HU RO YU AL BG GR TR RU MD UA BY
- 1629. *Eupithecia inconspicuata* Bohatsch, 1893** (Geometridae) Synonym(s): *#inconspicuata* Bohatsch, 1893; *thurnerata* Schütze, 1958 Range (as codes): MK BG GR Cr TR Cc AZ Nv Ord 01 05 05A
- 1630. *Eupithecia indigata* (Hübner, [1813])** (Geometridae) Synonym(s): *indigata* Hübner, [1813]; *turfosata* Draudt, 1903; *pliniata* Stauder, 1929 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR BG DK NO SE FI EE LV LT RU MD UA Cm Da Cc BY 06 07 14 06R 06Rb
- 1631. *Eupithecia innotata* (Hufnagel, 1767)** (Geometridae) Synonym(s): *innotata* Hufnagel, 1767; *tamarisciata* Freyer, 1836; *suspectata* Dietze, 1871; *uliata* Staudinger, 1897; *ulicada* Dietze, 1910; *alexandriana* Vardikjan, 1972; *sergiana* Vardikjan, 1972. Range (as codes): MA DZ Ges TN PT ES FR Co Sa IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo Kir Lag AZ AM Eri DK NO SE FI EE LV LT RU Sb MD UA BY MN CN Ui Ku Kun AF Kab 05 16 17 58 05A 16A 58N

- 1632. *Eupithecia insigniata* (Hübner,1790)** (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794. Range (as codes): FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG GR DK SE LV LT RU MD UA BY CN Ui Ga Kgs
- 1633. *Eupithecia intricata* Zetterstedt,[1839]** (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840; *pfeifferi* Wehrli,1929 Range (as codes): ES FR IT IE GB BE NL LU DE Bv CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY CA On Qb US Msc Mai 14 46 46G 46Gf 46Gi
- 1634. *Eupithecia inturbata* (Hübner,[1817])** (Geometridae) Synonym(s): *inturbata* Hübner,[1817]; *neglectata* Herrich-Schäffer,1848; *subciliata* Doubleday,1856 Range (as codes): ES FR IT GB BE DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY TR
- 1635. *Eupithecia irriguata* (Hübner,[1813])** (Geometridae) Synonym(s): *variegata* Haworth,1809 *nec* Scop.,1763; *irriguata* Hübner,[1813] Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL SK HU RO YU BG GR Cr TR IL Pa DK NO SE FI RU MD UA BY 44 48 71 48L
- 1636. *Eupithecia karadaghensis* Mironov,1988** (Geometridae) Synonym(s): *karadaghensis* Mironov,1988 Range (as codes): UA Cm Cc AZ TR 42 42B
- 1637. *Eupithecia laquaearia* Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858] Range (as codes): MA TN PT ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG TR LB IR LT RU MD UA BY
- 1638. *Eupithecia limbata* Staudinger,1879** (Geometridae) Synonym(s): *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973 Range (as codes): PT ES An IT SS MK BG GR Cr TR Ksp IQ AM Nv Cc AZ LB IR 05 13 25 30 42 65 76 05A 13A 13Ab 13Ax 42B 65D 65Df 65Fz 76C
- 1639. *Eupithecia linariata* (Fabricius,1787)** (Geometridae) Synonym(s): *#linariata* [Denis & Schiffermüller],1775; *linariata* Fabricius,1787; *linariaria* Borkhausen,1794; *linaria* Boisduval,1840; *#aestiva* Dietze,1910; *#nigrofasciata* Dietze,1913 Range (as codes): ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ur At Sb MD UA BY MN KG 14 81
- 1640. *Eupithecia lutosaria* Bohatsch,1893** (Geometridae) Synonym(s): *#lutosaria* Bohatsch,1893 Range (as codes): TR Cc GG Smt Akh
- 1641. *Eupithecia marasa* Wehrli,1932** (Geometridae) Synonym(s): *marasa* Wehrli,1932 Range (as codes): TR 46
- 1642. *Eupithecia marginata* Staudinger,1892** (Geometridae) Synonym(s): *marginata* Staudinger,1892 Range (as codes): AM AZ Cc TR CY CN Ui Ku Ld KK KG UZ TJ PK Gg AF Pag Kab Sfk 25
- 1643. *Eupithecia mekrana* Brandt,1941** (Geometridae) Synonym(s): *mekrana* Brandt,1941; *khorrassana* Brandt,1941; *commenticia* Vojnits,1982; *idonea* Vojnits,1982; *stulta* Vojnits,1982; *amiralis* Wiltshire,1986 Range (as codes): IR Kh Hz AM Cc AZ Nv AE KK Ik RU Or Ur TR AF Srb 04 36
- 1644. *Eupithecia mesogrammata* Dietze,1908** (Geometridae) Synonym(s): *mesogrammata* Dietze,1908; *#nesogrammata* L.B.Prout,1914; *kunzi* Pinker,1976 Range (as codes): IR Cc AM TR 06 13 13G 13Gw
- 1645. *Eupithecia millefoliata* Roesler,1866** (Geometridae) Synonym(s): *millefoliata* Roesler,1866; *achilleata* Mabilie,1869; *#maeoticaria* Bohatsch,1893 Range (as codes): MA ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO BG MK TR Cc GG DK NO SE FI EE LV LT RU UA Cm BY KK KG TJ UZ At Sb Ya 06 42 46 58 76 58N
- 1646. *Eupithecia mima* Mironov,1989** (Geometridae) Synonym(s): *mima* Mironov,1989 Range (as codes): MN UZ KG PK Gg Pj Rw TR IR Es 44 44I
- 1647. *Eupithecia minusculata* Alpheraky,1883** (Geometridae) Synonym(s): *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultimaria* Wiltshire,1985; *herrenschmidtii* Mentzer & Moberg,1992 Range (as codes): ES An Grn DZ TN UA Cm RU CN Ui Ku LY Cy IQ Bgd TR AM Cc AZ Da SY IL Pa JO KG TM UZ TJ AF Nu MN 36
- 1648. *Eupithecia mystica* Dietze,1910** (Geometridae) Synonym(s): *mystica* Dietze,1910; *wehrlii* F.Wagner,1931 Range (as codes): MK GR RO UA Cm Cc AZ TR LB Bsa 31 42 46
- 1649. *Eupithecia nanata* (Hübner,[1813])** (Geometridae) Synonym(s): *angustata* Haworth,1809; *nanata* Hübner,[1813]; *angusta* L.B.Prout,1938; *gelidatoides* Warnecke,1951 Range (as codes): PT ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 14
- 1650. *Eupithecia nigritaria* Staudinger,1879** (Geometridae) Synonym(s): *nigritaria* Staudinger,1879 Range (as codes): TR 33 42 42B
- 1651. *Eupithecia niveata* Mironov,2013** (Geometridae) Synonym(s): *niveata* Mironov,2013 Range (as codes): TR 04 04D
- 1652. *Eupithecia novata* Dietze,1903** (Geometridae) Synonym(s): *novata* Dietze,1903 Range (as codes): TR 33
- 1653. *Eupithecia oblongata* (Thunberg,1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977. Range (as codes): MA DZ Ges TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG Tbl Kir Lag AM AZ DK NO SE FI EE LV LT RU Da Us MD UA BY KG Ssn Tk CN Ui Ku Stg Kwa IL Pa Car Jf LB Bsa PK Ch IN Ld Gg KK Ax UZ Smk AF Nu Bd TW 01 05 06 14 16 17 34 42 44 46 52 55 56 58

65 71 01D 05A 06K 06Kc 13A 13Ac 13Ac2 13Ax 16A 34H 36D 36Db 42B 42J 42X 42Xa 44E 44Ei 52G 52Gb 55F 56F 56Fv 58N 65D 65Df 65Dg 65Dga 65F 65Fc 65Fz 65L 65Lb 65N 65Np1 65Np6 65Nm

- 1654. *Eupithecia ochridata* Schütze & Pinker, 1968** (Geometridae) Synonym(s): *ochridata* Schütze & Pinker, 1968; *szelenyii* Vojnits, 1969. Range (as codes): IT DE CH CZ SK HU YU BG MK TR DK SE FI EE LV RU MD Cr UA BY KG UK 06 06R
- 1655. *Eupithecia ochrovittata* Christoph, 1887** (Geometridae) Synonym(s): *ochrovittata* Christoph, 1887 Range (as codes): AM Eri Cc TR AF Kab 36 36F
- 1656. *Eupithecia orphnata* W. Petersen, 1909** (Geometridae) Synonym(s): *#orphnata* Bohatsch, 1883; *orphnata* W. Petersen, 1909 Range (as codes): ES FR DE CH AT PL CZ SK HU RO AL BG SE FI UZ Fe CN Ui Ku AZ Nv Cc AM TR
- 1657. *Eupithecia oxycedrata* (Rambur, 1833)** (Geometridae) Synonym(s): *oxycedrata* Rambur, 1833; *oxycedrararia* Boisduval, 1840; *provinciata* Millière, 1872 Range (as codes): MA DZ Ges TN PT ES FR Co Sa IT GR Cr B-H HV SS MK RO TR UA Cm 01 05 16 56 01H 05A 16A 56F
- 1658. *Eupithecia parallelaria* Bohatsch, 1893** (Geometridae) Synonym(s): *parallelaria* Bohatsch, 1893 Range (as codes): ES FR Co LB Bei TR TM Kp UZ CN Ui Kl Ch PK Gg AF Nu Srb 46 46G
- 1659. *Eupithecia perigraphata* Mironov, 2013** (Geometridae) Synonym(s): *perigraphata* Mironov, 2013 Range (as codes): TR 07
- 1660. *Eupithecia pimpinellata* (Hübner, [1813])** (Geometridae) Synonym(s): *pimpinellata* Hübner, [1813]; *altaicata* Guenée, [1858]; *lantoscata* Millière, 1873; *cinerascens* Tengström, 1875; *limbosignata* Dietze, 1910; *elongata* Dietze, 1913 *nec* Hw, 1809; *retheli* L.B. Prout, 1938; *variata* Schwingenschuss, 1936. Range (as codes): MA PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb At MD UA BY LB IR MN CN Ui Ku KG Tk 42
- 1661. *Eupithecia pinkeri* Mironov, 1991** (Geometridae) Synonym(s): *pinkeri* Mironov, 1991 Range (as codes): TR AZ Cc 25 58 70 58G
- 1662. *Eupithecia plumbeolata* (Haworth, [1809])** (Geometridae) Synonym(s): *plumbeolata* Haworth, [1809]; *isogrammata* Treitschke, 1828; *begrandaria* Boisduval, 1840; *singularia* Herrich-Schäffer, 1848; *plumbeolaria* Doubleday, 1849; *begrandata* Bruand, 1850; *dshungarica* Viidalepp, 1988. Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Akh DK NO SE FI EE LV LT RU Ur Sb At Sj MD UA BY KG DsA CN Ui KK 05 71 05A
- 1663. *Eupithecia puengeleri* Dietze, 1913** (Geometridae) Synonym(s): *puengeleri* Dietze, 1913 Range (as codes): TR
- 1664. *Eupithecia pulchellata* Stephens, 1831** (Geometridae) Synonym(s): *pulchellata* Stephens, 1831 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL DK NO TR IR Kh 42 42B
- 1665. *Eupithecia pusillata* (Fabricius, 1787)** (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller], 1775; *pusillata* Fabricius, 1787; *sobrinata* Hübner, [1817]; *pusillaria* Hübner, [1825]; *sobrinaria* Boisduval, 1840; *expressaria* Herrich-Schäffer, 1848; *anglicata* Herrich-Schäffer, 1863; *latoniata* Millière, 1882; *stevensata* Webb, 1896; *scotica* Dietze, 1910 Range (as codes): ES FR Co IT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo DK NO SE FI EE LV LT RU MD UA BY Ch PK Bt Deo 52 61 52G 52Gb
- 1666. *Eupithecia pyreneata* Mabilie, 1871** (Geometridae) Synonym(s): *pyreneata* Mabilie, 1871; *digitaliaria* Dietze, 1872; *granadensis* Bubacek, 1926 Range (as codes): ES Py FR IT DE AT CZ SK HU YU AL BG MK GR TR LV LT RU MD UA BY KG
- 1667. *Eupithecia quercetica* L.B. Prout, 1938** (Geometridae) Synonym(s): *quercetica* L.B. Prout, 1938 Range (as codes): MK BG GR Cr TR UA Cm LB IQ CY IL Pa JO SA
- 1668. *Eupithecia reisserata* Pinker, 1976** (Geometridae) Synonym(s): *reisserata* Pinker, 1976; *danilevskyi* Vardikyan, 1961 Range (as codes): GR Cr CY Cc AZ Nv TR IL Pa JO SY Dms 06 56 06R 06Ra 56F
- 1669. *Eupithecia satyrata* (Hübner, [1813])** (Geometridae) Synonym(s): *satyrata* Hübner, [1813]; *satyraria* Boisduval, 1840; *italicata* Guenée, 1858; *submelanochroa* Vojnits, 1973 Range (as codes): ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU TR MD UA BY KG Tk Nrk At CN Ui Ju US NCa CA Abt On BCo 25
- 1670. *Eupithecia scalptata* Christoph, 1885** (Geometridae) Synonym(s): *scalptata* Christoph, 1885 Range (as codes): AL GR TR RU Cc AZ Nv Ord Kir JO TM Kp SY Dms 06 30 42 06K 06Kc 30B 30Ba 30Bd 30Bt1 30Bz 42B
- 1671. *Eupithecia schiefereri* Dietze, 1904** (Geometridae) Synonym(s): *#schiefereri* Bohatsch, 1893; *schiefereri* Dietze, 1904; *#confluens* Dietze, 1910; *#schiefererie* Pinker, 1958; *#schieferi* Arnscheid, 2000 Range (as codes): PT ES FR Si Co IT AT SK RO YU BG GR Cr TR RU UA Cm IL Pa CY LB AZ Cc 01 06 31 44 46 56 71 01D 01G 01H 06R 31M 44E 44Ei 56F
- 1672. *Eupithecia scopariata* (Rambur, 1833)** (Geometridae) Synonym(s): *scopariata* Rambur, 1833; *scoparia* Boisduval, 1840; *tenebrosaria* Herrich-Schäffer, 1848; *multiflora* Millière, 1866 Range (as codes): DZ Ges Ght PT ES FR Co Sa IT AT YU GR TR 16 67 16A
- 1673. *Eupithecia selinata* Herrich-Schäffer, 1861** (Geometridae) Synonym(s): *selinata* Herrich-Schäffer, 1861; *divina* Vojnits, 1981 Range (as codes): ES FR IT BE NL DE CH AT PL CZ SK HU RO BG TR MK DK SE FI EE LV LT RU Ur Am MD UA BY CN T-S JP 52 52G

- 1674. *Eupithecia semigraphata* Bruand,[1847]** (Geometridae) Synonym(s): *semigraphata* Bruand,[1847] Range (as codes): MA Cn ES FR Si Co IT MT BE DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR RU MD UA Cm BY IR Elb Th Kdv Cc Lag GG AM 05 06 30 42 46 52 06R 42B 52G 52Gb
- 1675. *Eupithecia separata* Staudinger,1879** (Geometridae) Synonym(s): *separata* Staudinger,1879; *saueri* Vojnits,1978. Range (as codes): AM Eri TR Da Cc AZ Nv 05 42 05A
- 1676. *Eupithecia siata* Brandt,1938** (Geometridae) Synonym(s): *siata* Brandt,1938 Range (as codes): IR Fa Com Kz TR 13 13G
- 1677. *Eupithecia silenata* Assmann,1848** (Geometridae) Synonym(s): *silenata* Assmann,1848; *silenaria* Herrich-Schäffer,1852. Range (as codes): ES FR IT BE DE CH AT PL CZ SK RO YU AL BG TR RU MD UA BY 61
- 1678. *Eupithecia silenicolata* Mabille,1867** (Geometridae) Synonym(s): *silenicolata* Mabille,1867 Range (as codes): MA FR Co IT CH? AT SK HU RO YU BG GR TR LB Bei Bsa IR Lo Ab PK Sha Ld 05 42 46 56 65 05A 42B 56F
- 1679. *Eupithecia simpliciatata* Haworth,[1809]** (Geometridae) Synonym(s): *simpliciatata* Haworth,[1809]; *subnotata* Hübner,[1813]; *subnotaria* Boisduval,1840; *subnotataria* Herrich-Schäffer,1848. Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Da Cc AZ Kir IR Ab CN Ui Arc KK AF Wk Bkt 05 22 05A
- 1680. *Eupithecia spadiceata* Zerny,1933** (Geometridae) Synonym(s): *spadiceata* Zerny,1933 Range (as codes): TR LB Bei Bsa KG Uk Cc AZ AM IR SY RU IT HU BG 31
- 1681. *Eupithecia spissilineata* (Metzner,1846)** (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866. Range (as codes): FR IT RO YU AL MK BG GR Cr TR LB Bsa IL Pa RU UA Cm Cc AZ Kir AM GG Bjo 01 05 06 07 25 30 42 46 56 01D 05A 06A 06Aa 06R 25F 30D 30Df 56F
- 1682. *Eupithecia subfenestrata* Staudinger,1892** (Geometridae) Synonym(s): *subfenestrata* Staudinger,1892 Range (as codes): TR Cc GG Akh Aj Abk RU Kb 53
- 1683. *Eupithecia subfuscata* (Haworth,[1809])** (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr Cc GG Bjo DK NO SE FI EE LV LT MD UA BY CA Qb Nsc RU Prj Us Sh JP 08 14 36 61 76 08A 36F
- 1684. *Eupithecia subsequaria* Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *subsequaria* Herrich-Schäffer,[1852]; *dubiosa* Wagner,1929; *dubiosata* Wagner,1929; *richteri* Vardikjan,1954 Range (as codes): TR Cc AZ Nv Ord 05 06 42 05A 42B
- 1685. *Eupithecia subumbrata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *subumbrata* [Denis & Schiffermüller],1775; *scabiosata* Borkhausen,1794; *piperata* Stephens,1831, *subumbraria* Boisduval,1840; *obrutaria* Doubleday,1849; *majoraria* De La Harpe,1855. Range (as codes): NO DK SE FI EE LV LT PL CZ SK DE NL GB IE BE LU FR ES Si IT CH AT HU RO BG AL YU MK TR Cc GG Akh RU Mnu CN Ui Ku Ju Arc UZ Fe KK Ax IR Ab Oru 16 76 16A 76C
- 1686. *Eupithecia succenturiata* (Linnaeus,1758)** (Geometridae) Synonym(s): *succenturiata* Linnaeus,1758; *disparata* Hübner,[1799] Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY Cc GG KK Ik At Dsa CN Ui Ku Da Ur Sb Am Kmt T-S UZ Fe 08 14 16 81 16A
- 1687. *Eupithecia syriacata* Staudinger,1879** (Geometridae) Synonym(s): *syriacata* Staudinger,1879; *semicaesia* W.Warren,1900. Range (as codes): LB Bei Bsa TR Cc AM TM 31 46 31M
- 1688. *Eupithecia tantillaria* Boisduval,1840** (Geometridae) Synonym(s): *tantillaria* Boisduval,1840; *laricis* Speyer,1873; *calabrica* Dietze,1910; *piceata* L.B.Prout,1915 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 14 31 46 81 46G 46Gf
- 1689. *Eupithecia tenuiata* (Hübner,[1813])** (Geometridae) Synonym(s): *tenuiata* Hübner,[1813]; *macellata* Fischer v. Roeslerstamm,1827 Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR MK DK NO SE FI EE LV LT RU MD UA BY TR Cc GG Bjo AZ AM IR Elb Th 25 56 56F
- 1690. *Eupithecia terrenata* Dietze,1904** (Geometridae) Synonym(s): *terrenata* Dietze,1904 Range (as codes): TR TM Kp 46
- 1691. *Eupithecia tripunctaria* Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *albipunctata* Haworth,1809 *nec* Hfn.,1767; *tripunctaria* Herrich-Schäffer,[1852]; *angelicata* Barrett,1877; *promulgata* Pearsall,1909; *#privata* Dietze,1913 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Bjo DK NO SE FI EE LV LT RU Sb MD UA BY CA Lbr US Cf Ny 14
- 1692. *Eupithecia trisignaria* Herrich-Schäffer,1848** (Geometridae) Synonym(s): *trisignaria* Herrich-Schäffer,1848; *#trisignata* Herrich-Schäffer,1861 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag AZ DK NO SE FI EE LV LT RU Sb UA Cm BY 14
- 1693. *Eupithecia ultimaria* Boisduval,1840** (Geometridae) Synonym(s): *ultimaria* Boisduval,1840; *tornifascia* Rothschild,1913 Range (as codes): MA DZ Ges Ah Ogl Gle TN LY ES FR IT GB Cc AZ Nv Ord Lag LB Bei EG EG11 SA As TR IQ Kq Mos Bgd Amr PK Krc IR Ss Kz IL Pa Jf LB SY 16 16A
- 1694. *Eupithecia undata* (Freyer,[1840])** (Geometridae) Synonym(s): *undata* Freyer,[1840]; *scriptaria* Herrich-Schäffer,1848; *puengeleri* Dietze. Range (as codes): FR IT DE CH AT PL SK RO BG TR 46

- 1695. *Eupithecia unedonata* (Mabille, 1868)** (Geometridae) Synonym(s): *unedonata* Mabille, 1868
Range (as codes): MA DZ TN Gf ES FR Co Sa Si IT HU YU GR Rd Cr TR LB Bsa IL Pa Js EG AM Cc AZ 31 34 46 31M
- 1696. *Eupithecia variostrigata* Alpheraky, 1876** (Geometridae) Synonym(s): *variostrigata* Alpheraky, 1876; *littorata* Constant, 1884; *artemisiata* Constant, 1884; *albosparsata* Joannis, 1891; *designata* Dietze, 1913 Range (as codes): DZ Lbs ES FR HV TR RU UA Cm Cc AZ Kir Nv Ord JO SY Dms IR TM Kp UZ TJ Pm AF Nu 04 06 16 36 38 71 06K 06Kc
- 1697. *Eupithecia venosata* (Fabricius, 1787)** (Geometridae) Synonym(s): *venosata* Fabricius, 1787; *insignata* Hübner, 1789; *decussata* Donovan, 1799; *comparanda* Vojnits, 1981 Range (as codes): MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Mng Lag AZ DK NO SE FI EE LV LT RU Sb MD UA BY PK Swa Klm Sha Ch AF Nu 05 16 21 30 61 65 05A 16A 21L 21Lc 30D 30Df 61K 65A 65Ai 65D 65Dy 65F 65Fr
- 1698. *Eupithecia veratraria* Herrich-Schäffer, 1848** (Geometridae) Synonym(s): *veratraria* Herrich-Schäffer, 1848; *eynensata* Graslín, 1863; *magnata* Milliére, 1873; *homophaea* Djakonov, 1926; *perpaupera* Inoue, 1965; *arctica* Viidalepp, 1974; *geiserata* Mironov, 1988 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU BG TR NO RU Ur Sj At Us Kmt Kj Mnu JP
- 1699. *Eupithecia vulgata* (Haworth, [1809])** (Geometridae) Synonym(s): *vulgata* Haworth, [1809]; *pygmaea* Borkhausen, 1794; *clusterata* Hübner, [1813]; *austeraria* Herrich-Schäffer, 1848; *atropicta* Dietze, 1910; *cyrneata* Schawerda, 1933 Range (as codes): MA PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Us MD UA BY KG Lps CN Ui Arc LB Bsa AF Pag Kab Sfk Kbb Wk 07 14 61 65 65F 65Fp 65Fz
- 1700. *Eustroma mardinata* (Staudinger, [1895])** (Geometridae) Synonym(s): *mardinata* Staudinger, [1895] Range (as codes): TR 47
- 1701. *Geometra papilionaria* (Linnaeus, 1758)** (Geometridae) Synonym(s): *papilionaria* Linnaeus, 1758; *prasinaria* Hufnagel, 1767; *albopunctata* Mattuschka, 1805. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bjo Lag AZ DK NO SE FI EE LV LT RU MD UA BY 14 34 75 81 75F 75Fb 75Fd
- 1702. *Glossotrophia (Libanonia) sacraria* (A. Bang-Haas, 1910)** (Geometridae) Synonym(s): *sacraria* A. Bang-Haas, 1910 Range (as codes): GR Rd LB Bei TR CY JO IL Pa IQ AF Srb Kab Bm PK TJ Pm IR Shr Fa Sse Com Kz KG Uk 02 21 27 30 31 46 56 65 02F 02Fe 02Fz 21L 21Lc 27D 30D 30Df 56F 65A 65Am 65Am1 65Am4 65Ai
- 1703. *Glossotrophia (s.str.) confinaria* (Herrich-Schäffer, [1847])** (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer, [1847] Range (as codes): ES FR Co Sa Si IT CH AT RO YU AL BG GR Cr TR RU MD UA KG Uk LB Bsa 01 16 38 56 58 01H 16A 56F 58N
- 1704. *Glossotrophia (s.str.) diffinaria* L.B. Prout, 1913** (Geometridae) Synonym(s): *luridata* Staudinger, 1871 nec Zell.; *diffinaria* L.B. Prout, 1913 Range (as codes): GR Rd TR Cc AM 08 24 42 46 50 58 65 68 42B 46G 46Gi 50G 50F 58G 65A 65Am 65Am1 65Am4 65D 65Df 68B
- 1705. *Gnopharmia colchidaria* (Lederer, 1870)** (Geometridae) Synonym(s): *colchidaria* Lederer, 1870; *melanotaenia* Wehrli, 1938 Range (as codes): TR Cc GG Akh IL Pa TM Kp IQ AZ Kir Nv Ord Dz AM IR Ab Mak Khy Fa Sse Mz GlS Shr Hz Ke Kd Ha Km Ss Th Elb Kdj Lo Es Snj Sqq Bne PK BI Zi Qu 13 21 23 27 30 31 46 56 13F 13F7 13F71 21L 21Lc 30B 30Bd 30Bc1 30Be 30D 30Df 46G 46Gf 56F
- 1706. *Gnopharmia irakensis* Wehrli, 1938** (Geometridae) Synonym(s): *irakensis* Wehrli, 1938 Range (as codes): TR IQ Rwz Er Ry IR Ab Oru Th Elb Fa Dam Shr Bk Es Kd Ha Ke Km Kh Kdj Qz Kz Lo PK Nwf BI Zi AF Kab Bm Srb 02 30 44 47 56 63 65 02F 02Fd 02Fz 30Bc 30Bz 30D 30Df 44L 44Lb 56F 63E 65A 65Ai 65Am1
- 1707. *Gnopharmia rubraria* Staudinger, 1892** (Geometridae) Synonym(s): *rubraria* Staudinger, 1892 Range (as codes): TR IL Pa Nab Js SY Dms JO Ajl 02 06 07 27 33 42 44 46 47 50 56 63 68 70 71 80 02F 02Fe 02Fz 06A 06Aa 07C 07Cc 27D 27Da 27Db 27Dd 33A 42O 44E 44Ea 44Ei 44L 44Lc 46G 46L 50G 50Gb 50Gd 56C 56Cc 63E 70B 80B 80Ba
- 1708. *Gnophos (Dicrognophos) amanensis* Wehrli, 1934** (Geometridae) Synonym(s): *amanensis* Wehrli, 1934 Range (as codes): TR 31 80 31K 31Ka 80B 80Bb
- 1709. *Gnophos (Dicrognophos) anophaeus* Wehrli, 1939** (Geometridae) Synonym(s): *anophaea* Wehrli, 1939 Range (as codes): TR IR Ha Avd
- 1710. *Gnophos (Dicrognophos) choristus* Wehrli, 1939** (Geometridae) Synonym(s): *chorista* Wehrli, 1939 Range (as codes): IR IQ Rwz TR
- 1711. *Gnophos (Dicrognophos) gorgatus* Brandt, 1938** (Geometridae) Synonym(s): *gorgata* Brandt, 1938 Range (as codes): TR IR Kd Fa Sse Com Kz 30 65 30B 30Bc 30Bz 30D 30Df 65A 65Ai
- 1712. *Gnophos (Dicrognophos) pseudosnelleni* Rjabov, 1964** (Geometridae) Synonym(s): *pseudosnelleni* Rjabov, 1964 Range (as codes): Cc AM Dar AZ TR TM Kp IR 13 30 56 62 65 13G 13Gw 30B 30Bc 30Bt1 30Bz 56F 56Fa 56Fc 56Fd 56Fj 56Fq 62G 65A 65Ac 65Ac3 65Ai 65Am 65Am1 65Am4 65At 65At5 65B 65Bo 65D 65Df 65G 65Gb
- 1713. *Gnophos (Dicrognophos) sartatus* Treitschke, 1827** (Geometridae) Synonym(s): *sartata* Treitschke, 1827; *syriaca* Thierry-Mieg, 1916. Range (as codes): Co Sa Si IT HV YU AL BG GR Pl Sms Cr Rd TR Cc GG AZ AM LB Bsa RU MD UA Cm BY SY IR Fa Sse IL Pa Mer Car Hf Js CY 02 05 06 14 16 17 20 21 27 30 31 34 35 42 45 46 56 65 80 02F 02Fd 02Fz 05A 06K 06Kc 16A 17H 21L 21Lc 27E 30B 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka5 42B 46G 46Gi 56F 65A 65Ai 65Aö 65Am 65Am4 80B 80Bc

- 1714. Gnophos (Dicrognophos) snelleni Christoph, 1887** (Geometridae) Synonym(s): *snelleni* Christoph, 1887 Range (as codes): TM Kp IR Elb Srd IQ TR Ger 13 65 13G 13Gü 13Gw 65F 65Fg
- 1715. Odontognophos zacharius (Staudinger, 1879)** (Geometridae) Synonym(s): *zacharia* Staudinger, 1879 Range (as codes): Cr TR Cc RU Da 01 05 14 31 42 46 51 65 71 01H 05A 31M 42B 51B 51Bc 65A 65Ai 65Am 65Am4 65D 65Df
- 1716. Gnophos (Sacrognophos) sacrarius Staudinger, [1895]** (Geometridae) Synonym(s): *sacraria* Staudinger, [1895]. Range (as codes): TR IL Js Pa EG EG11 LY Cy 56 56F 56Fb 56Fv
- 1717. Charissa (Kemtrognothos) argillata (Brandt, 1938)** (Geometridae) Synonym(s): *argillata* Brandt, 1938 Range (as codes): TR IR Kz Com Fa 65 65A 65Ai 65Aba 65Ac3 65D 65Df 65G 65Gb
- 1718. Gnophos (s.str.) obfuscatus ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#obfuscata* [Denis & Schiffermüller], 1775 Range (as codes): PT ES FR IT IE GB LU DE CH AT RO YU B-H AL BG GR TR Cc GG Bjo Lag Kir AZ NO SE FI EE LV RU MD UA BY 34 52 53 52J 52Ja
- 1719. Gnophos pallescens Rjabov, 1964** (Geometridae) Synonym(s): *pallescens* Rjabov, 1964 Range (as codes): Cc RU Da TR 46 46H
- 1720. Gymnoscelis rufifasciata (Haworth, [1809])** (Geometridae) Synonym(s): *rufifasciata* Haworth, [1809]; *pumilata* Hübner, [1813]. Range (as codes): Cn MA DZ Clo PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc GG Tbl Kir Hkd Arr AZ IQ DK NO SE FI EE LV LT RU MD UA BY IR Mz Gls UZ Fe KK Ik LB Bsa IL Pa Car 01 05 07 14 16 17 22 31 33 34 35 42 44 47 48 52 56 71 76 80 81 01G 01J 05A 16A 31D 31F 31Fa 31K 31Ka 33A 33Ak 42B 44L 44Lc 48L 52G 52Gb 52Gd 56F 56Fa 80B 80Bc
- 1721. Gypsochroa renitidata (Hübner, [1817])** (Geometridae) Synonym(s): *renitidata* Hübner, [1817]. Range (as codes): FR BG GR TR RU Cc Da GG AZ Nv KG IR Es Zj Th 05 16 38 50 16A 50G
- 1722. Heliomata glarearia (Brahm, 1791)** (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller], 1775; *glarearia* Brahm, 1791. Range (as codes): FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM IR Gls RU MD UA BY CN Ui Ku 01 05 06 13 14 16 29 30 36 37 39 43 49 56 60 65 71 75 76 01L 05A 06R 06Rd 13Gö 13Gg 16A 30B 30Bc 30Bz 30D 30Df 30Dx 36D 36Db 37F 49F 49Fb 56F 56Fw 60H 60Hb 65A 65Ac 65Ac3 65Ai 65Am 65Am1 65An 65As 65At 65At5 65D 65Dd 65Dda 65Df 65Dg 65Di 65Dr 65Dn 65Ds 65Du 65F 65Fc 65Fr 65Fp 65Fz 65K 65Kl1 65Z 75F 75Fd 76B 76Bj 76D 76Dd
- 1723. Hemistola chrysoprasaria (Esper, [1794])** (Geometridae) Synonym(s): *nayas* Fourcroy, 1785; *pomona* Fourcroy, 1785; *lucidata* Donovan, 1794; *chrysoprasaria* Esper, [1794]; Range (as codes): DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA BY 06 14 46 60 46G 46Gf 60H 60Hb
- 1724. Hemitheia aestivaria (Hübner, 1789)** (Geometridae) Synonym(s): *strigata* Müller, 1764 *nec* Sc., 1763; *herbacea* Fourcroy, 1785; *aestivaria* Hübner, [1799]; *alboundulata* Hedemann, 1879 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag Kir AZ Len DK NO SE FI EE LV LT RU Am MD UA BY IR Elb Mz Clu JP 05 14 16 34 52 61 81 05A 16A 52G 52Gb 61K
- 1725. Heterolocha laminaria (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *laminaria* Herrich-Schäffer, [1852] Range (as codes): TR Cc GG Bjo Lag Akh Smt Dar AM RU Ro Am CN TkG IR AF JP 13 14 16 61 13G 13G1 16A 61K
- 1726. Hierochthonia pulverata (W. Warren, 1901)** (Geometridae) Synonym(s): *pulverata* W. Warren, 1901. Range (as codes): LB Bei Bsa IL Pa TR 46 46G 46Gf
- 1727. Holoterpna pruinosa (Staudinger, 1898)** (Geometridae) Synonym(s): *pruinosa* Staudinger, 1898 Range (as codes): IT TR SS MK LB Bsa IL Js Pa Cm 14 30 35 65 30B 30Bt1 30Bz 30D 30Df 65D
- 1728. Horisme calligraphata (Herrich-Schäffer, 1839)** (Geometridae) Synonym(s): *calligraphata* Herrich-Schäffer, 1839 Range (as codes): ES FR IT DE CH AT RO YU AL BG GR Cc AZ RU UA Cm TR
- 1729. Horisme corticata (Treitschke, 1835)** (Geometridae) Synonym(s): *corticata* Treitschke, 1835 Range (as codes): Si IT DE AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK RU MD UA BY 01 05 06 14 16 31 34 46 81 01D 05A 16A 31C 31D 31K
- 1730. Horisme tersata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *tersata* [Denis & Schiffermüller], 1775; *singulariata* De Villers, 1789; *testacea* Hübner, [1809]; *tersaria* Boisduval, 1840; *testacearia* Boisduval, 1840; *tersulata* Staudinger, 1871 Range (as codes): ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Cc GG Bjo Lag DK NO SE FI EE LV LT RU MD UA BY RU At Sb Am Prj Us KG Ssn CN KP KR JP 05 14 16 34 05A 16A 34B
- 1731. Horisme vitalbata (Hübner, [1799])** (Geometridae) Synonym(s): *#vitalbata* [Denis & Schiffermüller], 1775; *nebulata* De Villers, 1789 *nec* Thunb., 1784; *vitalbata* Hübner, [1799]; *vitalbaria* Boisduval, 1840; *detersata* Püngeler, 1900; *repedata* L.B. Prout, 1938 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY MN CN Ui Ku Kön KK Ik UZ Fe Sb Am Prj Us JP 05 16 17 22 05A 16A
- 1732. Hydrelia flammeolaria (Hufnagel, 1767)** (Geometridae) Synonym(s): *flammeolaria* Hufnagel, 1767; *luteata* [Denis & Schiffermüller], 1775; *centrata* Fabricius, [1776]; *flavicata* Thunberg, 1784; *sinuosata* Girona, 1791; *flavostrigata* Donovan, 1806; *chibiana* Matsumura, 1925 Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 14 81
- 1733. Hydria cervinalis (Scopoli, 1763)** (Geometridae) Synonym(s): *cervinalis* Scopoli, 1763; *cervinata* [Denis & Schiffermüller], 1775; *fasciaria* Goeze, 1781; *fasciata* Retzius, 1783; *cervinaria* Treitschke, 1825; *certata*

- Hübner,[1825]; *certaria* Boisduval,1840. Range (as codes): DZ Clo ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR Cc AZ Kir Lag DK NO SE FI EE LV LT RU MD UA BY 05 06 17 24 29 51 58 05A 06R 58N
1734. **Hydria undulata (Linnaeus,1758)** (Geometridae) Synonym(s): *undulata* Linnaeus,1758; *serrata* Hufnagel,1767; *limbata* Goeze,1781; *fuscata* Fourcroy,1785 nec Hufn.,1767; *undularia* Boisduval,1840 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY 53 61 61K 61Ka
1735. **Hydriomena coerulata (Fabricius,1777)** (Geometridae) Synonym(s): *#impluviata* [Denis & Schiffermüller],1775; *coerulata* Fabricius,1777; *autumnalis* Ström,1783; *trifasciata* Borkhausen,1794; *bicommata* Schrank,1802; *literata* Donovan,1810; *relictata* Zetterstedt,1839; *impluviaria* Boisduval,1840; *insulicolata* Schawerda,1933 Range (as codes): PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR Cc IR DK NO SE FI EE LV LT RU Kol K-R Ur Sb Mgd Am Us Kmt Sh Krl MD UA BY KG KP KR CN Ui Tlk JP CA 08 14 39 52 61 75 08H 08Hb 08G 08Gc 52A 61K
1736. **Hydriomena furcata (Thunberg,1784)** (Geometridae) Synonym(s): *furcata* Thunberg,1784; *sordidata* Fabricius,1794; *elutata* Hübner,[1799]; *fuscoundata* Donovan,1806; *elutaria* Boisduval,1840; *shibuyae* Matsumura,1925. Range (as codes): PT ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU Kol K-R Ur Sb Am Us Kmt Sh Krl MD UA BY MN KP KR GG Bjo AM KG T-S KK CN Ui Ju JP CA 14 17 75 75F 75Fb
1737. **Hydriomena ruberata (Freyer,[1831])** (Geometridae) Synonym(s): *ruberata* Freyer,[1831]; *ruberaria* Herrich-Schäffer,1848 Range (as codes): PT ES FR IT IE GB BE DE CH AT PL CZ SK RO YU BG TR DK NO SE FI EE LV RU Cc Kol K-R Kmt MD UA BY AM 61
1738. **Hylaea fasciaria (Linnaeus,1758)** (Geometridae) Synonym(s): *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *bilosata* De Villers,1789; *viridifasciosa* Esper,1794; *cleui* Lerout,1993 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL BG GR TR GG Mng Bjo Bku Aba AM Cc DK NO SE FI EE LV LT RU MD UA BY 01 06 07 10 14 17 22 31 33 46 52 59 80 01B 01D 07D 10K 10Ka 33A 33Aj 33G 46G 46Gf 46Gi
1739. **Hypomecis punctinalis (Scopoli,1763)** (Geometridae) Synonym(s): *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* De Villers,1789; *grisearia* Bastelberger,1902; *magyarica* Wehrli,1932 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT SS Mrb PL CZ SK HU RO YU AL BG GR TR CY DK SE FI EE LV LT RU Ur Sb MD UA BY KP KR JP TW 05 13 14 16 31 33 39 52 57 61 80 81 05G 13F 16A 31D 33A 33Ac 39B 52C 52G 52Gb 61K 61Ka 80B
1740. **Hypomecis roboraria (Fabricius,1787)** (Geometridae) Synonym(s): *#roboraria* [Denis & Schiffermüller],1775; *roboraria* Fabricius,1787; *consobrinaria* Hübner,[1799] nec Borkh.,1790; *grandaria* Haworth,1809; *piperitaria* Stephens,1831; *isabellae* Fernandez,1931 Range (as codes): PT ES FR Co Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ DK SE FI EE LV LT RU MD UA BY 08 14 51 81 08H 08Hb 52G 52Gb
1741. **Idaea admiranda Hausmann,2004** (Geometridae) Synonym(s): *litigiosaria* sensu Okyar & Aktaş,1999 nec Bsd.,1840; *admiranda* Hausmann,2004 Range (as codes): TR Cc RU Da Der 01 05 22 25 39 59 63 01H 05A 22A 25C 25Ca 39G 59D 63H
1742. **Idaea affinitata (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *affinitata* A.Bang-Haas,1907 Range (as codes): LB Bsa TR IL Pa
1743. **Idaea albitorquata (Püngeler,1909)** (Geometridae) Synonym(s): *albitorquata* Püngeler,1909 Range (as codes): Si IT YU AL BG GR Rd Cr TR CY 05 06 09 27 34 06Y 27D 27Dd
1744. **Idaea allongata (Staudinger,1898)** (Geometridae) Synonym(s): *allongata* Staudinger,1898; *allongaria* Staudinger,1900; *paulusi* L.B.Prout,1935 Range (as codes): Cr TR LB IL Pa Js Car JO IQ IR Fa Com Kz Sse 27 47 63 72 27D 27Da 27Db 27Dd 72A 63B 63Ba
1745. **Idaea aureolaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1785; *trilineararia* Hübner,[1787]. Range (as codes): ES FR IT LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Mng AZ AM LT RU Sb Ya MD UA Cm MN CN Ui Ku 05 06 16 18 46 05A 16A 46Fb
1746. **Idaea aversata (Linnaeus,1758)** (Geometridae) Synonym(s): *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851. Range (as codes): DZ Hrh Dhm TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Dar Len Der Da AM AZ DK NO SE FI EE LV LT RU MD UA BY JP 05 14 16 22 31 34 39 42 44 52 54 59 61 65 75 81 05A 16A 31C 31K 31Ka 31Ka5 42B 44I 44Ic 52G 52Gb 61K 61Ka 65A 65Am 65Am4 65D 65L 65Le 75F 75Fb
1747. **Idaea bilinearia (Fuchs,1889)** (Geometridae) Synonym(s): *bilinearia* Fuchs,1889; *rubraria* Staudinger,1901 Range (as codes): PT ES FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR TR
1748. **Idaea biselata (Hufnagel,1767)** (Geometridae) Synonym(s): *biselata* Hufnagel,1767; *fimbriata* [Denis & Schiffermüller],1775; *fimbriolata* Stephens,1831; *plumipedata* Walker,1861; *shimizuensis* Matsumura,1925. Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY JP 05 14 22 39 52 61 81 52G 52Gb 61L
1749. **Idaea camparia (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934. Range (as codes): DZ Orn PT ES FR Si

IT RO YU HV AL BG GR Cr CY TR LB Bsa Cc AZ Nv AM GG Tbl Kir Lag Ord IQ RU MD UA BY IR Fa Com Kz Gls IL Pa
Hf JO TM 01 05 07 16 17 22 30 31 33 35 45 46 52 59 65 76 05A 16A 33G 46G 46Gi 52G 52Gb 65A 65Ai 65Am 65Am4 76B
76Ba

- 1750. *Idaea cervantaria* (Millière,1869)** (Geometridae) Synonym(s): *cervantaria* Millière,1869 Range (as codes): MA DZ Clo TN PT ES Mu FR TR
- 1751. *Idaea circuitaria* (Hübner,[1819])** (Geometridae) Synonym(s): *circuitaria* Hübner,[1819]; *chimaeraria* Millière,1869 Range (as codes): PT ES FR Co Sa Si IT YU BG GR Cr TR 05 35 60 05A 60H 60Hb
- 1752. *Idaea consanguinaria* (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *turatii* Sohn-Rethel,1929 Range (as codes): Si IT RO YU AL BG GR Cr TR RU IL Pa LB Bsa CY IR Cc AZ Nv GG 05 07 16 17 30 31 33 34 35 38 42 44 46 56 05A 16A 30B 30Bc 30Bz 31M 33G 42B 44L 44Lc 56F
- 1753. *Idaea consociata* (Staudinger,1900)** (Geometridae) Synonym(s): *consociata* Staudinger,1900. Range (as codes): TR 47
- 1754. *Idaea consolidata* (Lederer,1853)** (Geometridae) Synonym(s): *consolidata* Lederer,1853 Range (as codes): Sa Si SS HV YU AL MK BG GR Rd Cr CY TR LB Bsa IR? 05 06 07 16 34 46 05A 16A
- 1755. *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR IL Pa LB Bsa Cc AZ GG Tbl Bjo Kir IQ RU MD UA BY IQ TM IR Elb Fa Gls AF KG UZ 01 02 05 06 07 14 16 17 21 22 27 30 31 33 34 36 39 42 46 48 52 56 58 60 61 65 71 80 01B 01D 01G 01J 02F 02Fd 02Fz 05A 16A 21N 21Nh 27D 27Da 30B 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka3 33A 33Ak 34R 34Rb 36D 36Db 46G 46Gf 48L 52G 52Gb 56C 56Cc 56F 56Fa 58N 61K 61Ka 65A 65Am 65Am4 65An 65Ai 65N 65Nc 65Nc4 65L 65Lb 80B 80Bc
- 1756. *Idaea determinata* (Staudinger,1876)** (Geometridae) Synonym(s): *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901. Range (as codes): FR Sa Si IT MT YU MK AL BG GR TR 01 07 13 14 22 31 32 33 39 46 49 71 01G 01H 01K 13G 13Gg 31M 46G 46Gd
- 1757. *Idaea dilutaria* (Hübner,[1799])** (Geometridae) Synonym(s): *dilutaria* Hübner,[1799]; *holosericata* Duponchel,1842; *holosericiaria* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La Harpe,1853. Range (as codes): MA PT ES FR Co Sa Si IT GB BE LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR Cc AM GG Bjo Mng Smt UA RU SE 05 14 16 22 34 39 52 75 80 05A 16A 52G 52Gb
- 1758. *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 *nec* Wehrli,1931; *tauricola* Wehrli,1934. Range (as codes): PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Bjo Kir Lag AZ AM IR Mz IL Pa LB Bsa TM DK NO SE FI EE LV LT RU MD UA Cm BY CA US 01 05 16 31 33 34 39 45 46 48 52 65 75 81 01B 01D 16A 31K 31M 33A 33Ac 48L 52G 52Gb 65D 65Dh 75F 75Fd
- 1759. *Idaea distinctaria* (Boisduval,1840)** (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852 Range (as codes): FR Co Sa Si IT CH SS HV YU AL BG GR Cr Rd CY TR IL Pa JO EG 01 07 27 31 33 27D 27Db 33A 33Ak
- 1760. *Idaea elongaria* (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *marialudovicata* Lucas,1942. Range (as codes): MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT SK HU RO HV YU AL BG GR Sms Cr CY TR Cc AZ GG LB Bsa AZ Nv IQ Akr RU UZ CN Ui li Ku Khr KG Tk 01 07 16 17 31 34 46 56 71 16A 17C 46L 56F
- 1761. *Idaea emargianata* (Linnaeus,1758)** (Geometridae) Synonym(s): *emarginata* Linnaeus,1758 Range (as codes): PT ES FR Sa? Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 1762. *Idaea epaphrodita* (Wehrli,1934)** (Geometridae) Synonym(s): *epaphrodita* Wehrli,1934; *serrataria* Sterneck,1934. Range (as codes): TR LB Bei IL Pa Js EG Sn
- 1763. *Idaea filicata* (Hübner,[1799])** (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830; *levequei* Leraut,2005 Range (as codes): ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IQ Rwz Agh IL Pa CY LB IR 01 05 14 16 17 21 22 30 31 33 34 42 44 45 46 48 52 56 58 59 60 61 65 71 80 01B 01D 01G 01H 05A 05G 16A 21L 21Lc 30D 30Df 33A 33Ad 33Ac 33Ak 33G 44I 44Ic 44L 44Lc 48L 52G 52Gb 56F 58N 60H 60Hb 61K 65A 65Ai 65Am 65Am4 65D 65Dh
- 1764. *Idaea flaveolaria* (Hübner,[1809])** (Geometridae) Synonym(s): *brunnearia* Fabricius,1794; *flaveolaria* Hübner,[1809] Range (as codes): ES FR IT CH AT TR Cc AM Dar AZ Len 76 76D 76Dd
- 1765. *Idaea fuscovenosa* (Goeze,1781)** (Geometridae) Synonym(s): *fuscovenosa* Goeze,1781; *plebeia* Fourcroy,1785; *interjectaria* Boisduval,1840 Range (as codes): DZ Lbs Saia PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA BY 31 42 42B
- 1766. *Idaea gracilipennis* (W.Warren,1901)** (Geometridae) Synonym(s): *gracilipennis* W.Warren,1901; *#rubrolineata* Schwingenschuss,1933 Range (as codes): LB Bei Bmm Bsa TR 46
- 1767. *Idaea holliata* (Homberg,1909)** (Geometridae) Synonym(s): *holliata* Homberg,1909 Range (as codes): TR LB Bsa IL Pa JO Amm 31
- 1768. *Idaea humiliata* (Hufnagel,1767)** (Geometridae) Synonym(s): *humiliata* Hufnagel,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799] Range (as codes): DZ Sbd PT ES Mu FR Co Sa Si IT GB BE

NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Mng Smt AM AZ Nv DK NO SE FI EE LV LT RU MD UA Cm
BY 05 06 14 16 22 39 65 71 76 05A 16A 65A 65Ai 65F 65Fr 65N 65Np7 65Nm 76D 76Dd

- 1769. *Idaea inclinata* (Lederer,1855)** (Geometridae) Synonym(s): *inclinata* Lederer,1855 Range (as codes): LB Bei IL Pa Js TR CY EG LY
- 1770. *Idaea infirmaria* (Rambur,1833)** (Geometridae) Synonym(s): *infirmaria* Rambur,1833; *carnearia* Mann,1855; *ledererata* Guenée,[1858]; *nigrobarbata* Staudinger,1859; *aquitana* Constant,1865 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT YU AL GR Cr TR 17 48
- 1771. *Idaea inquinata* (Scopoli,1763)** (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840 Range (as codes): MA DZ TN EG LY Cy PT ES FR Co Sa Si IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY AZ Cc AM GG Tbl Ord AZ Nv IR DK SE FI LV RU UA Cm 05 16 22 31 34 46 56 76 05A 16A 31M 56F 76C
- 1772. *Idaea intermedia* (Staudinger,1879)** (Geometridae) Synonym(s): *intermedia* Staudinger,1879 Range (as codes): GR Cr RD CY TR LB Bei Bsa IL Pa Hf 01 05 06 20 31 38 46 47 71 01G 01K 05A
- 1773. *Idaea laevigata* (Scopoli,1763)** (Geometridae) Synonym(s): *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *stora* Andreas,1928 Range (as codes): MA DZ Bsk TN PT ES FR Co Sa Si IT MT BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR RU UA Cm Cc GG Tbl Mng Smt AZ AM IR 16 16A
- 1774. *Idaea leipnitzi* Hausmann,2004** (Geometridae) Synonym(s): *leipnitzi* Hausmann,2004 Range (as codes): HV GR IT Si TR 16
- 1775. *Idaea longaria* (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *longaria* Herrich-Schäffer,1852; *prolongata* Rambur,1866 Range (as codes): MA DZ Ges TN PT ES Sa Si IT GR Rd Cr TR JO
- 1776. *Idaea deversaria* (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885 Range (as codes): MA PT ES FR Co Sa Si IT LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Bjo AM AZ Nv Ord DK NO SE FI EE LV LT RU MD UA Cm BY IR Gls Kh 05 06 07 14 16 29 30 31 33 34 39 42 61 80 81 05A 06R 06Rb 16A 30B 30Bc 30Bz 31A 31Ab 42B 61K
- 1777. *Idaea metohiensis* (Rebel,1900)** (Geometridae) Synonym(s): *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938. Range (as codes): HV SS B-H MK AL BG GR TR Cc 06 36 42 42B
- 1778. *Idaea mimosaria* (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *mimosaria* Herrich-Schäffer,1852 Range (as codes): TR CY IL Pa Hf 01 05 07 33
- 1779. *Idaea moniliata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805 Range (as codes): PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ AM GG Tbl Mng Bjo Smt Da Der RU MD UA Cm BY IR Gls TM 01 05 06 13 14 16 22 31 33 34 36 39 42 52 56 60 81 01J 05A 13G 13Gg 16A 31A 33G 36D 36Db 42B 52G 52Gb 56F 56Fq 60G 60H 60Hb
- 1780. *Idaea muricata* (Hufnagel,1767)** (Geometridae) Synonym(s): *muricata* Hufnagel,1767; *auroralis* [Denis & Schiffermüller],1775; *variegata* Fabricius,1777 *nec* Sc.,1763; *aureopolita* Goeze,1783; *sanguinaria* Hübner,1787; *auroraria* Borkhausen,1794 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR GG Lag Cc AZ DK NO SE FI EE LV LT RU MD UA BY Krl CN 39 52 55 52G 52Gb
- 1781. *Idaea nitidata* (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *nitidata* Herrich-Schäffer,1861; *tectaria* Leech,1897. Range (as codes): ES FR IT CH AT CZ SK HU RO YU TR RU MD UA BY CN KP KR 05 05A
- 1782. *Idaea obsoletaria* (Rambur,1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *algeriensis* Baker,1888; *distans* Hausmann,1991; *violacearia* Hausmann,1991 *nec* Wlk.,1861 Range (as codes): MA DZ Ges Clo Sbd ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Ord Da Der AZ Nv RU MD UA BY IQ IR Fa LB Bsa 05 07 14 16 25 35 39 42 45 58 59 71 05A 16A 58N
- 1783. *Idaea ochrata* (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreata* [Denis & Schiffermüller],1775; *corrigata* Fabricius,1781; *ochrearia* Schrank,1802 *nec* Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901 Range (as codes): MA DZ Sbd TN PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Smt Lag Da Der Kir AZ AM Ksp CY LB DK SE RU MD UA BY IR 01 05 06 14 16 22 25 34 39 46 52 59 65 76 78 81 05A 06R 16A 52G 52Gb 65F 65Fr 65Fp 65Fz 65G 65Gb 65L 65Le 65N 65Np 65Nm 76C 76D 76Dd 78D 78Da
- 1784. *Idaea ossiculata* (Lederer,1871)** (Geometridae) Synonym(s): *ossiculata* Lederer,1871 Range (as codes): MK GR TR Cc AM AZ Nv Ord GG RU Da UA Cm IR Ab Gor Kh LB 01 02 05 06 07 13 25 30 31 33 38 40 42 44 46 58 65 70 02F 02Fd 02Fe 02Fz 05A 06K 06Kb 13A 13Ac 13Ax 25F 33H 42B 44L 44Lc 46G 46Gf 58N 65A 65Am 65Am1 65Ai 65At 65At5 65B 65Bo 65Bx 65D 65Df 65L 65Le 65N 65Nc 65Np2 65Nm 70A 70Ab
- 1785. *Idaea ostrinaria* (Hübner,[1813])** (Geometridae) Synonym(s): *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938. Range (as codes): MA DZ Ges Lbs TN PT ES Mu FR Co Sa Si IT YU AL BG GR Cr Rd TR CY 01 07 16 17 31 33 42 44 46 59 60 71 80 01B 01H 16A 31A 31Ab 31F 31M 33G 42B 60H 60Hb
- 1786. *Idaea palaestinensis* (Sterneck,1933)** (Geometridae) Synonym(s): *antitaurica* Wehrli,1932 *nec* Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934 Range (as codes): LB Shw Bei IL Pa GR Cr Rd CY TR IQ Agh Bgd IR Fa 07 14 17 22 31 34 46
- 1787. *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840 Range (as

- codes): FR Co Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Bjo Mng Smt DK NO SE FI EE LV LT RU Sb MD UA BY CN Ui Kun MN KK Am 36 75
- 1788. *Idaea pectinata* (Sterneck,1933)** (Geometridae) Synonym(s): *pectinata* Sterneck,1933 Range (as codes): TR IL Pa Jer
- 1789. *Idaea peluraria* (Reisser,1939)** (Geometridae) Synonym(s): *peluraria* Reisser,1939 Range (as codes): TR CY IR Elb
- 1790. *Idaea persidis* (Wiltshire,1966)** (Geometridae) Synonym(s): *persidis* Wiltshire,1966 Range (as codes): TR IR Fa Gls 23 44 56 23I 23Ib 44I 56F 56Fa
- 1791. *Idaea politaria* (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 *nec* Fabr.,1781; *politaria* Hübner,[1799]; #*abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901 Range (as codes): DZ Sbd PT ES FR Co Sa Si IT CH CZ SK HU RO SS YU AL BG GR Cr TR IQ LB Bsa RU MD UA Cm CY Cc GG Lag Der Da AZ AM IR Mz Gls 01 05 07 14 16 22 31 33 34 39 45 52 65 81 01B 01D 01G 05A 16A 31C 33G 52G 52Gb 65L 65Le
- 1792. *Idaea proclivata* (Fuchs,1902)** (Geometridae) Synonym(s): *proclivata* Fuchs,1902; *osthelderi* Wehrli,1932 Range (as codes): AM Cc TR IR Fa Com Kz Sse IL Pa 25 30 46 56 65 30B 30Bc 30Bt1 30Bz 30D 30Df 56E 56Eg 65A 65D 65Df 65L 65Le
- 1793. *Idaea purpureomarginata* (Bohatsch,1880)** (Geometridae) Synonym(s): *purpureomarginata* Bohatsch,1880 Range (as codes): TR JO Amm LB Bei IL Pa 01 01J
- 1794. *Idaea roseofasciata* (Christoph,1882)** (Geometridae) Synonym(s): *roseofasciata* Christoph,1882 Range (as codes): TR Cc Nv Ord AZ 46
- 1795. *Idaea rufaria* (Hübner,[1799])** (Geometridae) Synonym(s): *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944 Range (as codes): MA PT ES Mu FR Co Si IT BE DE CH AT PL CZ SK HU RO YU B-H MK HV AL BG Vrn GR Rd TR Cc GG Tbl Bjo Mng Kir Bku Smt Da Der Nv Ord AZ AM Ksp IQ RU MD UA BY IR Fa Com Kz Kh AF Pag Kab MN 01 05 14 16 17 22 30 33 34 39 42 58 65 76 80 05A 30D 30De 42B 58N 65A 65Ai 65Am 65Am1 65At 65At1 65F 65Fg 65Fr 65K 65Kl 65Z 65M 65Md 65N 65Np 65Ns 65Nm 76C 80B 80Bc
- 1796. *Idaea ruficostata* Zeller,1847** (Geometridae) Synonym(s): *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852. Range (as codes): GR Rd CY Cc TR LB Bsa 08 17 25 29 53
- 1797. *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866. Range (as codes): DZ FR Co Sa Si IT MT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Ord Len Der Da AZ AM Nv RU MD UA Cm IL Pa IR Gls Kh AF MN TM KK 05 06 08 13 14 16 22 25 38 39 42 52 56 58 65 75 05A 08H 08Hc 13A 13Ab 13Ax 13G 13Gü 13Gw 13Gy 16A 42B 52G 52Gb 56F 56Fb 56Fi 58N 65N 65Np 65Nm 75F 75Fd
- 1798. *Idaea seriata* (Schrank,1802)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *seriata* Schrank,1802; *cubicularia* Peyerimhoff,1862 Range (as codes): DZ Ges TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 16 35 42 16A 35L
- 1799. *Idaea sericeata* (Hübner,[1813])** (Geometridae) Synonym(s): *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923; Range (as codes): MA PT ES Mu FR Co Sa IT LU CH AT SK HU TR Cc GG Smt Bjo Da Der AM RU MD UA BY CN Ui Ku 42 45 76 76B 76Bb 76D 76Dc 76Dd
- 1800. *Idaea serpentata* (Hufnagel,1767)** (Geometridae) Synonym(s): *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Röslerstamm,1836. Range (as codes): PT ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Sb Ya MN UA Cm BY Da Cc GG Mng Bku Smt Da Kus AM 16 58 16A 58N
- 1801. *Idaea sodaliaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *sodaliaria* Herrich-Schäffer,[1852] Range (as codes): CY TR Cc GG Tbl Kir Lag Ord Der Da RU AZ AM Nv 17
- 1802. *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858] Range (as codes): MA DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Len AZ DK NO SE FI EE LV LT RU MD UA BY LB Bsa IR AF Sb At MN CN KP KR Sh Krl 05 16 36 42 52 81 05A 16A 52G 52Gb
- 1803. *Idaea subpurpurata* (Staudinger,1900)** (Geometridae) Synonym(s): *subpurpurata* Staudinger,1900 Range (as codes): TR LB IL Pa 21 31 47 31M
- 1804. *Idaea subsericeata* (Haworth,[1809])** (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934 Range (as codes): MA DZ Ges TN PT ES Mu FR Co Sa Si IT IE GB BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG Lag Len Ord Kir AM AZ Nv DK RU UA Cm IL Pa 01 05 07 16 17 22 30 31 33 34 46 52 59 81 01J 01G 05A 16A 30D 30Df 31K 52G 52Gb
- 1805. *Idaea sylvestraria* (Hübner,[1799])** (Geometridae) Synonym(s): *sylvestraria* Hübner,[1799]; *marginepunctata* Stephens,1831 *nec* Gz.,1781; *straminata* Treitschke,1835 *nec* Bkh.,1794; *grammicaria* Boisduval,1840; *circellata* Guenée,1858; *folognearia* Staudinger,1863; *graciliata* Mann,1867; *shiskensis* Matsumura,1925; *minuta* Heydemann,1933 Range (as codes): ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Sb Sh 48 65 48L 65K 65Kd 65Kg

- 1806. *Idaea taurica* (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *taurica* A.Bang-Haas,1907 Range (as codes): TR 31
- 1807. *Idaea textaria* (Lederer,1861)** (Geometridae) Synonym(s): *textaria* Lederer,1861 Range (as codes): GR Ae Sms TR CY IQ Sbn Agh 01 31 46 56 80 01G 01J 31A 31D 46G 56C 56Cc 56F 80B 80Bc
- 1808. *Idaea tineata* (Thierry-Mieg,1911)** (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931. Range (as codes): GR Sms Rd TR IL Pa LB Bmm CY 09 31 32 33 42 70 31M 32F 70C
- 1809. *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830. Range (as codes): ES Co Sa Si IT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR LB Bsa TR CY GG Bjo Kir AZ SE RU MD UA Cm Cc AM IR GlS 01 05 07 13 14 16 17 30 31 33 34 46 52 61 65 80 81 01G 01J 01H 05A 13F 13F35 16A 30B 30Bc 30Bz 30D 30Df 31A 31Ab 31D 31F 31K 31Ka 31Ka5 31L 52G 52Gb 61K 65A 65Ai 65D 65F 65Fr 65L 65Le
- 1810. *Idaea troglodytaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939 Range (as codes): IL Pa Js JO Rd Cr GR CY TR 01 07 09 31 33 46 48 46G 46Gf
- 1811. *Isturgia arenacearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940 Range (as codes): Co Sa IT MT CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Nv Kir Lag AZ AM Nv IR LT RU MD UA BY KG Tks CN Ui Ku Kgs MN 16 22 36 39 52 16A 36D 36Db 52G 52Gb
- 1812. *Isturgia berytaria* (Staudinger,1892)** (Geometridae) Synonym(s): *berytaria* Staudinger,1892 Range (as codes): GR Cr LB Bei TR CY IL Pa 01 31 01J 31K 31Ka 31Ka3
- 1813. *Isturgia disputaria* (Guenée,[1858])** (Geometridae) Synonym(s): *disputaria* Guenée,[1858]; *indodata* Walker,1863; *strenuata* Walker,1863; *curvifera* Walker,1870; *gazella* Blackmore,1872; *martiniaria* Oberthür,1876; *granitalis* Butler,1883; *lithina* Butler,1883; *zebrina* Butler,1883; *infrictaria* Swinhoe,1886; *subocellata* Warren,1896; *trilineata* Krüger,1939 Range (as codes): MA DZ Rhr Ah Ajj Bsk TN EG EG11 ET NG CM KE IN Pj Mp Poo Mhw PK Sd Krc YE Ad LY ML MT Cc GG AZ AM TR JO SY LB IR Hz IQ MR OM AE JO GM
- 1814. *Isturgia hopfferaria* (Staudinger,1879)** (Geometridae) Synonym(s): *hopfferaria* Staudinger,1879 Range (as codes): TR 05 06 13 14 25 30 38 42 50 65 71 05A 06K 06Kb 13A 30D 30Dp 38H 38Hc 65A 65At 65At5 65Ai 65Ab 65Aba 65D 65Dg 65Ds 65K 65Ky 65Ky1
- 1815. *Isturgia murinaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855 Range (as codes): PT ES FR Si IT BE DE CH AT PL CZ SK HU RO BG TR AZ AM Cc GG Lag Tbl Bjo RU Ur MD UA BY KK Ik IR Ab Oru CN Ui Tlk Kun 04 13 16 36 56 65 04E 04Ea 13A 13Ab 13Ax 16A 36D 36Db 56F 56Fi 65F 65Fi 65Fp 65Fz 65K 65Kl 65Z 65L 65Lb 65N 65Np 65Nm
- 1816. *Itame vincularia* (Hübner,[1813])** (Geometridae) Synonym(s): *vincularia* Hübner,[1813] Range (as codes): MA DZ Ges TN Gf PT ES Mu FR TR
- 1817. *Jodis lactearia* (Linnaeus,1758)** (Geometridae) Synonym(s): *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffermüller],1775; *semipectinata* Retzius,1783; *syrene* Fourcroy,1785; *sirene* De Villers,1789; *syrena* Geoffroy,1799 Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Mng DK NO SE FI EE LV LT RU MD UA BY CN Ui Ii 14 16 37 37 38 52 59 61 81 16A 37F 38K 52A 52G 52Gb 61K 61Ka
- 1818. *Lampropteryx suffumata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *suffumata* [Denis & Schiffermüller],1775; *piceata* Stephens,1831 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 14 61 61K
- 1819. *Larentia clavaria* Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr Rd CY TR IQ LB DK NO SE FI EE LV LT RU Ur At MD UA Cm BY Cc GG AZ AM IL Pa Js IR Ab KG Mn Ssn UZ TJ 14 30 31 46 56 65 30D 30Df 31K 31Ka 31Ka5 56F 65A 65Am 65D 65Df 65K 65Kl 65Kl3 65Z
- 1820. *Larerannis aurantiaria* (Hübner,[1799])** (Geometridae) Synonym(s): *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809 Range (as codes): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Mng Smt DK NO SE FI EE LV LT RU MD UA BY 22 33 34 39 75 34A 39B 75F 75Fb
- 1821. *Larerannis marginaria* (Fabricius,1777)** (Geometridae) Synonym(s): *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* De Villers,1789; *progemmaria* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Mng Smt DK NO SE FI EE LV LT RU MD UA BY 06 22 34 39 52 65 75 81 52G 52Gb 75F 75Fb 65D 65Dlc 65L 65Le
- 1822. *Lehmannodes guneyi* (Riemis,1992)** (Geometridae) Synonym(s): *guneyi* Riemis,1992 Range (as codes): TR IR Kd Bne 13 30 56 65 30B 30Be 30Bj 56F 56Fo 65K 65Kg
- 1823. *Ligdia adustata* (Fabricius,1787)** (Geometridae) Synonym(s): *#adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840 Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo Lag Kir Dar AM DK SE EE LV LT RU MD UA BY 05 14 16 18 22 33 39 53 61 81 05A 61K

- 1824. *Ligdia coctata* Guenée,[1858]** (Geometridae) Synonym(s): *coctata* Guenée,[1858]; *efferata* Walker,1862; *restitutata* Walker,1862; *inspersata* Staudinger,1879; *restituta* Butler,1886 Range (as codes): IN PK K-P Haz Mre Cp Pj Swa Sgl Kkar TR CN Ui Kön 05
- 1825. *Ligdia lassulata* (Rogenhofer,1873)** (Geometridae) Synonym(s): *lassulata* Rogenhofer,1873 Range (as codes): TR 33 46 71 33R 33Rb
- 1826. *Lithostege ancyrana* L.B.Prout,1938** (Geometridae) Synonym(s): *ancyrana* L.B.Prout,1938 Range (as codes): TR 06 42 58 58G
- 1827. *Lithostege bosporaria* (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1933. Range (as codes): Ode UA TR Cc GG AZ AM Nv 06 34 42 71 42B
- 1828. *Lithostege buxtoni* L.B.Prout,1920** (Geometridae) Synonym(s): *buxtoni* L.B.Prout,1920 Range (as codes): TR IQ Bji Su IR Ha Fa Shr Km Kd Km SA 23
- 1829. *Lithostege coassata* (Hübner,[1825])** (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840. Range (as codes): RU Ur Or MD UA Ode BY CN Ui Ku MN Cc GG AZ AM TM Kp Rpt TR IR Gor Mz Elb Ak Ab Mak Mrd KG 76 76A 76A 76Ac
- 1830. *Lithostege farinata* (Hufnagel,1767)** (Geometridae) Synonym(s): *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* L.B.Prout,1938 Range (as codes): DZ Ght Lbs Bsk TN Gf ES FR IT DE AT PL CZ SK HU RO YU BG GR TR Cc GG AZ Nv DK SE LV LT RU Sb At T-S MD UA Cm BY CN Ui Ku 05 16 30 34 38 42 47 50 51 56 58 65 05A 16A 30B 30Bt1 30Bz 47G 56A 58N 65F 65M 65Mc 65Md 65N 65Np 65Nş 65Nm
- 1831. *Lithostege flavicornata* (Zeller,1847)** (Geometridae) Synonym(s): *flavicornata* Zeller,1847 Range (as codes): TR AM Cc IR Th AZ CN Ui Ku 04 05 06 16 25 38 42 48 58 65 70 76 04C 05A 16A 38H 58N 65M 65Md 76A 76Ac
- 1832. *Lithostege griseata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850; *gigantea* Bytinski-Salz & Brandt,1937; *#transversaria* Bytinski-Salz & Brandt,1937 Range (as codes): MA DZ Abe PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU TR Cc GG AZ Nv IR Elb Th Kdj BG DK SE LT RU MD UA Cm BY KK KG TM Kp 03 05 06 16 21 26 38 42 44 46 70 71 05A 16A 21N 21Nc 44L 44Lc
- 1833. *Lithostege infusata* Eversmann,1837** (Geometridae) Synonym(s): *infusata* Eversmann,1837 Range (as codes): RU Sr TR Cc Arr GG AZ Lag Nv Ord AM Eri IR Elb Th Kdj Ak Ab Mak Ar Mrd Khy TJ UZ 76
- 1834. *Lithostege odessaria* (Boisduval,1848)** (Geometridae) Synonym(s): *odessaria* Boisduval,1848 Range (as codes): MD UA Ode TR 07 15
- 1835. *Lithostege palaestinensis* Amsel,1935** (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941. Range (as codes): GR CY TR SY Hal IL Pa JO IQ Kbl Fat Njf Agh SA SA63 IR Fa Zj Ss Bu Kz Mz Th Elb Dam 27 31 33 36 44 63 65 27D 27Db 31M 33F 36F 36Fb 44E 44Ei 63B 63Ba 63D 63E 65A 65Am 65Am1 65Am2
- 1836. *Lithostege witzenmanni* Standfuss,1892** (Geometridae) Synonym(s): *witzenmanni* Standfuss,1892 Range (as codes): AZ Nv Cc Ord IR Ha Ak Ab Oru Khy Qo TR 30 36 47 71 30B 30Bg 36D 36Db
- 1837. *Lobophora halterata* (Hufnagel,1767)** (Geometridae) Synonym(s): *halterata* Hufnagel,1767 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 06 14 46 81 06R 06Rb 46G 46Gf
- 1838. *Lomaspilis bithynica* Wehrli,1954** (Geometridae) Synonym(s): *bithynica* Wehrli,1954 Range (as codes): GR TR Cc AM 06 08 18 25 34 36 38 53 57 60 61 65 75 81 08H 18F 25F 25T 36D 36Db 36Fa 36Fb 60H 60Hb 61K 65F
- 1839. *Lomaspilis marginata* (Linnaeus,1758)** (Geometridae) Synonym(s): *marginata* Linnaeus,1758 Range (as codes): PT ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY
- 1840. *Lomographa bimaculata* (Fabricius,1775)** (Geometridae) Synonym(s): *bimaculata* Fabricius,1775; *taminata* [Denis & Schiffermüller],1775; *taminaria* Hübner,1799 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 1841. *Lomographa temerata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctata* Fabricius,1775 nec Cl.,1759; *temerata* [Denis & Schiffermüller],1775; *nitidula* Fourcroy,1785; *sylvestrata* Hübner,1786; *nitidularia* De Villers,1789; *temeraria* Hübner,1799; *nubeculata* Haworth,1809 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG Lag AZ DK NO SE FI EE LV LT RU MD UA BY TR 52 60 81 52G 52Gb 60H 60Hb
- 1842. *Lycia graecarius* (Staudinger,1861)** (Geometridae) Synonym(s): *graecarius* Staudinger,1861 Range (as codes): IT HV YU AL BG GR TR IR Ab Oru 17 22
- 1843. *Lycia hirtaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 nec Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891 Range (as codes): MA PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 05 16 52 65 76 05A 16A 52G 52Gb 65N 65Nm 65Np 76B 76Bb

- 1844. *Lycia pomonaria* (Hübner,1790)** (Geometridae) Synonym(s): *grisea* Thunberg,1784; *pomonaria* Hübner,1790; *stigmatella* Zetterstedt,1839 Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO TR NO SE FI EE LV LT RU Us
- 1845. *Lycia zonaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787 Range (as codes): ES FR IE GB BE NL LU DE CH AT PL CZ SK HU RO TR Cc GG Tbl AM DK SE RU MD UA BY 33 65
- 1846. *Lythria cruentaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839. Range (as codes): PT ES FR Sa IT BE NL DE AT PL CZ SK RO YU AL BG TR DK NO SE FI LV RU Ur UR MD UA Cm BY IR Ak Shf KG CN Ui Ii Ku 03 06 13 16 22 34 38 41 42 52 60 71 06R 06Rb 06Rd 13G 13Gö 13Gg 16A 52J 52Ja
- 1847. *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767 Range (as codes): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM IQ IR GlS Kh EE LV RU Ur Sb MD UA BY KG KK TJ TM UZ CN Ui Ii Ku 05 06 12 13 14 16 17 22 31 33 34 38 39 42 44 46 52 58 60 61 65 69 71 05A 06N 06Na 12E 12Ec 13A 13Ac 13Ac4 13Ax 16A 38H 38Ha 38K 42B 44F 44Fb 52A 58N 60H 60Hb 65K 65Kl 65Z 65N 65Ne
- 1848. *Macaria alternata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,[1805]; *praenotata* Haworth,1809 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR DK NO SE FI EE LV LT RU MD UA BY Am KK Ik CN Ui Ii KG Tk 16 46 16A 46F
- 1849. *Macaria liturata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#liturata* Clerck,1759; *liturata* Linnaeus,1761; *igneata* Hufnagel,1767; *fuscata* Thunberg,1788; *liturataria* Esper,[1801]; *lituraria* Hübner,[1823] Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Mng Smt Bjo Bku DK NO SE FI EE LV LT RU MD UA BY 14 61 75 81 61K 61Ka 75F 75Fb
- 1850. *Macaria notata* (Linnaeus,1758)** (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR GR Cc GG Bjo Lag Ord AZ AM Nv DK NO SE FI EE LV LT RU MD UA BY 39 52 57 61 81 52C 61K 61Ka
- 1851. *Macaria signaria* (Hübner,[1809])** (Geometridae) Synonym(s): *signaria* Hübner,[1809] Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY 46 46G 46Gf
- 1852. *Macaria wauaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec De Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809. Range (as codes): MA DZ ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG Bjo Smt Mng DK NO SE FI EE LV LT RU At Am MD UA BY KP KR CN 08 75 08H 08Hb 75F 75Fb
- 1853. *Mattia callidaria* (De Joannis,1891)** (Geometridae) Synonym(s): *callidaria* De Joannis,1891; *adlata* Staudinger,[1895] Range (as codes): GR Cr TR CY IL Pa Jt Js LB Bei 07
- 1854. *Megalycinia engys* Wehrli,1939** (Geometridae) Synonym(s): *engys* Wehrli,1939 Range (as codes): TR IQ Brs
- 1855. *Megalycinia scalaria* (Christoph,1893)** (Geometridae) Synonym(s): *scalaria* Christoph,1893 Range (as codes): Cc AZ Kir TR 36
- 1856. *Melanthia procellata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *procellata* [Denis & Schiffermüller],1775; ? *areolata* Fourcroy,1785; *procellaria* Boisduval,1840 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag Sok AZ DK SE RU MD UA BY 14 22 34 39 52 57 61 81 52G 52Gb 61K
- 1857. *Menophra abruptaria* (Thunberg,1792)** (Geometridae) Synonym(s): *abruptaria* Thunberg,1792; *strigata* Fabricius,1794; *petrificata* Hübner,[1799]; *suberaria* Donovan,1808; *petrificaria* Duponchel,1829; *barcinonaria* Bellier,1862; *theobromaria* Turati,1909 Range (as codes): Cn TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH YU AL BG GR TR 16 17 16A
- 1858. *Menophra berenicidaria* (Turati,1924)** (Geometridae) Synonym(s): *berenicidaria* Turati,1924; *trypanaria* Wiltshire,1948; *cretacaria* Reisser,1948 Range (as codes): TN LY Cy TR CY GR Cr 07 81
- 1859. *Microloxia herbaria* (Hübner,[1813])** (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860. Range (as codes): DZ Ges PT ES FR Co Sa Si IT HU RO YU AL BG GR Cr TR GG Lag Kir Ord Len Da Der Cc AZ Nv CY IQ Kbl RU MD UA BY CN Ui Ku IR Fa Com Kz OM IL Pa Hf 01 05 06 13 16 17 42 71 01J 05A 06Y 13A 13Ab 13Ax 16A
- 1860. *Minoa murinata* (Scopoli,1763)** (Geometridae) Synonym(s): *murinata* Scopoli,1763; *sordidata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799 Range (as codes): DZ Cst PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ GG AM RU Kr Tua MD UA BY CN Ui Kun 05 14 16 17 33 34 39 61 65 05A 16A 61K 65A 65Ai
- 1861. *Myinodes shohami* Hausmann,1994** (Geometridae) Synonym(s): *shohami* Hausmann,1994 Range (as codes): Rd TR LB CY IL Pa JO IQ IR Fa Shr 07 17 21 33 44 46 47 56 21N 21Nh 33A 33Ak 44L 44Lc 56A 56F 56Ff
- 1862. *Narraga cappadocica* Herbulot,1943** (Geometridae) Synonym(s): *cappadocica* Herbulot,1943 Range (as codes): TR Cc AM 06 18 38 58 71 06D 18F 38G 58N

- 1863. *Narraga fasciolaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829. Range (as codes): DE AT PL CZ SK HU RO BG TR DK FI EE LV LT RU Mo At Am MD UA BY KG Tk Aa CN Ui Um Ii 05 16 42 05A 16A
- 1864. *Narraga tessularia* (Metzner,1845)** (Geometridae) Synonym(s): *tessularia* Metzner,1845; *baltearia* Freyer,1845; *atronacularia* Herrich-Schäffer,1848. Range (as codes): AT SK HU RO BG TR RU Or Ur Sb At Tv UA Cm KK KG Tk Lps CN Ui Ku 36 76 36D 36Db 76C
- 1865. *Nebula achromaria* (La Harpe,1853)** (Geometridae) Synonym(s): *achromaria* La Harpe,1853; *saxicolata* Lederer,1853; *hispalata* Rambur,1866; *fasciata* Wehrli,1920; *tenebrata* Dannehl,1933. Range (as codes): ES FR IT DE CH AT PL CZ SK RO YU AL BG GR TR RU CY? GG? Cm? 14
- 1866. *Nebula apiciata* (Staudinger,1892)** (Geometridae) Synonym(s): *apiciata* Staudinger,1892 Range (as codes): TR TM Kp IR TJ Pm 58 58N
- 1867. *Nebula approximata* (Staudinger,1879)** (Geometridae) Synonym(s): *approximata* Staudinger,1879 Range (as codes): TR 05 05A
- 1868. *Nebula impunctata* (Staudinger,1879)** (Geometridae) Synonym(s): *impunctata* Staudinger,1879 Range (as codes): TR 05 05A
- 1869. *Nebula pirinica* (Reisser,1936)** (Geometridae) Synonym(s): *pirinica* Reisser,1936 Range (as codes): YU MK AL GR BG TR
- 1870. *Nebula reclamata* (L.B.Prout,1914)** (Geometridae) Synonym(s): *reclamata* L.B.Prout,1914 Range (as codes): TR IR Elb Th Fa Com Kz LB Bsa 46
- 1871. *Nebula senectaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *senectaria* Herrich-Schäffer,[1852]; *ludificata* Staudinger,1870; *decipiata* Staudinger,1901; *sultana* Schwingenschuss,1939 Range (as codes): IT YU B-H HV SS AL MK BG GR Cr UA Cm TR Cc AZ Kir GG AM IL Pa IQ LB Bsa 05 14 21 24 25 42 46 47 56 58 76 05A 21N 21Nh 42B 56F 76C
- 1872. *Nebula* sp.1** (Geometridae) Synonym(s): Range (as codes): TR 65 65A 65Am 65Am4
- 1873. *Nebula* sp.2** (Geometridae) Synonym(s): Range (as codes): TR 65 65A 65Am 65Am4
- 1874. *Neognopharmia cataleucaria* (Staudinger,1901)** (Geometridae) Synonym(s): *cataleucaria* Staudinger,1901 Range (as codes): TR 30 47 30B 30Bd 30Bc 30Bc1 30Bc 30Bt1 30Bz 30D 30Df 30Dx 47D
- 1875. *Neognopharmia stevenaria* (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841 Range (as codes): PT ES Mu FR IT RO MD UA Cm YU HV SS MK AL BG GR Ip Sms Cr TR AZ Cc AM GG IQ IR Fa Sse Com Kz RU Sr Or Ur Vi Kis IL Pa Car Hf LB Bsa CY 01 02 05 06 08 13 14 16 17 21 22 25 27 30 31 36 42 44 46 56 61 65 01B 01H 02F 02Fd 02Fz 05A 08H 08Ha 13F 13F7 13F71 13G 13Gw 13Gs 13Gy 16A 21N 21Nc 25F 27D 27Db 36D 36Db 42B 44E 44Ei 44I 44Ic 44O 46G 46Gf 56C 56Cc 56F 56Fn 61K 65A 65Ai 65D 65Df 65Dl 65Dlc 65F 65Fp 65Fz
- 1876. *Nothocasis sertata* (Hübner,[1817])** (Geometridae) Synonym(s): *sertata* Hübner,[1817]; *appendiculata* Boisduval,1840; *fumidata* Turati & Verity,1912; *nigrofasciata* Osthelder,1929 Range (as codes): FR IT BE LU DE CH AT PL CZ SK HU RO YU BG DK SE RU UA Cm GG Cc TR 53
- 1877. *Nychiodes* (Eunychiodes) *amygdalaria* (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848] Range (as codes): IT YU MK BG GR Cr TR LB Bsa IL Pa Js Hf JO Cc AM IR 06 16 21 25 31 33 42 44 45 46 47 56 80 16A 31M 56F 56F1 80B 80Bb
- 1878. *Nychiodes* (Eunychiodes) *divergaria* (Staudinger,1892)** (Geometridae) Synonym(s): *divergaria* Staudinger,1892 Range (as codes): TR LB Bei Bsa IL Pa Js RU Da Cc IR Elb IQ Brs Ry Rwz Dia 13 21 24 30 31 44 46 47 65 80 13G 13Gy 30D 30Df 31M 46G 46Gi 65A 65Am1 65D 65Df 65Fz 80B 80Bb
- 1879. *Nychiodes* (Eunychiodes) *variabila* Brandt,1938** (Geometridae) Synonym(s): *variabila* Brandt,1938; *#variabilis* auct. Range (as codes): TR IR Km Ksh Fa Sse Com Mia Kz Ss Kuh IQ Bgd Agh Dk 13 21 23 30 56 65 13G 13Gü 13Gw 21L 21Lc 30D 30Df 56F 65F 65Fr
- 1880. *Nychiodes* (Fritzwagneria) *dalmatina* F.Wagner,1909** (Geometridae) Synonym(s): *dalmatina* F.Wagner,1909 Range (as codes): CH HU RO HV YU AL BG GR TR 01 31 55 56 01D 01H 31A 31Ab 31F 55F 56F
- 1881. *Nychiodes* (Fritzwagneria) *palaestinensis* F.Wagner,1919** (Geometridae) Synonym(s): *palaestinensis* F.Wagner,1919; *libanotica* Zerny,1933 [ssp.] Range (as codes): TR IL Js Pa LB Bei Bsa JO 27 27D 27Db
- 1882. *Nychiodes* (Fritzwagneria) *rayatica* Wiltshire,1957** (Geometridae) Synonym(s): *rayatica* Wiltshire,1957 Range (as codes): AM Cc IQ Ry Hjo Er IR TR 65 65D
- 1883. *Nychiodes* (Fritzwagneria) *waltheri* F.Wagner,1919** (Geometridae) Synonym(s): *waltheri* F.Wagner,1919. Range (as codes): BG GR Rd TR IR Elb Mz TM Kp 05 17 22 31 34 42 46 58 71 17H 31M 42B 46G 46Gf 58N
- 1884. *Nychiodes* (s.str.) *obscuraria* (De Villers,1789)** (Geometridae) Synonym(s): *obscuraria* De Villers,1789; *obscurata* Borkhausen,1794; *lividaria* Hübner,[1799] Range (as codes): MA DZ Clo PT FR Si IT CH AT GR TR Cc AZ Len 05 16 17 21 22 33 39 45 65 80 05A 16A 17H 33G 39G 80B 80Bc

- 1885. *Ochodontia adustaria* Fischer de Waldheim, 1840** (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim, 1840; *sareptanaria* Freyer, 1841; *#sareptaria* Eversmann, 1844 Range (as codes): RU Sr TR IR Ab Elb Ak Shf AM Cc AZ Nv Ord Kir AF MN CN Ui Kl KK Ik 04 24 36 76 36D 36Db 76A 76Ac
- 1886. *Odezia atrata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *atrata* Linnaeus, 1758; *chaerophyllata* Linnaeus, 1767; *chaerophyllaria* Boisduval, 1840; *pyrenaica* Gumpfenberg, 1887; *meridionalis* Reisser, 1935 Range (as codes): PT ES FR Py IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM DK NO SE FI EE LV LT RU MD UA BY 01 05 06 13 14 18 28 29 33 36 37 38 42 46 49 60 61 65 71 01L 05A 13G 18F 28N 37F 38K 42B 46B 46F 46Fc 49F 49Fb 61K 65F 65Fg
- 1887. *Odontopera bidentata* (Linnaeus, 1761)** (Geometridae) Synonym(s): *#bidentata* Clerck, 1759; *bidentata* Linnaeus, 1761; *bidentaria* Fabricius, 1794; *dentaria* Hübner, [1799]. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY RU Sj Am KG Ssn MN JP Krl 14
- 1888. *Operophtera brumata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *brumata* Linnaeus, 1758; *hyemata* Hufnagel, 1767; *hyemalis* Retzius, 1783; *brumaria* Esper, 1801; *vulgaris* Stephens, 1829; *phryganea* Rambur, 1870; *myricaria* Cooke, 1882; *robineaui* Leraut, 1997 Range (as codes): MA DZ TN Elt PT ES FR Sa Si It IS IE GB BE NL LU DE NO IS CH AT PL CZ SK HU RO YU BG TR Cc AZ Lag AM GG DK NO SE FI EE LV LT RU Am Sb Ur MD UA BY IR Nos JP CA US 14 17 22 34 39 52 14E 52G 52Gb
- 1889. *Operophtera fagata* (Scharfenberg, 1805)** (Geometridae) Synonym(s): *fagata* Scharfenberg, 1805; *boreata* Hübner, [1813]; *borearia* Boisduval, 1840 Range (as codes): ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY
- 1890. *Opisthograptis luteolata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *luteolata* Linnaeus, 1758; *crataegata* Linnaeus, 1761; *crataegaria* Hübner, [1823]; *#emaculata* Graeser, 1892; *impunctata* Osthelder, 1931. Range (as codes): DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY LB Bsa CN Ui Ku Kön KK Ik KG Ssn PK Swa Sgl 05 06 08 13 14 16 17 18 34 39 45 52 57 61 65 81 05A 05G 13G 13Gs 13Gw 16A 18F 52A 52G 52Gb 52Gd 61K 65A 65An 65F 65Fr 65L
- 1891. *Opisthograptis niko* (Christoph, 1893)** (Geometridae) Synonym(s): *niko* Christoph, 1893 Range (as codes): TR GG Cc 53
- 1892. *Orthonama obstipata* (Fabricius, 1794)** (Geometridae) Synonym(s): *obstipata* Fabricius, 1794; *fluviata* Hübner, [1799]; *gemmata* Hübner, 1799; *albicinctata* Haworth, 1809; *angustata* Haworth, 1809; *quaerendaria* Costa, 1850; *baccata* Guenée, [1858]; *lapillata* Guenée, [1858]; *contrariata* Walker, 1862; *exagitata* Walker, 1862; *intrusata* Walker, 1862; *peracutata* Walker, 1862; *signataria* Walker, 1863; *obruptata* Walker, 1863; *pigrata* Walker, 1866; *plemyrata* R. Felder & Rogenhofer, 1875; *inconspicua* Warren, 1896; *brunneipennis* Hulst, 1896; *discata* Warren, 1905 Range (as codes): PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR IQ Agh GG AM Cc AZ IR Sse Fa AF DK NO SE FI EE LV RU Ur Sb Am Sh MD UA Cm BY KG KK UZ TJ TM CN MN KP KR JP ZA ZA10 ZA12 Kzu Nta IL Pa Jf Mtl LB Bsa MY Bor Shh KBa Kh CY PK Swa Dara Sgl Yek YE Tbl Mng Kir Lag Hkd ZR EG ET KE TZ MA DZ Ges Bsk Nbr Gf TN 01 05 06 07 13 14 16 17 22 30 31 33 34 42 46 56 65 71 80 01J 05A 13A 13Ab 13Ax 16A 30B 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka3 33G 56F 56Fb 65A 65Ai 65Am 65Am4 65D 65Dt 65F 65Fp 65Fz 80B 80Bc
- 1893. *Orthonama vittata* (Borkhausen, 1794)** (Geometridae) Synonym(s): *vittata* Borkhausen, 1794; *lignata* Hübner, [1799]; *areolaria* Haworth, 1809; *lineataria* Donovan, 1810; *lignaria* Boisduval, 1840 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU Ur Sb Tv Ya MD UA BY KG 05 16 05A 16A
- 1894. *Orthostixis calcularia* Lederer, 1853** (Geometridae) Synonym(s): *calcularia* Lederer, 1853 Range (as codes): Cc AZ Kir TR 05 12 13 14 42 46 49 65 05A 12A 12Ab 13C 13Cc 46G 46Gf 49E 49Ea 65A 65Ai 65Am 65Am1 65F 65Fb 65Fc 65Fg 65Fp 65Fz
- 1895. *Orthostixis cribraria* (Hübner, [1799])** (Geometridae) Synonym(s): *cribraria* Hübner, [1799]. Range (as codes): Si IT HU RO YU AL BG GR TR RU Cc GG Bjo Lag Kir Mng Smt AZ AM LB IR Elb Clu 01 05 06 12 13 14 16 17 29 31 33 42 46 56 65 72 75 80 01G 05A 06R 06Rb 12A 12Ab 12E 12Ed 13C 13Cc 13G 13Gü 13Gs 13Gw 16A 31C 33G 42B 46G 46Gf 49E 49Ea 56F 56Fq 65A 65Am 65Am1 65F 65Fb 72E 72Eh 75F 75Fd 80B 80Bb
- 1896. *Oulobophora externaria* (Herrich-Schäffer, [1848])** (Geometridae) Synonym(s): *#externata* Herrich-Schäffer, 1843; *externaria* Herrich-Schäffer, [1848] Range (as codes): GR BG CY TR IQ IR Fa Sse IL Pa 05 16 21 30 31 32 33 34 35 42 46 56 65 73 05A 16A 21N 21Nh 30D 30Df 31K 31Ka 31M 33A 33Ac 33Ak 42B 46G 46Gf 56A 56F 65D 65Dy 73A 73Ac 73Ac2 73Ac 73Ak
- 1897. *Oulobophora internata* (Püngeler, 1888)** (Geometridae) Synonym(s): *internata* Püngeler, 1888; *macedonica* Staudinger, 1892 Range (as codes): MK BG GR Rd TR 07 17 30 31 32 33 56 31K 31Ka 31Ka1 56A 56Ac
- 1898. *Ourapteryx malatyensis* Wehrli, 1936** (Geometridae) Synonym(s): *malatyensis* Wehrli, 1936; *#malatyana* Wehrli, 1936 [Tafel II]. Range (as codes): TR 13 14 44 65 13G 13Gy 44L 44Lb 65A 65Ai 65F 65Fp 65Fz
- 1899. *Ourapteryx persica* Ménéttriés, 1832** (Geometridae) Synonym(s): *persica* Ménéttriés, 1832 Range (as codes): TR IR Cc AM AZ Len CN Ui Um Adu 05 08 24 26 52 53 61 75 05A 08H 08Ha 08Hb 52G 52Gb 52Gd 75F 75Fb
- 1900. *Ourapteryx sambucaria* (Linnaeus, 1758)** (Geometridae) Synonym(s): *sambucaria* Linnaeus, 1758. Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 06 13 14 16 45 58 61 06R 06Rb 13G 13Gü 13Gw 16A 58N 61K
- 1901. *Pachynemia hippocastanaria* (Hübner, [1799])** (Geometridae) Synonym(s): *hippocastanaria* Hübner, [1799]; *anomalata* Haworth, 1812; *degenerata* Hübner, [1813]; *difformaria* Hübner, [1825]; *hippocastanata*

Treitschke, 1827; modestaria Lempke, 1970 Range (as codes): DZ Clo PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU YU AL GR Cr TR DK NO SE LV RU MD UA BY 05 14 16 17 81 05A 16A

- 1902. *Paradarisa consonaria* (Hübner, [1799])** (Geometridae) Synonym(s): *consonaria* Hübner, [1799]; *tetragonaria* Curtis, 1829 Range (as codes): PT FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 46

- 1903. *Parectropis similaria* (Hufnagel, 1767)** (Geometridae) Synonym(s): *similaria* Hufnagel, 1767; *corticaria* [Denis & Schiffermüller], 1775; *extersaria* Hübner, [1799]; *luridata* Borkhausen, 1794 Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK RO YU BG TR DK SE LV LT RU MD UA BY Am Sb Us Ask Sj JP 14 52 67 81 52G 52Gb

- 1904. *Pareulype berberata* (Fabricius, 1787)** (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller], 1775; *berberata* Fabricius, 1787; *berberaria* Boisduval, 1840 Range (as codes): MA ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU YU CY TR Cc AZ Kir DK SE LV LT RU MD UA BY CN Ui Kun 14 16 24 42 51 58 81 16A 42B 58N

- 1905. *Pasiphila chloerata* (Mabille, 1870)** (Geometridae) Synonym(s): *chloerata* Mabille, 1870; *consueta* Butler, 1879; *horticolaria* Fuchs, 1892 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR BG TR DK NO SE FI EE LV LT RU MD UA BY 22 34

- 1906. *Pasiphila debiliata* (Hübner, [1817])** (Geometridae) Synonym(s): *debiliata* Hübner, [1817]; *nigropunctata* Chant, 1833; *debiliaria* Boisduval, 1840; *clerci* Krulikovsky, 1891; *suspiciosa* Inoue, 1982 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU Vj MD UA BY JP 34

- 1907. *Pasiphila rectangulata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *rectangulata* Linnaeus, 1758; *viridulata* Hufnagel, 1767; *cydoniata* Borkhausen, 1794; *mediana* Panzer, 1804; *nigrocericeata* Haworth, 1809; *sericeata* Haworth, 1809; *subaerata* Hübner, [1817]; *rectangularia* Boisduval, 1840 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Bjo Lag Len AZ IR GlS DK NO SE FI EE LV LT RU MD UA BY 14 22 52 61 65 71 76 52G 52Gb 65F 65Fr 76C

- 1908. *Pelurga comitata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *comitata* Linnaeus, 1758 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc AZ Kir DK NO SE FI EE LV LT RU K-R Ur Am Us Sh Sb MD UA Cm BY Cc AZ CN Ui Ku MN KP KR JP 33

- 1909. *Perconia strigillaria* (Hübner, 1787)** (Geometridae) Synonym(s): *strigillaria* Hübner, 1787; *respersaria* Hübner, [1799]; *inaequaria* Haworth, 1809; *herpeticaria* Rambur, 1866; *grisearia* Lempke, 1952; *fuscognaria* Lempke, 1953 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Tbl Bjo IR GlS DK NO SE FI EE LV LT RU Ur MD UA BY 05 06 14 16 17 22 33 34 52 59 76 80 05A 16A 33G 76D 76Dd

- 1910. *Peribatodes correptarius* (Zeller, 1847)** (Geometridae) Synonym(s): *correptaria* Zeller, 1847 Range (as codes): YU AL BG GR Cr Rd CY TR RU LB Bsa 05 14 16 33 34 35 42 05A 16A 33A 33Ad 33Ae 33Aj

- 1911. *Peribatodes ilicarius* (Geyer, 1833)** (Geometridae) Synonym(s): *ilicaria* Geyer, 1833; *manuelarius* Herrich-Schäffer, 1852; *maghrebica* Le Cerf, 1923; *jacobiaria* Fernandez, 1931 Range (as codes): MA PT ES Mu FR IT GB DE PL SK GR TR Cc AZ DK 05 16 05A 16A

- 1912. *Peribatodes rhomboidarius* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller], 1775; *inaequalis* Goeze, 1781; *gemmaria* Brahm, 1791; *ichnusaria* Ghiliani, 1852; *corsicaria* Schawerda, 1931; *saerdabensis* Wehrli, 1943 Range (as codes): MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG IQ IR Mz GlS Fa Sse DK SE FI RU MD UA BY IL Pa LB Bsa Bmm Zah CY 01 05 08 14 15 16 17 22 30 31 33 34 36 37 42 44 45 46 48 52 56 57 59 60 61 65 77 81 01B 01D 01H 01G 01J 05A 05G 16A 30B 30Bc 30Bz 30D 30Df 31A 31Ab 31D 31K 31Ka 31Ka3 31L 31M 33A 33Ac 42B 44I 44Ic 46F 46G 46Gf 48L 52C 52G 52Gb 56F 56Fv 60H 60Hb 61K 61Ka 65A 65Am 65Am4 65F 65Fp 65Fz 65N 65Np 65Np5 65Nm

- 1913. *Peribatodes secundarius* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#secundaria* [Denis & Schiffermüller], 1775; *fallentaria* Staudinger, 1879; *druentaria* Cleu, 1928; *syrisca* Wehrli, 1933; *francosuevica* Schneider, 1942; *rometschi* Schneider, 1942; *occidentaria* Lempke, 1953 Range (as codes): ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LB 05 14 33 34 46 33A 33Ae 46G 46Gf 46Gi

- 1914. *Peribatodes umbrarius* (Hübner, [1809])** (Geometridae) Synonym(s): *umbraria* Hübner, [1809]; *vaucheri* Thierry-Mieg, 1916 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT CH SK HU RO YU AL BG GR Cr TR IQ Brs IR Mz GlS Kh Fa Sse RU MD UA BY IL Pa Js LB Bsa CY 05 12 14 30 31 42 44 45 46 56 65 71 05A 12A 12Ac 30B 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka5 42B 44I 44Ic 46G 46Gf 46Gi 56F 65A 65An 65Ai 65Am 65Am1 65D 65Dh

- 1915. *Perizoma albulata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *albulata* [Denis & Schiffermüller], 1775; *dissoluta* Strand, 1902 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY KG Sb 36 61 36F 61C

- 1916. *Perizoma alchemillata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *alchemillata* Linnaeus, 1758; *riulata* [Denis & Schiffermüller], 1775; *nassata* Fabricius, 1794; *alchemillaria* Borkhausen, 1794; *aparinata* Hübner, [1825]; *silenata* Stephens, 1850; *fennica* Reuter, 1893 Range (as codes): ES FR Co Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Kir Lag Aba AZ DK NO SE FI EE LV LT RU MD UA BY 05 16 53 61 05A 16A 61K

- 1917. *Perizoma bifaciata* (Haworth, 1809)** (Geometridae) Synonym(s): *bifaciata* Haworth, 1809; *unifasciata* Haworth, 1809; *aquilaria* Herrich-Schäffer, 1848; *linulata* Guenée, [1858]; *odontata* Millière, 1870;

- #bifasciata Rebel,1939 Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ KG 25 30 42 25F
1918. **Perizoma blandiata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *blandiata* [Denis & Schiffermüller],1775; *adaequata* Borkhausen,1794; *derasata* Schrank,1802; *trigonata* Haworth,1809; *dilacerata* Zetterstedt,1839; *blandiaria* Boisduval,1840; *jucundaria* Boisduval,1840; *albidata* Eversmann,1842. Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
1919. **Perizoma flavofasciata** (Thunberg,1792) (Geometridae) Synonym(s): *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] *nec* Viller,1789. Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY 06 16 65 16A 65D 65Df
1920. **Perizoma gigas** Wiltshire,1976 (Geometridae) Synonym(s): *gigas* Wiltshire,1976 Range (as codes): TR 52 53 61 52J 52Ja 61K 61Kc
1921. **Perizoma hydrata** (Treitschke,1829) (Geometridae) Synonym(s): *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852 Range (as codes): ES FR Co IT BE LU DE CH AT PL CZ SK HU RO YU BG Cc GG TR DK NO SE FI EE LV LT RU MD UA BY 36 75
1922. **Perizoma lugdunaria** (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *lugdunaria* Herrich-Schäffer,1855 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO BG LV LT RU UA TR Cc 36 65 73 65A 65Ai 73A 73Ad
1923. **Perizoma onurcani** Can & Mironov,2006 (Geometridae) Synonym(s): *onurcani* Can & Mironov,2006 Range (as codes): TR 61 61K
1924. **Perizoma parahydrata** Alberti,1969 (Geometridae) Synonym(s): *parahydrata* Alberti,1969 Range (as codes): TR Cc GG 08 36 75 08H 08Hb 36F 75A 75Ab
1925. **Perizoma verberata** (Scopoli,1763) (Geometridae) Synonym(s): *verberata* Scopoli,1763; *rupestrata* [Denis & Schiffermüller],1775; *bassaria* Feisthamel,1835; *vogesiaria* Peyerimhoff,1880; *pawlitscheki* Hormuzaki,1899 Range (as codes): ES FR IT NL DE CH AT PL CZ SK RO YU AL BG TR Cc GG Bku Kus RU Da 53 53B
1926. **Petrophora chlorosata** (Scopoli,1763) (Geometridae) Synonym(s): *chlorosata* Scopoli,1763; *innata* Fabricius,1794; *virgaria* Borkhausen,1794; *petraria* Hübner,[1799]; *petrata* Haworth,1809. Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR Cc GG Lag Len Aj Btm AZ DK NO SE FI EE LV LT RU MD UA BY 05 34 39 52 53 57 61 81 05A 52A 52J 52Jb 61K
1927. **Phaiogramma etruscaria** (Zeller,1849) (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903 Range (as codes): DZ Clo Anna Bsk TN Gf PT ES Mu FR Co Sa Si IT MT BE CH AT PL CZ SK RO YU AL BG GR Cr Rd TR IQ RU CY SY IR Kd Elb Th Fa Sse Com Kz AZ AM GG Smt Bjo Lag Kir Nv Ord Da Der Cc LB Bsa IL Pa Jf Mtl CN Ui Ii 01 05 14 16 17 21 28 31 32 33 39 42 44 46 52 56 61 65 76 80 01B 01D 01G 01J 05A 16A 21L 21Lc 28N 31K 31Ka 42B 44I 44Ic 44L 44Lc 46G 46Gf 52G 52Gb 56F 61K 65A 65Am 65Am1 65Am4 65D 65Dg 65F 65Fg 65L 65Le 76A 76Ac 80B 80Bc
1928. **Phaselia joestleinae** Hausmann,1996 (Geometridae) Synonym(s): *joestleinae* Hausmann,1996 Range (as codes): TR 01
1929. **Phaselia serrularia** (Eversmann,1847) (Geometridae) Synonym(s): *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855. Range (as codes): RU MD UA BY TR AM Cc AZ KG Mn Ssn Sb At Aa IR Kh 05 25 30 31 42 46 65 05A 30B 30Bt1 30Bz 42B 46G 46Gf 65F 65Fp 65Fz
1930. **Phibalapteryx virgata** (Hufnagel,1767) (Geometridae) Synonym(s): *virgata* Hufnagel,1767; *lineolata* [Denis & Schiffermüller],1775; *obliquata* Thunberg,1784; *lineolaria* Boisduval,1840 Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AM AZ Ur KG Sb At Am Prj Us MN 05 16 76 05A 16A 76C
1931. **Phigalia pedaria** (Fabricius,1787) (Geometridae) Synonym(s): *#pilosaria* [Denis & Schiffermüller],1775; *pedaria* Fabricius,1787; *hyemaria* Borkhausen,1794; *extinctaria* Standfuss,1847. Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Da Ur MD UA Cm GG AZ AM BY 01 06 13 16 34 56 65 81 01H 06R 56F 65L 65Le
1932. **Philereme senescens** (Staudinger,1892) (Geometridae) Synonym(s): *senescens* Staudinger,1892 Range (as codes): TR IR Shh Srd 44
1933. **Philereme transversata** (Hufnagel,1767) (Geometridae) Synonym(s): *transversata* Hufnagel,1767; *ramnata* [Denis & Schiffermüller],1775. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Mng Smt AZ Kir DK SE FI EE LV LT RU MD UA BY IL Pa IR Mz Gls Kh 01 05 06 16 31 33 38 46 65 71 01J 05A 06R 06Rb 16A 31K 31Ka 31Ka5 65F 65Fr
1934. **Philereme vetulata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *undulataria* Hufnagel,1767; *vetulata* [Denis & Schiffermüller],1775; *affectata* Eversmann,1842; *subductata* Walker,1862 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Mng Smt DK NO SE FI EE LV LT RU MD UA BY Sb Am Sr 08 75 08H 08Hb 75F 75Fb
1935. **Phthonandria viertlii** (Bohatsch,1883) (Geometridae) Synonym(s): *viertlii* Bohatsch,1883 Range (as codes): FR IT CH? CZ SK HU RO YU BG GR TR Cc GG 17 17C

- 1936. *Phyllometra culminaria* (Eversmann,1843)** (Geometridae) Synonym(s): *culminaria* Eversmann,1843; *desertaria* Freyer,1844. Range (as codes): HU RU Ur MD UA TR TM KG 06 26 50 70 06B 26L 70B
- 1937. *Plagodis dolabraria* (Linnaeus,1767)** (Geometridae) Synonym(s): *dolabraria* Linnaeus,1767; *ustulataria* Hufnagel,1767; *fulvicans* Fourcroy,1785. Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG Lag TR DK NO SE FI EE LV LT RU MD UA BY 14 39 52 57 81 52G 52Gb
- 1938. *Plagodis pulveraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *pulveraria* Linnaeus,1758; *diffusaria* Walker,1862 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY MN JP US Cf Ny 81
- 1939. *Plemyria rubiginata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 nec Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775. Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA BY JP 16 16A
- 1940. *Problepsis ocellata* (Frivaldszky,1845)** (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858] Range (as codes): TR GR Cr CY LB Bei IL Pa Js Tbs PK Cp Pj Swa Kkar Mdy 01 07 27 31 33 35 46 48 80 01D 01D 01G 01J 07B 07Bb 27D 27Db 31A 31K 31Ka 31Ka5 31Ka7 33A 33Ad 33Aj 33G
- 1941. *Proteuchloris neriaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852]. Range (as codes): YU BG GR Cr TR Cc GG Smt Bjo IL Pa LB Bsa CY 01 05 13 14 16 17 31 33 46 80 05A 13F 16A 31C 31K 33G 46G 46Gf 80B 80Bc
- 1942. *Protorhoe beshkovi* Rajaei, Stadie & Hausmann,2017** (Geometridae) Synonym(s): *beshkovi* Rajaei, Stadie & Hausmann,2017 Range (as codes): TR 07 42 07K 42D
- 1943. *Protorhoe corollaria* (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935. Range (as codes): ES FR MK Och AL BG GR Cr Rd TR RU MD UA Cm 01 05 06 07 12 30 31 33 42 46 47 50 51 65 73 05C 06R 06Rb 07B 12E 12Eb 30B 30Bf 31K 31Ka 31M 51B 51Ba 65G 65Ge 73A 73Ab
- 1944. *Protorhoe drechseli* Rajaei, Stadie & Hausmann,2017** (Geometridae) Synonym(s): *drechseli* Rajaei, Stadie & Hausmann,2017 Range (as codes): TR 02 44 02Fz 44M
- 1945. *Protorhoe unicata* (Guenée,[1858])** (Geometridae) Synonym(s): *unicata* Guenée,[1858]; *avetianae* Vardikyan,1974 Range (as codes): Si YU MK AL BG GR Sms TR Gk RU IQ Ab Oru IR Fa Shr Sse Com Kz KG KK UZ TJ Fe UA Cm AZ Nv AM Cc GG Lag Kir Ord 01 02 05 06 07 14 17 18 19 20 21 25 27 30 33 38 42 45 50 56 65 68 70 71 73 80 81 01D 01G 01H 01J 02F 02Fd 02Fz 05A 06R 05Re 07L 14I 14Ib 18F 19G 21L 21Lc 25F 27D 27Db 30B 30Bt1 30Bz 30D 30Da 30Df 33O 42B 42O 50G 50Gc 56A 56F 56Fa 65A 65Ai 65Am 65Am1 65F 65Fe 70C 70Cf 73C 73Cd 80B 80Bc
- 1946. *Proutictis artesiaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775 Range (as codes): PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ Kir SE FI EE LV LT RU MD UA BY IR Fa Com Kz 56 58 60 65 71 56F 60H 60Hb 65F 65Fg 65Fm 65L 65Le
- 1947. *Pseudopanthera macularia* (Linnaeus,1758)** (Geometridae) Synonym(s): *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrinaculata* Haworth,1809; *meridionalis* Galvagni,1908 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY 05 06 14 16 37 54 60 61 81 05A 06R 06Rb 06Rd 16A 60H 60Hb 61K
- 1948. *Pseudopanthera syriacata* (Guenée,1858)** (Geometridae) Synonym(s): *syriacata* Guenée,1858; *#syriacaria* Wiltshire,1958 Range (as codes): TR LB Bsa Bei IL Pa Car Js IQ Dia Ry Rwz Brs 01 02 13 21 30 31 33 44 46 47 56 65 73 80 01G 01J 02F 02Fe 02Fz 13G 13Gö 13Gg 21N 21Nb 21Nc 30B 30Bd 30D 30Df 31K 31Ka 31Ka1 31M 33A 33Ac 46G 46Gf 46Gi 56F 65A 65Ai 65An 65Am 65Am1 65Am4 65As 65Au 65D 65Dl 65Dlc 65Dj 65Dr 65Drb 65Dt 65Du 65Dy 73A 73Ac 73Ac2 73E 73Eb 80B 80Bc
- 1949. *Pseudoterpna coronillaria* (Hübner,[1817])** (Geometridae) Synonym(s): *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847; *#coronillaria* Rebel,1939 Range (as codes): DZ Clo PT ES Mu FR Co Sa Si IT TR IL Pa Hf LB Bei Bsa CY JO 01 17 31 33 35 46 48 80 01D 01G 01J 17H 31C 31K 31Ka 33A 33Ac
- 1950. *Pseudoterpna pruinata* (Hufnagel,1767)** (Geometridae) Synonym(s): *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 nec Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* De Villiers,1789. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Smt Bjo DK SE LT RU MD UA BY 06 14 16 46 48 52 57 16A 46G 46Gf 52G 52Gb
- 1951. *Pungeleria capreolaria* (Fabricius,1787)** (Geometridae) Synonym(s): *capreolaria* Fabricius,1787; *donzelaria* Duponchel,1829; *valesiaria* Vorbrod & Müller-Rutz,1913 Range (as codes): ES FR Co IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR RU MD UA BY 05 14 05A
- 1952. *Ramitia kufrana* E.Seven,2016** (Geometridae) Synonym(s): *kufrana* E.Seven,2016 Range (as codes): TR 30 56 65 73 30D 30Df 56A 56Ac 56D 56Dd 56F 56Fa 65A 65Ai 73A 73Ad 73Ad2
- 1953. *Rheumaptera hastata* (Linnaeus,1758)** (Geometridae) Synonym(s): *hastata* Linnaeus,1758; *heraclitaea* Fourcroy,1785; *hastaria* Boisduval,1840 Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR Cc GG Bjo Akh DK NO SE FI EE LV LT RU MD UA BY CN Sz JP Hkk 52 61 52A
- 1954. *Rheumaptera montivagata* Duponchel,1830** (Geometridae) Synonym(s): *montivagata* Duponchel,1830; *montivagaria* Boisduval,1840; *andalusica* Ribbe,1912 Range (as codes): MA DZ ES An FR IT CH TR Cc AZ Nv IR 42 58 42B 58N
- 1955. *Rhodometra sacraria* (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria*

Guenée,[1858]; Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IL Pa Car Jf Js Hf LB Bsa CY IQ Agh TH IR Shr Fa Sse Ahz DK NO SE EE LV RU MD UA BY AF Ca PK Bl Cp Qu ZA ZA04 ZA05 ZA06 ZA27 Kzu Nta Lpo Tva Spb Mdk SH MG MN CN Mre Cp Haz Cls Cn Md Az IN AZ Nv AM CM SY Hal YE Bea Clo Orn Ges MM ZW TM NA AE CL 01 05 06 07 09 12 13 16 17 22 27 31 33 34 42 44 45 46 48 51 52 56 58 59 63 65 01B 01D 01G 01H 01J 05A 09K 09Ka 12A 12Ai 13A 13Ac 13Ax 16A 31K 31Ka 33A 33Aa 33Ak 33G 33R 44L 44Lc 48L 52G 52Gb 56F 56Fa 56F1 58N 63D 65A 65Ai 65Am2 65Am4 65Am 65D 65Df 65G 65Gb 65Gn 65Go 65F 65Fp 65Fz 65K 65Kl 65Z 65Kr 65N 65Nc 65Np 65Nm

- 1956. *Rhodostrophia (Apostates) jacularia* (Hübner,[1813])** (Geometridae) Synonym(s): *jacularia* Hübner,[1813]; *minor* Alpheraky,1892; *tyugui* Vasilenko,1998 Range (as codes): TR? RU Sr Ur At Tv UA Cm KG T-S CN Ui Kml MN

- 1957. *Rhodostrophia (Asiotrophia) auctata* (Staudinger,1879)** (Geometridae) Synonym(s): *auctata* Staudinger,1879 Range (as codes): TR Cc Arr Ksp IQ IR Fa Com Kz 01 05 06 12 13 24 25 29 38 42 43 44 46 49 50 51 56 57 58 61 62 65 69 70 71 76 01D 05A 06R 06Rd 12A 12Ab 13A 13Ab 13Ac 13Ac2 13Ax 25N 25Na 44E 44Eb 44Ei 44I 44Ic 44L 44Lc 46G 46Gi 50F 50Fb 51D 51Db 56F 56Fs 58N 61K 65A 65Ac 65Ac3 65An 65Am 65Am1 65Bx 65D 65Df 65F 65Fg 65F1 65Fq 65Fz 65G 65Gb 65Ge 65K 65Kl 65Kl1 65Z 65L 65Le 65N 65Np 65Np2 65Np4 65Np8 65Nr2 65Nr4 65Nm 76C

- 1958. *Rhodostrophia (Pellonia) vibicaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* De Villers,1789. Range (as codes): MA DZ ES Mu FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr Cc AM GG Bjo Mng Smt Ord Nv AZ DK NO SE FI EE LV LT RU MD UA BY IR CN Ui Ku KG Sj At 05 13 14 22 25 29 34 38 39 42 52 57 59 60 61 65 69 75 76 81 05A 05G 13A 13Ae 13Ax 13G 13Gw 14E 14Ea 14Eb 14Ec 14H 14Ha 14Hb 14G 14Ga 14B 14Bc 25N 25Na 42B 52F 52J 52Ja 60H 60Hb 61K 65B 65Bo 65Bx 65F 65Fg 65Fp 65Fz 75F 75Fb 81E

- 1959. *Rhodostrophia (Pydna) badiaria* (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854. Range (as codes): MK RU Sr UA TR Cc AM Da IR Elb IQ 05 06 14 21 25 29 30 36 38 40 42 44 46 50 51 56 58 65 71 05A 06R 06Rb 14F 14Fb 14G 14Gc 21N 21Nh 36F 40E 40Ea 42B 44E 44Ei 46B 56F 56Fn 58N 58M 65D 65Dh 65Dr 65Drb 65Ds 65F 65Fw 65Fz 65G 65Gf 65Gt 65M 65Md 65N 65Np 65Np1 65Np2 65Nr7 65Nm 71C

- 1960. *Rhodostrophia (Pydna) bahara* Brandt,1938** (Geometridae) Synonym(s): *bahara* Brandt,1938 Range (as codes): IR Shr Fa Sse Kd TR AZ Cc IQ SY Dms 12 13 23 24 30 38 46 58 65 12A 12Ab 13A 13Ab 13Ax 13G 13Gü 13Gw 23I 30D 30Df 38K 46G 58M 65A 65Ai 65F 65Fw 65Fz

- 1961. *Rhodostrophia (s.str.) calabra* (Petagna,1787)** (Geometridae) Synonym(s): *calabra* Petagna,1787; *trifasciata* Cyrillo,1787; *calabrararia* Hübner,1790. Range (as codes): DZ Clo MA PT ES Mu FR Si IT DE CH RO YU AL BG GR Rd TR Cc GG Bjo AZ AM RU Da 01 05 06 07 14 17 18 22 31 34 39 50 57 58 61 62 71 80 01B 01D 01G 01H 01K 05A 06R 06Rb 06Rd 07B 18F 31A 31Ab 31F 61K

- 1962. *Rhodostrophia (s.str.) discopunctata* Amsel,1935** (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935 Range (as codes): RO YU AL MK BG GR IL Pa Car Js Mer LB Bei Bsa JO TR Cc GG AM IQ 02 05 06 13 14 16 17 18 21 27 28 29 30 31 33 36 38 42 44 46 49 50 56 58 60 65 70 72 80 81 02F 02Fd 02Fz 05A 13G 13Gz 14G 14Gb 16A 18F 21N 21Nh 27D 27Da 27Db 28N 30B 30Bc 30Bt1 30Bz 30D 30Df 31K 31Ka 31Ka3 31Ka5 36D 36Db 42B 44L 44Lc 46G 46Gf 49F 49Ff 56F 56Fb 56F1 56Ft 58N 60G 65A 65Ai 65An 65Am 65Am1 65At 65At5 65D 65Dd 65Dda 65Dl 65Dlc 65Dr 65Drb 65F 65Fd 65Fp 65Fz 65Fr 65N 65Np 65Np1 65Np2 65Np5 65Nr6 65Nr7 65Nm 70C 70Ce 72E 72Ei 80B 80Bc 81E

- 1963. *Rhodostrophia (s.str.) sieversi* (Christoph,1882)** (Geometridae) Synonym(s): *sieversi* Christoph,1882 Range (as codes): TR Cc AZ Nv Ord IQ IR Ab Jal Elb Mz 06 30 44 46 65 71 76 44E 44Ei 65D 65Dd 65Dda 65Dc 65Dg 65Ds 65F 65Fp 65Fz 65G 65Gf 65Gg 65Gy 65L 65Le 65N 65Nr3 65Nm 76D 76Dd

- 1964. *Rhodostrophia (s.str.) tabidaria* (Zeller,1847)** (Geometridae) Synonym(s): *tabidaria* Zeller,1847 Range (as codes): CY TR GR Rd Chi Sms Ae 09 35 45 09K 09Ka

- 1965. *Rhodostrophia (s.str.) terrestraria* (Lederer,1869)** (Geometridae) Synonym(s): *terrestraria* Lederer,1869 Range (as codes): TR TM Kp IR Elb Mz Dam Gor Kh KK Ax 65 65B 65Bo 65Bx 65N 65Np2 65Nm

- 1966. *Rhodostrophia cuprinaria* (Christoph,1876)** (Geometridae) Synonym(s): *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907. Range (as codes): TR IR Elb Srd Cc GG Fa Zj AZ Nv Ord AF 13 36 56 65 13A 13Ac 13Ac2 13Ax 13F 13F38 36D 36Db 56F 65A 65Ac 65Ac3 65As 65D 65Df 65F 65Fp 65Fz

- 1967. *Rhoptria asperaria* (Hübner,[1817])** (Geometridae) Synonym(s): *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941. Range (as codes): DZ Clo PT ES Mu FR Co Sa Si IT CH YU AL BG GR Cr TR CY 14 16 17 34 42 46 16A 34C 42B

- 1968. *Rhoptria dolosaria* (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *dolosaria* Herrich-Schäffer,[1848] Range (as codes): GR Cr MK TR 45

- 1969. *Rhoptria mardinata* (Staudinger,1900)** (Geometridae) Synonym(s): *mardinata* Staudinger,1900; *pistaciae* Wiltshire,1943 Range (as codes): TR IR Fa 30 47 56 30D 30Df 56F 56Fb

- 1970. *Schistostege nubilaria* (Hübner,[1799])** (Geometridae) Synonym(s): *nubilaria* Hübner,[1799]; *exalbata* Hübner,[1817]; *knuppferi* Hoyningen-Huene,1904 Range (as codes): RO RU Cc IR TR AZ 36 36F

- 1971. *Scopula aequata* (Staudinger,1879)** (Geometridae) Synonym(s): *aequata* Staudinger,1879; *drenowskii* Sterneck,1941 Range (as codes): BG TR 04 05 06 25 29 38 42 44 50 58

- 1972. *Scopula beckeraria* (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853; *pseudoafghana* Ebert,1965 Range (as codes): IT RO SS MK BG GR TR AZ Nv Kir RU Da Sj AZ Nv Ord Der Da Kur GG Cc IL Pa He LB Bsa UZ Fe CN Ui Ku MN IR Fa Sse Com Kz Shr Ahz Ke AF Bm KG MN CN 01 04 05 06 07 13 14 24 25

27 30 36 42 44 47 51 56 58 63 65 71 72 01H 05A 06K 06Kc 06R 06Rd 13A 13Ab 13Ax 42B 44E 44Ei 51B 51Bc 56F 58N 65D 65Df 65F 65Fp 65Fz 65G 65Gb 65Gf 65Gy 65K 65Kl 65Z 65L 65Le 65M 65Md 65N 65Np1 65Nm

- 1973. *Scopula congruata* (Zeller,1847)** (Geometridae) **Synonym(s):** *congruata* Zeller,1847; *leukiberica* Wehrli,1927; *ablutata* Dannehl,1927. **Range (as codes):** DZ Ges Si TR 31 46
- 1974. *Scopula decorata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]; *armeniaca* Thierry-Mieg,1916 **Range (as codes):** MA DZ Ges TN PT ES Mu FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Kir Lag Kir Ord Kur Cc AZ Arr Ksp IR Elb Mz DK SE FI EE LV LT RU MD UA BY CN MN KK KG 03 05 06 13 14 16 27 29 30 38 39 42 43 44 45 46 51 58 60 61 65 71 76 80 05A 06B 06R 06Rb 13B 13Bg 13F 13F7 13F71 13G 13Gw 16A 27D 27Da 27Dd 30B 30Bt1 30Bz 38H 38Hc 42B 44L 44Lc 51D 51De 58N 58M 60G 61K 65A 65Ac 65Ac3 65Am 65Am1 65Am4 65At 65At5 65Ab 65Aba 65B 65Bo 65Bx 65D 65Df 65Dh 65F 65Fp 65Fz 65G 65Gf 65Gy 65K 65Kb 65L 65Le 65N 65Np 65Np2 65Nm 76C
- 1975. *Scopula flaccidaria* (Zeller,1852)** (Geometridae) **Synonym(s):** *flaccidaria* Zeller,1852 **Range (as codes):** AT CZ SK HU RO YU AL BG GR Cr TR GG Bjo Kir Lag Cc AZ AM IQ RU MD UA BY CN Ui Ku IR IL Pa CY TM 01 05 16 22 31 33 39 46 59 05A 16A
- 1976. *Scopula floslactata* (Haworth,1809)** (Geometridae) **Synonym(s):** *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goeze,1781; *fulvostriata* Goeze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951. **Range (as codes):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY JP KP KR CN 39
- 1977. *Scopula imitaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *fimbriata* Fourcroy,1785 *nec* Schreb.,1759; *imitaria* Hübner,[1799] **Range (as codes):** MA Tgr DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL CH RO YU AL BG GR Cr Rd CY TR Cc GG Bjo Kir Lag Len AZ DK RU MD UA BY SY IL Pa LB Bei 01 05 07 09 10 14 16 22 31 34 35 45 48 57 59 76 81 01G 01J 01M 05A 16A 31K 31Ka 31Ka3 31M 48L 76B
- 1978. *Scopula immistaria* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852] **Range (as codes):** BG Vrn TR Cc AZ Kir GG Tbl Bjo Ksp IQ IR Fa Sse Com Ke Kz TM RU UA 06 08 13 23 24 25 30 44 46 47 56 58 65 72 76 08H 13A 13Ab 13Ax 13B 13F 13F7 13F71 13G 13Gf 30D 30Df 44E 44Ei 46G 47D 56F 56F5 56Fg 56Fm 56Fq 56Fo 56Fs 56Fv 56Fw 56Fx 56F1 58N 65A 65Ai 65An 65Am 65Am1 65At 65At5 65B 65Bo 65Bx 65D 65Df 65Dg 65Dga 65Dh 65F 65Fm 65Fz 65G 65Gf 65Gy 65H 65K 65Kb 65Kl 65Z 65N 65Np1 65Np2 65Np 72Eh 76C
- 1979. *Scopula immorata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 *nec* Hbn.,1790; *fuscata* Fabricius,1794 *nec* Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911 **Range (as codes):** ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Bjo Kir Bku AZ AM DK NO SE FI EE LV LT RU Sb Am MD UA BY IR Ab 14 16 18 33 65 16A 33G 65F 65Fw 65Fz
- 1980. *Scopula immutata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794. **Range (as codes):** PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 1981. *Scopula incanata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* De Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846 **Range (as codes):** DZ Sbd Clo PT ES Mu FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM Ksp Arr DK NO SE FI EE LV LT RU MD UA Cm BY IR KG At Sb Ya MN 05 08 16 25 29 30 36 53 61 65 76 05A 16A 61K 65A 65At 65At5 65As 65D 65Df 65F 65Fp 65Fw 65Fz
- 1982. *Scopula luridata* (Zeller,1847)** (Geometridae) **Synonym(s):** *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855 **Range (as codes):** DZ Orn GR Cr Rd TR LB Bei Cc GG Bjo Kir AZ Nv PK Krc CY KP KR CN IL Pa Jf SA YE Sna YE30 SO 01 05 07 33 34 35 38 46 47 57 61 05A 33G 34C 61K 61Ka
- 1983. *Scopula marginepunctata* (Goeze,1781)** (Geometridae) **Synonym(s):** *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutaria* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* Joannis,1891; *#marginipunctata* Rothschild,1914; *britonaria* Oberthür,1917; *subatrata* Wagner,1919; *#insubrica* Vorbrodth,1930 **Range (as codes):** MA Rf DZ Ges TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc AM GG Tbl Bjo Kir Ber Ord Nv AZ Nv Arr IQ IR Ab Oru Elb Th Fa DK SE LV LT RU Da MD UA Cm BY CN Ui Ku Ju LB Bsa IL Pa Jf MN 01 02 05 06 13 14 16 17 21 22 24 30 33 34 35 38 39 42 44 46 52 56 58 59 60 61 65 71 76 80 81 01D 01G 01H 02F 02Fd 02Fe 02Fz 05A 05G 06D 13B 13Ba 16A 21N 21Nh 30D 30Df 33A 33Ae 42B 44E 44Ei 52G 52Gb 56F 56Fg 58N 60H 60Hb 61K 61Ka 65A 65Ai 65Am 65Am1 65An 65Am4 65D 65F 65Fm 65Fr 65Fp 65Fz 65K 65Kl 65Z 65L 65Lb 65Le 65N 65Ne 65Np 65Np1 65Nm
- 1984. *Scopula minorata* (Boisduval,1833)** (Geometridae) **Synonym(s):** *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabille,1900; *mombasae* W.Warren,1904; *dresnayi* D.Lucas,1937. **Range (as codes):** ET KE Mb MG RE MU MA DZ Bsk Gf TN PT Cn ES Mu FR Sa Si IT MT AL BG GR Cr TR IQ Mos Bgd Ktz ZA Ksi Kzu ZA16 Mpu ZA21 Tva Lpo IL Pa Js CY SA MG CV AF PK ID Sum YE YE47 Sna 01 07 33 58 01H 33P 58N
- 1985. *Scopula nigropunctata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *nigropunctata* Hufnagel,1767; *nemorata* Borkhausen,1794; *tristriaria* Fabricius,1794; *inspersata* Schrank,1802; *exemptaria* Hübner,[1823] **Range (as codes):** PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE EE LV LT RU Sb MD UA BY MN CN JP KP KR 06 14 22 34 39 52 54 81 06R 06Rd 52G 52Gb

- 1986. *Scopula ochraceata* (Staudinger,1901)** (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
Range (as codes): MK BG GR Cr TR Cc GG AM UA Cm RU Sr 30 65
- 1987. *Scopula orientalis* (Alpheraky,1876)** (Geometridae) Synonym(s): *orientalis* Alpheraky,1876;
#magna L.B.Prout,1913; #orientata Wardikyan,1970 Range (as codes): MK BG TR RU Ro Ur Tgn Cc AM GG IR Fa
Com Kz UA Cm 08 13 25 29 36 50 58 65 08H 08Hb 13A 13Ab 13Ac2 13Ax 25F 36F 50G 50Gd 58N 58Nb 65D 65Df 65F
65Fp 65Fz 65G 65Gb
- 1988. *Scopula ornata* (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *institata*
Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
Range (as codes): MA DZ Ges Lbs Clo TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO
YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY CN Ui Kun AF Ca PK Bl Qu Haz Mre
01 05 06 07 09 11 13 14 16 17 18 22 29 30 34 39 44 52 59 61 65 76 77 81 01M 05A 06R 06Rd 13F 13F38 13F7 13F71 13G
13Gs 13Gw 16A 18F 30D 30Df 44E 44Ei 52A 52G 52Gb 61K 65A 65Ai 65Am 65Am1 65Am4 65Au 65At 65At5 65D 65Df
65F 65Fd 65Fr 65Fz 65G 65Go 65Gs 65N 65Np1 65Nm 76D
- 1989. *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767;
rubricata [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* De Villers,1789;
#rubricaria Hübner,[1799]; *subangularia* Herrich-Schäffer,1839 Range (as codes): MA PT ES FR Co Si IT GB BE
NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Lag Bjo Mng Smt Kir Cc AZ AM DK SE FI EE LV LT RU Sb
MD UA BY CN Ui Ku Tek Kty IMn IR Ab MN 05 06 07 13 14 16 24 25 34 39 42 44 52 58 59 65 75 81 05A 06R 06Rd 13B
14B 14Bb 16A 52G 52Gb 58N 65A 65An 65D 65Df 65Fz 75F 75Fd
- 1990. *Scopula scalercii* Hausmann,2003** (Geometridae) Synonym(s): *scalercii* Hausmann,2003 Range
(as codes): IT TR IL Pa LB IR RU KG MN
- 1991. *Scopula submutata* (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828;
submutaria Boisduval,1840; *submutulata* Rebel,1902; *pseudhonestata* Wehrli,1926 Range (as codes): MA DZ PT ES
FR Co Si IT CH RO YU HV MK B-H AL BG GR Cr TR LB Bei Bsa Cc GG AZ Nv IQ Kad IR Gls Kh TM Kp IL Pa 01 05 06
07 13 16 17 21 24 27 30 31 33 42 45 46 47 56 58 65 71 73 01B 01D 01J 05A 13F 13F71 13G 13Gü 13Gw 16A 21L 21Lc 21N
21Nb 27D 27Da 27Db 27Dd 30D 30Df 33G 42B 46G 46Gf 56Fh 58N 73E 73Eb
- 1992. *Scopula tessellaria* (Boisduval,1840)** (Geometridae) Synonym(s): *tessellaria* Boisduval,1840;
pulverulentaria Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955 [ssp.]; *guillaumei*
Leraut,2005 Range (as codes): ES FR Si IT BE LU RO YU AL BG GR TR Cc GG AM RU MD UA BY CN Ui Kun IR Elb
KG Tk 14 25 65 69 25C 25Ca 65F 65Fw 65Fz 69B 69Ba
- 1993. *Scopula transcaspica* L.B.Prout,1935** (Geometridae) Synonym(s): *transcaspica* L.B.Prout,1935
Range (as codes): Cc GG AM AZ Nv TR TM Kp Fyz Ger IR Fa Sse Com Kz Shr Lo AF PK 23 24 29 30 56 58 63 65 71
73 56F 65A 65Ai 65Am 65Am1 65At 65At5 65D 65Df 65Fz 73D 73Df 73E 73Eb
- 1994. *Scopula turbulentaria* (Staudinger,1870)** (Geometridae) Synonym(s): *turbulentaria*
Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturcica*
Wehrli,1934 Range (as codes): TN Si IT GR Cr Rd CY TR RO BG RU Cc AM IR Elb Mz Kd LB Bei IL Pa Js TM SA CN
01 05 07 16 17 31 33 34 35 39 42 45 46
- 1995. *Scopula vigilata* (Wagner,1926)** (Geometridae) Synonym(s): #*submutulata* Rebel,1902; #*vigilata*
L.B.Prout,1913; *vigilata* Wagner,1926; *turatii* Wagner,1926; *submutulata* Wagner,1926 Range (as codes): Si IT MT
GR CY Cr TR CY 07 31 33
- 1996. *Scopula virgulata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *virgulata*
[Denis & Schiffermüller],1775; *strigaria* Hübner,[1799]; *virgularia* Hübner,[1825]; *sulcaria* Hübner,[1825]; *afra*
Baker,1885 Range (as codes): DZ Gue PT ES FR IT BE DE CH AT PL CZ SK HU RO YU TR SE FI EE LV LT RU MD
UA BY JP MN CN 05 16 42 05A 16A
- 1997. *Scotopteryx aelptes* (L.B.Prout,1937)** (Geometridae) Synonym(s): *aelptes* L.B.Prout,1937 Range
(as codes): RU Kis Da Cc Teb GG Akh AM Eri TR 06 08 24 29 36 53 69 72? 75 76 06R 08H 08Hb 29A 36F 36Fa 72D?
75A 75Ab 75D 75F 76C
- 1998. *Scotopteryx alpherakii* (Erschoff,1877)** (Geometridae) Synonym(s): *alpherakii* Erschoff,1877
Range (as codes): AM TR Cc GG AZ 08 25 69 08H 08Hb 25F 69B 69Ba
- 1999. *Scotopteryx bipunctaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s):
bipunctaria [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 nec Linn.,1758; *geminataria* De Villers,1789;
gachtaria Freyer,1851 Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR
GG AM AZ Da Cc LV LT RU MD UA BY 05 06 08 13 14 16 17 29 36 38 53 60 61 69 75 05A 06R 06Rb 06Rd 13Gü 13Gw
14I 14Ib 16A 60H 60Hb 75F
- 2000. *Scotopteryx chenopodiata* (Linnaeus,1758)** (Geometridae) Synonym(s): *chenopodiata*
Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria*
Haworth,1809; *mensuraria* sensu Duponchel,1829 Range (as codes): PT ES FR IT MT IE GB BE NL LU DE CH AT
PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU Ur Sb At Ya Am Us Prj Sh Ir Krl Mgd KG
MN MD UA Cm BY 05 06 08 14 18 42 36 53 60 61 65 69 75 05A 06R 06Rb 42B 60H 60Hb 65A 65Ai 65B 65Bo 65Bx 65F
65Fp 65Fç 65Fz 65G 65Go 75F 75Fd
- 2001. *Scotopteryx coarctaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s):
coarctaria [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809] Range (as codes): ES
FR IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK RU MD UA Cm Ur BY 01 05 06 14 16 33 36 05A 16A
- 2002. *Scotopteryx diana* Riemis,1997** (Geometridae) Synonym(s): *diana* Riemis,1997 Range (as codes):
TR 69 69B 69Ba

- 2003.** *Scotopteryx elbursica* (Bytinski-Salz & Brandt,1937) (Geometridae) Synonym(s): *elbursica* Bytinski-Salz & Brandt,1937 Range (as codes): IR Elb Nss Th IQ Cc AM AZ TR 65 65L 65Le 65N 65Np 65Nm
- 2004.** *Scotopteryx kuznetzovi* (Vardikjan,1957) (Geometridae) Synonym(s): *kuznetzovi* Vardikjan,1957 Range (as codes): Cc Eri AM GG Tbl TR IR Ak Ab Es 04 13 65 04C 13B 65Bx 65G 65Ge 65N 65Nc 65K 65Kl 65Kl2 65Kl3 65Z
- 2005.** *Scotopteryx langi* (Christoph,1885) (Geometridae) Synonym(s): *langi* Christoph,1885 Range (as codes): TR Cc GG RU Kb 42 76 76C
- 2006.** *Scotopteryx luridata* (Hufnagel,1767) (Geometridae) Synonym(s): *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825] Range (as codes): ES Mu FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE Cc GG Bjo AZ Lag AM RU Ur 05 16 31 33 05A 16A 31C
- 2007.** *Scotopteryx moeniata* (Scopoli,1763) (Geometridae) Synonym(s): *moeniata* Scopoli,1763; *moeniaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 nec Schr.,1759; *angulata* Rottemburg,1777 nec Hufn.,1767; *moeniataria* De Villers,1789; *modesta* Lempke,1967 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo DK RU MD UA BY 06 08 14 81 06R 06Rb 08H 08Hb 08G 08Gb 08Gc
- 2008.** *Scotopteryx mucronata* (Scopoli,1763) (Geometridae) Synonym(s): *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK SE RU Ur MD UA Cm BY Cc GG AZ AM 06 14 42 42B
- 2009.** *Scotopteryx nebulata* (A.Bang-Haas,1907) (Geometridae) Synonym(s): *nebulata* A.Bang-Haas,1907 Range (as codes): TR 27 51 62 65 51B 51Ba 62E 65A 65Ab 65Aba
- 2010.** *Scotopteryx subvicinaria* (Staudinger,1892) (Geometridae) Synonym(s): *subvicinaria* Staudinger,1892 Range (as codes): BG Pi LB Cc GG AZ AM TR IR 13 25 49 65 13G 13Gö 13Gg 13Gü 13Gs 13Gw 49F 49Fb 65A 65Abc 65As 65Ai 65D 65Df 65L 65Le
- 2011.** *Scotopteryx vicinaria* (Duponchel,1830) (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919; *roesleri* Vojnits,1973 Range (as codes): FR IT CH RO YU HV BG Sof GR TR Cc GG AZ AM MD UA BY LB IR Elb Th KG Ssn 02 05 06 31 37 46 56 65 02F 02Fe 02Fz 05A 06R 06Rb 46G 46Gi 56F 65A 65Am 65Am4 65Ac 65D 65F 65Fp 65Fz 65K 65Kl 65Z
- 2012.** *Selenia dentaria* (Fabricius,1775) (Geometridae) Synonym(s): *dentaria* Fabricius,1775; *gagathes* Goeze,1781; *achataea* Fourcroy,1785; *ustularia* Donovan,1794; *illunaria* Hübner,[1799]; *bilunaria* Esper,[1801]; *juliania* Haworth,1809; *minor* Boisduval,1840 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Lag DK NO SE FI EE LV LT RU MD UA BY 08 14 52 81 08H 08Hb 52G 52Gb
- 2013.** *Selenia lunularia* (Hübner,1788) (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831 Range (as codes): MA Ifr TN PT ES FR Co Si IT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo Mng Smt IR GlS CN Ui Ku 01 05 13 14 17 34 52 55 57 61 65 75 80 81 01G 05A 13G 13Gw 13Gs 52G 52Gb 55F 61K 61Kc 65A 65Ai 65An 65F 65Fg 65Fr 65L 65Le 65N 65Np6 65Nm 75F 75Fb
- 2014.** *Selidosema brunnearium* (De Villers,1789) (Geometridae) Synonym(s): *brunnearia* De Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913. Range (as codes): PT ES FR Si IT IE GB BE NL DE CH AT PL CZ HU AL GR TR Cc GG Kir Bjo AZ DK NO SE RU MD UA BY 05 24 33 44 56 76 05A 33A 33Ac 44I 44Ic 56F 76C
- 2015.** *Selidosema plumarium* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829. Range (as codes): ES Si IT CH AT CZ SK HU RO YU AL GR TR FI EE RU MD UA BY IR Kh 05 14 46 56 58 65 70 81 05A 14I 14Ib 56F 56Fz 58G 58Gg 65A 65Am 65Am4 65D 65Df 65F 65Fp 65Fz 70C 70Cb
- 2016.** *Siona lineata* (Scopoli,1763) (Geometridae) Synonym(s): *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 nec Fabr.,1775; *dealbaria* Hübner,[1799] Range (as codes): ES AD FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO SS YU B-H MK AL BG GR TR Cc GG Tbl Bjo AM Dar AZ DK NO SE FI EE LV LT RU Sb Am Us MD UA BY KG TrA Aa CN Ui Li Ku 05 13 16 18 22 39 60 65 75 05A 13G 13Gö 13Gw 13F 16A 18F 60H 60Hb 65A 65An 65Aö 65Ai 65Au 65Am 65Am1 65F 65Fr 75F 75Fb
- 2017.** *Stamnodes depeculata* (Lederer,1870) (Geometridae) Synonym(s): *depeculata* Lederer,1870 Range (as codes): GR Prn TR Cc GG Da RU Kc Teb Kb IR Lo AZ CN Ts Kno Sz T-T Ti IR Elb Kdv Nss Vdb Dam Mz 25 65 69 76 25C 25Ca 65A 65Ab 65Aba 65F 65Fw 65Fz 69B 69Ba 76C
- 2018.** *Stegania dalmataria* (Guenée,[1858]) (Geometridae) Synonym(s): *dalmataria* Guenée,[1858] Range (as codes): TR YU HV Cc GG Tbl AZ KK Ik CN Ui Khr Ku KG Tk RU At
- 2019.** *Stegania dilectaria* (Hübner,1790) (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832] Range (as codes): DE AT CZ SK HU RO YU BG GR TR Cc AZ RU MD UA BY CN Ui Ju 01 13 14 22 34 42 44 46 55 56 60 65 71 81 01B 01D 01H 01J 13F 13F7 13F71 42B 44E 44Eh 55F 56F 60H 60Hb 65A 65An 65Ai 65F 65Fg
- 2020.** *Stegania trimaculata* (De Villers,1789) (Geometridae) Synonym(s): *trimaculata* De Villers,1789; *permutataria* Hübner,[1799]; *albicaria* Bruand,1846; *cognataria* Lederer,1853 Range (as codes): DZ Ges PT ES FR Co Sa Si IT GB BE NL DE CH AT TR 16 71 16A
- 2021.** *Stueningia taurica* Hausmann,1993 (Geometridae) Synonym(s): *taurica* Hausmann,1993 Range (as codes): TR 31 46 31K 31Ka 31Ka3 46G

- 2022. *Stueningia wolffi* Hausmann, 1993** (Geometridae) Synonym(s): *wolffi* Hausmann, 1993 Range (as codes): TR 01 07 30 33 42 65 72 01H 01J 07A 07C 30B 30Bç 30Bz 33P 42J 42O 65D 65Dx
- 2023. *Synopsia sociaria* (Hübner, [1799])** (Geometridae) Synonym(s): *sociaria* Hübner, [1799]; *staudingeraria* Martorell, 1874; *acuta* Wehrli, 1926 Range (as codes): PT ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag AZ Len AM Eri IR GlS RU Ur At MD UA BY CN Ui Ku 14 16 17 25 33 34 42 52 65 16A 42B 33G 52G 52Gb 65A 65An
- 2024. *Synopsidia phasidaria* (Rogenhofer, 1873)** (Geometridae) Synonym(s): *phasidaria* Rogenhofer, 1873 Range (as codes): Cc GG Smt Akh AF Kab IR Ha Avd Es Fa Com Kz Shr Elb Th Dam Kh TM Noc AZ Nv Ord TR 13 30 65 73 13G 13Gs 13Gw 30D 30Df 65F 65Fp 65Fç 65Fz 73A 73Ad 73Ad2
- 2025. *Tephronia oppositaria* Mann, 1864** (Geometridae) Synonym(s): *oppositaria* Mann, 1864 Range (as codes): MK AL BG GR TR Cc AZ RU IR Elb GlS SY 16 39 42 16A 39K 42B
- 2026. *Tephronia sepiaria* (Hufnagel, 1767)** (Geometridae) Synonym(s): *sepiaria* Hufnagel, 1767; *cineraria* [Denis & Schiffermüller], 1775; *carieraria* Herrich-Schäffer, 1848; *destituta* Walker, 1870; *fingalata* Millière, 1873 Range (as codes): PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ LT RU MD UA BY EG EG11 01 14 33 38 42 01B 01G 01H 33G
- 2027. *Thalera fimbrialis* (Scopoli, 1763)** (Geometridae) Synonym(s): *fimbrialis* Scopoli, 1763; *thymiaria* Linnaeus, 1767; *bupleuraria* [Denis & Schiffermüller], 1775; *albaria* Esper, [1801]; *magnata* Fuchs, 1903; *obsoleta* Skala, 1913; *major* Warnecke, 1930; *ochracea* Kolossow, 1936; *approximata* Lempke, 1949; *tangens* Lempke, 1949; *fasciata* Hartweg, 1951 Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Lag Kir Hkd Cc DK NO SE FI EE LV LT RU MD UA BY KK Ik Ax CN Ui Kun Au IR Elb Th Fa Com Kz 05 13 16 17 22 30 31 33 34 41 42 46 51 56 58 62 65 75 81 05A 13A 13Ab 13Ax 13D 13G 13Gy 16A 30D 30Df 31K 31Ka 31Ka5 42B 56F 58N 65A 65Ai 65Am 65Am1 65B 65Bo 65Bx 65D 65Dç 65Dç1 65Df 65F 65Fb 65Fd 65Fg 65Fz 65L 65Le 65N 65Nr2 65Nm
- 2028. *Thera* (Pennithera) *firmata* (Hübner, [1822])** (Geometridae) Synonym(s): *firmata* Hübner, [1822]; *consobrinata* Curtis, 1834; *firmaria* Treitschke, 1835 Range (as codes): PT ES Mu FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU MD UA BY 14 17 22 34
- 2029. *Thera* (s.str.) *britannica* (Turner, 1925)** (Geometridae) Synonym(s): *britannica* Turner, 1925; *albionigrata* Gornik, 1942 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT CZ SK HU RO GR TR DK NO SE 01 14 16 81 01H 16A
- 2030. *Thera* (s.str.) *cognata* (Thunberg, 1792)** (Geometridae) Synonym(s): *cognata* Thunberg, 1792; *simulata* Hübner, [1809]; *coniferata* Curtis, 1834; *geneata* Feisthamel, 1835; *simularia* Boisduval, 1840; *genearia* Boisduval, 1840 Range (as codes): ES FR IT IE GB BE DE CH AT PL CZ SK HU YU AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY 08 08H 08Hb
- 2031. *Thera* (s.str.) *cupressata* (Geyer, [1831])** (Geometridae) Synonym(s): *cupressata* (Geyer, [1831]; *cupressaria* Boisduval, 1840 Range (as codes): ES FR Co Sa Si IT GB DE CH YU GR TR 16 16A
- 2032. *Thera* (s.str.) *juniperata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *juniperata* Linnaeus, 1758; *juniperaria* Boisduval, 1840 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY 32
- 2033. *Thera* (s.str.) *obeliscata* (Hübner, 1787)** (Geometridae) Synonym(s): *obeliscata* Hübner, 1787; *tristrigaria* Donovan, 1808; *scotica* Staudinger, 1901; *diniensis* Heinrich, 1923 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU MD UA BY 05 14 36 05G 36F
- 2034. *Thera* (s.str.) *variata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller], 1775; *adumbrata* De Villers, 1789; *variaria* Boisduval, 1840; *subtaurica* Wehrli, 1932; *balcanicola* de Lattin, 1951 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE FI EE LV LT RU MD UA BY CN Ui Ku Kl LB 01 07 14 34 37 46 58 61 81 01H 58N 61K 61Ka
- 2035. *Therapis flavicaria* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *flavicaria* [Denis & Schiffermüller], 1775 Range (as codes): AT CZ SK HU RO BG RU MD UA TR Cc GG Bjo Mng Smt Lag Kir AZ AM IR Kh GlS 22 46 60 61 75 46G 46Gf 60H 60Hb 61K 61Ka 75F 75Fb
- 2036. *Theria rupicapraria* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *rupicapraria* [Denis & Schiffermüller], 1775 Range (as codes): FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE RU MD UA BY 05 06 22 60 05A 06R 06Rb
- 2037. *Thetidia crucigerata* (Christoph, 1887)** (Geometridae) Synonym(s): *crucigerata* Christoph, 1887 Range (as codes): TM Kp IR Elb Se Fa TR 36 76 36D 36Db 76D 76Dd
- 2038. *Thetidia persica* Hausmann, 1996** (Geometridae) Synonym(s): *persica* Hausmann, 1996 Range (as codes): IR Elb Mz Ak Ab TR 13 30 46 58 65 13A 13Ab 13Ax 13G 13Gü 13Gw 30B 30Bd 30Bç1 30Bç 30Bt1 30Bz 30D 30Df 65A 65Am 65Am1 65B 65Bo 65Bx 65D 65Df 65Dh 65Dg 65Dga 65F 65Fg 65Fp 65Fz 65G 65Gf 65Gy 65L 65Le 65N 65Np 65Nm
- 2039. *Thetidia prasinaria* (Eversmann, 1837)** (Geometridae) Synonym(s): *prasinaria* Eversmann, 1837; *volgaria* Guenée, [1858]; *mongolica* Staudinger, 1897 Range (as codes): RU Or Cc GG Bjo Smt Lag Bku AZ Kir Nv Ord AM Da Der Kus TR IQ IR Fa Com Se MN CN Ui Ku Tlk 58 58N
- 2040. *Thetidia smaragdaria* (Fabricius, 1787)** (Geometridae) Synonym(s): *smaragdaria* Fabricius, 1787 Range (as codes): ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ AM Cc

IR NO FI EE LV LT RU MD UA BY KK Ax Ik CN Ui Ku Ju Tlk 05 06 16 36 42 65 71 05A 16A 36D 36Db 42B 65D 65DI 65Dlc

- 2041. *Timandra comae* Schmidt, 1931** (Geometridae) **Synonym(s):** *angulata* Fourcroy, 1785 *nec* Hfn., 1767; *comae* Schmidt, 1931; *brykaria* Nordström, 1943; *comai* Kaila & Albrecht, 1994 **Range (as codes):** MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Cc GG AM AZ IR TM KG Tks Sb MN 01 05 08 16 22 33 34 39 42 52 53 55 58 59 52C 52G 52Gb
- 2042. *Timandra griseata* W. Petersen, 1902** (Geometridae) **Synonym(s):** *griseata* W. Petersen, 1902 **Range (as codes):** DK NO SE FI RU TR Cc 05 08 14 16 22 34 39 53 55 58 59 81 05A 16A 58N
- 2043. *Trichodezia haberhaueri* (Lederer, 1864)** (Geometridae) **Synonym(s):** *haberhaueri* Lederer, 1864; *ledereri* Staudinger, 1901 **Range (as codes):** TR Cc GG Bjo AM 52 53 61 52A 61K
- 2044. *Trichopteryx carpinata* (Borkhausen, 1794)** (Geometridae) **Synonym(s):** *carpinata* Borkhausen, 1794; *costaestrigata* Haworth, 1809; *dentistrigata* Haworth, 1809; *lobulata* Hübner, [1813] **Range (as codes):** ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY TR? CN Ui Tlk 05?
- 2045. *Triphosa agnata* Le Cerf, 1918** (Geometridae) **Synonym(s):** *agnata* Le Cerf, 1918; *oberthueri* Le Cerf, 1918. **Range (as codes):** TR 01 05 38 05A
- 2046. *Triphosa dubitata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *dubitata* Linnaeus, 1758 **Range (as codes):** ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Mng Bjo Smt AZ Lag Kir DK NO SE FI EE LV LT RU MD UA BY 58 65 58N
- 2047. *Triphosa sabaudiata* (Duponchel, 1830)** (Geometridae) **Synonym(s):** *sabaudiata* Duponchel, 1830; *millierata* Bruand, 1855 **Range (as codes):** MA ES FR IT DE CH AT RO YU AL BG GR TR LB Bsa 05 29 69 05G
- 2048. *Triphosa taochata* Lederer, 1870** (Geometridae) **Synonym(s):** *taochata* Lederer, 1870 **Range (as codes):** RU Cc GG Smt Akh Mng Tbl TR AZ Nv Ord IQ IR Fa Kh 05 05A
- 2049. *Venusia blomeri* (Curtis, 1832)** (Geometridae) **Synonym(s):** *blomeri* Curtis, 1832; *pulchraria* Eversmann, 1842; *szechuanensis* Wehrli, 1931 **Range (as codes):** FR GB BE DE CH AT PL CZ SK HU RO BG TR NO SE FI EE LV LT RU MD UA BY JP CN US KP KR Sz 14
- 2050. *Wehrliola inexpectata* Kemal & Uçak, 2018** (Geometridae) **Synonym(s):** *inexpectata* Kemal & Uçak, 2018 **Range (as codes):** TR 30 30B 30Bc 30D 30Df
- 2051. *Wehrliola revocaria* (Staudinger, 1892)** (Geometridae) **Synonym(s):** *revocaria* Staudinger, 1892; *#fasciata* Wagner, 1931. **Range (as codes):** TR LB Bei IL Pa Hf 33 42 46 33A 33Ae 33Aj 42B
- 2052. *Xanthorhoe* (s.str.) *montanata* ([Denis & Schiffermüller], 1775)** (Geometridae) **Synonym(s):** *montanata* [Denis & Schiffermüller], 1775; *implicata* De Villers, 1789; *implicaria* Haworth, 1809; *montanaria* Treitschke, 1828 **Range (as codes):** ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag Bku AZ AM DK NO SE FI EE LV LT RU Kol Ur Sb MD UA BY MN KG 06 14 53 61 75 76 14I 14Ib 61K 75F 75Fb 76C
- 2053. *Xanthorhoe biriviata* (Borkhausen, 1794)** (Geometridae) **Synonym(s):** *biriviata* Borkhausen, 1794; *pomoeraria* Eversmann, 1844 **Range (as codes):** ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Ur K-R Cc GG Bjo Lag AM KG Kmt Am Sh Krl JP 34 52 52J 52Jb
- 2054. *Xanthorhoe decoloraria* (Esper, [1806])** (Geometridae) **Synonym(s):** *decoloraria* Esper, [1806]; *munitata* Hübner, [1809]; *munitaria* Boisduval, 1840; *collinaria* Metzner, 1840; *pauperrimata* Christoph, 1888 **Range (as codes):** ES FR IT IS IE GB DE CH AT DK TR NO SE FI EE LV RU Da Ur Cc Sb Ya Sh Us Am Kmt AM MD UA BY US Cf 69 75
- 2055. *Xanthorhoe designata* (Hufnagel, 1767)** (Geometridae) **Synonym(s):** *designata* Hufnagel, 1767; *propugnata* [Denis & Schiffermüller], 1775; *fuscifasciata* Retzius, 1783; *fuscaria* De Villers, 1789; *propugnaria* Treitschke, 1825 **Range (as codes):** ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag Kir AM AZ DK NO SE FI EE LV LT RU Sb Us Kol K-R Ur MD UA Cm BY KG 06 14 52 53 61 81 52G 52Gb 52Gd 52J 52Jb 61K 61Ka
- 2056. *Xanthorhoe ferrugata* (Clerck, 1759)** (Geometridae) **Synonym(s):** *#ferrugata* Clerck, 1759; *corculata* Hufnagel, 1767; *ferrugaria* [Denis & Schiffermüller], 1775; *littorea* Fourcroy, 1785; *lictorea* Geoffroy, 1800; *unidentaria* Haworth, 1809 **Range (as codes):** PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG AZ DK NO SE FI EE LV LT RU Kol K-R Ur Cc Sb Am Kmt MD UA Cm BY KG KK TM Kp KP KR 14 16 39 52 61 67 81 16A 52G 52Gb
- 2057. *Xanthorhoe fluctuata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *fluctuata* Linnaeus, 1758; *fibulata* Hufnagel, 1767; *cinerata* Fourcroy, 1785 *nec* Fabr., 1781; *costovata* Haworth, 1809; *fluctuaria* Boisduval, 1840; *multistriga* Oberthür, 1910 **Range (as codes):** MA DZ Clo Cst TN ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ IQ IR Fa DK NO SE FI EE LV LT RU Kol K-R Sb Am Kmt Sh MD UA Cm BY IL Pa Jf LB Bsa KK KG CN Ui Kön KP KR JP 01 05 06 14 16 17 21 22 31 33 34 39 42 46 48 49 51 52 56 58 65 73 01G 05A 16A 21N 21Nh 31D 31K 31Ka 33A 33Ac 33Ak 42B 48L 49F 49Fb 52G 52Gb 56F 58N 65A 65Ai 65Am 65Am4 65F 65Fr 65Fu 73A 73Ac 73E 73Eb
- 2058. *Xanthorhoe inconsiderata* (Staudinger, 1892)** (Geometridae) **Synonym(s):** *inconsiderata* Staudinger, 1892 **Range (as codes):** TR 05 46 56 65 05A 56F 56Fc

- 2059. *Xanthorhoe oxybiata* (Millière,1872)** (Geometridae) Synonym(s): *oxybiata* Millière,1872 Range (as codes): ES FR Sa Si IT YU GR TR CY 07 34
- 2060. *Xanthorhoe quadrifasciata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* De Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996 Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Da Cc AZ Kir DK NO SE FI EE LV LT RU Am Sh Us MD UA Cm BY CN JP
- 2061. *Xanthorhoe rectifasciaria* (Lederer,1853)** (Geometridae) Synonym(s): *rectifasciaria* Lederer,1853; *orthogrammaria* Guenée,[1858] Range (as codes): TR Cc AZ GG Mng Bjo Kir Lag Len Akh AM IR Elb Th 14 53 61
- 2062. *Xanthorhoe spadicearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *spadicearia* [Denis & Schiffermüller],1775; *alchemillaria* Esper,1801; *livinaria* LaHarpe,1855 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kol K-R Ur Sj Bry Kmt MD UA BY MN 42 53
- 2063. *Xenochlorodes beryllaria* (Mann,1853)** (Geometridae) Synonym(s): *beryllaria* Mann,1853; *aureliaria* Millière,1863 Range (as codes): DZ Ges PT ES FR Co Sa Si IT YU AL GR Cr TR 8o 8oB 8oBc
- 2064. *Xenochlorodes olympiaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer,[1852]; *cremonaria* Staudinger,1897; *pallida* W.Warren,1897. Range (as codes): ES GR TR LB Bei Bsa IL Pa Js Hf CY LY 01 16 01D 16A

Glyphipterygidae

- 2065. *Glyphipterix equitella* (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *equitella* Scopoli,1763; *majorella* Heinemann & Wocke,[1876]; *minorella* Snellen,1882; *crassilunella* Rebel,1916; *zermattensis* Amsel,1933; *sexguttella* Toll,1936 Range (as codes): ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG MK GR Cr TR DK NO SE FI EE LV LT Cc RU Da MD UA BY 16 16A
- 2066. *Glyphipterix forsterella* (Fabricius,1781)** (Glyphipterygidae) Synonym(s): *forsterella* Fabricius,1781; *lucasella* Duponchel,1838; *variella* Zeller,1839; *oculatella* Zeller,1850; *albimaculella* Heimenann,1877 Range (as codes): ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU TR DK NO SE FI EE LV LT RU MD UA BY JP Hkk 16 16A
- 2067. *Glyphipterix simplicella* (Stephens,1834)** (Glyphipterygidae) Synonym(s): *simplicella* Stephens,1834; *cognatella* Stephens,1834; *conjunctella* Costa,1834; *colluripennella* Costa,1834; *aechmiella* Duponchel,1838; *fischeriella* Zeller,1839; *desideratella* Duponchel,1842; *roeslerstammella* Fischer v. Roeslerstamm,1843; *?nattani* Gozmany,1954 Range (as codes): PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO TR GR Rd Cr LB DK NO SE FI EE LV LT 05 16 73 05A 16A 73D 73De
- 2068. *Glyphipterix thrasonella* (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *thrasonella* Scopoli,1763; *klemannella* Fabricius,1781; *fuesella* Fabricius,1787; *fyesselia* Fabricius,1794; *ahornerella* Hübner,1796; *seppella* Hübner,1796; *aillyella* Hübner,1796; *triguttella* Donovan,1806; *fuesslii* Haworth,1828; *equitella* Treitschke,1833; *poeyella* Duponchel,1838; *cladiella* Stainton,1859; *eyndhoveniella* Snellen,1882; *albardella* Snellen,1882; *#nitens* Bankes,1907; *struvei* Amsel,1938 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR GR DK NO SE FI EE LV LT RU MD UA BY GG Cc Abk 05 23 42 05A

Gracillariidae

- 2069. *Acrocercops brongniardella* (Fabricius,1798)** (Gracillariidae) Synonym(s): *brongniardella* Fabricius,1798; *substriga* Haworth,1828; *quercetella* Zeller,1838; *curtisella* Duponchel,[1840] Range (as codes): ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK GR TR IL DK NO SE FI LV LT RU MD UA BY KG 05 06 16 05A 06R 16A
- 2070. *Aristaea pavoniella* (Zeller,1847)** (Gracillariidae) Synonym(s): *pavoniella* Zeller,1847; *latisecta* Meyrick,1922 Range (as codes): IT DE CH AT CZ SK RU Am Us TR JP Hkk CN
- 2071. *Aspilapteryx* (*Sabulopteryx*) *inquinata* Triberti,1985** (Gracillariidae) Synonym(s): *inquinata* Triberti,1985 Range (as codes): IT TR LB Say GR 06 50 58 06H 50G 50Ga 58G
- 2072. *Aspilapteryx* (*Sabulopteryx*) *limosella* (Duponchel,1844)** (Gracillariidae) Synonym(s): *limosella* Duponchel,1844 Range (as codes): PT ES FR Co IT DE CH AT PL CZ SK HU YU B-H Hv MK BG GR TR IL Pa RU IR Gls 05 16 71 05A 16A 71D
- 2073. *Aspilapteryx* (s.str.) *tringipennella* (Zeller,1839)** (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY GG Cc IL Pa UZ TJ TM Kp AF IR Elb Mz Kdv 16 44 65 16A 44E 44Ei 65L 65Le
- 2074. *Callisto denticulella* (Thunberg,1794)** (Gracillariidae) Synonym(s): *denticulella* Thunberg,1794; *gyllenhalles* Thunberg,1794; *malinella* Hübner,[1813]; *guttea* Haworth,1828; *guttiferella* Duponchel,1840;

- marginimaculella* Eversmann,1844; *guttella* Doubleday,1859; *solitariella* Dietz,1907 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU TR MD UA BY CA US
- 2075. *Caloptilia alchimiella* (Scopoli,1763)** (Gracillariidae) Synonym(s): *alchimiella* Scopoli,1763; *crucifera* Fourcroy,1785; *swederella* Thunberg,1788; *thunbergella* Fabricius,1794; *franckella* Hübner,1796; *thunbergii* Haworth,1828; *hilaripennella* Treitschke,1833; *sardiniella* Amsel,1936 Range (as codes): PT ES FR IT Sa IE GB BE NL LU DE CH AT PL CZ SK HU MK B-H SS YU HV RO TR DK NO SE FI EE LV LT RU MD UA BY Cc Ur IR GlS KG 13 16 30 33 56 65 13A 13Ab 13Ax 13G 13Gb 16A 30D 30Df 33A 33Ac 33Ak 56F 65A 65Am 65Am4
- 2076. *Caloptilia azaleella* Brandts,1913** (Gracillariidae) Synonym(s): *rhodinella* Herrich-Schäffer,[1854]; *azaleella* Brandts,1913; *azaleae* Busck,1914; *anthracosperma* Meyrick,1931 Range (as codes): DE CH AT HU HV TR AL IT RO YU IN 16 16A
- 2077. *Caloptilia braccatella* (Staudinger,1870)** (Gracillariidae) Synonym(s): *braccatella* Staudinger,1870; *?mutilata* Staudinger,1880 Range (as codes): GR Rd TR RU 35 58
- 2078. *Caloptilia coruscans* (Walsingham,1907)** (Gracillariidae) Synonym(s): *coruscans* Walsingham,1907; *schinella* Walsingham,1908; *terebinthiella* Chrétien,1910; *instincta* Meyrick,1922; *ferruginipennis* Turati,1924 Range (as codes): Cn DZ Bsk Hes LY Cy TN Gf ES FR Sa? Si IT MT GR TR IL Pa Js
- 2079. *Caloptilia cuculipennella* (Hübner,1796)** (Gracillariidae) Synonym(s): *cuculipennella* Hübner,1796; *cinerea* Haworth,1828; *ligustrinellum* Zeller,1839; *alaudella* Duponchel,[1840] Range (as codes): PT FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV RU MD UA BY TM GG Cc TJ JP CA
- 2080. *Caloptilia elongella* (Linnaeus,1761)** (Gracillariidae) Synonym(s): *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859; *ochrea* Dufrane,1944 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR GG Cc GR DK NO SE FI EE LV LT RU Ur Sb Us MD UA BY US Cf Ny CA BCo 05 16 05A 16A
- 2081. *Caloptilia fidella* (Reutti,1853)** (Gracillariidae) Synonym(s): *fidella* Reutti,1853 Range (as codes): PT FR IT DE CH AT CZ SK HU YU HV MK TR RU MD UA TM
- 2082. *Caloptilia fribergensis* (Fritzsche,1871)** (Gracillariidae) Synonym(s): *fribergensis* Fritzsche,1871; *monspessulanella* Klimesch,1942 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU GR TR RU MD UA BY TM Kp KG
- 2083. *Caloptilia hemidactylella* ([Denis & Schiffermüller],1775)** (Gracillariidae) Synonym(s): *hemidactylella* [Denis & Schiffermüller],1775; *hemedactylus* Fabricius,1798 Range (as codes): PT FR IT GB BE DE CH AT PL CZ SK HU RO TR NO FI EE LV LT RU MD UA BY
- 2084. *Caloptilia leucapennella* (Stephens,1835)** (Gracillariidae) Synonym(s): *sulphurella* Haworth,[1828] nec Fabr.,1777; *leucapennella* Stephens,1835; *citrinellum* Zeller,1839; *aurantiella* Peyerimhoff,1871. Range (as codes): MA ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ HU GR TR DK NO SE FI EE LV RU MD UA BY 05 16 05A 16A
- 2085. *Caloptilia onustella* (Hübner,[1813])** (Gracillariidae) Synonym(s): *onustella* Hübner,[1813] Range (as codes): MA FR IT DE CH AT PL CZ SK HU YU BG DK GG Cc TR TM NO SE FI EE LV RU MD UA BY TJ TM 16 16A
- 2086. *Caloptilia pallescens* (Staudinger,1880)** (Gracillariidae) Synonym(s): *pallescens* Staudinger,1880 Range (as codes): TR 05 05A
- 2087. *Caloptilia robustella* Jäckh,1972** (Gracillariidae) Synonym(s): *robustella* Jäckh,1972 Range (as codes): Cn FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU TR DK NO SE LV LT RO RU UA
- 2088. *Caloptilia roscipennella* (Hübner,1796)** (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867 Range (as codes): Cn Md ES FR Co Sa? Si IT BE DE CH AT PL CZ SK HU RO MK TR CY GR RU MD UA BY TJ KG IR IN 13 16 13A 13Ab 13Ax 16A
- 2089. *Caloptilia semifascia* (Haworth,[1828])** (Gracillariidae) Synonym(s): *semifascia* Haworth,[1828] Range (as codes): AT BG CZ DK EE FI FR DE HU BE IT LT NO PL RU SK SE CH YU GB TR TM Cc
- 2090. *Caloptilia stigmatella* (Fabricius,1781)** (Gracillariidae) Synonym(s): *stigmatella* Fabricius,1781; *cruciella* Goeze,1783; *equestris* Fourcroy,1783; *upupaepennella* Hübner,1796; *triangulella* Panzer,1799; *purpurea* Haworth,1828; *ochracea* Haworth,1828; *triangulosella* Costa,[1836]; *purpuriella* Chambers,1872; *consimilella* Frey,1876 Range (as codes): MA PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO B-H MK TR Cc AZ AM GG DK NO SE FI EE LV LT RU Mo MD UA BY TM Kp Sb Ur Us MN TJ UZ KK KG CN JP CA BCo US IlN Knt Msc Vr Fl Mai Ny Oh Pns SCA Tx IN 65 65A 65Am 65Am4
- 2091. *Calybites quadrisignella* (Zeller,1839)** (Gracillariidae) Synonym(s): *quadrisignella* Zeller,1839 Range (as codes): IT DE AT PL CZ SK HU YU TR RU MD UA BY 16 16A
- 2092. *Cupedia cupediella* (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer,1855 Range (as codes): IT Sa HU AT MK HV SS BG GR TR IR TJ RU
- 2093. *Dialectica imperialella* (Zeller,1847)** (Gracillariidae) Synonym(s): *imperialella* Zeller,1847 Range (as codes): FR IT GB BE NL AT PL CZ SK HU RO TR DK RU MD UA BY 16 16A
- 2094. *Dialectica scalarrella* (Zeller,1850)** (Gracillariidae) Synonym(s): *scalarrella* Zeller,1850 Range (as codes): Cn Az DZ MA TN PT ES GB FR Co Sa Si IT CH ME GR Cr TR IL Pa IR GlS TM AU NZ 22 31 55 31K 31Ka7

- 2095. *Euspilapteryx auroguttella* Stephens, 1835** (Gracillariidae) Synonym(s): *stipella* Haworth, 1828 nec Linn., 1761; *auroguttella* Stephens, 1835; *lacertella* Zeller, 1839; *plumbella* Duponchel, 1845 Range (as codes): DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK GR TR DK NO SE FI EE LV LT RU MD UA BY TM
- 2096. *Gracillaria syringella* (Fabricius, 1794)** (Gracillariidae) Synonym(s): *?microdactylella* [Denis & Schiffermüller], 1775; *syringella* Fabricius, 1794; *anastomosis* Haworth, 1828; *aedeapennella* Treitschke, 1833; *heringiella* Reutti, 1898 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU BG TR DK NO SE FI EE LV LT RU MD UA BY RO CA Qb Nsc US Mai Mch Vr 16 16A
- 2097. *Micrurapteryx kollariella* (Zeller, 1839)** (Gracillariidae) Synonym(s): *kollariella* Zeller, 1839 Range (as codes): PT ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU HV SS AL BG TR RU MD UA BY KG 16 16A
- 2098. *Micrurapteryx sophorivora* Kuznetsov & Tristan, 1985** (Gracillariidae) Synonym(s): *sophorivora* Kuznetsov & Tristan, 1985 Range (as codes): TR KG Aa 44
- 2099. *Parornix anglicella* (Stainton, 1850)** (Gracillariidae) Synonym(s): *nebulea* Haworth, 1828; *anglicella* Stainton, 1850; *fragariae* Stainton, 1874; *rubiella* Caradja, 1920 Range (as codes): PT FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO B-H YU MK Mt BG TR DK NO SE FI EE LV LT RU MD UA BY KG US 05 05A
- 2100. *Parornix anguliferella* (Zeller, 1847)** (Gracillariidae) Synonym(s): *anguliferella* Zeller, 1847 Range (as codes): Sa IT NL DE CH AT PL CZ SK HU MK RO MD GR TR RU UA 16 16A
- 2101. *Parornix devoniella* (Stainton, 1850)** (Gracillariidae) Synonym(s): *devoniella* Stainton, 1850; *avellanella* Stainton, 1854; *avellanaecolella* Doubleday, 1859; *cotoneastri* Caradja, 1920 Range (as codes): AT BY BE BG HV CZ DK EE FI FR DE HU IE IT LT LU MD NL NO PL SS HV RO MD RU SK SS SE CH TR UA GB
- 2102. *Parornix finitimella* (Zeller, 1850)** (Gracillariidae) Synonym(s): *finitimella* Zeller, 1850 Range (as codes): FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK SE FI RU MD UA BY KG 05 16 05A 16A
- 2103. *Parornix oculata* Triberti, 1979** (Gracillariidae) Synonym(s): *oculata* Triberti, 1979 Range (as codes): GR TR
- 2104. *Parornix torquillella* (Zeller, 1850)** (Gracillariidae) Synonym(s): *meleagripennella* Hübner, 1796; *torquillella* Zeller, 1850; *#torquillella* Doubleday, 1859 Range (as codes): FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU MK TR TM DK NO SE RU MD UA BY GG Cc 16 16A
- 2105. *Phyllocnistis citrella* Stainton, 1856** (Gracillariidae) Synonym(s): *citrella* Stainton, 1856; *minutella* Van Deventer, 1904; *citricola* Shiraki, 1913 Range (as codes): Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri JP ID Sum Ja Clb Ij Clc Fl 01 07 31 33
- 2106. *Phyllocnistis unipunctella* (Stephens, 1834)** (Gracillariidae) Synonym(s): *unipunctella* Stephens, 1834; *augustella* Costa, [1836] nec Hübn., 1796; *suffusella* Zeller, 1848 Range (as codes): PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO GR TR IL Pa TM DK NO SE FI EE LV LT RU MD UA B-H JP 05 05A
- 2107. *Phyllonorycter abrasella* (Duponchel, 1843)** (Gracillariidae) Synonym(s): *abrasella* Duponchel, 1843; *abrasella* Zeller, 1846 Range (as codes): FR IT DE AT CZ SK HU RO MK HV BG AL GR TR RU 16 33 71 16A 33A 33Ac 71C
- 2108. *Phyllonorycter acaciella* (Duponchel, 1843)** (Gracillariidae) Synonym(s): *acaciella* Duponchel, 1843; *bentivoliella* Costantini, 1923 Range (as codes): FR IT AT CZ SK HU BG GR TR RU MD KG BY
- 2109. *Phyllonorycter acerifoliella* (Zeller, 1839)** (Gracillariidae) Synonym(s): *sylvella* Haworth, [1828] nec Hübner, [1813]; *acerifoliella* Zeller, 1839; *acernella* Duponchel, [1843]. Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE EE LT RU MD UA BY KG 16 16A
- 2110. *Phyllonorycter armeniella* (Kuznetsov, 1958)** (Gracillariidae) Synonym(s): *armeniella* Kuznetsov, 1958 Range (as codes): Cc AM TR 29
- 2111. *Phyllonorycter belotella* (Staudinger, 1859)** (Gracillariidae) Synonym(s): *belotella* Staudinger, 1859; *joviella* Constant, 1890; *anatolica* Deschka, 1970 Range (as codes): DZ Agi MA IT MK GR PT ES An Grn FR YU HV TR 35 41
- 2112. *Phyllonorycter blancardella* (Fabricius, 1781)** (Gracillariidae) Synonym(s): *blancardella* Fabricius, 1781; *pyrariella* Tutt, 1898; *concomitella* Banks, 1899 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY TR IR CY CA BCo Nsc Qb US
- 2113. *Phyllonorycter corylifoliella* (Hübner, 1796)** (Gracillariidae) Synonym(s): *corylifoliella* Hübner, 1796; *betulae* Zeller, 1839; *betulifoliella* Duponchel, [1845]; *caledoniella* Stainton, 1851; *betulella* Herrich-Schäffer, 1855 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY TM Kp KG TJ UZ IR Gl
- 2114. *Phyllonorycter deleta* (Staudinger, 1880)** (Gracillariidae) Synonym(s): *deleta* Staudinger, 1880 Range (as codes): TR 05 05A
- 2115. *Phyllonorycter emberizaepennella* (Bouché, 1834)** (Gracillariidae) Synonym(s): *emberizaepennella* Bouché, 1834; *pezzolella* Herrich-Schäffer, 1855 Range (as codes): FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY GG Cc KG Ur Sb TM CA Qb US Vr Ny

- 2116. *Phyllonorycter esperella* (Goeze,1783)** (Gracillariidae) Synonym(s): *esperella* Goeze,1783; *quinnata* Fourcroy,1785; *quinnatella* De Villers,1789; *caprinicolella* Stainton,1851 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU YU BG TR DK SE LV LT RU MD UA BY
- 2117. *Phyllonorycter flava* Deschka,1975** (Gracillariidae) Synonym(s): *flava* Deschka,1975 Range (as codes): TR 62
- 2118. *Phyllonorycter fraxinella* (Zeller,1846)** (Gracillariidae) Synonym(s): *fraxinella* Zeller,1846 Range (as codes): FR Sa? Si IT DE CH AT Wn PL CZ SK HU RO YU GR TR RU MD UA 16 16A
- 2119. *Phyllonorycter gerasimowi* (M.Hering,1930)** (Gracillariidae) Synonym(s): *gerasimowi* M.Hering,1930 Range (as codes): AT CZ RO B-H BG TR UA
- 2120. *Phyllonorycter harrisella* (Linnaeus,1761)** (Gracillariidae) Synonym(s): *harrisella* Linnaeus,1761; *cramerella* Fabricius,1777; *tenella* Duponchel,[1843]. Range (as codes): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RU MD UA Cc AM 16 16A
- 2121. *Phyllonorycter kleemannella* (Fabricius,1781)** (Gracillariidae) Synonym(s): *kleemannella* Fabricius,1781 Range (as codes): PT FR Sa Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 2122. *Phyllonorycter kuhlweiniella* (Zeller,1839)** (Gracillariidae) Synonym(s): *hortella* Fabricius,1794 nec Fabr.,1794; *kuhlweiniella* Zeller,1839; *saportella* Duponchel,1840. Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU YU BG TR LV RU MD UA BY 16 16A
- 2123. *Phyllonorycter kusdasi* (Deschka,1970)** (Gracillariidae) Synonym(s): *kusdasi* Deschka,1970 Range (as codes): IT Sa HV GR TR
- 2124. *Phyllonorycter lantanella* (Schränk,1802)** (Gracillariidae) Synonym(s): *lantanella* Schränk,1802; *elatella* Zeller,1846; *confertella* Heydenreich,1851 Range (as codes): ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU SE FI EE RU MD UA HV TR
- 2125. *Phyllonorycter lautella* (Zeller,1846)** (Gracillariidae) Synonym(s): *lautella* Zeller,1846; *irradiella* Stainton,1854 Range (as codes): PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 2126. *Phyllonorycter macrantherella* (Kuznetsov,1961)** (Gracillariidae) Synonym(s): *macrantherella* Kuznetsov,1961 Range (as codes): AM Di RU Da GG Cc TR
- 2127. *Phyllonorycter maestingella* (Müller,1764)** (Gracillariidae) Synonym(s): *maestingella* Müller,1764; *faginella* Zeller,1846; *securiferella* Stainton,1848; *triguttella* Stainton,1850; *phegophagella* Herrich-Schäffer,1855; *hedemanni* Caradja,1920 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H BG AL HV GR TR DK NO SE LV LT RU MD UA BY CA BCo
- 2128. *Phyllonorycter mannii* (Zeller,1846)** (Gracillariidae) Synonym(s): *mannii* Zeller,1846; *manniella* Herrich-Schäffer,1855; *#manni* M.Hering,1934 Range (as codes): FR AT Wn CZ SK HU BG TR RU HV IT
- 2129. *Phyllonorycter mespilella* (Hübner,[1805])** (Gracillariidae) Synonym(s): *mespilella* Hübner,[1805]; *pomifoliella* Zeller,1839; *decimella* Stainton,1851; *aureopallidella* Bruand,1859; *pyrivorella* Banks,1899 Range (as codes): Md FR Sa Si IT IE GB BE DE CH AT CZ SK HU LT RU MD UA BY GG Cc TR CA BCo US NMx Ut Cf
- 2130. *Phyllonorycter messaniella* (Zeller,1846)** (Gracillariidae) Synonym(s): *messaniella* Zeller,1846 Range (as codes): Az MA PT ES FR Co Sa Si IT IE GB BE NL DE CH AT HU HV TR BG GR DK RU MD UA BY US AU NZ 16 16A
- 2131. *Phyllonorycter millierella* (Staudinger,1871)** (Gracillariidae) Synonym(s): *millierella* Staudinger,1871; *celtidella* Rondani,1876 Range (as codes): FR IT CH YU BG GR MK HV TR RU MD UA BY KG TM UZ TJ Kp 05 05A
- 2132. *Phyllonorycter muelleriella* (Zeller,1839)** (Gracillariidae) Synonym(s): *muelleriella* Zeller,1839; *amyotella* Duponchel,1840 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR LV LT RU MD UA BY
- 2133. *Phyllonorycter nivalis* Deschka,1986** (Gracillariidae) Synonym(s): *nivalis* Deschka,1986 Range (as codes): TR 58
- 2134. *Phyllonorycter oxyacanthae* (Frey,1855)** (Gracillariidae) Synonym(s): *oxyacanthae* Frey,1855 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE EE LT RU MD UA BY TM
- 2135. *Phyllonorycter platani* (Staudinger,1870)** (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920 Range (as codes): PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE RU MD UA BY TM Kp GG Cc AM KG KK TJ UZ IR Th SY US Cf 05 34 05A
- 2136. *Phyllonorycter populifoliella* (Treitschke,1833)** (Gracillariidae) Synonym(s): *populifoliella* Treitschke,1833; *fritillella* Koch,1856; *pilosissimella* Bruand,1859; *petrazzaniella* Constantini,1923 Range (as codes): ES FR Co IT BE DE CH AT PL CZ SK HU RO YU BG DK NO FI EE LV LT RU Da Ur Sb MD UA BY TM GG Cc TR KG Aa TrA TJ
- 2137. *Phyllonorycter pyrispinosae* Deschka,1986** (Gracillariidae) Synonym(s): *pyrispinosae* Deschka,1986 Range (as codes): TR 58

- 2138. *Phyllonorycter quercifoliella* (Zeller,1839)** (Gracillariidae) Synonym(s): *quercifoliella* Zeller,1839 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG DK NO SE FI EE LV LT RU MD UA BY IL 16 16A
- 2139. *Phyllonorycter roboris* (Zeller,1839)** (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,[1843]; *roborella* Stainton,1848 Range (as codes): PT ES FR Sa? Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR BG GR CY DK NO SE EE LV LT RU MD UA BY 16 16A
- 2140. *Phyllonorycter schreberella* (Fabricius,1781)** (Gracillariidae) Synonym(s): *schreberella* Fabricius,1781; *ulminella* Zeller,1839; *guicciardiella* Costantini,1923 Range (as codes): PT ES FR Sa Si? IT GB BE NL DE CH AT PL CZ SK HU RO YU BG NO SE LV LT RU MD UA BY TR GG Cc TM Kp 16 16A
- 2141. *Phyllonorycter* sp.** (Gracillariidae) Synonym(s): Range (as codes): TR
- 2142. *Phyllonorycter spinicolella* (Zeller,1846)** (Gracillariidae) Synonym(s): *spinicolella* Zeller,1846; *cerasicolella* Herrich-Schäffer,1855. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Cc KG TM TR
- 2143. *Phyllonorycter tauricus* Deschka,2013** (Gracillariidae) Synonym(s): *tauricus* Deschka,2013 Range (as codes): TR 07 07L
- 2144. *Phyllonorycter trifasciella* (Haworth,[1828])** (Gracillariidae) Synonym(s): *trifasciella* Haworth,[1828] Range (as codes): PT ES FR Co Sa Si? IT IE GB BE NL LU DE CH AT PL YU GR TR DK SE 16 16A
- 2145. *Polymitia eximipalpella* (Gerasimov,1930)** (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviiviella* Amsel,1935 Range (as codes): TM UZ AF Blh Ca Hr Pli Srb Bm SA SA63 CY TR SY Dms JO Amm IR Elb Th GlS Km Fa Snj IQ Bgd TJ IL Pa 33
- 2146. *Sauterina hofmanniella* (Schleich,1867)** (Gracillariidae) Synonym(s): *hofmanniella* Schleich,1867 Range (as codes): FR Sa Si? IT BE DE CH PL CZ SK HU TR NO SE RU MD UA BY
- 2147. *Spulerina simploniella* (Fischer v. Röslerstamm,1840)** (Gracillariidae) Synonym(s): *simploniella* Fischer v. Röslerstamm,1840; *eximiella* Christoph,1888 Range (as codes): PT FR Sa Si IT BE NL DE CH PL SK HU GR TR Cc AZ Len RU MD UA BY
- 2148. *Stomphastis conflua* (Meyrick,1914)** (Gracillariidae) Synonym(s): *conflua* Meyrick,1914 Range (as codes): ZA Tva Gau Pre Nta Kzu Umk Srn Dbn Slpp Mpu Tst Brb Lpo Spb Msw Ltr Kru ZW NG SD MZ EG IL Pa GG Cc IQ Bgd SA RU JO CY TR
- 2149. *Triberta helianthemella* (Herrich-Schäffer,[1860])** (Gracillariidae) Synonym(s): *helianthemella* Herrich-Schäffer,[1860] Range (as codes): Cn ES FR Sa? Si IT DE CH AT CZ SK HU YU GR TR CY MK HV 16 16A

Heliodinidae

- 2150. *Heliodines roesella* (Linnaeus,1758)** (Heliodinidae) Synonym(s): *roesella* Linnaeus,1758 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU TR SE RU MD UA BY 06 44 65 06R 65K 65Kz 65Kg

Hepialidae

- 2151. *Hepialus humuli* (Linnaeus,1758)** (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc
- 2152. *Korscheltellus lupulinus* (Linnaeus,1758)** (Hepialidae) Synonym(s): *lupulinus* Linnaeus,1758; *serraticornis* Gmelin,1790; *obliquus* Fabricius,1794; *cora* Schrank,1801; *lupulator* Haworth,1802; *obliquator* Haworth,1802; *nebulosator* Haworth,1802; *fuscus* Haworth,1809; *angulum* Haworth,1809; *nebulosus* Haworth,1809; *nebulosus* Haworth,1828; *espanoli* Gregorio,1981 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV LT RU MD UA BY GG Smt Akh Cc
- 2153. *Triodia amasina* (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851] Range (as codes): IT HU RO YU AL BG GR TR RU MD UA BY 05 06 10 12 23 26 33 42 45 46 63 65 70 71 05A 12A 12Ab 23C 33A 33Ae 42B 65D 65Df 65F 65Fq 65K 65Ku 65Z 65Kd 65Kg 65N 65Np7 65Nm 70C 70Ca 70Cg 71C
- 2154. *Triodia sylvina* (Linnaeus,1761)** (Hepialidae) Synonym(s): *sylvina* Linnaeus,1761; *hamma* [Denis & Schiffermüller],1775; *angulatum* Fabricius,1781; *multicolor* Fourcroy,1785; *crux* Fabricius,1787; *c-album* De Villers,1789; *fauna* Schrank,1801; *cruxator* Haworth,1802; *angulator* Haworth,1802; *sylvinator* Haworth,1802; *kruegeri* Turati,1909; *androgynus* Agenjo,1942; *pardoi* Agenjo,1942; *alfaroi* Agenjo,1942; *laincalvo* Agenjo,1942 Range (as codes): ES FR Sa? Si IT GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA Cm GG Tbl Mng Kak Lag Cc 05 34 54 36 05A 34R 34Rb 36E
- 2155. *Zenophassus schamyl* (Christoph,1888)** (Hepialidae) Synonym(s): *schamyl* Christoph,1888 Range (as codes): Cc TR GG Bjo 53 61

Incurvariidae

- 2156. *Alloclemensia devotella* (Rebel,1893)** (Incurvariidae) Synonym(s): *devotella* Rebel,1893; *muchei* Soffner,1969 Range (as codes): Cc TR 61 61K 61Kb
- 2157. *Incurvaria masculella* ([Denis & Schiffermüller],1775)** (Incurvariidae) Synonym(s): *masculella* [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828]. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT Vor Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV RU MD UA BY 16 34 16A

Lasiocampidae

- 2158. *Chilena sordida* (Erschoff,1874)** (Lasiocampidae) Synonym(s): *sordida* Erschoff,1874; *cinerascens* Oberthür,1916 Range (as codes): Cc TR IR Kh Ss Fa Shr Ke Mz GlS KG RU AF Pic Kab Jla Srb UZ Br TM Kp PK Bl TJ 36
- 2159. *Chondrostega osthelderi* Püngeler,1925** (Lasiocampidae) Synonym(s): *osthelderi* Püngeler,1925 Range (as codes): TR 06 42 44 71 06Y 42R 44L 44Lc
- 2160. *Chondrostega palaestranum* Staudinger,1892** (Lasiocampidae) Synonym(s): *palaestranum* Staudinger,1892 Range (as codes): LB IL Pa EG JO TR IR Lo Fa 65 65F 65Fp
- 2161. *Chondrostega pastranum* Lederer,1858** (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858 Range (as codes): TR SY Dms LB Bei IL Pa JO IR Elb Cc AZ Nv GG Tbl TM Kp 01 03 05 06 42 46 50 63 65 70 01L 01La 05A 03H 06D 46G 46Gf 63B 65L 65Le 65N 65Np 65Np1 65Nm 70C 70Cf
- 2162. *Dendrolimus pini* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Micheli,1959 Range (as codes): PT ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Smt Bjo Mng AM AZ 03 05 06 08 11 14 17 19 24 25 36 37 42 46 53 60 61 62 70 75 05A 06R 06Rb 08C 08H 17M 19G 24G 25D 36F 46G 46Gi 60C 61K 61Ka 62H 70A 75F 75Fb
- 2163. *Eriogaster (Autosphylla) neogena* (Fischer de Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824 Range (as codes): Cc TR AZ Kir Nv Ord GG AM IR UZ RU Ur Sb At KG Sp Ssn Aa Tra Kpt KK Ik Ax 36 36D 36Db
- 2164. *Eriogaster (s.str.) catax* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *catax* Linnaeus,1758; *lentipes* Esper,1783 Range (as codes): ES FR IT BE NL LU DE CH AT CZ SK HU RO YU BG GR TR 33 34
- 2165. *Eriogaster (s.str.) dispersa* (Staudinger,1879)** (Lasiocampidae) Synonym(s): *dispersa* Staudinger,1879; *nippe* De Freina,1988 Range (as codes): GR TR 06 07 11 15 19 32 33 73 06R 73A 73Ai
- 2166. *Eriogaster (s.str.) lanestris* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *lanestris* Linnaeus,1758; *senecta* Graeser,1888 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU Pja MD UA BY KG Uk DsA 14 22 25 36
- 2167. *Eriogaster (s.str.) pfeifferi* Daniel,1932** (Lasiocampidae) Synonym(s): *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941 Range (as codes): TR IR Fa LB Beq IQ Ama AF Kab 30 44 46 30B 30Be 44O 44Ob
- 2168. *Eriogaster (s.str.) rimicola* (Schrank,1802)** (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller],1775; *rimicola* Schrank,1802 Range (as codes): PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR IQ Dk 06 12 13 24 25 33 42 43 48 56 60 71 06E 06R 06Rb 12A 12Ab 25D 25F 48A 56F
- 2169. *Eriogaster czipkai* De Lajonquière,1975** (Lasiocampidae) Synonym(s): *czipkai* De Lajonquière,1975 Range (as codes): TR 32
- 2170. *Gastropacha (s.str.) populifolia* (Esper,[1782])** (Lasiocampidae) Synonym(s): *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782] Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO BG TR DK FI EE LV LT RU MD UA BY IR IQ AF VN Ton Fan TW 42
- 2171. *Gastropacha (s.str.) quercifolia* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909 Range (as codes): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Lag Mng Bjo Smt AM AZ Kir Cc IR IQ AF TM TJ CN Yu VN Ton Fan Ann TW 11 14 16 42 55 58 61 11E 14B 16A 55F 58G 61N
- 2172. *Lasiocampa eversmanni* (Kindermann,1843)** (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960. Range (as codes): BG TR AF Srb Sfk IR Mz Kh TM Kp UZ TJ KK Ik KG Tra Aa DsA Tar IQ Brs Dia Ry Rwz JO Amm GG AZ Kir Tbl Bak AM Cc RU Ao 01 04 06 07 13 19 21 23 25 30 36 44 46 50 56 58 62 63 65 70 71 73 01L 01La 04D 04Da 06D 06Da 06N 06Nc 06R 07C 13A 13Ab 13Ac 13Ac2 13Ac3 13Cf 13G 13G1 19P 21N 21Nb 23I 30B 30Bh 30Bg 30D 30Df 30Dh 44I 44Ic 56A 56Aa 56F 58N 63M 65A 65Am 65Am4 65Ai 65B 65Bn 65Bn1 65D 65Df 65Dt 65F 65F1 65F5 65Fp 65Fz 65G 65Gb 65Ge 65Ge 65K 65Kd 65Kg 65Ku 65N 65Nc 65Np 65Np2 65Np7 65Np8 65Nm 73D 73Db
- 2173. *Lasiocampa grandis* (Rogenhofer,1891)** (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891; *salomonis* Staudinger,[1892] Range (as codes): MK AL BG GR TR IQ Ama Agh Amr LB Bsa IL Pa Hf Cc AM Arr AZ Nv GG IR Fa Shr 01 06 07 11 12 13 14 19 30 31 33 34 41 42 44 46 50 56 62 63 65 73 06R 06Rb 06Re 07C 12A 12Aa 12E

13C 13Cf 13F 13F38 13G 13Gü 13Gw 19P 30D 30Df 31K 31Ka 33A 33Aj 34S 46G 46Gf 56A 56Aa 56F 56Fo 62E 63B 63Ba 65A 65Ai 73D 73Df

- 2174. *Lasiocampa piontkovskii* Sheljuzhko, 1943** (Lasiocampidae) Synonym(s): *piontkovskii* Sheljuzhko, 1943; #*piontkovskii* Didmanidze, 2008 Range (as codes): Ce GG TR AM AZ Nv 75 75F 75Fa
- 2175. *Lasiocampa quercus* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *quercus* Linnaeus, 1758; *roboris* Fabricius, 1793; *spartii* Hübner, [1803]; *guillemontii* Trimoulet, 1858; *sicula* Staudinger, 1861; *scopariae* Millière, 1861; *burdigalensis* Gerhard, 1882; *meridionalis* Tutt, 1901; *altaica* Grünberg, 1911; *balcanoturca* De Freina, 1981 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE Bw CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro At Mo MD UA BY KG GG Btm Bjo Smt Lag Sva AZ AM Cc 04 08 16 25 36 41 43 60 67 75 04D 04Db 16A 25C 25Ca 36F 41A 43D 60C 67F 75F 75Fb
- 2176. *Lasiocampa terreni* (Herrich-Schäffer, 1847)** (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer, 1847 Range (as codes): MA DZ TN LY Orn Lbs Abe Tgr Ges Rbt DhM Agi BtNa FR Co Rd Sms TR CY LB Bei IL Pa JO Amm SY IQ SA EG 31 33 35 31F
- 2177. *Lasiocampa trifolii* ([Denis & Schiffermüller], 1775)** (Lasiocampidae) Synonym(s): #*trifolii* [Denis & Schiffermüller], 1775; *medicaginis* Borkhausen, 1793; *ratamae* Herrich-Schäffer, 1851; *bathseba* Staudinger, 1891; *maculosa* Rogenhofer, 1891 Range (as codes): DZ Sbd PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Dia Ry R wz Mos DK NO SE FI EE LV LT RU MD UA BY GG Tbl Lag AZ Kir AZ Nv Ord Da Der AM Cc LB Bsa IL Pa Hf 01 05 06 10 12 14 19 32 33 35 42 45 46 49 58 59 60 65 76 01H 05A 06R 06Ra 14B 14Bb 19N 33G 35H 49E 49Ea 58R 60C 65G 65Gf 65Gy 76C
- 2178. *Macrothylacia rubi* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *rubi* Linnaeus, 1758 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Bjo Sb Cc Am 22 42 22A
- 2179. *Malacosoma castrensis* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus, 1758; *ksiezopolskii* Sheljuzhko, 1943 Range (as codes): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cm By LB Bsa KK Ik UZ TJ KK KG TrA DsA KuA TeA Ik Ssn Lps Tar GG Mng Bjo Smt Lag Kir AZ AM Cc TM Kp IR AF MN CN Ti 02 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 44 53 56 58 60 65 71 76 02F 02Fd 02Fz 04I 05A 06A 06Aa 06R 06Rb 06Re 13A 13Ab 13Ac 13Ae 13Ax 13F 13G 13G1 13Gi 13Gy 16A 23I 25C 25Ca 25F 25T 30B 30Ba 30Bc 30Bt1 30Bz 30Bl 30D 30Da 36D 36F 42R 44L 44Le 49E 49Ea 56F 60C 65B 65Bn 65Bn1 65Bo 65Bx 65D 65Df 65Dl 65Dlc 65Dg 65Dga 65Dr 65Drb 65F 65Fd 65Fe 65Ff 65Fg 65Fh 65Fi 65Fj 65Fk 65Fl 65Fm 65Fn 65Fo 65Fp 65Fq 65Fr 65Fs 65Ft 65Fu 65Fv 65Fw 65Fx 65Fy 65Fz 65G 65Gb 65Ge 65Gf 65Gy 65K 65Kd 65Kz 65Kg 65L 65Ln 65Np 65Np1 65Np2 65Nr2 65Nm 76B 76Bb 76Bh 76C
- 2180. *Malacosoma franconicum* ([Denis & Schiffermüller], 1775)** (Lasiocampidae) Synonym(s): #*franconica* [Denis & Schiffermüller], 1775; *grandiella* Boisduval, 1840 Range (as codes): PT ES FR Co Sa Si IT DE CH? AT PL RO YU BG GR RU MD UA BY KG Kt AF Bd Cc GG Lag Bku Smt AM Dar AZ TR 05 12 30 36 45 56 60 65 76 05A 56F 56Fs 76C
- 2181. *Malacosoma neustrium* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus, 1758; *annularis* Fourcroy, 1785; *unicolor* Cyrilli, 1787; *bilineatus* Haworth, 1803 Range (as codes): DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR DK NO SE FI EE LV LT RU MD UA BY SY Hal KG GG AZ AM Cc 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 49 53 55 58 60 61 62 65 71 05A 06R 06Rb 06Re 08H 08Hc 13G 13Gy 13F 14B 19C 23I 33G 36D 36F 49E 49Ea 55F 58I 65F 65Fe
- 2182. *Malacosoma parallellum* Staudinger, 1887** (Lasiocampidae) Synonym(s): *parallellum* Staudinger, 1887 Range (as codes): TR IR Elb Mz TM Kp UZ TJ KK Ik T-S CN Ui Kml TeA KuA KG Aa TrA DsA Tk Ssn Tar AF Nu GG Tbl Bjo AZ AM Cc 04 24 25 36 58 04I 25F 25T 36D 36F 58N
- 2183. *Malacosoma primum* (Staudinger, 1887)** (Lasiocampidae) Synonym(s): *primum* Staudinger, 1887; *vulpes* Hampson, 1900 Range (as codes): PK Nwf Ci N-G Haz UZ Man KK Ax Ik Osh AF Pjr TR 12 13 30 36 44 45 49 60 65 66 69 72 13G 13Gz 36F 49E 49Ea 60C 65Bx 65F 65Fe 65G 65Ge 69B 69Ba 72E 72Ei
- 2184. *Odonestis pruni* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *pruni* Linnaeus, 1758 Range (as codes): PT ES FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK FI EE LV LT RU MD UA BY GG Cc AZ AM VN B-e Us JP Hkk KP KR CN Mc Pkn IMn Gn She Anh Hbe Fkn Hun TW VN IN Ass Khs Ti NP BT Yu Sz 11 16 42 53 55 16A 55F
- 2185. *Pachypasa otus* (Drury, [1773])** (Lasiocampidae) Synonym(s): #*otus* Drury, [1770]; *otus* Drury, [1773] Range (as codes): Si IT RO YU AL BG GR Rd Cr Ae Nx Sms CY TR LB Bsa IR Fa IQ AZ AM GG Cc 05 13 16 21 30 31 33 35 56 62 65 73 05A 13F 13F38 16A 30D 30Df 31K 31Ka 31Ka5 33A 33Ac 33G 35U 56F 56Fb 56Fq 65A 65Ai 73A 73Ad 73Ad2
- 2186. *Phyllodesma* (s.str.) *glasunowi* Groum-Grshimailo, 1895** (Lasiocampidae) Synonym(s): *glasunowi* Groum-Grshimailo, 1895 Range (as codes): IR Elb Th Fa Com Qz Ab Mz Kd Lo Es By Ha Zj Gh AM GG Cc TR JO 12 23 30 23M
- 2187. *Phyllodesma* (s.str.) *tremulifolium* (Hübner, [1810])** (Lasiocampidae) Synonym(s): *betulifolium* Ochsenheimer, 1810 *nec* Esp., 1782; *tremulifolium* Hübner, [1810]; *danieli* De Lajonquière, 1963; #*tremulifolium* De Freina, 1999 Range (as codes): PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag EE RU MD UA BY KK Ik CN Ui Li 01 05 06 07 10 12 13 24 25 30 31 32 33 36 42 46 49 56 58 60 62 64 65 71 01H 05A 05G 06R 06Re 07B 07C 12A 12Ac 12E 12Ea 12Ed 12A 13C 13Cf 13G 13Gg 13Gü 13Gs 13Gw 30B 30Bh 30Bt1 30Bz 30D 30Da 30Df 31K 31Ka 31Ka3 32C 33A 33Ac 33G 36F 42R 49E 49Ea 56F 56Fs 58G 62E 65A 65Am 65Am4 65Ai 65D 65Dm 65Ds 65F 65Fe 66P
- 2188. *Poecillocampa alpina* (Frey & Wulschlegel, 1874)** (Lasiocampidae) Synonym(s): *alpina* Frey & Wulschlegel, 1874; *pontica* De Freina, 1999. Range (as codes): ES FR Si IT DE CH AT YU BG TR 04 06 24 25 06R 06Rb

- 2189. *Sena proxima* (Staudinger,1894)** (Lasiocampidae) Synonym(s): *proxima* Staudinger,1894 Range (as codes): TR IQ Shq Bsr Agh Nw Mos Bgd IR Ahz 47
- 2190. *Trichiura* (s.str.) *castiliana* (Spuler,1908)** (Lasiocampidae) Synonym(s): *castiliana* Spuler,1908 Range (as codes): PT ES FR MK GR TR 23 62
- 2191. *Trichiura* (s.str.) *crataegi* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *crataegi* Linnaeus,1758; *ariae* Hübner,[1824]; *scytharum* Seitz,1913; *albicans* Daniel,1956; *vallisicola* Daniel,1956; *griseotincta* Daniel,1956; *borealis* Daniel,1956; *#passini* Boursin,1957 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR AM GG Lag Aba AZ Cc IR GlS Kh DK NO SE FI EE LV LT RU Sb Am MD UA BY KG DsA Ssn Tar Sj MN 05 08 14 31 33 46 53 05A 31L 46G 53B 53O 53N
- 2192. *Trichiura* (s.str.) *mirzayani* Ebert,1971** (Lasiocampidae) Synonym(s): *mirzayani* Ebert,1971 Range (as codes): IR Elb Th Gh Mz Elb Cc TR AZ Len AM GG Bjo TM Kp UZ Fe KK 25
- 2193. *Trichiura* (s.str.) *sapor* Wiltshire,1946** (Lasiocampidae) Synonym(s): *sapor* Wiltshire,1946 Range (as codes): TR IR Ab Ak Fa 21 44 56 72 21N 44F 44Fb 72E
- 2194. *Trichiura* (s.str.) *stroehlei* Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007 Range (as codes): TR CY IL Pa LB Lkl JO SY IQ IR Fa 02 07 12 19 23 24 25 27 30 31 33 44 56 60 62 66 12A 12Ab 30D 30Da 31L 31K 31Ka 31Ka3 31Ka5 31M 56A 56F 56Fo
- 2195. *Trichiura* (s.str.) *verenae* Witt,1981** (Lasiocampidae) Synonym(s): *verenae* Witt,1981; *witti* Ganev,1982 Range (as codes): BG GR TR Cc CY MK 04 06 08 16 32 42 43 48 58 60 71 06R 06Rb 08H 08Hb 48A 58Q

Lecithoceridae

- 2196. *Ceuthomadarus tenebrionellus* Mann,1864** (Lecithoceridae) Synonym(s): *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920; *iranica* Gozmany,1957 Range (as codes): RU Cc AM TR IR Ha Fa Se 05 07 16 35 42 45 46 05A 42B
- 2197. *Eurodachtha flavissimella* (Mann,1862)** (Lecithoceridae) Synonym(s): *flavissimella* Mann,1862; *intermedia* Staudinger,1871 Range (as codes): BG GR Pl TR 16 42 16A 42B
- 2198. *Eurodachtha nigralba* Gozmany,1978** (Lecithoceridae) Synonym(s): *nigralba* Gozmany,1978 Range (as codes): SY Ltk TR 05 33 38 51 56 65 05A 38C 38Ca 51D 51Da 56F 56Fs 65A 65Ai
- 2199. *Homaloxestis briantiella* (Turati,1879)** (Lecithoceridae) Synonym(s): *briantiella* Turati,1879 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT DE CH AT SK HU RO MK Och AL TR IL Pa 05 46 05A
- 2200. *Homaloxestis hades* Gozmany,1978** (Lecithoceridae) Synonym(s): *hades* Gozmany,1978 Range (as codes): TR CY 33 46 33A 33Ac
- 2201. *Lecithocera anatolica* Gozmany,1978** (Lecithoceridae) Synonym(s): *anatolica* Gozmany,1978 Range (as codes): FR TR 33 46 33R 33Rb 46G
- 2202. *Lecithocera nigrana* (Duponchel,1836)** (Lecithoceridae) Synonym(s): *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *orsoviella* Heinemann,1870; *#leticornella* Staudinger,1880. Range (as codes): ES FR Si IT DE CH AT SK HU RO YU B-H SS ME Ctn MK Mt AL BG GR TR RU MD UA BY IL Pa 05 16 31 34 38 39 41 46 05A 16A 31M 39G 41E
- 2203. *Lecithocera syriella* Gozmany,1978** (Lecithoceridae) Synonym(s): *syriella* Gozmany,1978 Range (as codes): TR SY Hal IL Pa 46 80 80B 80Ba
- 2204. *Lecithocera turcica* Gozmany & Mey,2005** (Lecithoceridae) Synonym(s): *turcica* Gozmany & Mey,2005 Range (as codes): TR 31 31M
- 2205. *Odites* (Gozmaniola) *kollarella* (Costa,[1836])** (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]; *walkenaerana* Duponchel,1835; *luteella* Duponchel,1840; *flavedinella* Heydenreich,1851 Range (as codes): PT ES FR Co CH IT SS YU HU GR AL TR Cc CY LB TM 05 13 16 65 71 05A 13F 13F38 16A 65D 65Dlc

Lemoniidae

- 2206. *Lemonia balcanica* Herrich-Schäffer,[1843]** (Lemoniidae) Synonym(s): *balcanica* Herrich-Schäffer,[1843]; *anatolica* F.Wagner,1931 Range (as codes): RO YU AL BG GR TR GG Bjo Smt Tbl Cc AZ Kir 08 13 25 33 36 42 48 60 66 75 08H 13C 13Cd 25N 36F 42B 48A 66P 75D
- 2207. *Lemonia ballioni* (Christoph,1888)** (Lemoniidae) Synonym(s): *ballioni* Christoph,1888 Range (as codes): TR Cc RU Kr Nov 01 04 05 13 23 25 44 46 50 56 58 70 01H 04D 04Da 05A 13G 56E 56Ea 56F 58N
- 2208. *Lemonia dumi* (Linnaeus,1761)** (Lemoniidae) Synonym(s): *dumi* Linnaeus,1761; *dumeti* Linnaeus,1767 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY Am

- 2209. *Lemonia peilei* Rothschild, 1921** (Lemoniidae) Synonym(s): *peilei* Rothschild, 1921 Range (as codes): TR IQ Mj Dy SY IR Fa AF 12 24 47 49 62 63 47G 49E 49Ea 62G 63M
- 2210. *Lemonia pia* Püngeler, 1902** (Lemoniidae) Synonym(s): *pia* Püngeler, 1902 Range (as codes): IL Pa JO TR Cc IR Qz 01 04 07 21 25 30 36 44 46 56 58 63 65 73 76 01H 04D 04Da 07K 21F 25F 30B 30Be 30D 30Df 36D 36Db 36F 44E 44Ea 56E 56Eb 56F 56Fb 58G 63M 65A 65Am 65Am4 65N 65Np2 65Nm 73C 73Cd
- 2211. *Lemonia syriensis* Daniel, 1953** (Lemoniidae) Synonym(s): *syriensis* Daniel, 1953 Range (as codes): TR IQ Dk 31 46 47 31L 31Lg 31M 46G 47G
- 2212. *Lemonia taraxaconis* (Gmelin, 1790)** (Lemoniidae) Synonym(s): *#taraxaci* [Denis & Schiffermüller], 1775; *taraxaconis* Gmelin, 1790 Range (as codes): FR Si IT NL DE CH AT PL CZ SK HU RO YU MK AL BG GR TR RU MD UA BY

Limacodidae

- 2213. *Apoda limacodes* (Hufnagel, 1766)** (Limacodidae) Synonym(s): *limacodes* Hufnagel, 1766; *testudo* [Denis & Schiffermüller], 1775; *funalis* Donovan, 1794; *testunidana* Hübner, [1799]; *avellana* auct. Range (as codes): ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE EE LV LT RU MD UA BY 05 16 17 33 42 61 05A 16A 61L
- 2214. *Heterogenea asella* ([Denis & Schiffermüller], 1775)** (Limacodidae) Synonym(s): *#asella* [Denis & Schiffermüller], 1775; *cruciata* Knoch, 1783; *asellana* Hübner, [1799] Range (as codes): ES FR Co GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 2215. *Hoyosia cretica* (Rebel, 1906)** (Limacodidae) Synonym(s): *cretica* Rebel, 1906 Range (as codes): CR GR TR 07 17 07C 17E 17H
- 2216. *Latoia inexpectata* (Staudinger, [1896])** (Limacodidae) Synonym(s): *inexpectata* Staudinger, [1896] Range (as codes): TR LB Hzm IR Fa 12 13 30 31 56 12A 12Aa 12E 12Ed 13C 13Cf 30B 30Bf 31M 56F

Lymantriidae

- 2217. *Arctornis l-nigrum* (Müller, 1764)** (Lymantriidae) Synonym(s): *l-nigrum* Müller, 1764; *v-nigrum* Fabricius, 1775; *nivosa* [Denis & Schiffermüller], 1775; *vaunigra* Stephens, 1828 Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT Wn PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo IR GlS DK SE LV LT RU MD UA Lvv BY 14 52 53 61 75 14B 14Bb 52H 61L 75F 75Fb
- 2218. *Calliteara pudibunda* (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *pudibunda* Linnaeus, 1758; *scopularia* Linnaeus, 1758; *jutica* Müller, 1764; *porrectaalba* Retzius, 1783; *grandi* Lorkovic, 1930 Range (as codes): ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag AZ Kir AF Sfk DK SE FI EE LV LT RU MD UA Lvv BY 14 16 22 34 53 61 75 14B 16A 22A 34A 61K 61Ka 75F 75Fi
- 2219. *Dicallomera fascelina* (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus, 1758; *medicaginis* Hübner, [1803]; *danieli* De Freina, 1979. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY KG Ssn AF Slg 24 25 36 24G 25T 25F 36F
- 2220. *Euproctis chrysorrhoea* (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus, 1758; *phaeorrhoea* Haworth, 1803; *xanthorrhoea* Oberthür, 1916 nec Koll., [1844] Range (as codes): DZ Clo Blid Khh TN DhM PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag Mng DK SE EE LV LT RU MD UA Lvv BY 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 49 50 55 56 58 60 65 66 71 75 76 04D 04Da 05A 06R 06Ra 06Rb 08H 08Hc 12A 12Ab 12Af 12Aa 12C 12E 12Ec 13A 13Ab 13Ax 13G 13Gy 13F 16A 19C 24G 25A 25C 25Ca 25T 25F 36D 36Db 36F 38C 38Cb 49E 49Ea 55F 56F 56Fs 58G 58Ia 58N 60C 65D 65Df 65F 65Fe 65Fg 65Fp 65Fz 66P 75F 75Fb 76C
- 2221. *Euproctis melania* (Staudinger, 1892)** (Lymantriidae) Synonym(s): *melania* Staudinger, 1892; *melaniodes* Strand, 1910; *#melaina* De Freina, 1999. Range (as codes): TR IQ IR Fa 05 12 13 30 44 46 47 56 62 65 05A 12A 12Aa 12E 12Ec 12Ed 12Ec 13F 13F35 30B 30Ba 30Bc 30Bz 30Bd 30Bc1 30Be 30Bf 30C 30Cd 30D 30Df 44L 47D 47F 56F 56F6 62H 65D 65Dl 65Dlc 65Dn 65Dü
- 2222. *Euproctis similis* (Fuessly, 1775)** (Lymantriidae) Synonym(s): *similis* Fuessly, 1775; *auriflua* [Denis & Schiffermüller], 1775; *cygnea* Thunberg, 1788; *rebeli* Haberhauer, 1902. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Mng Lag Len AZ Cc DK NO SE FI EE LV LT RU MD UA Lvv BY IR AF JP 05 12 16 25 30 45 53 76 05A 12A 16A 25T 30B 30Bd 76C
- 2223. *Leucoma salicis* (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus, 1758; *apparens* Retzius, 1783; *salicinus* Haworth, 1803; *xanthocampa* Dyar, 1905; *coreacola* Matsumura, 1933; *sjoequisti* Bryk, 1942; *variabilis* Bryk, 1949 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU MD UA Lvv BY At T-S Sb KK Ik CN Ui Kml Yu Lik MN U-B Am KP KR JP 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 49 53 55 56 58 60 61 62 63 65 66 75 05A 06R 06Ra 06Rb 06Re 07C 08H 13A 13Ab 13Ax 13G 13Gü 13Gw 16A 19C 25T 25F 30B 30Be 30Bf 30D 30Da 36F 46D 49E 49Ea 53N 53B 55F 56F 56Fa 58G 58I 58N 60C 61L 62E 63B 65D 65Dl 65Dlc 65F 65Fe 65Fg 65N 65Np2 65Nm 66P 75F 75Fb

- 2224. *Leucoma wiltshirei* Collenette, 1938** (Lymantriidae) **Synonym(s):** *wiltshirei* Collenette, 1938 **Range (as codes):** IQ R wz Dia IR Km Kd Fa TR 21 30 56 21N 21Nb 21Nc 30D 30Df 56F 56Fm 56Fö
- 2225. *Lymantria dispar* (Linnaeus, 1758)** (Lymantriidae) **Synonym(s):** *dispar* Linnaeus, 1758; *disparina* Müller, 1802; *japonica* Motschulsky, 1860; *disparoides* Mabille, 1876; *bordigalensis* Mabille, 1876; *asiatica* Wnukowsky, 1926 **Range (as codes):** MA DZ Sbd Bt na TN Dh m PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Sb At Us To Vv MD UA BY AM AZ Len GG Bjo Smt Mng Lag Cc KK KG IQ Hjo Dk Lb IR Mz Elb Sari Ha Ab Oru JP MN CN Lng Pkn Sz Mc KP KR SY CY AF TM Hkk TJ UZ IN TW CA On BCo US Col Ut Cf Fl Io Mai Ny Oh Org Krl Gls Lvv 06 07 10 11 12 13 17 19 23 25 30 31 33 36 46 48 49 50 56 62 65 71 76 06R 06Ra 06Rb 06Rd 07A 07B 07C 10K 10Ka 12A 12Aa 12E 12Eb 12Ec 12Ed 13F 13F38 19P 23D 25A 25F 30B 30Ba 30Bc 30Bz 30C 30Cd 30D 30Da 30Df 30Dx 31K 31Ka 33F 36D 36Db 48L 49E 49Ea 50G 56F 56F6 62H 62E 65D 65Dl 65Dlc 65Dn 65F 65Fo 65L 65Lb 76C
- 2226. *Lymantria monacha* (Linnaeus, 1758)** (Lymantriidae) **Synonym(s):** *monacha* Linnaeus, 1758; *heteroclitia* Müller, 1764; *chosenibia* Bryk, 1949; *matuta* Bryk, 1949; *idae* Bryk, 1949 **Range (as codes):** PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku DK NO SE FI EE LV LT RU us Sb MD UA Lvv BY CN Ti JP Hkk 14 61 75 14B 14Bb 61L 75F 75Fa 75Fb
- 2227. *Ocnerogya amanda* Staudinger, [1892]** (Lymantriidae) **Synonym(s):** *amanda* Staudinger, [1892] **Range (as codes):** TR IQ Agh OM AE IR 30 47 56 65 30B 30Bf 30Bh 30D 30Dd 30Df 47D 56F 65D 65Du 65Dh 65Dv
- 2228. *Orgyia antiqua* (Linnaeus, 1758)** (Lymantriidae) **Synonym(s):** *antiqua* Linnaeus, 1758; *gonostigma* Scopoli, 1763; *paradoxa* Retzius, 1783; *modesta* Heyne, 1899; *manchurica* Matsumura, 1931; **Range (as codes):** DZ Lbs Phv Clo PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Smt Len Lag AM AZ DK NO SE FI EE LV LT RU Am MD UA Lvv BY CN Mc Ts Kno US 05 05A
- 2229. *Orgyia dubia* (Tauscher, 1806)** (Lymantriidae) **Synonym(s):** *dubia* Tauscher, 1806; *judaea* Staudinger, 1901; *interrupta* Grum-Grshimailo, 1890; *seleniaca* Fischer de Waldheim, 1824; *transcaspica* Krulikowsky, 1906; *obliterata* Strand, 1910; *isolatella* Strand, 1910; *deserticola* Powell, 1916; *orana* Powell, 1916; *aurea* Oberthür, 1922; *intermedia* Turati, 1936 (preocc.) **Range (as codes):** MA DZ Bt na Ges Amu Agi Orn Sbd EG PT ES Si RU Cc AM MD UA BY TR LB Bsa Ksr IL Hf Pa IR Gls CY TM Kp UZ KG Ssn 05 06 18 19 42 38 50 58 60 65 71 76 05A 06Y 18F 19N 38H 42F 50C 58N 58R 60C 65G 65Ga 65N 65Na 65Nb 76A 76Ac
- 2230. *Orgyia trigotephras* Boisduval, 1829** (Lymantriidae) **Synonym(s):** *trigotephras* Boisduval, 1829; *anceps* Oberthür, 1884; *sicula* Staudinger, 1887; *transiens* Staudinger, 1901; *orientalis* Staudinger, 1901; *etrusca* Verity, 1905; *holli* Oberthür, 1916; *sebdouensis* Oberthür, 1916; *calabra* Stauder, 1916 **Range (as codes):** MR MA Tgr DZ Sbd Agi TN MR PT ES An FR Si IT MT TR LB Ale IL Pa UZ Fe MN 31
- 2231. *Parocneria detrita* (Esper, [1785])** (Lymantriidae) **Synonym(s):** *detrita* Esper, [1785]; *orientalis* Schwingenschuss, 1939; *orientis* Daniel, 1963 **Range (as codes):** FR IT DE AT PL CZ SK RO YU BG GR TR RU MD UA BY 06 10 12 13 14 25 31 42 46 49 60 65 06R 06Ra 06Rb 06Re 06Y 10D 12A 12Aa 13F 13F38 14B 42B 49E 49Ea 49F 49Fb 60C 65F 65Fb
- 2232. *Parocneria nora* (Staudinger, 1895)** (Lymantriidae) **Synonym(s):** *nora* Staudinger, 1895 **Range (as codes):** TR 46
- 2233. *Parocneria raddei* (Christoph, 1885)** (Lymantriidae) **Synonym(s):** *raddei* Christoph, 1885 **Range (as codes):** TR IQ Shq IR Elb Mz LB Cc AZ Kir 30 47 30B 30Bd 30Bh 30D 30Dd
- 2234. *Parocneria samarita* (Staudinger, [1896])** (Lymantriidae) **Synonym(s):** *samarita* Staudinger, [1896]; *nora* Staudinger, 1900; *tölgi* Rebel, 1917 **Range (as codes):** CY TR IL Pa Js 46 46G
- 2235. *Parocneria signatoria* (Christoph, 1893)** (Lymantriidae) **Synonym(s):** *signatoria* Christoph, 1893; *pilosa* W. Warren, 1897 **Range (as codes):** DZ Khh IL Pa IR Ss Ahz IQ Bgd Agh TM UZ Cc AZ TR AF 36 56 36D 36Db 56F 56Fö
- 2236. *Parocneria terebinthi* (Freyer, [1838])** (Lymantriidae) **Synonym(s):** *terebinthi* Freyer, [1838]; *unicolor* Staudinger, [1895] **Range (as codes):** RO YU BG GR Cr TR GG Aba Cc 01 02 05 06 07 08 16 30 33 42 46 47 60 65 80 01A 02F 02Fd 02Fz 05A 06R 06Re 07C 08H 08Ha 16A 30B 30Bf 33G 33F 33N 42B 46G 60C 65D 65Dl 65Dlc 80G
- 2237. *Parocneria terebynthina* (Staudinger, [1895])** (Lymantriidae) **Synonym(s):** *terebynthina* Staudinger, [1895]; *insolita* Brandt, 1938 **Range (as codes):** TR IQ IR Fa Mia 30 47 56 65 30B 30Bd 30Bc1 30Bt1 30Bz 30D 30Df 47D 56F 56Fj 65D 65Du
- 2238. *Parocneria toelgi* (Rebel, 1917)** (Lymantriidae) **Synonym(s):** *toelgi* Rebel, 1917 **Range (as codes):** TR 31
- 2239. *Polymona destituta* (Staudinger, 1892)** (Lymantriidae) **Synonym(s):** *destituta* Staudinger, 1892; *maraschi* Daniel, 1932. **Range (as codes):** TR IR Fa IQ R wz Ry Dia Brs 30 46 47 71 73 73C 73Cd
- 2240. *Polymona griseipennis* (Kozhantshikov, 1950)** (Lymantriidae) **Synonym(s):** *griseipennis* Kozhantshikov, 1950 **Range (as codes):** Cc AM TR
- 2241. *Polymona lapidicola* (Herrich-Schäffer, [1852])** (Lymantriidae) **Synonym(s):** *lapidicola* Herrich-Schäffer, [1852] **Range (as codes):** Sa TR Cc AM AZ Kir SY CY IQ R wz LB Bsa IL Pa Hf JO 01 05 06 07 13 14 19 21 23 27 30 33 35 36 42 44 46 47 48 50 56 63 65 71 73 01H 05A 07B 07Bb 07C 13A 13Ab 13Ac 13Ac2 13Ax 14I 19P 21L 23I 27D 27Da 30D 30Dx 33P 36D 36Db 42B 44E 44F 44Fa 44L 44Lc 46G 46Gf 46Gi 47D 47Db 48D 50G 56E 56Eb 56F 56Fb 56Fo 63M 65A 65Am 65Am4 65Ac 65Ac3 65D 65Df 65Dv 65Fz 65K 65Kb 65Z 71B 73A 73Ab 73D 73Da 73Df 73Dfc 73E 73Eb

Lyonetidae

- 2242. *Bedellia somnulentella* (Zeller,1847)** (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953 Range (as codes): DZ Bsk TN Gf Md PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI LV LT RU MD UA BY DZ KG Uk UZ TR CY SA ZA Tva Lpo Hae JP AU NZ TH
- 2243. *Leucoptera laburnella* (Stainton,1851)** (Lyonetiidae) Synonym(s): *laburnella* Stainton,1851; *wailesella* Stainton,1858; *cytisella* Amsel,1939 Range (as codes): ES FR Sa IT IE GB LU BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE Cc RU Da MD UA BY 52
- 2244. *Leucoptera malifoliella* (Costa,[1836])** (Lyonetiidae) Synonym(s): *malifoliella* Costa,[1836]; *scitella* Zeller,1839. Range (as codes): DZ PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR DK NO SE FI EE LV LT RU Ur Sb Ya AM Cc MD UA BY SA KG CN UZ TM 16 28 52 16A
- 2245. *Lyonetia clerkella* (Linnaeus,1758)** (Lyonetiidae) Synonym(s): *clerkella* Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasifoliella* Hübner,1796; *malifoliella* Hübner,1796; *malella* Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella* Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,[1836]; *fonscolombella* Duponchel,[1840]; *magnimaculella* Bruand,1859 Range (as codes): DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc DK NO SE FI EE LV LT RU Sb MD UA BY SA IN JP 08 24 25 36 76
- 2246. *Lyonetia prunifoliella* (Hübner,1796)** (Lyonetiidae) Synonym(s): *prunifoliella* Hübner,1796; *padifoliella* Hübner,[1813]; *sittaepenella* Hübner,[1825]; *acerifoliella* Curtis,1850 Range (as codes): FR IT GB BE DE CH AT PL CZ SK HU RO YU GR TR NO SE FI LV LT RU Ab MD UA BY KG 16 16A

Micronoctuidae

- 2247. *Micronola karsholti* (Fibiger,1997)** (Micronoctuidae) Synonym(s): *karsholti* Fibiger,1997 Range (as codes): CY Rd GR TR 07 70

Micropterigidae

- 2248. *Microptericina amasiella* (Staudinger,1880)** (Micropterigidae) Synonym(s): *amasiella* Staudinger,1880 Range (as codes): TR 05 05A
- 2249. *Micropterix allionella* (Fabricius,1794)** (Micropterigidae) Synonym(s): *allionella* Fabricius,1794; *tricinctella* Costa,[1836] Range (as codes): FR IT DE CH AT CZ SK YU BG TR
- 2250. *Micropterix aruncella* (Scopoli,1763)** (Micropterigidae) Synonym(s): *aruncella* Scopoli,1763; *seppella* Fabricius,1777; *podevinella* Hübner,[1813]; *concinella* Stephens,1834; *eximiella* Zeller,1850; *atricapila* Wocke,1877; *nuraghella* Amsel,1936 Range (as codes): ES FR Co Sa IT IE GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU YU ME Ctm GR DK TR NO SE FI EE LV LT RU Chu MD UA BY 31 31K 31Ka
- 2251. *Micropterix aureatella* (Scopoli,1763)** (Micropterigidae) Synonym(s): *aureatella* Scopoli,1763; *ammanella* Hübner,[1813]; *allionella sensu* Stainton,1850 Range (as codes): PT FR IT? IE GB BE NL DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO ME Ctm GR DK TR NO SE FI EE LV LT RU MD UA BY 61
- 2252. *Micropterix klimeschi* J.Heath,1973** (Micropterigidae) Synonym(s): *klimeschi* J.Heath,1973 Range (as codes): TR 32
- 2253. *Micropterix maschukella* Alpheraky,1876** (Micropterigidae) Synonym(s): *maschukella* Alpheraky,1876 Range (as codes): TR Cc GG Lag Bjo Abk Sok RU Kr Soc Kb Nal UA Cm 53
- 2254. *Micropterix paykullella* (Fabricius,1794)** (Micropterigidae) Synonym(s): *paykullella* Fabricius,1794; *anderschella* Hübner,[1813] Range (as codes): FR IT DE CH AT TR
- 2255. *Micropterix rothenbachii* (Frey,1856)** (Micropterigidae) Synonym(s): *rothenbachii* Frey,1856; *rothenbachella* Herrich-Schäffer,1862; *australis* Heath,1981; *vallebonnella* Réal,1988 Range (as codes): FR Si IT DE CH AT TR 35 61 35V
- 2256. *Micropterix schaefferi* J.Heath,1975** (Micropterigidae) Synonym(s): *anderschella sensu* Herrich-Schäffer,1855; *schaefferi* J.Heath,1975 Range (as codes): FR Co IT BE NL DE CH AT Vor Trl Et Krt Stm Slz UAT LAT PL CZ YU BG TR DK 16 16A
- 2257. *Micropterix uxor* Walsingham,1919** (Micropterigidae) Synonym(s): *uxoria* Walsingham,1919 Range (as codes): IT Si TR 07

Momphidae

- 2258. Mompha (Anybia) epilobiella (Roemer, 1794)** (Momphidae) Synonym(s): *epilobiella* Roemer, 1794; *langiella* Hübner, 1796; *niveipunctella* Stainton, 1849; *fulicella* Herrich-Schäffer, 1853. Range (as codes): ES Ter FR IT GB BE NL DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI LV LT RU MD UA BY Cc
- 2259. Mompha (Lophoptilus) miscella ([Denis & Schiffermüller], 1775)** (Momphidae) Synonym(s): *miscella* [Denis & Schiffermüller], 1775; *staintoni* Sircom, 1848; *opacella* Müller-Rutz, 1934. Range (as codes): DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU TR BG GR Cr DK SE FI EE LV LT RU MD UA BY 05 16 05A 16A
- 2260. Mompha (s.str.) divisella Herrich-Schäffer, 1854** (Momphidae) Synonym(s): *divisella* Herrich-Schäffer, 1854; *decorella* Stainton, 1854. Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK RO TR DK NO SE FI EE LV LT RU MD UA BY Cc TM KG 71
- 2261. Mompha (s.str.) lacteella (Stephens, 1834)** (Momphidae) Synonym(s): *lacteella* Stephens, 1834; *gibbiferella* Zeller, 1839; *basipallidella* Stainton, 1849. Range (as codes): FR IT IE GB BE DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV RU Sb Us MD UA BY 16 16A
- 2262. Mompha (s.str.) ochraceella (Curtis, 1839)** (Momphidae) Synonym(s): *ochraceella* Curtis, 1839. Range (as codes): MA ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK SE LV RU MD UA BY IR 46
- 2263. Mompha (s.str.) subbistrigella (Haworth, [1828])** (Momphidae) Synonym(s): *subbistrigella* Haworth, [1828]. Range (as codes): ES Gp FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR GR DK NO SE FI EE LV LT RU MD UA BY Cc 16 16A

Nepticulidae

- 2264. Acalypttris pistaciae Nieukerken, 2007** (Nepticulidae) Synonym(s): *pistaciae* Nieukerken, 2007. Range (as codes): GR Rd CY TR IL Pa 07
- 2265. Acalypttris platani (Müller-Rutz, 1934)** (Nepticulidae) Synonym(s): *platani* Müller-Rutz, 1934. Range (as codes): PT ES FR Co IT Si CH YU HV MK GR BG CY TR IR Elb Th 07 07B 07Bb
- 2266. Ectoedemia (Etainia) sericopeza (Zeller, 1839)** (Nepticulidae) Synonym(s): *sericopeza* Zeller, 1839. Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI LV LT RU MD UA BY 16 16A
- 2267. Ectoedemia (Fomoria) degeeri Nieukerken, 2008** (Nepticulidae) Synonym(s): *degeeri* Nieukerken, 2008. Range (as codes): TR 07 33 07B 07Bb 33F
- 2268. Ectoedemia (Fomoria) luisae (Klimesch, 1978)** (Nepticulidae) Synonym(s): *luisae* Klimesch, 1978. Range (as codes): TR 34 34A
- 2269. Ectoedemia (Zimmermannia) liebwerdella (Zimmermann, 1940)** (Nepticulidae) Synonym(s): *liebwerdella* Zimmermann, 1940. Range (as codes): PT ES FR CH IT DE AT PL CZ SK HU HV MK BG GR TR 06 66 06R 66F
- 2270. Ectoedemia (Zimmermannia) longicaudella Klimesch, 1953** (Nepticulidae) Synonym(s): *longicaudella* Klimesch, 1953. Range (as codes): PT ES FR IT BE NL DE AT PL CZ SK HU RO YU HV NO SE LV RU MD UA Cc GG TR 06 33 06E 06R 33F
- 2271. Ectoedemia (Zimmermannia) monemvasiae Van Nieukerken, 1985** (Nepticulidae) Synonym(s): *monemvasiae* Van Nieukerken, 1985. Range (as codes): Cr GR TR 04 38 04D 04Da 38Ca
- 2272. Ectoedemia (s.str.) alnifoliae Van Nieukerken, 1985** (Nepticulidae) Synonym(s): *alnifoliae* Van Nieukerken, 1985. Range (as codes): GR Sms CY TR 07 73 07B 73A 73Ab
- 2273. Ectoedemia (s.str.) arcuatella (Herrich-Schäffer, 1855)** (Nepticulidae) Synonym(s): *arcuatella* Herrich-Schäffer, 1855. Range (as codes): FR IT IE GB NL BE DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY 61
- 2274. Ectoedemia (s.str.) caradjai (M. Hering, 1932)** (Nepticulidae) Synonym(s): *caradjai* M. Hering, 1932. Range (as codes): PT ES FR Co Si IT AT CZ SK HU YU HV Rd TR RU GR Sms BG MD UA BY 01 07 33 01D 33O
- 2275. Ectoedemia (s.str.) cerris (Zimmermann, 1944)** (Nepticulidae) Synonym(s): *cerris* Zimmermann, 1944. Range (as codes): IT AT CZ SK HU HV TR 06 06R
- 2276. Ectoedemia (s.str.) erythrogenella (De Joannis, 1908)** (Nepticulidae) Synonym(s): *erythrogenella* De Joannis, 1908. Range (as codes): PT ES FR Co Si Sa TR TN Dhm IT GB CH YU GR CY 07
- 2277. Ectoedemia (s.str.) haraldi (Soffner, 1942)** (Nepticulidae) Synonym(s): *haraldi* Soffner, 1942. Range (as codes): MA PT ES FR IT TR GR Le Cr 07
- 2278. Ectoedemia (s.str.) pseudoilicis Z. Lastuvka & A. Lastuvka, 1998** (Nepticulidae) Synonym(s): *pseudoilicis* Z. Lastuvka & A. Lastuvka, 1998. Range (as codes): Cr TR GR 07 07B

- 2279. Ectoedemia (s.str.) terebinthivora (Klimesch,1975)** (Nepticulidae) **Synonym(s):** *terebinthivora* Klimesch,1975 Range (as codes): TR Rd GR 07 33 33O
- 2280. Stigmella aceris (Frey,1857)** (Nepticulidae) **Synonym(s):** *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877 Range (as codes): FR IT GB BE DE CH AT Vor Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU BG GR TR DK NO SE EE LT RU MD UA BY 06 06R
- 2281. Stigmella atricapitella (Haworth,1828)** (Nepticulidae) **Synonym(s):** *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922 Range (as codes): PT ES FR IT IE GB BE NL LU DE AT CZ SK HU HV MK YU GR TR DK SE EE LT RU MD UA Cm Cc GG BY 01 04 33 01D 04D 04Da 33L
- 2282. Stigmella azaroli (Klimesch,1978)** (Nepticulidae) **Synonym(s):** *azaroli* Klimesch,1978 Range (as codes): TR CY GR 32 33 33O
- 2283. Stigmella basiguttella (Heinemann,1862)** (Nepticulidae) **Synonym(s):** *basiguttella* Heinemann,1862; *cerricolella* Klimesch,1946 Range (as codes): TN DhM PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU HV BG GR TR DK NO SE FI EE LT RU MD UA BY Cc GG AZ Lag Len IR GlS 01 33 01D 33O
- 2284. Stigmella bicuspidata Nieukerken & Johansson,2003** (Nepticulidae) **Synonym(s):** *bicuspidata* Nieukerken & Johansson,2003 Range (as codes): TR 01 29 51 01D 29A 51C
- 2285. Stigmella carpinella (Heinemann,1862)** (Nepticulidae) **Synonym(s):** *carpinella* Heinemann,1862 Range (as codes): IT? GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK SE LT RU MD UA BY 05 05A
- 2286. Stigmella centifoliella (Zeller,1848)** (Nepticulidae) **Synonym(s):** *centifoliella* Zeller,1848 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK SE EE RU MD UA BY 16 16A
- 2287. Stigmella cocciferae Nieukerken & Johansson,2003** (Nepticulidae) **Synonym(s):** *cocciferae* Nieukerken & Johansson,2003 Range (as codes): GR TR Cr IL Pa Js 06 07 32 33 34 35 42 06R 07C 32E 33F 33L 35C 42K
- 2288. Stigmella divina Puplesis, Diskus & Van Nieukerken,1997** (Nepticulidae) **Synonym(s):** *divina* Puplesis, Diskus & Van Nieukerken,1997 Range (as codes): TR TM Kp 58 58G
- 2289. Stigmella dorsiguttella (Johansson,1971)** (Nepticulidae) **Synonym(s):** *dorsiguttella* Johansson,1971 Range (as codes): ES FR IT DE AT PL CZ SK HU YU GR TR SE RU MD UA Cm BY 04 04D 04Da
- 2290. Stigmella eberhardi (Johansson,1971)** (Nepticulidae) **Synonym(s):** *eberhardi* Johansson,1971 Range (as codes): ES FR Sa IT AT CZ SK HU MK SS GR TR 32 42 42B 42J
- 2291. Stigmella fagella Heinemann,1862** (Nepticulidae) **Synonym(s):** *fagella* Heinemann,1862 Range (as codes): TR
- 2292. Stigmella fasciata Nieukerken & Johansson,2003** (Nepticulidae) **Synonym(s):** *fasciata* Nieukerken & Johansson,2003 Range (as codes): SS HV GR TR 01 01D
- 2293. Stigmella macrolepidella (Klimesch,1978)** (Nepticulidae) **Synonym(s):** *macrolepidella* Klimesch,1978 Range (as codes): Rd GR TR 33 35 33K 35C
- 2294. Stigmella mespilicola (Frey,1856)** (Nepticulidae) **Synonym(s):** *mespilicola* Frey,1856; *ariella* Herrich-Schäffer,1860 Range (as codes): ES FR IT GB DE CH AT CZ SK HU YU TR RU MD UA BY 42
- 2295. Stigmella minusculella (Herrich-Schäffer,1855)** (Nepticulidae) **Synonym(s):** *minusculella* Herrich-Schäffer,1855; *stettinensis* Heinemann,1871; *chalybeia* Braun,1914; *embonella* Klimesch,1978 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR Rd TR DK LV LT RU MD UA BY 45
- 2296. Stigmella minusculella Herrich-Schäffer,[1855]** (Nepticulidae) **Synonym(s):** *minusculella* Herrich-Schäffer,[1855] Range (as codes): TR
- 2297. Stigmella muricatella (Klimesch,1978)** (Nepticulidae) **Synonym(s):** *muricatella* Klimesch,1978 Range (as codes): GR TR TJ 42
- 2298. Stigmella paliurella (Gerasimov,1937)** (Nepticulidae) **Synonym(s):** *paliurella* Gerasimov,1937; *paliurella* Klimesch,1940 Range (as codes): IT RO SS HV YU GR TR RU TM Kp Cc AZ 33 33O
- 2299. Stigmella prunetorum (Stainton,1855)** (Nepticulidae) **Synonym(s):** *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884. Range (as codes): FR IT GB BE NL LU DE CH AT Vor Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU BG GR TR DK SE LT RU MD UA BY 16 16A
- 2300. Stigmella pyrellicola (Klimesch,1978)** (Nepticulidae) **Synonym(s):** *pyrellicola* Klimesch,1978 Range (as codes): GR TR CY 33 33O
- 2301. Stigmella rhamnophila (Amsel,1935)** (Nepticulidae) **Synonym(s):** *rhamnophila* Amsel,1935 Range (as codes): Rd TR CY 06 32 06R
- 2302. Stigmella roborella (Johansson,1971)** (Nepticulidae) **Synonym(s):** *roborella* Johansson,1971 Range (as codes): ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU YU B-H BG MD RO MK Cc GG TR DK NO SE FI LV LT RU MD UA Cm BY 06 06R
- 2303. Stigmella samiatella (Zeller,1839)** (Nepticulidae) **Synonym(s):** *samiatella* Zeller,1839 Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU YU GR TR DK NO SE FI EE LV LT RU MD UA BY 04 05 06 16 29 42 51 73 04D 04Da 05A 06R 16A 29A 42K 51C 73A 73Ai

- 2304. *Stigmella szoeciella* (Borkowski,1972)** (Nepticulidae) Synonym(s): *szoeciella* Borkowski,1972
Range (as codes): HU RU IT GR TR 51 51C
- 2305. *Stigmella trojana* Z.Lastuvka & A.Lastuvka,1998** (Nepticulidae) Synonym(s): *trojana* Z.Lastuvka & A.Lastuvka,1998 Range (as codes): GR TR 04 04D 04Da
- 2306. *Stigmella zangherii* (Klimesch,1951)** (Nepticulidae) Synonym(s): *zangherii* Klimesch,1951 Range (as codes): FR IT CZ SK HU GR TR 01 33 42 51 01D 33F 42B 51C
- 2307. *Trifurcula (Glaucolepis) albiflorella* Klimesch,1978** (Nepticulidae) Synonym(s): *albiflorella* Klimesch,1978 Range (as codes): TR 42
- 2308. *Trifurcula (Glaucolepis) melanopectera* van Nieukerken & Puplesis,1991** (Nepticulidae) Synonym(s): *melanopectera* van Nieukerken & Puplesis,1991 Range (as codes): ES FR Sa IT AT CZ SK HV YU RU MD UA Cm BY AM Kho TR TM Kp 06 06R
- 2309. *Trifurcula (Glaucolepis) trilobella* Klimesch,1978** (Nepticulidae) Synonym(s): *trilobella* Klimesch,1978 Range (as codes): Rd TR 07
- 2310. *Trifurcula (Levarchama) eurema* (Tutt,1899)** (Nepticulidae) Synonym(s): *eurema* Tutt,1899; *doryeniella* Suire,1928; *gozmanyi* Szocs,1959 Range (as codes): PT ES FR Sa IT IE GB NL DE CH AT CZ SK HU YU GR AL B-H RO BG HV TR DK SE UA 06 34 51 06R 34A 51D 51Da
- 2311. *Trifurcula (s.str.) pallidella* (Duponchel,1843)** (Nepticulidae) Synonym(s): *pallidella* Duponchel,1843 Range (as codes): PT ES IT DE CH AT CZ SK HU GR MK FR ?TR RU UA ?16 16A
- 2312. *Trifurcula (s.str.) subnitidella* (Duponchel,1843)** (Nepticulidae) Synonym(s): *subnitidella* Duponchel,1843; *griseella* Wolff,1957 Range (as codes): TN ES FR IT IE GB BE NL DE AT CZ SK RO YU BG GR TR DK SE FI EE LV RU MD UA Cm BY 06 06R

Noctuidae

- 2313. *Abrostola agnorista* Dufay,1956** (Noctuidae) Synonym(s): *agnorista* Dufay,1956 Range (as codes): FR Co Si IT CH HU RO YU AL BG GR TR RU Cc Ich IR Elb Gls KK Skm 06 08 25 65 65Np6 65Nm
- 2314. *Abrostola asclepiadis* (Lang,1789)** (Noctuidae) Synonym(s): *asclepiadis* [Denis & Schiffermüller],1775; *asclepiadis* Lang,1789. Range (as codes): PT ES FR IT MT BE DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK SE FI EE LV LT RU Ro Kr Nt Ich MD UA Lvv BY IR Fa 75 75E
- 2315. *Abrostola clarissa* (Staudinger,1900)** (Noctuidae) Synonym(s): *clarissa* Staudinger,1900 Range (as codes): TR IL Js Pa LB Bsa IQ Dk Ama IR Elb Ab Oru Khy Ak Aha Kdj Th Se Kh Es By Mz Dam Kdj Fa SY RU Cc Ich Ing Da AF TM 04 05 06 08 13 18 24 25 30 31 33 36 47 50 51 58 62 65 66 05A 06R 06Re 08C 08H 13B 30D 30Da 30Df 31M 36D 36F 47D 51B 51Ba 65A 65Am4 65D 65Df 65F 65Fa
- 2316. *Abrostola tripartita* (Hufnagel,1766)** (Noctuidae) Synonym(s): *tripartita* Hufnagel,1766; *conspicillum* Retzius,1783; *urticae* Hübner,[1817] Range (as codes): DZ Agi PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Mng Lag Cc Ro Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY KK TeA Ax Na TrA Ik IR Ab Mak Ar Gh Mz Elb 06 08 24 25 28 34 50 61 75
- 2317. *Abrostola triplasia* (Linnaeus,1758)** (Noctuidae) Synonym(s): *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. Range (as codes): DZ Clo PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU GG Smt Bjo Bku Lag Mng Cc Ro Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY IR Elb Mz 04 05 08 13 16 18 25 28 31 36 37 38 39 41 53 65 75 05A 08H 16A 28O 36F 41A 53N 65F 65Fm 65H 65Ha
- 2318. *Acantholipes regularis* (Hübner,[1813])** (Noctuidae) Synonym(s): *regularis* Hübner,[1813] Range (as codes): Cr RU Ro St Ich Da MD UA BY TR GG Smt Akh Cc AZ Kir Der IQ Agh Dk Bgd Dia Ry Rwz Brs TM CN Ui Ku Ga IR Fa Bk Elb Mz Gls Km Kd Snj Sse Ss Kuh Kh AF Srb SY IL Pa SA KG Tks Tk Dj Aa UZ N-A 01 05 06 07 13 14 21 23 30 31 33 35 36 46 50 56 62 65 05A 07C 13C 13Cf 21N 21Nb 30B 30Bd 30Bg 31K 31Ka 31Ka3 33P 36D 36Db 46G 46Gf 56F 56Fa 65L 65Lb 65Le
- 2319. *Acontia (Emmelia) trabealis* (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goetze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881 Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY LB Bei IL Hf Pa SY JO DK NO SE FI EE LV LT RU Tv Am Sb MD UA BY IR Ab Mak Mz Th Elb Kd Snj Km Lo Kz Yas Ss Bk Qz IQ Agh Amr AM GG AZ Len Cc AF PK Bl Qu CN Ui Ku SA SA63 Us MN MU KK Ik Skm Osh Ro Kr St Kb Kc Nt Ich Ing Kyi Da Oru Bne Mrv Bjr Zj Gls Bsk Abe Sbd Rbt Anna 01 04 05 06 07 08 11 13 16 18 30 32 33 36 38 41 42 46 50 55 56 58 59 60 65 66 71 75 76 01H 05A 06R 06Rd 13A 13G 13Gg 13A 30D 30Df 30Dx 36D 36Db 38H 38Hc 46G 46Gf 55F 56F 58N 60G 65A 65An 65D 65Du 65K 65Kl 65Z 65L 65Lb 65Le 65M 65Mc 65Md 75F 75Fb 75Fd 76B 76Bf 76Bh 76Bj
- 2320. *Acontia (Uracontia) titania* (Esper,[1798])** (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846. Range (as codes): Si? RO RU Ro Da YU BG GR TR AZ Kir Nv Ord Cc GG Lag AM IR Fa Ab Mak Elb Th Kaz Mia Kh Msh IQ TM UZ N-A LB Bei IL Pa SA 01 02 05 08 13 16 17 24 30 33 36 42 44 46 47 50 56 58 60 62 65 73 05A 30B 30Bc 30Bc1 30Bc 30Bt1 30Bz 30D 30Df 30Dx 33E 44L 44Lc 46G 46Gf 47D 56C 56Cc 56F 65A 65Am 65Am4 65Ac 65Ac3 65D 65Df 65Dl 65Dlc 65F 65Fa 65Fç 65Fp 65Fz 65N 65Np 65Np6 65Nm

- 2321. *Acontia (s.str.) lucida (Hufnagel,1766)* (Noctuidae) Synonym(s):** *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923 Range (as codes): Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LB Bsa IQ Mos Agh kut Bgd Kro Bji SA Fi LV RU MD UA BY IR Hz Ss Fa Elb Men Ahz GG AZ Len Cc AM TJ Pm AF Asm Nu Kab Hr Pli Gbh Bd Fz Dwe PK IN CN Ui Ku Ii Txl Tek IL Pa Hf Md At KG SY JO Sn Th Mia Kaz Mz B-A UZ N-A KK Skm Osh Ro Kr St Kb Ich Kyi Da IN Pj C-P Kba Cp Smt Tbl Bjo Mng Der Btba Bsk Ktr Hmk Khh Ahr Ktr Perr Hrh Berr Saia Ges Lgt Ndr Abe Sbd Agi Orn Rbt Phv Tgr Hrh Hes Onç 01 05 06 13 16 18 23 24 30 31 32 33 34 35 41 42 46 50 51 58 65 71 73 76 05A 13C 13Cf 16A 30B 30Bç 30Bz 31K 31Ka 33G 42J 42X 42Xa 46G 46Gf 65D 65Ds 65Du 65E 65Eb 65Ed 65F 65Fp 65Fz 65M 65Mc 65Md 65N 65Np2 65Np6 65Nm 73A 73Ab 76B 76Bb 76D 76Dg
- 2322. *Acontia (s.str.) sordescens (Staudinger,1895)* (Noctuidae) Synonym(s):** *sordescens* Staudinger,1895 Range (as codes): TR IR Fa 23 44 47 44I 47D
- 2323. *Acontiola lascivalis (Lederer,1855)* (Noctuidae) Synonym(s):** *lascivalis* Lederer,1855 Range (as codes): AL BG GR TR LB Bei 05 47 ?65 05A 47D ?65D 65DI
- 2324. *Acontiola moldavicola (Herrich-Schäffer,[1851])* (Noctuidae) Synonym(s):** *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874; *mesopotamica* Schawerda,1923 Range (as codes): IT RO YU AL BG GR RU MD UA BY TR IQ Mos 07 21 42 47 48 56 63 65 07A 07Ac 21N 21Nb 47D 56F 56Fc 65A 65At 65Ati 65D 65DI 65Dn
- 2325. *Acrapex taurica (Staudinger,1900)* (Noctuidae) Synonym(s):** *taurica* Staudinger,1900 Range (as codes): TR CY 21 31 46 21P 31M
- 2326. *Acronicta (Subacronicta) megacephala (Fabricius,1787)* (Noctuidae) Synonym(s):** *megacephala* Fabricius,1787; *ankarensis* Hering,1933. Range (as codes): MA PT ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Mz Elb Kd Snj SY DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag AZ Kir Ro Kr St Kc Kb Nt Ich Da Sb MD UA Lvv BY KG Uk Ui CN KP KR JP 04 06 08 13 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 53 58 60 62 65 66 75 76 06F 06Fb 06K 06Kc 13G 13Gw 13Gs 16A 34A 36D 36Db 36F 51B 51Ba 60C 60G 65A 65Ac 65Ac3 65F 65Fç 65Fe 65Fm 65Fr 65Fz 65K 65Kp 65N 65Np 65Np6 65Nm 75F 75Fd 76B
- 2327. *Acronicta (Triaena) aceris (Linnaeus,1758)* (Noctuidae) Synonym(s):** *aceris* Linnaeus,1758; *infuscata* Haworth,1809; *paradoxa* Boisduval,1829 Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Agh LB CY SY IL Pa Hf JO DK NO SE FI EE LV LT RU Cc GG Smt Bjo Mng Lag AZ Len Ro Kr St Kc MD UA BY IR Fa Mz Elb Gh GlS Kh Sbz AF Kab TM CN Ui Ku 01 02 05 06 07 13 16 17 24 25 30 31 33 35 36 37 39 42 46 47 50 56 58 62 65 73 76 02F 02Fd 02Fz 05A 06R 06Rk 13C 13Cf 16A 30B 30Ba 30Be 30Bh 30Bi 30Bti 30Bz 30D 30Df 31K 31Ka 33G 56F 58N 65A 65Am 65Am4 73A 73Ab 73Ad 73Ad2 76C
- 2328. *Acronicta (Triaena) alni (Linnaeus,1767)* (Noctuidae) Synonym(s):** *alni* Linnaeus,1767 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Kr Nt Ich MD UA Lvv BY JP 14 16 14B 14Bb
- 2329. *Acronicta (Triaena) pasiphae Draudt,1936* (Noctuidae) Synonym(s):** *pasiphae* Draudt,1936 Range (as codes): TR IQ Dk IR Kd Bne Mrv Fa Hz Es Ke By Ksh Km Lo Mia Sse Kz Yas IL Pa 13 30 31 46 56 65 30B 30Bd 46G 46Gf 56F
- 2330. *Acronicta (Triaena) psi (Linnaeus,1758)* (Noctuidae) Synonym(s):** *psi* Linnaeus,1758 Range (as codes): MA DZ Abe Fzz PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Pa LB Bsa Bei IR Elb Mz GlS Th Kdj AF DK NO SE FI EE LV LT RU Cc GG Bjo Smt Lag AZ Kir Ro Kr St Kc MD UA Lvv BY KG Sb At MN KK TeA TrA Ax TJ UZ N-A 05 06 08 18 23 25 28 30 35 33 36 37 46 50 51 56 58 61 62 65 66 75 80 05A 06R 06Rb 30B 30Bd 30Bci 56F 61K 61Ka 65F 65Fr
- 2331. *Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775)* (Noctuidae) Synonym(s):** *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878 Range (as codes): DZ TN Hrh Hmk DhM BSa Btba Sét Gue PT ES Mu FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag Ro Kr St Nt Kyi Da Der MD UA Lvv BY CN Ui Yk 10 20 50 66
- 2332. *Acronicta (Viminia) auricoma (Fabricius,1787)* (Noctuidae) Synonym(s):** *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 Range (as codes): PT ES Mu FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Kb Kc Nt Ich Ing MD UA Lvv BY GG Smt Bjo Bku AM AZ 04 06 08 16 28 30 36 53 69 06K 06Kc 16A 30B 30Bh 36F 53B
- 2333. *Acronicta (Viminia) euphorbiae (Denis,1785)* (Noctuidae) Synonym(s):** *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowski* Wojtusiak & Niesiolowski,1946. Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da At Sb MD UA BY CN Ui Kl TR GG Smt Bjo Mng AM AZ Cc IR LB Bei Bsa 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75 05A 06R 06Rb 14B 14Bb 16A 65F 65Fl
- 2334. *Acronicta (Viminia) orientalis Mann,1862* (Noctuidae) Synonym(s):** *orientalis* Mann,1862 Range (as codes): RO YU AL BG GR TR IR Fa 05 06 07 09 10 16 17 18 24 32 35 42 45 05A 16A
- 2335. *Acronicta (Viminia) rumicis (Linnaeus,1758)* (Noctuidae) Synonym(s):** *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Kyi Da MD UA BY CY LB Bsa JO SY AF Pli Srb Fz Kab KG Lvv Tk Dj KK Skm Ik Ui CN KP KR Sh Sb UZ Fe JP Tbl Da Der Len Nv Ord Abe Hrh Sét Btba Tgr Clo DhM Sbd Anna TN 01 03 05 06 07 08 14 16 21 25 26 30 31 33 37 42 45 46 50 51 55 56 58 62 63 65 66 67 05A 08H 08Hc 16A 21L 30D 30Df 30Dx 31K 31Ka 55F 56F 58N 65A 65Ai 65F 65Fm 65Fr 65Fç 65Fz 65K 65Kp 65L 65Lb

- 2336. *Acronicta (s.str.) leporina (Linnaeus,1758)* (Noctuidae) Synonym(s): *leporina Linnaeus,1758*
Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc AZ Kir Ro Kr St Kb Nt Ich Ing Da Kc MD UA Lvv BY JP 14 52 53 75 14B 53B**
- 2337. *Actebia (s.str.) praecox (Linnaeus,1758)* (Noctuidae) Synonym(s): *praecox Linnaeus,1758*;
praeceps Denis & Schiffermüller,[1775]; *pomacea Fourcroy,1785* Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK TR NO SE FI EE LV LT RU Cc GG Smt Bjo Kr Nt Ich Ing Da MD UA BY 18 55 69**
- 2338. *Actinotia polyodon (Clerck,1759)* (Noctuidae) Synonym(s): *#polyodon Clerck,1759*; *perspicillaris Linnaeus,1761*. Range (as codes): ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT Cc AM RU Ro Kr St Sb At MD UA Lvv BY Ch CN Ui KK TeA Ax Na T-A JP 28**
- 2339. *Actinotia radiosa (Esper,[1804])* (Noctuidae) Synonym(s): *radiosa Esper,[1804]*; *lyncea Hübner,[1809]* (*praeocc.*) Range (as codes): ES FR IT DE CH AT CZ SK HU RO YU AL BG GR TR RU Kr St Kc Kb Nt Da AM GG Smt Akh Cc MD UA BY TM 05 13 18 25 30 36 60 67 75 05A 13B 13Bg 13Gw 75F 75Fg**
- 2340. *Aedia funesta (Esper,[1786])* (Noctuidae) Synonym(s): *funesta Esper,[1786]*; *quadrimaculata Scopoli,1786* Range (as codes): FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU Sb Cc GG Tbl Smt Bjo Lag AZ Kir Kr Ro St Kb Nt Ich Kyi Da MD UA BY IR Hz Ss LB Bsa SY IL Hf Pa IQ 01 05 08 10 16 17 21 30 31 32 33 35 39 46 48 56 61 05A 16A 21N 21Nb 30D 30Df 31K 31Ka 33G 56F 56Fg 61K 61Ka**
- 2341. *Aedia leucomelas (Linnaeus,1758)* (Noctuidae) Synonym(s): *leucomelas Linnaeus,1758*; *ramburii Boisduval,1829*; *adepta Geyer,1832*; *olivascens Guenée,1852*; *limitaris Walker,[1863]*; *shisa Strand,1920*; *thomae A.E.Prout,1927*; *albodiscalis Roepke,1932*; *ermanniae Berio,1989* Range (as codes): ZA MA DZ Hrh Agi TN PT ES Mu FR Co Sa Si IT MT CH AT HU RO YU AL BG GR TR GG Tbl Mng AZ Kir Len AM Cc RU Kr CY LB IR Mz Elb Clu Th Gl Kp KR JP IN Mh Nsk NP TW CN PH ID Ja Sum Bor Clb NC FJ GU NH WS TH LA KH VN MM 01 05 07 11 16 28 30 34 52 55 59 05A 07C 16A 30B 30Bc 30Bz**
- 2342. *Aedophron phlebophora Lederer,1858* (Noctuidae) Synonym(s): *phlebophora Lederer,1858*; *monotonia Amsel,1935* Range (as codes): TR Cc AZ Nv Ord SY Dms IR Fa Shr Kz Yas Es Zj Elb Th Kdj Ab Oru Kd Snj Bne Lo Gl Ks Kh IQ TIH IL Pa RU St Da 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 56 58 65 66 70 71 73 05A 13G 13Gg 30D 30Da 36D 36Db 42J 42X 42Xa 49F 56F 58N 65B 65Bo 65Bx 65D 65Df 65F 65Fa 65F 65Fm 65Fp 65Fz 65G 65Ge 65Gf 65Gy 65K 65Kd 65Kg 65N 65Nr2 65Nm 70C 70Cf 73C 73Cd**
- 2343. *Aedophron rhodites (Eversmann,1851)* (Noctuidae) Synonym(s): *rhodites Eversmann,1851*; *aurorina Herrich-Schäffer,[1852]*. Range (as codes): RO BG GR TR RU Ro St Ich Da Der Kyi AM GG Cc IR Gor Kh 05 06 18 25 36 42 50 51 58 60 62 65 66 71 05A 06K 06Kc 36D 58G 58N 65D 65Df 65Fz**
- 2344. *Aegle diatemna Boursin,1962* (Noctuidae) Synonym(s): *diatemna Boursin,1962* Range (as codes): TR 23 42 47 63 71 23D 42R 47D 63H**
- 2345. *Aegle exquisita Boursin,1969* (Noctuidae) Synonym(s): *exquisita Boursin,1969* Range (as codes): TR IR Ab Km Fa Shr 01 33 34**
- 2346. *Aegle gratiosa (Staudinger,1892)* (Noctuidae) Synonym(s): *gratiosa Staudinger,1892*; *iranica Bytinski-Salz & Brandt,1937*. Range (as codes): TR IR Fa Elb Kdj Th Ss Fa Kd Mrv Kz Yas AF 13 47 56 13C 13Cf 47D 56F**
- 2347. *Aegle kaekeritziana (Hübner,[1799])* (Noctuidae) Synonym(s): *kaekeritziana Hübner,[1799]*; *flava Hübner,[1809]*; *flavida Ochsenheimer,1816*. Range (as codes): Si IT AT CZ SK HU RO YU AL BG GR TR RU Ro Kr St Kyi MD UA BY IR Ab Mak Elb Clu AZ Kir AM GG Cc Da Der 17 23 24 33 36 58**
- 2348. *Aegle nubila (Staudinger,1892)* (Noctuidae) Synonym(s): *nubila Staudinger,1892* Range (as codes): TR 21 23 30 47 57 63 21C 23G 23Ga 30B 30Bf 47D 57F 57Fv 63H 63Ha**
- 2349. *Aegle pallida (Staudinger,1892)* (Noctuidae) Synonym(s): *pallida Staudinger,1892* Range (as codes): BG TR IQ Mos TIH Kq 06 07 23 30 32 46 47 47D**
- 2350. *Aegle rebeli Schawerda,1923* (Noctuidae) Synonym(s): *rebeli Schawerda,1923* Range (as codes): TR IQ Mos TIH Njf RU Ao 23 56 56F**
- 2351. *Aegle semicana (Esper,[1798])* (Noctuidae) Synonym(s): *semicana Esper,[1798]*; *vespertalis Hübner,[1813]*; *mimetes Brandt,1938*; *#verspentalis Hacker,1986*. Range (as codes): MA Tgr DZ Ges DhM Orn TN KhH Dzc Abe Hrh Hmk Sbd LY Sa Si IT MT HU RO YU AL BG GR TR GG Cc CY EG IR Fa Ab Sdt Mia Km AF LB Bei IL Hf Pa Js JO 01 03 06 13 17 19 22 23 32 33 36 40 42 46 47 50 51 56 58 66 13C 13Cf 36D 47D 56F**
- 2352. *Agrapha accentifera (Lefèbvre,1827)* (Noctuidae) Synonym(s): *accentifera Lefèbvre,1827*; *l-aureum Freyer,1831*; *accifera Gaede,1937*. Range (as codes): DZ BtNa Abe PT ES Mu FR Co Sa Si IT GB AL GR Cr TR LB Bsa Ale Bei CY IL Pa SA YE OM ZA ET ET196 MG 01 07 33 01C 07C**
- 2353. *Agrochola (Alpichola) egorovi (O.Bang-Haas,1934)* (Noctuidae) Synonym(s): *egorovi O.Bang-Haas,1934* Range (as codes): RU Da Cc AM TR IQ Er Hjo 01 04 12 25 30 36 44 46 56 58 60 65 69 73 01K 04D 04Da 04I 25C 25Ca 25D 30B 30Be 30C 30Cb 36D 36F 36Fb 44F 44Fa 56E 56Eh 58G 65A 65B 65Bk 65Bx 65F 65Fp 65Fz 65G 65Ge 65K 65Kl 65Klo 65Z 69B 69Ba 73C 73Cd**
- 2354. *Agrochola (Alpichola) janhillmanni Hacker & Moberg,1989* (Noctuidae) Synonym(s): *janhillmanni Hacker & Moberg,1989* Range (as codes): TR Cc AM 04 08 12 13 25 36 49 62 65 69 73 75 04D 04Da 04I 12E 13C 13Cf 25D 25F 36F 49E 49Ea 49F 49Fe 62G 65A 65Am 65Am4 65Bx 65G 65D 65Df 65Ge 69B 69Ba 73C 73Cd 75D**
- 2355. *Agrochola (Alpichola) lactiflora (Draudt,1934)* (Noctuidae) Synonym(s): *lactiflora Draudt,1934* Range (as codes): TR Cc LB Bsa SY MK GR 04 07 08 12 21 25 33 36 44 46 49 56 58 62 65 69 70 75 21F 44F 44Fa 46G 56F 58N 65F 65Fm 65Fp 65Fz 70B**

- 2356. *Agrochola (Anchoscelis) consueta* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer,[1852] Range (as codes): TR MK GR BG 07 31 34 35 56 58 62 70 56F
- 2357. *Agrochola (Anchoscelis) deleta* (Staudinger,1881)** (Noctuidae) Synonym(s): *deleta* Staudinger,1881; *decolorata* Boursin,1951 Range (as codes): MA DZ Clo BG GR Cc TR 05 06 07 08 33 46 50 64 70 05A 06E 06Ea 06K 06Kc 06R 06Rq 50G 50Gd 64F
- 2358. *Agrochola (Anchoscelis) humilis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787; *anatolica* Pinker,1980 Range (as codes): FR IT BE DE CH AT CZ SK HU RO YU BG GR TR RU Cc Kr Da 06 24 25 56 60 65 75 06E 06Ea 06R 06Rb 06Rk 06Rq 25A 56F 65A 65Aö 65D 65Dh 75F 75Fb
- 2359. *Agrochola (Anchoscelis) imitata* Ronkay,1984** (Noctuidae) Synonym(s): *imitata* Ronkay,1984 Range (as codes): TR IQ Dk 56 56E 56Eh
- 2360. *Agrochola (Anchoscelis) kindermannii* (Fischer v. Röslerstamm,[1841])** (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermanni* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953 Range (as codes): IT Si HV YU GR BG MK Och TR LB IR AZ Nv Dz Cc 05 06 09 13 33 34 43 46 54 58 64 65 70 05A 06E 06Ea 06K 06Kc 06R 06Rb 06Rk 06Rq 13C 13Cf 58G 64F 65A 65Am 65Am4 65D 65Dh 70C 70Cb
- 2361. *Agrochola (Anchoscelis) luteogrisea* (W.Warren,1911)** (Noctuidae) Synonym(s): *luteogrisea* W.Warren,1911; *sairtana* Derra,1990 Range (as codes): GR Sms BG TR LB IL Pa IR Elb Th RU Cc Ich 05 06 13 25 50 56 58 60 62 65 70 06E 06Ea 06R 06Rb 06Rq 13G 13Ge 25T 56F 56E 56Eh 58G 62G 62Gb 65A 65Am 65Am4 70C 70Cb
- 2362. *Agrochola (Anchoscelis) nitida* (Fabricius,1787)** (Noctuidae) Synonym(s): *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787 Range (as codes): FR IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI RU GG Smt Bjo Cc Ro Kr St Da MD UA BY 06 14 33 45 06R 06Rk
- 2363. *Agrochola (Anchoscelis) oropotamica* (Wiltshire,1941)** (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941; *thermopotamica* Wiltshire,1941 Range (as codes): IR Hz Fa Ma Mz Kdj TR 30 30B 30Bd 30D 30Di
- 2364. *Agrochola (Anchoscelis) pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892 Range (as codes): IL Js Ale Pa LB SY JO TR
- 2365. *Agrochola (Anchoscelis) rupicapra* (Staudinger,1879)** (Noctuidae) Synonym(s): *rupicapra* Staudinger,1879 Range (as codes): BG GR TR CY IL Pa IQ AM Cc 06 07 23 33 38 44 46 50 58 62 63 64 65 06R 06Rq 23I 38H 38Hc 44L 58G 63E 64F 65A 65Am 65Aö 65D 65Dh
- 2366. *Agrochola (Anchoscelis) scabra* (Staudinger,1892)** (Noctuidae) Synonym(s): *scabra* Staudinger,1892 Range (as codes): IL Js Pa JO IQ TR
- 2367. *Agrochola (Frivaldskyola) elami* Benedek & L.Ronkay,2001** (Noctuidae) Synonym(s): *elami* Benedek & L.Ronkay,2001 Range (as codes): IR Lo Dhr TR 30 65 30D 30Df 65A 65Am 65Am4
- 2368. *Agrochola (Frivaldskyola) mansueta* (Herrich-Schäffer,[1850])** (Noctuidae) Synonym(s): *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901 [ssp.] Range (as codes): Si HV GR Cr Rd TR IL Pa Hf 01 06 07 13 17 21 23 27 33 35 42 45 46 56 63 64 65 70 01K 06R 07A 13C 13Cf 21L 42B 42D 42Dd 56F 65A 65Am 65Am4 70B 70C 70Cb
- 2369. *Agrochola (Frivaldskyola) staudingeri* Ronkay,1984** (Noctuidae) Synonym(s): *#judaea* Kalchberg,1897; *staudingeri* Ronkay,1984 Range (as codes): IL Js Pa LB Bei JO TR 31 63 31K 31Ka 31Ka3
- 2370. *Agrochola (Leptologia) lota* (Clerck,1759)** (Noctuidae) Synonym(s): *#lota* Clerck,1759; *hippophae* Goeze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876; *abdita* W.Warren,1911; *plumbea* Wiltshire,1941; *convergens* Wiltshire,1946; *schreieri* Hacker & Weigert,1986 Range (as codes): MA DZ Btina Blid PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ AM Cc LB DK NO SE FI EE LV LT RU Cc Ro Kr MD UA Lvv BY 24 25 42 60 65 25D 25F 42D 42Dd 65A 65Ai
- 2371. *Agrochola (Leptologia) schreieri* Hacker & Weigert,1986** (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986 Range (as codes): GR Cr MK TR LB IR Ma 13 24 25 42 58 64 65 13C 13Cf 25D 25F 42D 64F 65D 65Dh
- 2372. *Agrochola (Osthelderichola) gratiosa* (Staudinger,1882)** (Noctuidae) Synonym(s): *gratiosa* Staudinger,1882 Range (as codes): SY Ltk BG GR Sms Cc TR 05 06 07 08 12 13 33 36 45 47 56 62 65 70 05A 13C 13Cf 36F 36Fb 47D 56F 62G 62Gb 65F 65Fj 65Fi 65Fm 65Fp 65Fz 65L 65Lb
- 2373. *Agrochola (Osthelderichola) osthelderi* Boursin,1951** (Noctuidae) Synonym(s): *osthelderi* Boursin,1951 Range (as codes): BG GR TR IL Js Pa AM Cc Eri 06 31 33 46 56 46G 56F
- 2374. *Agrochola (Propenistra) laevis* (Hübner,[1803])** (Noctuidae) Synonym(s): *laevis* Hübner,[1803] Range (as codes): FR Si? IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK RU Ro Kr St MD UA BY 06 08 17 62 64 06E 06Ea 62G 62Gb 64F
- 2375. *Agrochola (Rufachola) helvola* (Linnaeus,1758)** (Noctuidae) Synonym(s): *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759; *sibirica* Staudinger,1882; *#pallescens* W.Warren,1911; *pallescens* Osthelder,1933; *vulpina* De Lattin,1951 Range (as codes): DZ Btina PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da At Sb TM MD UA BY CN Ui Kun KG Ssn LB IL Pa IQ 05 06 08 13 14 17 21 24 25 30 31 34 36 38 42 46 49 50 56 58 62 64 65

- 05A 06E 06Ea 06R 06Rq 13C 13Cf 14B 14Bb 25A 25D 30D 30Df 36F 36Fb 38H 38Hc 42B 42D 42Dd 49E 49Ea 50G 56A 56E 56Eh 56F 62G 62Gb 64F 65D 65Dh 65O
- 2376. *Agrochola* (*Sunira*) *circellaris* (Hufnagel,1766)** (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766 Range (as codes): PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG Smt Bjo Lag DK NO SE FI EE LV LT RU Ro Kr St Ich Da MD UA BY IR Gh Elb Th Kdv Kld Gls 14 25 36 50 25F
- 2377. *Agrochola* (*Xandria*) *macilentia* (Hübner,[1809])** (Noctuidae) Synonym(s): *macilentia* Hübner,[1809]; *flavilinea* Haworth,1809; *rubrescens* Wiltshire,1939 Range (as codes): DZ Afl PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kr Da LB Bsa IL Pa He MD UA BY 01 06 08 25 42 62 70 01K 06E 06Ea 06R 06Rq 25F 42B 62G 62Gb 70C 70Cb
- 2378. *Agrochola* (s.str.) *pistacina* (Goeze,1781)** (Noctuidae) Synonym(s): *lychnidis* [Denis & Schiffermüller],1775; *pistacina* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809; *occulta* Hacker,[1997]; *aequalis* Hacker,[1997] Range (as codes): DZ Hrh Btna Abe Agi Blid MA TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc CY LB IL Pa Hf JO IQ IR Fa Elb Th DK SE FI RU Kr Da MD UA BY UZ 02 05 06 13 20 21 31 35 46 56 60 62 63 65 80 02A 05A 06E 06Ea 13C 13Cf 21L 35T 56E 56Eh 56F 56Fa 56Fb 56Fs 56Fş 56Fv 63E 65L 65Le 80B 80Bb
- 2379. *Agrotis* (*Crassagrotis*) *bigramma* (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. Range (as codes): PT MA DZ TN ES FR Co Sa Si IT IE GB BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM GG Smt Bjo Lag AZ Kir CY IQ Brs Dia Ry Rww Bgd Mos Agh Amr Dy Mj DK RU Ro Kr Da At MD UA BY IR Kh Gh Elb Th TM Kp CN EG AF LB IL Pa Hf SY Hal JO Abe Sbd Orn Tun Agi Rbt Dhmm Perr 01 03 05 06 07 08 13 14 18 21 25 33 36 42 46 50 56 58 59 61 62 63 65 70 73 75 01A 01D 01L 01La 03H 06D 06Da 06R 06Rb 06Y 06Yb 08H 08Hb 13A 13Ab 13Ax 13G 13Gü 13Gw 14I 18F 21F 21N 21Nb 25A 25C 25Ca 25F 25R 25Rb 33A 33Ae 33E 36F 36Fb 42B 42D 50G 50Ga 50Gd 56F 58R 59D 63E 65F 65Fa 65Fi 65Fm 65Fp 65Fz 65Fj 65Fş 65K 65L 65Le 65N 65Nc 65Ku 70C 70Cb 73D 73Df
- 2380. *Agrotis* (*Crassagrotis*) *obesa* (Boisduval,1829)** (Noctuidae) Synonym(s): *obesa* Boisduval,1840 Range (as codes): MA DZ Ges Btna Lbs Sbd Tlm Abe Afl LY MT PT ES FR IT MK BG GR RO MD UA Cm TR RU Ro Kr St Da IQ Brs AZ Kir GG Tbl Cc AM SY IR Gh Elb Th UZ Fe KK Osh KG TM CN LB IL Pa JO 01 03 04 06 08 13 18 20 23 25 26 30 36 44 46 50 56 58 62 63 65 71 73 01L 01La 03F 04D 04Da 06C 06Cb 06D 06Da 06R 06Rb 06Rq 06Y 06Yb 08H 08Hb 13C 13Cf 13D 13Da 18F 25R 25Rb 26K 30B 30Be 30Bh 30Bj 30D 30Df 36D 36Db 44E 44Eh 46K 46Ka 50G 50Ga 50Gd 56F 58G 58Gi 58R 63E 65A 65Am 65Am4 65D 65Df 65F 65Fa 65Fm 65G 65Gj 65K 65N 65Nc 65Nç 65Np 65Np1 65Np2 65Np7 65Nm 65Kg 65Kd 65Ku 65Z 70A 70Ac 73C 73Cd
- 2381. *Agrotis* (*Putagrotis*) *catalaunensis* (Millière,1873)** (Noctuidae) Synonym(s): *catalaunensis* Millière,1873; *andreasii* Turati,1924; *#syricola* Corti & Draudt,1933; *syricola* Berio,1936; *predotai* Bytinski-Salz,1937 [ssp.] Range (as codes): FR Si IT AL GR Cr CY TR IL Pa JO 01 06 07 17 21 31 33 41 42 44 45 46 47 50 56 63 06Y 06Yb 07F 21N 21Nb 21Nh 31K 31Ka 33G 42B 46G 50G 50Gd 56C 56Ca 56F 63D 63L 63M
- 2382. *Agrotis* (*Putagrotis*) *herzogi* (Rebel,1911)** (Noctuidae) Synonym(s): *herzogi* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenic* Tams,1925; *leroyi* Lucas,1940 Range (as codes): Cn MR MA DZ Ah Ajj Bsk Ceg TN LY Cy EG Sn Sa MT GR Rd CY TR LB IL Pa SY JO IR Ss IQ Agh IN SA 01 23 27 31 33 46 47 56 63 01C 23I 46K 46Ka 56E 56Eh 63E 63L
- 2383. *Agrotis* (*Putagrotis*) *puta* (Hübner,[1803])** (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treitschke,1826; *radiola* Stephens,1829; *meridionalis* Spuler,1905; *minima* Turati,1924; *silvestrii* Turati,1924; *insula* Richardson,1958; Range (as codes): MA DZ Onç Hrh Kdr Bsk Agi Sét Ceg Btna Ges Abe BSa Afl Perr Sbd Orn TN PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL HU RO YU AL BG GR Cr CY TR IQ Agh Kku Kq DK RU Cc Kr MD UA BY AF Hr IR Hz Fa Bu Dlk TM Kp LB IL Hf Pa SY JO Sn 01 05 06 07 09 11 14 15 16 17 18 20 26 27 31 33 34 35 46 50 52 55 56 59 57 63 67 71 80 01C 01N 05A 05G 06Y 06Yb 07B 09D 11A 15C 16A 18F 20K 27D 27Da 27Db 31L 31La 31K 33A 33Ak 33C 33E 33F 50G 50Gd 52H 56E 56Eh 56F 56Fb 59D 63B 63Ba 63E 63M 80E
- 2384. *Agrotis* (s.str.) *biconicus* Kollar,[1844]** (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844]; *aristifera* Guenée,1852; *spiculifera* Guenée,1852; *ferina* Felder & Rogenhofer,1874; *hodnae* Oberthür,1878 Range (as codes): Cn MA DZ TN LY PT ES FR Co Sa Si IT MT GB? DE YU AL BG GR Rd Cr TR CY EG IR Fa Lo Hz SA IQ Mq Agh Bgd Amr kut AF Dwe PK Ch IN Up Bhi Nnt Kil LK MM MC ZA Tva Lpo Spb Mdk Gau Pre Jh Nta Kzu Est Ec ZW Har ER ET Et24 KE TJ TM NP TH CN Sn JO SY IL Hf LB Bei Cp Rw Krc Elb Gh Mz Gls Ss Th Pa DJ DJ44 Ges Dhmm Abe Sbd Ktr Sét BSa Omy Lgt Bsk Btna Rbt Blid Agi Hrh Hes Ceg Ah Idl Txl 01 07 31 33 45 46 56 63 01A 01C 01N 07C 31K 31Ka 31Ka3 31Ka5 33R 33Rb 46K 56F 63D 63E
- 2385. *Agrotis* (s.str.) *bifurca* Staudinger,1881** (Noctuidae) Synonym(s): *bifurca* Staudinger,1881; *stabilita* Corti,1928. Range (as codes): KG Ssn TR IR Kh 30 65 73 30B 30Be 65B 65Bb 65G 65Gc 65N 65Np 65Nm
- 2386. *Agrotis* (s.str.) *cinerea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910. Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr AZ AM GG Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da MD UA BY TM IR Lo CN Ui Au 04 05 06 08 13 16 18 27 36 46 50 51 58 69 05A 06R 06Ra 08A 08H 08Hb 13D 13Da 16A 18F 36F 50G 50Gd 51B 51Ba 69B 69Ba
- 2387. *Agrotis* (s.str.) *clavis* (Hufnagel,1766)** (Noctuidae) Synonym(s): *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902. Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bku Tbl Kus Dar AM DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA

Lvv BY Am MN PK Thu 08 18 25 28 36 39 44 53 61 75 08H 08Hb 18F 25C 25Ca 25R 28D 28Db 36F 36Fb 44E 44Eh 53N 75E 75F 75Ff

- 2388. *Agrotis* (s.str.) *desertorum* Boisduval,1840** (Noctuidae) *Synonym(s): desertorum Boisduval,1840; deserticola Eversmann,1842* Range (as codes): RO BG RU Ro MD UA TR SY IL Pa Hf GG Cc KK TrA KG 04 06 13 18 24 25 30 33 36 42 44 46 50 51 58 60 62 65 68 69 70 71 04E 06B 06O 13A 13Ab 13Ax 13G 13Gg 13Gü 13Gw 18F 24L 25A 25C 25Ca 25F 25N 25Na 25T 30B 30Bd 36D 42R 42Rc 44E 44Ei 50G 50Gc 50Ge 50Gd 51B 58G 58Gh 58Gi 58N 58R 60C 62G 65Bx 65D 65Du 65F 65Fa 65G 65Ge 65K 65Kl 65Z 65N 65Np 65Nm 69A 70C 70Cb 68H
- 2389. *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758)** (Noctuidae) *Synonym(s): exclamationis Linnaeus,1758; clavus Hufnagel,1766; murina Goeze,1781 nec Hufnagel,1766; bimaculata Geoffroy,1785; picea Haworth,1809; plaga Stephens,1835; haruspex Le Cerf,1924; nigriorbis Zerny,1934.* Range (as codes): MA DZ TN LY PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY CY TR AZ AM GG Cc IR Th Elb Kd Ab Es Kc Kh Fa Bk MN UZ KK KG CN Ui Ku Tlk AF Hr Pli Adr IQ Mos LB Bsa IL Lvv Pa Oru 01 03 04 05 06 07 08 12 13 14 18 24 25 28 30 33 34 36 37 39 36 42 44 45 46 50 51 55 58 60 65 71 04D 04Da 05A 06R 06Ra 07C 08G 08H 08Hb 12C 12Cb 13A 13Ab 13Ax 13B 13G 13Gs 13Gw 14B 14Bb 18F 24L 25A 25C 25Ca 28D 28Db 30B 30Be 33E 33O 34L 36D 36Db 36F 39H 42B 42R 42Rb 44L 44Lc 50G 50Ga 50Gd 50Ge 51B 51Ba 55F 58G 58N 58R 65A 65Am 65Am1 65Am4 65An 65At 65At5 65F 65Fa 65Fg 65Fm 65Fp 65Fz 65G 65Ge 65Gf 65Gy 65K 65Kl 75F 75Ff
- 2390. *Agrotis* (s.str.) *haifae* Staudinger,1897** (Noctuidae) *Synonym(s): haifae Staudinger,1897* Range (as codes): Cn MR MA DZ TN LY IL Pa Hf JO GR TR IQ Bgd Dy Jd 63 63E
- 2391. *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766)** (Noctuidae) *Synonym(s): ipsilon Hufnagel,1766; suffusa [Denis & Schiffermüller],1775; idonea Cramer,[1780]; spinula Esper,[1786]; spinifera De Villers,1789.* Range (as codes): PT MR MA DZ TN LY ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo Kh IQ Agh Amr kut MN PK Bl Qu AF Kab Gbh Srb Arh LB Bsa SY IL Pa JO Sn EG IN Up Bhi Nnt Kil ZA Tva Lpo Spb Mdk Lvv Hu Rd Hf Nwf AU NC FJ NZ HW EA Th Elb Mz Dam Hz GG Smt Bjo Lag Len AZ AM Cc UZ KK KG TJ TM Ro Kr St Kc Kb Nt Ich Ing Da Kyi ET ET24 Rw Thu LK Pdy Dck Pdn Ab Oru Gls Kh Ges Ah Sbd Btina Bsk Orn BSA Abe Dhmm Afl Onç Ah Ajj Idl Ath 01 03 05 06 07 08 11 13 14 15 16 18 20 21 25 27 29 30 31 32 33 35 36 37 42 44 46 47 48 49 50 51 56 57 58 62 63 65 67 69 71 73 80 01D 05A 06R 06Rb 08H 08Hb 11E 13A 13Ab 13Ax 13B 13F 13F38 13G 13Gg 13Gf 13Gs 13Gw 14B 14Bb 16A 18F 21N 21Nh 25A 25R 27B 29F 30B 30Bc 30Bz 30D 30Df 30Dx 31K 31Ka 33A 33Ae 33Aj 33E 33R 33Rb 36F 36Fb 42R 42Rc 44L 44Lc 46K 47E 48L 49F 49Fb 50G 50Gd 51B 51Ba 51D 51Da 56F 56Fa 56Fo 58G 58N 63B 63Ba 63D 63M 65A 65Ai 65An 65D 65Dh 65Df 65Di 65Dlc 65Ds 65E 65Eb 65F 65Fa 65Fb 65Fd 65Fg 65F1 65Fr 65Fp 65Fz 65Fu 65K 65Kl 65N 65Ne 65Np 65Nm 65L 65Lb 65Le 69B 73A 73Ad1 80E 80Ea
- 2392. *Agrotis* (s.str.) *lata* Treitschke,1835** (Noctuidae) *Synonym(s): lata Treitschke,1835; dirempta Staudinger,1859; sabura Mabille,1888; fulva Turati,1922; castellana Fernandez,1929; afflouensis Corti,1932* Range (as codes): MA DZ TN LY EG PT ES Sa Si MT TR SY IL Pa 13 65 13A 13Ab 13Ax 65D 65Df 65N 65Np 65Nm
- 2393. *Agrotis* (s.str.) *sardzeana* Brandt,1941** (Noctuidae) *Synonym(s): sardzeana Brandt,1941* Range (as codes): Cn ES Svl An CV MR MA DZ EG TR IR Ss Hz Lo IQ Agh KW BH OM SA IN PK TD Tbt SD IL Pa JO 65 65B 65Bb 65Bx 65G 65Gc 65Ge
- 2394. *Agrotis* (s.str.) *scruposa* (Draudt,1936)** (Noctuidae) *Synonym(s): scruposa Draudt,1936* Range (as codes): TR IL Pa He 40 58 40D 58G 58Gi 58N
- 2395. *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775)** (Noctuidae) *Synonym(s): segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praeocc.); nigricornis De Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicala Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversa Walker,1857; correctus Walker,1857; obliuosus Walker,1857; denticulosus Wallengren,1860; certificata Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886.* Range (as codes): Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Fa Lo Ss Kh Ha Mz IQ MN CN Ui Ku PK Bl Qu AF Hr Srb Gbh Blh Arh Fz ZW Har Za Mpu Brb Gau Pre Jh Tva Lpo Spb Mdk Nta Kzu LB Bsa IL Hf Pa SY Jo Snt Ktr Agh Bgd Mj Up Bhi Nnt Kil Kml Gz Th Ab Oru Kz Hz Gls UZ KK KG TJ TM Cc Ro Kr St Kc Kb Nt Ing Ich Da Kyi ET ET24 Mre Cp Thu Rw LK Pdy Smt Tbl Bjo Kir Kus IN Hp Sml Haz Cte Mh Nsk Ges Afl BSA Khkh Ktr Btina Dhmm Abe Lbs Agi Bsk Bdj Lgt Ah Sbd Ess Mzg Hrh Dzc Clo Ah Ajj Idl Lvv 01 05 06 07 11 13 14 15 16 18 21 24 25 27 30 31 32 33 35 36 37 38 42 44 46 49 50 51 56 57 58 60 62 63 65 67 71 73 80 01D 05A 06R 06Ra 06Rq 06Y 06Yb 07A 07C 11E 13A 13Ab 13Ax 13C 13Cf 13F 13F38 13G 13Gü 13Gy 13Gw 13Gs 15F 16A 18F 21N 21Nh 25D 27B 27D 27Db 27Dd 30B 30Bc 30Bz 30D 30Db 30Df 30Du 30Dx 31K 31Ka 31Ka3 31L 31La 33A 33Aj 33E 33R 33Rb 35O 36D 36Db 36F 36Fb 38C 38Cb 44E 44Ei 44L 44Lc 49F 49Fb 50G 50Ga 50Gd 51B 51Ba 56F 56Fa 58G 58Gh 62G 62Gb 63D 63E 65A 65Ai 65An 65Am 65Am2 65B 65Bn 65Bn1 65D 65Df 65Dg 65Dh 65Dn 65Du 65F 65Fa 65Fd 65Fg 65F1 65Fj 65Fp 65Fu 65Fz 65G 65Ge 65K 65Kl 65Z 65L 65Le 65N 65Np 65Np1 65Np2 65Nm 73A 73Ad 73Ad1 80E 80Ea
- 2396. *Agrotis* (s.str.) *trux* (Hübner,[1824])** (Noctuidae) *Synonym(s): trux Hübner,[1824]; lenticulosa Duponchel,1826; lunigera Stephens,1829; terranea Freyer,1831; obesula Smith,1888; nili Bethune-Baker,1894; amasina Staudinger,1901; euxoides Rothschild,1920; subalba Corti & Draudt,1933; adolfi Corti & Draudt,1933; #rubrofusca Schawerda,1931; rubrofusca Boursin,1964; maderensis Pinker,1971* Range (as codes): ZA Tva Gau Pre MR MA DZ TN Cn PT ES FR Co Sa Si IT MT IE GB CH AT PL RO YU AL BG GR Cr CY TR Cc RU Kr MD UA BY EG IR Gh Ss Hz IQ Agh Bgd LB SY IL Hf Pa JO Ges Afl Sfr Perr Abe Lbs Btina Sbd Hrh Ges Afl Sfr Perr Abe Lbs Btina Sbd 05 06 08 18 25 33 38 42 44 46 49 50 51 52 58 63 68 05A 06D 06Da 06R 06Rq 08H 08Hb 18F 25C 25Ca 33E 38G 38Ga 44I 44Ic 49E 49Ea 50G 50Ga 50Gd 52F 58R 63E 68B 68Bb
- 2397. *Allophytes* (Crassophyes) *renalis* (Wiltshire,1941)** (Noctuidae) *Synonym(s): renalis Wiltshire,1941; crassicornis Brandt,1941.* Range (as codes): TR Cc AM IR Fa Sse Hz Lo 30 56 30D 30Di 56F 56Fç

- 2398. *Allophyes (s.str.) asiatica* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *asiatica* Staudinger,1892
Range (as codes): GR TR CY IR GlS 02 05 06 07 13 14 21 24 25 42 56 58 62 64 65 66 75 05A 06E 06Ea 06R 06Rb 06Rq 13C 13Cf 21L 25D 56E 56Eh 56F 58G 62G 62Gb 64F 65A 65An 65Aö 65Am 65Am4 75F 75Fb
- 2399. *Allophyes (s.str.) benedictina* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *benedictina* Staudinger,1892 **Range (as codes):** TR LB Bei IL Pa JO 06 46 06F 06Fb
- 2400. *Allophyes (s.str.) metaxys* Boursin,1953** (Noctuidae) **Synonym(s):** *metaxys* Boursin,1953 **Range (as codes):** TR Cc 08 25 31 36 46 58 31L 36F 36Fb 58G
- 2401. *Allophyes (s.str.) oxyacanthae* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *oxyacanthae* Linnaeus,1758; *capucina* Millière,1870; *corsica* Spuler,1905; *alfaroi* Agenjo,1951; *powelli* Rungs,[1953]; *protai* Boursin,1966; *dujardini* Boursin,1968; *parenzani* De Laever,1977. **Range (as codes):** FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Lag Smt Akh Cc R GlS DK NO SE FI EE LV LT RU Ro Kr St MD UA Lvv BY 05 54 05A
- 2402. *Amephana aurita* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *aurita* Fabricius,1787; *dejeani* Duponchel,1827 **Range (as codes):** DZ Berr BSa Btina Hmk Ahr Khh Agi Hrh Gab Ges Sbd PT ES Mu FR Py Sa Si IT TR 05 17 05A
- 2403. *Amephana dalmatica* (Rebel,1919)** (Noctuidae) **Synonym(s):** *dalmatica* Rebel,1919 **Range (as codes):** Sa? YU AL BG GR TR CY 01 02 05 06 07 20 21 27 31 33 42 50 05A 21L 21Lc 27D 27Da 27Db 27Dd 31K 31Ka 31Ka7
- 2404. *Ammoconia anonyma* Ronkay & Varga,1984** (Noctuidae) **Synonym(s):** *anonyma* Ronkay & Varga,1984 **Range (as codes):** TR Cc AM IR Elb Gh Th Kdv 25 30 65 25F 30B 30Bd 30D 30Di 65B 65Ba 65D 65Df 65F 65Fg 65Fp 65Fz 65K 65Kl 65Kl3 65Z 65L 65Le
- 2405. *Ammoconia caecimacula* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaeticaria* Dannehl,1926; *marsicaria* Dannehl,1929 **Range (as codes):** ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Da AM MD UA BY KG Ssn Mn Tar Sb 06 08 12 13 14 36 46 56 62 66 75 06E 06Ea 13C 13Cd 56F 56Fb 62G 62Gb
- 2406. *Ammoconia senex* (Geyer,[1828])** (Noctuidae) **Synonym(s):** *senex* Geyer,[1828]. **Range (as codes):** ES FR Si IT DE CH YU AL BG GR Rd TR RU Da AZ Nv Ngm Cc LB IL Pa IR Es Ha 06 13 17 18 24 25 30 36 38 42 46 50 56 58 64 70 06E 06Ea 06R 06Rb 06Rq 06Y 06Yb 13C 13Cf 36F 36Fb 38H 38Hc 42B 56E 56Eh 58G 62G 62Gb 64F
- 2407. *Amphipoea oculea* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918. **Range (as codes):** DZ PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Da Ir Irk MD UA Lvv BY CN Ui Ku Kml 08 25 36 37 61 65 36F 37P 65F 65Fa
- 2408. *Amphipyra (Pyrois) cinnamomea* (Goeze,1781)** (Noctuidae) **Synonym(s):** *cinnamomea* Goeze,1781 **Range (as codes):** ES Mu FR Co IT DE CH AT SK HU RO YU BG GR TR Cc 06 42 56 75 06R 56E 56Eh 75F 75Fb
- 2409. *Amphipyra (Pyrois) effusa* (Boisduval,1828)** (Noctuidae) **Synonym(s):** *effusa* Boisduval,1828; *sciaphila* Staudinger,1871 **Range (as codes):** MA DZ Hrh Blid Hmk LY ES FR Co Sa Si IT YU AL BG GR Cr CY TR IL Pa Hf LB Bei IR 20 35 33 42 46 48 51
- 2410. *Amphipyra (s.str.) berbera* Rungs,1949** (Noctuidae) **Synonym(s):** *#variegata* W.Warren,1911; *berbera* Rungs,1949; *svenssoni* D.S.Fletcher,1968 **Range (as codes):** MA DZ TN ES FR Sa Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO SS MK BG GR TR Cc IR Elb GlS DK SE FI EE LT RU Kr Kb Nt Ich Ing Da MD UA Lvv BY 05 06 08 13 14 16 39 53 08C 13C 13Cf
- 2411. *Amphipyra (s.str.) boursini* Hacker,1998** (Noctuidae) **Synonym(s):** *boursini* Hacker,1998 **Range (as codes):** TR IR By Bk Lo Es Ld Kd Bne Mrv Snj 46 56 56F
- 2412. *Amphipyra (s.str.) kautti* Hacker,1998** (Noctuidae) **Synonym(s):** *kautti* Hacker,1998 **Range (as codes):** TR 51 51B 51Ba 65F 65Fa
- 2413. *Amphipyra (s.str.) livida* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *livida* [Denis & Schiffermüller],1775; *scotophila* Hübner,[1788]; *cupreina* Bryk,1949 **Range (as codes):** ES FR Co IT DE CH AT PL CZ SK HU RO YU BG GR TR AZ Kir GG Lag Cc DK FI LV LT RU Ro Kr St Nt MD UA BY JP 01 05 08 12 13 30 33 42 56 65 73 01K 05A 13A 13Ab 13Ax 13C 13Cf 30B 30Bf 30D 30Df 33G 33R 42D 42Dd 56E 56Eh 56F 65A 65Ab 65Aba 73D 73Da
- 2414. *Amphipyra (s.str.) micans* Lederer,1857** (Noctuidae) **Synonym(s):** *micans* Lederer,1857; *frivaldskyi* Mocsary,1896 **Range (as codes):** RO HU MK BG GR SY LB Bei TR Cc IR Es CY IL Pa Hf 01 05 06 08 13 24 25 30 31 33 36 42 46 51 56 58 62 65 66 01K 05A 08H 13F 13F7 13G 13Gy 25F 30B 30Bd 30D 30Da 30Dt 31K 31Ka 31Ka3 36F 56F 65A 65Ac 65Ac3 65D 65Df 65Dn 65Du 65F 65Fm 65I 73C 73Cd
- 2415. *Amphipyra (s.str.) molybdea* Christoph,1867** (Noctuidae) **Synonym(s):** *molybdea* Christoph,1867; *submicans* Kuznetsov,1958 **Range (as codes):** RU Sr Uk KG TR IR Fa TM Kp 30 31 46 62 65 31K 31Ka 31Ka5
- 2416. *Amphipyra (s.str.) perflua* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *perflua* Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803]. **Range (as codes):** FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bjo DK NO SE FI EE LV LT RU Kr St Kc Ich Ing Da MD UA Lvv BY CN JP 08 14 08H

- 2417. *Amphipyra* (s.str.) *pyramidea* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pyramidea* Linnaeus,1758; *navicularis* Geoffroy,1785; *obscura* Oberthür,1880; *obliquilimbata* Graeser,1888; *satinea* Rougemont,1901; *variegata* W.Warren,1911; *yama* Swinhoe,1918; *aprya* Bryk,1942; *cuprior* Fletcher,1968 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Len Kir GG Smt Bjo Lag Tbl Mng Cc LB SY IL Pa IQ Shq IR Mz DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi MD UA BY TM Sb Prj Us Hkk CN T-S Sz Ch Mre Haz PK SI IN Ass Drm Hp Lvv JP DZ Blid Btina DhM TN Hrh Abe 01 05 06 08 14 16 30 31 33 43 56 59 05A 16A 30D 30Dt 56F
- 2418. *Amphipyra* (s.str.) *stix* Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879. Range (as codes): RO MK BG GR Cr TR Cc AM IL Pa IR Fa Mia 01 05 06 08 13 15 25 30 32 36 41 42 50 56 62 65 73 05A 06R 13A 13G 13Gü 13Gw 30B 30Bh 30Bf 30D 30Df 30Dt 36F 56F 65A 65Ai 65Am 65Am4 65D 65Dj 65Dv 65L 65Lb 73A 73Ad 73Ad2
- 2419. *Amphipyra* (s.str.) *tetra* (Fabricius,1787)** (Noctuidae) Synonym(s): *tetra* Fabricius,1787 Range (as codes): MR MA DZ Sfr Ges TN EG ES Mu FR Si IT CH AT PL CZ SK HU RO YU BG GR TR AZ Kir Cc RU Ro St Kyi Ur Sb Sj At IR Fa Ss Kd Mrv Lo GlS IL Pa AF TM CN Ui Ku KK LB EG Sn 01 05 06 13 39 42 45 50 58 65 05A 06R 58G 65D 65F 65Fj
- 2420. *Amphipyra* (s.str.) *tragopoginis* (Clerck,1759)** (Noctuidae) Synonym(s): *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766; *repressus* Grote,1871 Range (as codes): MA DZ ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG Smt Bjo Mng AZ Kir AM Cc LB IR Maz GlS Fa Lo By Yas Ke Mia Kz Kd Mrv DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb At MD UA BY Ch IN Hp Kul CA US Pns Mss Ny Lvv 01 05 06 08 09 13 14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65 76 78 05A 06R 06Rb 13A 13B 13G 13Gg 13Gü 13Gw 16A 30D 30Df 30Dt 33E 46G 46Gi 65A 65Ab 65Aba 65D 65Dh 65Df 65F 65Fm 65Fp 65Fz 65K 65Kl 65Z 76C 78D 78Da
- 2421. *Amphipyra* (s.str.) *turcomana* Staudinger,1888** (Noctuidae) Synonym(s): *turcomana* Staudinger,1888; *distincta* Rothschild,1920 Range (as codes): DZ Dzc Hrh KG Aa KK Ax Skm Ik TrA Osh UZ Fe Smk N-A IR TM Kp Cc AM TR Ld IN AF Pli Bark 30 50
- 2422. *Anaplectoides* *prasina* (Goeze,1781)** (Noctuidae) Synonym(s): *#prasina* [Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albimacula* Hormuzaki,1894 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY Cc GG Smt Bku Tbl AM AZ IR Mz Elb Sb KK TrA Ax MN CN Ti KP KR JP CA US 05 08 14 28 36 50 53 61 69 75 05A 08A 14B 36D 53B 53E 53N 75F
- 2423. *Antarchaea* *baischi* Hacker,1996** (Noctuidae) Synonym(s): *baischi* Hacker,1996 Range (as codes): TR 01 01H
- 2424. *Antarchaea* *conicephala* (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* Staudinger,1870 [April]; *conicephala* Staudinger,1870 [Oct.]; *barcinonensis* Milliéré,1872; *fumicollis* Rogenhofer,1873. Range (as codes): MA FR ES An Mlg Mu BG MK GR Cr CY RU IR Gor Hz Ss Ab Mak Elb Th TR Cc AZ Nv Ord IT Si HV SY SA YE AM EG AE SD 05 08 33 36 44 56 76 05A 08H 33A 33Ac 33R 33Rb 44L 44Lc 56F 76B 76Bb
- 2425. *Antarchaea* *numisma* (Hübner,[1803])** (Noctuidae) Synonym(s): *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851. Range (as codes): TR GG Cc AF Nu Bsg 01 04 05 06 07 18 19 33 38 42 44 50 70 05A 06C 06Cb 33G 44E 44Ei
- 2426. *Anthracia* *eriopoda* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851]; *sareptae* Guenée,1852; *eriopodoides* Strand,1916 Range (as codes): MA RO MK BG GR CY TR SY LB IL Hf Pa JO RU Sr 02 09 16 17 30 33 46 62 65 02F 02Fz 09K 09Ka 16A 30D 30Df 33A 33Ae 33G 46G 46Gf 62E 65D 65Dh
- 2427. *Antitype* *chi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929. Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Ro St Ich Da MD UA BY TR Cc GG Smt Bjo Lag 06 12 25 36 42 46 49 66 70 06R 25F 36F 49E 49Ea
- 2428. *Antitype* *chionodes* Boursin,1968** (Noctuidae) Synonym(s): *chionodes* Boursin,1968 Range (as codes): TR 31 65 31M 65F
- 2429. *Antitype* *jonis* (Lederer,1865)** (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901 Range (as codes): IT YU AL TR LB Bsa SY Cc AZ Nv Ngm IR 04 05 06 07 08 25 30 33 36 38 44 45 46 50 58 62 65 69 70 05A 06E 06Ea 06R 06Rq 07B 25D 25F 30D 30Bj1 36D 36Db 38H 38Hc 50G 50Gd 58G 65A 65Am 65Am4 65D 65Df 65F 65Fp 65Fz
- 2430. *Antitype* *suda* (Geyer,[1832])** (Noctuidae) Synonym(s): *suda* Geyer,[1832] Range (as codes): FR IT CH B-H MK BG GR TR?
- 2431. *Anumeta* *arax* Fibiger,1995** (Noctuidae) Synonym(s): *dentistrigata* sensu Romanoff,1885 *nec* Stgr.; *caucasica* Rjabov (in litt.); *arax* Fibiger,1995 Range (as codes): TR Cc AM 76 76A 76Aa 76Ac
- 2432. *Anumeta* *atrosignata* Walker,1858** (Noctuidae) Synonym(s): *atrosignata* Walker,1858; *spilota* Erschoff,1874; *renosa* Brandt,1939; *mugshinensis* Wiltshire,1990 Range (as codes): RU IN TM KG IR Ss Hz B-A IQ IL Pa OM YE AE AF PK Dwe Kbl TR UZ
- 2433. *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775; *sordida* Borkhausen,1792; *infesta* Ochsenheimer,1816; *renardii* Boisduval,1829; *engelhardtii* Duurloo,1889; *pyxina* A.Bang-Haas,1910; *siegeli* Berio,1985; *sassanidica* Hacker,1990; *mazeli* Lutran,1993 Range (as codes): MA DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR

- TR Lo Es Elb Th Dam Kh DK NO SE FI EE LV LT RU AZ Kir Cc Ro Kyi Sb MD UA Lvv BY TM MN CN Ui LB Bsa IL Pa KG Uk 01 04 06 18 20 25 32 33 38 42 46 49 50 51 58 60 65 66 06R 65Bx 65G 65Ge 65F 65Fa 65N 65Np1 65Nm
- 2434. *Apamea* (s.str.) *aquila* Donzel,1837** (Noctuidae) Synonym(s): *aquila* Donzel,1837 Range (as codes): ES FR IT BE NL DE CH AT CZ SK HU YU BG GR TR DK RU MD UA BY 53 53N
- 2435. *Apamea* (s.str.) *crenata* (Hufnagel,1766)** (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopecurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812; *corsa* Schawerda,1928 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Rd TR Cc GG Smt Bjo Lag IR Mz Elb DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY CN KK Skm TeA TrA Na Ik Skm Krl JP 04 13 14 18 36 43 53 65 69 75 04I 13A 13Ab 13Ax 53N 65Bx 65G 65Ge
- 2436. *Apamea* (s.str.) *epomidion* (Haworth,1809)** (Noctuidae) Synonym(s): *charactera* auct. nec [Denis & Schiff.],1775; *epomidion* Haworth,1809 Range (as codes): ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK SE EE LV LT RU Cc Kr MD UA Cm Sb 04 13 65
- 2437. *Apamea* (s.str.) *euxinia* Hacker,1985** (Noctuidae) Synonym(s): *euxinia* Hacker,1985 Range (as codes): TR Cc 08 28 53 61 69 53M
- 2438. *Apamea* (s.str.) *ferrago* (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837 Range (as codes): LV RU St Kb Kc Nt Ich Da Ur MD UA BY TR AM Cc GG Smt Bjo Bku Kus IR Kdv Elb Th Dam Mz AF CN Ui KG Tk KK Ik Ax TrA 04 08 13 24 25 36 38 46 50 51 58 60 61 65 75 76 04I 13A 13Ab 13Ax 13G 13Gü 13Gw 25C 25Ca 25F 65A 65Ac 65Ac3 65Ab 65Aba 65Bx 65D 65Df 65G 65Ge 65Gf 65Gy 65Gü 65Gz 65F 65Fç 65Fz 76C
- 2439. *Apamea* (s.str.) *furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775 Range (as codes): PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Zj Mz Elb Th Dam DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ich Ing Da MD UA BY CN Ui Ju KK Ax Skm TrA Ik AZ AM GG Lag Da Kus Cc 04 06 08 13 18 24 25 28 33 36 46 51 53 58 60 61 65 76 08H 13G 13Gü 13Gw 53N 65Bx 65G 65Ge 76C
- 2440. *Apamea* (s.str.) *illyria* Freyer,1846** (Noctuidae) Synonym(s): *illyria* Freyer,1846 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kb Nt Kc Teh Alg Ink MD IR AM RU Cc AZ Elb Dam KG 04 06 08 18 28 30 36 58 60 75 36F 60C 75E
- 2441. *Apamea* (s.str.) *indiges* (Turati,1926)** (Noctuidae) Synonym(s): *indiges* Turati,1926 Range (as codes): GR TR 01 07 33 33R
- 2442. *Apamea* (s.str.) *lateritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803]. Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Da Kus Cc IR Mz Elb Th Kdv Dam DK NO SE FI EE LV LT RU St Kb Kc Nt Ich Ing Da MD UA BY UZ CN Ui Arc Kml KG Tk Dj KK TeA TrA Skm Ik AF PK NP CN Sz Ti Kmt Krl Ld IN KP KR JP CA Yuk US Col Nje Lvv 04 08 16 24 25 30 36 51 53 58 61 65 75 76 08A 08C 08H 16A 25F 25T 30D 30Da 36F 53N 65Bx 65G 65Ge 76C
- 2443. *Apamea* (s.str.) *leucodon* (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon* Eversmann,1837; *bidens* Eversmann,1852; *anatolica* Rebel,1933 Range (as codes): TR Cc RU Da IL Pa IR Fa Sse AF TM KK Ik Na T-A Sb At MN CN Ui 04 06 13 25 33 36 42 44 46 50 51 58 60 65 04D 04E 06K 06Kc 13A 13Ab 13Ax 36D 36Db 44E 44Ei 44L 60C 65Bx 65D 65Dg 65F 65Fm 65G 65Ge 65Gf 65Gy 65L 65Lb 65Le 65N 65Nc 65Np 65Np1 65Np2 65Np5 65Nm
- 2444. *Apamea* (s.str.) *lithoxylaea* (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787. Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Mng AZ Kir DK NO SE FI EE LV LT RU Nt Ich Da MD UA Lvv BY 01 04 05 06 07 08 16 20 25 30 36 56 76 04I 05A 06R 06Ra 16A 30B 30Be 56F 76C
- 2445. *Apamea* (s.str.) *maraschi* (Draudt,1934)** (Noctuidae) Synonym(s): *maraschi* Draudt,1934 Range (as codes): TR 12 21 23 24 27 30 31 33 46 47 56 63 73 12E 12Eb 30B 30Bf 31A 33R 46G 46K 56A 56Aa 56F 63B 73A 73Ab
- 2446. *Apamea* (s.str.) *monoglypha* (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766. Range (as codes): PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR AZ Kir AM GG Smt Bjo Mng Lag Akh Cc IR Fa Es Zj Ha Mz Elb Dam Th DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY LB Bsa SY CN 01 03 04 05 06 08 13 17 18 21 25 27 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 65 66 75 05A 13A 21N 21Nb 27D 27Dc 27Dd 30D 30Df 33G 65F 65Fm
- 2447. *Apamea* (s.str.) *oblonga* (Haworth,[1809])** (Noctuidae) Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813]. Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR IR Ss Kuh DK NO SE FI EE LV LT RU Ro St Ich Da MD UA BY AZ AM GG Akh Cc CN Ui Chk KK TeA Ik PK JP 04 06 14 40 50 58 65 76 65F 65Fa 76C
- 2448. *Apamea* (s.str.) *platinea* (Treitschke,1825)** (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980. Range (as codes): MA ES FR Si IT DE CH AT CZ SK RO YU AL GR TR GG Bku Cc AZ Kir IR Fa Kh KuB Mz Elb Com LB TM IL Pa He RU Ich Ing Da Sr 08 24 25 30 33 36 38 42 50 51 58 60 65 70 73 76 08H 25B 65A 65Ab 65Aba 65B 65Bk 65Bx 65F 65Fr 65Fp 65Fz 65G 65Ge 73C 73Cd 76C
- 2449. *Apamea* (s.str.) *polyglypha* (Staudinger,1892)** (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892 Range (as codes): TR Cc IL Js Pa SY JO IR Lo Fa By Yas Es Kz Elb Mz Clu Kdj Th Mia Sse Kd Bne 08 13 24 27 30 46 49 53 56 63 65 73 08H 13C 13Cf 30B 30Bj 30Be 30Bd 49E 49Ea 53N 56F 65F 65Fe 73C 73Cd
- 2450. *Apamea* (s.str.) *remissa* (Hübner,[1809])** (Noctuidae) Synonym(s): *remissa* Hübner,[1809] Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV

LT RU Ro Kr St Kc Nt Ich Da MD UA Lvv BY CN Ui Chk KK Na Ax TrA 04 06 24 25 36 53 58 60 65 69 75 25K 53M 65Bx
65G 65Ge 75E

- 2451. *Apamea* (s.str.) *rjaboviana* Mikkola, Varga, Zilli & L.Ronkay, 2009** (Noctuidae)
Synonym(s): *rjaboviana* Mikkola, Varga & Lafontaine, 2009 Range (as codes): TR RU Kc Teb Cc Kr Nt Da Kus
- 2452. *Apamea* (s.str.) *sicula* (Turati, 1909)** (Noctuidae) Synonym(s): *sicula* Turati, 1909; *indiges* Turati, 1926 Range (as codes): ES FR Si IT CZ SK YU AL BG GR TR 02 06 17 21 30 31 33 46 02F 02Fd 02Fe 02Fz 06R 06Rb 21N 21Nb 30D 30Df
- 2453. *Apamea* (s.str.) *sordens* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *sordens* Hufnagel, 1766; *basilinea* [Denis & Schiffermüller], 1775; *marmorosa* Esper, [1788]; *nebulosa* Vieweg, 1790; *cinefacta* Graeser, 1889 *nec* Gte., 1881; *grisescens* Staudinger, 1889; *basistriga* Staudinger, 1892; *alacra* Dannehl, 1933 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku IR Th Elb Dam DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY AF KK Ik TrA Na Am Vv Sh JP CN Yu Ti 10 13 14 18 24 25 60 65 75 13G 13Gü 13Gs 13Gw 65F 65Fr
- 2454. *Apamea* (s.str.) *sublustris* (Esper, [1788])** (Noctuidae) Synonym(s): *sublustris* Esper, [1788] Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Ich Ing MD UA BY 04 08 25 36 50
- 2455. *Apamea* (s.str.) *syriaca* (Osthelder, 1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder, 1933; *#albida* Osthelder, 1933; *tallosi* Kovacs & Varga, 1969. Range (as codes): DZ ES FR HU RO CZ MK BG TR Cc GR IR Ab Oru Mak Sdt Elb Th Kd Snj CY IQ Brs Ry Rwz Dia LB Bsa Bei SY IL Pa 01 02 04 03 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 56 58 60 62 65 73 80 02F 02Fd 02Fz 04E 05A 08C 13B 13C 13Cf 13G 13Gf 13Gg 16A 30B 30Bh 30Be 30D 30Da 36F 37P 49E 49Ea 53N 56F 60C 65D 65Du 65F 65Fa 65Fg 65Fr 65Fm 65Fp 65Fz 65N 65Ne 73C 73Cd
- 2456. *Apamea* (s.str.) *unanimis* (Hübner, [1813])** (Noctuidae) Synonym(s): *unanimis* Hübner, [1813] Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag AZ Kir AM DK NO SE FI EE LV LT RU Ro MD UA Lvv BY 61
- 2457. *Apamea* (s.str.) *zeta* (Treitschke, 1825)** (Noctuidae) Synonym(s): *zeta* Treitschke, 1825 Range (as codes): PT ES FR IT IS GB DE CH AT RO YU AL BG GR TR NO SE RU At Cc GG Smt Bjo Akh Mng Da Kus 16 16A
- 2458. *Apamea* *lacticolor* Zilli, Varga, G.Ronkay & L.Ronkay, 2009** (Noctuidae) Synonym(s): *lacticolor* Zilli, Varga, G.Ronkay & L.Ronkay, 2009 Range (as codes): TR 68
- 2459. *Apaustis* *rupicola* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller], 1775; *palliatia* Fabricius, 1787; *pallium* Borkhausen, 1792; *heliophila* Hübner, [1803]; *theophila* Staudinger, 1866 Range (as codes): SK HU RO YU BG GR TR RU Cc Kr UA Cm 05 06 07 44 45 49 50 60 70 05A 06E 06Ea 44E 44Ei 60C
- 2460. *Apopestes* *noe* L.Ronkay, 1990** (Noctuidae) Synonym(s): *noe* Ronkay, 1990 Range (as codes): TR RU Cc Ich Ce8 IR Kd Bne Mrv 06 16 44 46 46G
- 2461. *Apopestes* *phantasma* (Eversmann, 1843)** (Noctuidae) Synonym(s): *phantasma* Eversmann, 1843; *centralasiae* W.Warren, 1913. Range (as codes): RU At TR GG Smt Bjo Lag AZ Kir Cc Ch KK Ik AF Srb Kab Ca IR UA Cm TM CN Ui Ku Kml 05 30 36 47 56 05A 36D 56E 56Eh
- 2462. *Apopestes* *spectrum* (Esper, [1787])** (Noctuidae) Synonym(s): *spectrum* Esper, [1787]; *genistae* De Villers, 1789; *socrus* Giorna, 1791; *innotata* W.Warren, 1913; *maura* W.Warren, 1913 Range (as codes): DZ BtNa Ktr MA Mzg Sbd Abe Ges Perr Afl Sfr Bdj Dzc Anna PT ES FR Co Sa Si IT CH RO YU AL BG GR Cr TR IR Fa Ha Km Elb Th GlS Kh Qz DK RU GG Tbl Smt Bjo AZ Kir Nv Ord AM Eri Cc St Nt PK Bl Qu LB IQ Kku Su 05 06 08 16 17 18 33 34 35 56 76 05A 06C 06Cb 16A 18F 33G 34R 34Rc 56F 76C
- 2463. *Aporophyla* *australis* (Boisduval, 1829)** (Noctuidae) Synonym(s): *australis* Boisduval, 1829; *scriptura* Freyer, 1838; *pascuea* Westwood, 1843; *ingenuea* Freyer, 1848; *orientalis* Herrich-Schäffer, [1850]; *morosa* Bellier, 1862; *britannica* Staudinger, 1869; *zeelandica* Lempke, 1964 Range (as codes): ES FR Co Sa Si IT IE GB BE NL RO YU AL BG GR Cr TR CY IQ LB IL Pa Hf JO 03 05 06 07 18 27 33 44 46 47 50 56 62 63 70 03A 05A 06E 06Ea 06R 06Rq 06Y 06Yb 56D 56Db 56E 56Eh 56F 63E 63L 70C 70Cb
- 2464. *Aporophyla* *lutulenta* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller], 1775; *electrica* Fabricius, 1794; *fuscus* Haworth, 1803; *consimilis* Stephens, 1829; *orthostigma* Stephens, 1829; *sedi* Duponchel, 1836; *tripuncta* Freyer, 1848; *brunnea* Schawerda, 1929; *aterrima* Warnecke, 1936; *insularis* Hansson, 1952 Range (as codes): PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV RU Cc Ro Kr Ich Da MD UA BY 22
- 2465. *Aporophyla* *nigra* (Haworth, [1809])** (Noctuidae) Synonym(s): *lunula* Ström, 1783 *nec* Hfn., 1766; *nigra* Haworth, [1809]; *nigricans* Hbn., [1813]; *aethiops* Ochsenheimer, 1816; *seileri* Fuchs, 1901 Range (as codes): DZ Ges Afl Abe PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK RO YU AL BG GR Cr DK NO RU Cc Kr MD UA BY MA DZ TN LY Cy MT EG Sn LB IL Pa CY TR IQ 01 06 33 46 56 63 01C 56E 56Eh 56F 56Fb 63E
- 2466. *Araeopteron* *ecphaea* Hampson, 1914** (Noctuidae) Synonym(s): *ecphaea* Hampson, 1914 Range (as codes): MA YE YE68 Co Cr FR MT GR Cr BG IT Si MT TR ES B-I Maj TN EG ZR NA MW NG TZ KE 01
- 2467. *Archanara* (*Globia*) *algae* (Esper, [1789])** (Noctuidae) Synonym(s): *algae* Esper, [1789]; *cannae* Ochsenheimer, 1816; *rusa* Eversmann, 1847 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO SS AL BG TR DK NO SE FI EE LV LT RU Cc AM Ro Sb MD UA BY 23 42 65 65D 65Df 65Fz

- 2468. *Archana* (*Globia*) *sparganii* (Esper,[1790])** (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892. Range (as codes): ES FR Sa Si IT IE GB BE NL DE AT PL CZ SK HU RO BG GR TR LB IR Fa Elb AF Pli DK NO SE FI EE LV LT RU Cc Ro St Nt Ich Prj Us Am At Sb MD UA Lvv BY CN JP 19 38
- 2469. *Archana* (*Lenisa*) *geminipuncta* (Haworth,1809)** (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817]; *orientalis* F.Wagner,1930 Range (as codes): PT ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE FI EE LV LT RU Cc Ro Ich Kyi Da MD UA BY 31 34 42 31K 31Ka 34P
- 2470. *Archana* (s.str.) *dissoluta* (Treitschke,1825)** (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825; *hessii* Boisduval,1840; *arundineta* Schmidt,1858 Range (as codes): DZ Hrh Hmk Abe ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR TR IR Gor Elb DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA BY 07 22
- 2471. *Arenostola* *deserticola* (Staudinger,1900)** (Noctuidae) Synonym(s): *deserticola* Staudinger,1900; *modesta* Staudinger,1900; *chimaera* Rothschild,1920 Range (as codes): MR MA DZ Hes Bsk Sfr Bttna TN IL Pa Jt JO TR
- 2472. *Arenostola* *phragmitidis* (Hübner,[1803])** (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]; *verecunda* Eversmann,1848; *maculata* Warnecke,1922 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU BG GR Cr TR DK NO SE FI EE RU Cc Ro St Ich Kyi Da MD UA BY IQ AF IR Ss 02 23 42 46 63
- 2473. *Arenostola* *unicolor* W.Warren,1914** (Noctuidae) Synonym(s): *unicolor* W.Warren,1914 Range (as codes): TR Cc TM Kp IR Kd Snj Mrv Bne Lo KG Tk Dj KK Na 01 13 19 36 46 50 58 60 65 13A 13Ab 13Ax 19P 50G 50Gd 58G 65F 65Fa
- 2474. *Argyrospila* *succinea* (Esper,[1798])** (Noctuidae) Synonym(s): *succinea* Esper,[1798]; *maculata* Eversmann,1842; *olivacea* A.Bang-Haas,1910 Range (as codes): RU Ro St Ur Cc AM TR KK Ik CN Ui Arc IR Elb Th Cm 04 13 25 42 58 65 76 04D 04Da 04I 13G 42B 58G 58Gd 65Bx 65D 65Df 65Fz 65G 65Ge 76C
- 2475. *Armada* *clio* (Staudinger,1884)** (Noctuidae) Synonym(s): *clio* Staudinger,1884 Range (as codes): TM Kp AF IR TR Cc UZ PK Qu 36 36D 36Db
- 2476. *Armada* *panaceorum* (Ménétriés,1849)** (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915. Range (as codes): Cn MR MA DZ Ah BSa Sfr Ear Onç TN LY EG Sn IL Pa Hf JO SY TR IQ Agh Qg KW SA IR Ss Elb Th Kdj Ab Khy Mrd Ak Ma Chh Hz B-A TM UZ Br N-A AF Dwe KG Tk Tks MN CN Ui Ti RU Cc Da 33 50 63 33E 63E
- 2477. *Asteroscopus* *sphinx* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR GG Bjo Smt Akh Cc DK SE RU Kr St Kb Nt Da MD UA Lvv BY
- 2478. *Asteroscopus* *syriaca* (W.Warren,1910)** (Noctuidae) Synonym(s): *syriaca* W.Warren,1910; *decipulae* Kovacs,1966. Range (as codes): SK RO YU BG GR TR 03 06 16 21 31 46 58 03A 06R 06Rb 21L
- 2479. *Atethmia* *ambusta* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942 Range (as codes): IT DE CH AT PL CZ SK HU RO YU BG GR LT RU GG Lag Cc Ro MD UA BY CY TR LB IL Pa Js JO EG 05 06 07 10 13 27 35 46 06C 06Cb 13F
- 2480. *Atethmia* *centrago* (Haworth,[1809])** (Noctuidae) Synonym(s): *centrago* Haworth,[1809]. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR AM Eri Cc GG Bjo TR CY LB Bei IL Js Pa SY JO Sn EG RU Ro Kr MD UA BY IR Elb Th Fa Shr TM Kp PK Bbu Mlk 05 06 13 20 25 30 33 42 44 46 50 56 63 65 06E 06Ea 06R 06Rc 13C 13Cf 25D 25F 30D 30Df 42B 44E 56F 63E 65F 65Fm 65N 65Np 65Nm
- 2481. *Atethmia* *obscura* Osthelder,1933** (Noctuidae) Synonym(s): *obscura* Osthelder,1933 Range (as codes): TR 07 23 44 46 46G
- 2482. *Atethmia* *pinker* (Boursin,1970)** (Noctuidae) Synonym(s): *#pinker* Boursin,1970 Range (as codes): TR 06 07 62 66 70 06R 06Ra
- 2483. *Athetis* *furvula* (Hübner,[1808])** (Noctuidae) Synonym(s): *furvula* Hübner,[1808]; *dasychira* Hübner,[1817]; *lenta* Treitschke,1825. Range (as codes): IT CH? AT PL CZ SK HU RO YU BG TR RU Ro St Kb Ich Da Cc GG Tbl Lag AZ Kir Nv Ord AM CN Ui Ku KG Tk Dj JP 38
- 2484. *Athetis* *gluteosa* (Treitschke,1835)** (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835 Range (as codes): FR IT BE NL DE CH AT PL CZ SK HU RO YU MK BG GR TR GG AZ Kir AM Cc NO SE FI EE RU Ro Kr St Ich Ing Da MD UA BY KK Ik Skm JP 06 52 53
- 2485. *Athetis* *pallustris* (Hübner,[1808])** (Noctuidae) Synonym(s): *pallustris* Hübner,[1808]; *#pallustris* Lederer,1870 Range (as codes): PT ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG TR GG Tbl AZ Kir AM Cc DK NO SE FI EE LV LT RU Ich Da MD UA BY MN 04 28 36 75 36F
- 2486. *Atypha* *pulmonaris* (Esper,[1790])** (Noctuidae) Synonym(s): *pulmonaris* Esper,[1790]; *fuscago* Esper,1791; *pulmonariae* Hübner,[1803]; *promethea* Boursin,1943; *miljanovskiyi* Schintlmeister & Poltawski,1986 Range (as codes): ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR FI MD UA BY GG Cc RU Nt Ich Da SmR Sok 14 34 39 53 53B
- 2487. *Auchmis* (s.str.) *detersa* (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detersa* Esper,[1791] Range (as codes): MA DZ ES Mu FR Si IT DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc RU Ro St Kb Kc Kr Nt Ich Da IR Fa Elb Glh Kh Mz Dam Com Lo AF TM Kp LB Bsa 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75 76 05A 06R 06Rb 58N 76D 76Dd

- 2488. *Auchmis* (s.str.) *peterseni* (Christoph,1887)** (Noctuidae) Synonym(s): *peterseni* Christoph,1887
Range (as codes): TM Kp IR Fa Mz Elb Dam Plr Gh Kdj Lo Sse Mia GlS Kh TR Cc KK Ik RU Sb At CN Ui Ku KG Tk Dj o8
- 2489. *Autographa aemula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aemula* [Denis & Schiffermüller],1775 Range (as codes): ES FR IT DE CH AT TR Cc GG Lag 04 06 12 23 25 42 58 69 04D 04Da 06C 06Cb 25C 25Ca 58G
- 2490. *Autographa bractea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *bractea* [Denis & Schiffermüller],1775; *securis* De Villers,1789 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc Kr St Kb Kc Nt Ing Ich Da MD UA BY GG Smt Bjo Bku Akh AZ CN Ui Arc KG Tk Dj KK TeA TRa Ax T-A 75 75F 75Fa
- 2491. *Autographa camptosema* (Hampson,1913)** (Noctuidae) Synonym(s): *camptosema* Hampson,1913
Range (as codes): Ch KK TeA TRa Ax Na TJ Pm Chr
- 2492. *Autographa gamma* (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadowald,1992; *voelkeri* Schadowald,1992. Range (as codes): PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY LB Bsa DK NO SE FI EE LV LT RU MD UA BY IQ Agh Mj IR Fa Elb Mz Dam Th Kdj Kz Yas Skh Bu Dlk AF Jla Kab Bsg Nu Adr CN Ui Ku IL Pa Hf JO EG Sn GG AZ AM Cc KK Ik Lvv TRa Ax UZ KG Ro Kr St Kb Kc Nt Ing Da Kyi ET ET24 SY Hal Ak Shf Ab Ar Gh GlS Kh Se Qz Zj Kd Km Lo By Bk Es Bu Ss MA DZ Blid Bsk Tlm Btma Orn Lbs Agi Hrh Abe Khh Ahr Hmk Ges Perr Bdj Ndr DhM TN BSa Sbd Tgr Hes Clo Ajj 01 03 04 05 06 07 08 10 13 14 16 17 18 19 21 24 25 26 28 30 31 32 33 35 37 38 39 42 43 44 48 49 50 51 52 56 58 61 62 63 65 66 73 75 76 80 05A 06P 06Pb 06R 06Rb 10K 10Ka 13A 13Ab 13Ax 13G 13Gg 13Gg 13Gö 13Gs 13Gw 16A 21L 21Lc 21N 21Nh 30B 30Bb 30Bc 30Bz 30Bk 30D 30Df 30Dx 31K 31Ka 31Ka3 31Ka7 33A 33Ac 33Aj 33E 44L 44Lc 48L 49F 49Fb 56F 58N 63D 65A 65As 65Bx 65E 65Eb 65Ec 65Ec 65Ed 65D 65Dr 65F 65Fd 65Fu 65G 65Ge 65K 65Kl 65Kl1 65Z 65Kp 65Ku 65L 65Le 65M 65Mc 65Md 65N 65Nc 65Np 65Nr7 65Nm 73A 73Ac 73Ac1 73H 75F 75Fg 76A 76Ac 76B 76Bb 76Bf 76Bh
- 2493. *Autographa jota* (Linnaeus,1758)** (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaei* Ménétriés,1859; *anatolica* Schwingenschuss,1938 Range (as codes): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Th Elb Ak Ar Gh GlS Fa DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY GG Smt Bjo Bku Lag AZ Len AM Cc 06 08 13 14 18 25 36 39 42 50 52 53 65 75 08A 08C 08H 08Hc 13G 13Gs 13Gw 14B 14Bb 42B 53N 65F 65Fr 75F 75Fa
- 2494. *Autophila* (Cheirophanes) *anaphanes* Boursin,1940** (Noctuidae) Synonym(s): *anaphanes* Boursin,1940 Range (as codes): YU AL BG GR Cr CY TR LB 20 21 31 21N 21Nh
- 2495. *Autophila* (Cheirophanes) *chamaephanes* Boursin,1940** (Noctuidae) Synonym(s): *chamaephanes* Boursin,1940 Range (as codes): AZ Kir Cc TR RU KG Tk Dj Ii 05 30 65 05A 30D 30Dx 65A 65Am 65Am4 65D 65Dva
- 2496. *Autophila* (Cheirophanes) *ligaminosa* (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. Range (as codes): DZ Sbd Btma Abe Hrh HV TR GR Rd Cc GG Smt Akh Cc AM AZ Kir LB UZ Fe IQ Brs RU Da IR Fa Elb Hz Ss KK Ik Feg KG Tk PK Gg Hu Bl Qu AF Ca AE OM 05 06 08 13 14 17 18 25 33 36 42 46 50 56 65 73 05A 06C 06Cb 13C 13Cf 25F 36D 36F 36Fb 56F 65A 65Am 65Am1 65D 65Dh 65Dy 65Dv 73C 73Cd
- 2497. *Autophila* (Cheirophanes) *plattneri* Boursin,1955** (Noctuidae) Synonym(s): *plattneri* Boursin,1955 Range (as codes): TR IR 04 30 58 58G
- 2498. *Autophila* (s.str.) *asiatica* (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888; *amseli* Draudt,1936 Range (as codes): GR AM TR RU Cc Ro St Nt Da IR Lo Hz Ss Fa Kz Yas Skh GlS Kh Fe IQ EG UZ KK Skm KG CN Ui Ku Au Shs 01 13 25 30 33 35 36 38 42 46 49 50 56 58 65 73 13G 13Gg 30B 30Be 56F 58G 65D 65Dh 65Dv 65F 65Fr 65Fm 65Fp 65Fz 73C 73Cd
- 2499. *Autophila* (s.str.) *banghaasi* Boursin,1940** (Noctuidae) Synonym(s): *banghaasi* Boursin,1940
Range (as codes): TR AM Cc Geg GG Tbl IR Elb Dam Fa Com Sse Ke Kh 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38 42 46 49 50 56 58 62 60 65 66 73 75 05A 06C 06Cb 12A 12Aa 13C 13Cf 25T 25F 42B 46L 49E 49Ea 56F 58G 73C 73Cd
- 2500. *Autophila* (s.str.) *cerealis* (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
Range (as codes): IR Fa Lo Hz Ss Kh Kz Yas Skh SY Cc AM TR LB AF Hr Pli Blh Ca Fz IQ Bsy Agh EG 47
- 2501. *Autophila* (s.str.) *depressa* (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa* Püngeler,1914
Range (as codes): TM Kp Fe UZ TJ Pm IR GlS Kh Elb Fa Es Ss SY TR IQ Bl PK Qu AF Hr 23 30 44 46 30B 30Be
- 2502. *Autophila* (s.str.) *dilucida* (Hübner,[1808])** (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958. Range (as codes): DZ Lbs BSa PT ES An Mlg Mu FR Co Sa Si IT MT CH AT RO YU B-H AL BG GR Cr CY TR Cc AZ Kir Nv Ord RU MD UA BY CN Ui Ku 01 05 09 13 16 17 32 45 50 56 65 05A 16A 56F 65F 65Fp 65Fz
- 2503. *Autophila* (s.str.) *einsleri* Amsel,1935** (Noctuidae) Synonym(s): *luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939. Range (as codes): TR CY IR Elb Mz Fa Ke Ss Es OM GG TM Kp LB Bsa RU Cc Kr Ing 01 06 13 23 25 31 46 51 06C 06Cb 13A 51B 51Bc
- 2504. *Autophila* (s.str.) *hirsuta* (Staudinger,1870)** (Noctuidae) Synonym(s): *hirsuta* Staudinger,1870
Range (as codes): FR IT CH AT TR AM Cc Ink Alg AZ Nv Ngm IR Kh 04 30 58 69 04D 04Da 30D 30Da
- 2505. *Autophila* (s.str.) *iranica* L.Ronkay,1989** (Noctuidae) Synonym(s): *iranica* L.Ronkay,1989 Range (as codes): IR Elb Kd Th Dam Zj TR 32 56 56F

- 2506. *Autophila (s.str.) libanotica* (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962. Range (as codes): DZ Ktr BtNa Ges Agi Abe BSa HrH GR TR Cc LB Bsa IL Pa EG Sn IR Elb Mz Kdv Kh Fa Ss Kz Yas Skh TM AF Gbh PK Qu Bl 04 06 12 08 24 30 38 42 46 51 58 62 65 73 04D 04Da 06C 06Cb 06Y 06Yb 24H 30B 30Bd 38G 38Ga 42R 46G 58G 58N 62G 62Gb 65Bx 65G 65Ge 73C 73Cd
- 2507. *Autophila (s.str.) limbata* (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871 Range (as codes): FR Si IT YU BG GR TR AM RU GG Smt Bjo Tbl AZ Nv Ord Kir Cc Kr Da MD UA BY IR Fa Kz Yas Skh IQ Mos TIH 05 07 08 09 13 18 25 50 56 58 73 05A 13C 13Cf 25F 56F 58N 73C 73Cd 73Cd
- 2508. *Autophila (s.str.) sinesafida* Wiltshire,1952** (Noctuidae) Synonym(s): *sinesafida* Wiltshire,1952 Range (as codes): IR Fa TR
- 2509. *Autophila (s.str.) subfusca* (Christoph,1893)** (Noctuidae) Synonym(s): *subfusca* Christoph,1893 Range (as codes): TR Cc AZ Ord Nv TM Kp IR Elb Ss Fa Gsl Kh 58 58N
- 2510. *Axylia putris* (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* De Villiers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912 Range (as codes): MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Gh Mz Enz DK NO SE FI EE LV LT RU Cc GG Lag AZ Kir Ro Kr St Kc Kb Nt Ing Da Sb Am Us MD UA BY KG Tk CN Mc Ui Hun KP KR IN Hp Drm Kgr Up Nnt Mhh TH CMA CDo PK Haz Cte Swa Lvv Sgl Alp Kkar JP ID Sum Ja TW 11 14 28 34 37 52 57 61 75 11E 34A 52H 61L 75F 75Fb 75Fd
- 2511. *Behounekia freyeri* (Frivaldsky,1835)** (Noctuidae) Synonym(s): *freyeri* Frivaldsky,1835; *linthea* Freyer,1842; *orontii* Herrich-Schäffer,[1851]; *senescens* Eversmann,1856; *#linthea* Lederer,1870 Range (as codes): MK BG GR TR AM GG AZ Kir Cc RU Da SY 01 05 06 13 18 21 25 30 32 35 36 38 42 46 47 49 50 51 56 62 65 73 05A 13A 13Ab 13Ax 13G 13Ga 13Gs 13Gw 21N 21Nb 30B 30Bd 36D 36Db 38H 47D 49F 49Fb 56F 65A 65Am 65Am1 65Am4 65An 65D 65Dg 65Dh 65Ds 65F 65Fc 65Fg 65Fu 65K 65Kl 65Kl1 65Z 65L 65Lb 65N 65Nc 65Np 65Np2 65Nm 73A 73Ab
- 2512. *Bena bicolorana* (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* W.Warren,1913. Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LT RU Cc GG Bjo Smt Ro Kr Da MD UA Lvv BY IR Fa Kd Mrv Bne Bjr Zj Km Kaz Mia Kz Yas LB SY IL Pa JO 01 02 05 06 11 13 17 18 21 33 39 42 46 48 56 62 73 02F 02Fd 02Fz 05A 06R 06Re 13G 13Gy 21N 21Nb 21Nh 46G 46Gi 48G 48Gb 56F 73C 73Cd
- 2513. *Boursinia deceptrix* (Staudinger,1900)** (Noctuidae) Synonym(s): *deceptrix* Staudinger,1900 Range (as codes): IL Pa Jer SA TR IQ Bsr IR
- 2514. *Boursinia discordans* (Boursin,1940)** (Noctuidae) Synonym(s): *discrepans* Staudinger,1892 nec Wlk.,1865; *discordans* Boursin,1940 Range (as codes): LY TR IL Pa Js JO EG 27 63 63E
- 2515. *Boursinia ferdovsi* (Brandt,1941)** (Noctuidae) Synonym(s): *ferdovsi* Brandt,1941 Range (as codes): IR Ss Hz Lo TR
- 2516. *Brachylomia uralensis* (W.Warren,1910)** (Noctuidae) Synonym(s): *uralensis* W.Warren,1910 Range (as codes): RU Ur KG Uk TR 04 25 58 62 25C 25Ca 25D 25T 62G
- 2517. *Brachylomia viminalis* (Fabricius,1777)** (Noctuidae) Synonym(s): *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803]. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo AM DK NO SE FI EE LV LT RU Ro Kb Kc Nt Ich Ing Da MD UA Lvv BY CN Ui 08 14 34 37 53 75 08C 08H 34A 37P 53N 75F
- 2518. *Brandtina albonigra* Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967 Range (as codes): IR Th Elb Nss Diz TR 04 13 25 30 65 04D 04Da 13G 25C 30D 30Dt 65Bx 65G 65Ge
- 2519. *Bryomima carducha* Staudinger,1900** (Noctuidae) Synonym(s): *carducha* Staudinger,1900 Range (as codes): TR IQ IR Fa Mia Com Kz Yas Elb Th Kdj Ab Oru Ss Kuh Ke By Yas Lo 47 56 65 47D 56F 56Fö 56Fü 65D 65Dx 65F 65Fp 65Fz 65G
- 2520. *Bryomima defreina* Hacker,[1987]** (Noctuidae) Synonym(s): *defreina* Hacker,[1987] Range (as codes): TR 30 47 56 65 73 30B 30Bd 30Be 30Bf 30Bj 30Bj1 30D 30Df 56F 65A 65Am 65Am1 65Am4 65D 65Df 65F 65Fp 65Fz 65Fr 65G 65Gf 65Gy 73A 73Ab 73C 73Cd
- 2521. *Bryomima hakkariensis* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *hakkariensis* De Freina & Hacker,1985 Range (as codes): TR 30 65 73 30B 30Bg 65Bx 65G 65Ge 73A 73Ad 73Ad2 73C 73Cd
- 2522. *Bryomima luteosordida* Osthelder,1933** (Noctuidae) Synonym(s): *luteosordida* Osthelder,1933 Range (as codes): TR IR By 46
- 2523. *Bryophilopsis roederi* (Standfuss,1892)** (Noctuidae) Synonym(s): *roederi* Standfuss,1892 Range (as codes): IL Pa TR IQ Ssa IR Ke Fa Ss Mia Kaz Km Kd Mrv Bne Sqq Lo Kz Yas Skh Hz B-A AF Nu Bsg TM KK Feg PK 07 13 21 30 31 33 42 47 56 58 62 65 73 13C 13Cf 21N 21Nh 30B 30Bf 30Bh 30Bt1 30Bz 30D 30Df 30Dx 47D 56F 56Fg 56Fc 65D 65Dh 73C 73A 73Ab 73Cd 73D 73Da
- 2524. *Calamia staudingeri* Warnecke,1941** (Noctuidae) Synonym(s): *staudingeri* Warnecke,1941 Range (as codes): TR IQ Cc AM RU Ich IR Fa Elb Bk Lo By Es Ha Th Mz Plr Dam Kd 01 04 13 25 30 36 38 42 51 58 65 76 01K 04C 13A 13Ab 13Ac 13Ac2 13Ax 13B 13G 13Gü 13Gw 30D 30Dp 42B 58N 65B 65Bo 65Bx 65D 65Dd 65Df 65Dg 65Dga 65F 65Fa 65Fp 65Fz 65Fr 65G 65Gb 65Ge 65K 65Kd 65Kg 65N 65Np2 65Nm 76C 76D 76Dd
- 2525. *Callierges ramosa* (Esper,[1786])** (Noctuidae) Synonym(s): *ramosa* Esper,[1786] Range (as codes): FR IT NL DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Mz 14

- 2526. *Callistege mi* (Clerck,1759)** (Noctuidae) Synonym(s): *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 *nec* Sc.,1763 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da AZ AM GG Cc MD UA Lvv BY CN Ui Tlk IR Ab Oru 13 16 36 60 65 13Gö 13Gg 16A 36F 60C 65D 65Dc 65Fö 65Fz
- 2527. *Callopietria juvenina* (Stoll,[1782])** (Noctuidae) Synonym(s): *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* De Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878 Range (as codes): DZ DhM TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Mz Elb Clu Th Fa Mia Sse Shr DK LT RU Kr MD UA BY o8 28 31 33 34 53 55 33A 33Ac
- 2528. *Callopietria latreillei* (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973. Range (as codes): MG Md Cn MA DZ Ges BSa Mii DhM Sbd TN LY PT ES FR Co Sa Si IT MT CH AT HU RO YU AL BG GR Cr TR Cc RU Da LB BSa IL Pa Hf IN Pj NP AF IR Ke Fa Hz Ss Gh GlS Kh PK Cls Swa Alp Kkar ZA Tva Gau Pre Mpu Tst Nha Nta Kzu Ec ZR KE SA ET ET24 SO Zai YE AE PK OM Ld Cls o1 o3 o5 o6 o7 o8 16 30 31 32 33 35 42 44 46 50 51 52 65 o1C o5A 16A 30D 30Df 31K 31Ka 31Ka3 33A 33Ac 33Ad 44L 44Lc 46G 46Gf 65A 65Am 65Am4
- 2529. *Calocucullia celsiae* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850] Range (as codes): HU RO MK AL BG GR CY TR IL Js Hf Pa Cc AM IQ IR LB Ale JO o6 14 30 31 73 o6R 30B 30Be 30Bj1
- 2530. *Calophasia barthae* F.Wagner,1929** (Noctuidae) Synonym(s): *barthae* F.Wagner,1929 Range (as codes): BG GR Cr TR LB BSa o6 o7 38 42 63 o6C o6Cb o6R 42B 63E
- 2531. *Calophasia lunula* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Hsk GR TR GG Smt Bjo Cc DK NO SE FIEE LV LT RU Ro Kr St MD UA Lvv BY AF CA IR Lo Elb Th Kdj KK Skm KG Tu Tk o1 o4 o5 o6 o8 13 14 18 24 25 30 33 36 42 49 50 51 56 58 65 o5A o6R o6Rb 13A 13Ab 13Ax 13G 13Ge 13Gs 13Gw 30B 30Bg 30Bt1 30Bz 36D 36F 56F 56Fh 56Fn 58G 65A 65Am 65Am1 65Bx 65D 65Df 65G 65Ge 65F 65Fa 65H
- 2532. *Calophasia opalina* (Esper,[1796])** (Noctuidae) Synonym(s): *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923. Range (as codes): MA DZ Clo PT ES FR IT CH AT SK RO YU AL BG GR TR GG Lag Cc AM RU Ro Kr Ich Da MD UA BY IQ LB BSa SA IR Fa Kh Elb Th CN Ui UZ Fe AF Hk KK Ik Skm KG TJ Pm MN o3 o5 o6 16 18 24 36 50 51 56 58 65 o5A o6K o6Kc 16A 56F 56Fv 65A 65Am 65Am1 65F 65Fa 65N 65Nc 65Nc4
- 2533. *Calophasia pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892 Range (as codes): MA DZ Berr Ges BSa Tun Sfr TN LY IL Pa Js JO TR
- 2534. *Calophasia platyptera* (Esper,[1788])** (Noctuidae) Synonym(s): *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901; *signata* Constantini,1916 Range (as codes): Cn MR MA DZ DhM Hrh Dzc Agi Ahr TN LY PT ES Mu FR Co Sa Si IT MT GB CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU MD UA LB BSa IL Pa Hf IR Elb SY JO SA YE o1 o5 o7 15 16 21 23 24 27 31 32 33 44 46 47 50 58 66 o5A 16A 21N 21Nh 23I 27D 27Db 31K 31Ka 31Ka7 33A 33Ak 33G 44L 44Lc 47D 58N
- 2535. *Calymma communimacula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775 Range (as codes): FR IT AT CZ SK HU YU AL BG GR TR AM IR Fa Ss Lo Kd Sqq Sse LB IL Pa SY RU Cc AZ Kir Ro Kr Ich MD UA o6 17 30 32 42 44 46 47 50 51 56 58 65 o6K o6Kc o6R o6Re 30B 30Bd 30Bc 30Bz 30Be1 30Bf 30Bj1 30D 30Df 44E 44Ei 44L 44Lc 47D 56F 56Fa 65D 65Dlc 65K 65Kb 65Z
- 2536. *Calyptra thalictri* (Borkhausen,1790)** (Noctuidae) Synonym(s): *capucina* Esper,1789 *nec* Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938 Range (as codes): ES FR IT DE CH AT CZ SK HU RO HV YU AL BG GR TR RU Ro St Kr Nt Ich MD UA BY GG Smt Bjo Mng Lag AM AZ Kir Cc IR Elb Th Plr Mz CN Sz KK Skm JP o8 22 36 76 76D
- 2537. *Caradrina* (Boursinidrina) *panurgia* (Boursin,1939)** (Noctuidae) Synonym(s): *panurgia* Boursin,1939 Range (as codes): IR Fa Sse Lo Km Ksh By Ha Es TR IL Pa He 44 62
- 2538. *Caradrina* (Boursinidrina) *parvaspersa* (Boursin,1936)** (Noctuidae) Synonym(s): *parvaspersa* Boursin,1936 Range (as codes): IQ Ry IR Fa Com Sse By TR 13 65 13G 13Gü 13Gw 65D 65F 65Fm 65Fp 65Fz 65L 65Lb
- 2539. *Caradrina* (Boursinidrina) *pseudadelpha* (Boursin,1939)** (Noctuidae) Synonym(s): *pseudadelpha* Boursin,1939 Range (as codes): IR Fa Com Sse Km Ksh Elb Th Kdv Dam Kd Es By TR 30 44 65 65D
- 2540. *Caradrina* (Boursinidrina) *rjabovi* (Boursin,1936)** (Noctuidae) Synonym(s): *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 Range (as codes): Cc AM TR IR Ak Ab Ar Fa Com Elb Th Kdj Mz Kd Ke Lo Kh o4 o6 13 25 36 44 46 56 58 62 65 o6R 13B 36F 36Fb 56F 56Fs 56Fs1 58G 65D 65Df 65F 65Fa 65Fm 65Fp 65Fz
- 2541. *Caradrina* (Boursinidrina) *surchica* (Boursin,1937)** (Noctuidae) Synonym(s): *surchica* Boursin,1937 Range (as codes): IQ Rwz IR Fa Lo Elb Th Nss Km Ksh Es By TR 30 56 65 56F 65D
- 2542. *Caradrina* (Boursinidrina) *syriaca* (Staudinger,1892)** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892 Range (as codes): LB BSa Bei BG GR Rd TR IL Hf Pa JO Amm SY CY o6 o7 44 46 49 63 71 44F 44Fb
- 2543. *Caradrina* (Boursinidrina) *wiltshirei* (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936 Range (as codes): TR IQ Rwz Mos IR Fa Com Es Lo 13 30 13C 13Cf 30B 30Bh 30Bj1

- 2544. Caradrina (Eremodrina) armeniaca (Boursin,1936)** (Noctuidae) Synonym(s): *armeniaca* Boursin,1936; *#clara* Schawerda,1928; *clara* Schawerda,1931 nec Harvey,1878; *barbarica* Boursin,1936 Range (as codes): DZ Perr MA ES Mu TR Cc AM Nv Dz AZ IR Gh Elb Mz Th Kdj Lo Fa Kh Es Ss Ab By TM Kp UZ KK KG 76 75E
- 2545. Caradrina (Eremodrina) avis (Pinker,1980)** (Noctuidae) Synonym(s): *avis* Pinker,1980 Range (as codes): TR 02 04 46 51 58 02F 02Fz 58G
- 2546. Caradrina (Eremodrina) belucha Swinhoe,1885** (Noctuidae) Synonym(s): *belucha* Swinhoe,1885; *conditorana* Pinker,1980 Range (as codes): AF PK Bl Qu SY Dms Pmy IQ Brs Mos IR Ab Fa Shr Km Ksh TR Cc TJ TM Kp UZ CN Ui Kl 36 46 58
- 2547. Caradrina (Eremodrina) doleropsis (Boursin,1939)** (Noctuidae) Synonym(s): *doleropsis* Boursin,1939; *doleropsis* Boursin,1940. Range (as codes): Cc Nv Ord AZ TR 65 65B 65F 65Fp 65Fz
- 2548. Caradrina (Eremodrina) draudti (Boursin,1936)** (Noctuidae) Synonym(s): *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940 Range (as codes): TR Cc GG AZ AM IR Kh Mz Elb TM GR Cr 04 06 08 13 23 30 38 42 44 51 56 63 65 13C 13Cf 23I 56F 65K 65Kp
- 2549. Caradrina (Eremodrina) gilva (Donzel,1837)** (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929 Range (as codes): FR Si IT DE CH AT CZ SK HU RO SS B-H YU MK AL BG GR TR Cc IR Elb Th 04 05 06 08 12 13 24 25 29 30 38 42 46 51 58 65 73 05A 06C 06Cb 08H 13C 13Cf 30B 30Be 30Bj 30Bl 30Bt1 30Bz 51B 51Be 65D 65Df 65F 65Fp 65Fr 65Fz 73C 73A 73Ab 73Cd
- 2550. Caradrina (Eremodrina) inumbrata (Staudinger,1900)** (Noctuidae) Synonym(s): *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980 Range (as codes): DZ Prr EG Sn TR IR Kh KuB Gh Elb Th Nss Lo Gh Fa Ab Ak Mz By Es Ha Cc AM Eri AZ RU Or TM Kp AF BdA 01 02 04 08 13 25 36 44 46 58 62 65 01L 02F 02Fz 13B 13G 13Gü 13Gw 36F 36Fb 44O 58G 65B 65Bx 65D 65Df 65F 65Fp 65Fz 65Fm 65G 65Ge 65Gj
- 2551. Caradrina (Eremodrina) melanura Alpheraky,1897** (Noctuidae) Synonym(s): *melanura* Alpheraky,1897; *samurana* Boursin,1939; *samurana* Boursin,1940 Range (as codes): Cc AM AZ Nv Ord Kir TR RU Da IR Elb Th Dam Kh TM Kp 76 76D 76Df
- 2552. Caradrina (Eremodrina) pertinax (Staudinger,1879)** (Noctuidae) Synonym(s): *pertinax* Staudinger,1879; *argentea* Caradja,1930. Range (as codes): RO BG GR IL Pa TR Cc AM RU Ich Ing IR Kh KuB Fa Zj Elb Th Dam Com Mz Lo Zj IQ Amr AZ Bak TM Kp I-K Fyz PK Hk 04 05 06 08 12 25 29 30 33 36 38 42 44 50 58 61 66 75 05A 08H 12A 12Aa 25F 30B 30Bf 36F
- 2553. Caradrina (Eremodrina) salzi (Boursin,1936)** (Noctuidae) Synonym(s): *salzi* Boursin,1936 Range (as codes): TR Cc IQ Brs IR Fa Elb Th Kdj 02 04 13 21 23 24 30 36 44 51 62 65 70 02F 02Fz 13C 13Cf 30B 30Bh 30Bj1 44L 44Lb 65G 65Gc
- 2554. Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911 Range (as codes): IT MT BG CY TR RU Sr Cc Da Der AM GG Lag TM Kp AF PK Bbu Hu TJ Pm IR Fa Kh KuB Elb Th Plr LB IL Pa CN Ui KG KK 01 04 06 08 13 25 33 36 42 46 50 51 58 65 70 13G 13Gü 13Gw 51B 51Be 65Bx 65F 65Fm 65Fp 65Fz 65G 65Ge 70C 70Cf
- 2555. Caradrina (Eremodrina) zernyi (Boursin,1936)** (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936 Range (as codes): RU Sr GR TR IQ R wz Brs Cc AZ Nv Dz IR Ak Ab Km Ksh Fa Es IL Pa He SY 01 03 05 13 30 31 42 44 46 51 58 05A 13C 13Cf 30B 30Bj1 31M 44F 44Fb 51B 51Be 58G 58Gi
- 2556. Caradrina (Kalchbergiana) ingrata (Staudinger,1897)** (Noctuidae) Synonym(s): *infusca* Constant,1865 nec Rmbr.,1858; *ingrata* Staudinger,1897 Range (as codes): MR MA DZ Bt na Bsk LY Cy PT ES FR Co Si? CH GR Cr TR LB Bei IL Hf Pa SY JO IQ Amr CY EG SA BH
- 2557. Caradrina (Levantrina) bodenheimeri (Draudt,1934)** (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937 Range (as codes): TR IQ Agh R wz Jd Kq Qg Mos Sae Ahz IR Km Ksh Fa Es Lo Elb Clu Hz B-A Ss Bk Kdj Dam Mia Kz Yas AF Srb Hr TM TJ UZ IL Pa LB JO SA 07 23 30 44 56 63 73 23I 30B 30Bj1 44F 44Fb 56F 73C 73Cd
- 2558. Caradrina (Paradrina) abruzzensis (Draudt,1933)** (Noctuidae) Synonym(s): *abruzzensis* Draudt,1933 Range (as codes): IT Si FR MK TR TM Kp IR Elb Kh Mz 04 33 50
- 2559. Caradrina (Paradrina) atriluna Guenée,1852** (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935 Range (as codes): CV SH MA DZ Ah Abe Prr ZA ET LY EG Sn IL Pa LB CY JO TR IR Hz Fa Ss Hz B-A CY 31 31B
- 2560. Caradrina (Paradrina) boursini (F.Wagner,1936)** (Noctuidae) Synonym(s): *boursini* F.Wagner,1936 Range (as codes): AM Eri Cc LB Bsa TR IR Ab Oru Zj Elb Mz Dam Kdv 13 25 30 65 73 13G 25A 25C 25Ca 30B 30Be 30Bl 30Ba 30D 30Df 65Bx 65D 65Df 65F 65Fp 65Fz 65Fr 65G 65Ge 73C 73Cd
- 2561. Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schifferrmüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975 Range (as codes): MA MR DZ TN EG PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY DK NO SE FI EE LV LT RU MD UA BY KG Uk SD SA IQ Agh Ry R wz Dia Brs Kum IR Fa Es Plr Dam Kdj AF Hk Hr Nu Bsg MN CN Ui Chk ZA Gau Pre Tva LB Bsa IL Pa Lvv SY JO TJ UZ N-A Th Kd Bne Kz Yas Mia Mz Gls Kh GG Tbl Lag Da Der AZ Kir Nv Ord PK Gg Bt Hu Haz Mnr Mre Ds Psu Bl Zi IN Hp Ch Bsk Dja Blid Tlm Clo Agi Ges Abe Perr Sfr Bt na Dh m Bsa Kh h Sbd Ktr Hrh Mzg Hmk Onç Omy 01 05 06 10 13 16 20 21 22 24 25 29 30 32 33 35 42 44 46 47 50 51 53 56 58 60 62 63 64 65 05A 06D 06E 06Ea 06R 06Rq 06Y 06Yb 13C 13Cf 13G 13Gg 13Gü 13Gw

- 16A 21L 21Lc 22M 30B 30Bd 33G 46G 46Gi 47L 47La 53B 56E 56Eh 56F 58G 62G 62Gb 63E 65F 65Fp 65Fm 65Fr 65K 65Kp 65N 65Nc
- 2562. Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980 Range (as codes): MA DZ Blid Btina Ges Agi Berr TN PT ES Mu FR Co Sa Si IT MT CH YU AL BG GR Cr TR Cc IL Pa CY RU IQ Agh Mos Bgd IR Elb Kdj Th 01 06 07 08 09 10 13 17 27 31 32 33 35 46 51 56 64 65 06R 06Rq 13C 13Cf 27D 27Db 56F
- 2563. Caradrina (Paradrina) fulvafusca Hacker,2004** (Noctuidae) Synonym(s): *fulvafusca* Hacker,2004 Range (as codes): TR IR Zj RU Ro 01 04 06 07 08 12 24 25 30 36 38 42 50 51 60 65 66 73 06R 12C 12Cb 25C 25Ca 25K 30B 30Bg 30Be 30Bj 30D 30Dt 36F 36Fa 36Fb 38C 38Ca 42B 42Bb 50G 50Gd 60C 65F 65Fa 66P 73C 73Cd
- 2564. Caradrina (Paradrina) levantina Hacker,2004** (Noctuidae) Synonym(s): *levantina* Hacker,2004 Range (as codes): IT GR CY IL Pa Hf IQ Rba TR 33 44 56F 63 33O 33P 44F 44Fb 56F 56Fv 63B
- 2565. Caradrina (Paradrina) poecila (Boursin,1939)** (Noctuidae) Synonym(s): *poecila* Boursin,1939 Range (as codes): TR Cc IR Lo Fa By Yas Es Com 01 04 08 12 24 25 30 32 38 49 50 58 60 65 69 73 04D 04Da 04I 12E 12Eb 30B 30Be 30Bl 30Bg 30Bh 30D 30Da 49E 49Ea 60C 65Bx 65F 65Fp 65Fz 65G 65Ge 73C 73Cd
- 2566. Caradrina (Paradrina) scotoptera (Püngeler,1914)** (Noctuidae) Synonym(s): *scotoptera* Püngeler,1914 Range (as codes): DZ Abe Btina TR IL Js Pa IR Km Ksh By Fa 01 33 44 62 01D 33O 33P 44I 44Ic
- 2567. Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935] Range (as codes): MA Rf DZ TN LY EG JO PT ES Mu FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag CY IL Pa Hf IR Mz Elb Dam Plr DK NO SE FI EE LV LT RU MD UA BY KG 06 07 16 36 64 76 16A 76B 76Ba
- 2568. Caradrina (Paradrina) suscijania Mentzer,1981** (Noctuidae) Synonym(s): *suscijania* Mentzer,1981 Range (as codes): HV MK BG GR TR 01 06 07 14 17 50 51 70 51B 51Ba
- 2569. Caradrina (Paradrina) wullschlegeli (Püngeler,1903)** (Noctuidae) Synonym(s): *wullschlegeli* Püngeler,1903 Range (as codes): ES IT CH MK AL BG GR Cr TR Cc CN Ui IR Gl Kh RU At KG KK 06 07 08 12 13 14 18 24 25 30 35 37 42 43 49 50 51 56 58 60 62 65 66 80 06R 06Re 08A 13B 13G 13Gf 13Gg 13Gy 13Gü 13Gw 25T 36F 49E 49Ea 56F 58N 60C 65F 65Fr 65Fm 65Fg 65Fp 65Fz 65K 65Kp 65Kl 65Z 65L 65Lb
- 2570. Caradrina (Paradrina) zandi (Wiltshire,1952)** (Noctuidae) Synonym(s): *zandi* Wiltshire,1952 Range (as codes): Cr CY LB Bei JO IL Pa TR EG IR Fa Shr
- 2571. Caradrina (Platyperigea) albina (Eversmann,1848)** (Noctuidae) Synonym(s): *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912 Range (as codes): RO RU Kr St Ky Sb Ro Ua Cm GR Cc AM TR IR Fa Kh KuB Mz Ha Dam Elb Km Th Gl CN Ui Ku Yk M-A MN PK Hu Gg AF Kab KK TeA TrA Ax T-A TJ Pm Chr UZ N-A TM Kp KG DsA Tk Sp 01 04 06 07 13 17 18 24 25 30 33 34 36 38 42 50 51 56 58 62 65 66 71 13B 13G 13Gü 13Gw 34S 36F 36Fb 38O 56F 58N 65Bx 65D 65Df 65F 65Fa 65Fp 65Fm 65G 65Ge 65N 65Nc 65Nc4 71C 71Cb
- 2572. Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913; *predotae* Schawerda,1934; *alfacaria* Draudt,1934; *pujoli* Agenjo,1954; *buddenbrocki* Gross,1956; *proverai* Berio,1977 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU YU AL BG GR Cr TR Cc GG Smt Bjo IR Fa Kh TM Kp RU Nt Sb LB IL Pa Hf CY 03 05 06 07 08 14 17 18 22 29 32 33 39 42 46 50 51 62 65 66 05A 65D 65Dn 65F 65Fm
- 2573. Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae) Synonym(s): *kadenii* Freyer,1836 Range (as codes): PT ES FR Co Sa Si? IT CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR LB Bsa EE RU Ro Kr St Nt Ky MD UA IR Elb Mz Gl TM AZ Kir Cc GG Lag AM CY IL Pa 01 10 18 22 30 33 44 56 58 30B 30Bf 56F 58G
- 2574. Caradrina (Platyperigea) montana (Bremer,1861)** (Noctuidae) Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949 Range (as codes): FR IT CH AT CZ SK GR DK TR Elb Th Maz Kdv Dam Kd Zj Kh TM Kp NO SE FI EE Cc GG AM AZ RU Kb Nt Ich Ing Da Am Us Vv Sh Sb Tv Ya Sj CN Ts Ui Alt KG Aa MN PK Ch Ld Gg Hu IN KK TJ Pm Chr CA US 04 25 36 42 50 51 58 65 58G 65G 65Gj
- 2575. Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae) Synonym(s): *terrea* Freyer,[1840]; *ustirena* Boisduval,1840 Range (as codes): MA FR Sa Si IT CH AT CZ HU RO YU BG GR TR Cc AM Eri RU Sr Ro Kr St Nt Ing SY AF Kab Bd PK Kjb Bbu Hu Ti IR Kh KuB TJ Pm Chr TM Kp KG Tk Dj Ii CN Ui Um KK Ik Na Ax UZ 03 04 06 08 12 13 18 23 25 30 36 42 49 50 51 65 66 06R 06Rb 49E 49Ea 65F 65Fe
- 2576. Caradrina (s.str.) agrotina (Staudinger,1892)** (Noctuidae) Synonym(s): *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933. Range (as codes): JO IL Pa LB TR Cc AM 05 06 07 21 31 33 42 46 56 62 05A 06R 21N 21Nb 31M 33G 56F 56Fc 56Fj
- 2577. Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) Synonym(s): *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 *nec* Esp.,[1785]; *sepii* Hübner,[1803]; *dresnayi* D.Lucas,1933; *alpina* Hartig,[1938] Range (as codes): PT ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag AM Dar AZ Kir DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Da Ky MD UA Lvv BY CN Ui Chk Kl KG KK Na CA BCo 06 13 14 25 34 50 54 58 65 75 13A 13B 14B 14Bb 25T 58N 65F 65Fr
- 2578. Cardepiia arenbergeri Pinker,1974** (Noctuidae) Synonym(s): *arenbergeri* Pinker,1974 Range (as codes): TR 01 06 27 38 42 51 58 71 06Y 06Yb 42J 42O 71B 71Ba
- 2579. Cardepiia hartigi Parenzan,1981** (Noctuidae) Synonym(s): *hartigi* Parenzan,1981 Range (as codes): IT GR TR UA CY 01 38

- 2580. *Cardepija sociabilis* (Graslin,1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986. Range (as codes): Cn DZ Hes Khh Perr Out BSa Ges Ceg TN LY Cy AE PT ES Mu FR Py Sa Si GR TR RU Ro Kb St Da Kap Kyi IR Kz Ab Khy Mar Mak Ak Mz Elb Dam Kh Fa Ss Bu Dlk Hz IL Pa SY EG Sn IN Rj TM AF Pli TJ Cc AM Eri 01 04 06 35 38 42 44 51 63 76 06Y 06Yb
- 2581. *Catephia alchymista* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775 Range (as codes): MA DZ Btina Hrh DhM Sét Anna Sbd TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Smt Bjo Der AZ Kir Hkd Cc IR Mz Gls IQ Mos CY IL Pa LV LT RU Ro St Kr Ich Da MD UA BY 06 07 17 18 30 33 34 39 42 56 62 65 30D 30Df 33E 33G 56F 56Fa 65D 65Dv
- 2582. *Catocala (Ephesia) brandti* Hacker & Kautt,1999** (Noctuidae) Synonym(s): *brandti* Hacker & Kautt,1999 Range (as codes): IR Es Lo Fa Shr Kd Mrv Bne Kaz Mia Km Kz Skh Yas Elb Mz Gls TR GR 13 25 30 47 56 63 73 13A 13Ab 13Ax 25F 30B 30Bç 30Bz 30Be 30D 30Df 47L 47La 56C 56Cc 56F 56Fb 56Fç 56Fü 56F6 73A 73Ab 73D 73Df
- 2583. *Catocala (Ephesia) catei* Weisert,1998** (Noctuidae) Synonym(s): *catei* Weisert,1998 Range (as codes): TR 44 44F
- 2584. *Catocala (Ephesia) disjuncta* (Geyer,[1828])** (Noctuidae) Synonym(s): *disjuncta* Geyer,[1828] Range (as codes): YU B-H AL BG GR CY Cr Rd TR RU Cc Kr MD UA BY 01 05 06 07 08 10 16 18 30 31 32 33 35 42 50 56 62 05A 06R 06Rb 07B 07C 08H 08Hc 10K 10Ka 16A 18I 30D 30Dx 33G 33N 56F 56Fs
- 2585. *Catocala (Ephesia) diversa* (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988 Range (as codes): ES FR Co Si IT AT SK HU RO YU AL BG GR TR IR By Fa RU MD UA BY LB IL Pa Mer He IQ 03 05 16 17 30 42 50 56 62 05A 16A 30B 30Bf 56A 56Aa 56F 56Fa 56Fb 56Fs
- 2586. *Catocala (Ephesia) eutychea* (Treitschke,1835)** (Noctuidae) Synonym(s): *eutychea* Treitschke,1835; *delicata* Vicent,1913. Range (as codes): DZ Hrh Sbd Abe AL GR Cr TR LB Bsa IL Pa SY JO 01 05 07 10 16 17 20 31 32 33 35 42 45 50 05A 07B 07C 16A 31K 31Ka 33G 33P 33N 45P
- 2587. *Catocala (Ephesia) fulminea* (Scopoli,1763)** (Noctuidae) Synonym(s): *fulminea* Scopoli,1763; *manturna* Hufnagel,1766; *paranympha* Linnaeus,1767; *invasa* Leech,1900; *melli* Ishizuka,2001; *tungus* Ishizuka,2009 Range (as codes): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR DK FI EE LV LT RU Cc Ro Kr St Ich MD UA Lvv BY CN Sz 06
- 2588. *Catocala (Ephesia) nymphaea* (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]; *conjux* Freyer,1850 Range (as codes): DZ Anna Blid Agi Ktr DhM Btina Sfr Abe Sbd MA Mzg TN PT ES Mu FR Co Sa Si IT MT DE CH AT YU AL BG GR Cr TR GG AM Cc DK RU Ro MD UA BY Ch PK AF Srb Gbh Bm Pag Kab CY IL Pa IR Elb Th Kz Yas Skh 01 06 07 16 18 30 33 35 36 48 56 62 73 06R 06Rb 16A 18I 30D 30Df 48D 56F 73C 73Ce
- 2589. *Catocala (Ephesia) separata* Freyer,1848** (Noctuidae) Synonym(s): *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903 Range (as codes): BG TR GG Smt Akh Cc MK GR LB SY IL Pa 07 31 33 42 31M
- 2590. *Catocala (Ephesia) weiserti* Hacker,1999** (Noctuidae) Synonym(s): *weiserti* Hacker,1999 Range (as codes): TR 03 06 50 03H 06R 06Rb 06Rq 06E 50G
- 2591. *Catocala (Ephesia) wolffi* Hacker,1999** (Noctuidae) Synonym(s): *wolffi* Hacker,1999 Range (as codes): TR IR By 30 65 30B 30Bi 30D 30Dx 65D 65Dv
- 2592. *Catocala (Mormonia) dilecta* (Hübner,[1808])** (Noctuidae) Synonym(s): *dilecta* Hübner,[1808]; *dayremi* Oberthür,1907; *powelli* Oberthür,1907; *laetita* Schawerda,1931 Range (as codes): DZ Sbd Agi DhM TN Abe Btina PT ES Mu FR Co Sa Si IT DE CH AT SK HU RO YU BG GR Cr CY TR RU MD UA BY 05 06 33 46 05A 33G 46G 46Gf
- 2593. *Catocala (Mormonia) sponsa* (Linnaeus,1767)** (Noctuidae) Synonym(s): *sponsa* Linnaeus,1767; *rejecta* Fischer v. Waldheim,1820; *laeta* Oberthür,1907; *purpurea* Oberthür,1922 Range (as codes): MA DZ DhM TN Sbd PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Cc Ro Kr St Ich MD UA Lvv BY KG Uk 65 65A 65Ai
- 2594. *Catocala (s.str.) abacta* Staudinger,1900** (Noctuidae) Synonym(s): *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986. Range (as codes): TR IR Ab Kd Sqq Sdt Mrv Bne Fa Kz Mia Es IQ Shq Akr 01 02 07 12 13 21 23 24 30 42 44 46 47 48 56 62 65 70 72 73 01H 02F 02Fz 07A 12A 12Aa 13C 13Cf 21L 21N 24E 24Ea 30B 30Ba 30Bç 30Bz 30Bd 30Be 30Bf 30Bi 30Bj 30Bl 30D 30Df 30Dt 30Dx 46D 48D 56F 56F6 62H 65A 65Am 65Am1 65D 65Dh 65Dv 70D 72E 72Eb 72Ec 73C 73A 73Ab 73Cd 73D 73Da 73De
- 2595. *Catocala (s.str.) conjuncta* (Esper,[1787])** (Noctuidae) Synonym(s): *conjuncta* Esper,[1787]; *conjuga* Hübner,[1803]; *vivida* W. Warren,1913; *perrettei* Seyer,1976 Range (as codes): DZ Abe DhM TN Agi Sbd PT ES Mu FR Co Sa Si IT MT YU AL BG GR Cr TR LB IL Pa He Mer 07 17 22 33 35 07B 33G
- 2596. *Catocala (s.str.) conversa* (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813] Range (as codes): MA DZ Lbs Tun DhM Hrh Dzc Abe Sbd Btina TN PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR CY DK RU Ro Kr MD UA Cc AM GG AZ Kir LB Bsa IL Pa JO SY Hal 01 06 07 08 11 13 16 17 22 25 27 30 33 35 42 45 48 51 56 65 70 06R 06Rb 13G 13Gg 16A 25C 25Ca 33G 48D 56F 56Fç 65A 65At 65At5 65D 65Dv
- 2597. *Catocala (s.str.) elocata* (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]; *gitana* Mabille,1885 Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Tbl Smt Bjo AZ Kir Len Cc IR Ab Oru Sro Elb Th Km Qz Kz Yas Skh SE LT RU Ro Kr St Nt Ing Kyi Da MD UA BY LB IL HV SY IQ Bgd JHa JO CN Ui Ku Chk UZ Fe PK Swa Mdy Btina Bdj DhM Sfr Abe Clo Anna Orn 01 08 13 16 17 18 21 30 33 38 46 48 50 51 56 58 60 62 63 65 01K 13C 13Cf

- 13G 13Gü 13Gw 16A 21N 21Nb 30D 30Df 33G 36F 36Fb 38H 38Hc 46G 46Gf 48D 51B 51Ba 56E 56Eh 56F 56Fb 58G 58R 62G 62Gb 63E 65A 65Am 64Am4 65D 65F 65Fa 65Fm 65Fp 65Fz 65K 65Kp 65N 65Ne 65Np2 65Nm
- 2598. *Catocala (s.str.) fraxini* (Linnaeus,1758)** (Noctuidae) Synonym(s): *fraxini* Linnaeus,1758 Range (as codes): ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr St Kc Ich MD UA Lvv BY CN Ui Chk Kun o6 o8 14 25 62 75 o6R o6Rb o6Rq 62G 62Gb 75F 75Fb
- 2599. *Catocala (s.str.) hymenaea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775 Range (as codes): IT AT CZ SK HU RO YU BG GR Cr TR GG Smt Bjo Lag AZ Kir Cc IR Kd Bne Mrv Snj LB IL Pa Mer RU At Ro Kr St Ich Da MD UA BY CN o5 o6 o7 o9 13 16 30 33 34 35 42 50 56 60 65 o5A o6F 13G 13Gü 13Gw 16A 30D 30Dx 33G 34S 56F 56Fa 56Fb 65L 65Lb
- 2600. *Catocala (s.str.) lesbia* Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887 Range (as codes): TR EG Sn IL Pa Ngv IQ Kq JO IR Fa Kaz Mia Lo Elb Th Ss Es Kz AF PK Nf TM Kp 13 23 30 56 65 73 13C 13G 13Gü 13Gw 30B 30Be 30D 30Df 56F 56Fa 56Ft 56Fv 56F6 65D 65Dö 73C 73A 73Ab 73Cd 73D 73Da
- 2601. *Catocala (s.str.) lupina* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913 Range (as codes): IT YU BG GR TR AZ Hkd Kir Cc RU Ro MD UA BY IR Fa Lo IQ KG Uk At o1 o6 o8 13 18 25 32 38 50 51 58 62 65 o6C o6b 13F 13F7 13F71 38H 38Ha 58G 65A 65Ac 65Ac3 65F 65Fm 65Fa 65Fş 65Fq 65L 65Lb
- 2602. *Catocala (s.str.) mesopotamica* Kuznesov,1903** (Noctuidae) Synonym(s): *hetaera* Staudinger,1895 *nec* Stgr.,1892; *aspasia* Staudinger,1897 *nec* Streck.,1874; *mesopotamica* Kuznesov,1903 Range (as codes): TR IR Km Krd Fa Lo By Kd Bne Mrv Kaz Mia IQ o2 13 30 46 47 56 65 o2F o2Fz 13G 13Gg 30D 30Dt 46G 46Gf 47D 56F 56Fb 56Fv 65A 65Am 65Am4
- 2603. *Catocala (s.str.) neonympha* (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha* Esper,[1805] Range (as codes): TR AZ Kir AM GG Cc RU Ro St Ich Da Der At MD UA BY TJ KG T-S Ket Aa TrA Uk KK Ik Smk UZ TM Fe CN Ui Ku Kön Tek Kty AM AF Bd Sen Kab Bark Gbh IR Ab Oru Ha Km Kd Bne Mrv Snj Kaz Mia Fa Bk Qz IQ JHa Mos Sbn Mq Bsr kut Dy Tlh SY o5 13 16 19 23 30 36 42 44 56 58 60 62 65 o5A 13B 16A 19P 23I 30B 30Bf 30D 30Da 36D 36Db 42J 42X 42Xa 44E 44Ee 56F 56Fa 56Fc 65F 65Fa 65Ff 65L 65Lb
- 2604. *Catocala (s.str.) nupta* (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concubina* Hübner,[1803] Range (as codes): PT ES Mu FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA Lvv BY CN Ui Ku Chk Gn Rth Sz Yu Ti RU Cc Ro Kr St Ich Ing Kyi At Am Vv Ask KG DsA KK Ik Li JP 12 13 16 21 30 33 38 39 46 48 51 56 59 62 65 73 12A 12Ac 16A 21N 21Nb 30D 30Df 33G 46G 48D 56F 56Fb 73A 73Ad 73Ad2
- 2605. *Catocala (s.str.) nymphagoga* (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* De Villers,1789; *tmolia* Lederer,1865; *vallantini* Oberthür,1894 Range (as codes): DZ TN Blid Sbd Abe PT ES Mu FR Co Sa Si IT MT GB CH AT CZ SK HU RO YU AL BG GR Cr Rd CY IR Fa Kz Yas Skh Mz Gls TR RU Cc AZ Len MD UA BY LB Bsa IL Pa JO IQ o1 o5 o6 o7 11 12 16 17 30 33 35 39 44 45 48 50 56 62 65 73 o5A o7B 12A 12Aa 16A 30B 30Be 30Bj 30D 30Dt 33G 44E 44Ee 48F 56F 56Fa 56Fb 56Fs 56Fv 62H 65D 65Dl 65Dlc 65Dn 73C 73Cd 73D 73Df
- 2606. *Catocala (s.str.) optima* Staudinger,1888** (Noctuidae) Synonym(s): *optima* Staudinger,1888 Range (as codes): KG Bai Tk CN Ui Ku IQ Bgd IR TR
- 2607. *Catocala (s.str.) promissa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813]; *hilaris* Oberthür,1907; *ochracea* Oberthür,1907; *electra* A.Bang-Haas,1910 Range (as codes): DZ Clo Sbd DhM TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY TR DK SE FI EE LV LT RU GG Smt Bjo AZ Len Cc Ro Kr St Ich Ing MD UA Lvv BY o6 o8 o9 16 17 39 56 73 75 o6R o6Rb 16A 56F 56Fa 56Fb 56Fc 73D 73Df 75Ff
- 2608. *Catocala (s.str.) puerpera* (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pelle* Hübner,[1809]; *orientalis* Staudinger,1877; *pudica* Moore,1879; *rosea* Austaut,1884; *pallida* Alpheraky,1887; *romana* Schultz,1909; *syriaca* Schultz,1909; *tarbagata* Schultz,1909; *centralasiae* Sheljuzhko,1943 *nec* Kuzn.,1903 Range (as codes): MA DZ TN PT ES FR IT CH AT PL CZ SK HU RO YU AL BG GR Rd TR GG Smt Bjo Lag AZ Hkd Cc LB Bei RU MD BY Ld IN Tar Br TM Kp IL Pa SY JO EG Sn IQ IR Ab Qba Fa Km Elb Th Kd Snj Lo Kh Msh CN Ui Chk Au Ln Kl AF Slg Kab Srb KK Skm Sfr Sbd KG Uk RU Or Ro Kr St Sr Dds Ur Cc UA UZ TJ Abe o1 o5 o6 o8 16 18 19 25 33 42 50 51 58 65 73 76 o5A 16A 19P 33G 51B 51Ba 65F 65Fa 65Fp 65Fz 65K 65Kp 73D 73Df 76B 76Ba
- 2609. *Catocala (s.str.) viviannae* Hacker & Kautt,1996** (Noctuidae) Synonym(s): *viviannae* Hacker & Kautt,1996 Range (as codes): TR o2 62 62H
- 2610. *Celaena haworthii* (Curtis,1829)** (Noctuidae) Synonym(s): *haworthii* Curtis,1829; *hibernica* Stephens,1829; *lancea* Stephens,1829 Range (as codes): FR IE GB BE NL DE AT PL CZ SK TR DK NO SE FI EE LV LT RU MD UA BY 25 25F
- 2611. *Cerapteryx graminis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]. Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich MD UA Lvv BY o8 25 75 25F
- 2612. *Cerapteryx megal* (Alpheraky,1882)** (Noctuidae) Synonym(s): *megal* Alpheraky,1882. Range (as codes): RU Cc Ich Ce8 Da Kus GG TR CN Ui Ku Arc Ju KK TrA o4 o8 25 65 75 65F 65Fa
- 2613. *Cerastis rubricosa* (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809;

- mista* Hübner,[1813]. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kc Nt MD UA Lvv BY JP 06 09 14 17 35 42 43 50 58 06R 06Ra 42B 43D
- 2614. *Cerocala sana* Staudinger,1901** (Noctuidae) Synonym(s): *insana* Staudinger,1871 *nec* H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910; *perorsorum* Turati,1924; *rothschildi* Turati,1924; *autumnalis* Turati,1926; *fulgens* Berio,2002; *turatii* Berio,2002 Range (as codes): DZ Onç Amu Sfr Bsk Orn BSa Lgt Ceg Ogl Gle Gha Ges Dje Hrh LY EG Sn SA TR IR Hz Ss Ahz Chh B-A JO BH IQ IL Pa LB 07 31 56 31A 56E 56Eh
- 2615. *Charanyca (Rusina) ferrosqualida* Simonyi,1996** (Noctuidae) Synonym(s): *ferrosqualida* Simonyi,1996 Range (as codes): TR Cc 08 28 61
- 2616. *Charanyca (Rusina) ferruginea* (Esper,[1785])** (Noctuidae) Synonym(s): *umbratica* Goeze,1781 *nec* Linn.,1758; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cc TR GG Smt Bjo DK NO SE FI EE LV LT RU Ro Kr Kc Nt Ing Da Ur Sb Sj At MD UA Lvv BY 14 18 34 36 36F
- 2617. *Charanyca (s.str.) trigrammica* (Hufnagel,1766)** (Noctuidae) Synonym(s): *trigrammica* Hufnagel,1766; *quercus* Fabricius,1775; *trilinea* [Denis & Schiffermüller],1775; *evidens* Thunberg,1784; *notacula* Fabricius,1787; *quercicola* Gmelin,1790; *bilinea* Hübner,1803; *semifuscans* Haworth,1809; *approximans* Haworth,1809; *asiaminorica* Pinker,1980 Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Kr Nt St GG Smt Bjo MD UA Lvv BY 06 33 34 06R 06Rh
- 2618. *Chazaria incarnata* (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. Range (as codes): DZ Orn Ahr BSa Ges Agi PT ES Mu IT RO YU BG GR TR GG Smt Tbl AZ Kir AM Cc RU Ro St Da MD UA BY IR Fa Com Elb Th Kdj Mz Ab Mak Ss Hz B-A Bu Dlk IQ AF Hr Pli IL Pa SY 01 05 06 07 13 18 20 21 23 24 25 33 34 36 38 39 42 44 45 46 50 51 58 63 65 71 01H 05A 06R 13A 13Ab 13Ax 21N 21Nb 21Nh 23I 36D 36Db 44E 44Ei 44L 44Lc 58N 65A 65Ai 65F 65Fa 65Fp 65I 65K 65Kl 65Z 65M 65Md
- 2619. *Chersotis (Cyrebia) adili* (Koçak,1987)** (Noctuidae) Synonym(s): *adili* Koçak,1987 Range (as codes): TR Cc GG AM 53 75 53N 75F 75Fg
- 2620. *Chersotis (Cyrebia) anachoreta* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987 Range (as codes): RU Kr St Kb Nt Da GG Cc TR IR Mz AM AZ 05 08 25 36 51 53 65 69 75 53B 53N 65Bx 65G 65Ge 75F 75Fg
- 2621. *Chersotis (Cyrebia) luperinoides* Guenée,1852** (Noctuidae) Synonym(s): *luperinoides* Guenée,1852 Range (as codes): RU Kb Kc Nt Cc GG TR 08 61 69 75 69A 75F
- 2622. *Chersotis (Cyrebia) soganli* Matov, Gyulai, Varga, L.Ronkay & G.Ronkay,2013** (Noctuidae) Synonym(s): *soganli* Matov, Gyulai, Varga, L.Ronkay & G.Ronkay,2013 Range (as codes): TR 53 69 53N 69B 69Bb
- 2623. *Chersotis (s.str.) alpestris* (Boisduval,[1837])** (Noctuidae) Synonym(s): *alpestris* Boisduval,[1837] Range (as codes): ES FR IT CH AT RU Ro Ich Ing Da Ur UA Cm TR IR Kh KuB Mz Elb Th Lo Cc AM KK Ik 04 12 13 25 29 36 42 51 58 65 76 13G 13Gü 13Gw 25C 29F 42B 65A 65Ac 65Ac3 76C
- 2624. *Chersotis (s.str.) anatolica* (Draudt,1936)** (Noctuidae) Synonym(s): *anatolica* Draudt,1936; *elegantula* Boursin,1945. Range (as codes): ES Mu IT GR TR Cc AZ RU Ing Da IR Fa By Bk Mz Elb Th Kdv Lo TM Kp 01 03 04 06 13 14 24 25 36 38 42 50 51 56 58 60 65 70 01L 01La 03H 06D 06Da 06Y 06Yb 13G 13Gü 13Gw 14I 38C 42B 42D 50G 50Ga 50Gd 51B 51Bc 56F 56Fs 65Bx 65D 65Df 65F 65Fm 65Fp 65Fz 65G 65Ge 65K 65Kb 65Z 70C 70Cf 70Cf
- 2625. *Chersotis (s.str.) andereggii* (Boisduval,[1837])** (Noctuidae) Synonym(s): *andereggii* Boisduval,[1837] Range (as codes): FR IT CH GR FI EE RU TR IN Ld Cc AZ IR KK Ik T-S At Sj MN CN Ui Kml 04 08 25 36 65 76 04I 04D 04Da 25T 65Bx 65G 65Ge 76C
- 2626. *Chersotis (s.str.) capnistis* (Lederer,[1870])** (Noctuidae) Synonym(s): *capnistis* Lederer,[1870]; *neara* Püngeler,1902. Range (as codes): GR RU Ur Or Gub TR Cc IR Zj Fa Ss Elb Th AF TM Mrw CN Ui IL Pa He 01 03 06 08 18 25 29 32 36 38 42 43 46 50 51 56 58 60 65 66 70 01L 01La 06B 06K 06Kc 06R 25T 42B 50G 50Gd 56F 56Fq 65A 65Ab 65Aba 65Bx 65D 65Df 65F 65Fa 65Fp 65Fz 65G 65Ge 70C 70Cb
- 2627. *Chersotis (s.str.) cuprea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitidea* Esper,[1794]; *palustris* Osthelder,1927; *jordanovi* Touleschkov,1951. Range (as codes): ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK NO SE FI EE LV LT RU Ro Kr Kb Ur Sr MD UA Cm BY CN Ui Kn? Ti Je Ch? JP 14 18 42 61 14B 14Bb 18F 61K 61Kb
- 2628. *Chersotis (s.str.) fimbriola* (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798] Range (as codes): MA Rf ES FR Si IT CH AT SK HU RO YU AL BG GR Cr TR Cc AM Eri Geg GG AZ Nv Ord RU Ro Kb Nt Ich MD UA Cm BY IR Kh KuB Elb Kdv Dam Fa Bk By Es Ha Zj Mz Th Ab Bne Sqg Mrv Oru Sdt Lo Kd TM IQ 01 03 04 05 06 08 12 13 18 19 23 24 25 29 30 36 38 42 44 46 49 50 51 56 58 60 65 66 69 70 73 76 04D 04Da 04I 05A 06A 06Aa 06B 06Bb 06C 06Cb 06K 06Kc 06R 06Ra 06Y 06Yb 08H 08Ha 08Hb 13A 13Ab 13Ax 13B 13C 13Cf 13F 13F7 13F71 13G 13Gf 13Gy 13Gü 13Gw 19C 23I 25C 25Ca 25F 29A 29Ab 30B 30Bd 30Be 30Bg 30D 30Df 30Dt 36D 36Df 36F 36G 38G 38Ga 42B 42D 42O 44F 44Fa 44L 44Lb 44I 46G 49E 49Ea 50G 50Ga 56F 56Fb 56Fq 56Fs 58N 60C 65A 65Ac 65Ac3 65Ab 65Aba 65B 65Bn 65Bn1 65Bo 65Bx 65D 65Df 65F 65Fa 65Fm 65Fp 65Fz 65G 65Gb 65Ge 65K 65N 65Np1 65Np2 65Nm 66P 70C 70Cb 71C 71Cd 73C 73Cd 73D 73Da 76C
- 2629. *Chersotis (s.str.) firdussi* Schwingenschuss,1937** (Noctuidae) Synonym(s): *firdussi* Schwingenschuss,1937 Range (as codes): AF IR Fa Elb Plr Lo Kh KuB TR 25 49 65 25D 49F 49Fd 65Bx 65G 65Ge
- 2630. *Chersotis (s.str.) friedeli* Pinker,1974** (Noctuidae) Synonym(s): *friedeli* Pinker,1974 Range (as codes): TR 06 25 42 50 51 58 63 06Y 06Yb 25D 50G 50Ga 51B 51Bc 58G 58Gi 63E 63M

- 2631. Chersotis (s.str.) glebosa (Staudinger,1900)** (Noctuidae) Synonym(s): *glebosa* Staudinger,1900
Range (as codes): TR IR Fa Elb Th Dam 04 12 25 25 30 38 46 58 60 65 69 70 04I 04D 04Da 25B 30B 30Be 38G 38Ga 58G 65Bx 65G 65Ge 70A 70Ab
- 2632. Chersotis (s.str.) gratissima (Corti,1932)** (Noctuidae) Synonym(s): *gratissima* Corti,1932 Range (as codes): TR Cc AM Arg Svn Geg IR Ma Es By 01 04 06 12 23 25 30 36 42 44 46 51 58 60 65 69 70 73 75 01K 04D 04Da 06A 06Aa 06C 06Cb 06E 06Ea 12C 12Ca 23I 36F 36Fb 42B 58G 65Bx 65D 65Df 65F 65Fa 65G 65Ge 65Gj 65K 65Kd 65Kg 65N 65Np 65Nm 69B 69Ba 70C 70Cb 73C 73Cd
- 2633. Chersotis (s.str.) illauta (Draudt,1936)** (Noctuidae) Synonym(s): *illauta* Draudt,1936 Range (as codes): TR AM Cc Geg IR Fa Elb Th 04 12 25 42 46 50 51 56 58 65 70 04I 42B 50G 50Ga 56F 56Fs 58G 70A 70Ac 70C 70Cb
- 2634. Chersotis (s.str.) juvenis (Staudinger,1901)** (Noctuidae) Synonym(s): *caelebs* Staudinger,1900 *nec Stgr.,1896; juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. Range (as codes): AM Cc IR Fa Kh Elb Th Kd Snj TR 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69 73 04D 04Da 06B 06Bb 25N 30B 30Bj 36D 36Db 50G 50Gd 58G 65A 65Ab 65Aba 65Bx 65F 65Fa 65G 65Ge 73C 73Cd
- 2635. Chersotis (s.str.) laeta (Rebel,1904)** (Noctuidae) Synonym(s): *laeta* Rebel,1904 Range (as codes): YU B-H AL GR Cr TR Cc AM Geg RU Ing Da IR Fa Bk Ha Zj Elb Th UA? Cm? LB Bsa IL Pa He 01 03 04 05 06 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69 70 71 04D 04Da 04I 05A 06R 06Re 08H 08Hb 12C 25C 25Ca 25F 25M 25T 29A 29Ab 30B 30Bf 30D 30Da 36D 36Df 38G 38Ga 42B 42J 42X 42M 46G 50G 50Ga 58G 58N 65A 65Ab 65Aba 65B 65Bo 65Bx 65D 65Df 65Dg 65Dga 65F 65Fm 65Fz 65K 65Kb 65Z 65N 65Np2 65Nm 70C 70Ce 71B 71Ba
- 2636. Chersotis (s.str.) larixia (Guenée,1852)** (Noctuidae) Synonym(s): *larixia* Guenée,1852. Range (as codes): ES An Snv FR IT CH RU Nt Da Kus TR Cr IR Kh KuB Zj Mz Elb Dam LB Bsa Cc GG AM AZ TM 04 12 25 30 38 42 50 51 58 65 69 73 76 04D 04Da 25C 25Ca 42B 51B 51Bc 58G 65A 65Ab 65Aba 65Bx 65G 65Ge 73C 73Cd 76C
- 2637. Chersotis (s.str.) margaritacea (De Villers,1789)** (Noctuidae) Synonym(s): *margaritacea* De Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982 Range (as codes): MA DZ PT ES Mu FR Sa? Si IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR RU Ro Kr St Nt Ich Ing Da MD UA BY AM Cc GG Smt Bjo AZ TM Kp LB Us IR Elb Th Gh LB Bsa IL Pa He 01 06 08 14 16 18 25 33 36 42 46 50 56 58 61 65 70 06E 06Ea 06R 06Rb 06Rq 06Y 06Yb 14I 16A 33A 33Ae 42D 56F 56Fb 58G 65A 65Am 65Am4 70C 70Cb
- 2638. Chersotis (s.str.) multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulouchkov,1951. Range (as codes): MA Py ES FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU Nt Ich Ing Da MD UA BY LB Bsa SY IR Zj Elb Th Dam Lo AM Cc TM Am Us IL Pa 03 04 05 08 13 14 18 25 30 32 33 36 42 46 50 51 58 60 66 76 05A 13G 13Gü 13Gw 25F 25T 36D 42B 42D 58N 60C 76C
- 2639. Chersotis (s.str.) obnubila (Corti,1926)** (Noctuidae) Synonym(s): *obnubila* Corti,1926; *maraschi* Corti & Draudt,1933 (p.61) *nec* Corti & Draudt,1933 (p.58); *ebertorum* Koçak,1980. Range (as codes): LB Bsa TR IR Fa Ss AM Cc SY IL Pa TM Kp 01 02 30 44 46 56 73 02F 02Fz 46G 56F 56Fj 73C 73Cd
- 2640. Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787. Range (as codes): FR Si IT CH AT PL CZ SK HU RO YU BG GR TR RU Ro Ich Ing Da MD UA BY Cc AM IR Sb AT TM KK Ik DsA 06 07 08 11 12 13 18 24 25 26 36 38 42 43 50 49 56 60 65 66 73 75 06R 13G 13Gg 13Gf 13Gy 13Gü 13Gw 25M 26G 42B 42D 50G 50Gd 49E 49Ea 56F 65F 65Fr 65Fg 65Fm 65Fp 65Fz 65N 65Np2 65Np6 65Nm 73C 73Cd 75D
- 2641. Chersotis (s.str.) ronkayorum Fibiger Hacker & Varga,1992** (Noctuidae) Synonym(s): *ronkayorum* Fibiger Hacker & Varga,1993 Range (as codes): TR 38 51 58 38G 38Ga 51B 51Ba 58G 58Gg
- 2642. Chersotis (s.str.) sarhada Brandt,1941** (Noctuidae) Synonym(s): *sarhada* Brandt,1941 Range (as codes): IR Ss Kh Ab Oru TR 06 30 58 63 30B 30Be 58G 63B
- 2643. Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906 Range (as codes): TR Cc RU Ing Da IR Fa Kh Gh Ha Kd Sqq Bne Lo Ss TM Kp IQ 04 06 08 14 18 25 33 42 46 50 51 58 60 62 65 66 69 04D 04Da 06R 06Rb 06Rq 14I 62F 65Bx 65D 65Df 65F 65Fp 65Fz 65G 65Ge 65K 65Kd 65Kg 65N 65Nç 65Np1 65Np2 65Nm
- 2644. Chersotis (s.str.) stenographa Varga,1979** (Noctuidae) Synonym(s): *stenographa* Varga,1979 Range (as codes): Cc AM Geg TR 13 25 42 51 58 65 13G 13Ga 42V 58G 65F 65Fa
- 2645. Chersotis (s.str.) zukowskyi (Draudt,1936)** (Noctuidae) Synonym(s): *zukowskyi* Draudt,1936 Range (as codes): GR TR 33 38 50 58 70 58N
- 2646. Chilodes maritima (Tauscher,1806)** (Noctuidae) Synonym(s): *maritima* Tauscher,1806; *bipunctana* Haworth,1812. Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Nt Kyi Da MD UA BY IR Mz 33 42 46 51
- 2647. Chionoxantha staudingeri (Standfuss,1892)** (Noctuidae) Synonym(s): *staudingeri* Standfuss,1892 Range (as codes): TR IQ 47 56 63 47D 56F 56Fv 63H 63Ha
- 2648. Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 Range (as codes): PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR AZ AM GG Cc CY IQ TIH IL Pa Hf SY JO DK NO SE FI LT RU Ro Kr St Ich Da MD UA BY IR Kh KuB Fa Ha Zj GlS Gor Elb Clu Mz Dam Th Mia Kd Mrv AF TM Kp LB Bsa 01 04 05 06 07 08 12 13 14 15 16 17 18 24 25 28 30 31 32 33 35 36 42 44 46 47 50 51 56 58 60 61 62 65 69 73 01A 05A 06R 06Rb 13G 13Gg 13Gy 13Gü 13Gs

- 13Gw 14I 16A 30D 30Df 30Dx 31K 31Ka 31Ka7 42B 42D 44E 44Ei 44L 44Lc 47D 56A 56C 56Cc 56F 58N 65A 65Ac 65Ac3 65Ai 65Am 65Am1 65D 65Dg 65F 65Fd 65Fp 65Fr 65Fm 65Fz 65G 65Gf 65Gy 65K 65Kl1 65Z 73A 73Ad 73Ad2
- 2649. *Chortodes morrisii* (Dale,1837)** (Noctuidae) Synonym(s): *morrisii* Dale,1837; *bondii* Knaggs,1861
Range (as codes): ES FR IT? GB DE AT PL CZ SK HU RO YU BG GR DK SE TR IR 50 80
- 2650. *Chrysodeixis chalcites* (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865 Range (as codes): PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT HU RO YU AL BG GR Cr Rd TR CY IQ Mj Amr LB Bsa Bei SY IL Pa Hf JO DK RU Cc St MD UA BY ZA Sk KE MW ZW Har BW Nga Nta Kzu Kkf Dbn YE Ad IN LK MM CN JP HW WS FJ TO NH SB PG AU MY IR Mz Elb Th Fa Kaz Mia Hz B-A Kd Mrv Dam Qz Se Lo Ss By Hal DZ Anna Clo Abe Hrh Btina Agi Lbs MA 01 05 06 07 16 31 33 36 46 56 61 63 05A 06R 06Rq 06Y 06Yb 07B 16A 31K 31Ka 31Ka7 36D 36Db 46L 56E 56Eh 63E
- 2651. *Cleoceris scoriacea* (Esper,[1789])** (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *capreae* Hübner,[1803]. Range (as codes): ES FR IT DE CH AT CZ SK HU RO YU BG Plv GR TR Cc RU Kr Nt Da 01 05 06 12 21 25 33 35 36 39 44 49 56 65 66 70 01L 01La 01K 05A 06C 06Cb 06E 06Ea 06R 06Rb 12E 12Eb 21N 21Nb 25D 25E 36F 36Fb 39G 44F 44Fa 44Fb 49E 49Ea 49F 49Fe 56F 65A 65Am 65Am4 65N 65Nm
- 2652. *Cleonymia (Serryvania) opposita* (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933. Range (as codes): YU BG GR TR AM Cc AZ Kir Pa IL IQ SY JO IR Ab Oru Mak Km 01 02 05 06 18 21 24 25 27 30 32 33 36 42 44 46 47 49 50 51 56 58 60 62 63 65 73 02F 02Fe 02Fz 05A 06R 06Rh 06Y 06Yb 18F 21L 21Lc 21N 21Nb 21Nc 21Nh 27D 27Da 30D 30Df 33G 36D 36Db 42B 44E 44Ei 47D 49F 49Fb 56F 56Fg 56Fç 56Fv 63B 63Ba 65D 65Dg 65Di 65F 65Fd 65Fg 65Fm 65Fr 65Fp 65Fz 65L 65Lb 65N 65Np 65Np2 65Nm 73E 73Eb
- 2653. *Cleonymia (Serryvania) pectinicornis* (Staudinger,1859)** (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925 Range (as codes): MA DZ BSA Ktr Gf Ges Sbd Tun TN ES IQ IL Pa JO TR SY IR
- 2654. *Cleonymia (s.str.) baetica* (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837 Range (as codes): Cn MA DZ BSA Berr Khh Ahr Btina Ges Sbd Abe TN LY PT ES Mu FR Co Sa Si TR IR Fa Hz B-A Kz SA IL Js Pa SY JO Amm RU Cc Kr 21 27 44 46 47 56 58 63 73 21N 21Nb 21Nc 21Nh 46G 47D 56E 56Ea 56Eh 56F 56Fç 56Fv 63E 73E 73Eb
- 2655. *Clytie (Hypoglaucitis) distincta* (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *distincta* A.Bang-Haas,1907 Range (as codes): TM Kp IR Fa Hz B-A Ss Elb Mz GlS TR 56 73 56F 56Fa 56Fé 56Fö 56Fv 56Fç 73Ab 73A
- 2656. *Clytie (s.str.) gracilis* (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913. Range (as codes): TM Kp IR GlS Kh Es Ss Elb Mz Fa Kaz Mia Hz B-A MN UZ Fe TJ KG RU AF TR 13 65 65D 65Dh 65Dn 65Dv
- 2657. *Clytie (s.str.) sancta* (Staudinger,1898)** (Noctuidae) Synonym(s): *sancta* Staudinger,1898 Range (as codes): Cn DZ Ah Ajj Omy Sfr Ges Ktr Btina MA TN LY LB IL Pa Jt SY JO MT EG Sn TR SA OM IR Fa Ke Kz Yas Kd Snj Km Lo Ss Chh Hz B-A SD MR TD 30
- 2658. *Clytie (s.str.) syriaca* (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. Range (as codes): AT RO YU AL BG GR Cr CY LB Bei Beq IL Pa SY TR RU Cc St Ich Da Der MD UA BY IR Fa Ahz IQ Agh Amr Bgd KG Tk Tks Dj Aa KK Skm UZ 01 02 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 56 62 65 70 02F 02Fd 02Fz 05A 07B 08C 08H 08Ha 13C 13Cf 16A 21N 21Nb 30B 30Ba 30Bç 30Bz 30Bd 30Bf 33A 33Ac 56F 56Fé 56Fç 65A 65Ai 65D 65Dh 70C 70Ce
- 2659. *Clytie (s.str.) terrulenta* (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893 Range (as codes): DZ Omy TR AZ Kir Cc RU Da IQ Bgd IL Pa JO SY UZ TJ TM Kp IR Ahz Fa Ss Chh 13 30 46 56 13F 30B 30Bh 30Bg 30Bf 46D 56A 56Aa 56F 56Fç
- 2660. *Coenophila miniago* (Freyer,[1839])** (Noctuidae) Synonym(s): *miniago* Freyer,[1839] Range (as codes): RU Sr Cc Kyi Ro AM TR TM At Sb UZ 05 25 05A
- 2661. *Colobochyla (Caspicastra) platyzona* (Lederer,1870)** (Noctuidae) Synonym(s): *platyzona* Lederer,1870; *#platyzona* Hacker,1990. Range (as codes): TR AZ Kir Cc IR Fa Lo Kdj Elb Ke Th Kd Bjr Zj Mia Kaz Km TM Kp IQ Rvw 30 56 65 30B 30Bt1 30Bz 30D 30Df 56F 56Fx 56Fv 65A 65Ai 65Am 65Am1 65D 65Dw
- 2662. *Colobochyla (s.str.) salicalis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879. Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr Da MD UA Lvv BY AM IR 34 34A
- 2663. *Colocasia coryli* (Linnaeus,1758)** (Noctuidae) Synonym(s): *coryli* Linnaeus,1758; *gibbosa* Miller,1764 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Ro Kr St Kb Kc Nt Ich Da MD UA Lvv BY 06 08 24 28 34 39 43 53 61 75 06R 06Rb 08H 34A 53N 61K 61Ka 75F 75Fd
- 2664. *Condica viscosa* (Freyer,1831)** (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980. Range (as codes): Cn MA DZ Bsk Perr TN EN PT ES Si IT YU AL BG GR Cr TR CY IQ Bsr LB IL Pa Hf SY JO IR Fa Mia Ss Irs 07 31
- 2665. *Conistra (Dasycampa) erythrocephala* (Fabricius,1787)** (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787. Range (as codes): MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LT RU Cc Ro Kc Kr Da MD UA BY IQ JO 06 11 25 42 58 62 66 06C 06Cb 06R 06Ra 11A 11Aa 25F 42B 42D 42Dd 62G 62Gb

- 2666. *Conistra (Dasycampa) rubiginea* (Fabricius, 1787) (Noctuidae)** Synonym(s): *#rubiginea* [Denis & Schiffermüller], 1775; *rubiginea* Fabricius, 1787; *tigerina* Esper, [1791]; *pulverea* Hübner, [1803]; *neurodes* Hübner, [1813] Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU AM GG Smt Bjo Lag Cc Kr Ich Da MD UA BY 16 25 54 62 25F 54C 62G 62Gb
- 2667. *Conistra (Peperina) torrida* (Lederer, 1857) (Noctuidae)** Synonym(s): *torrida* Lederer, 1857 Range (as codes): ES FR Si IT CH MK YU BG GR TR 06 15 23 46 50 58 70 06C 06Cb 06R 06Rb 15F 46G 70C 70Cb
- 2668. *Conistra (s.str.) acutula* (Staudinger, 1892) (Noctuidae)** Synonym(s): *acutula* Staudinger, 1892; *scortea* Staudinger, 1898 Range (as codes): TR IL Pa He Js JO LB SY 31 46 63 63E
- 2669. *Conistra (s.str.) asiatica* Pinker, 1980 (Noctuidae)** Synonym(s): *asiatica* Pinker, 1980 Range (as codes): TR Cc AM 06 25 36 42 58 62 70 25F 36F 36Fb 42B 58G 62G 62Gb 70C 70Cb
- 2670. *Conistra (s.str.) chaijami* Hacker & Weigert, 1986 (Noctuidae)** Synonym(s): *chaijami* Hacker & Weigert, 1986 Range (as codes): TR IR Elb Th 04 25 56 65 04D 04Da 25D 56F 56F3 65F 65F1 65Fz
- 2671. *Conistra (s.str.) kasyi* Boursin, 1963 (Noctuidae)** Synonym(s): *kasyi* Boursin, 1963 Range (as codes): LB Bro TR SY 13 13G 13Ge
- 2672. *Conistra (s.str.) ligula* (Esper, 1791) (Noctuidae)** Synonym(s): *ligula* Esper, [1791]; *subnigra* Haworth, 1809; *jullieni* Culot, 1913 Range (as codes): MA PT ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Th Kdv LT RU Cc AM Kr MD UA BY 06 09 25 33 06R 06Rb 25D 33L
- 2673. *Conistra (s.str.) ragusae* (Failla-Tedaldi, 1890) (Noctuidae)** Synonym(s): *ragusae* Failla-Tedaldi, 1890 Range (as codes): Si IT RO YU MK BG GR TR Cc 06 12 13 36 42 56 62 06R 12A 13C 13Cf 36F 36Fb 42B 56F 56F3 56Fq 62G 62Gb
- 2674. *Conistra (s.str.) rubiginosa* (Scopoli, 1763) (Noctuidae)** Synonym(s): *rubiginosa* Scopoli, 1763; *silene* [Denis & Schiffermüller], 1775; *vaupunctatum* Esper, [1786]. Range (as codes): PT ES FR Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LT RU Cc Da MD UA BY KG 15 46 58 65 46G 65D 65Dlc
- 2675. *Conistra (s.str.) rubricans* Fibiger, 1997 (Noctuidae)** Synonym(s): *rubricans* Fibiger, 1997 Range (as codes): TR CY
- 2676. *Conistra (s.str.) vaccinii* (Linnaeus, 1761) (Noctuidae)** Synonym(s): *vaccinii* Linnaeus, 1761; *polita* [Denis & Schiffermüller], 1775; *spadicea* [Denis & Schiffermüller], 1775; *nigra* A. Bang-Haas, 1907 Range (as codes): DZ TN PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr Kc Kb Da At No Sb MD UA Lvv BY IR Elb Mz Gls 06 08 09 12 13 14 15 25 30 42 50 56 62 65 73 06E 06Ea 14B 14Bb 25F 30B 42R 50G 56E 56Eb 56Eh 62G 62Gb 65D 65Dlc 73A 73Ab
- 2677. *Conistra (s.str.) veronicae* (Hübner, [1813]) (Noctuidae)** Synonym(s): *veronicae* Hübner, [1813]; *dolosa* Hübner, [1817]; *nigrovenosa* Preissecker, 1913; *metria* Boursin, 1940; *camastra* Delaever, 1979; *pseudopolitina* Hacker, 1990 Range (as codes): MA DZ ES FR Si IT DE CH AT SK HU RO YU BG GR Cr TR IQ Cc GG AZ IR Bu RU Ro Kr Da IL Pa He TM Kp 05 06 07 09 11 13 15 23 30 46 56 58 62 65 73 05A 06R 13C 13Cf 13Cc 13G 13Ga 30B 30Bj 56F 56F3 62G 62Gb 65D 65F 65Fa 73A 73Ab
- 2678. *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae)** Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pinratana, 2005 Range (as codes): Md Cn PT ES Si IT GB CH RO AL BG GR TR Cc CY IQ kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz Ss Ke Kh Ab Oru Mak Elb Th Mz CN Ui Ku KK Ik UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tva Ec Grh Cto Wca Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMA Php MM GG AM AZ Cc Skh Sdt Ak Ar Gh Gls Kh Se Ha Kd Km By Bk Es Bu Ke Hz Ss Snj Lo Kaz Mia Dlk B-A TM Kp N-A TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44 Smt Bjo Lag Dar Nv Ord Hal 01 04 05 06 07 08 13 16 18 20 21 22 24 25 27 30 31 33 34 35 38 44 46 47 48 50 51 56 60 63 65 66 73 76 80 05A 13A 13Ab 13Ac 13Ax 13G 13Gü 13Gw 13Gz 16A 21N 21Nh 30B 30Bc 30Bz 30D 30Df 44E 44Ei 47G 56F 63D 65A 65Ac 65Ac3 65Am 65Am2 65An 65Ai 65Bx 65D 65Dl 65Dlc 65Ds 65G 65Ge 65F 65Fd 65Fr 65Fu 65K 65Kl 65Z 65Kp 65L 65Lb 65Le 65N 65Nc 65Nc4 65Nm 65Np 65O 73A 73Ac 73Al 76A 76Ac
- 2679. *Cosmia (Calymnia) trapezina* (Linnaeus, 1758) (Noctuidae)** Synonym(s): *trapezina* Linnaeus, 1758; *rhombica* Hufnagel, 1766; *badiofasciata* Teich, 1883; *obscura* Aurivillius, 1888; *exigua* Butler, 1881 [ssp.]; *saturata* Staudinger, 1892 Range (as codes): MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag AZ Kir IR Ha Mz Elb Th Kd Mrv Gls DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Kb Ich Ing Sb MD UA Lvv BY JP 05 06 08 12 13 14 16 17 18 30 34 37 43 53 65 75 67 81 05A 06R 06Rb 08H 08Hc 12E 12Ed 13B 13F 13F38 13G 13Gg 14B 14Ba 16A 30D 30Dt 34A 37P 53N 65A 65Ai 65K 65Kl 65Z 75F 75Fd
- 2680. *Cosmia (Fibigerina) confinis* Herrich-Schäffer, [1849] (Noctuidae)** Synonym(s): *confinis* Herrich-Schäffer, [1849]; *rhodopsis* Boursin, 1962; *phaiopsis* Boursin, 1962. Range (as codes): IT RO MK AL HV B-H BG GR TR 01 05 07 16 17 19 22 30 33 58 60 05A 16A
- 2681. *Cosmia (Ulmia) affinis* (Linnaeus, 1767) (Noctuidae)** Synonym(s): *affinis* Linnaeus, 1767; *palliat* Fabricius, 1794 Range (as codes): MA DZ Anna PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag AZ Kir Len DK SE FI LV LT RU Ro Kr St Ich Ing Da MD UA BY KK Skm Feg IR Gls JP 08 13 65 08H 13G 65L 65Lb 65N 65Np 65Nm
- 2682. *Cosmia (s.str.) diffinis* (Linnaeus, 1767) (Noctuidae)** Synonym(s): *diffinis* Linnaeus, 1767 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO MK AL BG GR TR GG Cc DK SE LT RU Ro Kr St Ich Da MD UA BY 05 06 17 24 26 46 05A
- 2683. *Craniophora ligustri* (Fabricius, 1787) (Noctuidae)** Synonym(s): *#ligustri* [Denis & Schiffermüller], 1775; *ligustri* Fabricius, 1787. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL

- CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing MD UA Lvv BY AZ Len IL Pa IR Elb
Mz Clu Th 06 14 16 34 36 52 53 55 06R 06Re 16A 34A 36F
- 2684. *Craniophora pontica* (Staudinger,1879)** (Noctuidae) Synonym(s): *pontica* Staudinger,1879
Range (as codes): MA DZ Dzc Hmk Sét Hrh Sbd Btina DhM Gue TN PT ES AD FR IT RO HU MK BG TR IQ IL Pa IR
Fa Lo Qz Kz Yas Elb Th Dam AF LB RU Cc Ro Kr Da AZ Nv Ord 05 06 08 13 18 24 30 44 46 51 56 62 73 05A 06R 06Re
13C 13Cf 30B 30Bd 44L 44Lb 51D 51Da 56F 56Fa 73A 73Ab
- 2685. *Cryphia (Bryoleuca) ereptricula* (Treitschke,1825)** (Noctuidae) Synonym(s): *ereptricula*
Treitschke,1825 Range (as codes): PT ES Si? IT DE AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT 65 65L
65Lb
- 2686. *Cryphia (Bryoleuca) eucta* (Hampson,1908)** (Noctuidae) Synonym(s): *eucta* Hampson,1908
Range (as codes): TM Kp IR Ab TR IQ Mos 58 58N
- 2687. *Cryphia (Bryoleuca) labecula* (Lederer,1855)** (Noctuidae) Synonym(s): *labecula* Lederer,1855
Range (as codes): TR LB Bei IL Pa 31 31F
- 2688. *Cryphia (Bryoleuca) microphysa* Boursin,1952** (Noctuidae) Synonym(s): *microphysa*
Boursin,1952 Range (as codes): CY TR
- 2689. *Cryphia (Bryoleuca) orthogramma* Boursin,1954** (Noctuidae) Synonym(s): *orthogramma*
Boursin,1954; *aksuensis* Boursin,1954; *ammochroa* Boursin,1954; *taishanensis* Boursin,1954; *#radiata* Boursin,1954
Range (as codes): PL YU RU Or Ur Sb Prj Us MD UA BY TR CN Ui Ku Au Kml Stg KK TrA Feg TJ Pm Chr 30 70 73
30D 30Dt 70C 70Cf 73A
- 2690. *Cryphia (Bryoleuca) petrea* (Guenée,1852)** (Noctuidae) Synonym(s): *petrea* Guenée,1852;
contristans Lederer,1857; *hoerhammeri* Schawerda,1927 Range (as codes): MR MA DZ Lbs Btina Ges Ktr PT ES An
Mu FR Co GR Cr CY TR LB Bei IQ IR SY IL Pa Hf 01 04 07 13 30 33 42 46 65 66 04I 13G 13Gg 30B 30Be 65F 65Fp 65Fz
65L 65Lb
- 2691. *Cryphia (Bryoleuca) petricolor* (Lederer,1870)** (Noctuidae) Synonym(s): *petricolor*
Lederer,1870; *galathea* Millière,1875; *amoenissa* Turati,1909; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937
Range (as codes): DZ Sfr FR IT CH GR Cr BG TR AM AZ Hkd RU Cc St Nt Ich Ing IR Elb Kdv Th Mz Diz Dam GG Tbl
Smt Bjo Mng AM AZ Kir 04 08 18 25 29 36 53 58 75 08H 25T 36D 36F 53N 58N
- 2692. *Cryphia (Bryoleuca) raddei* Boursin,1953** (Noctuidae) Synonym(s): *raddei* Boursin,1953 Range
(as codes): TR
- 2693. *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s):
raptricula [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *divisa* Esper,1791; *palliola* Borkhausen,1792; *pomula*
Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *oxybiensis*
Millière,1875; *#striata* Staudinger,1879; *eretina* Calberla,1888; *raptriculoides* Turati,1912; *bryophiloides*
Rothschild,1914; *#persica* Strand,1915; *cretica* Reisser,1962 Range (as codes): MA DZ TN EG PT ES Mu FR Co Sa Si
IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc CY DK NO SE FI EE LT RU LB Bsa
IL Pa SY Hal JO EG IR Fa Lo By Yas Ss Es Ke Ha Mz Kz Kdj Elb Dam Mia Km Kd Snj IQ Tkr AF Gbh Pli Srb CN Ui PK
KG Tk Dj KK Skm Ik TrA Feg UZ N-A Ro Kr St Kb Nt Ich Da Kir Bak Nv Ord Bne Mrv Kh Ges Agi Sfr Abe Sbd Blid Hrh
01 03 05 06 07 08 12 13 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73 01H 05A 06R 06Rb 13A 13Ab
13Ax 13G 13Gü 13Gw 30B 30Bd 30D 30Df 33A 33Ae 42J 42X 42Xa 46G 46Gf 49E 49Ea 56F 56Fa 56Fc 56Fj 56F3 56Fs
56Fq 56Fb 56Fç 56Fv 56Fi 65A 65Ac 65Ac3 65F 65Fr 65Fp 65Fz 65Fm 65Fg 65K 65Kl 65Z 65N 65Np 65Np2 65Nm 73A
73Ad 73Ad2
- 2694. *Cryphia (Bryoleuca) ravula* (Hübner,[1813])** (Noctuidae) Synonym(s): *ravula* Hübner,[1813];
lupula Hübner,[1813]; *trogodyta* Freyer,1832; *grisescens* Oberthür,1918; *ereptriculoides* Boursin,1952; *ravulatra*
Aubert,1953 Range (as codes): DZ Btina Abe Sbd Prr Dzc MA TN DhM ES Mu FR Co Sa Si IT BE DE CH AT RO YU
BG TR RU MD UA BY IL Pa Hf 05 16 33 46 56 61 05A 16A 33G 46G 46Gf 56F 56Fv
- 2695. *Cryphia (Bryoleuca) rectilinea* (W.Warren,1909)** (Noctuidae) Synonym(s): *rectilinea*
W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962. Range (as codes): IT RO YU AL BG GR
Cr CY IL Pa TR Cc IR LB Bei IQ 01 05 08 13 23 24 34 36 42 46 56 65 69 13C 13Cf 34S 42J 42X 42Xa 56F 65D 65Dh
- 2696. *Cryphia (Bryoleuca) remanei* Heydemann & Schulte,1963** (Noctuidae) Synonym(s):
remanei Heydemann & Schulte,1963 Range (as codes): TR IQ Tkr 58 63
- 2697. *Cryphia (Bryoleuca) seladona* (Christoph,1885)** (Noctuidae) Synonym(s): *seladona*
Christoph,1885; *umovii* auct. Range (as codes): MK BG GR AM TR Cc RU Da Nt 01 06 13 16 25 42 51 53 58 61 65 66
75 76 06C 06Cb 06R 06Re 06Rc 13G 13Gü 13Gw 42B 58G 65Bx 65G 65Ge 65Gü 75F 75Fa 76C
- 2698. *Cryphia (Bryoleuca) tephrocharis* Boursin,1954** (Noctuidae) Synonym(s): *tephrocharis*
Boursin,1954 Range (as codes): RO HV MK BG GR Cr CY TR IL Pa LB JO IR Fa Kd Bne Mrv 01 06 07 08 12 23 25 30
32 33 34 35 42 44 46 50 51 56 58 60 62 63 70 01H 08H 12E 25T 30B 30Bd 30Bh 34S 44L 44Lb 56F 56Fb
- 2699. *Cryphia (Bryoleuca) thamanaea* (Hampson,1908)** (Noctuidae) Synonym(s): *thamanaea*
Hampson,1908 Range (as codes): TR IR Shh 25 51 58 65 25C 58G 65F 65Fl
- 2700. *Cryphia (Bryophila) eucharista* Boursin,1960** (Noctuidae) Synonym(s): *iranica* Brandt,1941 *nec*
Schwing.,1937; *eucharista* Boursin,1960. Range (as codes): TR IR Elb Fa Ke Es Yz Th Mia Shr Km Kd Mrv Bne Lo
IQ 13 46 51 65 46G 46D 51B 51Bc
- 2701. *Cryphia (Bryophila) felina* (Eversmann,1852)** (Noctuidae) Synonym(s): *felina* Eversmann,1852;
dolopsis Hampson,1908; *raptriculoides* Turati,1912; *persica* Strand,1915 Range (as codes): AT AM Cc TR IR SK UA
Cm HV TM Kp UZ Fe 46

- 2702. *Cryphia (Bryophila) maeonis (Lederer, 1865)*** (Noctuidae) Synonym(s): *maeonis Lederer, 1865; praecana Christoph, 1893; rubellina Staudinger, 1900; sordida Staudinger, 1900; sabulosa W. Warren, 1909*. Range (as codes): DZ BtNa GR Cc AM GG Tbl Smt Bjo TR IR Fa Com Shr Elb Shh Mz Dam Kdj Nss Ab Sdt Km Kd Bne Mrv Snj Lo Kz Yas Mia IQ SY LB IL Pa CY JO AF Srb Gbh Kab Hr Pli Hk TM KG UZ Fe KK Ik Skm CN Ts Kno 01 04 05 06 08 13 16 18 24 25 27 30 35 36 42 44 45 46 50 51 56 58 60 61 62 65 66 05A 08H 08Ha 08Hb 13A 13B 13G 13Gü 13Gw 16A 30B 30Bc1 30Bd 30D 30Df 46G 46Gf 51B 51Ba 56F 56Fq 56Fi 58G 65B 65Bk 65Bx 65D 65Df 65F 65Fa 65Fm 65Fp 65Fz 65Kp 65Kl 65Z
- 2703. *Cryphia (Bryophila) occidentalis (Osthelder, 1933)*** (Noctuidae) Synonym(s): *occidentalis Osthelder, 1933* Range (as codes): TR IR Elb Th Fa Mia Shr 13 30 46 56 58 65 13A 13F 13F71 13G 13Gg 30B 30Bd 30Bc1 30D 30Dt 56F 56Fb 65A 65Am 65Am1 65Ai 65B 65Bo 65Bx 65D 65Df 65G 65Ge 65F 65Fa 65Fh 65Fm 65Fr 65Fp 65Fz 65K 65Kl 65Z 65L 65Lb 65N 65Np2 65Nm
- 2704. *Cryphia (Bryopsis) amasina (Draudt, 1931)*** (Noctuidae) Synonym(s): *amasina Draudt, 1931* Range (as codes): RO MK BG GR Cr CY TR TM IR Kh LB IL Pa JO YE RU Cc St Ich Da AM 01 05 06 08 12 13 18 25 30 31 33 42 56 62 65 75 05A 08H 08Ha 08Hb 25F 30D 30Df 31K 31Ka 31Ka3 33A 33Ac 33Ae 56F 56Fj 65A 65Am 65Am4 65D 65Dh 65Dv 65F 65Fa 65L 65Lb 75F 75Fa
- 2705. *Cryphia (Bryopsis) muralis (Forster, 1771)*** (Noctuidae) Synonym(s): *muralis Forster, 1771; lichenis Fabricius, 1775; glandifera [Denis & Schiffermüller], 1775; par Hübner, [1813]; viridior Schawerda, 1932* Range (as codes): MA DZ Dzc Clo Tun TN DhM BtNa Abe Sbd Abe PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT SK HU RO YU AL BG GR Cr SE RU MD UA BY TR IL Pa GG Smt Bjo AM AZ Kir Cc 05 06 16 25 42 75 05A 06R 06Re 16A
- 2706. *Cryphia (Euthales) algae (Fabricius, 1775)*** (Noctuidae) Synonym(s): *algae Fabricius, 1775; degener [Denis & Schiffermüller], 1775; alni Fabricius, 1787; calligrapha Borkhausen, 1792; mendacula Hübner, [1813]*. Range (as codes): DZ Abe BtNa DhM TN Rbt MA PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ DK SE FI LT RU Ro Kr St Kb Ich MD UA BY IL Pa GG Smt Bjo Lag Kir AM AZ Cc IR GlS 05 06 08 13 14 15 16 18 20 25 30 32 33 42 46 56 60 65 66 05A 06C 06Cb 06R 06Rb 13A 13B 13G 13Gg 16A 30D 30Dt 42J 42X 42Xa 56F 56Fs 65A 65Ab 65Aba 65F 65Fp 65Fz 65L 65Lb
- 2707. *Cryphia (Euthales) ochsi (Boursin, 1941)*** (Noctuidae) Synonym(s): *ochsi Boursin, 1941; #badiofasciata Boursin, 1952* Range (as codes): ES FR IT CH RO YU AL BG GR Cr CY TR LB Bei IL Pa IR Elb RU Cc Kr 01 05 06 07 08 16 23 28 32 33 42 50 51 55 56 58 59 62 63 67 05A 16A 33A 33Ae 51B 51Ba 51Bc 56F 56Fq 56Fç
- 2708. *Cryphia (s.str.) receptricula (Hübner, [1803])*** (Noctuidae) Synonym(s): *strigula Borkhausen, 1792 nec Thunb., 1788; receptricula Hübner, [1803]; stictica Ménétriés, 1859*. Range (as codes): si IT CH AT PL CZ SK HU RO YU BG GR TR RU Cc Ro St Kyi Kc Kr Da MD UA BY AM AZ Kir IR Bk By Es Fa Mia Com Lo AF LB JO 05 06 08 12 16 23 30 46 50 56 60 62 65 66 05A 06R 06Rq 12A 12Aa 16A 30D 30Dt 56F 56Fa 56Fb 56Fç 56Fj 56Fc 56Fi 56Fs 56Fq 65A 65Ai
- 2709. *Crypsotidia maculifera (Staudinger, 1898)*** (Noctuidae) Synonym(s): *maculifera Staudinger, 1898; wollastoni Rothschild, 1901; voolastoni Hampson, 1913; ? maculata Tams, 1926*. Range (as codes): TR ET SD EG NG MW IL Pa CY PK
- 2710. *Cucullia (s.str.) absinthii (Linnaeus, 1761)*** (Noctuidae) Synonym(s): *absinthii Linnaeus, 1761; punctigera Hufnagel, 1766; clausa Walker, 1857* Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Kis Cc Ro Kr Nt Ing Da At MD UA Lvv BY IR Elb KK Ik Ax 04 25 58
- 2711. *Cucullia (s.str.) anifurca (Goeze, 1781)*** (Noctuidae) Synonym(s): *#lactucae [Denis & Schiffermüller], 1775; anifurca Goeze, 1781*. Range (as codes): PT ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr Kb St Nt At Am AM GG Smt Bjo Bku Cc UA Lvv MN U-B
- 2712. *Cucullia (s.str.) argentina (Fabricius, 1787)*** (Noctuidae) Synonym(s): *argentina Fabricius, 1787; grisescens F. Wagner, 1931 nec Lch., 1900; anatoliensis Koçak, 1980*. Range (as codes): DZ Sfr BtNa BSa KhH SK BG RU Ro St Kyi Da MD UA BY TR Cc IR Elb Th Dam Ab Oru Mak Fa Ss Kh CN Ui Khr Ku KG Tk Dj 04 05 06 13 14 25 27 30 36 38 42 50 58 65 71 04E 05A 06C 06Cb 06K 06Kc 13A 13Ab 13Ax 13G 14H 30B 30Bg 30Bt1 30Bz 36D 36Db 36F 42B 58G 58N 65F 65Fa 65Fç 65Fz 65L 65Le 65N 65Np6 65Nm
- 2713. *Cucullia (s.str.) asteris ([Denis & Schiffermüller], 1775)*** (Noctuidae) Synonym(s): *#asteris [Denis & Schiffermüller], 1775* Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK TR Cc IR GlS NO SE FI EE LV LT RU Ro St Nt Ich Ing At Prj Us MD UA BY CN Ui KI MN U-B KG Tk Dj KK Ik TeA TrA Ax JP 36
- 2714. *Cucullia (s.str.) behouneki Hacker & L. Ronkay, 1988*** (Noctuidae) Synonym(s): *behouneki Hacker & L. Ronkay, 1988* Range (as codes): TR IR Elb Th RU Kb Da Cc 04 08 24 25 28 30 36 58 60 65 66 75 25C 25Ca 25T 30B 58Q 65Bx 65D 65Dg 65G 65Ge
- 2715. *Cucullia (s.str.) boryphora Fischer v. Waldheim, 1840*** (Noctuidae) Synonym(s): *boryphora Fischer & Waldheim, 1840; lignata Guenée, 1841; rimula Freyer, 1842* Range (as codes): DE SE FI RU Sr MD UA BY TR Cc IQ Kbl IR Ss Kh CN Ui AF Hr Srb TM KK Ik PK Cls IN Ld Ch LB 02 36 42 50 76 42B 50G 76A 76Ac
- 2716. *Cucullia (s.str.) calendulae Treitschke, 1835*** (Noctuidae) Synonym(s): *calendulae Treitschke, 1835; wredowi Costa, [1836]; leucanthemi Rambur, 1858; dellabrunai Berio, 1980*. Range (as codes): Cn MA DZ Ges BSa Ahr KhH Ktr Ceg Hrh Berr Bsk TN PT ES Mu FR Co Sa Si IT MK MT AL GR Cr Rd TR LB JO IQ Bgd Sel IL Pa HfSA CY IR Ahz TM Kp AF 07 31 33 46 33G
- 2717. *Cucullia (s.str.) chamomillae ([Denis & Schiffermüller], 1775)*** (Noctuidae) Synonym(s): *chamomillae [Denis & Schiffermüller], 1775; fissina Haworth, 1809; chrysanthemi Hübner, [1822]*. Range (as codes): MA DZ Tlm Abe TN EG PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE EE LV LT RU Cc Ro Kr MD UA Lvv BY 16 44 46 50 16A

- 2718. *Cucullia* (s.str.) *cineracea* Freyer, 1841** (Noctuidae) Synonym(s): *cineracea* Freyer, 1841 Range (as codes): FR IT RU Ur Sb Ro Kb St Nt Ich Ing Da TR Cc AF Slg PK Ch Gg Bbu Nar Haz Kjb TJ Pm Chr MN Uli CN Ui Ii KK TeA TrA Ax Ik IN Ld 04 36
- 2719. *Cucullia* (s.str.) *citella* G.Ronkay & L.Ronkay, 1987** (Noctuidae) Synonym(s): *citella* G.Ronkay & L.Ronkay, 1987 Range (as codes): TR 42
- 2720. *Cucullia* (s.str.) *dracunculi* (Hübner, [1813])** (Noctuidae) Synonym(s): *dracunculi* Hübner, [1813]; *incana* Eversmann, 1842; *anthemidis* Guenée, 1852; *linosyridis* Fuchs, 1903. Range (as codes): ES FR Si IT DE AT SK HU RU Ro St Cc MD UA BY TR CN Ui Ku IR Kh Drg KG T-S Tk Dj KK TeA Ik 13 60 65
- 2721. *Cucullia* (s.str.) *gnaphalii* (Hübner, [1813])** (Noctuidae) Synonym(s): *gnaphalii* Hübner, [1813]; *occidentalis* Boursin, 1945. Range (as codes): PT ES FR IT GB BE DE CH AT PL SK HU RO TR GG Smt Bjo Cc DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da MD UA Lvv BY 25 36 53 69 75 53M 53N
- 2722. *Cucullia* (s.str.) *improba* Christoph, 1885** (Noctuidae) Synonym(s): *improba* Christoph, 1885; *leptographa* Reisser, 1958 Range (as codes): MT TR TM Krn K-A Cc AZ Nv Ord IR Es Gor Elb Th Kdj JO AF KK Ik UZ KG Tk Dj 36 36D 36Dc
- 2723. *Cucullia* (s.str.) *lucifuga* (Hübner, [1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner, [1803]. Range (as codes): DZ Ceg ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV RU Kb Nt St Ich Ing Da Ur At Am Prj Us Cc GG Smt Bjo Bku AM MD UA Lvv BY CN Ts Kno KK TeA JP 25 36 42 53 69 75 36F 42B 53M 75E
- 2724. *Cucullia* (s.str.) *magnifica* Freyer, 1839** (Noctuidae) Synonym(s): *magnifica* Freyer, 1839 Range (as codes): RU Sr Ur Cc Ro Kb Nt Ich Ing Da TR KG Tar KK Ik Ax
- 2725. *Cucullia* (s.str.) *mixta* Freyer, 1841** (Noctuidae) Synonym(s): *mixta* Freyer, 1841; *consors* Eversmann, 1846 Range (as codes): HU BG RU Cc Ro Da Ur Sr TR IR AF KG Uk Tk Dj Ii KK Ik CN Ui 06 06R
- 2726. *Cucullia* (s.str.) *ronkayi* Hacker & Pinker, 1987** (Noctuidae) Synonym(s): *ronkayi* Hacker & Pinker, 1987; #ronkay Hacker & Pinker, 1987 Range (as codes): TR Cc 04 25 36 49 65 04I 25A 25F 36F 65Bx 65G 65Ge
- 2727. *Cucullia* (s.str.) *santolinae* Rambur, 1834** (Noctuidae) Synonym(s): *santolinae* Rambur, 1834 Range (as codes): MA DZ Ges BSa Ktr Bsk Bdj Hrh Btina Khh Hmk Agi PT ES Mu FR Co Sa? Si IT TR Cc AZ TM Kp IL Js Pa JO IR Mz Elb Th Kdj Yz 42 44 44L 44Lb
- 2728. *Cucullia* (s.str.) *santonici* (Hübner, [1813])** (Noctuidae) Synonym(s): *santonici* Hübner, [1813]; *yuennanensis* Boursin, 1941 Range (as codes): FR IT CH RO YU BG GR RU Ro St Ich Ing MD UA BY TR GG Tbl Smt Bjo AZ Nv Ord AM Cc IR Fa Ss Kh Elb Th Plr Dam IL Pa AF CN Yu KG Uk 04 06 18 25 36 42 58 06C 06Cb 25A 36F
- 2729. *Cucullia* (s.str.) *tanaceti* (Goeze, 1781)** (Noctuidae) Synonym(s): *tanaceti* Goeze, 1781; *beata* Rothschild, 1920 Range (as codes): MA DZ Sbd PT ES Mu FR Co Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR AM Cc GG Tbl Smt Bjo Lag DK SE LV LT RU Ro Kr Da MD UA BY KG CN Ui KK Ik Ax UZ Fe IR Enz Elb GlS 16 66 70 16A 70C 70Cf
- 2730. *Cucullia* (s.str.) *tecca* Püngeler, 1906** (Noctuidae) Synonym(s): *tecca* Püngeler, 1906 Range (as codes): TM Kp TR IR Fa
- 2731. *Cucullia* (s.str.) *umbratica* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus, 1758; *sonchi* Heinemann, 1859. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Bku AZ AM Cc IR Elb Mz Clu Th Diz Dam DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da At MD UA Lvv BY CN Ui Ii Ga MN Uli KK Ik TeA KG Tk Dj 08 16 18 25 36 42 46 58 60 65 75 16A 25C 58N 65D 65F 65Fr 75D
- 2732. *Cucullia* (s.str.) *xeranthemi* Boisduval, 1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval, 1840 Range (as codes): ES FR IT DE CH AT PL SK HU RO YU AL BG GR TR IR GlS RU Cc Ro St Da At MD UA BY UZ Fe Ik KK 22
- 2733. *Dasypolia* (Dasymixis) *diva* L.Ronkay & Varga, 1990** (Noctuidae) Synonym(s): *diva* L.Ronkay & Varga, 1990 Range (as codes): TR IR UZ 04
- 2734. *Dasypolia* (s.str.) *altissima* Hacker & Moberg, 1988** (Noctuidae) Synonym(s): *altissima* Hacker & Moberg, 1988 Range (as codes): TR IR Elb Th Kdv 04 65 04D 04Da 65G 65Gc
- 2735. *Dasypolia* (s.str.) *dichroa* L.Ronkay & Varga, 1985** (Noctuidae) Synonym(s): *dichroa* L.Ronkay & Varga, 1985 Range (as codes): TR 06 43 56 71 06H 56F 56Fs 56Fq
- 2736. *Dasypolia* (s.str.) *fibigeri* Hacker & Moberg, 1988** (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg, 1988 Range (as codes): TR IR Kd Fa Lo By 07 30 07K 30B 30Bp
- 2737. *Dasypolia* (s.str.) *templi* (Thunberg, 1792)** (Noctuidae) Synonym(s): *templi* Thunberg, 1792; *alpina* Rogenhofer, 1866; *caflischi* Rühl, 1892; *banghaasi* Turati, 1909. Range (as codes): MA Ouk PT ES FR Si IT IE GB NL DE CH AT PL CZ SK RO YU BG GR TR GG Tbl AZ Kir Cc DK NO SE FI EE LV RU Ro Kb MD UA BY CN Ui TJ Pm Chr IR Elb Th Kdv Kld 01 06 04 08 25 42 44 49 53 56 58 65 75 01K 06E 06Ea 06R 25D 25F 42B 42D 44B 56F 53N 65N 65Nc 75F 75Fb
- 2738. *Dasypolia* (s.str.) *transcaucasica* L.Ronkay & Varga, 1985** (Noctuidae) Synonym(s): *transcaucasica* L.Ronkay & Varga, 1985 Range (as codes): TR Cc AM Svn 13 15 25 30 31 42 56 58 65 70 75 13G 13Ga 25F 30Df 56F 58G 65Bx 65G 65Ge 70C 70Cb 75D

- 2739. *Dasypolia* (s.str.) vera L.Ronkay & Szaboky,1995** (Noctuidae) Synonym(s): *vera* L.Ronkay & Szaboky,1995 Range (as codes): TR 04 23 24
- 2740. *Deltote delicatula* (Christoph,1882)** (Noctuidae) Synonym(s): *delicatula* Christoph,1882 Range (as codes): TR Cc RU Da AZ Nv Ord 06 50 71
- 2741. *Desertoplusia bella* (Christoph,1887)** (Noctuidae) Synonym(s): *bella* Christoph,1887 Range (as codes): TM Kp IR Fa Kh KuB Gls Se TR 04 12 25 30 49 50 65 73 04D 04Da 25C 25Ca 30B 30Bh 30Bf 30D 30Da 49F 49Fd 65Bx 65G 65Ge 73C 73Cd
- 2742. *Desertoplusia colornata* Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *bella* auct. nec Chr.,1887; *colornata* Varga & L.Ronkay,1991; #*colomata* Hacker,1992 Range (as codes): TR IR Fa Kh Ab Oru Mak Tbz Elb Th Kdj Plr Mia Kz Yas Skh 04 07 25 30 65 73 04D 04Da 07P 25C 25Ca 30B 30Be 30D 30Da 30Db 65A 65Ab 65Aba 65B 65Bo 65Bx 65C 65F 65Fz 65G 65Ge 65H 65Ha 73C 73Cd
- 2743. *Diachrysia chrysis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758 Range (as codes): DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb Am Us MD UA Lvv BY TM CN Ui GG AZ Kir Cc LB Bsa IR Elb Th Kdj Kdv Ab Oru Sah Ak Ar Gh Mz Gls Qz AF KK Ax 13 14 16 18 25 28 30 42 46 50 52 55 57 59 61 65 66 75 14B 14Bb 16A 30B 30Bl 30D 30Df 30Dt 65F 65Fr
- 2744. *Diachrysia chryson* (Esper,[1789])** (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805 Range (as codes): ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Mz Gh Amo AM GG Smt Bjo Lag DK SE RU Cc Kr St Kc Ich Ing MD UA BY 14 28 52 53
- 2745. *Diachrysia stenochrysis* (W.Warren,1913)** (Noctuidae) Synonym(s): *stenochrysis* W.Warren,1913; *tutti* Kostrowicki,1961 Range (as codes): ES FR Si IT NL DE CH AT PL CZ SK RO BG TR DK NO SE FI EE LV LT RU Cc Da MD UA Lvv BY IR Gh Enz Mz Elb JP
- 2746. *Diarsia brunnea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): #*brunnea* [Denis & Schiffermüller],1775 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY CN JP CA 06 69
- 2747. *Diarsia florida* (Schmidt,1859)** (Noctuidae) Synonym(s): *florida* Schmidt,1859 Range (as codes): ES FR IT GB BE NL DE AT PL CZ SK RO BG TR DK NO SE FI LV LT RU MD UA BY 04 25 65 65Bx 65G 65Ge
- 2748. *Diarsia mendica* (Fabricius,1775)** (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag IR Elb Mz DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ing Da MD UA BY CN Ti KK Ax CA 04 08 14 16 24 36 37 43 58 60 61 62 69 75 04I 08A 08H 08Hb 16A 36F 60C 62G
- 2749. *Diarsia rubi* (Vieweg,1790)** (Noctuidae) Synonym(s): *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792 nec Linn.,1758; *quadratum* Hübner,[1813]; *posticata* Walker,[1858]. Range (as codes): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr Nt Ich Da MD UA Lvv BY 06 65 06R 06Ra 65Bx 65G 65Ge
- 2750. *Dichagyris* (Albocosta) *flammatra* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammatra* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. Range (as codes): MA PT ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Akh Smt Cc AZ Hkd IR Fa Yas By Lo Kh Mz Elb Kdj Dam Kz LB Bsa CY IL Pa SY JO Sn EG IQ Mos TIH DK RU At Sb MD UA BY CN Ui Ii KG Tk Dj AF Hr Pli Gbh Ch PK Rw Ti Si UZ N-A KK TrA Ro St Nt Kb Ich Ing Kyi Da Tbl Bjo Kir Lag Nv Ord Bak Len Gls Kh DZ Sfr Sbd Ges Psu Gg Sai 01 04 06 07 13 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70 73 01H 06Y 06Yb 13A 13Ab 13Ac 13Ac2 13Ax 13G 13Gs 13Gw 25A 30B 30Bh 38Ca 44E 44L 44Lc 50G 50Gd 53N 58G 58Gi 60C 61K 61Kb 63L 73A 73Ad1 65A 65Ai 65Am 65Am4 65At 65At5 65Ab 65Aba 65D 65Df 65F 65Fe 65Fr 65Fp 65Fz 65K 65Kl 65Z 65Kd 65Kg 65N 65Np 65Np6 65Nm 70C 70Cf 75E
- 2751. *Dichagyris* (Albocosta) *musiva* (Hübner,[1803])** (Noctuidae) Synonym(s): *musiva* Hübner,[1803] Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc RU Kr Ich Ing Da MD UA BY CN Ui Chk MN KK TrA 36 42 60 75 36D 36Db 42B 75F 75Fa
- 2752. *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. Range (as codes): MA ES FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bsa IL Pa He RU St Kr Nt Ich Ing At Sb Am MD UA BY UZ KK Ik TrA KG IR Th Elb Ha Kd Lo Fa Kz Km Ke TM AF 01 04 05 06 12 13 16 23 25 30 32 33 36 38 40 42 44 46 50 51 56 58 61 62 63 65 73 76 01K 04D 04Da 04I 05A 06R 06Rb 06Y 06Yb 12A 12Aa 13A 16A 25C 25Ca 30D 30Dt 30B 30Bd 30Bf 36F 42D 42R 42Rd 50G 50Gd 50Gc 51B 56F 58R 61K 61Kb 65B 65Bo 65Bx 65D 65Df 65Dg 65Dga 65F 65Fa 65Fp 65Fz 65G 65Ge 73A 73Ad 73Ad2 73C 73Cd 76C
- 2753. *Dichagyris* (Stenosomides) *sureyae* (Rebel,1931)** (Noctuidae) Synonym(s): *sureyae* Rebel,1931. Range (as codes): IL Pa He TR Cc IR Fa 04 06 13 23 42 44 46 50 58 62 70 73 75 04I 06C 06Cb 06K 06Kc 13G 13Ga 23I 42D 46G 50G 50Gd 58G 62G 70C 70Cb 73C 73Cd 75D
- 2754. *Dichagyris* (Yigoga) *celsicola* (Bellier,1858)** (Noctuidae) Synonym(s): *celsicola* Bellier,1858; *queddelanea* Oberthür,1918 Range (as codes): DZ Lbs Sbd FR Sa? IT GR TR Cc RU Da Kus IR Zj Elb Th Dam Kdj Mz Plr Km Krd Kd Lo 04 08 12 13 23 25 30 36 46 50 56 58 65 13B 13G 13Gg 13Gü 13Gw 25F 30B 30Bd 30Bc1 56F 56Fq 56Fs 58N 65Bx 65D 65Dn 65Du 65Dx 65F 65Fr 65Fm 65Fp 65Fz 65G 65Ge 65K 65Kl 65Z

- 2755. *Dichagyris (Yigoga) eureteocles* (Boursin,1940) (Noctuidae) Synonym(s): *eureteocles* Boursin,1940** Range (as codes): AM Ce RU Da TR IR Elb Th Ma Ara Ss Ke TM Kp 06 13 25 36 50 58 65 06Y 06Yb 13A 13Ab 13Ax 25F 36F 36Fb 50G 50Gb 58G 65D 65Df 65N 65Np1 65Np2 65Np7 65Np8 65Nm
- 2756. *Dichagyris (Yigoga) flavina* (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.** Range (as codes): RO YU BG GR RU Da TR IL Pa Ce AZ Kir LB UA Cm AM SY Dms LB Bsa IQ Mos IR Lo By Yas Es Fa Ha Elb Th Ab Oru Sdt Km Kd Snj Yas Sqq 01 03 04 05 07 18 22 23 25 30 32 36 38 39 40 42 44 46 50 51 56 58 60 62 63 65 66 68 70 01H 04C 05A 25A 30B 30Bh 30D 30Da 38H 44E 44I 50G 50Gd 56F 56Fa 58G 58Gi 58N 58R 60C 63D 65D 65Dd 65G 65Gf 65Gy 65L 65Lb 65Le 65N 65Nc 65Np2 65Nm 68H 70C 70Ce
- 2757. *Dichagyris (Yigoga) forcipula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.** Range (as codes): MA ES FR Sa? Si IT DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU Ro Kr Sr Kb Nt Ich Ing Da MD UA BY LB IR Mz Elb Th Lo Fa Kz Kd Bne By Yas Es IQ AZ Kir AM GG Smt Bjo Ce 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 44 46 49 50 51 58 60 65 66 69 01H 01K 05A 06R 06Rb 06Ra 25C 25Ca 25F 33E 44I 58G 58Gi 58N 60C 65Bx 65F 65Fa 65G 65Ge 69B
- 2758. *Dichagyris (Yigoga) gracilis* (F.Wagner,1929) (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929** Range (as codes): GR TR Ce IR Ab Ory Sdt Fa Ke Es Elb Th Kd Km Snj Hz Zj Ha Mz IQ 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69 05A 06R 08H 30B 30Bd 30Bf 38Ca 42B 50D 58G 58Gi 58N 60C 63M 65D 65Dd 65F 65Fa 65L 65Lb
- 2759. *Dichagyris (Yigoga) hackeri* (Fibiger,1992) (Noctuidae) Synonym(s): *hackeri* Fibiger,1992** Range (as codes): TR 33 33L
- 2760. *Dichagyris (Yigoga) latipennis* (Püngeler,1909) (Noctuidae) Synonym(s): *latipennis* Püngeler,1909** Range (as codes): TJ KG Tk TR IR Ss Elb Th Kdj Fa 06 50 51 58 65 06R 06Rb 06Y 06Yb 50G 50Gd 58G 65L 65Lb
- 2761. *Dichagyris (Yigoga) lutescens* (Eversmann,1844) (Noctuidae) Synonym(s): *lutescens* Eversmann,1844; *dilucida* Eversmann,1844; *leonina* Staudinger,1877.** Range (as codes): RU Ur TR 06 23 44 49 58 23G 23Ga 49F 58G
- 2762. *Dichagyris (Yigoga) nachadira* (Brandt,1941) (Noctuidae) Synonym(s): *nachadira* Brandt,1941** Range (as codes): IR Ss Th Elb TR UA AM Ce IQ KG TM TJ 06 25 36 38 42 50 56 58 65 25T 36D 50G 50Gd 56F 56Fb 58G 65Bx 65G 65Ge
- 2763. *Dichagyris (Yigoga) nigrescens* (Hofner,1888) (Noctuidae) Synonym(s): *nigrescens* Höfner,1888** Range (as codes): ES FR Si IT DE CH AT CZ SK HU RO YU AL BG GR TR RU Ce Ro Nt Kr Ich LB JO IL Pa IQ Shq IR Fa Th Elb Kd Gls 01 05 06 07 12 13 18 20 25 30 32 33 34 37 42 45 46 50 56 65 66 73 01D 01H 05A 06R 06Rb 06Re 12E 13C 13Cf 13F 13F7 13G 13Gg 13Gy 30B 30Bd 30Bc1 30Bc 30Bt1 30Bz 30Bh 30Bf 30D 30Da 30Db 30Df 30Dx 33R 33Rb 34A 37P 56F 56Fb 56F1 56Fa 56Fq 65A 65Ai 65Bx 65D 65Dh 65Dn 65F 65Fp 65Fz 65G 65Ge 73A 73Ab 73D 73De
- 2764. *Dichagyris (Yigoga) orientis* (Alpheraky,1882) (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.** Range (as codes): RO YU RU Ro Kyi TR Ce GG Tbl Da Der Nv Ord AZ AM Eri IQ Agh CN Ui Ku Ii UZ TM IR Elb Th Kdj Es Ha Kh KG Tk KK Skm 01 04 07 36 38 42 50 51 58 62 65 50G 50Ge 50Gd 58N 65Bx 65G 65Ge 65L 65Lb
- 2765. *Dichagyris (Yigoga) romanovi* (Christoph,1885) (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990.** Range (as codes): TR Ce IL Pa Js JO IR Fa Ab Oru Lo Km Kd IQ? 04 13 23 25 30 32 38 42 50 51 58 63 65 66 76 04C 25R 30B 30Bh 50G 50Ge 58G 58Gi 58R 63M 65D 65Dd 76C
- 2766. *Dichagyris (Yigoga) serraticornis* (Staudinger,1898) (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898** Range (as codes): ES IL Pa Js TR Ce IR Fa 06 13 23 36 47 50 58 63 06Y 13D 13Da 23D 23I 36D 36F 47F 47Fb 58G 63H 63L
- 2767. *Dichagyris (Yigoga) signifera* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775** Range (as codes): TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU BG GR TR IR Fa Es Elb Ab Oru Kz Km Kd Mrv Bne Yas Lo IQ Shq LB LV LT RU Ro Kyi Da MD UA BY AZ Kir AM GG Tbl Akh Smt Ce 01 03 05 06 07 08 12 13 14 24 25 30 32 33 36 42 43 46 49 50 51 56 58 65 66 70 73 05A 08H 13C 13Cf 13G 13Gg 13Gü 13Gw 25F 30B 30Bd 30Be 30Bl 30D 30Da 30Dt 33A 33Ae 36F 42D 49E 49Ea 56F 56Fq 56Fm 58N 65D 65Dn 70C 70Cf 73A 73Ab 73D 73De
- 2768. *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985) (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985.** Range (as codes): TR Ce IR Zj Ab Kd Lo Fa 04 08 12 13 23 25 30 36 46 50 58 65 73 12A 12Aa 13D 13Da 13G 13Ge 23I 30Be 30Bi 30Bj 30Bg 30D 30Da 30Dt 58N 65A 65Ai 73C 73Cd
- 2769. *Dichagyris (Yigoga) soror* Fibiger,1997 (Noctuidae) Synonym(s): *soror* Fibiger,1997** Range (as codes): GR TR 25
- 2770. *Dichagyris (Yigoga) truculenta* (Lederer,1853) (Noctuidae) Synonym(s): *truculenta* Lederer,1853** Range (as codes): RU KG At TJ Pm Chr TR SY IL Pa He LB Bsa IR Fa Ss Kh Bl Elb Dam Kdj Th Kz Yas Lo KuB CN Ui 01 04 13 25 30 38 46 50 51 58 62 65 69 70 73 01L 01La 04I 13A 13Ac 13Ac2 13Ax 13G 13Gü 13Gw 25D 30B 30Bh 30Be 30Bj1 30D 30Df 42B 42D 51B 51Bc 58G 62G 65Bx 65D 65Df 65Dn 65F 65Fa 65Fp 65Fz 65Fm 65G 65Gb 65Ge 70C 70Cb 73C 73Cd
- 2771. *Dichagyris (Yigoga) weigerti* Hacker & Varga,1990 (Noctuidae) Synonym(s): *weigerti* Hacker & Varga,1990** Range (as codes): TR IR Fa Es Ke Kd Sqq Mrv Zj 65 65Bx 65G 65Ge

- 2772. *Dichagyris (Yigoga) wiltshirei* (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; #*wiltshirei* Ebert & Hacker,2002 Range (as codes): TR IQ Ry IR Fa Es Ha Zj Lo Kd Sqq Mrv 13 30 65 73 13G 13Ge 30B 30Be 30Bf 30Bj 30Bg 30D 30Dp 65F 65Fe 65Fm 73C 73Cd
- 2773. *Dichagyris (s.str.) achталensis* (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *achtalensis* Kozhantshikov,1929 Range (as codes): Cc GG TR 76
- 2774. *Dichagyris (s.str.) amoena* (Staudinger,1892)** (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. Range (as codes): SY Dms Swd TR Cc IR Fa Gh Ma Elb Th 04 05 06 08 12 13 18 23 25 27 30 42 44 46 50 56 58 62 63 65 69 70 71 73 04D 04Da 04I 05A 06Y 06Yb 08H 08Hb 13C 13Cf 18F 23D 25D 25K 25R 25Rb 27B 30D 30Df 44E 50G 50Gd 56F 56Fm 56Fj 58G 62G 63E 65A 65Am 65Am4 65D 65Df 65F 65Fa 65G 65Gj 70C 70Cb 73C 73Cd
- 2775. *Dichagyris (s.str.) anastasia* (Draudt,1936)** (Noctuidae) Synonym(s): *anastasia* Draudt,1936 Range (as codes): IQ Rwz TR IR Kh Fa Ma Ara IL Pa He 02 30 46 56 65 73 02F 02Fz 30B 30Bh 30Be 30D 30Df 56F 56Fs 65Bx 65F 65Fa 65G 65Ge 65N 65Np 65Nm 73C 73Cd
- 2776. *Dichagyris (s.str.) argentea* (Kozhantshikov,1930)** (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1930 Range (as codes): TR IR Elb Th Kdj Ara Ma AM Cc KG Tg TM Kp 65 65D
- 2777. *Dichagyris (s.str.) cataleipa* Varga,1993** (Noctuidae) Synonym(s): *cataleipa* Varga,1993 Range (as codes): TR 13 44 46 58 58G 58Gg
- 2778. *Dichagyris (s.str.) celebrata* (Alpheraky,1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897; *persiaca* Kozhantshikov,1929; *armeniaca* Kozhantshikov,1930 Range (as codes): RU TM Kp IR Se Ss Elb Th Fa Shr Mz Gls Kh AF Hk Uk KG TR PK Gg Psu Sst 04 06 25 30 36 40 50 65 70 04C 06Y 06Yb 25T 30B 30Bd 36F 36Fb 36D 40D 50G 50Gd 50Ge 65Bx 65G 65Ge
- 2779. *Dichagyris (s.str.) contermina* (Corti,1929)** (Noctuidae) Synonym(s): *contermina* Corti,1929; *wolffi* Hacker,1985 Range (as codes): SY Hal TR 13 23 44 47 56 58 62 63 13C 13Cf 23D 23Dc 44I 47L 47La 56A 56Aa 56C 56Ca 58G 58N 62H 63M
- 2780. *Dichagyris (s.str.) devota* (Christoph,1884)** (Noctuidae) Synonym(s): *devota* Christoph,1884; *turana* Staudinger,1892 Range (as codes): TR AM Cc TM Kp IR Zj Elb Th Kdj Dam Fa Kh PK Bl AF KK UZ N-A TJ SA IL Pa Jer LB JO 30 56 65 73 30B 30Bf 30Bh 30D 30Da 30Db 56F 65Bx 65G 65Ge 73D 73Da
- 2781. *Dichagyris (s.str.) elbursica* (Draudt,1937)** (Noctuidae) Synonym(s): *elbursica* Draudt,1937 Range (as codes): IR Elb Fa Ss Kh Ke Lo Go Th Dam Km Kd TR Cc AF TJ Pm Chr UZ IL Pa He 30 36 65 30B 30Be 30Bf 30Bg 36F 65A 65Ab 65Aba 65Bx 65D 65Dd 65Df 65F 65Fa 65Fz 65G 65Ge 65K 65Ky
- 2782. *Dichagyris (s.str.) eremicola* (Standfuss,1888)** (Noctuidae) Synonym(s): *eremicola* Standfuss,1888; *nigrolineata* Corti,1933; *dubiosa* Draudt,1937 Range (as codes): RU Ur KG Uk TR 06 65 06Y 65B 65Bk 65Bx
- 2783. *Dichagyris (s.str.) erubescens* (Staudinger,1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger,1892 Range (as codes): TR GR IR Kh AF Srb LB Bsa IL Pa SY Bld JO Sn EG IQ 01 02 06 07 24 25 27 30 33 42 44 46 47 50 51 56 58 63 65 02F 02Fe 02Fz 06B 06R 06Ra 07K 27B 30B 30Bj 30D 30Df 33O 44E 44Ei 47D 50G 50Gb 56F 56Fb 56Fv 56Fe 56Fs 56Fç 56Fv 58N 63K 65A 65Ai 65D 65Dh 65Fr 65Fp 65Fz 65G 65Gf 65Gy 65K 65Kl 65Z 65N 65Np 65Np1 65Np2 65Nm
- 2784. *Dichagyris (s.str.) forficula* (Eversmann,1851)** (Noctuidae) Synonym(s): *forficula* Eversmann,1851 Range (as codes): GR RU TR Cc AM GG RU Kr St Ich Ing Da LB IQ IR Ab Mak Oru Sdt Ss Fa Ke Es By Yas Km Kz Kd Mrv Snj Sqq Shr Yas Hz B-A Kh Elb Th Mz Kdv Dam Plr Ab Ak AF Hr Pli Gbh 01 03 04 07 08 12 13 18 24 25 29 28 30 33 36 38 42 49 50 51 58 60 65 13B 13G 13Gü 13Gw 36F 36Fb 50G 50Gc 50Gd 65B 65Bo 65Bx 65D 65Df 65Di 65F 65Fa 65Fp 65Fz 65K 65Kl 65Z
- 2785. *Dichagyris (s.str.) fredii* (Brandt,1938)** (Noctuidae) Synonym(s): *fredii* Brandt,1938 Range (as codes): IR Th Elb Kdj Fa TR 13 30 56 65 73 13C 30B 30Bc 30Be 30D 30Df 56F 56Fs 65F 65Fa 65Fp 65Fz 65G 65Ga 65Gü 65Gz 73C 73Cd
- 2786. *Dichagyris (s.str.) griseotincta* (F.Wagner,1931)** (Noctuidae) Synonym(s): *griseotincta* F.Wagner,1931 Range (as codes): TR 06 51 58 06C 06Y 51D 51Da
- 2787. *Dichagyris (s.str.) grisescens* Staudinger,1879** (Noctuidae) Synonym(s): *grisescens* Staudinger,1879; *fasciata* Vorbrodt,1930; *euryloma* Corti,1933 Range (as codes): TR IR Elb Th Kd Mrv Fa By Lo SY Dms IQ AF PK IN Ld UZ KK Skm 30 30B 30Bd 30Be1
- 2788. *Dichagyris (s.str.) leucomelas* Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941 Range (as codes): MA IR Fa Ss Kh Bk Lo Es Ke Ha Yz Th Elb Km Kd Snj Mrv TR RU Cc Ro AF Pli Gbh Srb KK Skm UZ TJ PK Bt Skd Gg Cls Psu IN Ld IL Pa Sn EG 13 25 30 58 65 13A 13Ab 13Ax 25F 25R 30B 30Bd 30Bh 30D 30Db 58G 65A 65Ac 65Ac3 65D 65Df 65F 65Fa 65Fz 65G 65Ge 65K 65Ky
- 2789. *Dichagyris (s.str.) melanura* (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846 Range (as codes): RO YU MK BG GR Cr RU MD UA BY TR Cc CY IR LB SY Dms IL Pa He JO 01 04 05 06 08 13 24 25 29 30 40 42 44 46 50 51 56 58 62 65 68 70 01D 04C 05A 06Y 06Yb 08H 08Ha 08Hb 13A 13F 13F7 13F71 25A 25C 25Ca 25F 25R 29F 30B 30Bd 30Bh 40D 42B 42R 42Rd 44I 50G 50Gc 50Gd 51B 51Ba 56F 56F1 56Fs 56Fb 58G 58Gi 58N 58R 65D 65Dn 65Dv 65F 65Fa 65Fm 65Fp 65Fz 65L 65Lb 68B 68Bb 70A 70Ac
- 2790. *Dichagyris (s.str.) multicuspis* (Eversmann,1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issycula* Hampson,1903 Range (as codes): RU Ur KG IR Kh TM Krn Cc AM TR KK Ik CN Ui Kl MN AF Hr Arh UZ N-A

- 2791. *Dichagyris* (s.str.) *pfeifferi* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933 Range (as codes): TR IR Fa Ma IL Pa 30 46 65 73 30B 30Be 65F 65Fa 65Fm 65Fp 65Fz 73C 73Cd
- 2792. *Dichagyris* (s.str.) *psammochroa* (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; #*dichroa* Boursin,1940. Range (as codes): IR Elb Th Kdj Fa Ha Mz TR 65
- 2793. *Dichagyris* (s.str.) *renigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. Range (as codes): ES FR Si? IT CH AT RO YU AL MK BG GR TR Cc AZ Nv Ord GG Mng Smt Akh RU Ro St Kc Kb Nt Ich Ing Da MD UA BY 04 05 06 08 18 25 30 36 42 47 50 51 56 58 62 65 69 04D 04Da 05A 25C 25Ca 36D 47D 56F 56Fv 56Fs 56Fb 56Fq 58N 65B 65Bo 65Bx 65G 65Ge
- 2794. *Dichagyris* (s.str.) *singularis* (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877 Range (as codes): AE IL Pa JO TR IQ Rvw Brs IR Hz Elb Th Lo Kh Nys Ke Zj TM Krn Kp AF 13 30 44 51 56 63 65 13C 13Cf 30D 30Df 44F 44Fb 44L 51B 51Ba 56A 56F 56Fv 56Fq 56Fb 63B 65A 65Ai
- 2795. *Dichagyris* (s.str.) *squalidior* (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901; *albicollaris* Kozhantshikov,1930 Range (as codes): LB SY Dms TR Cc AM GG Bjo IQ Sif IR Fa Ke Elb Th Ab Sdt Sqg Mrv Oru Snj Kd Lo Ab Ak Kz Kh KuB Zj AF Hk TM RU Ao Ro Da 01 03 08 12 23 25 30 36 42 44 46 50 56 58 65 75 01K 08H 08Hb 23I 25C 25Ca 30B 30Bd 30Bc1 30Be 30Bf 30Bi 30Bj 30Bg 30Bh 30D 30Da 36F 36Fb 42B 44E 50G 50Ga 50Gc 58G 58Gi 58N 65D 65Dn 65Dx 65E 65F 65Fa 65Fp 65Fz 65G 65Ge
- 2796. *Dichagyris* (s.str.) *squalorum* (Eversmann,1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann,1856; *nigrolineata* Kozhantshikov,1930 Range (as codes): RU Ro St Da Ur Sb SY IQ Cc AM AZ Nv Ord TR IR Fa Lo Es Ke Kh Ha Zj Mz Yz Zj Ab Sdt Th Lo Kd Sqg Mrv Km TM 01 02 04 12 13 23 24 25 30 36 44 50 51 58 65 69 76 01H 02F 02Fz 04C 04D 04Da 13A 23I 25A 25F 25R 30B 30Bg 30Bd 30Bf 30Bh 30D 30Da 30Db 36F 36Fb 36D 50G 50Ge 51B 51Ba 58G 58Gi 65Bx 65F 65Fa 65Fm 65G 65Ge 65L 65Lb 76C
- 2797. *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933. Range (as codes): TR IR Elb Fa Ha Kh Bk Zj Mz Ab Sdt Sqg Snj Mrv Kd Th Ss Se KuB AM Eri Cc RU Kyi IQ AF Pag LB Bsa IL Pa 02 04 12 13 25 30 36 44 46 51 58 65 69 02F 02Fz 04C 04D 04Da 25A 25C 25Ca 30B 30Bg 30Bh 30Bt1 30Bz 30D 30Da 36F 36Fb 36D 44E 51B 51Ba 58G 58Gi 65A 65Ab 65Aba 65Ac 65Ac3 65As 65Bx 65F 65Fa 65Fm 65Fz 65G 65Ge 73C 73Cd
- 2798. *Dichagyris* (s.str.) *tyrannus* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912 Range (as codes): RU IR Ss Fa Kh Ke TR KK Skm TJ Pm Chr 65 65F 65Fa
- 2799. *Dichagyris* (s.str.) *vallesiaca* (Boisduval,[1837])** (Noctuidae) Synonym(s): *vallesiaca* Boisduval,[1837] Range (as codes): FR IT CH RU Ro Ich Da TR MD UA Cm Cc GG Bjo Tbl IR Ss Elb Th Mz Kd Snj Mrv Dam Kh KuB Fa TJ Pm Chr KK Ik Skm PK Bbu Psu Gg 08 25 36 40 42 50 56 58 65 08H 08Ha 25C 25Ca 25F 36D 40D 42B 42D 50G 50Gc 50Gd 56F 58G 65E 65F 65Fa 65N 65Np2 65Nm
- 2800. *Dichagyris* (s.str.) *wilsoni* Fibiger,2002** (Noctuidae) Synonym(s): *wilsoni* Fibiger,2002 Range (as codes): TR 06 25 38 42 50 06Y 06Yb 38E 38G 38Ga 42B 50G 50G 50Ga 50Gb 50Gd 50F
- 2801. *Dichagyris* (s.str.) *zeituna* (Staudinger,1900)** (Noctuidae) Synonym(s): *zeituna* Staudinger,1900; *seituna* Hampson,1903 Range (as codes): TR 07 30 46 58 63 68 07C 30B 30Bf 30Bh 30D 30Da 46L 58G 63E 68H
- 2802. *Dichonia* (Gripesia) *aprilina* (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *bouveti* D.Lucas,1905; *obscurior* Wolfsberger,1969. Range (as codes): DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro MD UA Lvv BY 06 14 06R 06Rb
- 2803. *Dichonia* (Gripesia) *pinker* Kobes,1973** (Noctuidae) Synonym(s): *pinker* Kobes,1973 Range (as codes): BG GR TR Cc RU Ro 01 06 08 13 17 42 56 01K 06E 06Ea 06R 06Rb 06Rq 13C 13Cf 42B 56E 56Eh 56F 56Fo 56Fv
- 2804. *Dichonia* (Gripesia) *wegneri* Kobes & Fibiger,2003** (Noctuidae) Synonym(s): *wegneri* Kobes & Fibiger,2003 Range (as codes): TR GR HU BG RO SK UA? 06 06R
- 2805. *Dichonia* (s.str.) *aeruginea* (Hübner,[1803])** (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *mioleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913. Range (as codes): ES FR Co Si IT AT PL SK HU RO YU BG GR TR Cc IQ 05 06 08 13 21 31 38 46 56 64 05A 06E 06Ea 06R 06Rb 06Rq 13C 13Cf 21L 38H 38Hc 56E 56Eh 56F 56Fb 64F
- 2806. *Dichonia* (s.str.) *convergens* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): #*convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791] Range (as codes): PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc RU Kr MD UA BY IR Elb Th Kld Gh 06 08 13 62 69 06R 06Rb 13C 13Cf 62G 62Gb
- 2807. *Dicycla* oo (Linnaeus,1758)** (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803]; *renago* Haworth,1809; #*sulphurea* Staudinger,1901 Range (as codes): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ Len IQ IR Fa Es By Yas Kz Ab Sdt Bne Mrv Kd Mia GlS DK SE LV LT RU Ro Da MD UA BY IL Pa 01 02 05 06 07 08 11 17 18 21 22 28 30 33 38 39 42 46 47 56 65 02F 02Fd 02Fz 06R 06Rb 21L 21N 21Nh 30B 30Bc 30Bz 30D 30Df 33G 33P 47D 56F 56Fb 56Fv 56Fa 56Fs 56Fi 65A 65Ai
- 2808. *Diloba* *caeruleocephala* (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758 Range (as codes): ES Mu FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc AZ Kir Ro MD UA Lvv BY LB IL Pa JO IR Elb Th 05 06 13 16 22 24 25 31 46 50 56 62 63 64 70 05A 06E 06Ea 06R 06Rb 06Rq 13C 13Cd 16A 56F 62G 62Gb 63E 64F 70C 70Cb

- 2809. *Drasteria cailino* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857 Range (as codes): MA PT ES Mu FR Si IT RO YU AL BG GR TR IL Pa LB Bsa SY IQ Dia Ry Rwz Brs RU Sr Ro Da AF Kab Nu Bsg Hr Bd Adr IR Bk Ke Ha Es Lo Fa Ss Kh Elb Th Dam Kz Skh Yas Sqq Kd Snj Km Hz AZ Kir Nv Ord Cc GG AM KG Ssn Lps At CN Ui Ga Au Pm Tk Dj KK Ik Skm PK SA YE Ab Sdt Kd Snj Bjz Zj Bne Mrv DZ BSa Ktr Orn Bsk Onç TN Gf 01 02 03 04 05 06 08 13 14 18 21 24 25 29 30 33 42 44 45 46 47 50 51 56 58 60 62 65 66 69 73 02F 02Fd 02Fz 05A 06R 06Rb 13A 13Ab 13Ax 13F 13F38 13F71 13G 13Gü 13Gw 21N 21Nb 21Nh 30B 30Bç 30Bt1 30Bz 30D 30Df 30Dx 30Dp 42J 42X 42Xa 44E 44Ei 47D 56F 56F1 58N 65A 65Ac 65Ac3 65Ai 65An 65Am 65Am1 65D 65Df 65Dj 65F 65Fa 65Fp 65Fz 65L 65Le 73D 73Df 73Dfc
- 2810. *Drasteria caucasica* (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903. Range (as codes): RO AZ Kir Hkd Nv Ord Bak GG Smt Akh AM Cc RU To Ro Kr Ich Kyi Da TR IR Fa Ha Elb Th Kdj UZ Fe Man Nmg CN Ui Khr Ku Au KK Ik Osh Skm KG DsA Uk Tk Dj Aa AF Hr Srb Blh Pli Bd Bark TJ Pm Chr 13 21 23 24 25 30 36 42 44 50 51 58 65 73 13A 13B 21N 21Nb 25T 30B 30Bd 30Bg 36D 36Db 44L 51D 58G 65B 65Bo 65Bx 65D 65Dv 65F 65Fr 65Fp 65Fz 65K 65Kl 65Z 65Ku 65L 65Lb 65N 65Np 65Np5 65Nm 73A 73Ad 73Ad2
- 2811. *Drasteria flexuosa* (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881. Range (as codes): RU Cc Kyi Da TR EG IL Pa SY JO IQ Agh Tkr IR Kh Lo Fa Ss Bu Dlk Ke Fa Ab Elb Th Mak Ak Oru Sdt Mrd Kd Snj Ariz Bjz Shr Ma AF Gbh Arh Pag Nu Bsg Srb Kab Pli Blh Bd Fz Hr PK Bl Chm TM KG Tk Kd J Aa KK Ik CN Ui Ku Kl Ga Kml MN Uli AZ Bak Nv Ord UZ Fe Smk Br 04 05 21 23 36 63 76 05A 36D 63B 76B 76Ba
- 2812. *Drasteria herzi* (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895 Range (as codes): TR Cc RU Da AM AZ Kir Nv Ord IL Pa JO EG Sn IR Kh TM Kp KK Ax Skm CN Ui KG Tk Dj 06 13 36 51 65 06Y 13G 13Gü 13Gw 51D 51Da 65Bx 65G 65Ge 65N 65Np5 65Nm
- 2813. *Drasteria picta* (Christoph,1877)** (Noctuidae) Synonym(s): *picta* Christoph,1877; *radapicta* Staudinger,1901. Range (as codes): RU Cc Da TR TM Kp Krn CN Ui Khr Ku Ln AZ Kir Nv Ord UZ Fe Nmg Smk Br IR Men KG Tk Dj 76 76A 76Aa 76Ac
- 2814. *Drasteria rada* (Boisduval,1848)** (Noctuidae) Synonym(s): *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851. Range (as codes): RU TR UA CN Ui Ku Tlk Kl KK Skm Ik KG Uk Tu Tk Dj AZ Nv Ord Kir Hkd Cc IR Ab Ak Shf Mrd Khy AM 36 63 76 36D 36Db 36Df 76A 76Aa 76Ac
- 2815. *Drasteria saisani* (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910. Range (as codes): RU Da KG Tar Ssn Tk Dk TR IR Kh KuB Elb Th Diz Dam Plr KK Ik T-A Feg Skm CN Ui Ii AF Nu Bsg AZ Kir Nv Ord Cc TM Kp UZ N-A 01 04 06 08 12 13 21 25 30 33 36 42 44 47 49 50 51 56 58 65 66 06B 06Bb 06C 06Cb 06R 06Re 08H 13A 13Ac 13Ac2 13Ac 13Ax 21L 21Lc 30B 30Bd 30Bg 30D 30Da 30Df 33R 36D 36Db 36F 49E 49Ea 56F 58G 65A 65Am 65Am1 65Am4 65C 65D 65Df 65F 65Fp 65Fz 65G 65Gb 65K 65Kb 65Kl 65Kl1 65Z
- 2816. *Drasteria sequax* (Staudinger,1901)** (Noctuidae) Synonym(s): *sequax* Staudinger,1901 Range (as codes): TR 24
- 2817. *Drasteria sesquilina* (Staudinger,1888)** (Noctuidae) Synonym(s): *sesquilina* Staudinger,1888; *sequax* Staudinger,1901. Range (as codes): TR TM UZ Fe Smk Nmg N-A Al KK TeA Ax TrA T-S CN Ui Au Kml 13 21 24 56 13G 13Gü 13Gw 21N 21Nb 56F 56Fa 56Fm 56F1 56Fç 56Fv 56Fq
- 2818. *Drasteria sesquistria* (Eversmann,1854)** (Noctuidae) Synonym(s): *sesquistria* Eversmann,1854 Range (as codes): RU TR KG Tk Dj UZ Br TM Kp AF TJ Pm MN CN Ui Au Cc AZ Nv Ord
- 2819. *Drasteria tenera* (Staudinger,1877)** (Noctuidae) Synonym(s): *tenera* Staudinger,1877 Range (as codes): TR RU
- 2820. *Dryobota labecula* (Esper,[1788])** (Noctuidae) Synonym(s): *labecula* Esper,[1788]; *furva* Esper,[1791]; *occlusa* Hübner,[1824]; *didymoides* Duponchel,1827 Range (as codes): MA DZ BtNa Ges Lbs EG PT ES FR Co Sa Si IT CH YU GR Cr TR CY IL Pa 21 35 42 45 42B
- 2821. *Dryobotodes (Dichonioxia) tenebrosa* (Esper,[1789])** (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826. Range (as codes): MA DZ PT ES FR Co Sa Si IT MT YU BG GR Cr TR CY IL Pa 46
- 2822. *Dryobotodes (s.str.) carbonis* (F.Wagner,1931)** (Noctuidae) Synonym(s): *carbonis* F.Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976. Range (as codes): FR Co Sa Si IT AT RO YU MK BG GR Cr TR UA LB IL Pa 06 13 33 42 46 56 64 06E 06Ea 06R 06Rq 13C 13Cf 42B 56E 56Eh 56F 56Fa 64F
- 2823. *Dryobotodes (s.str.) eremita* (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911 Range (as codes): MA DZ BtNa Lbs Afl Ges PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ IR Fa Gl LB IL Pa SY DK NO SE FI EE LV LT RU GG Lag Cc Ro Ich MD UA BY 05 06 13 18 24 38 56 60 64 05A 06E 06Ea 06R 06Rq 13C 13Cf 38H 38Hc 56E 56Eh 56F 56Fb 56Fv 64F
- 2824. *Dryobotodes (s.str.) glaucus* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *glaucus* L.Ronkay & Gyulai,2006 Range (as codes): TR IR By Skh 56 56F 56Fa 56Fv
- 2825. *Dryobotodes (s.str.) monochroma* (Esper,1790)** (Noctuidae) Synonym(s): *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827 Range (as codes): MA DZ BtNa Lbs Afl DhM Abe DhM Ges PT ES FR Co Sa Si IT CH AT CZ SK HU YU BG GR TR RU Cc Ro Kr St Da IR Gl 06
- 2826. *Dryobotodes (s.str.) servadeii* Parenzan,1982** (Noctuidae) Synonym(s): *servadeii* Parenzan,1982 Range (as codes): Sa? IT GR TR CY 06

- 2827. *Dypterygia scabriuscula* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *scabriuscula* Linnaeus,1758; *pinastris* Linnaeus,1761. **Range (as codes):** PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR AM GG Smt Akh Cc TR IR Mz Elb Gls DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Kyi Da Am Sr Us Sb MD UA Lvv BY JP CA US Tx Col 05 06 08 14 25 39 61 05A 06R 06Rb 25K
- 2828. *Dysgonia algira* (Linnaeus,1767)** (Noctuidae) **Synonym(s):** *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* De Villiers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europa* Schawerda,1912 **Range (as codes):** Cn MA DZ PT ES Mu FR Co Sa Si IT MT GB DE CH AT PL SK HU RO YU AL GR Cr Rd TR Cc CY IQ Akr Bsr Amr DK RU Am MD UA BY KK TM AF IR Fa LB Bsa IL Pa SY JO UZ Fe CN KP KR JP ZA Tva Lpo Spb Mdk Mpu Brb Gau Pre Nta Kzu Dbn Ec Grh SL NG ZR KE YE Ad MU IN CN PK LK Kndy Pdy MM Ab Elb Mz Th AZ Nv Ord Der Len AM GG Cc Ro Kr St Ich Da CV Cp Sdt Gls Agi Hmk Hrh DhM TN Dzc Ges Afr Perr Afl Orn Ktr Bsk Sbd Abe Clo 01 05 07 08 10 13 16 17 18 21 22 27 28 30 31 33 34 35 39 40 42 44 45 48 50 52 56 61 62 63 65 73 05A 07B 13F 13F38 16A 21N 21Nb 27D 27Da 27Db 30B 30Bt1 30Bz 30D 30Df 30Dt 31K 31Ka 31Ka3 33A 33Ac 39K 44E 44Ei 44I 44Ic 48D 50G 50Gd 56F 56Fv 56Fç 56Fa 56Fm 56Fc 61K 61Ka 63D 65A 65Am 65Am1 65D 65Ds 65Du 65Dv 73D 73Df 73Dfc
- 2829. *Dysgonia torrida* (Guenée,1852)** (Noctuidae) **Synonym(s):** *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987] **Range (as codes):** MA DZ PT ES Mu Si IT MT YU HV AL BG GR CY TR IR IQ Agh Bgd UZ N-A NP LB IL Pa SY JO AE AF Srb Nu Gbh PK Cp IN ZR ZA ET ET24 01 07 20 27 30 31 33 35 50 56 07B 30B 30Bf 31A 33R 56F 56Fa 56Fi 56F3 56Fm
- 2830. *Earias chlorophyllana* Staudinger,1892** (Noctuidae) **Synonym(s):** *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *watsoni* Wiltshire,1947. **Range (as codes):** DZ Ajj Abe LY MA SA SD TM Kp TR IL Pa JO IR Hz Enz Fa Kaz Mia Hz B-A IQ 07 47 07B
- 2831. *Earias clorana* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *clorana* Linnaeus,1761; *viride* Retzius,1783 **Range (as codes):** PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Fa Ha Kd Snj Ab Oru Cc GG Tbl Lag IQ DK NO SE FI EE LV LT RU Cc Ro Kr Kc Nt Kb Ich MD UA Lvv BY 01 05 06 10 12 13 14 17 18 24 29 42 44 50 56 58 62 65 66 67 69 75 05A 06A 06Aa 06R 12A 12Aa 13F 13F71 44E 44Ei 56F 56Fç 56Fq 56Fb 65A 65Ai 65F 65Fm 65Fp 65Fz 65Fr 65K 65Kl 65Z 65Kp 65L 65Le 65N 65Np 65Nm 75F 75Fd
- 2832. *Earias insulana* (Boisduval,1833)** (Noctuidae) **Synonym(s):** *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *chlorigon* Rambur,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881 **Range (as codes):** MA DZ BSX TN LY Cn PT ES An Mu FR Si IT MT GB BG GR Cr TR CY RU IQ Agh Bgd IR Fa Ke Hz Ss Elb Th Kdj Mz Lo B-A SY IL Pa Hf JO LB EG SA OM SD Sk Et ET29 AF Ca Arh PK Sd Krc Cp JP IN PH Luz TH TW ID Clb Bor Swk AU ZA Nta Kzu Est Fs Tva Gau Jh Pre Ec Cto MZ Ad YE47 SO Zai MG MR Abe TD Tbt 31 48 56 58 63 65 48G 48Gb 56E 56Eh 56F 56Fq 56Fv 56Fç 58N 63E 65D
- 2833. *Earias syriacana* Bartel,1903** (Noctuidae) **Synonym(s):** *syriacana* Bartel,1903 **Range (as codes):** TR LB Bei Bsa AL SY IL Pa IQ CY 44 58 44L 44Lc 58G
- 2834. *Earias vernana* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *vernana* Fabricius,1787; *obliterata* Bartel,1914 **Range (as codes):** PT ES FR Co Si IT NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Akh DK SE LV LT RU Ro Kr Ich 04 07 38
- 2835. *Egira anatolica* (M.Hering,1933)** (Noctuidae) **Synonym(s):** *anatolica* M.Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966; *bulgarica* Beshkov,2000 **Range (as codes):** IT BG GR TR Cc AZ Nv UZ KK Tls TM Kp TJ IR Elb Th Kdj Kh RU Ro Kr Da Ur At UA BG LB CY KG Uk Sp Tar 01 02 04 06 13 21? 23 27 30 31 24 44 46 50 56 63 65 67 73 01A 02E 13G 21N 21Nh 23M 30B 30Bj1 30D 30Df 46G 56F 56F1 56Fa 56F3 56Fv 63B 63E 65A 65Am 65Ai 65Am4 65E 65Eb 65F 65Fm 65Fp 65Fz 65Fu 65L 65Lb 73A 73Ab
- 2836. *Egira conspicillaris* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *conspicillaris* Linnaeus,1758 **Range (as codes):** MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE Bw CH AT PL CZ SK HU RO YU TR GR EE RU GG Tbl Smt Bjo Cc Ro Kr Da Sb MD UA Lvv BY CN Ui Ku 06 07 33 43 06R 06Ra 33G 43D
- 2837. *Egira fatima* Hreblay,1994** (Noctuidae) **Synonym(s):** *fatima* Hreblay,1994 **Range (as codes):** TR 02 13 23 30 33 46 63 73 02E 13C 13Cf 13Cg 23I 30B 30Bh 30Bm 30Bj1 30D 30Df 33C 46G 63E 73C 73A 73Ab 73Cd 73Ce 73Cf
- 2838. *Egira tibi* Hreblay,1994** (Noctuidae) **Synonym(s):** *tibi* Hreblay,1994 **Range (as codes):** BG GR Sms TR Cc IL Pa LB Bsa JO IQ IR Elb Th Fa 01 03 06 07 11 15 17 33 34 35 36 42 43 46 48 58 01A 07B 11A 15C 33A 33Ac 33Ak 33C 46G 48G
- 2839. *Eicomorpha antiqua* Staudinger,1888** (Noctuidae) **Synonym(s):** *antiqua* Staudinger,1888. **Range (as codes):** TR UZ Smk Nmg KK Fe AF Adr TM TJ KG JO IR Fa 04 25 49 04D 04Da
- 2840. *Eicomorpha kurdestanica* De Freina & Hacker,1985** (Noctuidae) **Synonym(s):** *kurdestanica* De Freina & Hacker,1985 **Range (as codes):** TR IR Lo IQ 12 25 30 73 12C 25C 30D 30Da 30Df 73C 73Cd
- 2841. *Elaphria venustula* (Hübner,1790)** (Noctuidae) **Synonym(s):** *venustula* Hübner,1790 **Range (as codes):** PT ES FR Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag Akh Cc IR Gh Mz Elb DK SE FI EE LV LT RU Ro Kr MD UA Lvv BY 06 14 55 58 61 06R
- 2842. *Enargia abluta* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *abluta* Hübner,[1808]; *imbuta* Boisduval,1840. **Range (as codes):** ES IT AT SK HU RO YU BG TR RU Cc Ro Ich Or Ur MD UA BY IR Elb Ke Kdj Th Ha KK Skm 51
- 2843. *Enargia paleacea* (Esper,[1788])** (Noctuidae) **Synonym(s):** *paleacea* Esper,[1788]; *fulvago* Hübner,[1803]; *angulago* Hatcher,1812 **Range (as codes):** PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kb Nt Kc Ich Ing Da MD UA Lvv BY 36 65 75 65K 65Kp 65L 65Lb

- 2844. *Enargia pinkeri* De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *pinker* De Freina & Hacker, 1985 Range (as codes): TR 01 06 07 18 33 38 42 65 06R 06Rb 06Re 33G 38C 38Ca 65A 65Ab 65Aba
- 2845. *Epilecta linogrisea* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller], 1775; *lutosa* Staudinger, 1901. Range (as codes): DZ Khh PT ES An FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc GG Smt Bjo RU Kr Ich DK NO SE EE LB IL Pa He IR TM 01 03 05 06 08 16 17 31 33 42 46 50 56 62 65 05A 06R 06Ra 08H 16A 31K 31Ka 31Ka3 33A 33Ae 42D 56F 56Fo 56F6 56Fs 56Fc 56Fj 65A 65Ai 65Am 65Am4 65Ac 65Ac3 65F 65Fm
- 2846. *Epimecia ustula* (Freyer, 1835)** (Noctuidae) Synonym(s): *ustula* Freyer, 1835; *lurida* Treitschke, 1835; *ustulata* Geyer, [1835] Range (as codes): ES FR IT CH HU RO SS AL BG GR TR RU Cc Ro St Da Cm 58
- 2847. *Epiptammia cretacea* (Staudinger, 1888)** (Noctuidae) Synonym(s): *cretacea* Staudinger, 1888. Range (as codes): UZ TJ TM TR Cc IR Elb GlS Kh 76 76D 76Df
- 2848. *Episema amasina* (Hampson, 1906)** (Noctuidae) Synonym(s): *#amasina* A. Bang-Haas; *amasina* Hampson, 1906 Range (as codes): TR Cc UA UZ N-A 05 06 18 42 25 36 44 47 49 50 58 60 63 65 69 05A 06Y 06Yb 25C 36F 36Fb 44E 44L 49F 49Fe 58G 63L 69B 69Ba
- 2849. *Episema didymogramma* (Boursin, 1955)** (Noctuidae) Synonym(s): *didymogramma* Boursin, 1955 Range (as codes): TR Cc IL Hf Pa Js LB Bei SY Hms 04 21 25 27 36 46 56 58 63 65 04D 04Da 21F 21P 25D 36F 36Fb 56F 56Fj 56Fm 58G 63E 63L 63M 65K 65Kd 65N 65Nc 65Kg
- 2850. *Episema glaucina* (Esper, [1789])** (Noctuidae) Synonym(s): *glaucina* Esper, [1789]; *dentimacula* Hübner, 1790; *unicolor* Duponchel, 1835; *hispana* Boisduval, [1837]; *meridionalis* Calberla, 1888; *abruzzorum* Dannehl, 1929. Range (as codes): PT ES FR Co Sa Si IT BE DE CH AT CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo AZ Kir RU Ro Kr St Kc Nt Da IR Ab Oru Mz Elb Se Kh Nys 04 05 25 75 04D 04Da 05A
- 2851. *Episema korsakovi* (Christoph, 1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph, 1885; *paenulata* Christoph, 1885. Range (as codes): RO YU BG GR Cr TR CY Cc AZ Kir AM GG Smt Bjo RU Kr SY CY IL Js Pa IR Gh Elb Fa 01 06 08 10 14 17 21 23 30 33 36 42 44 45 46 50 51 56 58 65 06C 06Cb 06E 06Ea 06R 06Rq 06Y 06Yb 21F 23I 30D 30Df 33A 33Ae 36F 36Fb 44E 44F 44Fb 50G 51B 51Bc 56F 56Fb 56Fv 56Fm 56Fc 56Fq 56Fj 58G 65A 65Am 65Am4 65D 65Df 65F 65Fp 65Fz 65K 65Kd 65Kg 65Kl 65Kl3 65Z 65N 65Np 65Np8 65Nm
- 2852. *Episema lederi* Christoph, 1885** (Noctuidae) Synonym(s): *lederi* Christoph, 1885; *sareptana* Alpheraky, 1897; *#lederi* Wiltshire, 1937. Range (as codes): RO MK BG GR RU Da TR Cc AZ Kir CY TM Kp SY IQ Dy Dia Kq Pa IL IR Gh Elb Th Km Ksh Shr GlS AF 04 05 06 21 23 25 36 38 42 44 46 47 49 50 56 58 60 62 63 65 04D 04Da 05A 06E 06Ea 06R 06Rq 06Y 06Yb 25D 44E 49F 49Fe 56E 56Eh 56F 56Fc 56Fj 58G 63D 63E 63L 65B 65Bb 65Bx 65G 65Gb 65Ge 65N 65Np1 65Nm
- 2853. *Episema tersa* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller], 1775; *trimacula* [Denis & Schiffermüller], 1775; *swiderskii* Kostrowicki, 1956. Range (as codes): DZ Ges Btina Sét Perr Afl Abe Sa? IT AT PL CZ SK HU RO YU BG GR TR IL Pa Js CY UA RU Cc Kr KG KK Ik T-S IR? 06 07 13 14 18 21 25 42 46 49 50 51 56 58 62 65 06C 06Cb 06E 06Ea 07A 07Ad 13C 13Cf 21L 25F 49F 49Fe 56A 56F 56Fi 56Fm 56Fv 56Fj 62G 65A 65Am 65Am4 65F 65Fa
- 2854. *Eremobia asiatica* Draudt, 1936** (Noctuidae) Synonym(s): *asiatica* Draudt, 1936 Range (as codes): BG GR TR Cc IR Fa Elb Th Plr Es Zj Kd Snj Bne 03 05 06 13 17 25 30 32 36 42 51 58 65 13F 13F7 13F71 30B 30Bd 30Bci 30Bti 30Bz 65A 65Ab 65Aba 65Ac 65Ac3 65D 65Df 65Di 65Dlc 65F 65Fm 65Fp 65Fz
- 2855. *Eremobina pabulatricula* (Brahm, 1791)** (Noctuidae) Synonym(s): *pabulatricula* Brahm, 1791; *connexa* Borkhausen, 1792; *fraudentula* Staudinger, 1888 Range (as codes): FR IT GB BE DE AT PL CZ SK HU RO BG TR DK NO SE FI EE LV RU Cc Ro St Da Us Krl MD UA BY JP KP KR 39
- 2856. *Eremohadena* (s.str.) *chenopodiphaga* (Rambur, 1832)** (Noctuidae) Synonym(s): *chenopodiphaga* Rambur, 1832; *erubescens* Staudinger, 1901; *roseotincta* Turati, 1929 Range (as codes): MA DZ Hes Ges Tou Sfr BSa Khh Gle Bsk TN LY PT ES FR Co Si IT TR CY Cc GG Tbl Mng AM LB BSa SY IR Th Fa IQ TM UZ CN Ui 46 47 47D
- 2857. *Eriopygodes imbecilla* (Fabricius, 1794)** (Noctuidae) Synonym(s): *imbecilla* Fabricius, 1794; *alpina* Hübner, 1793; *aliena* Hübner, [1808]; *disparilis* Ochsenheimer, 1816. Range (as codes): ES FR IT GB LU DE CH AT PL CZ SK HU AL BG TR Cc GG Smt Bjo Bku Mng DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da At UA Lvv BY 04 25 36 75 36E 36F
- 2858. *Eublemma* (Coccidiphaga) *scitulum* (Rambur, 1833)** (Noctuidae) Synonym(s): *scitula* Rambur, 1833; *exasperata* Lederer, 1855; *gibbosa* Snellen, 1872; *futilis* Swinhoe, 1884; *cretacea* Hampson, 1893; *turatii* Berio, 2002. Range (as codes): DZ Clo Abe Sfr LY PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr CY TR LB IL Hf Pa JO YE PK LK ZA ID Ij
- 2859. *Eublemma* (Glossodice) *polygrammum* (Duponchel, [1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel, [1842]; *argillacea* Eversmann, 1844; *nuda* Christoph, 1862; *violetta* Staudinger, 1889. Range (as codes): DZ Lbs PT ES Mu FR IT CH AT PL RO YU AL BG GR Cr TR CY AZ Kir Hkd Nv Ord Cc IR Fa Bk By Mz Es Elb Th Kd Sqq Bne Bjr Ab Mak Kz Yas Mia Shr Ss Hz B-A IQ RU Ro St Nt Ing Da MD UA BY LB BSa Bei IL Pa Hf JO 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 56 58 60 65 66 70 75 76 05A 13A 13Ab 13Ax 13G 13Gy 30B 30Bc 30Bti 30Bz 44L 44Lc 56F 56Fa 56Fv 56Fm 56F1 56Fs 56Fa 56Fö 58G 58N 65A 65Ac 65Ac3 65Ai 65D 65Df 65F 65Fe 65Fr 65Fp 65Fz 65G 65Gf 65Gy 65K 65Kl 65Z 65Kd 65Kg 65L 65Le 65N 65Np2 65Np5 65Np6 65Nm 70C 70Cf 76C
- 2860. *Eublemma* (Honeyania) *ragusanum* (Freyer, 1844)** (Noctuidae) Synonym(s): *ragusana* Freyer, 1844; *virginea* Guenée, 1852; *cinerina* Ghiliani, 1854; *psilogramma* Lederer, 1855; *quinquelinealis* Moore, 1877; *dividens* Lucas, 1892; *polygramma* Hampson, 1894. Range (as codes): Sa Si IT AL BG GR Cr TR CY LB Bei TM ZA Nta Tva SC SD NG CI IN AU QAU NH NC PG PH FJ 07 17 20 31 33 48

- 2861. Eublemma (albida-gr.) compunctum (Lederer, 1872)** (Noctuidae) Synonym(s): *compuncta* Lederer, 1872; *aftob* Brandt, 1938. Range (as codes): TR IR Gor Fa Sse Kd Sqq Bne Mrv Bjr Zj Lo AF 04 13 65 65D 65Df 65Fz 65G 65Gb 65K 65Ky
- 2862. Eublemma (albida-gr.) gratissimum (Staudinger, 1892)** (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger, 1892; *infusca* Staudinger, 1892; *transmittens* Christoph, 1893; *peralba* Schawerda, 1923. Range (as codes): IQ Mos Kbl LB Bsa CY TR Cc LB Bei JO IL Pa Hf IR Fa Km Kd Snj Lo TM AF 01 05 07 08 13 17 23 24 25 30 31 40 44 46 47 50 56 58 62 65 73 76 01K 05A 08H 08Ha 13A 13Ab 13Ac 13Ax 13B 13F 13F7 13F71 13G 13Gg 17C 25F 30B 30Bd 30Bc1 30Bc 30Bz 31K 31Ka 31Ka5 31M 44E 44Eh 44Ei 44I 44Lc 44L 44Lc 47D 56F 56Fa 56Fm 56F1 56Fc 56Fs 65B 65Bo 65Bx 65D 65Df 65F 65Fm 65Fz 65K 65Kb 65Kd 65Kg 65L 65Le 65N 65Nc 65Nc4 65Np2 65Np5 65Nm 73A 73Ad 73Ad2 76C
- 2863. Eublemma (albida-gr.) hansa (Herrich-Schäffer, [1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer, [1851]; *maraschensis* Osthelder, 1933 Range (as codes): RU TR AZ Kir Hkd Cc Da Der IR Elb Th Kd Bne Mrv Snj Lo Sqq IQ? SA? AF? LB? JO CY 01 04 13 23 30 36 44 46 50 65 76 13A 13G 13Gg 23I 30B 30Bf 36D 44F 44Fa 65F 65Fp 65Fz 76C
- 2864. Eublemma (albida-gr.) stramineum (Staudinger, 1892)** (Noctuidae) Synonym(s): *straminea* Staudinger, 1892 Range (as codes): GR TR Cc IR Ha AF Hr Gbh Srb Bsg CY BH IQ 01 04 13 23 30 36 44 46 50 58 62 65 13A 13G 13Gg 23I 30B 30Bf 36D 44F 44Fa 65F 65Fp 65Fz
- 2865. Eublemma (bulla-gr.) albivestalis (Hampson, 1910)** (Noctuidae) Synonym(s): *vestalis* Staudinger, 1900 nec Btl., 1886; *albivestalis* Hampson, 1910 Range (as codes): DZ Onç Sbd Omy Gha TN TR Jt IL Pa LB JO
- 2866. Eublemma (bulla-gr.) lutosum Staudinger, 1892** (Noctuidae) Synonym(s): *lutosa* Staudinger, 1892; *substrigula* Staudinger, 1892 Range (as codes): TR LB Bei Bsa IR Ab Mrd Khy 44 46
- 2867. Eublemma (bulla-gr.) purum (Hübner, [1813])** (Noctuidae) Synonym(s): *pura* Hübner, [1813] Range (as codes): PT ES Mu FR IT TR 33 65 65L 65Le
- 2868. Eublemma (bulla-gr.) suppurum (Staudinger, 1892)** (Noctuidae) Synonym(s): *suppura* Staudinger, 1892 Range (as codes): Si CY TR LB Bei Bsa 01 07 13 23 31 33 44 46 47 63 65 13A 13Ab 13Ax 13G 13Gn 13Gw 23G 23Ga 33R 33N 44L 46G 63E 65B 65Bo 65Bx 65D 65Dp 65F 65Fp 65Fz 65G 65Ge 65Gü
- 2869. Eublemma (candidana-gr.) aureolum Fibiger & Hacker, 2002** (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker, 2002 Range (as codes): AM Cc TR IR Elb Th Mz Ab Kdj Mha Sdt Mrv Kd Snj Sqq Mha 04 08 13 24 25 29 30 46 47 50 58 65 73 30D 30Df 46H 65D 65N 65Np5 65Nm
- 2870. Eublemma (candidana-gr.) minutatum (Fabricius, 1794)** (Noctuidae) Synonym(s): *minutata* Fabricius, 1794; *noctualis* Hübner, 1796; *paula* Hübner, [1809]. Range (as codes): ES FR Co IT BE DE CH AT PL CZ SK RO YU AL BG GR AM TR Cc GG Lag AZ Nv Ord DK NO SE FI EE LV LT RU Ro Ich MD UA BY LB Bsa 08 13 18 24 25 30 36 42 44 46 47 50 56 60 65 76 13A 13Ab 13Ac 13Ac1 13Ax 13F 13F7 13F71 30B 30Bt1 30Bz 30D 30Df 36D 36Db 44E 44Ei 44L 44Lc 47D 56F 56Fc 56Fq 65A 65Am 65Am1 65D 65Df 65Dh 65Fz 65G 65Gb 65Gf 65Gy 65N 65Nb 65Np1 65Np6 65Nm 76B 76Bb 76C
- 2871. Eublemma (candidana-gr.) ochreolum (Staudinger, 1900)** (Noctuidae) Synonym(s): *ochreola* Staudinger, 1900; *thurneri* Zerny, 1936. Range (as codes): GR MK Och TR SY IR Kd Snj Cc AM 13 25 46 56 65 13A 25F 56F 56Fa 65D 65Df 65Fz 65K 65Kl 65Z
- 2872. Eublemma (candidana-gr.) pulchralis (De Villiers, 1789)** (Noctuidae) Synonym(s): *pulchralis* De Villiers, 1789; *candidana* Fabricius, 1794; *minuta* Hübner, [1809]; *perlana* Geyer, [1830]; *skafiota* Freyer, 1845; *impura* Staudinger, 1871 Range (as codes): DZ PT ES Mu Sa Si FR IT YU GR Cr TR IR Fa IQ CY AM GG Smt Akh Cc TM 13 33 35 44 46 47 58 65 13A 13Ab 13Ax 33A 33Ac 33Ak 44L 44Lc 47D 58N 65A 65Ai 65G 65Gb
- 2873. Eublemma (candidana-gr.) viridulum (Guenée, 1841)** (Noctuidae) Synonym(s): *viridula* Guenée, 1841; *minuta* Freyer, 1849; *dalmatina* Herrich-Schäffer, [1851]; *caprearum* Draudt, 1933. Range (as codes): Sa Si IT YU BG GR Cr TR RU MD UA AZ Kir Cc 16 16A
- 2874. Eublemma (candidana-gr.) wagneri (Herrich-Schäffer, 1851)** (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer, 1851 Range (as codes): TR AZ Hkd GG Smt Akh Cc AM Dar IR Fa Kd Snj Sqq Bne Mrv Hz B-A 01 04 08 13 23 24 25 29 30 36 40 42 44 46 47 50 58 60 65 66 69 75 76 13C 13Cf 30B 30Bd 30Bc1 30Be 36F 47D 58G 58N 65N 65Np2 65Nm 76C
- 2875. Eublemma (chlorotica-gr.) chloroticum (Lederer, 1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer, 1858 Range (as codes): LB TR Cc AZ Nv Ord IR Fa Es Kh Mz Elb Th Kdj Kd Ab Khy Snj Bjr Sqq Kz Yas Kaz Mia Nss IQ Shq TM AF SY Dms JO 02 06 23 25 27 42 44 46 47 50 51 63 70 71 02F 02Fe 02Fz 06R 06Y 06Yb 44I 46G 46Gi 47D 63D 70A 70Ac
- 2876. Eublemma (cochylioides-gr.) cochylioides (Guenée, 1852)** (Noctuidae) Synonym(s): *cochylioides* Guenée, 1852; *rosita* Guenée, 1852; *phoenissa* Lederer, 1855; *derogata* Walker, 1858; *calida* Rebel, 1894; *calida* Staudinger, 1895; *confusca* W. Warren, 1913. Range (as codes): DZ Abe FR Cn ES Mu MT GR Rd TR CY SY IQ Agh IR Fa Shr LB Bei IL Pa Hf JO ZA RE LK PK AU IN NC FJ TO YE OM 31 56 31A 31K 31Ka 56F 56Fö
- 2877. Eublemma (ostrina-gr.) ostrinum (Hübner, [1808])** (Noctuidae) Synonym(s): *ostrina* Hübner, [1808]; *carthami* Herrich-Schäffer, [1851]; *aestivalis* Guenée, 1852; *numida* Lucas, 1849; *thasia* Koutsaftikis, 1973. Range (as codes): Cn PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT HU RO YU AL BG GR Cr Rd CY TR AZ Kir Cc RU Ro St Nt Ich Ing Da MD UA SY JO IL Hf Pa LB Bsa IQ Brs Ry Rwz Dia Agh Bgd IR Fa Hz Ss Ke Mz Elb Kd Km Snj Lo Mia Kz Yas Kaz Shr Hz B-A AF Bsg Nu IN PK MN KG Tk Dj Gg Sdt Gls Hrh Ges Dzc DhM Ktr Afr Bdj Bsa Btma Abe Sbd Khh Hmk Ahr Gha Bsk Gf Orn Tlm Rbt Phv Hes Lbs Clo DZ MA Tgr 01 05 07 08 09 10 13 16 21 27 30 31 33 35 44 46 47 48 50 51 56 58 60 62 63 64 65 66 05A 07C 13B 13Bg 13G 13Gy 13Gü 13Gw 16A 21N 21Nh 27D

27Da 27Db 30B 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka3 31Ka5 44I 44Ic 44L 44Lc 47D 48L 56E 56Eh 56F 56Fc 56Fb 56Fv 56Fj 56Fm 56Fö 58G 58Gg 58N 63E 65A 65Am 65Am1 65Am2 65Am4 65D 65Dh 65K 65L 65Le 65N 65Nc 65Nc4 65Np2 65Np6 65Nm

- 2878. Eublemma (pallidula-gr.) pallidulum (Herrich-Schäffer, 1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer, 1856 Range (as codes): DZ Ath Gle Omy RU Ro TR Cc AZ Nv Ord BH IR Elb Lo Kd Snj Kz Yas CY TM UZ Fe KK Ik Na CN Ui Ii LB Bsa SA AF PK Gg Jug NG 01 05 12 13 23 24 25 30 36 42 44 47 50 51 56 58 62 65 66 73 76 05A 13A 13Ac 13Ac2 13Ax 13B 13C 13Cf 13F 13F38 13G 13Gw 23G 23Ga 25R 36F 42J 42X 42Xa 44I 47D 56F 56Fc 56Fm 58G 65D 65Df 65Fz 65G 65Gb 65Gv 65Gz 65K 65Kd 65Kg 65L 65Lb 65N 65Np2 65Nr6 65Nm 73C 73Cd 76C
- 2879. Eublemma (parva-gr.) parvum (Hübner, [1808])** (Noctuidae) Synonym(s): *parva* Hübner, [1808]; *rubefacta* Mabille, 1869; *chalybea* Swinhoe, 1884; *nymphodora* Meyrick, 1902. Range (as codes): MA DZ TN LY EG SD PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU PL YU AL BG GR Cr CY TR DK RU MD UA IL Hf SY IQ Brs Ry Rwz Dia Agh Amr LB Bsa JO SA IR Ab Mrd Elb Th Kdj Kd Sqq Mak Fa Ss Kh Bk Ha AF Hr Srb Gbh Kab Ca Dwe Arh PK IN TH ID ZA YE Ad AU Snj Mia Km Kz Yas Hz B-A Cc St Da Len AZ Nv Ord Bne Mrv Hrh Ges Perr Sfr Sbd Abe Btma Clo Tgr Hes 01 05 07 08 13 24 25 30 31 33 44 46 47 48 50 56 58 63 65 80 05A 07C 13A 13Ab 13Ax 16A 30D 30Df 31K 31Ka 44E 44Ei 47D 48L 56E 56Eh 56F 56Fm 56Fö 58N 63E 63L 65A 65Am 65Am1 65D 65Df 65Dg 65F 65Fz 65G 65Gb 65L 65Le 65N 65Nc 65Nc4
- 2880. Eublemma (rosina-gr.) amoenum (Hübner, [1803])** (Noctuidae) Synonym(s): *respersa* Hübner, 1790 (*praeocc.*); *amoena* Hübner, [1803]; *bithynica* Bethune-Baker, 1888. Range (as codes): ES Mu FR Co Sa Si IT AT SK HU RO YU MK AL BG GR Cr TR GG Mng AZ AM Cc Kir Skm RU Ro Kr St Nt Ich Da IR Mz TM Kp KK UA 01 04 05 07 13 14 16 18 25 33 42 45 50 51 58 65 69 70 05A 07D 13A 13Ab 13Ax 14B 14Bb 16A 33A 58N 65F 65Fd 65Fg 65K 65Kd 65Kg 65N 65Nc 65Np6 65Nm 70C 70Cf
- 2881. Eublemma (rosina-gr.) caelestis (Brandt, 1938)** (Noctuidae) Synonym(s): *caelestis* Brandt, 1938 Range (as codes): IR Fa Zj Kd Bjr TR PK 13 23 30 44 58 65 13A 13Ab 13Ax 13B 23G 23Ga 30B 30Ba 58G 65D 65Df 65Fz 65G 65Gb 65K 65Kd 65Kg 65N 65Np5 65Nm
- 2882. Eublemma (rosina-gr.) panonicum (Freyer, 1840)** (Noctuidae) Synonym(s): *panonica* Freyer, 1840; *kindermannii* Boisduval, 1840; *lenis* Eversmann, 1844; *#panonica* Staudinger, 1901 Range (as codes): SK HU RO BG RU Ro Da Cc AZ Kir GG Smt Akh RU Ur At AF TR IR Elb Th Fa 04 05 07 08 18 13 23 25 30 36 42 44 46 47 56 58 65 76 04D 05A 13A 13Ac 13Ac2 13Ax 13G 13Gw 13F 13F71 18F 25R 30D 30Df 36F 36Fb 44E 44Eh 44I 47D 56F 56Fs 65D 65Df 65F 65Fm 65G 65Gb 65K 65Kd 65Kg 65Ky1 76C
- 2883. Eublemma (rosina-gr.) parallelum (Freyer, 1842)** (Noctuidae) Synonym(s): *parallela* Freyer, 1842; *concinnulla* Herrich-Schäffer, 1851; *#densata* W. Warren, 1912. Range (as codes): RU Ro MD UA BY TR GG AZ AM Cc IQ IR Elb Mz Dam Th Plr Nss KK 01 05 08 13 24 25 29 30 36 38 44 46 50 51 58 60 65 66 73 05A 13G 13Gü 13Gw 24B 24Bc 25A 29F 30D 30Df 44E 44Ei 46G 46Gi 58N 60C 65Bx 65G 65Ge 65F 65Fw 65Fz 73C 73Cd
- 2884. Eublemma (rosina-gr.) purpurinum ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller], 1775; *secunda* Staudinger, 1901. Range (as codes): DZ DhM Lbs TN Khh PT ES Mu FR Si IT CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Mz Th FI RU GG Smt Bjo Lag AZ Kir Nv Ord Cc Ro Kr St Ich Da Kyi MD UA BY CN Ui Ku 03 05 10 14 18 24 34 36 42 44 50 56 60 62 65 05A 14B 14Bb 36D 36Db 44L 44Lc 56F 56Fs 65C
- 2885. Eublemma (rosina-gr.) pusillum (Eversmann, 1834)** (Noctuidae) Synonym(s): *pusilla* Eversmann, 1834; *proxima* Fischer von Waldheim, 1840 Range (as codes): MN At RU Or Ro St Cc AM UA TR 04 65 76 65B 65Bo 65Bx 65D 65Df 65Fz 76D 76Df
- 2886. Eublemma (rosina-gr.) rosinum (Hübner, [1803])** (Noctuidae) Synonym(s): *rosea* Hübner, 1790 nec Fourcroy, 1785; *rosina* Hübner, [1803]; *decolorata* Wagner, 1913; *sinuata* Schwingenschuss, 1938. Range (as codes): ES IT AT RO BG GR RU Ro St Nt Ich Ing Da MD UA BY TR GG AZ AM Cc IR Fa Shr KG Tk Dj Ii 05 16 25 39 42 45 50 58 05A 16A 58N
- 2887. Eublemma (siticulosa-gr.) siticulosum (Lederer, 1858)** (Noctuidae) Synonym(s): *siticulosa* Lederer, 1858; *rushi* Wiltshire, 1961. Range (as codes): TR SY Dms BH SA EG Sn JO
- 2888. Eublemma fugitivum (Christoph, 1877)** (Noctuidae) Synonym(s): *fugitiva* Christoph, 1877 Range (as codes): IR Kh TR 42
- 2889. Eublemma suppunctum (Staudinger, 1892)** (Noctuidae) Synonym(s): *suppuncta* Staudinger, 1892; *#suppuncta* Hacker, 1988 Range (as codes): TR LB IL Pa JO IQ IR Th Elb Kdj Kd Snj Ariz Bjr Zj Lo Km Mia 01 23 33 38 40 42 44 46 47 38 50 51 56 58 65 71 44F 44Fa 44I 46G 47D 50G 50Ga 56F 56Fs 56Ff 56Fc 58G
- 2890. Eucarta amethystina (Hübner, [1803])** (Noctuidae) Synonym(s): *amethystina* Hübner, [1803]; *austera* W. Warren, 1911. Range (as codes): ES FR IT DE CH AT PL SK HU RO YU AL BG TR RU Cc Ro Ich MD UA BY JP 33
- 2891. Euchalcia annemaria De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *annemaria* De Freina & Hacker, 1985 Range (as codes): TR 30 30B 30Be 30D 30Df
- 2892. Euchalcia augusta (Staudinger, 1892)** (Noctuidae) Synonym(s): *augusta* Staudinger, 1892 Range (as codes): TR CY SY Hal 13 23 27 44 49 63 13C 13D 13Da 23I 27B 27D 27Da 27Db 27Dd 63E
- 2893. Euchalcia biezankoi (Alberti, 1965)** (Noctuidae) Synonym(s): *biezankoi* Alberti, 1965; *#bienzankoi* Hacker, [1987]. Range (as codes): RU Sr Ur Cc St Ich GG TR 25 30 65 25T 30D 30Da 65Bx 65G 65Ge
- 2894. Euchalcia chalcophanes Dufay, 1963** (Noctuidae) Synonym(s): *chalcophanes* Dufay, 1963 Range (as codes): TR IR Elb Mz Kd Bne Mrv Sqq Qz By Kdv Fa 13 30 73 13G 13Gy 73C 73Cd
- 2895. Euchalcia cuprescens Dufay, 1966** (Noctuidae) Synonym(s): *cuprescens* Dufay, 1966 Range (as codes): TR RU Cc Kr St Kis Kc Teb 14

- 2896. *Euchalcia dorsiflava* (Standfuss, 1892)** (Noctuidae) Synonym(s): *dorsiflava* Standfuss, 1892 Range (as codes): TR 13 21 30 31 38 47 49 56 58 65 73 13G 13Gg 13Gü 13Gw 21L 21Lc 30B 30Be 30Bj 30Bl 30D 30Da 30Df 47D 47F 4Fa 56F 56F5 56Fc 58G 65A 65Ai 65Ac3 65D 65Dh 65F 65Fa 65Fe 65Fm 65Fg 65Fr 73D 73Df 73Dfc
- 2897. *Euchalcia emichi* (Rogenhofer, 1873)** (Noctuidae) Synonym(s): *emichi* Rogenhofer, 1873 Range (as codes): TR LB Bsa SY Cc AM IR Elb Ab Oru Mak Tbz Mey Ak Ar IL Pa 01 08 13 18 19 21 25 30 31 36 38 42 46 49 50 51 58 62 65 66 13A 13Ab 13Ac 13Ac2 13Ax 13G 13Gf 13Gy 19C 21N 21Nh 30D 30Da 49F 51B 51Ba 58G 65F 65Fe 65Fp 65Fz 65Fr 65G 65Gf 65Gy 65K 65Kl 65Z 65L 65Lb 65N 65Np6 65Nr2 65Nm
- 2898. *Euchalcia hedeia* Dufay, 1978** (Noctuidae) Synonym(s): *hedeia* Dufay, 1978; *#hedeja* Hacker, 1990; *aureolineata* L. Ronkay & Gyulai, 1997 Range (as codes): TR SY IR Ab Sdt 30 65 73 30B 30Bl 30Be 65A 65Ab 65Aba 65Abc 65Bx 65F 65G 65Ge 73C 73Cd
- 2899. *Euchalcia hyrcaniae* Dufay, 1963** (Noctuidae) Synonym(s): *hyrcaniae* Dufay, 1963 Range (as codes): TR IR Elb Mz Cc GG Smt Akh AM 04 25 36 61 65 69 75 04D 04Da 36F 65B 65Bo 65Bx 65D 65Df 65Fz 65G 65Ge
- 2900. *Euchalcia kautti* Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *kautti* Hacker & Ronkay, 1992 Range (as codes): TR 33 33R 33Rb
- 2901. *Euchalcia kitchingi* Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *kitchingi* Hacker & Ronkay, 1992 Range (as codes): TR 04 13 30 31 65 73 13G 13Ge 13Gc 31L 65A 65Am 65Am4 65F 65Fa 65Fc 65Fz 73C 73Cd
- 2902. *Euchalcia maria* (Staudinger, 1892)** (Noctuidae) Synonym(s): *maria* Staudinger, 1892 Range (as codes): TR IL Pa Js JO LB SY EG Sn 47 47D
- 2903. *Euchalcia modestoides* Poole, 1989** (Noctuidae) Synonym(s): *modesta* Hübner, 1787 nec Müll., 1764; *modestoides* Poole, 1989 Range (as codes): ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG TR FI EE LV LT RU GG Smt Akh At Cc Ro Kr Kc St Da MD UA BY KG MN 14 14B 14Bb
- 2904. *Euchalcia obscurior* (Alberti, 1965)** (Noctuidae) Synonym(s): *obscurior* Alberti, 1965. Range (as codes): RU Kb Kc Dom Ich Ing Da GG Cc TR 08 28 61 75 08A 61K 61Kb
- 2905. *Euchalcia paulina* (Staudinger, 1892)** (Noctuidae) Synonym(s): *paulina* Staudinger, 1892 Range (as codes): TR IL Pa Js JO 63 73 73E 73Eb
- 2906. *Euchalcia seitzi* L. Ronkay, G. Ronkay & Behounek, 2008** (Noctuidae) Synonym(s): *seitzi* L. Ronkay, G. Ronkay & Behounek, 2008 Range (as codes): TR 21 47 21P 47D
- 2907. *Euchalcia siderifera* (Eversmann, 1846)** (Noctuidae) Synonym(s): *siderifera* Eversmann, 1846 Range (as codes): IT? GR TR RU Ur TM IR Elb Mz Cc AM KG 04 13 25 29 30 46 56 65 73 04D 04Da 13A 30B 30Be 30Bj 56F 56Fc 65A 65Ac 65Ac3 65Bx 65G 65Ge 65F 65Fp 65Fz 73C 73Cd
- 2908. *Euchalcia taurica* (Osthelder, 1933)** (Noctuidae) Synonym(s): *taurica* Osthelder, 1933 Range (as codes): TR Cc AZ IR Ab Bzg Ak Ar Mz Qz Zj Bjr Fa Es Lo Th Elb Dam Kd Fa Kz Yas Skh AM IQ 04 05 06 12 18 25 30 36 42 44 46 50 51 58 60 65 66 04D 04Da 06B 06Bb 06R 25T 30D 30Da 44E 44Ei 65Bx 65F 65Fa 65G 65Ge
- 2909. *Euchalcia variabilis* (Piller & Mitterpacher, 1783)** (Noctuidae) Synonym(s): *variabilis* Piller & Mitterpacher, 1783; *cuprea* Esper, 1787; *illustris* Fabricius, 1787; *fuscolivacea* Varga & Ronkay, 1984 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO BG GR TR MD UA BY Sb Am MN CN KP KR JP 39 08A 61K 61Kb
- 2910. *Euchalcia viridis* (Staudinger, 1901)** (Noctuidae) Synonym(s): *viridis* Staudinger, 1901 Range (as codes): TR IQ IR Elb Th Zj Kd Bjr AF Cc AZ Nv KK KG 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75 01K 04D 04Da 25T 30B 30Bd 30Be 30Bj 30Bg 30D 30Da 36F 65Bx 65G 65Ge 70C 70Cf
- 2911. *Euclidia glyphica* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *glyphica* Linnaeus, 1758; *pratensis* Müller, 1764 Range (as codes): PT ES FR Co Si It IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR TR AZ Len AM GG Lag Smt Bjo Cc IR GlS DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA Lvv BY CN Ui Ku 01 05 06 11 12 13 14 16 19 25 30 37 38 39 44 49 54 58 61 65 67 75 76 05A 06A 06Aa 12A 12Ab 13Gö 13Gg 16A 25A 30C 38H 38Hc 44A 44Ab 49F 49Fb 65A 65Ai 65Aö 65An 65Ap 65As 65Au 65D 65Dj 65Dn 75F 75Fg 75Fj 76B 76Bf 76Bh
- 2912. *Eugnorisma (Metagnorisma) depuncta* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *depuncta* Linnaeus, 1761; *meridionalis* Dannehl, 1925. Range (as codes): MA ES FR Si IT GB DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE RU Cc Ro Kr St Kc Nt Ich Ing MD UA BY 14 42 46 42B
- 2913. *Eugnorisma (Metagnorisma) enargiaris* (Draudt, 1936)** (Noctuidae) Synonym(s): *enargiaris* Draudt, 1936 Range (as codes): TR IR Kd By Fa 01 04 12 30 44 46 49 50 56 58 01K 04I 30D 30Df 44E 49E 49Ea 50G 50Gd 56F 56Fi 56Fj 58G 58Gd
- 2914. *Eugnorisma (Metagnorisma) heuristica* Varga & Ronkay, 1987** (Noctuidae) Synonym(s): *heuristica* Varga & Ronkay, 1987 Range (as codes): Cc AM TR IR Elb Th 25 30
- 2915. *Eugnorisma (Metagnorisma) pontica* (Staudinger, 1892)** (Noctuidae) Synonym(s): *pontica* Staudinger, 1892 Range (as codes): RO MK BG GR TR TM Kp IR Ak Fa Km Kz By Kd Ksh Elb Th Kh KuB GlS Cc AM LB IL Pa He IQ Rwz Ry 05 06 08 12 13 14 18 23 25 30 33 42 49 50 51 56 62 65 66 05A 06E 06Ea 06R 06Rq 13G 13Gü 13Gw 14I 23I 25F 42B 42D 49E 49Ea 50G 50Ga 51B 51Ba 56F 56Fs 56Fb 56Fq 65A 65Ai 65F 65Fm 65Fj 65F2 65Fp 65Fz 65L 65Lb 65N 65Np 65Nm
- 2916. *Eugnorisma (Metagnorisma) rafidain* (Boursin, 1936)** (Noctuidae) Synonym(s): *rafidain* Boursin, 1936 Range (as codes): TR IQ Bgd 42 42D

- 2917. Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) **Synonym(s):** *chaldaica* Boisduval,1840; *caerulea* Wagner,1932 *nec* Gn.,1852; *buraki* Koçak,1983 **Range (as codes):** RU Da Kap TR Cc IQ Brs IR Elb Th Kdj Ma AM AF TM UZ KK Ik KG Ssn Sr Ur At Tar Sp 01 04 06 12 13 14 25 30 36 42 49 50 51 58 60 65 70 01L 01La 04D 04Da 06E 06Ea 06R 06Rq 13G 13Ga 14I 25D 30B 30Bj1 49E 49Ea 50Gd 58G 58N 65D 65Df 65F 65Fa 65F 65F1 65Fm 65Fp 65Fz 65F2 70C 70Cb
- 2918. Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) **Synonym(s):** *eminens* Lederer,1855; *excellens* Staudinger,1867 **Range (as codes):** Cc GG AM TR IR Elb Th Kh KuB Dam Mz KG At AF RU Sb Ssn KK Ik CN Ui Ii UZ TJ Pm Chr PK Psu IN 04 12 13 25 30 36 65 73 04D 04Da 13G 13Ga 13Gü 13Gw 30B 30Be 65C 65D 65Df 65F 65Fa 65F1 65Fm 65Fp 65Fz 65G 65Gj 65Gb 65Gü 65Gz 73C 73Cd
- 2919. Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) **Synonym(s):** *insignata* Lederer,1853; *intermedia* Eversmann,1855. **Range (as codes):** RU Da At KG KK TJ Pm Chr UZ N-A TR Cc TM Kp IQ Brs Shq Rwz Ry IR Elb Th Dam Lo Kh KuB Fa Spd Sse Kz PK Gg Bbu Psu Nar 01 03 06 25 30 36 42 46 56 58 65 70 73 01D 01L 01La 03H 06D 06Da 06Y 06Yb 25F 25T 30D 30Df 30Dt 42B 42D 50G 50Ga 50Gd 56F 56Fj 56F1 56Fs 65A 65Ai 65Am 65Am4 65D 65Df 65F 65Fa 65Fm 65Fj 65F1 65Fp 65Fz 65N 65Np 65Nm 70C 70Cb 73A 73Ac2
- 2920. Eugnorisma (s.str.) kurdistan Hacke, Kuhna & Gross,[1987]** (Noctuidae) **Synonym(s):** *kurdistanica* Hacke & Weigert,1986; *kurdistan Hacke, Kuhna & Gross,[1987]* **Range (as codes):** TR IR Elb Kz Fa Th Dam Km 12 13 30 49 56 65 12E 12Eb 13C 13Cf 13D 13Da 30B 30Bj1 30D 30Df 49Ea 56A 65A 65Am 65Am4
- 2921. Eugnorisma (s.str.) leuconeura (Hampson,1918)** (Noctuidae) **Synonym(s):** *leuconeura* Hampson,1918; *fuliginosa* Draudt,1936. **Range (as codes):** TR IR Elb Th Kdj Ke AM Cc 12 25 36 50 65 65F 65Fa
- 2922. Eugnorisma (s.str.) semiramis (Boursin,1940)** (Noctuidae) **Synonym(s):** *semiramis* Boursin,1940 **Range (as codes):** IR Fa Km By Kz TR IQ Brs Arb 30 73 30B 30Bh 73C 73Cd
- 2923. Eugnorisma glareosa (Esper,1788)** (Noctuidae) **Synonym(s):** *glareosa* Esper,1788; *decempunctata* De Villers,1789; *hebraeica* Hübner,[1819]; *i-geminum* Duponchel,1826; *suffusa* Tutt,1892 **Range (as codes):** MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE TR 33 33O
- 2924. Eugnorisma persago Gyulai & L.Ronkay,2006** (Noctuidae) **Synonym(s):** *persago* Gyulai & L.Ronkay,2006 **Range (as codes):** IR Es Ab Ak Kd TR 25 65 25R 25Rb 65N 65Np 65Nm
- 2925. Eulocasta diaphora (Staudinger,1879)** (Noctuidae) **Synonym(s):** *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. **Range (as codes):** Cn MR MA DZ Ajj Ah Hes Omy Bsk TN RU TR YE Ad PK Cc GG AZ Nv Ord AM IR Fa Hz Ss Kd Bjr Zj Bne Mrv Lo Snj Ab Oru Mak Hz B-A Chh AF IQ IL Pa SA LB SY JO Sn EG ER PK Cp IN 05 06 08 09 13 18 24 25 30 33 36 42 44 47 50 51 58 65 69 70 73 76 05A 30B 30Be 30Bi 30Bj 30Bt1 30Bz 30D 30Df 30Df 36D 36Db 44E 44Eh 44Ei 47D 58G 58N 65B 65Bo 65Bx 65D 65Df 65F 65Fp 65Fz 65Lb 65N 65Np2 65Np5 65Nm 70C 70Cf 73C 73Cd 76D 76Dd
- 2926. Euplexia lucipara (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *lucipara* Linnaeus,1758; *dubia* Hufnagel,1766; *leonhardi* Rebel,1909; *britannica* Turner,1943 **Range (as codes):** MA DZ Clo DhM Agi Sét Ges TN EG PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Lag AZ AM Cc IR Gh Elb Mz Th DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da MD UA Lvv BY JP 14 28 34 53 61 67 34A
- 2927. Eupsilia transversa (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *transversa* Hufnagel,1766; *satellititia* Linnaeus,1767 **Range (as codes):** ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT AM GG Smt Bjo Lag RU Cc Ro Kr Nt Kb Ich Da At Sb Am Us MD UA Lvv BY IR Elb Th GlS Kdv KG KP KR JP 07 13 14 25 30 33 56 62 65 13G 13G1 14B 14Bb 25F 30D 30Df 56F 56Fs 62G 62Gb 65D 65Dlc
- 2928. Eurois occulta (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929; *fumea* Corti & Draudt,1933; *tibetica* Corti & Draudt,1933 **Range (as codes):** ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA Cm Lvv BY Cc GG AZ AM Sb MN CN Ti KK TrA Ax KP KR JP GrI CA US 08 25 36 53 08C 53B
- 2929. Eutelia adoratrix (Staudinger,1892)** (Noctuidae) **Synonym(s):** *adoratrix* Staudinger,1892 **Range (as codes):** YU GR TR Cc LB Bei IL Pa Js JO RU UA Cm IQ IR Th Elb Kdj Fa Mia Ss Hz B-A Kz Yas 05 06 08 17 18 20 21 30 31 56 60 65 05A 06R 08H 21N 21Nb 21Nh 30B 30Bç 30Bt1 30Bz 30Bf 30Bh 30D 30Df 31K 31Ka 56F 56Fa 65D 65Dh
- 2930. Eutelia adalatrix (Hübner,[1813])** (Noctuidae) **Synonym(s):** *adalatrix* Hübner,[1813] **Range (as codes):** Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT CH PL SK HU RO YU AL BG GR Rd Cr TR IR Fa Lo OM RU AZ Kir GG Smt Bjo Lag Cc Ro Kr Ich Da UA Cm CY IL Pa Hf LB SY JO IQ ZA Tva Lpo L Nta Kzu ZW BW KE TZ UZ Fe AF Pli Srb Nu Bsg Kab PK KK KG TM IN Hrh Agi Hmk Abe DhM Sét Ktr Bsk BSa Ges Sbd Hes AM 01 05 06 07 08 10 14 16 17 18 21 24 25 27 30 31 32 33 35 42 46 50 55 56 58 65 80 05A 06R 16A 21N 21Nb 25F 27D 27De 30B 30Bç 30Bt1 30Bz 30D 30Df 31K 31Ka 31Ka5 31Ka7 56F 56Fh 56Fa 56Fb 56Fv 56F1 65D 65Dlc
- 2931. Euxoa (Chorisagrotis) adumbrata (Eversmann,1842)** (Noctuidae) **Synonym(s):** *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhantshikov,1937. **Range (as codes):** RU Ur Da Cc KG Tk Dj Ui CN Pm Chr TJ TR MN IR Elb Th KK TeA TrA PK Bbu Gg Psu 06 36 58 70 06Y 06Yb 36D 36De 36F 58G 58Gi 58R 70C 70Cb
- 2932. Euxoa (Chorizagrotis) lidia (Stoll,1782)** (Noctuidae) **Synonym(s):** *lidia* Stoll,[1782]. **Range (as codes):** FR NL DE DK NO SE FI RU St Kb Nt Ich Ur Da Cc TR KG Tk TJ Pm JP
- 2933. Euxoa (Orosagrotis) difficillima (Draudt,1937)** (Noctuidae) **Synonym(s):** *difficillima* Draudt,1937 **Range (as codes):** TR Cc AM IR Mz Yz Fa Kh Lo Elb Th TJ Pm AF Adr 04 12 13 25 30 36 38 51 56 65 68 04C 04D 04Da 13A 25A 25C 25Ca 25F 30B 30Be 30D 30Da 36D 36F 38G 38Ga 51B 51Ba 56F 56Fs 65Bx 65F 65Fa 65G 65Ge 68B 68Bb

- 2934. *Euxoa (Orosagrotis) foeda* (Lederer, 1855)** (Noctuidae) Synonym(s): *foeda* Lederer, 1855; *enitens* Corti, 1926; *marmorosa* Corti, 1927; *vanensis* Draudt, 1937. Range (as codes): RU Da At IL Pa TR TM Kp KG KK Ik UA Cm IQ Rvw Cc AM GG IR Kh KuB Sse Fa Elb Th Lo Kd Mrv Zj 01 04 06 08 12 13 18 23 25 30 36 42 46 50 51 56 62 63 65 70 73 75 01A 04I 04Ia 06C 06Cb 06D 06Da 08H 08Hb 13C 13Cf 13G 13Gü 13Gw 18F 23I 25R 25Rb 30B 30Be 30Bh 30Bj 42D 50G 50Gd 51B 51Ba 51Be 56F 56Fs 62G 63E 65Bx 65D 65Df 65G 65Ge 65F 65Fa 65Fm 65Fp 65Fz 70A 70Ac 70C 70Cb 73C 73Cd 75D
- 2935. *Euxoa (Pleonectopoda) hilaris* (Freyer, 1838)** (Noctuidae) Synonym(s): *hilaris* Freyer, 1838 Range (as codes): GR BG TR RU Da AZ IR IQ LB Bsa TM Cc GG AM KK 05 06 08 16 29 34 50 51 58 65 05A 06B 06Bb 08H 08Hb 16A 29A 29Aa 34L 50G 50Gd 58G 58Gi
- 2936. *Euxoa (Pleonectopoda) inclusa* Corti, 1931** (Noctuidae) Synonym(s): *inclusa* Corti, 1931 Range (as codes): TR IR Fa Elb Th IQ 04 12 24 25 30 38 51 60 65 69 04I 04D 04Da 30B 30Be 51B 51Ba 65Bx 65F 65Fa 65G 65Ge
- 2937. *Euxoa (Pleonectopoda) rjabovi* Kozhantshikov, 1929** (Noctuidae) Synonym(s): *rjabovi* Kozhantshikov, 1929; *inclusa* Corti, 1931 Range (as codes): TR Cc IR Th Elb Dam Mz Kdv Se Fa Ha RU Da Kus 04 08 13 25 38 51 60 65 68 76 04D 04Da 08A 08H 08Hb 13G 13Gü 13Gw 25A 25C 25Ca 38G 38Ga 51B 51Ba 60C 65A 65Ab 65Aba 65Bx 65G 65Ge 68B 68Bb
- 2938. *Euxoa (s.str.) adjemi* Brandt, 1941** (Noctuidae) Synonym(s): *adjemi* Brandt, 1941. Range (as codes): IR Mz Elb Ma TR 13 30 73 13D 13Da 30B 30Be 73C 73Cd
- 2939. *Euxoa (s.str.) anaemica* Draudt, 1936** (Noctuidae) Synonym(s): *anaemica* Draudt, 1936 Range (as codes): TR IR Fa 65 65K
- 2940. *Euxoa (s.str.) anatolica* Draudt, 1936** (Noctuidae) Synonym(s): *anatolica* Draudt, 1936. Range (as codes): RU Da Cc TR LB 06 07 14 36 42 46 50 58 06D 06Da 06Y 06Yb 07C 07Cc 14I 36D 42B 46K 50G 50Gd 58G 58Gi
- 2941. *Euxoa (s.str.) aquilina* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *fictilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937. Range (as codes): MA ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo Bku Mng Der AZ Kir AM Cc MD UA BY KK Tk Nrk TeA TrA UZ KG RU Ro Kr Kb Nt Ich Ing Kyi Da Ur IL JO Pa LB Bsa SY TM Kp IR Ab Sdt Kd Snj Mrv Sqk Ak Fa Sse Bk Lo By Skh Es Ke Mz CN DZ Bsk 04 05 06 08 12 13 14 18 19 24 25 30 32 36 40 42 46 50 51 56 65 68 75 76 04C 05A 06Y 06Yb 08H 08Hb 12C 12Cb 13G 13Gü 13Gw 14B 14Bc 14E 14Ea 18C 18F 18I 19P 25A 25C 25Ca 30D 30Da 30Db 30Dc 32F 36D 36Dd 40D 42D 50G 50Ga 50Gb 50Gc 51B 51Ba 51D 51Da 56F 56Fm 58G 58Gi 65F 65Fa 65Fm 65Fp 65Fz 65L 65Lb 68H 75F 75Ff 76C
- 2942. *Euxoa (s.str.) armena* (Eversmann, 1856)** (Noctuidae) Synonym(s): *armena* Eversmann, 1856; *deserta* Staudinger, 1870 Range (as codes): RU Cc Da Sr Sb TR IR Ha TM 06 42 06Y 06Yb
- 2943. *Euxoa (s.str.) basigramma* (Staudinger, 1870)** (Noctuidae) Synonym(s): *basigramma* Staudinger, 1870 Range (as codes): RU Cc Da Sr CN Ku Ui Ii Kml IR Elb Th Fa AF TR MN 06 65D 65Df 65Fz 06Y
- 2944. *Euxoa (s.str.) birivia* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *birivia* [Denis & Schiffermüller], 1775; *honnoratina* Donzel, 1837; *cuprina* Staudinger, 1900; *sudetica* Skala, 1929; *caucasica* Spuler, 1908; *flavisignata* Corti, 1932. Range (as codes): FR IT DE CH AT PL CZ SK HU RO YU AL TR IR Cc AM GG Smt Bjo RU St Kb Nt Ich Ing Da MD UA BY CN UI Ii Kl Au KK Na Ik 04 06 08 18 24 25 28 30 36 44 46 53 58 65 75 04D 04Da 04I 06R 06Rb 06Rk 06H 08Hb 18F 25C 25Ca 25F 25K 25R 30B 30Bd 30Bf 36D 36F 53B 58G 58Gi 58N 65B 65Bo 65Bx 75D 75F 75Ff
- 2945. *Euxoa (s.str.) christophi* (Staudinger, 1870)** (Noctuidae) Synonym(s): *christophi* Staudinger, 1870 Range (as codes): RU Sr Cc Ro St TR IR Ab Oru UZ Fe TM 50 58 50G 50Gd 58G
- 2946. *Euxoa (s.str.) conifera* (Christoph, 1877)** (Noctuidae) Synonym(s): *conifera* Christoph, 1877 Range (as codes): Cc RU Da Kus TR 25 70 76 25C 70A 70Ab 76C
- 2947. *Euxoa (s.str.) conspicua* (Hübner, [1824])** (Noctuidae) Synonym(s): *conspicua* Hübner, [1824]; *agricola* Boisduval, 1829; *lycarum* Herrich-Schäffer, 1846; *abdita* De Joannis, 1891; *#indistincta* Strand, 1915; *osthelderi* Corti, 1931; *complicata* Corti, 1931. Range (as codes): PT ES FR Co IT RO YU BG GR TR Arr GG Akh Smt Bjo Tbl Lag Cc AZ Kir Hkd RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY MN KG Tks Ssn Na Tk Dj KK TrA UZ IR Ab Ak Mz Th Kd Ha Fa Ss Kh Ke Sa Hs Enz CN Uj Ku Ii Kml AF Blh Arh Srb IQ Tkr LB Bsa PK IN Hp Sb SY CY Nv Ord Da Der Kus Oru Khy Mar GlS Bbu Sai Nar 01 03 04 05 06 13 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71 75 76 01K 03E 04C 05A 06R 06Rb 06Rk 06Y 06Yb 13A 13Ab 13Ae 13Ax 13G 13Gü 13Gw 18F 25A 25C 25Ca 25R 30D 30Dc 36F 38C 38Cb 38G 38Ga 42R 42Rc 44I 45P 50G 50Ga 50Gb 50Gc 51B 51Ba 58G 58N 58R 60C 62G 65A 65Ab 65Aba 65N 65Np 65Nm 65D 65Df 65Dh 65Ds 65Du 65F 65Fa 65Fg 65Fm 65Fp 65Fz 65G 65Gb 65Ge 65K 65Kl 65L 65Lb 65N 65Np 65Nm 66P 75E 76C
- 2948. *Euxoa (s.str.) cos* (Hübner, [1824])** (Noctuidae) Synonym(s): *cos* Hübner, [1824]; *tephra* Boisduval, 1840; *nagyagensis* Freyer, 1845; *vacillans* Herrich-Schäffer, [1850]; *millierei* Staudinger, 1870; *cycladum* Staudinger, 1871; *aphe* Mabille, 1885; *crimaea* A. Bang-Haas, 1906; *mesopotamica* O. Bang-Haas, 1922; *rubra* Corti, 1933. Range (as codes): DZ Lbs Ges TN PT ES FR Si IT CH AT RO YU BG GR Cr TR RU Ich MD UA Cm BY IR Kh SY IQ Cc AM TM UZ Fe KK Ik KG LB Bsa CY IL Pa He 01 05 06 08 14 18 25 27 33 36 42 40 50 51 56 58 62 65 68 71 76 01K 01L 01La 05A 06R 06Rb 08H 08Hb 14I 18F 25R 25Rb 33A 33Ac 36F 36Fb 40D 42B 42D 50G 50Gd 51B 51Be 56F 56Fg 56Fs 58G 65D 65Df 65F 65Fa 65Fg 65Fm 65Fp 65Fz 68B 68Bb 76C
- 2949. *Euxoa (s.str.) cursoria* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *cursoria* Hufnagel, 1766 Range (as codes): DZ Bsa FR IE GB BE NL DE CH? DK NO SE FI EE LV LT RU TR Cc St Sb MD UA BY MN CN Ti AF
- 2950. *Euxoa (s.str.) decora* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller], 1775; *nebulosa* Hübner, [1808]; *nivens* Hübner, [1821]; *simulatrix* Hübner, [1824] Range (as

- codes): MA DZ ES FR Co IT DE CH AT PL CZ SK HU YU MK AL BG GR TR Cc AM IQ IR RU Nt Ich Ing Da Kus MD UA BY KK Ik 04 08 25 30 58 65 73 76 08A 25F 58G 65G 65Gc 65L 65Lb 73C 73Cd 76C
- 2951. *Euxoa* (s.str.) *distinguenda* (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda* Lederer,1857. Range (as codes): DZ Lbs FR Si IT MT CH AT PL CZ SK HU RO YU AL BG GR Cr RU Ro St Kr Kyi Da Ur Sr MD UA TR Cc AM LB Bsa IL Pa JO KG At KK Ik IR Elb Mz 01 04 06 08 13 14 18 23 25 30 36 42 46 50 56 58 60 62 65 70 71 73 01D 01L 01La 04D 04Da 06R 06Rb 06Rc 06Rq 06Y 06Yb 08H 08Hb 13C 13Cf 13D 13Da 13G 13Gg 14B 14Bb 14I 18F 25R 25Rb 30B 30Be 30Bh 30Bj 36D 42B 42D 50G 50Ga 50Gd 56F 56Fs 56Fq 56Fm 58G 58N 60C 62G 62Gb 65F 65Fa 65Fp 65Fz 65G 65Gj 65N 65Np 65Nm 70C 70Cb 73C 73Cd
- 2952. *Euxoa* (s.str.) *dsheiron* Brandt,1938** (Noctuidae) Synonym(s): *dsheiron* Brandt,1938. Range (as codes): TR IR Th Elb Kdj EG RU Ur 58 58G
- 2953. *Euxoa* (s.str.) *eruta* (Hübner,[1817])** (Noctuidae) Synonym(s): *eruta* Hübner,[1817]. Range (as codes): UA Lvv TR 11 17 42 45 50 51 68 11B 17K 42R 42Rd 50G 50Ga 50Gb 50Gc 51B
- 2954. *Euxoa* (s.str.) *glabella* (Wagner,1930)** (Noctuidae) Synonym(s): *glabella* Wagner,1930 Range (as codes): RO MK BG GR TR Cc RU Da AM TM KG Tk IR Gl 01 03 06 08 14 25 33 42 46 50 51 56 68 70 01D 01L 01La 03H 06D 06Da 06R 06Rq 06Y 06Yb 08H 08Hb 14I 25F 33O 42B 42D 50G 50Gd 56F 56Fs 68B 68Bb 70C 70Cb
- 2955. *Euxoa* (s.str.) *hastifera* (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. Range (as codes): DZ Lbs Btina PT ES FR Sa? IT AT SK HU RO YU AL BG GR TR Cc AM Geg IR RU Da Kus Ro St At MD UA BY 01 04 06 12 13 25 42 49 62 65 70 76 01L 04D 04Da 04I 04La 06R 12E 12Eb 13D 13Da 25D 42D 49F 49Fe 62G 65F 65Fa 70C 70Cb 76C
- 2956. *Euxoa* (s.str.) *heringi* Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. Range (as codes): LB Bsa SY Cc AM RU Kb Nt Da TR IR Elb Th Fa Lo Km Kdv Dam Kdj Ha Kd Mrv TM Kp AF 04 06 13 24 25 30 40 42 46 50 51 58 60 65 68 70 76 04C 06D 06Da 06Y 06Yb 13G 13Gü 13Gw 25F 25T 30B 30Bd 36D 42B 50G 50Gd 51B 51Ba 58G 58N 65Bx 65F 65Fa 65Fp 65Fz 65G 65Ge 68B 68Bb 70C 70Cb 76C
- 2957. *Euxoa* (s.str.) *homicida* (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. Range (as codes): IT Si RO GR Cr TR Cc IR Kh Fa Ke Ha Ss Elb Kdv Dam Kdj Kd Lo Hz Th Mz Gl 01 03 06 08 13 14 18 23 25 29 30 32 36 40 42 44 46 50 51 58 60 62 65 66 71 04C 04D 04Da 05A 05G 06Y 06Yb 07A 13A 13Ab 13Ax 13G 13Gü 13Gw 18F 18I 24L 25A 25C 25Ca 25R 29F 30D 30Da 30Db 30Df 32F 36D 36Dd 36F 40D 42D 42R 42Rb 42Rc 44E 46L 50G 50Ga 50Gb 50Gc 50Gd 51B 51Ba 58G 58N 58R 60C 62G 65D 65Df 65Fz 65G 65Gb 65Ge 65B 65Bo 65Bx 65K 65Kl 65Z 65N 65Np 65Np5 65Nm 66P 68B 68H
- 2958. *Euxoa* (s.str.) *luteomixta* (F.Wagner,1932)** (Noctuidae) Synonym(s): *luteomixta* F.Wagner,1932 Range (as codes): TR Cc 06 08 18 38 42 50 58 60 65 70 06C 06Cb 06Y 06Yb 08H 08Hb 18F 38E 50G 50Ga 50Gd 58G 58Gi 58R 60C 65G 65Gj 70C 70Cb
- 2959. *Euxoa* (s.str.) *mobergi* Fibiger,1990** (Noctuidae) Synonym(s): *mobergi* Fibiger,1990 Range (as codes): TR 06 42 50 06Y 06Yb 50G 50Gd
- 2960. *Euxoa* (s.str.) *montivaga* Fibiger,1997** (Noctuidae) Synonym(s): *montivaga* Fibiger,1997 Range (as codes): GR TR Cc 75 75F
- 2961. *Euxoa* (s.str.) *mustelina* (Christoph,1877)** (Noctuidae) Synonym(s): *mustelina* Christoph,1877 Range (as codes): AM Cc TR IR Shh Kh Qz Elb Th Dam TM RU At Sb KK Ik TeA TrA KG Ssn Mk Tk TJ Pm CN Ui Ii M-A MN PK Gg Psu Bbu Nar 06 56 58 68 06Y 56F 56Fm 56Fj 68B 68Bb
- 2962. *Euxoa* (s.str.) *nigricans* (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907. Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Tbl IQ IR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY LB Bsa Sb At Am Us MN CN Ti 03 05 06 08 12 13 14 18 25 31 36 42 49 50 51 58 65 71 75 05A 05G 06R 06Rb 08H 08Hb 08Hc 13B 14I 18F 25R 42B 42D 49E 49Ea 50G 50Ga 50Gb 50Gc 50Gd 51B 51Ba 58R 65F 65Fa 65Fm 65Fp 65Fz 65L 65Lb 65N 65Np 65Nm 75F
- 2963. *Euxoa* (s.str.) *nigrofusca* (Esper,[1788])** (Noctuidae) Synonym(s): *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788]; *praticola* Borkhausen,1792; *domestica* Fabricius,1794; *pupillata* Haworth,1803; *venosus* Haworth,1803; *pusillus* Haworth,1803; *lineolata* Haworth,1809; *sordida* Haworth,1809; *albilinea* Haworth,1809; *hortorum* Stephens,1829; *cuneigera* Stephens,1829; *nigrina* Staudinger,1867; *pygmaea* Hampson,1903; *privigna* Püngeler,1906; *fumosoides* Culot,1909 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU At MD UA BY CN Ui Chk Alt 01 04 05 18 25 36 42 50 58 60 01H 04C 05A 18F 25A 36F 42D 50G 50Ga 50Gb 50Gc 58R 60C
- 2964. *Euxoa* (s.str.) *obelisca* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934. Range (as codes): DZ Ges Btina Lbs Abe PT ES FR Co? Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr Nt St Ich Da MD UA BY Ur TR AM GG Smt Bjo AZ Kir Cc IR IL Hf Pa JP 05 13 14 42 50 56 65 05A 13G 13Gü 13Gw 14I 42B 42D 50G 50Gd 56F 56F1 56Fm 65D 65Df 65F 65Fa 65N 65Ne 65L 65Lb
- 2965. *Euxoa* (s.str.) *ochrogaster* (Guenée,1852)** (Noctuidae) Synonym(s): *ochrogaster* Guenée,1852 Range (as codes): US IS SE FI EE LV LT RU BY UA MD AF IR TR RU Cc Ich Kr Da Ur Sb UZ Man KG Mn Ssn CN Ui Alt Au Yk Ax KK Ti TeA TrA MN Pm TJ Chr PK Kjb Nar Psu Gg Bbu

- 2966. *Euxoa* (s.str.) *pareruta* Fibiger, Gyulai, Zilli, Yela & L.Ronkay, 2010** (Noctuidae) Synonym(s): *pareruta* Fibiger, Gyulai, Zilli, Yela & L.Ronkay, 2010 Range (as codes): GR BG TR 45 45K
- 2967. *Euxoa* (s.str.) *perierga* Brandt, 1938** (Noctuidae) Synonym(s): *perierga* Brandt, 1938 Range (as codes): IR Kh Fa Com Sse Elb Th Se KuB Kdv AF TR TJ Pm 06 68 73 06Y 06Yb 68B 68Bb 73C 73Cd
- 2968. *Euxoa* (s.str.) *recussa* (Hübner, [1817])** (Noctuidae) Synonym(s): *recussa* Hübner, [1817]; *telifera* Donzel, 1837; *transsylvania* Herrich-Schäffer, [1851]; *florigera* Eversmann, 1856; *latebrosa* Corti, 1931. Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU TR Cc DK NO SE FI EE LV LT RU St Kb Ich Da At Sb Am MD UA BY KG DsA KK Ik Ax CN Ui Li Ju 08 75 08H 08Hb 75D
- 2969. *Euxoa* (s.str.) *robiginosa* (Staudinger, [1895])** (Noctuidae) Synonym(s): *robiginosa* Staudinger, [1895]; *terminalis* Rothschild, 1921; *pseudoobelisca* Corti, 1932; *intensior* Draudt, 1936; *vinirufa* Draudt, 1936. Range (as codes): DZ BtNa TR IL Pa Js LB JO IQ Qz IR Lo 01 06 13 14 23 30 42 44 46 49 50 56 58 63 01L 01La 06C 06Cb 06D 06Da 06Y 06Yb 13D 13Da 14I 23I 30B 30Bh 42B 42D 42O 49F 49Fe 50G 50Ga 56F 56Fs 58G 58Gi 63E
- 2970. *Euxoa* (s.str.) *rubrior* Pinker, 1980** (Noctuidae) Synonym(s): *rubrior* Pinker, 1980; *kansui* Kornoşor, 1989; *oezeri* Kornoşor, 1989; *loedlii* Kornoşor, 1989 Range (as codes): TR Cc 01 21 36 58 36D
- 2971. *Euxoa* (s.str.) *sabuletorum* (Boisduval, 1840)** (Noctuidae) Synonym(s): *sabuletorum* Boisduval, 1840. Range (as codes): RU TR
- 2972. *Euxoa* (s.str.) *scurrilis* Draudt, 1937** (Noctuidae) Synonym(s): *scurrilis* Draudt, 1937 Range (as codes): TR Cc IR Elb Th Dam Lo Fa Com IQ 01 12 13 24 25 30 36 42 50 51 58 65 01L 01La 12C 12Cb 13G 13Gü 13Gw 25C 25Ca 25R 25T 30B 30Bg 30D 30Da 30Df 36D 51B 51Ba 51Be 58G 58Gi 65A 65Ac 65Ac3 65Ab 65Aba 65B 65Bo 65Bx 65D 65Df 65F 65Fp 65Fz 65G 65Gb 65K 65Kb 65Z
- 2973. *Euxoa* (s.str.) *segnilis* (Duponchel, 1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel, 1836; *seliginis* Duponchel, 1836; *siliginis* Guenée, 1852; *#huebneroides* Boursin, 1940; *adriatica* Fiori, 1957. Range (as codes): Sa Si IT CH AT HU RO YU BG GR TR RU Cc Ich Kyi Ur Or Sr MD UA BY KG Uk IR Elb Th 01 03 06 13 19 23 25 29 42 50 51 56 58 59 62 65 68 01L 06C 06D 06Da 06E 06Ea 06R 06Rq 06Y 06Yb 13G 13Gü 13Gw 19P 23I 23Ib 25C 25Ca 29F 42B 42D 50G 50Ga 50Gd 50F 56F 56Fq 58R 59D 65Bx 65F 65Fp 65Fm 65Fz 65G 65Ge 65N 65Np2 65Nm 68B 68Bb
- 2974. *Euxoa* (s.str.) *subdecora* Hampson, 1903** (Noctuidae) Synonym(s): *subdecora* Hampson, 1903; *clauda* Püngeler, 1906. Range (as codes): TR KK Ik UZ Fe IR Kh KuB Fa 05 05A
- 2975. *Euxoa* (s.str.) *sulcifera* (Christoph, 1893)** (Noctuidae) Synonym(s): *sulcifera* Christoph, 1893 Range (as codes): TR IR Elb Th Cc AM 04 08 12 13 25 30 42 62 65 69 76 04D 04Da 04I 04Ia 08H 08Hb 12A 12Aa 13G 13Gü 13Gw 25A 25C 25Ca 25F 25T 30D 30Da 30Df 42B 62G 65A 65Ab 65Aba 65Bx 65D 65Df 65F 65Fj 65Fp 65Fz 65G 65Ge 65Gü 69B 69Ba 76C
- 2976. *Euxoa* (s.str.) *temera* (Hübner, [1808])** (Noctuidae) Synonym(s): *temera* Hübner, [1808]; *ruris* Hübner, [1808]; *villiersii* Guenée, 1837; *declarans* Walker, [1857]; *alphonsina* Fernald, 1918; *boursini* Schawerda, 1931; *perambulans* Corti, 1931; *leucotera* Bytinski-Salz & Brandt, 1937. Range (as codes): MA DZ TN PT ES FR Co Sa Si IT CH AT PL CZ SK HU RO YU AL BG GR RU Kr Da MD UA BY TR SY LB IL Pa JO Cc AZ AM GG IR Elb Gh Th Kdj IQ Bgd SA 01 05 06 07 13 25 33 36 42 46 50 58 59 60 65 70 71 01D 01L 05A 05E 05G 06D 06Da 06Ea 06R 06Rq 06Y 06Yb 07B 13G 13Gü 13Gw 14I 25R 25Rb 25T 33E 36D 36Db 50G 50Ga 50Gb 50Ge 50Gd 58G 59D 60C 65Bx 65F 65Fa 65Fm 65Fp 65Fz 65G 65Ge 65K 65Kl 65Z 65N 65Nc 65Nc4 65Np 65Np2 65Nm 70C 70Cb
- 2977. *Euxoa* (s.str.) *tritici* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *tritici* Linnaeus, 1761 Range (as codes): DZ Mii PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo AZ Kir Ro Kr St Ing Da MD UA BY KK TrA CN Ui Chk Alt Kml 01 04 10 14 42 45 50 51 58 76 01L 01La 14I 42B 42D 50G 50Gd 51B 51Ba 76C
- 2978. *Euxoa* (s.str.) *vitta* (Esper, [1789])** (Noctuidae) Synonym(s): *vitta* Esper, [1789] Range (as codes): ES FR Sa? IT DE CH AT PL CZ SK HU RO YU B-H BG GR TR Cc AZ Kir GG SE LT RU Ro Kr Da MD UA BY 05 06 65 76 05A 06R 65Bx 65G 65Ge 76C
- 2979. *Euxoa* (s.str.) *zernyi* Boursin, 1944** (Noctuidae) Synonym(s): *zernyi* Boursin, 1944. Range (as codes): RU Or TR 06 42 50 56 58 70 06Y 06Yb 42D 50G 50Gd 56F 56Fq 58G 70C 70Cb
- 2980. *Evisa schawerdae* Reisser, 1930** (Noctuidae) Synonym(s): *schawerdae* Reisser, 1930 Range (as codes): MA ES FR Co Sa MK GR LB Bei TR IQ Brs IR Fa 07 13 33 42 46 07A 07Af 13C 13Cf 33K 42K 46D
- 2981. *Exophyla rectangularis* (Geyer, [1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer, [1828]; *#rectangularis* Lehmann, Hacker et al., 1998 Range (as codes): IT YU HV AL BG GR TR AZ Kir AM GG Cc RU UA RO LB Bsa IL Pa TM Kp UZ KG 05 07 21 29 30 31 42 56 65 05A 21N 21Nh 29A 29Ad 30B 30Bd 30Bf 30D 30Df 42B 56E 56Ea 65D 65Dv
- 2982. *Fissipunctia corticea* (Esper, [1800])** (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller], 1775; *ipsilon* Goeze, 1781 *nec* Hufn., 1766; *corticea* Esper, [1800]; *fissipuncta* Haworth, 1809; *upsilon* Curtis, 1828; *plebeja* Staudinger, 1888; *orenburgensis* Bartel, 1902; *obertueri* Rothschild, 1920; *glaisi* Lucas, 1931 Range (as codes): MA DZ BtNa Sbd Abe PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Smt Bjo Lag AZ Kir Cc CY IQ IR Ha Mz Elb Kd Snj Lo Gls Kh DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Kyi Or Sb At Us MD UA Lvv BY AF Balk UZ N-A 01 06 10 13 17 25 30 35 36 49 50 51 58 60 62 66 75 13A 13Ab 13Ax 30D 30Da 36F
- 2983. *Gonospileia munita* (Hübner, [1813])** (Noctuidae) Synonym(s): *munita* Hübner, [1813]; *angulosa* Eversmann, 1832. Range (as codes): RU Or TR Cc CN Ui Ku KG Tk Dj Aa MN TM UZ Fe 76

- 2984. *Gonospileia triquetra* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *fortificata* Fabricius,1787; *fascialis* De Villiers,1789; *aurantiaca* Staudinger,1881. Range (as codes): IT AT CZ SK HU RO YU BG GR TR AZ Len AM GG Cc RU Ro St MD UA BY 05 06 58 05A 06C 06Cb
- 2985. *Gortyna (Cervyna) cervago* Eversmann,1844** (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936. Range (as codes): RO RU Ro St Ich Da Ur UA TR Cc AM AZ TM CN Ui AF IR Elb Th Kdv UZ 04 06 13 25 30 36 44 58 62 65 69 04D 04Da 06E 06Ea 13A 13Ab 13Ax 30D 30Df 36F 36Fb 65A 65Ai 65Am 65Am4 65D 65Df 65F 65Fa 65G 65Ge 65K 65Kk
- 2986. *Gortyna (s.str.) flavago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775; *ochracea* Hübner,1786; *lappae* Donovan,1801; *ochraceago* Howarth,1809; *cinerea* Goossens,1880 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Gh Elb LB Bsa DK NO SE FI EE LV LT RU Ro Kr Kc St At Sb MD UA Lvv BY 08 14 25 46 65 65F 65Fp 65Fz
- 2987. *Gortyna (s.str.) hethitica* Hacker,Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *hethitica* Hacker,Kuhna & Gross,[1987] Range (as codes): Cc AM TR 04 25 30 50 60 65 75 30D 30Df 50G 50Gd 65F 65Fl 75D
- 2988. *Gortyna (s.str.) moesiaca* Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *moesiaca* Herrich-Schäffer,[1849]; *perlucida* W.Warren,1911. Range (as codes): TR Cc AZ Kir AM RO AL GR 01 04 06 08 01K 04D 04Da 06R
- 2989. *Gortyna (s.str.) osmana* Hacker & Kuhna,1986** (Noctuidae) Synonym(s): *osmana* Hacker & Kuhna,1986 Range (as codes): TR Cc IR Hz Ma Ara 04 13 25 36 56 62 65 75 04D 04Da 04I 13C 13Cf 36F 56F 62G 65A 65Ai 65Bx 65F 65Fp 65Fz 65G 65Ge 75D
- 2990. *Grammodes bifasciata* (Petagna,1787)** (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1787; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalciptera* Borkhausen,1792; *parallelaris* Hübner,[1803]. Range (as codes): DZ Hrh TN DhM PT ES Mu FR Co Sa Si IT MT AT HU YU AL BG GR Cr TR LB IL Pa SY Cc GG Lag IR Mz RU Kr St Ich Da IQ Bsr Agh Bgd Amr MG ZA 01 07 16 33 46 53 07B 16A 46G 46Gf
- 2991. *Grammodes stolidia* (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869. Range (as codes): DZ TN Gf PT ES Mu FR Co Sa Si IT MT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE LT RU MD UA Cm BY GG AZ AM Cc IQ IR Fa Ss LB IL Pa EG SA IN AF Nu Bsg PK Bl Bol ZA Tva Lpo Spb Mdk Gau Pre Jh AU SL ZR ET ET24 SD KE NA Nta Kzu Ec YE Ad Dds He Mz Gls Ak Mrd Lo Mia Kaz UZ N-A Ro Kr Kb Nt Da Kyi BW Dmr Nga Cp C-P Mh Nsk Gha Ges BSA Out BtNa Dzc Agi Ktr Abe Sbd Bsk Onç Ah TD Tbt 01 05 06 07 08 09 16 18 31 33 35 36 39 44 56 62 63 65 73 76 05A 07B 09K 09Ka 16A 31K 31Ka 35U 36D 36Db 44E 44Ei 44I 44Ic 44L 44Lc 56F 56Fo 56Fa 56Fc 56Fö 56Fv 56Fj 56Fm 62H 63D 65D 65Dv 65F 65Fa 73D 73Df 76B 76Bb
- 2992. *Graphiphora augur* (Fabricius,1775)** (Noctuidae) Synonym(s): *augur* Fabricius,1775 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Kb MD UA Lvv BY
- 2993. *Hada persa* (Alpheraky,1897)** (Noctuidae) Synonym(s): *persa* Alpheraky,1897 Range (as codes): TR IR Elb Mz Th Dam RU Cc Kb Nt 25 65 25A 65Bx 65G 65Ge
- 2994. *Hada plebeja* (Linnaeus,1761)** (Noctuidae) Synonym(s): *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiffermüller],1775; *leucostigma* Haworth,1809; *odontides* Boisduval,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rebel & Zerny,[1932]; *littoralis* Schawerda,1938; *gredensis* Schawerda,1938; *nevadensis* Schawerda,1938; *hawelkae* Schawerda,1938 Range (as codes): PT ES FR Co Sa? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ich Ing Da Sb At MD UA Lvv BY UZ TJ CN Ui Ga MN Ti Kno U-B Ts Ch Gs Kk Ik 06 08 16 18 25 36 38 42 49 50 60 75 06R 16A
- 2995. *Hadena (Anepia) esperi* Hacker,1992** (Noctuidae) Synonym(s): *esper* Hacker,1992 Range (as codes): TR 04 25 70 04D 04Da
- 2996. *Hadena (Anepia) irregularis* (Hufnagel,1766)** (Noctuidae) Synonym(s): *irregularis* Hufnagel,1766; *echii* Borkhausen,1792; *syngenesiae* Borkhausen,1793; *brecciaeformis* Esper,[1805]. Range (as codes): ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG SE FI LV LT RU Cc Ro Kyi Da MD UA BY TR CN Ui Ku KG Tk KK Ik 05 06 05A
- 2997. *Hadena (Anepia) musculina* (Staudinger,1892)** (Noctuidae) Synonym(s): *musculina* Staudinger,1892; *mayeri* F.Wagner,1931 Range (as codes): TR Cc 02 04 12 25 30 36 42 44 46 50 51 58 60 65 73 04D 04Da 30B 30Be 30Bj 36D 42B 44L 58G 58Gi 65Bx 65G 65Ge 73C 73Cd
- 2998. *Hadena (Anepia) neglecta* Hacker,1992** (Noctuidae) Synonym(s): *neglecta* Hacker,1992 Range (as codes): TR 65 65Bx 65G 65Ge
- 2999. *Hadena (Anepia) perplexa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933 Range (as codes): MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG At Sb KK CN Ui Ku TJ Pm Tk Af Pag Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ JO PK AZ AM GG Cc TrA UZ Fe IN Ld Ro St Kb Nt Ing Da CY Kir Lag Nv Ord Khy BSA Sbd Ahr Hrh BtNa KhH Ges Abe 01 04 05 06 07 11 13 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75 01H 05A 13A 13Ab 13Ax 13G 13Gü 13Gw 16A 58N 65D 65F 65Fa 65Fr 65L 65Lb 65Le

- 3000. *Hadena (Anepia) sancta* (Staudinger, 1859)** (Noctuidae) Synonym(s): *sancta* Staudinger, 1859
Range (as codes): MA DZ Ges TN LY MT ES Co Sa MT IL Pa JO TR CY LB Bei SA YE 01 31 33 44 46 56 44E 44Ei 56F 56Fi
- 3001. *Hadena (Anepia) silenens* (Hübner, [1822])** (Noctuidae) Synonym(s): *silenens* Hübner, [1822]; *sejuncta* Herrich-Schäffer, [1850]; *trisagittata* Rothschild, 1914 Range (as codes): DZ Ges Hmk BSa Bttna TN Gf PT ES FR Co Si IT SK HU RO YU BG GR Cr TR RU Cc Da AZ Kir MD UA BY TM Kp IR Kz Yas Elb Th IL Pa Hf 01 02 06 07 18 21 25 31 33 34 38 46 47 50 63 07D 07Db
- 3002. *Hadena (Anepia) syriaca* (Osthelder, 1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder, 1933; *osthelderi* Draudt, 1933. Range (as codes): Si IT RO YU BG GR CY RU Ro St TR PK Bl Qu EG PL BG MK Cc AZ Nv AM SY Dms IR Fa Sse IQ IL Pa JO 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 44 46 47 50 51 58 60 65 66 73 04E 05A 06R 06Re 25B 25C 25Ca 25T 30B 30Bd 30Bci 30Bh 30Bg 30Bj 44E 44Ei 36Da 58N 58G 60C 65Bx 65F 65Fm 65Fp 65Fz 65G 65Ge 65K 65Kl 65Z 73A 73C 73Ab
- 3003. *Hadena (Anepia) wolffi* Hacker, 1992** (Noctuidae) Synonym(s): *wolffi* Hacker, 1992 Range (as codes): TR 30 65 73 30B 30Be 30Bj 65A 65Am 65Am4 65F 65Fa 65Fp 65Fz 73C 73Cd
- 3004. *Hadena (Enterpia) laudeti* (Boisduval, 1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval, 1840; *cretacea* Eversmann, 1847; *loudeti* Spuler, 1907 Range (as codes): ES FR IT CH YU BG GR TR AM AZ Kir Cc RU Ro Da Ahy Sr IL Pa SY LB Sn EG JO IQ IR Ab Mak Ak Mar Ha Elb Th Kdj Dam Mz TM Kp UZ KG 01 02 04 05 13 30 33 35 36 42 44 46 47 50 51 58 60 63 65 70 02F 02Fe 02Fz 05A 13C 13Cf 30B 30Bd 30Bg 30Be 30D 30Da 36D 47D 65Bx 65D 65Dx 65F 65Fa 65G 65Ge
- 3005. *Hadena (Enterpia) roseocandida* (Hacker, 1996)** (Noctuidae) Synonym(s): *roseocandida* Hacker, 1996 Range (as codes): TR Cc IR Elb Th Fa Lo Ha Mia 01 04 06 12 13 22 23 25 30 36 42 46 50 56 58 65 70 13A 13Ab 13Ax 30B 30Bci 30D 30Df 36D 36Db 50G 56F 56Fm 58G 65A 65Ai 65D 65Df 65F 65Fp 65Fz 70C 70Ce 70Cf
- 3006. *Hadena (Maschukia) pumila* (Staudinger, 1879)** (Noctuidae) Synonym(s): *pumila* Staudinger, 1879 Range (as codes): GR RU TR SY Dms IR Ab Ak Fa Ss Zj Kd AM Cc AZ IQ IL Pa JO LB 01 03 05 06 08 13 18 23 24 25 29 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65 01H 05A 13G 13Gg 29A 29Ab 44E 47D 58N 65F 65Fa 65Fg 65Fp 65Fz
- 3007. *Hadena (Pinkerica) cappadocia* Hacker, 1987** (Noctuidae) Synonym(s): *cappadocia* Hacker, 1987 Range (as codes): TR 06 12 13 25 30 40 50 51 58 62 65 66 70 06C 06Cb 50G 50Gc 51B 51Bc 58G 58Ga 58Gd 62G 65F 65Fp 65Fz 70C 70Cf
- 3008. *Hadena (Pinkerica) inexpectata* Varga, 1979** (Noctuidae) Synonym(s): *inexpectata* Varga, 1979 Range (as codes): TR IR Elb Th By Yas Lo Es Kd Diz TM Kp 30 65 73 65F 65Fa 73C 73Cd
- 3009. *Hadena (Pinkerica) pygmaea* (Boursin, 1962)** (Noctuidae) Synonym(s): *pygmaea* Boursin, 1962 Range (as codes): TR Cc 76
- 3010. *Hadena (Pinkerica) tephroleuca* (Boisduval, 1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval, 1833 Range (as codes): ES FR Co IT DE CH AT AL BG GR TR Cc AZ AM GG RU Ro Kb Nt Kc Ing Da UA IR Elb Mz Th Diz Plr Dam Kd 04 06 13 14 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66 13D 14B 14Bb 58N 65A 65Am 65Am3 65Bx 65D 65Dg 65F 65Fa 65G 65Ge
- 3011. *Hadena (s.str.) adriana* (Schawerda, 1921)** (Noctuidae) Synonym(s): *adriana* Schawerda, 1921 Range (as codes): HV IT MK GR BG TR CY LB IL Pa TN Cm 01 07 16 33 63 66 16A
- 3012. *Hadena (s.str.) albertii* Hacker, 1996** (Noctuidae) Synonym(s): *albertii* Hacker, 1996 Range (as codes): RU Cc GG AM AZ TR 04 08 24 25 29 36 58 69 75
- 3013. *Hadena (s.str.) albimacula* (Borkhausen, 1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen, 1792; *concinna* Hübner, [1803]; *conserta* Hübner, [1820]. Range (as codes): MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV MK BG GR TR Cc GG Mng AM DK NO SE FI EE LV LT RU Ro St Kc Nt Ing Da Sb At MD UA BY IR Elb Zj Fa Plr Dam Kz Yas Lo Kh TM Kp PK Gg AF IN TJ KK TrA Ax UZ LB Bsa YE 05 06 08 13 18 24 25 28 30 31 33 42 50 51 58 65 66 69 70 75 05A 13A 13Ab 13Ax 13G 13Gg 30B 30Bt 30Bz 31K 31Ka 3Ka3 65B 65Bo 65Bx 65G 65Ge 65K 65Kl 65Z 70C 70Cf
- 3014. *Hadena (s.str.) caesia* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *caesia* [Denis & Schiffermüller], 1775; *dichroma* Esp., [1790]. Range (as codes): ES FR Si IT IE GB DE CH AT RO YU AL MK BG GR Cr TR Cc NO SE FI RU St Kb Nt 05 08 69 75 05A 08H
- 3015. *Hadena (s.str.) cavalla* Pinker, 1980** (Noctuidae) Synonym(s): *cavalla* Pinker, 1980 Range (as codes): TR Cc AM AZ Nv IR Ha 04 24 25 30 46 49 50 58 60 65 73 04I 30B 30Be 30Bg 58G 60C 65Bx 65F 65Fa 65Fp 65Fz 65G 65Ge 73C 73Cd
- 3016. *Hadena (s.str.) chrysographa* Hacker, 1996** (Noctuidae) Synonym(s): *chrysographa* Hacker, 1996 Range (as codes): TR AZ Cc AM Eri IR Zj Ha 04 08 25 29 36 65 75 04D 08H 25A 25F 36D 36De 65B 65Bk 65D 65Dd 65Fz 75E
- 3017. *Hadena (s.str.) clara* (Staudinger, 1901)** (Noctuidae) Synonym(s): *clara* Staudinger, 1901; *hyrcana* Draudt, 1933; *transiens* Draudt, 1938. Range (as codes): MA ES FR Si IT CH YU BG GR TR IR Elb Th Mz Ha Ab Oru Dam Kdj RU Ich Ing Da Ahy Kus Cc AZ Nv AM LB Bsa SY IL Pa 07 08 12 24 25 30 42 50 51 58 65 69 08H 30B 30Be 42B 58G 65A 65Aba 65Ac3 65Am4 65Bx 65F 65Fa 65G 65Gf 65Ge 65Gy
- 3018. *Hadena (s.str.) compta* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller], 1775; *viscaria* Guenée, 1852; *galactina* Turati, 1908. Range (as codes): DZ Ges PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SY LB Bsa IL Pa AM GG Smt Akh Cc AZ IR Ab Khy Elb Fa Th Lo Zj Gh Kd Bne Sse Kh IQ DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da Sb At Am MD UA Lvv

- BY TM KK KG T-S MN CN JP 03 04 05 06 08 13 16 18 24 25 29 30 32 33 36 42 46 49 50 51 56 58 60 62 63 65 66 76 05A 13A 13Ab 13Ax 13F 13F7 13F71 13G 13Gü 13Gw 16A 30D 30Df 33G 33P 51B 51Ba 56F 56Fa 56Fq 58N 65A 65Ai 65Bx 65D 65Df 65F 65Fa 65Fp 65Fz 65Fr 65G 65Ge 65K 65Kl 65Z 76C
- 3019. *Hadena (s.str.) confusa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. Range (as codes): MA DZ Agi Hmk Hrh Dzc Ges Abe TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr St Kb Nt Ich Ing Da Sb At Prj Us MD UA Lvv BY Cc GG Lag AM AZ IR Mz KK Ik TrA Ax Na KG Tk Aa CN Ui Ju Ti MN Uli U-B 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 51 60 65 75 13C 13Cf 33G 51D 51Da 65A 65An 65Bx 65G 65Ge
- 3020. *Hadena (s.str.) danilewskyi* Hacker,1996** (Noctuidae) Synonym(s): *danilewskyi* Hacker,1996 Range (as codes): Cc AZ TR 25
- 3021. *Hadena (s.str.) defreinai* Hacker, Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *grisea* Idrisov,1961; *defreinai* Hacker, Kuhna & Gross,[1987] Range (as codes): TR Cc AM RU Da Kus 04 24 25 65 75 04D 04Da 65Bx 65G 65Ge
- 3022. *Hadena (s.str.) drenowski* (Rebel,1930)** (Noctuidae) Synonym(s): *drenowski* Rebel,1930 Range (as codes): YU UA BG GR TR Cc AM Eri RU IR Elb Mz Kdv Th Dam Kh IL Pa He 01 04 08 12 25 30 33 36 40 42 50 51 58 73 01K 04C 04D 04Da 08H 12C 25A 25C 25F 36F 38Ga 38H 46H 50G 50Gb 58G 58Ga 58Gg 58R 65D 65Df 65Fz 73C 73Cd
- 3023. *Hadena (s.str.) femina* Hacker,1996** (Noctuidae) Synonym(s): *femina* Hacker,1996 Range (as codes): Cc GG TR AZ IR Elb Th Mz Kdv Diz Dam Kh Ha TM Kp RU 30 58 65 65Bx 65G 65Ge
- 3024. *Hadena (s.str.) fibigeri* Hacker,1996** (Noctuidae) Synonym(s): *fibigeri* Hacker,1996 Range (as codes): TR Cc 04 08 13 24 25 30 38 50 51 58 65 69 04D 04Da 08H 13G 25A 25C 25F 30B 30Be 30Bj 30Bl 30D 38G 38Ga 50G 50Gb 58G 58I 65A 65At 65At5 65Bx 65D 65Df 65G 65Ge 65Fz
- 3025. *Hadena (s.str.) filograna* (Esper,[1788])** (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821]. Range (as codes): MA PT ES FR Co Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU St Nt Ur Sb At MD UA BY KG Ssn Dsa KK Ik Cc AM GG Aba Smt Bjo Tbl UZ Fe CN Ui Ii 05 06 08 25 33 36 50 51 60 65 05A 65Bx 65F 65Fa 65G 65Ge
- 3026. *Hadena (s.str.) germaniciae* Boursin,1959** (Noctuidae) Synonym(s): *germaniciae* Boursin,1959 Range (as codes): TR Cc 36 65 65Bx 65G 65Ge
- 3027. *Hadena (s.str.) gueneei* (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905 Range (as codes): IT B-H HV MK GR CY TR IL Pa AZ AM Cc IR Lo Kh Elb Th Plr Kz Yas Fa IQ TM 01 02 03 04 06 08 12 13 16 18 24 25 30 31 33 36 42 46 47 50 56 58 65 66 71 80 02F 02Fd 02Fz 06K 06Kb 06R 13A 13Ab 13Ax 13G 13Ge 16A 30B 30Bg 30Bh 30Bj 30D 47D 56F 56Fö 58N 65Bx 65D 65Dg 65F 65Fa 65Fr 65Fp 65Fz 65G 65Ge 65N 65Np 65Nm
- 3028. *Hadena (s.str.) humilis* (Christoph,1893)** (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933. Range (as codes): Cc AZ Nv Ord AM GG Smt Bjo TR IR Ha RU Da 03 04 06 07 12 13 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76 06R 13G 13Gg 13Gü 13Gy 13Gw 58N 65F 65Fa 65Fr 65Fp 65Fz 65L 65Le 65N 65Nc 76C
- 3029. *Hadena (s.str.) hyrcanoides* Hacker,1996** (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996 Range (as codes): TR IR Th Elb Ab Oru Mz Dam Kdj Cc Es AZ Nv 30 65 73 30B 30Be 65F 65Fp 65Fz 65G 65Ge 73C 73Cd
- 3030. *Hadena (s.str.) impressa* (Esper,[1790])** (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790]. Range (as codes): HU AT DE EE DK NO SE FI HV B-H MK GR TR Cc GG Smt Bjo Mng Lag Nv Ord AM AZ IR Th Elb Mz TM UZ TJ KK TeA RU Ro Kr Kb Nt Ich Ing Da At Sb Sj LB Bsa IQ UA Lvv 04 05 06 08 18 19 25 28 30 33 36 46 50 51 56 58 60 65 05A 56F 56F1 56Fq 65F 65Fr 65Fp 65Fz 65L 65Lb
- 3031. *Hadena (s.str.) lucida* (Brandt,1938)** (Noctuidae) Synonym(s): *lucida* Brandt,1938 Range (as codes): TR IR Fa Com By Es Elb Mz Dam Kd 30 65 30B 30Be 30D 65Bx 65D 65Df 65Dx 65F 65Fa 65Fe 65Fz 65G 65Ge
- 3032. *Hadena (s.str.) magnifica* Hacker,1996** (Noctuidae) Synonym(s): *magnifica* Hacker,1996 Range (as codes): TR IR Lo Th Elb Kdj Ak Ab 25 30 65 73 65G 73C 73Cd
- 3033. *Hadena (s.str.) magnolii* (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. Range (as codes): DZ Hmk PT ES An FR Co Si IT DE CH AT SK HU RO YU HV AL MK BG GR Cr TR TM IR By Yas Es Fa Lo Ha Elb Th Dam Kd Kh Cc GG Tbl Smt Bjo Mng AZ Kir AM LB Bsa UZ N-A KK KG RU Ro St Kb Nt Ing Da Sb At UA PK Ch Hu 01 02 04 05 06 09 13 14 18 21 24 25 29 30 32 33 36 42 44 46 47 49 50 51 56 58 65 66 02F 02Fd 02Fz 05A 06R 06Rb 13A 13Ab 13Ax 13G 13Gü 13Gs 13Gw 21L 21Lc 30B 30Bt 30Bz 30D 30Df 42R 44E 44Ei 44L 44Lc 47D 56F 56F1 56Fs 58R 65A 65Ai 65Am 65Am1 65Am4 65An 65At 65At5 65D 65Df 65Dg 65Du 65F 65Fr 65Fp 65Fz 65Fm 65K 65Kl 65Z 65L 65Le 65N 65Np 65Np1 65Nm
- 3034. *Hadena (s.str.) melanochroa* (Staudinger,1892)** (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892 Range (as codes): BG TR RU Kb Nt Ich Ing Da IR Fa Elb Kdj Th Diz Ab Oru IQ Cc AZ AM 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75 05A 06R 06Re 08H 25T 30B 30Bg 30D 30Da 36D 58N 60C 65Bx 65F 65Fa 65Fp 65Fz 65G 65Ge
- 3035. *Hadena (s.str.) nebulosa* Hacker,1996** (Noctuidae) Synonym(s): *nebulosa* Hacker,1996 Range (as codes): TR 04

- 3036. *Hadena* (s.str.) *perpetua* Hacker,1996** (Noctuidae) Synonym(s): *perpetua* Hacker,1996 Range (as codes): MK TR 25
- 3037. *Hadena* (s.str.) *persimilis* Hacker,1996** (Noctuidae) Synonym(s): *persimilis* Hacker,1996 Range (as codes): GR RU UA Cc AM TR KG AZ IR Elb Th Kdv TM IL Pa 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69 65F 65Fa
- 3038. *Hadena* (s.str.) *pfeifferi* (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934 Range (as codes): TR LB Bsa IQ IR Kd Snj SY Dms 25 29 30 65 73 25F 25N 25Na 29A 29Ab 30B 30Bh 65A 65Ai 65Am 65Am1 65Am4 65D 65F 65Fp 65Fz 73A 73Ab
- 3039. *Hadena* (s.str.) *praetermissa* Hacker,1996** (Noctuidae) Synonym(s): *praetermissa* Hacker,1996 Range (as codes): TR IR Elb Th Mz Dam Es Kdv 04 25 46 65 25D 65Bx 65D 65Dd 65G 65Ge 65Fz 65K 65Kl 65Z
- 3040. *Hadena* (s.str.) *pseudoclara* Hacker,1996** (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996 Range (as codes): TR Cc AZ AM IR Elb SY Dms LB 04 13 24 25 44 46 51 58 60 65 04D 04Da 13G 44F 44Fb 46D 51B 51Ba 60C 65Bx 65G 65Ge
- 3041. *Hadena* (s.str.) *pseudodealbata* Hacker,1988** (Noctuidae) Synonym(s): *pseudodealbata* Hacker,1988 Range (as codes): TR Cc AM AZ GG RU Da Ing UA 04 08 25 28 36 61 69 75 36D 36F 69A 75D 75E
- 3042. *Hadena* (s.str.) *pseudohyrcana* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985. Range (as codes): TR IR Ab Oru RU Cc Da Kap Der Brh Lvs 30 62 65 73 30B 30Be 62G 65Bx 65B 65Bk 65F 65Fa 73A 73Ab 73C 73Cd
- 3043. *Hadena* (s.str.) *purpurea* Hacker,1996** (Noctuidae) Synonym(s): *purpurea* Hacker,1996 Range (as codes): TR Cc TM Kp IR Elb Th Diz Mz Dam Kdj 04 13 25 36 38 46 51 58 65 69 13G 13Gü 13Gw 65F 65Fm 65Fr 65Fp 65Fz 65K 65Kl 65Z
- 3044. *Hadena* (s.str.) *rjabovi* (Idrisov,1961)** (Noctuidae) Synonym(s): *rjabovi* Idrisov,1961; *occidentalis* De Freina & Hacker,1985 Range (as codes): TR IR Elb Th Dam Cc AM AZ 30 58 73 30B 30Be 30D 30Da 58G 58Gi 73C 73Cd
- 3045. *Hadena* (s.str.) *ronkayorum* Hacker,1996** (Noctuidae) Synonym(s): *ronkayorum* Hacker,1996 Range (as codes): TR 04 13 30 56 65 13G 13Gü 13Gw 56F 56Fa 65D 65Df 65Fz
- 3046. *Hadena* (s.str.) *secreta* Hacker,1996** (Noctuidae) Synonym(s): *secreta* Hacker,1996 Range (as codes): Cc GG RU TR 75
- 3047. *Hadena* (s.str.) *staudingeri* (F.Wagner,1931)** (Noctuidae) Synonym(s): *staudingeri* F.Wagner,1931 Range (as codes): TR Cc AM AZ RU Da IR Elb Th Diz Plr Kd Bne 06 08 13 18 24 25 30 36 40 42 49 50 51 56 58 60 65 66 06R 08H 13G 13Gg 25T 30B 30Bh 30D 30Dt 49E 49Ea 56F 56Fq 60C 65Bx 65F 65Fe 65Fp 65Fz 65G 65Ge
- 3048. *Hadena* (s.str.) *subhyrcana* Hacker,1996** (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996 Range (as codes): TR IR Lo 13 30 24 25 49 56 58 65 73 13G 13Gg 56F 56F1 56Fs 65D 65Df 65F 65Fp 65Fz
- 3049. *Hadena* (s.str.) *thecaphaga* (Draudt,1937)** (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937 Range (as codes): TR Cc AZ AM IR Elb Th Dam Kdv 04 30 36 38 46 65 73 30B 30Be 30D 65Bx 65D 65Dh 65F 65Fa 65G 65Ge 65K 65Ky1 73C 73Cd
- 3050. *Hadena* (s.str.) *tristis* (Draudt,1934)** (Noctuidae) Synonym(s): *tristis* Draudt,1934 Range (as codes): Cc AZ Kir TR IQ IR Kh Elb Th 04 12 25 28 30 36 38 46 50 51 53 58 60 65 75 12A 25A 25C 30D 36D 36De 36F 38Ga 51D 51Da 53M 53N 58G 65Bx 65F 65Fa 65G 65Ge 75D
- 3051. *Hadena* (s.str.) *vanensis* Hacker,1996** (Noctuidae) Synonym(s): *vanensis* Hacker,1996 Range (as codes): TR 65 65A 65At 65At5 65Bx 65D 65Dd 65Df 65Dg 65F 65Fp 65Fz 65G 65Ge
- 3052. *Hadena* (s.str.) *virescens* Hacker,1996** (Noctuidae) Synonym(s): *virescens* Hacker,1996 Range (as codes): TR Cc 04 06 24 25 30 33 36 50 58 60 65 04D 04Da 04Db 06R 24B 25C 30B 30Bl 36D 36Da 36De 58I 65F 65Fa
- 3053. *Hadena* (s.str.) *vulcanica* (Turati,1907)** (Noctuidae) Synonym(s): *vulcanica* Turati,1907 Range (as codes): ES Si MK AL BG GR TR Cc UA RU Ich Ing Da IR Ha Elb Th Diz Dam 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70 73 04D 04Da 06R 06Rb 25B 25T 36D 58N 60C 65Bx 65G 65Ge 70A 70Ab 73C 73Cd
- 3054. *Hadena* (s.str.) *wehrlii* (Draudt,1934)** (Noctuidae) Synonym(s): *wehrlii* Draudt,1934 Range (as codes): ES TR Cc IR Elb Th Dam 08 18 24 25 29 33 36 50 58 65 65F 65Fa 65Fe
- 3055. *Hadjina* *lutosa* Staudinger,1892** (Noctuidae) Synonym(s): *lutosa* Staudinger,1892; *subflava* Hacker & Ebert,2002 Range (as codes): RU Ao TR IQ IR Fa Ss Km Ksh Hz B-A TM KG 01 13 30 47 56 58 63 73 01K 13C 13Cf 47D 56A 56Aa 56F 56Fç 58N 63E 73C 73Cd 73A 73Ab
- 3056. *Hadula* (Caloestra) *colletti* (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876 Range (as codes): NO Cc AM TR IR Elb Mz MN RU Sb CN Ui Um KK T-A 04 08 25 58 65 75 25C 65A 65Abc 65Bx 65G 65Ge
- 3057. *Hadula* (Caloestra) *dianthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930. Range (as codes): MA DZ Ah ES IT AT SK HU RO YU BG TR RU Sr Cc GG Tbl Lag AZ Kir Ro St Kyi KG Tk Dj Aa KK Osh Ssn Mn DsA TM Kp CY CN Ui Ku MN TJ UZ IR Ak 01 04 05 06 18 25 42 44 49 50 51 58 66 69 05A 25B 25F 25N 25Na 42B 42J 44E 44Ei 49F 58N

- 3058. *Hadula (Calocestra) hoplites* (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901 Range (as codes): TM Kp TR CN Ui Ku KG RU Ur IR Fa Lo Es Elb Kdj Th Ce AM 01 07 32 33 42 51 65 76 65B
- 3059. *Hadula (Calocestra) latemarginata* (Wiltshire,1976)** (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986. Range (as codes): TR Cc AM RU Kb 04 23 25 28 36 58 61 65 69 04I 25A 36F 61K 61Kb 65Bx 65G 65Ge
- 3060. *Hadula (Calocestra) mendax* (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879 Range (as codes): MK BG GR TR Cc AM AZ Nv IL Pa LB IR Ab Oru 01 02 05 06 07 13 16 18 20 24 25 27 29 30 31 33 36 37 38 42 46 49 50 51 56 58 60 65 66 70 02F 02Fd 02Fz 05A 06R 06Ra 16A 25F 30D 30Df 31K 31Ka 33G 50G 50Gb 56F 56Fs 58N 58R 65A 65Ac 65Ac3 65Bx 65D 65Df 65Dg 65F 65G 65Ge 65N 65Np 65Np1 65Np2 65Nm
- 3061. *Hadula (Calocestra) mendica* (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica* Staudinger,[1895] Range (as codes): TR LB Cc AZ Nv Ord Kir IR Elb Kdj Ab Oru Mak 01 02 07 13 21 23 24 30 32 33 36 42 44 46 47 49 51 56 58 60 63 65 70 73 01K 02F 02Fd 02Fz 21L 21Lc 30B 30Be 30Bh 36D 36Dd 44E 44Ei 47D 47Db 56F 56Fs 65A 65Am 65Am4 65D 65F 65Fr 65G 65Gf 65Gy 65K 65Kl1 65Z 70C 70Ce 73C 73Cd 73Cd
- 3062. *Hadula (Calocestra) odontites* (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941. Range (as codes): PT ES FR Si BE LU DE PL YU AL AT CH FR IT GR BG HV TR Cc RU Kb Nt At PK IN AF TJ Pm Chr TeA TrA Na KK KG Tk Dj CN Ui Ga Gn M-A MN 06 36 58 65 66 65K 65N 65Nc 65Kp
- 3063. *Hadula (Calocestra) pugnax* (Hübner,[1824])** (Noctuidae) Synonym(s): *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942 Range (as codes): DZ Onç PT ES Mu FR IT CH Cc AZ TR IR Ak Ab Ha 03 04 06 18 24 25 30 32 42 51 58 30D 30Da 58G
- 3064. *Hadula (Calocestra) stigmosa* (Christoph,1887)** (Noctuidae) Synonym(s): *stigmosa* Christoph,1887. Range (as codes): FR Co Sa IT? RO AL BG GR TR Cc IR Elb Mz Gl IL Pa RU Ro Ich Kyi Da Sr MD UA TM Kp K-A MN KG Tk Dj Aa UZ KK CN Ui AF KP KR JP 06 33 35 36 38 50 58 66 76 76A 76Ac
- 3065. *Hadula (Calocestra) trifolii* (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 Range (as codes): CL TN MA DZ LY NE PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR CY IL LB SY IQ Agh Amr MN AF Gbh Pli Arh Ca PK Gg IN US CA DK NO SE FI EE LV LT RU MD UA BY IR Hz Ss Kh CN Ui Ku Yk Ti GG AM AZ Bak Cc JO MK Gh Elb Th Mz Kdj Dam Km Kd Ab Lo Es Ss Hz Bu Dlk KG Tk Tu Dj Aa TrA TM Kp TJ Pm Chr UZ Br N-A KK Skm Ax Na Ro Kr St Kc Kb Nt Ich Ing Kyi Da CV Az Cp Khy Snj Bne Mrv Gl Kh BSa Lgt Ktr Sét Gha Ela Ceg Bsk Saia BtNa Khh Hmk DhM Hrh Perr Afl Ges Abe Sfr Tlm Onç Mri Lvv Ear Nbr Psu Cls 04 05 06 07 08 10 13 16 17 18 23 25 31 32 36 39 37 39 42 44 45 46 49 50 51 53 56 57 58 60 62 63 65 05A 06R 06Rb 10K 10Ka 13A 13Ab 13Ax 16A 44E 44Ei 56F 56Fa 65Bx 65F 65G 65Ge 65L 65Lb
- 3066. *Hadula (Cardiestra) vassilini* (O.Bang-Haas,1927)** (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927 Range (as codes): BG GR TR Cc AZ Kir RU Da IQ Agh IR Gl 36 46 76
- 3067. *Hadula (Ptochicestra) osmana* Hacker,1998** (Noctuidae) Synonym(s): *osmana* Hacker,1998 Range (as codes): Cc AM TR IR Ke 36 76
- 3068. *Hadula (s.str.) sabulorum* (Alpheraky,1882)** (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882 Range (as codes): MA DZ Sfr Ceg BSa Bsk Kdr TN Gf LY EG Sn SA YE OM AE KW MT IL Pa IQ Bgd Cc AZ Nv Ord TR IR Ab Mak Fa Ke AF TJ Pm TM Kp UZ KG Aa T-S Tk Tu Aem Ii MN CN Ui Au Khr Ln KK Ik Nrk TeA 04
- 3069. *Haemerosia renalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *renalis* Hübner,[1813] Range (as codes): ES FR Si IT YU BG GR TR Cc IR Fa Com Ss Kh By Lo Elb Th Kd Bne IL Pa LB 05 06 09 12 13 15 16 25 30 32 33 36 40 42 46 47 50 56 62 65 66 73 05A 06R 06Rb 06Re 09K 09Ka 12A 12Aa 16A 25T 25F 30B 30Bc1 30Bf 33A 33Ad 46G 46Gf 47D 56F 56Fi 65A 65Ai 65D 65Df 65F 65Fp 65Fz 65G 65Gb 65K 65Kb 65Z 73A 73Ad 73Ad2
- 3070. *Haemerosia vassilini* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *vassilini* A.Bang-Haas,1912 Range (as codes): BG GR UA Cm Cc RU Da Kr Ce Gro TR IR
- 3071. *Hakkaria varga* (Hacker,[1987])** (Noctuidae) Synonym(s): *varga* Hacker,[1987] Range (as codes): TR 73 73C 73Cd
- 3072. *Hecatera bicolorata* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. Range (as codes): DZ PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Ich Ing Da Sb At Am MD UA BY IR Fa Es Ke Mz Elb Th Kd Bne Mrv Hz AM AZ GG Lag Len Kir Cc CY LB Bsa IL Pa Hf SY KK Ax TrA Na Ges BSa Hmk Hrh Khh Bsk Agi 01 02 04 05 06 07 08 13 14 18 21 24 25 28 29 30 33 36 46 49 50 51 53 55 58 60 63 65 66 75 02F 02Fd 02Fe 02Fz 05A 06R 06Rh 13F 13F3 13G 13Gi 13Gy 21L 21Lc 21N 21Nh 30B 30Bd 30D 30Df 53B 55F 58R 65A 65Ac 65Ac3 65An 65Ai 65Am 65Am1 65At 65At5 65F 65Fa 65Fp 65Fz 65D 65Df 65Du 65K 65Kl1 65Z 65N 65Np5 65Nm
- 3073. *Hecatera cappa* (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa* Hübner,[1809] Range (as codes): MA DZ Abe ES FR Sa Si IT MT CZ SK HU RO YU AL BG GR Cr TR Cc GG Smt Bjo AM IR Fa Lo LB RU Ro St Kb Ich Kyi Da At MD UA BY LB Bsa CY JO IL Pa 05 06 16 17 18 25 36 40 42 51 58 62 65 05A 06F 16A 65D 65Df 65F 65Fa 65Fz 65N 65Np6 65Nm

- 3074. *Hecatera rhodocharis* (Brandt,1938)** (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938 Range (as codes): IR Ha By Yas Fa Com Lo IQ Kd Snj Bne Sqq Mrv Kz Hjo TR Cc TJ Pm Chr 12 13 20 24 25 30 31 32 33 36 38 42 44 46 49 50 58 65 13B 13G 13Gü 13Gw 25T 30B 30Be 30Bj 30D 30Da 30Dt 36D 36F 58G 65Bx 65F 65Fa 65G 65Ge 65K 65Kl 65Z
- 3075. *Hecatera spinaciae* (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *ornata* De Villers,1789 *nec* Sc.,1763; *spinaciae* Vieweg,1790; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910; *faroulti* Rothschild,1914; *antitypina* Rothschild,1914; *africana* Oberthür,1918; *khala* Rungs,1972 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc SE LT RU MD UA BY IR Fa By Yas Lo Ss Kh Ke Ha Ab Elb Dam Kd Zj Sse IQ Bgd Agh LB Bsa IL Hf Pa JO Sn CN Ui Ku Ii AF Hr Blh Gbh Srb Kab Ch Gs KG Ssn Mn TJ Pm Chr UZ TM Fe KK Ik Hp Ro Kr St Kyi Da CY GG AZ Tbl Bjo Mng Kir Lag Nv Ord Sdt Mrv Bne Zj DZ BSA Ges Agi Eba MA 01 02 04 05 06 07 13 14 16 18 20 21 24 25 30 31 32 33 36 44 46 50 51 56 58 60 62 63 65 66 76 02F 02Fd 20Fz 05A 06Z 13B 13C 13Cy 16A 21L 21Le 25F 30D 30Df 31K 31Ka 31Ka5 33A 33Ac 44E 44Ei 44I 44Ic 56F 56Fa 56Fb 58N 65A 65Ac 65Ac3 65Bx 65F 65Fa 65Fr 65Fp 65Fz 65G 65Ge 65K 65N 65Nc 65Kp 65K 65Kl 65Z 65L 65Lb 65Le 65N 65Np6 65Nm 76C
- 3076. *Hecatera weissi* (Boursin,1952)** (Noctuidae) Synonym(s): *#weissi* Draudt,1934; *weissi* Boursin,1952 Range (as codes): ES FR Co IT Si MT MA DZ TN EG SA IL Pa JO TR Cc RU Da AZ Nv AM 04 30 56 04D 04Da 30B 30Be 56F 56F1
- 3077. *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. *nec* Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972 Range (as codes): Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN Ui Ku PK BI Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp NI Ddu Up SI NP SG LK ID Ja Nau QAU Bri NSW Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMA CDo Cuo Cuo7 KK Osh Elb Lvv Th Dam Kd Snj Mz Gls Kh Gh Mía Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 CV Az Md Kndy Pdy Dck Smt Bjo Lag Kir Bku Der Abe Clo Lbs 01 04 05 06 08 13 14 16 20 25 26 28 30 31 33 36 37 44 46 47 49 50 51 53 56 57 58 61 63 65 71 75 05A 06R 06Rd 13B 16A 30D 30Df 31K 33A 33Ak 33Aj 36D 36Db 36F 36Fb 44I 44Lc 44L 44Le 49F 49Fb 51B 51Ba 56F 56Fa 56Fb 56Fv 56Fc 58F 58G 63D 65A 65Ai 65Bx 65D 65Dh 65Dj 65G 65Ge 65K 65Kp 75F 75Fb
- 3078. *Heliophobus dalmae* Simonyi,2010** (Noctuidae) Synonym(s): *dalmae* Simonyi,2010 Range (as codes): TR AZ Cc AM IR RU Cm 04 04D 04Db
- 3079. *Heliophobus reticulata* (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Fa DK NO SE FI EE LV LT RU Voo Or Ur Cc Ro Kr St Kb Nt Ich Ing Da MD UA BY CN Ui Kun Kml KG MN Ch 06 13 50 58 65 06R 13G 13Gs 13Gü 13Gw 58N 65F 65Fp 65Fz
- 3080. *Heliophobus unicolor* (Alpheraky,1889)** (Noctuidae) Synonym(s): *unicolor* Alpheraky,1889 Range (as codes): TR Arr Cc CN Ui Ku IR Elb Th Zj Mz Dam Elb KG Tk Ket DsA Dj KK Ik Osh UZ Fe TeA Na Ax RU At Ur MN TJ Pm 04 06 07 08 14 18 24 25 28 30 33 36 38 42 46 49 50 51 58 60 65 75 30D 58G 65Bx 65F 65Fa 65G 65Ge 65N 65Ne 65Nc
- 3081. *Heliothis maritima* Graslin,1855** (Noctuidae) Synonym(s): *maritima* Graslin,1855 Range (as codes): ES FR Si IT? GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK SE FI LT RU Ro Kr Ich Ing Kyi MD UA BY CN Ui Au KG Tk Dj KK TeA Skm TrA 06 25 36 50 56 56F 56Fa
- 3082. *Heliothis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. Range (as codes): Cn DZ PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL SK HU RO YU AL BG GR Cr TR CY FI RU Cc AZ Nv Ord Len Ro St Kb Nt Da MD UA BY IR Lo Hz Ss Kh Elb Th Dam Kdj Ak Mrd AF Hr Gbh Arh Dwe Srb Fz LB Bei Bsa IN Hp Dlh IQ Agh Amr Mj Dy SO IL Pa SY Hf JO Sn TM YE Ad SO Kp Gls Bsk Khh BSA Ktr Onç Gtt Gha Abe Sbd Sfr Saia Agi Ges Ah Ajj 01 04 07 10 13 18 20 25 31 33 35 42 44 46 47 50 51 56 58 65 76 07C 13A 13Ab 13Ax 31K 31Ka 31Ka3 31Ka7 44E 44Ei 44L 44Le 56F 56F1 56Fb 56Fm 65A 65Am 65Am1 65Bx 65G 65Ge 65N 65Np 65Np1 65Nm 76C
- 3083. *Heliothis ononis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852. Range (as codes): FR IT? DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bku EE RU Kb MD UA BY CN Ui Muz Arc Tlk 16 36 16A
- 3084. *Heliothis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. Range (as codes): MA DZ Cn PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK SE FI EE LV LT RU MD UA BY IR Mz Fa Ke Lo By Yas Hz Ss Kh Ha PK BI Qu IQ Mj JHa Amr Agh Kq Dk AF Hr Gbh Kab Srb Arh Dwe Bark Fz LB Bsa IN Dlh Hp NP JO SN IL Pa Hf Dam Kdj Elb Th Ak Mrd Mia Kz Yas Km Kd Snj Hz B-A Maz Gls Kh GG AZ AM Cc KK TrA TM Kp UZ KG Ro Kr St Kb Kc Nt Ing Da CV MM Kba Tbl Smt Bjo Lag Bku Nv Ord Hmk Ktr Khh BSA Perr Sfr Dje DhM Abe Bsk Hrh Ges Clo Lbs Anna Ah Ajj 01 05 06 07 08 09 13 16 18 20 21 24 25 27 30 31 33 35 36 38 42 44 45 46 50 51 56 58 63 65 66 73 75 80 05A 07B 07Bb 09K 09Ka 13A 13Ab 13Ax 13G 13Gö 13Gg 13G 16A 18F 21N 21Nb 21Nc 21Nh 27D 27Db 30B 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka3 31Ka7 33A 33Ac 33Ad 33E 36F 36Fb 44E 44Ei 44L 44Le 56F 56Fa 56Fb 56Fv 58N 63D 65A 65Am 65Am1 65Am2 65Am3 65An 65Ai 65At 65At5 65D 65Dda 65Df 65Di 65Du 65E 65Eb 65Ec 65Ec 65Ed 65F 65Fa 65Fd 65Fg 65Fp 65Fr 65Fz 65G 65Ge 65K 65Kb 65Kl 65N 65Np 65Nr4 65Nr7 65Nm 73A 73Aa 73D 73Da 73Df 73Dfc 75F 75Fa
- 3085. *Heliothis viroplaca* (Hufnagel,1766)** (Noctuidae) Synonym(s): *viroplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. Range (as codes): Cn PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc CY LB Bsa

DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Da Kyi Am MD UA BY IR Fa Es Lo Ke Zj Elb Th Dam Ab Oru Kz Yas Km Kd Snj IQ Dia Hjo Bag CN Ui Ku Yk MM Ch PK Hu IL Pa Lvv Tek Kty IN Dra JP JO Smt Bjo Lag Nv Ord Der Mrv Bne Sfr Btma Khh Lbs MA 01 03 04 05 06 10 16 17 18 19 21 25 30 31 32 33 36 42 45 46 50 51 55 56 58 60 62 63 65 76 05A 06D 06Db 16A 21N 21Nb 21Nh 30D 30Dp 31K 31Ka 36D 36Db 55F 56F 56Fa 56Fg 58N 63D 65F 65Fa 65M 65Mc 65Md 76B 76Bf 76Bh

- 3086. Heptapotamia eustratii Alpheraky, 1882** (Noctuidae) Synonym(s): *eustratii* Alpheraky, 1882
Range (as codes): KG Tk TM Kp TR CN Ui Ku 25 36 58 65 25D 36F 36Fb 58G 65B 65Bk 65Bx 65D 65Df 65G 65Ge 65K 65Kl 65Kl2 65Z 65N 65Np1 65Nm
- 3087. Heteropalpia vetusta (Walker, 1865)** (Noctuidae) Synonym(s): *vetusta* Walker, 1865; *profesta* Christoph, 1887; *sacra* Staudinger, 1898 Range (as codes): UZ TR CY IN PK Sd Hyd AF Dwe SY Sk DZ TM Kp IR Th Elb Fa Shr Hz Ss Kdj Ma Chh B-A IQ Ama Dy kut JHa Sbn Tkr Dk Agh Bgd Dia BH LB Bei IL Pa SA SA63 As YE OM JO ZA AU 31 33 47 56 31K 31Ka 31Ka7 33O 47D 56F 56Fv
- 3088. Heterophysa dumetorum (Geyer, 1834)** (Noctuidae) Synonym(s): *dumetorum* Geyer, 1834; *rhadama* Milliére, 1883; *mutica* Christoph, 1885; *griseoviridis* Schwingenschuss, 1937 Range (as codes): ES FR YU GR TR Cc AZ Nv Ord IR Mz Elb Dam Th 01 04 06 08 13 24 25 30 36 42 46 49 51 53 56 58 60 62 65 66 69 06R 06Re 06Rk 08H 13B 13G 13Gü 13Gw 25F 30B 30Bd 30Bh 30Bf 30D 30Dt 36D 49F 53N 56F 56F1 56Fs 65A 65Am 65Am1 65F 65Fr 65Fp 65Fz
- 3089. Himalistra tahiricola Ronkay & Hreblay, 1994** (Noctuidae) Synonym(s): *tahiricola* Ronkay & Hreblay, 1994 Range (as codes): TR 04 04D 04Da o
- 3090. Hoplodrina ambigua ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller], 1775; *plantaginis* Hübner, [1813]; *uniformis* Swinhoe, 1885 Range (as codes): MA DZ TN LY? PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc CY IQ DK SE EE LV LT RU Ro Kr St No Ich Ing MD UA BY AF Srb PK Bl Qu IR Fa By Yas Ke Gh Elb Mz Th Kdj GlS EG TM CN Ui TJ IL Hf Pa SY JO LB Bsa UZ N-A Lvv KK T-S GG Smt Bjo AZ Kir Ges Btma Lbs Hmk Abe Sbd Prr Khh DhM Agi 01 05 06 08 09 10 13 17 18 20 21 23 24 25 27 30 31 32 33 34 35 36 37 38 39 42 45 46 48 49 50 51 56 58 62 64 65 69 80 05A 06E 06Ea 06R 06Rb 06Rq 06Y 06Yb 13G 13Gg 13Gf 21N 21Nh 30D 30Df 36F 36Fb 46G 49F 49Fb 56E 56Eh 56F 56Fv 56Fm 56Fa 56Fb 56Fö 56F1 56Fj 56Fc 56F3 58G 62G 62Gb 65D 65Du 65F 65Fa 65Fp 65Fm 65Fg 65Fz 65K 65Kl 65Z 65L 65Lb 65N 65Ne 65Np 65Nm
- 3091. Hoplodrina blanda ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller], 1775; *redacta* Haworth, 1809; *taraxaci* Hübner, [1813]. Range (as codes): TN DhM PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ Kir Len AM Cc DK NO SE FI EE LV LT RU Kr St Ing Da MD UA Lvv BY IR Elb Mz Th Ak Aha Gh 08 13 16 25 37 53 65 76 08H 13B 13G 13Gü 13Gw 13F 13F71 16A 37P 53N 65F 65Fp 65Fz 65L 65Lb 76C
- 3092. Hoplodrina levis (Staudinger, 1888)** (Noctuidae) Synonym(s): *levis* Staudinger, 1888 Range (as codes): UZ Fe Man Nmg TR Cc IR Elb Th Lo KG Tk Dj KK TrA 01 06 13 25 30 36 51 58 65 30D 30Da 65F 65Fa
- 3093. Hoplodrina octogenaria (Goeze, 1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze, 1781; *alsines* Brahm, 1791; *sordida* Haworth, 1809 *nec* Hübner, [1803]; *sericea* Speyer, 1867; *alsinides* Constanti, 1922; *melendizi* Agenjo, 1941 Range (as codes): TN DhM DZ Ges Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc IR DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da At MD UA Lvv BY KK Ik Fe KG TrA Sb Us KP KR Sh CN 06 13 14 16 19 37 38 39 58 60 61 65 66 75 13B 13G 13Gü 13Gw 16A 58N 60C 65F 65Fj 65Fp 65Fz 65K 65Kp 75F 75Fb
- 3094. Hoplodrina pfeifferi (Boursin, 1932)** (Noctuidae) Synonym(s): *pfeifferi* Boursin, 1932. Range (as codes): TR LB Bsa IR Zj Elb Th Kd Bne Mrv Cc AM AZ RU Ich Ing Da IQ 08 13 18 23 25 30 32 36 42 50 51 58 62 65 08A 08C 13B 13G 13Gg 25T 25F 30B 30Bd 30Bc1 30D 30Da 30Dt 58G 58Gd 62G 65F 65Fe 65Fr 65Fm 65Fp 65Fz 65K 65Kl 65Z
- 3095. Hoplodrina respersa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller], 1775; *margaritacea* Borkhausen, 1792 *nec* Vill., 1789 Range (as codes): PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ Kir AM DK EE LV LT RU MD UA BY 06 13 16 65 06R 06Rh 13B 13G 13Gg 13Gü 13Gw 16A 65F 65Fm 65Fp 65L 65Lb
- 3096. Hoplodrina superstes (Ochsenheimer, 1816)** (Noctuidae) Synonym(s): *superstes* Ochsenheimer, 1816 Range (as codes): PT ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ Kir Nv Ord AM Cc RU Da Der Ro Kr St Nt Ich Ing MD UA BY 01 04 05 06 08 12 14 25 30 33 36 37 49 50 53 56 65 66 71 75 05A 06R 06Re 08H 25T 25F 30B 30Bf 30D 30Dt 33G 36D 37P 49E 49Ea 53N 56F 56Fq 65F 65F1 65Fz 71D
- 3097. Hydraecia micacea (Esper, 1789)** (Noctuidae) Synonym(s): *micacea* Esper, 1789; *cypriaca* Hübner, [1803]. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Krl MD UA Lvv BY CN Ui Chk KK TrA CA Qb US Mai Msc 04
- 3098. Hypena (Ophiuche) lividalis (Hübner, 1796)** (Noctuidae) Synonym(s): *lividalis* Hübner, 1796; *diagonalis* Fabricius, 1794; *simplicialis* Zeller, 1852; *abjurialis* Walker, [1859]; *scissalis* Walker, [1866]; ? *perna* R. Felder & Rogenhofer, 1873; *bipartita* Smith, 1900. Range (as codes): US MA DZ Clo Abe Tun Bsk Gf TN LY PT ES Mu FR Co Sa Si IT MT LU DE AL BG GR Cr TR CY DK SE RU MD UA BY HV Cn DZ TN EG LB Bei Bsa IL Pa JO YE Sk GN SD KE TZ MW ZA Ec Nta Kzu Dbn MR MG IN PK MX VE 05 07 16 45 05A 07B 16A
- 3099. Hypena (s.str.) obsitalis (Hübner, [1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner, [1813]; *choleric* Schawerda, 1921 Range (as codes): Cn TN DZ Mzg Rbt Agi Hrh Dzc Sfr Blid Abe Sbd Clo MA PT ES Mu FR Co Sa Si IT MT IE GB LU CH AT YU AL BG GR Cr Rd Sms TR GG Smt Akh Cc CY IL Pa JO EG Sn LB Bei Bsa SY IQ IR Kh Fa Kaz Mia Sse Kz Yas SA Sk ET SD 07 13 16 31 07B 13F 13F71 16A

- 3100. *Hypena munitalis* Mann, 1861** (Noctuidae) Synonym(s): *munitalis* Mann, 1861 Range (as codes): BG MK GR TR GG Smt Bjo Akh Cc AM RU Kr IL Pa LB Bei 01 05 06 07 08 12 13 21 24 25 32 33 42 44 47 49 50 51 56 58 65 69 73 05A 06R 06Ra 06Rm 13A 13Ab 13Ac 13Ac2 13Ax 13F 13F38 13F7 13F71 13G 13Gg 13Gü 13Gw 21L 21Lc 32A 42B 42Bb 44E 44Eh 44L 44Lc 49E 49Ea 56C 56Ca 56Cc 56F 56Fo 56Fs 56Fs1 56Fj 56Fc 56Fv 56Fq 56Fö 56Fm 56F3 65A 65Ac 65Ac3 65Ai 65Am 65Am1 65Am4 65At 65At5 65D 65Df 65F 65Fm 65Fp 65Fr 65Fz 65K 65N 65Nc 65Kp 65Kl 73A 73Ad 73Ad2
- 3101. *Hypena obesalis* Treitschke, 1829** (Noctuidae) Synonym(s): *obesalis* Treitschke, 1829; *crassalis* Hübner, 1796 Range (as codes): ES FR Sa Si IT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK FI RU Cc St Kb Kc Nt Ich Da Sb MD UA BY IR Fa Kaz Mia AM IQ PK AF UZ MN CN Ui Kun 06 25 30 36 37 65 75 25D 30B 30Bj1 37P 65D 65Df 65F 65Fu
- 3102. *Hypena opulenta* (Christoph, 1877)** (Noctuidae) Synonym(s): *opulenta* Christoph, 1877 Range (as codes): RU GG Smt Bjo Lag Cc Ro Kr St Kb Ich Ing Da TR IR Elb Clu Mz GlS Kh AF 52 53 55 58 61 61K 61Ka
- 3103. *Hypena palpalis* (Hübner, 1796)** (Noctuidae) Synonym(s): *palpalis* Hübner, 1796; *extensalis* Guenée, 1854; *armenialis* Staudinger, 1901. Range (as codes): FR Co Sa Si IT YU AL BG GR TR AM RU GG Tbl Cc St Da MD UA BY AF LB Bsa IR Fa Sse IQ Rwz 05 08 16 30 33 44 45 47 50 58 80 05A 16A 30B 30Bj1 30Bc 30Bz 33G 58G
- 3104. *Hypena proboscidalis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *proboscidalis* Linnaeus, 1758; *tatorhina* Butler, 1879 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Gh Elb Clu Mz DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag Bku Ro Kr St Kc Nt Ich Ing MD UA Lvv BY PK K-P 06 08 14 16 25 34 52 53 61 75 76 14B 16A 61K 61Ka 75F 75Fd 76C
- 3105. *Hypena rostralis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus, 1758; *radiatalis* Hübner, 1796; *rostratus* Haworth, 1809; *vittatus* Haworth, 1809 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Kyi Da Sb At MD UA Lvv BY LB SY IR Elb Mz PK IN CN Ui Kun 16 16A
- 3106. *Hypenodes anatolica* Schwingenschuss, 1938** (Noctuidae) Synonym(s): *anatolica* Schwingenschuss, 1938; *nigritalis* Ronkay, 1984. Range (as codes): BG GR TR 06 42 48 06R 06Y 06Yb 42B 48G
- 3107. *Hypenodes humidalis* Doubleday, 1850** (Noctuidae) Synonym(s): *humidalis* Doubleday, 1850; *turfosalis* Wocke, 1850 Range (as codes): FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY
- 3108. *Hypenodes kalchbergi* Staudinger, 1876** (Noctuidae) Synonym(s): *kalchbergi* Staudinger, 1876 Range (as codes): Si RO YU TR IQ Bgd 31 42
- 3109. *Hypenodes orientalis* Staudinger, 1901** (Noctuidae) Synonym(s): *orientalis* Staudinger, 1901; *nesiota* Rebel, 1916. Range (as codes): FR HU MK RO BG Cr TR UA Cm RU Cc Ich TM LB Bsa CY 05 31 41
- 3110. *Hypeuthina fulgurita* Lederer, 1855** (Noctuidae) Synonym(s): *fulgurita* Lederer, 1855 Range (as codes): LB Bei SY TR IQ Ry Rwz Dia Brs Kq IR Bu Fa IL Pa Hf JO 31 46 56 63 31K 31Ka 31Ka3 56E 56Eh 56F 56Fv 63E
- 3111. *Hyppa rectilinea* (Esper, [1788])** (Noctuidae) Synonym(s): *rectilinea* Esper, [1788]; *albopicta* Matsumura, 1952 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR CY DK NO SE FI EE LV LT RU Cc Kb Kr No MD UA BY At Ya Sb Am Us Kmt Krl Sh JP 69
- 3112. *Hyssia cavernosa* (Eversmann, 1852)** (Noctuidae) Synonym(s): *cavernosa* Eversmann, 1852 Range (as codes): IT CH AT PL CZ SK HU RO MD UA Lvv BY TR Cc KG Tk Dj RU St Ing Da At Ur Tt MN CN Ui Ku KK TeA 75 75E
- 3113. *Idia calvaria* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller], 1775; *calvarialis* Hübner, 1818 Range (as codes): ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Tbl Smt Bjo CY IQ RU Cc Kr MD UA Lvv BY IR GlS Kh 05 07 13 14 30 31 33 46 51 56 58 73 05A 13F 13F38 30B 30Bj1 30D 30Df 30Dt 31E 33A 33Ac 46G 46Gf 56F 56F1 56Fm 56Fv 56Fy 73A 73Ad 73Ad1
- 3114. *Ipimorpha retusa* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *retusa* Linnaeus, 1761; *chreysoglossa* Beckwith, 1794; *gracilis* Haworth, 1809. Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO MK BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Kr Ich Ing MD UA Lvv BY 14
- 3115. *Ipimorpha subtusa* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller], 1775; *subtusa* Fabricius, 1787. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT AM RU GG Smt Bjo Lag Cc Ro Kr St Ich Ing At Sb Us MD UA Lvv BY MN KP KR JP 08 14 42 61 75 08H 08He 75F 75Fd
- 3116. *Iranada tarachoides* (Bytinski-Salz & Brandt, 1937)** (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt, 1937 Range (as codes): IR Kdj Elb Mz GlS Th Fa By Km Lo TR 30 65 30B 30Bd 30Bf 30Bh 65F
- 3117. *Janthinea divalis* Staudinger, 1892** (Noctuidae) Synonym(s): *divalis* Staudinger, 1892 Range (as codes): TR 05 44 05A
- 3118. *Janthinea friwaldskii* (Duponchel, 1835)** (Noctuidae) Synonym(s): *friwaldskii* Duponchel, 1835; *viola* Freyer, 1836; *#friwaldszkyi* Treitschke, 1838; *#violacea* Staudinger, 1879; *friwaldszci* Hampson, 1910. Range (as codes): YU BG GR TR RU MD UA BY 05 06 16 26 35 42 45 50 70 05A 06K 06Kc 06R 06Re 16A
- 3119. *Jodia croceago* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller], 1775; *croceago* Fabricius, 1787; *aurantiagio* Donovan, 1796; *corsica* Mabilie, 1868 Range (as codes): MA DZ Sbd TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Mng SE RU Ro St Da MD UA

BY IQ Shq LB IL Pa 05 06 08 11 25 30 31 42 43 46 49 56 58 62 65 05A 06F 06Fb 25F 30D 30Df 42B 43D 49E 49Ea 56E 56Eh 56F 56F3 62G 62Gb 65D 65Dlc 65Dü

- 3120. *Lacanobia (Dianobia) dissimilis* (Knoch,1781)** (Noctuidae) Synonym(s): #suasa [Denis & Schiffermüller],1775; dissimilis Knoch,1781; leucographa Esper,[1790]; denscanis Haworth,1809; permixta Geyer,[1833]; pavida Boisduval,1840; confluens Eversmann,1844; laeta Reuter,1893. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kr Kb Kc Ich Nt Ing Kyi Da Ur Sb Am Prj Us MD UA Lvv BY CN Ui Ku KK Ik TrA Ax TeA UZ N-A KG Tk Dj MN AF Fz Kab 06 24
- 3121. *Lacanobia (Dianobia) histrio* (Goeze,1781)** (Noctuidae) Synonym(s): #contigua [Denis & Schiffermüller],1775; histrio Goeze,1781; ariae Esper,[1786]; spartii Brahm,1791; dives, pulchellina Haworth,1809; subcontigua Eversmann,1852, etc. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ich Ing Da MD UA Lvv BY CN Ui Arc Ju KG Tk KK TrA Na JP 04 08 13 25 28 36 53 69 75 13G 13Ge 36F 53N
- 3122. *Lacanobia (Dianobia) obvia* (Eversmann,1856)** (Noctuidae) Synonym(s): obvia Eversmann,1856 Range (as codes): TR RU
- 3123. *Lacanobia (Dianobia) thalassina* (Hufnagel,1766)** (Noctuidae) Synonym(s): thalassina Hufnagel,1766; humeralis Haworth,1809; achates Hübner,[1813]. Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da At MD UA Lvv BY MN Ur Cc AM Sb Am Prj Us CN Ui Ii KK Ik IR Elb Th Kdj 01 05 06 08 18 25 32 36 39 50 65 66 75 65F 65Fg 65Fp 65Fz 65N 65Np 65Nm 75E
- 3124. *Lacanobia (Diataraxia) aliena* (Hübner,[1809])** (Noctuidae) Synonym(s): aliena Hübner,[1809] Range (as codes): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU BG TR AM GG AZ Kir Cc DK LT RU Ro Ing At Sb Am Prj Us CN Ui Ku Mc KK Ik Na MN MD UA Lvv BY JP 38 58
- 3125. *Lacanobia (Diataraxia) blenna* (Hübner,[1824])** (Noctuidae) Synonym(s): blenna Hübner,[1824]; peregrina Treitschke,1825; trimenda Geyer,[1832]; guenei Bruand,1850. Range (as codes): DZ TéB TN EG ES FR Co Sa IT MT RO YU BG GR TR RU Cc Ro Kr Ich Kyi Da AZ Bak AM CN Ui KG Aa 05 06 16 18 20 42 05A 16A
- 3126. *Lacanobia (Diataraxia) oleracea* (Linnaeus,1758)** (Noctuidae) Synonym(s): oleracea Linnaeus,1758; spinaciae Borkhausen,1792; variegata Austaut,1885; essoni Hampson,1909; albolineata Matsumura,1926; #pallida Bytinski-Salz & Brandt,1937 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Hf Pa JO LB IQ Shq Bgd IR Elb Th Kdj Kh Gh DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da AM AZ Kir GG Tbl Bjo Cc At CN Ui Ku KK Ik Na KG Tar Tk MD UA BY Lvv JP Nv Ord Lag Hrh Agi Sét DhM Abe Ahr Clo 05 06 07 08 13 14 16 18 25 28 36 37 38 39 43 44 50 56 57 58 61 65 75 05A 08H 08Hc 13B 16A 36D 36Db 56F 65F 65Fp 65Fz 65Fr 65Fg 65K 65Kp
- 3127. *Lacanobia (Diataraxia) praedita* (Hübner,[1813])** (Noctuidae) Synonym(s): praedita Hübner,[1813] Range (as codes): RO BG RU Ro Kc Ich MD UA Cm BY TR AM GG Smt Akh Cc AZ Kir IQ AF Pli IR Mz Gls Elb TM Ch KG Tk TJ Pm CN Ui Ga Yk PK KK Ik Ax Skm UZ Fe 08 36 50 70 76 36D 36Db 70C 70Ce 76B 76Bb
- 3128. *Lacanobia (Diataraxia) splendens* (Hübner,[1808])** (Noctuidae) Synonym(s): splendens Hübner,[1808] Range (as codes): PT ES FR IT NL LU BE DE CH AT PL CZ SK HU RO YU BG GR TR IR DK FI EE LV LT RU Cc Ro Kr Nt MD UA Lvv BY CN JP
- 3129. *Lacanobia (s.str.) w-latinum* (Hufnagel,1766)** (Noctuidae) Synonym(s): w-latinum Hufnagel,1766; genistae Borkhausen,1792; dives Donovan,1801; umbrosa Bytinski-Salz & Brandt,1937; diniensis Heinrich,1938; caerulea Schwingenschuss,1962. Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Ro Kr St Ing Nt Kyi Da At Sb MD UA Lvv BY IR Mz Gls Ha Elb Th Kdj Dam Cc AM GG Smt Bjo Lag AZ Kir Nv Ord KG Tar CN Ui Ii KK Ik Na 04 05 06 11 13 18 21 24 25 28 30 33 34 36 37 39 42 49 50 58 60 61 65 06R 06Rb 06Rh 13G 13Gg 13Gs 13Gw 21N 21Nb 30B 30Bc 30Bt1 30Bz 36D 36Db 49F 49Fb 61K 61Ka 65A 65An 65D 65F 65Fa 65Fm 65Fp 65Fz 65L 65Lb 65Le
- 3130. *Lamprostieta culta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): #cultu [Denis & Schiffermüller],1775 Range (as codes): ES FR IT BE DE CH AT PL CZ SK HU RO AL BG GR TR 06 07 13 14 18 24 25 32 37 42 50 58 62 65 66 67 13G 14H 25A 42B 50G 50Gd 62G 65F 65Fa 66P
- 3131. *Lasionycta draudti* (F.Wagner,1936)** (Noctuidae) Synonym(s): draudti F.Wagner,1936 Range (as codes): TR IR Elb Th Dam Mz Kdv Kz Yas AM Cc RU Da 04 12 13 24 25 30 36 60 65 75 76 04D 04Da 04I 13A 13Ab 13Ax 25C 25Ca 30B 30Bl 36E 65Bx 65G 65Ge 76B
- 3132. *Lasionycta proxima* (Hübner,[1809])** (Noctuidae) Synonym(s): proxima Hübner,[1809]; cana Eversmann,1841; ochrostigma Eversmann,1842; extensa Eversmann,1844; nevadensis Reisser,1926; noguera De Laever,1976. Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr St Kb Nt Ich Ing Da Kus MD UA BY CN Ui Arc Au Kl KK Ik Ax TrA KG Tk Dj Ur Sb At Am AM Cc Tar 01 06 08 25 36 60 06R 06Rn 08H 25T 36F
- 3133. *Laspeyria flexula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): flexula [Denis & Schiffermüller],1775 Range (as codes): ES Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Clu Gh Mz DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kc Nt Ich Ing Da MD UA Lvv BY 08 14 37 53 59 61 08H 08Hc 14B 14Bb
- 3134. *Ledereragrotis multifida* (Lederer,1870)** (Noctuidae) Synonym(s): multifida Lederer,1870; sanctimoritz A.Bang-Haas,1906 Range (as codes): IT CH AT TR GG Smt Akh Cc RU Kb Nt Ich Ing Da 04 06 38 42 51 65 04D 04Da 65B 65G 65Ge
- 3135. *Leucania comma* (Linnaeus,1761)** (Noctuidae) Synonym(s): comma Linnaeus,1761; turbida Hübner,[1803]; congener Hübner,[1817]; rhodocomma Püngeler,1900; engadinensis Wagner,1909. Range (as

codes): DZ Anna ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV
IT RU Kr Kb Nt Ich Ing Da Sb Am Prj Us GG Smt Bjo Lag AZ AM Cc MD UA Lvv BY IR Elb Th Kdv KK Ik Ax TeA TrA Ax
KG Tk Dj UZ Fe MN U-B Ti CN Ts Kno IN Pj Kul 06 08 18 25 28 36 53 60 75 76 06R 06Rh 53B 76C

- 3136. *Leucania herrichi* Herrich-Schäffer, [1849]** (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer, [1849] Range (as codes): BG GR Cr RU Cc Da TR IQ LB IL Pa SY JO CY 01 05 13 30 33 34 42 44 57 05A 13C 13Cf 30B 30Bj1 30Bh

- 3137. *Leucania loreyi* (Duponchel, 1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel, 1827; *caricis* Walker, 1856; *collecta* Walker, 1856; *curcula* Walker, 1856; *denotata* Walker, 1856; *designata* Walker, 1856; *exterior* Walker, 1856; *thoracica* Walker, 1856. Range (as codes): Cn Md MA DZ TN PT ES FR Co Sa Si IT MT IE GB NL DE CH AT RO YU BG GR Cr TR DK EE IQ Agh Amr kut Kum LB Bei Bsa IR Elb Fa Ss Ke Kh PK Rw Drm Cp Nl Bl Qu AF Hr Srb Arh ZA Nta Kzu Dbn Est IN Pj Kul Sml Hp ID Ja AU QAU Bri FJ TO NC KE JP TW MM PH Ceb CY US Clb Up Bhi Sn EG JO SY IL Pa Hf Mz GlS Th Nos Kdj Ab Sdt Kd Mrv Lo Kz Yas Km Cc RU Ro Kb Ich CV Az Cp Abe Gle Sbd Prr Afl Ges Ktr Bsk Sét DhM BSa Clo Agi Hrh AE KW NP LK VN SA YE CV 06 07 08 13 14 17 24 25 28 30 31 33 36 42 46 50 56 58 62 65 80 13G 13Gg 30D 30Df 31K 31Ka 31Ka3 36F 36Fb 56F 56Fa 56Fm 56Fb 56Fç 56Fö 56Fc 58G 62G 62Gb 65A 65An 65Am 65Am1 65Am4 65Bx 65D 65Dg 65F 65Fg 65Kj 65Fm 65Fr 65Fp 65Fz 65G 65Ge 65K 65Kl 65Z 65N 65Nc 65O

- 3138. *Leucania obsoleta* (Hübner, [1803])** (Noctuidae) Synonym(s): *obsoleta* Hübner, [1803]; *insecuta* Walker, 1865; *intermissa* Walker, 1865; *nohirae* Matsumura, 1926; *griseola* Matsumura, 1926 Range (as codes): DZ BtNa ES FR Co IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Kyi Da MD UA BY EG Sn CN Ui Ii Ts Kno KK Ik T-A KG Tk 35 46 46G 46Gf

- 3139. *Leucania palaestinae* Staudinger, 1897** (Noctuidae) Synonym(s): *palaestinae* Staudinger, 1897; *languida* Staudinger, 1897 *nec* Wlk., 1858; *sesamiodes* Hampson, 1905; *#obscura* Heydemann et al., 1963; *#plastinaea* Kornošor & Lödl, 1990 Range (as codes): DZ Bsk Hes EG Sn GR TR IQ Bgd IR GlS IL Hf Pa Jt SY JO CY SA 01 09 31 33 35 48 09K 09Ka 31K 31Ka 31Ka5

- 3140. *Leucania punctosa* (Treitschke, 1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke, 1825; *boisduvalii* Duponchel, 1827 Range (as codes): MR DZ Ges Sbd Prr Afl BtNa Abe PT ES FR Co Sa? Si IT? MT CH? YU GR BG RO Do UA Cm Ode TR IR Fa Gh Elb Th CY IQ Agh RU Cc Da TM Kp LB IL Pa JO SY 01 05 07 21 35 42 44 46 50 56 62 63 65 73 21L 44I 44Ic 56E 56Eh 56F 56Fv 56Fç 56Fö 56Fb 65D 65Df 65F 65Fç 65K 65N 65Nc 65Np 65Nm 65Ku 65Z 73D 73Db

- 3141. *Leucania putrescens* (Hübner, [1824])** (Noctuidae) Synonym(s): *putrescens* Hübner, [1824]; *boisduvalii* Duponchel, 1827; *valletai* Boursin, 1952 Range (as codes): Cn DZ Sbd Afl Abe Mii Prr Lgt Anna PT ES FR Co Sa Si IT MT GB RO YU AL BG GR Cr TR IQ Brs Ry Rwz Dia RU MD UA BY IR Hz KK Ik CY LB IL Pa JO CN 05 06 18 31 44 46 05A 06Y 06Yb 31K 31Ka 31Ka5 44I 44Ic

- 3142. *Leucania zae* (Duponchel, 1827)** (Noctuidae) Synonym(s): *zae* Duponchel, 1827; *indistincta* Christoph, 1887; *putrida* Staudinger, 1889; *cinerea* Lucas, 1948 Range (as codes): MA DZ Abe TN PT ES FR Co Sa Si IT YU AL GR Cr TR IQ Bsr Amr RU Cc Ro Ich Da IR Fa Th Elb CN Ui Kun TM Krn K-A UZ Fe Man KK Ik TM EG ZA IL Pa Hf KG Aa Tk 06 13 50

- 3143. *Leucochlaena fallax* (Staudinger, 1870)** (Noctuidae) Synonym(s): *fallax* Staudinger, 1870 Range (as codes): RU Sr TR 04 58 04C 58G 58Ga 58Gg

- 3144. *Leucochlaena hoerhammeri* (Wagner, 1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner, 1931 Range (as codes): GR TR Cc AZ 06 32 42 50 63 65 06Y 50G 50Ga 65N 65Np8 65Nm

- 3145. *Leucochlaena jordana* Draudt, 1934** (Noctuidae) Synonym(s): *jordana* Draudt, 1934 Range (as codes): IL Jt Pa JO TR 21 27 63 21P 63E 63M

- 3146. *Leucochlaena muscosa* (Staudinger, 1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger, 1892; *hirsutus* Staudinger, 1892 Range (as codes): GR TR IR Hz Elb Gh Km Ksh CY IQ AF TJ TM Kp UZ N-A IL Js Pa RU Cc Da Der 05 06 07 13 23 25 27 33 44 45 46 47 49 50 56 63 65 70 05A 06C 06Cb 06Y 06Yb 13C 13Cf 23I 25D 25F 44F 44Fb 44O 49E 49Ea 56A 56F 56Fm 56Fb 56Fj 56Fö 56F1 56Fv 63E 63L 63M 65A 65Am 65Am4 65D 65Dh 65N 65Np 65Nm 70A

- 3147. *Lithophane lapidea* (Hübner, [1808])** (Noctuidae) Synonym(s): *lapidea* Hübner, [1808]; *cupressivora* Staudinger, 1871 Range (as codes): MZ DZ Ges LY IT CH? HV MK BG GR Cr Rd CY TR LB Bei IL Pa SY IR Elb Th 01 42 70 71 01K 42B 70C 70Cb

- 3148. *Lithophane ledereri* (Staudinger, 1892)** (Noctuidae) Synonym(s): *ledereri* Staudinger, 1892; *discors* Staudinger, 1892 Range (as codes): YU BG GR Rd TR CY IQ Shq IL Pa He 05 07 14 33 46 65 05A 14B 14Bb 33A 33Ak 65F 65Fm

- 3149. *Lithophane merckii* (Rambur, 1832)** (Noctuidae) Synonym(s): *merckii* Rambur, 1832 Range (as codes): ES FR Co Sa IT CH RO YU BG GR CY TR 14 29 32 34

- 3150. *Lithophane ornitopus* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *ornitopus* Hufnagel, 1766; *rhizolitha* [Denis & Schiffermüller], 1775; *pitzalisi* Hartig, 1976 Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR GlS DK SE FI EE LV LT RU Ro Kr Da MD UA Lvv BY 05 06 08 16 24 25 30 42 56 62 65 05A 16A 25F 30D 30Df 42B 56F 56Fs 56F3 62G 62Gb 65A 65Ai 65Aö 65Dlc

- 3151. *Lithophane semibrunnea* (Haworth, 1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth, [1809]; *oculata* Sommer, [1824]. Range (as codes): DZ BtNa Perr Hrh MA PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Shq DK FI RU Cc Kr Nov 30 44 30B 30Bj1 44L 44Lb

- 3152. *Lithophane socia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *socia* Hufnagel,1766 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY JP 14
- 3153. *Lithophasia venosula* Staudinger,1892** (Noctuidae) Synonym(s): *venosula* Staudinger,1892 Range (as codes): LB Bei TR
- 3154. *Lophoterges* (Fibigeres) *hoerhammeri* (Wagner,1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931 Range (as codes): GR AL MK TR IR Elb Th Plr Dam 06 42
- 3155. *Loscopia scolopacina* (Esper,1788)** (Noctuidae) Synonym(s): *scolopacina* Esper,1788 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Ing MD UA Lvv BY 61
- 3156. *Luperina diversa* (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892 Range (as codes): TR Cc AM Geg Eri CY IQ IR Km Ksh Elb Th LB Bei EG Sn 01 04 05 06 12 13 18 21 25 27 49 55 56 58 60 62 63 65 66 73 04D 04Da 05A 06A 06Aa 06C 06Cb 06E 06Ea 06R 06Rb 06Rq 06Y 06Yb 13C 13Cf 13D 13Da 25D 49E 49Ea 56A 56E 56Eh 58G 58Gi 65F 65Fa 65N 65Np 65Np2 65Nm 66P 73C 73Cd
- 3157. *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826; *amenata* Germar,[1842]; *sancta* Staudinger,1892; *armoricana* Culot,1909; *aequalis* Schawerda,1911; *uniformis* W.Warren,1911; *adriatica* Stauder,1913; *hirsuta* F.Wagner,1931; *indistincta* Rebel,1933; *hartigi* L.Ronkay & Varga,1985 Range (as codes): MA DZ DhM TN Perr BtNa PT ES Co Sa Si IT MT GB BE DE CH RO YU BG GR Cr TR RU Cc Da CY IQ Dia IL Pa Jt JO 01 05 21 35 42 46 65 01C 01K 05A 35O 42B 65A 65Am 65Am4 65D 65Df 65N 65Np 65Np7 65Np8 65Nm
- 3158. *Luperina rjabovi* (Kljutschko,1967)** (Noctuidae) Synonym(s): *rjabovi* Kljutschko,1967 Range (as codes): Cc RU Da TR IL Pa 06 46 56 63 65 46D 56F 56Fs 65F 65Fa
- 3159. *Luperina rubella* (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerda,1938. Range (as codes): DZ LY FR IT CH RO MK YU BG GR TR RU UA Cm LB IL Pa He TM Kp IR Elb Th Kdv 01 18 30 50 56 65 30B 56F 56Fs 56Fq 65D 65Df 65F 65Fa 65Fe 65Fm
- 3160. *Luperina testacea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *testacea* [Denis & Schiffermüller],1775; *lunatostrigata* Haworth,1809; *unca* Haworth,1809; *x-notata* Haworth,1809; *aflouensis* Rothschild,1920; *amaliae* F.Wagner,1926; *curoi* Berio,1993 Range (as codes): MA DZ AfI PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY Cc AZ Kir 05 33 70 05A
- 3161. *Lycophorus ankarensis* (Rebel,1931)** (Noctuidae) Synonym(s): *ankarensis* Rebel,1931; *wichgrafi* Corti & Draudt,1933; *#ankariensis* Hacker,2001 Range (as codes): TR SY LB Bsa 06 23 25 38 42 44 46 50 58 60 65 06R 06Rq 25D 44E 58G 65G 65Gj
- 3162. *Lycophorus tischendorfi* (Püngeler,1915)** (Noctuidae) Synonym(s): *tischendorfi* Püngeler,1915 (*nec* 1925!); *flagrans* Püngeler,1925; *libanotica* Corti & Draudt,1933. Range (as codes): JO LB Bsa SY Hal TR Cc AM SA 23 27 34 46 63 27B 63E 63M
- 3163. *Lygephila* (s.str.) *amasina* (Staudinger,1879)** (Noctuidae) Synonym(s): *amasina* Staudinger,1879; *sublutea* W.Warren,1913. Range (as codes): TR IL Pa IR IQ LB Lkl 01 03 04 05 06 07 08 11 13 18 24 25 32 33 36 42 49 50 51 56 58 62 65 66 70 05A 06R 06Rb 13F 13F7 13F71 33A 33Aj 33G 42J 42X 42Xa 50G 56F 56Fm 56Fs 56Fi 56Fq 56Fy 65A 65Ai 65D 65Dj 65Di 65Dlc
- 3164. *Lygephila* (s.str.) *craccae* (Fabricius,1787)** (Noctuidae) Synonym(s): *#craccae* [Denis & Schiffermüller],1775; *craccae* Fabricius,1787; *nigricollis* De Villiers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#craccae* Hacker & Kautt,1999. Range (as codes): MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz CN Ui Chk AF Pag KG Tk Dj Ii KK Ik PK Bbu Psu Gg Hu Nar Mlk T-A CY Smt Bjo Mng Lag Kir Bne Mrv 01 05 06 07 08 12 13 14 16 17 18 22 23 24 25 29 30 31 33 36 42 44 48 49 50 56 58 60 62 63 65 75 76 05A 06K 06Kb 06R 06Rq 13A 13Ac 13Ac1 13Ac2 13Ac 13Ax 13C 13Cf 13G 13Gg 13Gü 13Gw 13Gy 13F 13F38 16A 23M 25F 30B 30Bc 30Bz 30D 30Df 30Dx 31K 31Ka 31Ka5 33G 36F 36Fb 44L 44Lc 44L 44Lc 49E 49Ea 56F 56Fc 56Fq 56Fv 62G 62Gb 63E 65A 65Ai 65Ac 65Ac3 65Am 65Am4 65D 65Df 65Dn 65F 65Fa 65Fp 65Fm 65Fj 65Fz 65L 65Le 65N 65Np 65Nm 75F 75Fa 76C
- 3165. *Lygephila* (s.str.) *ludicra* (Hübner,1790)** (Noctuidae) Synonym(s): *ludicra* Hübner,1790 Range (as codes): IT AT CZ SK HU BG TR RU Cc Ich Ing Da MD UA BY CN Ui Arc Kun Yu Ats KK Ik Na T-S 04 05 12 13 25 29 65 69 05A 29F 65D
- 3166. *Lygephila* (s.str.) *pallida* (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *pallida* A.Bang-Haas,1907 Range (as codes): TR 04 06 25 27 38 46 51 58 65 04D 04Da 06R 06Rb 25A 25C 46L 38Ca 58G 58Ga 58Gg 58I 65A 65Ab 65Aba
- 3167. *Lygephila* (s.str.) *pastinum* (Treitschke,1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke,1826; *astragali* Herrich-Schäffer,1851; *dilutior* Staudinger,1892. Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Cc Kr St Kb Nt Ich Ing Da MD UA Lvv Cm BY KG 04 06 13 25 29 36 65 06R 06Re 13G 13Gü 13Gy 13Gw 36F 65F 65Fp 65Fz
- 3168. *Lygephila* (s.str.) *procax* (Hübner,[1813])** (Noctuidae) Synonym(s): *procax* Hübner,[1813]; *limosa* Treitschke,1826; *nigricostata* Graeser,1890 Range (as codes): IT CH CZ SK HU YU BG GR RU Sb Am MD UA BY TR IR Mz Elb Gls KG Tk Dj 06 07 11 14 58

- 3169. *Lygephila* (s.str.) *schachti* Behounek & Hacker, 1986** (Noctuidae) Synonym(s): *schachti* Behounek & Hacker, 1986 Range (as codes): TR IR By 01 12 13 23 30 47 62 73 01K 12E 12Eb 13C 13Cf 13D 23I 30D 30B 30Be 30Bf 30D 30Dt 62G 73C 73A 73Ab 73Cd
- 3170. *Lygephila* (s.str.) *subpicata* Wiltshire, 1971** (Noctuidae) Synonym(s): *subpicata* Wiltshire, 1971 Range (as codes): TR Cc IR Fa Lo Ke Elb Th Kdj Kaz Sse Kz Yas 04 12 24 25 30 36 38 58 69 73 58G 73C 73Cd
- 3171. *Lygephila* (s.str.) *viciae* (Hübner, [1822])** (Noctuidae) Synonym(s): *viciae* Hübner, [1822]; *coronillae* Herrich-Schäffer, 1851; *stigmata* Wileman, 1911; *violaceogrisea* Draudt, 1950 Range (as codes): FR Sa Si? IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Ing Da MD UA BY CN Yu Ats 04 08 25 08H 08Hc
- 3172. *Macdunnoughia* (s.str.) *confusa* (Stephens, 1850)** (Noctuidae) Synonym(s): *confusa* Stephens, 1850; *gutta* Guenée, 1852. Range (as codes): PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Mng Smt Bjo Lag AZ Kir AM Cc IQ Agh Sbn IR Ha Gh Elb Mz Th LB Bei DK NO SE FI EE LV LT RU Ro Kr St Kb Ke Nt Ich Ing Da Kyi MD UA BY CN Ui Ku KG Tk Dj KK Osh AF Nu Pli Srb Lvv PK Psu Gg Hu Ab Mak Ak Kdj Ar Gh Gls Qz Zj Es Kz Der 09 14 16 28 30 33 45 80 14B 14Bb 16A 28O 30B 30Bf 33G 45K
- 3173. *Mamestra brassicae* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889. Range (as codes): PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA BY PK AF KG Tk Dj KK Ax Ik UZ Fe Sb Am Prj Us CN Ch IN Kul Hp Pj Dlh Sml Ti Drm PK IR Elb Gh Kz JP Lvv Thu Smt Tbl Lag Kir Mng 05 06 16 61 66 05A 16A
- 3174. *Maraschia grisea* Osthelder, 1933** (Noctuidae) Synonym(s): *grisea* Osthelder, 1933; *caspica* Kuznetsov, 1957 Range (as codes): MK HV BG GR Cr RU TR IR Fa IQ Brs TM Kp IL Pa He SY 30 44 46 30B 30Bh 30Bj1
- 3175. *Margelana flavidior* Wagner, 1831** (Noctuidae) Synonym(s): *flavidior* Wagner, 1831 Range (as codes): IL Pa TR Cc IR TM AF Ghb 06 12 25 36 38 42 44 49 50 58 60 64 65 70 06Y 25D 44E 44Eh 49F 49Fe 50G 58G 65D 65Df 65F 65Fa 65Fp 65Fz 65K 65Kd 65Kl 65Kl3 65Z 65N 65Np 65Np2 65Np8 65Nm 70C 70Ca
- 3176. *Margelana versicolor* Staudinger, 1888** (Noctuidae) Synonym(s): *versicolor* Staudinger, 1888 Range (as codes): TR IR Kh Elb Th Kdj IQ TM Kp UZ Man 73 73C 73Cd
- 3177. *Megalodes eximia* (Freyer, 1845)** (Noctuidae) Synonym(s): *eximia* Freyer, 1845 Range (as codes): GR TR Cc GG AM RU Da IR Fa Ab Oru Ak Shf Mak Ksh Km Kd Ssq IQ IL Js Pa JO LB Bei 01 05 07 10 13 21 24 25 27 30 33 36 42 44 46 47 49 50 62 63 65 66 73 05A 13G 21N 21Nb 30B 30Bc 30Bt1 30Bz 30Bd 30D 30Df 33E 44L 44Lc 47D 65A 65An 65Am 65Am1 65D 65Dga 65Dg 65Dm 65Dl 65Dlc 65Du 65Dx 65E 65F 65Fp 65Fz 65K 65Kl1 65Z 65N 65Ne 65Np6 65Nm 73E 73Eb
- 3178. *Meganephria bimaculosa* (Linnaeus, 1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus, 1767; *italica* Esper, [1791]; *binubeculosa* Esper, [1804]. Range (as codes): ES FR IT GB DE CH AT PL CZ SK HU YU BG GR TR Cc RU Ro Kr IR Ab Oru 05 06 36 42 46 56 06K 06Kc 36D 36Db 42B 42Bb 56E 56Eh 56F 56Fb
- 3179. *Meganola albula* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *#albula* [Denis & Schiffermüller], 1775; *albulalis* Hübner, 1796; *albulana* Hübner, [1825]; *formosana* Wileman & West, 1928; *albata* Bytinski-Salz, 1936; *centrilineata* Lempke, 1960; *albomarginata* Lempke, 1960; *reducta* Lempke, 1960 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU YU BG Hsk GR TR IR Mz DK SE LT RU Kb Cc Sb MD UA Lvv BY 06 34 61 06R 34S 61L
- 3180. *Meganola gigantula* (Staudinger, 1879)** (Noctuidae) Synonym(s): *gigantula* Staudinger, 1879 Range (as codes): SK MK BG GR TR IQ 02 05 06 33 42 46 65 02F 02Fd 02Fz 05A 06R 65A 65Ai
- 3181. *Meganola impura* (Mann, 1862)** (Noctuidae) Synonym(s): *impura* Mann, 1862; *wiltshirei* Warnecke, 1939 Range (as codes): GR TR CY LB Bei IL Pa Hf SY T-S CN Ui Ku 01 16 31 33 46 16A 31M 33E
- 3182. *Meganola kolbi* (Daniel, 1935)** (Noctuidae) Synonym(s): *kolbi* Daniel, 1935; *taurica* Daniel, 1935; *pannonica* Kovacs, 1947 Range (as codes): HU RO BG GR AT CZ IQ TR JO IR Kd Fa Km AF Sfk 13 30 80 13C 30B 30Bc 80B 80Bb
- 3183. *Meganola strigula* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *#strigula* [Denis & Schiffermüller], 1775; *asperalis* De Villiers, 1789; *strigularis* Hübner, 1796; *monachalis* Haworth, 1811; *zelleriana* Fischer de Waldheim, 1824; *strigulana* Hübner, [1825]; *lineolalis* Eversmann, 1844; *pannonica* Kovacs, 1947 Range (as codes): MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU SS MK BG GR Cr TR IR Fa IQ Dk DK NO SE FI EE LV LT RU Sr Vi Ur Cc MD UA Lvv BY 05 06 10 13 16 64 06R 13C
- 3184. *Meganola togatalis* (Hübner, 1796)** (Noctuidae) Synonym(s): *togatulalis* Hübner, 1796; *togatulana* Duponchel, 1845 Range (as codes): MA Ifr DZ Khh TN DhM PT ES Mu FR Co Sa Si IT BE NL DE CH PL CZ SK HU YU BG GR TR LT RU MD UA BY CY IL Pa LB Bsa IQ IR Ak Ab 01 02 07 10 12 13 33 34 35 42 45 46 48 56 65 01A 02F 02Fd 02Fz 10D 12A 12Ab 13C 13D 48G 48Gb 56F 56Fq 56Fi 65D
- 3185. *Melanchra persicariae* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus, 1761; *sambuci* Hufnagel, 1766; *graphica* Geoffroy, 1785; *accipitrina* Esper, [1788]. Range (as codes): DZ Afl Lbs BtNa PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR CY DK NO SE FI EE LV LT RU Cc Ro St Kr Kb Kc Nt Ich Ing Da Sb Prj Us GG Lag AM MD UA Lvv BY CN T-T Sz Ui li KK Ik IR Elb Gh JP 06 08 14 28 37 53 56 57 61 67 75 08H 08Hc 56F 75F 75Fb
- 3186. *Melanchra pisi* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *pisi* Linnaeus, 1758; *rukavaarae* Hoffmann, 1893; *pardoi* Agenjo, 1945. Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO

YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Kb Nt Ich Da Sb Prj Us MD UA Lvv BY CN Ui Kun KK Ik MN U-B DsA
TrA Ax Na 04 13 65

- 3187. *Mesapamea (Resapamea) hedeni* (Graeser,1888) (Noctuidae)** **Synonym(s):** *hedeni* Graeser,1888; *radicosa* Graeser,1892; *subornata* Staudinger,1896. Range (as codes): TR RU Cc Ro Kb Mo VI MN KG At Am T-S KK TeA Skm TrA CN Ui 04 25 04I 25A
- 3188. *Mesapamea (s.str.) didyma* (Esper,[1788]) (Noctuidae)** **Synonym(s):** *didyma* Esper,[1788]; *secalella* Remm,1983. Range (as codes): ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Mng AZ Kir Cc DK NO SE FI EE LV LT RU Ro Kr Kb Nt MD UA Lvv BY 13 16 37 43 50 65 76 13B 16A 37P 65Bx 65G 65Ge 76C
- 3189. *Mesapamea (s.str.) secalis* (Linnaeus,1758) (Noctuidae)** **Synonym(s):** *secalis* Linnaeus,1758 Range (as codes): MA DZ Berr Abe Sét Lbs DhM BtNa TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA Lvv BY IR Fa IQ KG Tk Dj CY LB Cc AM Nyu AZ Adz 04 06 07 17 30 37 39 46 50 61 30D 30Da 37P 61K 61Ka
- 3190. *Mesapamea (s.str.) vaskeni* Varga,1979 (Noctuidae)** **Synonym(s):** *vaskeni* Varga,1979 Range (as codes): TR Cc AM Geg GG Kzb 04 08 25 36 75 08H 25F 36F
- 3191. *Mesogona acetosellae* (Goeze,1781) (Noctuidae)** **Synonym(s):** *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbroditi* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982 Range (as codes): PT ES FR Si IT BE DE CH AT PL CZ SK HU RO YU BG GR TR RU Ro Kr St Da Sb At Cc GG Smt Bjo AM MD UA BY KG 05 06 14 18 24 25 30 36 38 56 58 65 05A 06E 06Ea 06R 06Rq 30D 30Df 36D 38H 38Hc 56F 56Fs 62G 62Gb 65A 65Ai 65F 65Fa
- 3192. *Mesogona oxalina* (Hübner,[1803]) (Noctuidae)** **Synonym(s):** *oxalina* Hübner,[1803] Range (as codes): ES FR IT BE NL DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Ich Da MD UA Lvv BY
- 3193. *Mesoligia furuncula* ([Denis & Schiffermüller],1775) (Noctuidae)** **Synonym(s):** *furuncula* [Denis & Schiffermüller],1775; *spoliatricula* [Denis & Schiffermüller],1775; *bicoloria* De Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809 Range (as codes): DZ Abe DhM Mii TN PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR AZ Zu Tlh AM GG Cc AZ Kir DK NO SE FI EE LV LT RU Ro Kb Ing Da MD UA Lvv BY AF IR LB Bei CN 13 56 61 65 76 13A 13Ab 13Ax 13B 13G 13Gü 13Gw 56F 56Fs 61K 61Ka 65F 65Fp 65Fz 65L 65Lb 76C
- 3194. *Mesoligia literosa* (Haworth,[1809]) (Noctuidae)** **Synonym(s):** *literosa* Haworth,[1809]; *erratricula* Hübner,[1813]; *onochyna* Herrich-Schäffer,1856; *subarcta* Staudinger,1898; *faroulti* Rothschild,1914; *powelli* Oberthür,1918; *hispanica* Heydemann,1942; *minorasia* Rezbanyai-Leser,1998; *siciliana* Rezbanyai-Leser,1998 Range (as codes): MA DZ Ges ES FR Si IT IE GB BE NL CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kb Kr Nt Ich Ing Da MD UA BY IR Fa Th Kh KuB Zj Mz Elb Dam Snj Kd Mrv Lo Mia IQ AF IL Pa Js Hf SY UZ AZ AM GG Cc IQ LB Bei TJ Pm KK Ax TrA 03 06 07 08 24 25 30 36 38 42 50 51 56 58 62 65 66 69 75 06A 06Aa 30B 30Bd 30Bei 38G 38Ga 42B 56F 56Fv 58G 65D 65Df 65F 65Fa 65Fz 65N 65Np2 65Nm
- 3195. *Metachrostis dardouini* (Boisduval,1840) (Noctuidae)** **Synonym(s):** *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926 Range (as codes): PT ES FR IT CH AT SK HU RO YU HV BG GR Cr TR Cc AZ Nv Ord Kir IR Ab Oru Fa Kaz Kh Msh TM Kp CY IL Pa JO LB 06 10 13 16 21 23 30 32 33 50 56 58 65 73 06C 06Cb 13G 13Ge 16A 21L 21Lc 23I 30B 30Bj 56E 56Ea 56F 56Fm 65A 65Am1 65Am4 65D 65Dh 65F 65Fp 65Fz 73A 73Ab
- 3196. *Metachrostis sefidi* (Brandt,1938) (Noctuidae)** **Synonym(s):** *sefidi* Brandt,1938 Range (as codes): IR Fa Hz Ss IQ TR AF Srb OM 73 73C 73Cd
- 3197. *Metachrostis velocior* (Staudinger,1892) (Noctuidae)** **Synonym(s):** *velocior* Staudinger,1892 Range (as codes): Si BG GR Cr TR CY LB Bsa Bei IL Pa Js SY JO 01 07 33 07C 33R
- 3198. *Metachrostis velox* (Hübner,[1813]) (Noctuidae)** **Synonym(s):** *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930 Range (as codes): Cn MA DZ Bsa Perr Hmk DhM Ges Sbd Rbt TN Gf LY EG PT ES Mu FR Sa Si IT MT YU MK AL BG GR Cr TR AM Cc LB Bei IL Pa Hf JO CY IR Fa Hz B-A 10 16 17 33 45 16A 33A 33Ak
- 3199. *Metalopha (Antholopha) gloriosa* (Staudinger,1892) (Noctuidae)** **Synonym(s):** *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933. Range (as codes): TR Cc IL Hf Js Pa LB IQ 01 06 21 23 25 27 31 33 36 42 44 46 47 56 58 60 62 63 64 65 70 01K 06C 06Cb 06Y 21K 21N 21Nh 23I 25K 33G 36D 42B 42X 42Xa 44E 44Ei 44L 44Lc 47D 56F 56F1 56Fv 56Fç 56Fb 56Fg 60C 63E 65F 65Fr 65D 65Dh 70C 70Cf
- 3200. *Metalopha (Antholopha) ionodoxa* Ronkay,1990 (Noctuidae)** **Synonym(s):** *ionodoxa* Ronkay,1990 Range (as codes): TR Arr IR Ak Tbz Cc AM Eri 04 36 36D 36Db 36De
- 3201. *Metalopha (s.str.) liturata* (Christoph,1887) (Noctuidae)** **Synonym(s):** *liturata* Christoph,1887; *plusina* Staudinger,1892. Range (as codes): IR Sac Elb Th Kdj Ab Mak Ak Mar Ha Hz B-A Fa Ss TM TR IQ Fk AF Ca Hr Arh AE SA SY JO 21 23 27 31 44 46 47 56 63 73 21L 23I 27D 27Db 44I 47D 56C 56Cc 56F 56Fv 63B 63E 63H 73D 73Da 73E 73Eb
- 3202. *Metopoceras (s.str.) delicata* (Staudinger,1898) (Noctuidae)** **Synonym(s):** *delicata* Staudinger,1898; *gauckleri* Püngeler,1905. Range (as codes): IL Js Pa Jt TR IQ Agh SY JO 63
- 3203. *Metopoceras (s.str.) omar* (Oberthür,1887) (Noctuidae)** **Synonym(s):** *omar* Oberthür,1887 Range (as codes): TN MR MA DZ Hes Sfr Ges Bsa Lgt Onç Gha Kdr Ceg Bsk Ktr Cst Khh Hmk Hrh Abe Agi Ah Si IT TR EG Sn LB Bei CY IQ Amr IR Mz Fa Ss Elb Gor Bu Hz B-A IL Pa Hf SY JO TM

- 3204. *Metopodicha ernesti* Draudt, 1936** (Noctuidae) Synonym(s): *ernesti* Draudt, 1936; *achaemenica* Wiltshire, 1941 Range (as codes): TR IR Fa IQ 12 30 44 46 49 58 62 65 73 30B 30Be 30D 30Df 44F 44Fb 46G 49E 49Ea 58G 62G 65A 65Am 65Am4 73C 73Cd
- 3205. *Metoponrhys albirena* (Christoph, 1887)** (Noctuidae) Synonym(s): *albirena* Christoph, 1887; *kisilkumensis* Erschoff, 1885 Range (as codes): TR Cc IR Es Elb Th Ha Kd Sqg Bjr Zj Fa IQ Hjo TM Kp 05 08 13 24 25 44 58 65 71 13A 13Ab 13Ax 25K 44E 44Ea 58N 65D 65Df 65G 65Gf 65Gy
- 3206. *Metopoplus boursini* Brandt, 1938** (Noctuidae) Synonym(s): *boursini* Brandt, 1938 Range (as codes): IR Fa Kd Snj Com TR IQ 30 56 65 73 30B 30Ba 30Bd 30Bc1 30Bj 30Be 30C 30Cd 30D 30Dt 56F 56F6 56Fb 65D 65Df 65F 65Fg 65Fp 65Fz 73C 73Cd
- 3207. *Metopoplus excelsa* (Christoph, 1885)** (Noctuidae) Synonym(s): *excelsa* Christoph, 1885 Range (as codes): TR IR Elb Th Lo Kd Snj Cc AM RU Da AZ IL Pa He 25 30 36 51 65 30B 30Ba 65F 65Fa 65Fe
- 3208. *Micriantha decorata* (Frivaldsky, 1845)** (Noctuidae) Synonym(s): *decorata* Frivaldsky, 1845; *violacea* Herrich-Schäffer, [1851] Range (as codes): TR 06 07 16 46 06K 06Kc 07D 07Db
- 3209. *Minucia bimaculata* Osthelder, 1933** (Noctuidae) Synonym(s): *bimaculata* Osthelder, 1933 Range (as codes): TR IQ IR Fa Hz B-A 01 07 13 21 30 31 32 33 42 46 56 63 65 70 73 01H 07C 07Cc 13C 13Cf 21N 21Nh 30B 30Bj 30D 30Df 31L 32K 33A 33Ac 33Ak 33O 56A 56Ac 56F 56F3 56Fa 56Fg 65D 65Dlc 70C 70Cc 73A 73Ab 73Ac 73C 73Ce
- 3210. *Mniotype adusta* (Esper, [1790])** (Noctuidae) Synonym(s): *adusta* Esper, [1790]; *duplex* Haworth, 1809; *valida* Hübner, [1813]; *vultarina* Freyer, 1832; *chardini* Duponchel, [1838]; *pavida* Boisduval, 1840; *baltica* Hering, 1846; *vulturinea* Herrich-Schäffer, [1850]; *vicina* Alpheraky, 1882; *grisescens* Standfuss, 1893; *aterrima* Costantin, 1916; *carpathica* Kaucki Range (as codes): PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag AZ Kir DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA BY CN Ui Arc Chk AF Adr KK TeA Ax TrA PK Thu IN Hp Dlh 04 06 08 18 24 25 28 50 53 75 08C 08H 53B 53N
- 3211. *Mniotype solieri* (Boisduval, 1840)** (Noctuidae) Synonym(s): *solieri* Boisduval, 1940 Range (as codes): MA DZ Abe BSa Ktr Bsk Lbs Btina Hmk DhM Bdj Hrh Agi Clo Co Si IT GB CH AT YU AL BG GR DK TR
- 3212. *Moma alpium* (Osbeck, 1778)** (Noctuidae) Synonym(s): *alpium* Osbeck, 1778; *orion* Esper, 1791; *murrhina* Graeser, 1889; *designata* Turati, 1923; *kolthoffi* Bryk, 1949 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Cc AM GG Smt Bjo Ro Kr MD UA Lvv BY IR Elb Mz KP KR CN Krl Us Sb JP TW 14 34 55 34A
- 3213. *Mormo maura* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *maura* Linnaeus, 1758; *lemur* Meinecke, 1775; *usta* Fourcroy, 1785; *deusta* Geoffroy, 1799; *cypriaca* Hacker, 1996 Range (as codes): MA DZ Ges Dzc DhM Hrh Sbd Abe Lbs TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY AM GG Bjo Smt Lag Az Kir Cc TR DK RU Kr MD UA BY IL Hf Pa IQ Shq LB Bsa TM IR 06 08 13 30 33 46 56 13F 13F7 13F71 33G 56F 56Fç
- 3214. *Mythimna (Aletia) alopecuri* (Boisduval, 1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval, 1840; *syriaca* Osthelder, 1933 Range (as codes): FR RO YU BG GR RU Cc Ro St Ich Ing Da MD UA TR CY IQ TM KG IL Pa JO 09 23 27 46 62 56 57 63 27D 27Dd 56A 56F 56Fv 56Fq 56Fs 56Fj 56Fç 56F3 56F1 56Fb 56Fa 63E
- 3215. *Mythimna (Aletia) andereggii* (Boisduval, 1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval, 1840 Range (as codes): ES FR IT DE CH AT CZ YU B-H AL BG GR RU Cc Ro Kr Kb Nt Ich Da TR KK Ik T-A
- 3216. *Mythimna (Aletia) congrua* (Hübner, [1817])** (Noctuidae) Synonym(s): *congrua* Hübner, [1817]; *amnicola* Rambur, 1829. Range (as codes): DZ Hrh Hmk Gue Abe ES FR Co Sa Si IT DE PL YU AL BG GR TR IL Pa SY IQ Bgd GG AZ Len AM Cc RU Kr Uch IR Mz Elb Fa TM 48 56 48L 56F 56Fö
- 3217. *Mythimna (Aletia) conigera* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller], 1775; *floccida* Esper, [1788]. Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ AM Cc IR Mz Elb Th DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA Lvv BY CN Ui Arc KK TeA TrA Ax Na 04 25 36 37 45 50 58 60 61 75
- 3218. *Mythimna (Aletia) consanguis* (Guenée, 1852)** (Noctuidae) Synonym(s): *consanguis* Guenée, 1852 Range (as codes): ID Sum Ja AU QAU Bri NSw Syd NC ZR EG Sk SY Pmy TR KE ET ZA Nta Kzu Est Dbn Wca Cto Tra Ec ZW Har IN Kul Hp Kma Pj Sml Drm SI NI LK MU JP CN PK Abb Txl 01 31 31F
- 3219. *Mythimna (Aletia) deserticola* (Bartel, 1903)** (Noctuidae) Synonym(s): *deserticola* Bartel, 1903 Range (as codes): RU Ur TR
- 3220. *Mythimna (Aletia) impura* (Hübner, [1808])** (Noctuidae) Synonym(s): *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809; *amurensis* Staudinger, 1892; *transbaikalensis* Staudinger, 1892; *fuscipennis* W. Warren, 1910 Range (as codes): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Kc St Ich Ing Ur Sb Am MD UA Lvv BY IR Elb Th CN Ui Ku Au Ga Ti Ts Kno KK Ik TrA Na TJ Pm AF JP 14 16 42 50 16A 42B
- 3221. *Mythimna (Aletia) l-album* (Linnaeus, 1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus, 1767; *penicillata* Moore, 1881 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE LV RU Ur MD UA BY IR Fa Ke Lo Es Ha Ss Gh Elb Th Dam Kdj Ab Kz Yas AF Gbh PK IN Pj Sml Dlh Hp Kul Up Bhi SI NP CY IQ LB Bei Bsa IL Pa KK KG CN UZ Lvv Tk Dj Ax N-A Ro St Kr Kb Nt Ich Da Thu Smt Bjo Lag Kir Nv Ord Oru Sdt Kd Bne Gls Kh Agi Anna Ges Lgt Blid Bsk Btina Lbs KhH DhM Prr Abe Sbd Afl BSa Hrh Psu Gg Txl Abb Nar Sai 05 06 07 08 10 12 13 16 17 18 21 25 30 31 32 33 34 36 38 39 42 44 45 46 49 50 51 56 58 61 62 63 65 69 80 05A 06R 06Rq 06Y 06Yb 08H 08Ha 13A 13Ab 13Ax 13B 13C 13Cd 13G 13Gg 13Gü 13Gs

13Gw 16A 21N 21Nb 30B 30Bç 30Bz 30D 30Df 30Dt 30Dx 31K 31Ka 31Ka3 33G 36D 36Db 36F 36Fb 38H 38Hc 44E 44Eh 44L 44Lc 49E 49Ea 56F 56Fo 56Fb 56Fö 56Fv 56Fa 56Fm 56Fq 56Fi 58G 61K 61Ka 62G 62Gb 65A 65Ai 65B 65Bo 65Bx 65D 65Df 65Ds 65Dv 65F 65Fg 65Kr 65Fm 65Fp 65Fz 65G 65Ge 65K 65Kl 65Kl1 65Z 65L 65Le 65N 65Nc 65Nc4 65Np7 65Nm

3222. *Mythimna (Aletia) pallens* (Linnaeus,1758) (Noctuidae) Synonym(s): *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829. Range (as codes): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ Len AM Cc IQ Bgd DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Kyi Sb Am Prj Us MD UA Lvv BY CN Ti Ts Kno Ui Ii MN Uli UZ Fe Br KK Ik TrA TeA Na US Nh Ny Msc Cf CA 06 34 35 42 50

3223. *Mythimna (Aletia) prominens* Walker,1856 (Noctuidae) Synonym(s): *prominens* Walker,1856; *hispanica* Bellier,1863 Range (as codes): ZA PT ES FR Sa IT MT GR TR IR Hz Ss Fa 07 31 33 07B 31F 33G 33R

3224. *Mythimna (Aletia) pudorina* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *pudorina* [Denis & Schiffermüller],1775; *impudens* Hübner,[1803]. Range (as codes): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ro Kr St Da Ur Sr Sb Am Prj Us AM Cc GG Lag MD UA Lvv BY KK Na JP 16 30 62 16A 30B 30Bg

3225. *Mythimna (Aletia) sassanidica* (Hacker,1986) (Noctuidae) Synonym(s): *sassanidica* Hacker,1986 Range (as codes): TR Cc RU St Nt Da IR Elb Plr Th 04 06 08 13 24 25 30 36 46 58 60 65 06R 06Ra 06Re 13G 13Gs 13Gw 25A 25F 30B 30Bh 36F 46F 60C 65Bx 65G 65Ge

3226. *Mythimna (Aletia) scirpi* (Duponchel,1836) (Noctuidae) Synonym(s): *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyperi* Boisduval,1840; *fuscilinea* Graslin,1852; *syriaca* Osthelder,1933. Range (as codes): PT Co Sa Si IT MT BE LU DE AT CZ RO AL GR TR IL Hf Pa CY TM Kp 06 07 46 47 46G 46Gf 47D

3227. *Mythimna (Aletia) sicula* (Treitschke,1835) (Noctuidae) Synonym(s): *sicula* Treitschke,1835; *cyperi* Boisduval,1840; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *albivena* Graslin,1852; *fuscilinea* Graslin,1852; *belgiensis* Derenne,1931; *bavarica* Forster & Wohlfahrt,1971 Range (as codes): Abe Sbd MA DZ Ah Ges Gue BtNa Bsk Agi DhM Tun Dzc Ahr Hmk Hrh Mzg TN PT ES FR Co Sa Si IT MT BE NL DE CH YU HV AL BG GR Cr TR CY YE YE47 01 09 17 21 22 31 34 59 63 65 21N 21Nh 31K 31Ka 31Ka5 65F 65Fm

3228. *Mythimna (Aletia) straminea* (Treitschke,1825) (Noctuidae) Synonym(s): *straminea* Treitschke,1825 Range (as codes): MA ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Kr Kc Ich Da MD UA BY LB Beq IR Elb Gh Enz 01 57 58 63 63H

3229. *Mythimna (Aletia) vitellina* (Hübner,[1808]) (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellena* Lederer,1870; *decolorata* Dannehl,1929; *saturnator* Dannehl,1929; *grisescens* Dannehl,1929. Range (as codes): Cn MA MR DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Ry Rwz Dia Agh DK RU At MD UA BY PK Ch NP IN Pj Kul CN IR Lo Es Ha Kh Fa Mz Elb Th Kdj AF Hr UZ Fe KK Ik TM KG TJ CY AZ Bak GG Cc LB Bsa SY JO IL Pa T-A Kp N-A Br Ro Kr St Kc Kb Nt Ing Ich Da Tbl Smt Bjo Bku Kir Gls Agi Blid Khh Gue Ges BtNa BSA Anna Orn Abe Sfr Sbd DhM Sét Hrh Hmk Lvv 01 02 03 05 06 07 08 09 13 16 17 18 21 22 23 24 25 27 28 29 30 31 33 34 35 36 37 39 42 44 45 46 48 49 50 51 52 56 58 62 63 65 73 75 76 80 02F 02Fd 02Fz 05A 06E 06Ea 06R 06Rb 06Rq 06Y 06Yb 07B 07Bb 13A 13Ab 13Ax 13G 13Gü 13Gw 16A 21L 21Lc 21N 21Nb 21Nh 30D 30Df 30Dx 33A 33Ac 33G 36D 36Db 36F 36Fb 44E 44Eh 44Ei 44L 44Lc 46G 46Gf 48L 49F 49Fb 56E 56Eh 56F 56Fa 56Fb 56Fh 56Fo 56Fv 56F3 56F1 56Fs 56Fç 56Fy 56Fc 58G 62G 62Gb 63D 63E 65A 65Ai 65An 65Am 65Am2 65D 65Df 65Dl 65Dlc 65Ds 65Du 65Dv 65F 65Fa 65Fb 65Fç 65Fd 65Fg 65F1 65Fj 65Fm 65Fr 65Fp 65Fu 65Fz 65G 65Gb 65Ge 65K 65N 65Nc 65Nc4 65Kd 65Kg 65Kl 65Kp 65Ku 65L 65Lb 65Le 65N 65Nm 65Np 65Np1 65Np8 73D 73Db 75F 75Fe 76A 76Ac 76B 76Bb

3230. *Mythimna (Anapoma) riparia* (Rambur,1829) (Noctuidae) Synonym(s): *riparia* Rambur,1829 Range (as codes): MA DZ Sfr BtNa Abe PT ES FR Co Sa Si IT YU AL BG GR Cr TR CY IR Mz Elb GlS Kh TM IL Pa SY 10 22 48 60 63

3231. *Mythimna (Hyphilare) albipuncta* (Fabricius,1787) (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921. Range (as codes): Hrh Dzc Abe Sbd Sét Khh Blid DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Smt Bku Lag AZ Kir Nv Ord AM Cc DK SE FI LV RU Ro Kr St Kc Kb Nt Ich Ing Kyi Da MD UA Lvv BY IR Mz Elb Th Gh GlS Kdj Dam TM Kp 05 14 16 17 24 33 34 36 42 50 65 66 75 76 05A 16A 36D 36Db 36F 36Fb 42X 42Xa 65Bx 65D 65Df 65F 65Fp 65Fz 65G 65Ge 65K 65Kp 65L 65Lb 65Le 75F 75Fb 76A 76Ac

3232. *Mythimna (Hyphilare) ferrago* (Fabricius,1787) (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926 Range (as codes): DZ MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ IR Fa Mz Elb Th Dam Gh DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Ing Da At Sb Ur MD UA BY CN Ui Kun TM KK TrA KG LB IL Pa PK Gg Ch Kag Hu Swa GG AZ AM Cc Smt Lvv Bjo Mng Lag Kir Haz Abe Sbd Sét DhM TN 01 04 06 07 08 09 12 13 24 28 30 33 36 39 42 44 45 46 49 50 56 58 61 62 65 66 06R 06Rb 07B 09K 09Ka 13G 13Gg 13Gü 13Gw 30D 30Df 30Dx 44L 44Lc 46G 46Gf 49E 49Ea 56F 56Fs 56Fc 56Fq 56Fö 65A 65Ac 65Ac3 65Am 65Am4 65Bx 65F 65Fa 65D 65Dn 65Fp 65Fz 65G 65Ge 65L 65Le

3233. *Mythimna (Morphopoliana) languida* (Walker,1858) (Noctuidae) Synonym(s): *consanguis* auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952. Range (as codes): DZ MT PT FR GR Cr TR EG EG05 ZA Nta LB Beq Bei IL Pa SY JO IR Fa Ss IQ CY 07 09 33 63 63E

3234. *Mythimna (Pseudaletia) unipuncta* (Haworth,[1809]) (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsaftikis,1974. Range (as codes): Md Cn DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB NL LU DE CH AT PL CZ SK HU RO AL BG GR Cr TR DK SE RU Ur Sb At Am

Us MD UA BY AF Gbh Pli Srb Kab CN JP Ch IN Pj Kul PK Mre Cp Hp Drm SI Clc Bba ID Ja AU NSw Syd NZ CA US Ny
Iln Alb NMx Arz Tx Kan Col MX GT Prj CR PA BR AR VE CU PU Az Flo CY IL Pa LB Bsa SY Hal JO ZA Nta Kzu IR Mz
Elb Th GlS Dam Kd Sqq Bne Lo Cc Ro St Kb Kc Nt Ich Cp Haz YE Ad DhM Abe 01 07 08 18 22 31 33 42 50 51 56 58 65 70
80 08H 08Hc 31K 31Ka 31Ka3 31Ka5 56F 56Fa 58G 65F 65Fr 65Fp 65Fz 70C 70Cb

- 3235. *Naenia typica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *typica* Linnaeus,1758; *filicis* Goeze,1781; *venosa* Hübner,[1803]; *excusa* Esper,[1805]; *claricolor* Schawerda,1928. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ro Kr St MD UA Lvv BY Cc AM AZ Kir Lag GG IR Sb At KK Ik 06 16 16A
- 3236. *Netrocerocora quadrangula* (Eversmann,1844)** (Noctuidae) Synonym(s): *quadrangula* Eversmann,1844; *coraxa* Püngeler,1898; *oblongula* Staudinger,1901; *quadriplaga* Bartel,1902 Range (as codes): EE RU Nt Ich Da Ur TR UA Cm BY AM AZ GG Cc TM DsA KG Sb At MN CN Ui Kl KK Ik Ax 69
- 3237. *Nezomycta obtusa* Varga & Ronkay,1991** (Noctuidae) Synonym(s): *obtusa* Varga & Ronkay,1991 Range (as codes): TR IR Fa Es 04 25 30 50 58 65 04D 04Da 25A 25Ab 30D 30Db 58G 58Ga 58Gg 65Bx 65D 65Dd 65G 65Ge
- 3238. *Nezomycta pusilla* (Püngeler,1900)** (Noctuidae) Synonym(s): *pusilla* Püngeler,1900 Range (as codes): TM Kp AF Gbh TJ Pm TR IR Fa Sse Gh Elb Dam Ke KE Yz 25 30 65 25A 30B 30Bg 30D 30Da 65Bx 65G 65Ge
- 3239. *Noctua (Divaena) haywardi* (Tams,1926)** (Noctuidae) Synonym(s): *haywardi* Tams,1926; *balcanica* Slivov,1985 Range (as codes): HU B-H MK YU BG GR Cr TR CY UA Cm 01 05 06 07 09 11 14 17 18 22 33 42 43 51 65 66 05A 06R 06Rb 09K 09Ka 11E 33A 33R 42D 65F 65Fa
- 3240. *Noctua (Euschesis) interjecta* (Hübner,[1803])** (Noctuidae) Synonym(s): *interjecta* Hübner,[1803]. Range (as codes): PT ES FR Co Sa Si DK SE IT IE GB BE NL LU DE CH AT PL CZ HU YU AL BG GR TR IR GlS 01 05 11 14 16 17 22 23 31 33 39 57 61 05A 11E 16A 31F 31K 31Ka
- 3241. *Noctua (Euschesis) janthina* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *flavomaculata* Goeze,1781; *altica* Geoffroy,1785; *latimarginata* Röber,1900; *algorica* Oberthür,1918; *intermedia* Rothschild,1920 Range (as codes): DZ Abe Agi Anna DhM TN PT ES FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI LV LT RU Ro Kr Kb Nt Ich Ing Da Der MD UA Cm Lvv BY LB IQ IR Elb Mz Dam Cc AZ Kir 01 03 05 06 07 11 16 17 18 30 33 38 39 42 46 56 59 60 65 70 01A 03H 05A 11E 16A 30D 30Df 42B 56F 56Fo 56F1 56Fy 56Fq 56Fb 56Fs 56Fö 59D 65A 65Ai 70C 70Cb
- 3242. *Noctua (Lampra) fimbriata* (Schreber,1759)** (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. Range (as codes): DZ Clo DhM TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Ro Nov Kr St Kb Kc Nt Ich Ing Da MD UA Ode Cm Lvv BY AM GG Smt Bjo AZ Kir Cc IR GlS 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 56 59 60 62 65 73 80 03H 05A 06R 06Rb 08H 13A 13Ab 13Ac 13Ac2 13Ax 13C 13Cf 13G 13Gg 16A 25T 30B 30Bd 42B 42D 49E 49Ea 56F 56F6 56F1 56Fq 56Fs 56Fm 56Fy 59D 65A 65Ai 65Ac 65Ac3 65Ab 65Aba 65D 73C 73Cd
- 3243. *Noctua (Lampra) tirrenica* (Biebing, Speidel & Hanigk,1983)** (Noctuidae) Synonym(s): *tirrenica* Biebing, Speidel & Hanigk,1983 Range (as codes): ES FR Co Sa Si IT CH YU AL BG GR TR 05 06 14 30 33 43 50 57 05A 06R 06Rb 57G
- 3244. *Noctua (Latanoctua) orbona* (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. Range (as codes): MA DZ TN LY PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA Cm BY IR Lo Pj Yas Yz Elb Th Kdj Kd LB Bsa SY IQ GG Smt Akh Bjo Tbl AZ Hkd Kir Nv Ord AM Cc TM UZ N-A AF Kh LU KG UK KK Osh TJ Pm Chr Tbl Smt Bjo Lag Kir Nv Ord Bne Gs Clo PK Abb 01 03 04 05 06 07 08 13 14 16 17 18 21 23 25 27 28 30 31 36 38 39 42 43 46 47 50 51 56 58 59 60 62 63 65 66 70 01L 01La 05A 06E 06Ea 06R 06Ra 06Rb 06Rd 06Rq 06Y 06Yb 13A 13Ab 13Ax 13G 13Gg 13Gf 13Gü 13Gw 14L 16A 21L 30D 30Df 30Dt 33A 33Ae 36D 36Db 42B 42D 47D 50G 50Ga 50Gd 56F 56Fb 56Fq 56F3 56Fv 56Fa 56Fç 56Fj 58G 59D 63D 65A 65Ac 65Ac3 65An 65At 65At5 65Ab 65Aba 65Bx 65D 65Df 65Du 65Di 65F 65Fa 65Fb 65Fg 65Fr 65Fp 65Fz 65G 65Ge 65K 65Kl 65Z 65L 65Le 65N 65Np7 65Nm 70C 70Cb
- 3245. *Noctua (Paranoctua) comes* (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 *nec* Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901. Range (as codes): MA DZ Dzc Hrh Abe Sbd Lbs DhM Tun BtNa TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT IR Lo Ke Fa Enz Gh Ab Kz Km Kd Lo Mz GlS Elb Kh IQ SY LB Bsa IL Hf Pa JO AM GG Tbl Cc RU Ro Kr St Kb Da Der 01 05 06 07 08 09 10 11 13 16 21 22 30 31 33 39 42 43 44 45 46 56 59 63 65 73 01K 05A 06R 06Rb 11E 13C 13Cd 13G 13Gg 13Gü 13Gs 13Gw 16A 21L 21Lc 30B 30Bc 30Bc1 30Bd 30Bç 30Bz 30D 30Df 30Dx 31K 31Ka 33A 33Aj 42B 44L 44Lc 56F 56Fo 56Fb 56Fv 56Fs 56Fq 56F1 56Fc 59D 63D 65A 65Ac 65Ac3 65At 65At5 65Ab 65Aba 65D 65Dn 65F 65Fb 65F 65Fp 65Fz 65K 65Kd 65Kg 65N 65Nc 65Nç 65Np 65Np1 65Np7 65Nm 73D 73Db
- 3246. *Noctua (Paranoctua) interposita* (Hübner,1790)** (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963 Range (as codes): ES FR Co IT DE CH AT PL CZ SK HU RO YU AL BG GR DK FI RU Ro Kr St Kb Kc Inch Ing Da TR Cc AM GG 65 65F 65Fm 65Fp 65Fz
- 3247. *Noctua (Paranoctua) warreni* (Lödl,1987)** (Noctuidae) Synonym(s): *warreni* Lödl,1987 Range (as codes): CY TR
- 3248. *Noctua (s.str.) janthe* (Borkhausen,1792)** (Noctuidae) Synonym(s): *janthe* Borkhausen,1792; *algorica* Oberthür,1918; *intermedia* Rothschild,1920 Range (as codes): MA DZ Agi Abe TN ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK YU AL TR DK NO SE FI EE LV UA Lvv 65 65N 65Np 65Nm

- 3249. *Noctua (s.str.) pronuba* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923. Range (as codes): MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK NO SE FI EE LV LT RU Nov Sr MD UA Cm BY IR Fa Mz Gh Elb Th Kd Bu Dlk IQ Agh Dy Kbl Kro AF PK IN GG Tbl Bjo AZ Kir AM Ce Sb Ur LB Bsa IL Hf Pa JO Lvv Sn Az Cn UZ Br Ro Kr St Kc Kb Nt Ing Kyi Da Tbl Smt Bjo Lag Kir Bne Gls Btma Agi Dhbm Bdj BSa Khh Orn Anna Abe Sbd Afl Knt Hrh Mzg 01 04 05 06 07 08 13 14 16 17 18 21 24 27 28 31 33 34 35 36 39 42 43 44 45 46 50 51 56 58 59 60 61 62 63 65 71 73 01A 01N 01L 01La 05A 06D 06Da 06R 06Ra 06Rb 13G 13Gg 16A 21N 21Nb 31K 31Ka 31Ka5 36D 36Db 42B 42D 44E 44Eh 44I 44Ic 44L 44Lc 56F 56Fa 56Fb 56F6 56Fv 56Fm 56Ff 56Fc 58G 59D 63D 65A 65Am 65Am4 65Ab 65Aba 65D 65DI 65Dlc 65F 65Fa 65Fb 65Fp 65Fz 65Fu 65Fm 65Fr 65K 65Kd 65Kp 65N 65Np 65Np1 65Np8 65Nm 73D 73Db
- 3250. *Noctua (s.str.) tertia* Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991 Range (as codes): IT YU AL BG GR TR Cc IR Elb CY 01 03 05 08 27 30 33 42 50 01K 05A 30B 30Bd
- 3251. *Nodaria nodosalis* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer,[1851]; *aethiopolis* Herrich-Schäffer,[1851]; *hispanalis* Guenée,1854; *aesopusalis* Walker,[1859]; *#nododalis* Hacker,1992. Range (as codes): MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT HV B-H YU AL GR Cr TR LB Bei IL Pa ZA UG SA YE 07 07B
- 3252. *Nola (s.str.) aerugula* (Hübner,1793)** (Noctuidae) Synonym(s): *aerugula* Hübner,1793; *centonalis* Hübner,1796; *centonana* Hübner,[1825]; *littoralis* Paux,1901; *contrarialis* Heydemann,1934; *trituberculana* Heslop,1959. Range (as codes): ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO MK BG DK NO SE FI EE LV LT RU MD UA BY TR GG Tbl Bjo Mng Smt Akh Cc AZ Nv Ord IR Mz 34 52 61 34S 52H 61L
- 3253. *Nola (s.str.) chlamitulalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis* Hübner,[1813]; *chlamydulana* Duponchel,[1845] Range (as codes): DZ Agi Gue ES Mu Alc FR Co Sa Si IT DE CH AT SK HU BG GR Cr MK TR LB Bei IL Hf Pa CY IR Mz EG UA Cm 01 07 17 22 31 34 35 44 48 56 61 01A 17F 31B 31M 35E 44L 44Lc 48D 56F 61L
- 3254. *Nola (s.str.) cicatricalis* (Treitschke,1835)** (Noctuidae) Synonym(s): *cicatricalis* Treitschke,1835; *tuberculalis* Mann,1857 Range (as codes): ES FR Sa IT DE CH AT PL CZ SS SK HU RO BG GR TR RU Sr Cc Da VI 06 07 11 13 17 30 31 33 34 35 43 46 48 56 73 06R 07A 07Ab 13C 13Cg 30B 30Bc 31K 31Ka 33A 33Ac 33Ak 35E 48G 48Gb 56D 56Dd 73C 73Cd
- 3255. *Nola (s.str.) cristatula* (Hübner,1793)** (Noctuidae) Synonym(s): *cristatula* Hübner,1793; *cristulalis* Hübner,1796; *cristulana* Hübner,[1825]. Range (as codes): ES FR Co IT MT DE CH AT PL CZ SK HU YU BG GR TR Cc GG Tbl UA Lvv 46
- 3256. *Nola (s.str.) cucullatella* (Linnaeus,1758)** (Noctuidae) Synonym(s): *cucullatella* Linnaeus,1758; *ludvigella* Müller,1764; *palliola* [Denis & Schiffermüller],1775; *pygmaria* Fabricius,1794; *palliotalis* Hübner,1796; *cucullatalis* Haworth,1811; *cucullatana* Hübner,[1825]; *fuliginalis* Stephens,1834 Range (as codes): MA TN ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU YU BG GR TR DK NO SE FI EE LV LT RU VI Sr Ro Ur IL Pa Js MD UA Lvv BY IR Elb Mz 07 10 14 16 33 10D 14B 14Bb 33A 33Ac
- 3257. *Nola (s.str.) harouni* (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni* Wiltshire,1951 Range (as codes): GR PI Cr Rd TR IQ Dk Agh Bsr Bgd LB Bei JO TR CY IR Kd 33 33O 33P
- 3258. *Nola (s.str.) impudica* Christoph,1893** (Noctuidae) Synonym(s): *impudica* Christoph,1893 Range (as codes): AZ Nv Ord Cc TR TM IR Elb Th Kdj 63 63E 63Ea
- 3259. *Nola (s.str.) karelica* (Tengström,1869)** (Noctuidae) Synonym(s): *karelica* Tengström,1869; *inconspicua* Alpheraky,1882; *amuricola* Warnecke,1938 Range (as codes): NO SE FI EE LV LT TR Cc RU Am CN Ui Ku 36 76 76C
- 3260. *Nola (s.str.) ronkayorum* Beshkov,2006** (Noctuidae) Synonym(s): *ronkayorum* Beshkov,2006 Range (as codes): BG TR 07 25 32 33 07A 07Aa 07Ad 25F 33A 33Ac 33Ak
- 3261. *Nola (s.str.) squalida* Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1948 Range (as codes): MA DZ Bsk Ges TN AL ES An FR Sa Si IT DE AL GR CY TR LB Bei IL Pa PK TJ AF Kab Nu Bsg Srb Pli UZ Fe Man IR Kz Fa Shr Kh Sbz EG EG11 AE OM IQ Bgd Bsr Sbn Agh CN TW LK Pdy 42 46
- 3262. *Nola confusalis* (Herrich-Schäffer,1847)** (Noctuidae) Synonym(s): *confusalis* Herrich-Schäffer,1847; *fumosalis* Daniel,1957. Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RU Sb Sr Ur MD UA Lvv BY JP 32
- 3263. *Nola subchlamydula* Staudinger,1870** (Noctuidae) Synonym(s): *subchlamydula* Staudinger,1870; *lathonialis* Milliére,1872; *kruegeri* Turati,1911; *praetextula* Chrétien,1923; *infantula* Kitt,1926; *derasa* Zerny,1933; *albidula* Zerny,1934 Range (as codes): MA DZ Afl Lbs Hrh TN ES Mu FR Co Sa IT BE DE Bw CH AT YU BG GR Cr Sms TR LB Bei Bsa IR Fa IQ Cc RU Ao Da UA Cm 05 06 07 13? 25 31 33 48 56 06R 13A? 13Ab? 13Ax? 25N 25Na 31K 31Ka 33A 33Ac 48G 48Gb 48L 56F 56F1
- 3264. *Nonagria typhae* (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787. Range (as codes): MA DZ TN LY EG PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA Lvv BY LB IL Pa IQ Bsr IR Ss AF CN Ui Ii 38 42 46
- 3265. *Nycteola asiatica* (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. Range (as codes): ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU

B-H MK BG GR TR GG Smt Akh JO DK SE FI EE LV LT RU Ur At Sb Prj Us Am Cc Ro Kr St Nt Ich Da MD UA BY IQ IR
Ke Kh Elb Th Gh Kd Bne Mrv Lo Mz TM Kp AF Pag PK NP CN Ui Ii T-S Mc KK Ax TeA Skm KG Tk Aa Dj KP KR JP 01
05 06 07 08 11 18 19 23 24 25 42 44 50 51 56 58 62 63 65 66 69 75 05A 56E 56Eh 56F 58G 62G 62Gb 65K 65Kp 65L
65Lb

- 3266. *Nycteola columbana* (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958. Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT CH RO YU MK BG GR Cr TR CY LB Bsa RU Cc Kr 07 31 33 42
- 3267. *Nycteola eremostola* Dufay,1961** (Noctuidae) Synonym(s): *eremostola* Dufay,1961 Range (as codes): KG Tar Ssn TR 46 65
- 3268. *Nycteola revayana* (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 nec Hbn.,1787; *stonius* Curtis,1829; *russiana* Duponchel,[1845]; *bilineatella* Walker,1866; *fusciana* Schmid,1886; *diplographa* Hampson,1905 Range (as codes): MA DZ Abe Btma Sbd Sfr Hmk Gue DhM TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL B-H HV MK BG GR TR DK NO SE FI EE LV LT RU Cc Kr Kb Da Tv MD UA Lvv BY CY IR Fa GlS Kh IL Pa LB Bsa KG Ssn 07 33 42 46 56 65 42J 46G 46Gi 56E 56Eh 56F 56Fy 65A 65Ac3
- 3269. *Nycteola siculana* (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obraztsov,1954. Range (as codes): MA DZ TN PT ES Mu FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE EE LV LT RU Cc Ro MD UA 13 25 46 50 65 13F 13F38 65D
- 3270. *Ochropleura leucogaster* (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831 Range (as codes): TN DhM PT ES FR Co Sa Si IT MT GB DE CH AT RO YU AL BG GR Cr TR LB IL Hf Pa SY RU ZA ET ET24 ET86 01 13 31 33 56 58 65 01K 13B 56F 56F3
- 3271. *Ochropleura plecta* (Linnaeus,1761)** (Noctuidae) Synonym(s): *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unupplecta* Bryk,1942. Range (as codes): MA DZ TN LY EG PT ES Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Akh Smt Bjo Mng Tbl Lag Cc AZ Kir Hkd DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY LB SY IQ IR Gh Elb Mz AF TM KK KG 01 06 08 09 11 25 28 30 33 36 42 55 58 61 65 01A 06D 06Da 08H 11E 30B 30Bf 36D 42B 42D 58G 58Gi 61K 61Kb 65F 65Fp 65Fz 65K 65Kp 65L 65Lb 65Le
- 3272. *Odice arcuinna* (Hübner,1790)** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803]. Range (as codes): IT AT CZ SK HU RO YU BG GR Cr TR RU Cc AM AZ Bak Kir Ro Nt Da IR Ke Mz Elb Dam Th KG Tu Tk Dj KK Skm KK CN MN KP KR 05 06 10 13 14 16 17 20 25 32 33 35 36 38 42 51 56 58 65 66 76 80 05A 13A 13Ab 13Ax 13G 13Gg 16A 56F 56Fq 58G 58N 65B 65Bo 65Bx 65G 65Ge 65K 65Kd 65Kg 65Ks 65N 65Nr2 65Nm 76C
- 3273. *Odice kuelekana* (Staudinger,1871)** (Noctuidae) Synonym(s): *kuelekana* Staudinger,1871 Range (as codes): TR Cc 05 10 17 19 22 23 24 25 29 33 36 44 46 50 51 58 62 66 70 05A 33R 33Rb
- 3274. *Odice suava* (Hübner,[1813])** (Noctuidae) Synonym(s): *suava* Hübner,[1813]. Range (as codes): MA DZ Rbt DhM Perr Blid Hmk Sbd Bsk Gf TN PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr TR Cc LB KG Tk Dj 03 06 08 11 14 17 18 19 25 39 42 50 51 65 66 06R 06Rb
- 3275. *Oligia latruncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775; *aerata* Esper,1790; *meretricula* Borkhausen,1792; *aethiops* Haworth,1809 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AM Eri DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA Lvv BY LB Bsa IR Mz Cc GG SY 06 13 17 25 32 33 35 39 41 42 43 46 50 65 66 06R 06Ra 13A 13Ab 13Ax 13G 13Gg 13Gf 13Gy 13Gü 13Gw 41A 43M 65F 65Fg 65Fr 65Fm 65Fp 65Fz 65K 65Kl 65Z 65L 65Lb
- 3276. *Oligia pseudodubia* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *pseudodubia* Rezbanyai-Reser,1997 Range (as codes): TR Cc GG RU 08
- 3277. *Oligia strigilis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775. Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR AZ AM GG Lag Cc DK NO SE FI EE LV LT RU Ro St Kr Kc Nt MD UA Lvv BY 05 06 08 16 31 34 45 61 75 05A 16A 61K 61Ka 75E
- 3278. *Oligia suleiman* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *suleiman* Rezbanyai-Reser,1997 Range (as codes): TR IR Mz 80
- 3279. *Oligia turcia* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *turcia* Rezbanyai-Reser,1997 Range (as codes): TR Cc 06 11 18 22 24 32 42 49 50 51 60 65 75 06R 06Ra 65F 65Fp 65Fz
- 3280. *Oligia versicolor* (Borkhausen,1792)** (Noctuidae) Synonym(s): *versicolor* Borkhausen,1792; *vojnitsi* Kovacs,1967; *nerminae* Koçak,1982. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE EE RU Cc Da MD UA BY 34 58 58G
- 3281. *Olivenebula subsericata* (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996 Range (as codes): MK BG GR Rd Cr TR Cc IQ Rvw IR LB CY IL Pa Hf SY JO 03 05 08 13 16 17 18 30 33 34 35 42 46 50 58 05A 13C 13Ce 16A 30D 30Df
- 3282. *Omia raphaeli* Kettner,2004** (Noctuidae) Synonym(s): *raphaeli* Kettner,2004 Range (as codes): TR 35 35V
- 3283. *Omphalophana anatolica* (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857 Range (as codes): Sa Si IT DE YU MK AL BG GR Rd Cr TR AM Cc IR Fa Ss Hz B-A IQ Dy IL Pa 07 16 20 33 35 65 16A 65D 65Dl 65Du 65F 65Fp 65Fz

- 3284. *Omphalophana antirrhinii* (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803] Range (as codes): ES FR Si IT DE AT PL CZ SK HU RO YU AL BG GR TR IR Elb Th Fa Lo Kz Yas UA Lo IQ LB Bsa IL Pa Hf JO GG Lag AZ AM Cc RU Ro Ing Da Der 05 06 13 16 17 18 24 25 33 35 42 45 46 47 50 51 56 58 60 63 65 76 05A 13G 13Gs 13Gw 16A 33G 47D 56F 56F1 58G 58N 65A 65Am 65Am4 65D 65Df 65Dlc 65Ds 65F 65Fa 65N 65Np 65Np2 65Nm 76C
- 3285. *Omphalophana durnalayana* Osthelder,1933** (Noctuidae) Synonym(s): *durnalayana* Osthelder,1933 Range (as codes): TR Cc IQ 04 12 25 30 36 46 49 62 73 12E 12Ea 30B 30Be 73C 73Cd
- 3286. *Omphalophana pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892; *adamantina* Blachier,1905 Range (as codes): MA Rbt DZ TN LY IL Pa Js JO TR 63 63E
- 3287. *Oncocnemis arenbergeri* Hacker & Lödl,1989** (Noctuidae) Synonym(s): *arenbergeri* Hacker & Lödl,1989 Range (as codes): CY TR
- 3288. *Oncocnemis campicola* Lederer,1853** (Noctuidae) Synonym(s): *campicola* Lederer,1853; *#campiola* Ebert,1978 Range (as codes): TR RU Sr At MN
- 3289. *Oncocnemis confusa* (Freyer,[1839])** (Noctuidae) Synonym(s): *confusa* Freyer,[1839]. Range (as codes): IR Ha Zj Th Elb Kd Snj Lo TR Cc AM IQ Shq RU IL He Pa UA 04 13 25 30 36 46 50 58 62 65 76 04I 13G 13Gü 13Gw 25T 30D 30Da 36D 36F 36G 62G 65Bx 65G 65Ge 76C
- 3290. *Oncocnemis exacta* Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937 Range (as codes): TR Cc TM Kp CN Ui IR Kh Fa By Elb Th Dam Km Kd Snj Mrv Lo Fa Com TJ Pm Chr AF IN Ld MN 13 25 30 36 65 73 13G 30B 30Ba 30Bg 30Be 30Bh 30Bti 30Bz 36F 36Fb 65D 65F 65Fe 65Fm
- 3291. *Oncocnemis fuscipicta* Wiltshire,1976** (Noctuidae) Synonym(s): *fuscipicta* Wiltshire,1976 Range (as codes): TR IQ Shq 13 30 56 65 73 13B 30B 30Ba 30Bd 30Bh 30Bj 30Bj1 30D 30Da 30Dt 56F 56Fj 65Bx 65D 65Df 65Dn 65Ds 65Dv 65F 65Fp 65Fz 65Fm 65G 65Ge 65N 65Np8 65Nm 73C 73C 73Cd
- 3292. *Oncocnemis nigricula* (Eversmann,1847)** (Noctuidae) Synonym(s): *nigricula* Eversmann,1847 Range (as codes): ES TR AM Cc Arg RU Nt Ich Ing Da Ce Sb Kj Mnu MN KG Uk 25 62 75 76 62G 75D
- 3293. *Oncocnemis strioligera* Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853 Range (as codes): RU KG At KK TrA Ax TJ Pm Chr CN Ui IR Kh Lo TR Cc IL Pa He 01 13 30 36 42 65 70 01L 01La 30B 30Bg 36D 42D 65D 65Dn 70C 70Cb
- 3294. *Ophiusa lunaris* (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *inconspicua* W.Warren,1913; *chosensis* Bryk,1949. Range (as codes): MA DZ Sbd BtNa Lbs Khh Ahr Agi PT ES Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU Cc Ro Kr St Kb Nt Inc Kyi Da MD UA Lvv BY CY IR JO IL Pa He Mer AM Cc 01 05 06 07 10 13 16 18 21 25 30 32 33 35 39 42 50 56 62 65 80 05A 06R 06Rb 16A 21N 21Nh 21Nb 30D 30Df 32F 39K 56F 56Fa 56Fb 56Fh 62E 65A 65Ai 65D 65Dlc 65Dh 65Ds 65Dv 80C
- 3295. *Ophiusa tirhaca* (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* De Villiers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann,1963; *obscura* Pinker & Bacallado,1978 Range (as codes): Cn MA MR DZ TN LY PT ES Mu FR Co Sa Si IT CH AT RO YU BG GR Rd Cr TR CY SY Hal Pmy LB IL Pa JO EG Sn Sk SD ET ET24 ER SO KE ZA Tva Lpo Spb Mdk Gau Pre Wb Ec ZW Har MD IR Hz Fa Kaz Mia IQ Bgd AF PK TH Knc Cma Int Cdo MY TW Sum PH IN ID Clb Mlc NC JP AU MG SC Kz Yas Cuo Dhm Ges Bsa Bdj Perr Abe Hrh Orn Ah Ajj Js Heb Ngv 01 05 06 07 16 30 31 33 01C 05A 06F 06Fb 07B 16A 30D 30Df 31K 33A 33Aa 33G
- 3296. *Opigena huberi* Hacker,1999** (Noctuidae) Synonym(s): *huberi* Hacker,1999 Range (as codes): TR IR Elb Th 04 25 30 42 49 60 04D 04Da 25A 25C 25Ca 25N
- 3297. *Opigena polygona* (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792; *#polygena* Hacker & Weigert,1986 Range (as codes): ES FR IT NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY Cc AM Eri TR IR Elb Kh Kd Bne Mrv Fa Ha Zj Mz Th Dam CN Ti NP IN Sb KK Na 03 04 12 13 17 18 24 25 30 36 39 42 60 65 69 04D 04Da 13D 13G 13Ga 13Gg 13Gü 13Gw 25A 25C 25Ca 25D 25N 30B 30Bj 30D 30Da 36F 42B 49E 49Ea 60C 65A 65Am 65Am4 65D 65Df 65Dh 65F 65Fm 65Fp 65Fz 65K 65Kl 65Z 65N 65Nr2 65Nm
- 3298. *Orectis proboscidata* (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907. Range (as codes): IT AT HU RO YU AL BG GR Cr TR Cc RU MD UA BY 16 75 16A
- 3299. *Oria musculosa* (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889. Range (as codes): Cn MA DZ Hrh Hmk Agi BtNa Tun Ges Gue Khh Ktr Abe Orn Sbd Bsa Dje TN EG PT ES FR Sa Si IT MT GB BE DE CH? AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR IR Fa Shr Elb Th TM DK RU Cc Ro Kr St Ich Da MD UA BY AF Hr TJ Pm IQ Agh LB IL Hf Js Pa SY Dms JO 05 06 07 13 15 18 19 22 25 26 32 33 35 38 42 45 46 50 51 55 58 65 66 70 05A 06R 06Rb 13A 13Ab 13Ax 33G 35L 55F 58N 65K 65Ké 65Kg 70C 70Ce
- 3300. *Orthosia (Dioszeghyana) schmidtii* (Dioszeghy,1935)** (Noctuidae) Synonym(s): *schmidtii* Dioszeghy,1935 Range (as codes): SK HU RO YU BG GR TR 02 06 07 16 30 33 56 06R 06Ra 16A 30D 30Df 56F 56F3
- 3301. *Orthosia (Monima) cerasi* (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* De Villiers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809. Range (as codes): DZ Agi PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV MK BG GR TR DK NO SE FI EE LV LT RU Ro Kr Nt Da MD UA Lvv BY Cc GG AZ IL Pa IR KG 01 05 07 15 33 46 47 65 05A 33A 33Ak 47D 65D 65Dlc 65F 65Fm

- 3302. Orthosia (Monima) dalmatica (Wagner,1909)** (Noctuidae) Synonym(s): *dalmatica* Wagner,1909 Range (as codes): YU BG GR TR 07 09 11 15 16 17 31 33 44 49 50 58 16A 17C
- 3303. Orthosia (Monima) populeti (Fabricius,1781)** (Noctuidae) Synonym(s): *populeti* Fabricius,1781; *populi* Ström,1783; *subplumbeus* Haworth,1803; *intermedia* Stephens,1829; *ocularis* Freyer,1833; *tremuleti* Tetens,1876. Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY 67
- 3304. Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* De Villers,1789; *nanus* Haworth,[1803]. Range (as codes): DZ Lbs PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Tbl Cc Ro Kr MD UA Lvv BY KG IL Pa LB JO 01 05 06 07 09 13 17 20 21 23 30 35 46 58 59 63 73 07B 13C 13Cf 21N 21Nh 35E 73C 73Ce
- 3305. Orthosia (Semiophora) gothica (Linnaeus,1758)** (Noctuidae) Synonym(s): *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849]. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Nt Da MD UA Lvv BY JP 06 07 09 13 22 34 43 13G 13Ga
- 3306. Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 *nec* Hw.,1809; *pallidior* Staudinger,1901 *nec* Stgr.,1888 Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr Nt Da Sb At MD UA Lvv BY CN Ui Ku KK Ik Ax Fe UZ KG DsA JP IN Pj Hp Sml IQ CY LB IR Elb Th 03 04 06 07 09 15 30 31 32 33 34 42 43 46 50 56 58 65 73 06R 06Rb 06Rq 30D 30Df 33A 33Ac 34A 56F 56F3 65D 65Dlc 65F 65Fp 65Fu 65Fz 65K 65Kl 65Kl3 65Z 65L 65Le 65N 65Nc 65Nc1 65Nm 65Np 73A 73Ac
- 3307. Orthosia cypriaca Hacker,1996** (Noctuidae) Synonym(s): *cypriaca* Hacker,1996 Range (as codes): LB IL Pa JO CY TR
- 3308. Orthosia gracilis (Fabricius,1787)** (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepida* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT AM Cc GG Lag RU Ro Kr Nt Am Prj Us MD UA Lvv BY CN Ui Khr KG Tk Dj JP 03 06 17 21 26 50 58 21N 21Nh
- 3309. Orthosia rubricosa (Esper,[1786])** (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786]. Range (as codes): DZ Elt Ahr Gue PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Nt Ich Da MD UA BY 05 06 07 09 11 13 17 21 30 31 33 43 46 49 51 56 58 62 63 65 73 06R 06Rb 13D 13Da 13G 13Ga 21N 21Nh 30D 30Df 31K 31Ka 33G 43D 49E 49Ea 51D 51Da 56F 56Fa 56F3 65F 65Fu 73A 73Ab
- 3310. Ostheldera arne L.Ronkay & Varga,1994** (Noctuidae) Synonym(s): *arne* L.Ronkay & Varga,1994 Range (as codes): TR 30 30B 30Ba
- 3311. Ostheldera gracilis (Osthelder,1933)** (Noctuidae) Synonym(s): *gracilis* Osthelder,1933 Range (as codes): TR IQ IR IL He Pa 06 13 23 44 46 56 06A 06Aa 13C 13Cf 23I 44F 44Fb 44O 46G 56A
- 3312. Oxytripia orbiculosa (Esper,[1799])** (Noctuidae) Synonym(s): *orbiculosa* Esper,[1799] Range (as codes): ES HU RO HV AL GR TR RU Cc Ro Ich 38 58 38H 58G 58Gi
- 3313. Oxytripia stephania Sutton,[1964]** (Noctuidae) Synonym(s): *stephania* Sutton,[1964]; *danilevskyi* Miljanovsky,1973 Range (as codes): IR Elb Th AZ Cc AM TR 30 58 30D 30Df 58G 58Gi
- 3314. Pamparama acuta (Freyer,[1837])** (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871. Range (as codes): GR TR LB Bei IQ Cc AM AZ CY IL Pa Js JO IR Th Elb Kdj Ab Hz B-A 02 06 07 09 16 21 23 30 32 33 34 35 38 42 44 46 50 51 56 63 65 02A 06C 06Cb 06Y 06Yb 07C 07Cc 21N 21Nh 23I 16A 30B 30Bd 33G 38H 44L 44Lc 50G 50Ga 51D 51Da 56F 56Fa 56F1 56Fw 63E 65A 65Am 65Am1 65N 65Np 65Nm
- 3315. Panchrysia aurea (Hübner,[1803])** (Noctuidae) Synonym(s): *deaurata* Esper,[1787] *nec* Goeze,1981; *chryson* Borkhausen,1792 *nec* Esp.,[1789]; *aurea* Hübner,[1803]. Range (as codes): PT ES FR Co Si IT LU DE CH AT PL CZ SK HU RO YU BG GR TR RU Cc Ro Kr Nt Ich Da MD UA BY KK TrA IR Ak Th 08 25 30 58 58G
- 3316. Panemeria tenebrata (Scopoli,1763)** (Noctuidae) Synonym(s): *tenebrata* Scopoli,1763 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA Lvv BY
- 3317. Panolis flammea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammea* [Denis & Schiffermüller],1775 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Da MD UA BY JP 06 16 42 43 06R 06Rb 16A 42R 42Rc 43D
- 3318. Panthea coenobita (Esper,1785)** (Noctuidae) Synonym(s): *coenobita* Esper,1785 Range (as codes): IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 14 14B 14Bb
- 3319. Papestra biren (Goeze,1781)** (Noctuidae) Synonym(s): *biren* Goeze,1781; *glaucia* Kleemann,1792; *lappo* Duponchel,1827; *aperta* Geyer,[1832]; *quadriposita* Zetterstedt,[1839]; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *paupercula* Püngeler,1902; *frustrata* McDunnough,1946. Range (as codes): ES FR Sa? IT IE GB BE NL DE CH AT PL CZ SK RO YU AL BG TR Cc DK NO SE FI EE LV LT RU Kb Nt Am Ya Kmt MD UA BY Ch CN Ui Au Ii KK Ik Ax 08 34 36

- 3320. *Paracolax tristalis* (Fabricius,1794)** (Noctuidae) Synonym(s): *tristalis* Fabricius,1794; *derivalis* Hübner,1796. Range (as codes): ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Kir Len AM GG Smt Bjo Lag Cc IR Mz Elb Th DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA Lvv BY 05 08 14 16 25 34 41 50 52 53 05A 08H 16A
- 3321. *Paraegle ochracea* (Erschoff,1874)** (Noctuidae) Synonym(s): *ochracea* Erschoff,1874 Range (as codes): UZ TR IR Fa Kd Mrv AF Hr 23
- 3322. *Paraegle subochracea* (Staudinger,1892)** (Noctuidae) Synonym(s): *subochracea* Staudinger,1892 Range (as codes): TR IQ Mos Hjo IR Ab Sdt Km 47
- 3323. *Parascotia detersa* (Staudinger,1892)** (Noctuidae) Synonym(s): *detersa* Staudinger,1892 Range (as codes): Cr TR LB Bsa CY IR Km 01 07 13 17 31 33 13C 13Cf 31A 33G
- 3324. *Parascotia fuliginaria* (Linnaeus,1761)** (Noctuidae) Synonym(s): *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schifferrmüller,1775; *lignaria* Fabricius,1794 Range (as codes): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kc Ich MD UA BY 08 16 17 16A
- 3325. *Parascotia robiginosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *robiginosa* Staudinger,1892 Range (as codes): TR CY 01 05 06 07 33 42 46 62 70 05A 06C 06Cb 06R 33A 33Ad 33R 33Rb 70C 70Ce
- 3326. *Parastichtis suspecta* (Hübner,[1817])** (Noctuidae) Synonym(s): *suspecta* Hübner,[1817] Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bjo DK NO SE FI EE LV LT RU Ro Kb Ich Ing MD UA Lvv BY KK TrA 36
- 3327. *Pardoxia graellsii* (Feisthamel,1837)** (Noctuidae) Synonym(s): *graellsii* Feisthamel,1837; *innocens* Walker,1858; *fimbriata* Walker,1865 Range (as codes): ZW Har SL ET MU YE Ad YE47 ZA Tva Mpu Brb Nta Kzu Est ES Mu FR TR IQ Agh IN PK Cp Krc MM
- 3328. *Parexarnis ala* (Staudinger,1881)** (Noctuidae) Synonym(s): *ala* Staudinger,1881 Range (as codes): TR Cc AZ Nv Ord KG Tk Dj KK TrA 36
- 3329. *Parexarnis damnata* (Draudt,1937)** (Noctuidae) Synonym(s): *damnata* Draudt,1937 Range (as codes): IR Elb Th Fa Dam Kdj Mz TR Cc 04 36 04D 04Da 36F 36Fb
- 3330. *Parexarnis figulina* (Draudt,1936)** (Noctuidae) Synonym(s): *figulina* Draudt,1936 Range (as codes): TR 42
- 3331. *Parexarnis squalida* (Guenée,1852)** (Noctuidae) Synonym(s): *squalida* Guenée,1852 Range (as codes): FI RU Cc Kb Nt Ich Ing Da Sr Ur MD UA BY TR IR Fa Mz 46
- 3332. *Parexarnis taurica* (Staudinger,1879)** (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940. Range (as codes): TR Cc RU Nt Ich Ing Da IR Mz Elb Kdj Fa IQ Mos 06 23 24 25 33 36 38 42 44 50 51 65 66 06D 06Da 23I 36D 42B 50G 50Ga 51B 51Ba 65F 65Fa
- 3333. *Pericyma albidentaria* (Freyer,[1841])** (Noctuidae) Synonym(s): *albidentaria* Freyer,[1841] Range (as codes): GR TM Kp Fe UZ AF Hr Pli Srb Gbh Bd IQ Bgd Amr Bsr kut SY Pa IL Pa Hf LB CY TR CN Ui Ku Ga KG Tk Tks Dj Aa RU Cc GG Tbl Ro St Ich Da Der Sr AZ Nv Ord IR Mz Gls LY 06 09 19 23 33 35 36 42 44 46 47 50 51 56 58 66 70 76 06C 06Cb 06Y 06Yb 19P 33P 44I 46G 46Gf 47D 50G 50Gd 51D 56F 56Fa 56Fv 56Fö 58N 70C 70Ce 76B 76Bb
- 3334. *Pericyma squalens* Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855 Range (as codes): CY TR IR EG kut Agh Tkr Amr IR Th Elb Ahz Kh Fa Ab Mak Kc Mia Kaz Kd Lo Km Snj Bjr Chh Hz B-A Bu Dlk AF Pli TM KW Sa IQ EG11 EG61 LB Bei IL Pa JO 01 06 21 23 33 36 47 56 63 06Y 06Yb 21N 21Nb 33O 36D 36Db 47D 56F 56Fa 56Fö 56Fv 63D
- 3335. *Peridroma saucia* (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929. Range (as codes): MA DZ TN DhM Ges Abe Bsk Ktr Blid Agi BSA BtNa Tlm PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR GG Smt Bjo Lag AZ AM Cc IR Ra Mz Elb Lo Gls LB Bsa DK NO SE FI LT RU Ro Kr St MD UA BY PK Hu IN Up Bhi IL Hf Pa SY JO ZA Hrh Mzg 01 05 06 08 16 17 18 22 29 31 33 34 38 42 46 50 51 58 63 70 80 05A 06F 06Fb 16A 34Ö 38H 38Hc 58G 63D 70C 70Cb
- 3336. *Perigrapha (Anorthoa) munda* ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *#munda* [Denis & Schifferrmüller],1775 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Cc Ro Kr MD UA Lvv KG JP
- 3337. *Perigrapha (Opacographa) cilissa* Püngeler,1917** (Noctuidae) Synonym(s): *cilissa* Püngeler,1917 Range (as codes): TR IQ 07 13 23 33 42 44 51 56 58 65 13D 13Da 23I 23M 42U 51D 51Da 56F 56F1 65A 65Am 65Am2 65D 65Dlc 65E 65Eb 65F 65Fd 65Fp 65Fm 65Fu 65Fz 65K 65Kl 65Kl3 65Z
- 3338. *Perigrapha (Opacographa) rorida* (Frivaldsky,1835)** (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *sieversi* Romanoff,1885; *ganimetae* Kornosor & Lödl,1990 Range (as codes): ES FR Co Sa IT YU MK AL BG GR Cr Rd IR IQ Cc GG Tbl 01 05 06 07 09 15 16 17 21 30 31 32 33 35 43 45 46 56 62 05A 06R 06Rb 16A 21N 21Nh 30D 30Df 33A 33Ac 33G 56A 56Ac
- 3339. *Perigrapha (Opacographa) wolffi* (Hacker,1988)** (Noctuidae) Synonym(s): *wolffi* Hacker,1988 Range (as codes): TR 73 73C 73Cd

- 3340. Perigrapha (s.str.) i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966. Range (as codes): FR IT AT CZ SK HU RO YU BG GR TR RU Cc St Da TM Kp 02 06 07 15 22 25 30 32 46 51 58 60 62 65 73 15F 30B 30Bd 30Bj 46G 51D 51Da 60C 65K 65Kl 65Kl3 65Z 65L 65Le 73A 73Ab
- 3341. Periphanes (Helivictoria) victorina (Sodoffsky,1849)** (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849 Range (as codes): RO YU BG GR TR GG Cc AM RU St Da AZ Nv Ord Der 05 06 08 14 15 16 18 23 24 25 30 32 33 42 44 46 50 51 55 56 58 65 69 70 05A 06C 06Cb 06R 06Y 06Yb 14E 23I 25F 30B 30Bd 30Bh 42D 44L 44Lc 51D 55F 56F 56Fa 56Fq 58G 58N 65A 65Ai 65B 65Bo 65Bx 65D 65Dl 65Ds 65Dx 65F 65Fa 65K 65Kl 65Z 65N 65Np 65Nm 70C 70Cf
- 3342. Periphanes (Philareta) treitschkii (Frivaldszky,1835)** (Noctuidae) Synonym(s): *treitschkii* Frivaldszky,1835; *taurica* Herrich-Schäffer,1851 Range (as codes): YU MK AL BG Slv GR TR Cc RU St Da IR By Yas Kz Ab Mak LB Bsa IL Pa 04 05 06 07 08 13 25 30 31 33 36 44 46 51 56 63 65 69 73 05A 06R 06Re 25N 25Na 30B 30Bd 30Bc1 30Bf 30Bt1 30Bz 30D 30Da 30Df 31K 31Ka 51D 56F 56Fa 63E 65A 65Ac 65Ac3 65F 65Fa 69B 73A 73Ab
- 3343. Periphanes (s.str.) delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. Range (as codes): MA TN DZ BSA Sbd ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Akh Cc AM LV LT RU Ro St Ich Kyi Da Ur MD UA BY IR Fa Ss Elb Th Dam Ab Mak IQ TIH AF Hr UZ Fe KK KG TJ UZ N-A SY IL Pa 01 04 05 06 07 18 22 23 24 25 32 36 42 44 46 50 51 58 60 65 66 76 04H 04Ha 05A 36D 36Db 58N 65D 65Df 65Fz 65H 65N 65Nc 65Np 65Ns 65Nm 76B 76Bb
- 3344. Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993 Range (as codes): MA DZ Abe Ges BtNa DhM Hrh TN PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Smt Lag AZ Kir IQ Agh CY LB IL Hf Pa IR Gh Elb Clu Mz DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Ich Da MD UA Lvv BY 05 06 07 13 14 16 18 21 24 25 33 34 36 38 44 46 50 51 56 58 62 65 05A 06R 06Rb 06Y 06Yb 13G 13Gs 13Gw 16A 21L 21Lc 21N 21Nb 21Nh 25D 36D 36Db 38H 38Hc 44E 44Ei 56E 56Eh 56F 56Fa 56Fv 58G 62G 62Gb 65A 65Am 65Am4 65D 65Df 65Dv 65F 65Fp 65Fz 65N 65Nc 65L 65Lb
- 3345. Phlogophora scita (Hübner,1790)** (Noctuidae) Synonym(s): *scita* Hübner,1790 Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR RU Ro Kr St Nt Ich Ing Da AM Cc GG Lag Smt Bku Mng IR Elb Th Diz 04 08 12 16 25 30 43 45 53 60 61 75 04D 04Da 08H 16A 30B 30Be 30D 30Dt 53N
- 3346. Photodes captiuncula (Treitschke,1825)** (Noctuidae) Synonym(s): *captiuncula* Treitschke,1825; *unica* Freyer,1858; *tincta* Kane,1895; *delattini* Varga,1970 *nec* Wiltshire,1953; *kasyi* Varga,1970. Range (as codes): ES FR IT IE GB DE CH AT PL CZ SK HU RO YU BG TR GG Smt Bku Cc DK SE FI EE LV RU Kb Ing MD UA BY 08 14
- 3347. Photodes extrema (Hübner,[1809])** (Noctuidae) Synonym(s): *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982. Range (as codes): FR GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Cc St CN Ui Ku KG Tk Dj KK TeA 25
- 3348. Photodes fluxa (Hübner,[1809])** (Noctuidae) Synonym(s): *fluxa* Hübner,[1809] Range (as codes): FR Sa? Si? IT GB BE NL DE CH AT PL CZ SK HU RO BG GR Cr TR Cc DK NO SE FI EE LV LT RU Kr St Kb Kyi MD UA Lvv BY KK Ax 04 08 25 30 36 04D 04Da 08C 25T 36F
- 3349. Phylapora canescens (Duponchel,1826)** (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933. Range (as codes): PT ES Co Sa Si IT MT CH YU AL BG GR Cr Rd TR IQ IL Pa Js Hf LB JO CY IR Km Fa Shr Bu Dlk 05 07 20 44 46 56 63 05A 07A 07Ad 56E 56Eh 56F 63E
- 3350. Phyllophila melacheila (Staudinger,[1896])** (Noctuidae) Synonym(s): *melacheila* Staudinger,[1896] Range (as codes): TR 31 31M
- 3351. Phyllophila obliterata (Rambur,1833)** (Noctuidae) Synonym(s): *obliterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949. Range (as codes): ES FR Co IT DE CH AT CZ SK HU RO YU AL GR TR IR Mz Elb Th Clu RU AZ Kir GG Lag Cc Ro St Ich Da MD UA BY CN Ui Ku KG Tk Dj Aa KP KR JP 06 07
- 3352. Phytometra viridaria (Clerck,1759)** (Noctuidae) Synonym(s): *viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmanni* Stauder,1915; *lutaigira* Schawerda,1924 Range (as codes): MA DZ Hrh Ahr PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Arr AM AZ GG Smt Bjo Lag Ro Kr Nt Ich MD UA Lvv BY Sb At KG Tar CN Ui Ii KK Ik UZ Fe 04 05 07 08 11 14 16 22 25 32 33 39 42 50 54 58 59 60 65 05A 14B 14Bb 16A 65F 65Fp 65Fz 65K 65Ku 65Z
- 3353. Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933 Range (as codes): TN LB Bei Bsa IL Pa TR Cc AZ Kir Nv Ord IQ Rvw IR Fa Ke Lo Ss Kaz Mia Sse Kz Yas SY Pmy 01 07 08 13 30 31 33 42 46 47 56 65 01F 08H 13C 13Cf 30B 30Bc1 30Bh 30Bi 30Bj1 30Bt1 30Bz 30D 30Df 31K 31Ka 31Ka3 31Ka5 31Ka7 33A 33Ac 33Ad 46G 46Gf 56F 56Fi 56Fs 56Fv 56Fb 56Fc 65A 65Ai 65Am 65Am1 65D 65Dl 65Dlc 65F 65Fp 65Fz
- 3354. Plusia festucae (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949 Range (as codes): DZ Anna PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL GR TR IR Ab Mak Bzg Ar Kh Es Fa Bk Shr Dam Gh Th Elb Dam DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr Kc St Kb Nt Ich Da Kyi MD UA Lvv BY KK Ax TrA 05 06 13 33 42 49 65 05A 06F 06Fb 49F
- 3355. Plusidia cheiranthi (Tauscher,1809)** (Noctuidae) Synonym(s): *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913. Range (as codes): IT PL CZ SK RO YU BG

- TR AZ Kir Cc EE LV LT RU Ro Kr St Ich MD UA BY IR Ab Oru 12 13 25 30 65 69 76 13G 13Gf 25B 25T 30D 30Da 65Bx 65D 65Dl 65Dlc 65F 65Fa 65Fg 65Fr 65Fp 65Fz 65G 65Ge 76C
- 3356. *Polia bombycina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ Kir DK NO SE FI EE LV LT RU Ur Am CN Ui Ii Sb KK Ax KG TrA Aa UZ KuA TeA Ik Na MD UA Lvv BY JP RU Ro St Kr Kb Nt Ich Ing Da Us Vv Ask KP KR CN MN Sh Sj DsA Tk Dj Lps Ssn Ket 04 08 24 25 28 29 30 36 50 53 58 75 04I 08C 08H 25Ca 25C 25B 29A 30B 30D 30Da 36F 53N
- 3357. *Polia nebulosa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 *nec* Linn.,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803]. Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU Kr St Ro Kc Kb Nt Ich Ing Da Sb At Prj Us MD UA Lvv BY CN Ti Ii Ui MN Uli JP KP KR KG Tar KK Ik TrA DsA GG Smt Akh Cc Bjo Lag AZ Kir 08 37 43 61 75 08H 08Hc 75F 75Fb
- 3358. *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885. Range (as codes): DZ BtNa Lbs ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da Sb At MD UA BY Ur KG At Tab DsA CN Ui Ii 01 03 06 13 16 18 25 33 42 46 49 50 51 60 61 65 03E 06R 06Rb 06Y 06Yb 13G 13Gw 13Gs 16A 18F 25C 25Ca 25T 33E 42R 42Rd 49E 49Ea 50G 50Gd 60C 61K 61Kb 65D 65Ds
- 3359. *Polia serratilinea* Ochsenheimer,1816** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinker* Varga,1974. Range (as codes): FR IT BE CH AT CZ SK YU BG GR TR GG Smt Akh AZ Iag AM Cc IR Zj IR Elb Kdv Dam Mz RU Ro Kb Nt Ich Ing Da Ur KK TeA TrA TJ Pm Chr 04 21 24 25 38 58 60 65 58N 65Bx 65G 65Ge
- 3360. *Polychrysis moneta* (Fabricius,1787)** (Noctuidae) Synonym(s): *moneta* Fabricius,1787; *argyritis* Esper,1787; *napelli* De Villers,1789 Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Ro Kr Ich MD UA BY GG Smt Akh Cc TR 76 76F
- 3361. *Polymixis (Bischoffia) bischoffi* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bischoffi* Herrich-Schäffer,[1850] Range (as codes): GR Sms Ae TR SY LB Bei IQ 01 05 06 07 31 33 34 42 44 46 56 63 01K 06E 06Ea 07B 31F 42B 44F 44Fb 56F 56Fç 63E
- 3362. *Polymixis (Brandticola) dubiosa* (Brandt,1938)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1938 Range (as codes): IR Fa Th Kdj Elb Hz Ss Lo B-A TR 30 56 65 73 30B 30Bj1 30Be 30D 30Df 56F 65A 65Am 65Am4 65F 65Fa 65Fp 65Fz 73C 73Cd
- 3363. *Polymixis (Eremophysa) apothaina* (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938 Range (as codes): TR IR Hz Th Kdj Elb Km Ksh JO IQ AF Srb AZ Nv Ngm Drh Dz Cc TM Kp 36 36F 36Fb
- 3364. *Polymixis (Parabrachionycha) atossa* (Wiltshire,1941)** (Noctuidae) Synonym(s): *atossa* Wiltshire,1941; *limula* Sukhareva,1978 [ssp.]; *derrai* Hacker,1990 [ssp.]; *centralasiae* Hacker & Behounek,1990 [ssp.] Range (as codes): IR Fa TR Cc TM Kp TJ Pm Chr RU Ur 36 65 36F 36Fb 65D 65Df
- 3365. *Polymixis (Parabrachionycha) leuconota* (Frivaldsky,1841)** (Noctuidae) Synonym(s): *leuconota* Frivaldsky,1841; *leuconota* Herrich-Schäffer,[1850]; *stigmatica* Guenée,1852; *malickyi* Hacker & Fibiger,1993 Range (as codes): LY RO MK BG GR Cr Rd TR LB IL Pa Hf JO SY 05 06 07 19 30 36 45 46 50 56 58 63 64 65 70 05A 06E 06Ea 06R 06Rb 30D 30Df 36F 36Fb 56E 56Eh 58G 64F 65A 65An 65Aö 65Am 65Am4 65F 65Fm 65L 65Le 65N 65Nc 65Nc4
- 3366. *Polymixis (s.str.) ancepsoides* Poole,1989** (Noctuidae) Synonym(s): *anceps* Staudinger,1898 *nec* Stph.,1850; *ancepsoides* Poole,1989 Range (as codes): JO IL Jt Pa TR CY 31
- 3367. *Polymixis (s.str.) chrysographa* (F.Wagner,1931)** (Noctuidae) Synonym(s): *chrysographa* F.Wagner,1931 Range (as codes): TR Cc AZ Nv Ngm 07 36 42 45 58 65 70 75 36F 36Fb 42B 42Ba 42D 42Dd 58G 65Bx 65G 65Ge 65K 65Kl 65Kl3 65Z 75D
- 3368. *Polymixis (s.str.) crinomima* (Wiltshire,1946)** (Noctuidae) Synonym(s): *crinomima* Wiltshire,1946; *jabaliya* Wiltshire,1987 [ssp.]; *diluta* L.Ronkay, Z.Varga & M.Hreblay,1998 [ssp.] Range (as codes): IR Fa Km TR TM Kp OM AE 30 65 30B 30Bd 65A 65Ai 65An 65Aö 65Am 65Am4 65F 65Fe 65Fg
- 3369. *Polymixis (s.str.) csorbagabori* L.Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *csorbagabori* L.Ronkay, Varga & Hreblay,1998 Range (as codes): TR AM Cc 02 30 65 30D 65D 65Df 65F 65Fe 65K 65Kl 65Kl3 65Z
- 3370. *Polymixis (s.str.) flavicincta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#flavicincta* [Denis & Schiffermüller],1775; *dysodea* Esper,[1790]; *major* Esper,[1790] Range (as codes): MA DZ Masc Blid BtNa Abe Hrh TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE
- 3371. *Polymixis (s.str.) ivanchiki* Pekarsky,2012** (Noctuidae) Synonym(s): *ivanchiki* Pekarsky,2012 Range (as codes): LB Bei IL Pa Hf Js TR IR Km Ksh 31 56 63 65 31L 56F 56Fj 56Fb 56Fa 63E 65A 65Am 65Am4
- 3372. *Polymixis (s.str.) manisadjiani* (Staudinger,1881)** (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881 Range (as codes): TR Cc AM LB Bsa Pa IL CY 05 06 08 30 33 42 44 46 50 51 56 58 62 05A 06C 06Cb 30D 30Df 33E 50G 50Gd 56F 56Fq 56Fc 62G
- 3373. *Polymixis (s.str.) perchrysa* Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *perchrysa* Hacker & Ronkay,1992 Range (as codes): SY Bld Cc AM TR 04 25 36 65 04I 04Ib 25F 36D 65D 65Df

- 3374. *Polymixis (s.str.) philippsi* (Püngeler,1911)** (Noctuidae) Synonym(s): *philippsi* Püngeler,1911 Range (as codes): IR TM Kp Cc AZ Nv Ngm Dz TR 04 13 25 36 04I 13C 13Cf 25F 36F 36Fb
- 3375. *Polymixis (s.str.) polymita* (Linnaeus,1761)** (Noctuidae) Synonym(s): *viridiobscura* Goeze,1781; *ridens* Hübner,[1803]; *aithalodes* Dannehl,1929 Range (as codes): FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU Cc Ro 06 14
- 3376. *Polymixis (s.str.) rjabovi* (Boursin,1944)** (Noctuidae) Synonym(s): *rjabovi* Boursin,1944 Range (as codes): SY Bld Cc AZ Nv Ngm TR 01 04 36 56 73 76 01K 04I 56A 73C 73Cd
- 3377. *Polymixis (s.str.) rosinae* (Bohatsch,1910)** (Noctuidae) Synonym(s): *rosinae* Bohatsch,1910; *paradisiaca* Boursin,1944; *gilva* Sukhareva,1976; *paravarga* L.Ronkay,1990; *himalaya* Hacker & Weigert,1990 Range (as codes): TR Cc AZ Nv Dz Ngm IR Elb Th Kdv Kdj TM PK Bt Bbu 02 06 25 65 76 02F 02Fz 06Y 06Yb 25D 65K 65Kl 65Kl3 65Z 76D 76Da
- 3378. *Polymixis (s.str.) rufocincta* (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. Range (as codes): FR Sa Si IT CH AT HU RO YU AL BG GR Cr Rd TR Cc AZ Kir CY LB Bsa IL Pa Hf JO IR Fa RU Kr Nt Da Kap 01 05 06 08 13 31 44 46 56 58 62 65 05A 06E 06Ea 06R 06Rb 06Rq 06Y 13C 13Cd 13Cf 31K 31Ka 31Ka5 31L 56E 56Eh 56F 56Fa 56Fv 56Fç 58G 65A 65Ap 65Ai 65Aö 65An 65Am 65Am4 65D 65Dh
- 3379. *Polymixis (s.str.) serpentina* (Treitschke,1825)** (Noctuidae) Synonym(s): *serpentina* Treitschke,1825 Range (as codes): IT SS HV YU AL BG GR Cr Rd TR 01 05 06 07 33 46 01C 05A
- 3380. *Polymixis (s.str.) xanthomista* (Hübner,[1819])** (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929 Range (as codes): MA DZ Sbd PT ES FR Sa? Si IT IE GB DE CH AT PL CZ SK HU RO BG GR Rd TR Cc 75 75F 75Fb
- 3381. *Polymixis aphrodite* Fibiger,1997** (Noctuidae) Synonym(s): *aphrodite* Fibiger,1997 Range (as codes): TR CY SY? Hal?
- 3382. *Polyphaenis monophaeenis* Brandt,1938** (Noctuidae) Synonym(s): *monophaeenis* Brandt,1938; *#unicoloris* Brandt,1938. Range (as codes): IR By Fa Km Kd Snj Mrv Lo Mia TR 30 65 30B 30Ba 30Bf 65D 65Ds
- 3383. *Polyphaenis propinqua* Staudinger,[1896]** (Noctuidae) Synonym(s): *propinqua* Staudinger,[1896] Range (as codes): TR LB Bsa Bei IL Pa SY JO 01 31 46 31M
- 3384. *Polyphaenis viridis* (De Villiers,1789)** (Noctuidae) Synonym(s): *sericata* Esper,[1787] (preocc.); *viridis* De Villiers,1789. Range (as codes): PT ES Mu FR Si IT DE CH AT PL SK HU RO YU AL BG GR Cr TR Cc AM IL Pa RU Kr MD UA BY 05 06 17 33 48 05A 06R 06Rb
- 3385. *Polypogon grisealis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 *nec* Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Kr St Kb Kc Nt Ich MD UA Lvv BY 14 53 55 61 61K 61Ka
- 3386. *Polypogon lunalis* (Scopoli,1763)** (Noctuidae) Synonym(s): *lunalis* Scopoli,1763 Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR IR GlS DK NO SE FI LV LT RU Cc Ro Kr St Nt Ich Da MD UA BY 08 52
- 3387. *Polypogon nigricaria* (Osthelder,1933)** (Noctuidae) Synonym(s): *nigricaria* Osthelder,1933 Range (as codes): TR Cc 01 08 13 30 36 46 56 73 13C 13Cf 30B 30Be 30Bh 30Bg 30Bj 46B 46G 46Gf 56A 56Aa 73A 73Ab 73C 73Cd
- 3388. *Polypogon plumigeralis* (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829. Range (as codes): DZ Clo Agi Hrh Dzc DhM TN BSA Blid Abe Sbd PT ES FR Co Sa Si IT MT GB CH AT PL RO YU AL BG GR Cr TR LB IL Pa SY IR AF RU Cc AZ Nv Ord Kc Kr Da MD UA BY 01 05 07 08 16 30 31 33 41 46 48 05A 07B 16A 30B 30Bç 30Bz 31K 31Ka 31Ka3 33G 48L
- 3389. *Polypogon proxima* (Christoph,1893)** (Noctuidae) Synonym(s): *proxima* Christoph,1893 Range (as codes): TR Cc AZ Nv Ord IR Fa Shr IQ 13 30 46 47 56 13C 30B 30Bj 56F 56F1 56Fy
- 3390. *Polypogon schwingenschussi* (Wagner,1937)** (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937. Range (as codes): IR Th Elb Kdj Fa Kaz Mia Kz Yas Skh Lo By TR 30 56 65 73 30D 30Df 56F 56F1 56Fa 56Fv 56Fs 65A 65Am 65Am4 65D 65Dx
- 3391. *Polypogon strigilata* (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr St Kb MD UA Lvv BY 06 16 25 16A
- 3392. *Polypogon tarsicrinalis* (Knoch,1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809 Range (as codes): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Mz Clu DK SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr Kb Nt Ich MD UA Lvv BY 16 34 46 52 53 61 16A 34A 46G 46Gf 61K 61Ka
- 3393. *Polypogon tarsipennalis* (Treitschke,1835)** (Noctuidae) Synonym(s): *tarsipennalis* Treitschke,1835 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Kr Kb Nt Ich Ing Da MD UA Lvv BY 14 53 75 75F 75Fb

- 3394. Polypogon tentacularia (Linnaeus,1758)** (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758
Range (as codes): ES FR Co Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr St Kc Ich Ing Da MD UA Lvv BY 16 75 16A
- 3395. Polypogon tenuialis (Rebel,1899)** (Noctuidae) Synonym(s): *tenuialis* Rebel,1899 Range (as codes): FR IT DE CH AT HU RO YU BG TR UA Lvv 52
- 3396. Polypogon zelleralis (Wocke,1850)** (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851. Range (as codes): ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc RU MD UA BY 08 16 42 53 73 08C 08H 16A 53N 73C 73Cd
- 3397. Powellinia boetica (Boisduval,[1837])** (Noctuidae) Synonym(s): *boetica* Boisduval,[1837]; *noctambulatrix* Chrétien,1911; *orana* Oberthür,1912 (preocc.); *mateui* Rungs,1952; *variata* Rungs,1952 (preocc.)
Range (as codes): MA DZ Sbd Eba Orn TN Gf ES IQ Agh Mj Qg Kbl IR Fa Cc GG TR
- 3398. Powellinia carthalina (Christoph,1893)** (Noctuidae) Synonym(s): *carthalina* Christoph,1893
Range (as codes): Cc GG AM TR 04 06 18 25 28 36 51 60 65 04D 04Da 06R 06Rh 18F 25A 25C 25Ca 25T 28D 28Db 36D 36F 36Fb 60C 65Bx 65G 65Ge
- 3399. Powellinia lasserrei (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserrei* Oberthür,1881; *sabura* Mabil,1888; *ptolemaidea* Turati,1924 Range (as codes): MA DZ Mage Sbd Ges Btna Afl Tun Gab TN Gf Cn ES MT DZ TN LY EG TR IL Hf Pa LB SY Hal CY JO IQ Agh Bgd Kq TM Kp IR Kz 33 46 47 56 63 56E 56Eh 63E 63L
- 3400. Praestilbia armeniaca Staudinger,1892** (Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936 Range (as codes): MK HV AL BG GR TR LB Ale 05 06 05A 06C 06Cb
- 3401. Protexarnis confinis (Staudinger,1881)** (Noctuidae) Synonym(s): *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964. Range (as codes): KG DsA TR Cc CN Ts Kno Ui Kml 04 36 46 65 76? 04D 04Da 65G 65Gj 76B? 76Bb?
- 3402. Protexarnis opisoleuca (Staudinger,1881)** (Noctuidae) Synonym(s): *opisoleuca* Staudinger,1881; *inermis* Corti & Draudt,1933. Range (as codes): IR Kh KuB TR Cc 04 12 25 36 42 58 69 04D 04Da 25C 25Ca 42B 58G
- 3403. Protexarnis squalidiformis (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *squalidiformis* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933. Range (as codes): TR 05 38 42 46 58 05A
- 3404. Protodeltote pygarga (Hufnagel,1766)** (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR IR Gh Elb Mz Th TR GG Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr Kc St Nt Ich Ing Da MD UA Lvv BY 14 28 34 41 52 53 55 34A
- 3405. Proxenus hospes (Freyer,[1831])** (Noctuidae) Synonym(s): *hospes* Freyer,[1831] Range (as codes): PT ES Mu FR Co Sa Si IT GB DE CH AT AL BG GR Cr TR DK IR Gh Mz RU Cc Kr 48 52 53 60
- 3406. Pseudenargia deleta (Osthelder,1933)** (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938. Range (as codes): TR Cc IQ LB IL Pa IR Elb Th Fa Sse Shr 01 04 13 23 30 36 44 46 56 58 62 63 65 73 04D 04Da 13C 13Cf 13D 13Da 30B 30Bh 30Bj 30D 30Df 36F 36Fb 38G 44E 44Ei 44F 44Fb 44I 44Ic 56F 56Fb 63B 65A 65Am 65Am4 65D 65Df 65F 65Fa 65F1 65Fm 65Fp 65Fz 65Fš 65K 65Ku 65Z 65N 65Np 65Np7 65Nm 73C 73Cd
- 3407. Pseudenargia regina (Staudinger,1892)** (Noctuidae) Synonym(s): *regina* Staudinger,1892 Range (as codes): DZ DhM TN TR Cc LB IL Pa JO IQ Brs Ry Rwz Dia 01 03 05 06 08 13 18 31 33 36 42 46 50 51 58 62 65 05A 13D 13Da 50G 50Gd
- 3408. Pseudeustrotia candidula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789 Range (as codes): IT DE CH AT PL CZ SK HU RO YU BG GR GG AZ AM Cc TR DK SE FI EE LV LT RU Ro Kr Kb St Kc Nt Ich Ing MD UA Lvv BY 06 16 33 58 16A
- 3409. Pseudeustrotia deceptor (Scopoli,1763)** (Noctuidae) Synonym(s): *deceptor* Scopoli,1763; *tineodes* Hufnagel,1766; *atratura* [Denis & Schiffermüller],1775 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE RU Cc Ro MD UA BY 06
- 3410. Pseudoluperina pozzii (Curo,1883)** (Noctuidae) Synonym(s): *pozzii* Curo,1883; *standfussi* Wiskott,1884; *nicaeensis* Culot,1913; *kozhanthshikovi* Püngeler,1914; *amplificata* Hacker,1990 Range (as codes): FR IT DE CH AT HU YU RO TM TR KG 11 58 61 65 71 65F 65Fa
- 3411. Pseudohadena (s.str.) impedita (Christoph,1887)** (Noctuidae) Synonym(s): *impedita* Christoph,1887 Range (as codes): TM Kp TR Cc IR Fa Shr Se Ss 76 76C
- 3412. Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) Synonym(s): *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* W.Warren,1913. Range (as codes): NO DK SE FI EE LT PL CZ SK DE NL GB IE BE LU FR ES PT Sa Si IT CH AT HU YU RO BG AL GR TR CY RU UA Lvv Cc GG Smt Bjo Lag Ro Kr Kb Da Nt IR GlS 01 06 14 28 30 34 37 39 42 43 53 61 66 06R 06Rb 30D 30Df 34A
- 3413. Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bipartita* Herrich-Schäffer,1850 Range (as codes): TN Sfx SD SO PT ES An Mu FR Co Sa Si IT MT GR BG TR IR Hz B-A 07 31 07C 31K 31Ka
- 3414. Pyrocleptria cora (Eversmann,1837)** (Noctuidae) Synonym(s): *cora* Eversmann,1837 Range (as codes): RO BG RU Ur Cc TR 36 36F

- 3415. *Pyrrhia umbra* (Hufnagel,1766)** (Noctuidae) Synonym(s): *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölztermann,1902. Range (as codes): ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Elb Th DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Da MD UA Lv BY KG Tk Dj KK TeA Ik 05 06 13 14 24 25 30 33 36 52 61 69 75 76 13B 14B 14Bb 30D 30Da 36D 36Db 75F 75Fb 76A 76Ac
- 3416. *Recophora beata* (Staudinger,1892)** (Noctuidae) Synonym(s): *beata* Staudinger,1892 Range (as codes): TR IR Ab Oru Fa Km Ab IQ IL Pa SY Dms 01 06 13 21 23 24 30 42 44 56 63 65 73 01K 13C 13Cf 13F 13F7 13F71 21N 21Nh 23I 24L 30B 30Bd 30Bc1 30Bc 30Bz 30Bd 30Be 30Bf 30Bj 30Bi 30D 30Da 30Df 44L 44Lc 56F 56Fa 56Fv 56Fq 56Fb 56Fi 65A 65At 65At5 65D 65Dh 73C 73Cd 73D 73Da
- 3417. *Recophora hreblayi* Hacker & L.Ronkay,2002** (Noctuidae) Synonym(s): *hreblayi* Hacker & L.Ronkay,2002 Range (as codes): TR IR Km Kd Snj Sah Ab 23 30 73 23I 30B 30Bd 30Be 30Bj 73C 73Cd
- 3418. *Rhiza* (Graphantha) *laciniosa* (Christoph,1887)** (Noctuidae) Synonym(s): *laciniosa* Christoph,1887 Range (as codes): TM Kp Ger IR Ke Kh AF KK Ik TeA TR Cc KG Tk Dj 07 23 25 30 36 38 42 44 56 25C 30B 30Bt1 30Bz 30D 30Da 36D 36F 36Fb 42B 56F 56Fm
- 3419. *Rhiza* (s.str.) *commoda* Staudinger,1889** (Noctuidae) Synonym(s): *indigna* auct. nec Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893 Range (as codes): ES TR KK Ik Cc AZ Nv Ord CN Ui Au Ga IL Pa JO IR Kh AF PK Hu Gg 06
- 3420. *Rhizedra lutosa* (Hübner,[1803])** (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]; *crassicornis* Haworth,1809; *pilicornis* Haworth,1812; *vectis* Curtis,1833; *bathyerga* Boie,1835; *?pallidipennis* W.Warren,1911 Range (as codes): ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cc IQ TR DK NO SE FI EE LV LT RU Cc Ro Ich Da Sb MD UA Lv BY KK Ik TM Kp CN Ui Kun MN KP KR JP 06 56 65 06Y 06Yb 56E 56Eh 65N 65Nc
- 3421. *Rhyacia* (Anchorhyacia) *psammia* (Püngeler,1906)** (Noctuidae) Synonym(s): *psammia* Püngeler,1906 Range (as codes): GR TR AM Eri Cc RU Ich Ing Da TM Kp IR Zj Fa Mz Lo Elb Th Dam Ss LB Bsa IQ KK Ik CN Ui Kl Au PK 04 12 25 38 42 46 50 51 58 65 66 04D 04Da 12A 12Aa 25T 42D 65Bx 65G 65Ge
- 3422. *Rhyacia* (Epipsilia) *cervantes* (Reisser,1935)** (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *#gyulaipetri* Varga,1975 Range (as codes): DZ MA ES Si YU BG GR TR IR Elb Th 01 14 30 42 65 14I 30D 30Da 42B 65Bx 65G 65Ge
- 3423. *Rhyacia* (Epipsilia) *latens* (Hübner,[1809])** (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929. Range (as codes): ES Si? IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc RU Nt MD UA BY IR Mz Se 01 08 14 25 30 38 42 51 65
- 3424. *Rhyacia* (s.str.) *arenacea* (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929. Range (as codes): BG RU Ing Kyi Sb UA Cm AM GG Tbl UZ TM Kp CY TR PK Qu Bl IR Mz Fa Shr Ke Ss Elb Th Kdj Kh AF Hr Gbh Pag Bm Cc AZ Kir Kp TM UZ N-A KK TrA Ik Fe CN Ui Li Ch LB Bsa IL Pa HF JO 06 18 25 32 33 36 38 50 51 58 66 68 06R 06Y 18F 25C 25F 32F 36D 36Db 38Ca 58G 68H
- 3425. *Rhyacia* (s.str.) *helvetina* (Boisduval,1833)** (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836 Range (as codes): MA ES FR IT DE CH AT GR TR IR Fa Mz Elb Th RU Da Cc KG Tk Dj Ii 04 25 27 33 36 38 42 51 58 65 68 04D 04Da 25C 25Ca 27B 42B 65Bx 65G 65Ge
- 3426. *Rhyacia* (s.str.) *lucipeta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775. Range (as codes): DZ Blid ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Zj Elb Th Ab Dam IQ RU St Nt MD UA BY 06 08 25 36 38 44 46 49 50 53 56 58 60 63 64 65 66 44E 44Eh 53N 56F 56Fm 56Fv 58G 58N 65A 65Ai 65Bx 65F 65Fa 65F 65Fp 65Fz 65G 65Ge 65N 65Np8 65Nm
- 3427. *Rhyacia* (s.str.) *simulans* (Hufnagel,1766)** (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914 Range (as codes): DZ Ges MA TN PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR GG Tbl AZ Kir AM Cc TR Arr LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da Sb At To MD UA BY UZ Fe KK Ik CN Ui Ii 01 04 06 17 22 33 46 50 58 65 76 01K 06R 06Rq 33G 58G 65A 65Am 65Am3 65N 65Np6 65Nm
- 3428. *Rhyagla lacernaria* (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842 Range (as codes): DZ ES Mu FR IT YU AL BG GR Cr TR GG Cc AM AZ Nv Ord IR Es Fa Kaz Kz Yas Kd Kh Elb Th IQ TIH CY LB IL Pa JO 02 03 05 06 07 13 20 21 27 42 44 45 46 47 50 51 56 63 65 70 02F 02Fe 02Fz 05A 07A 21N 21Nh 27D 27Dd 44L 44Lc 47D 56F 56Fb 63D 65G 65Gb 65Gf 65Gy 65K 65Kl 65Kl1 65Z 70C 70Ce
- 3429. *Rileyiana fovea* (Treitschke,1825)** (Noctuidae) Synonym(s): *fovea* Treitschke,1825 Range (as codes): IT? AT SK HU RO YU BG GR TR 06 30 62 06C 06Cb 06R 06Ra 30D 30Df 62G 62Gb
- 3430. *Rivula sericealis* (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leeana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* De Villiers,1789; *distincta* Rothschild,1920 Range (as codes): DZ Clo Hmk Agi Abe Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Tbl Smt Bjo Lag Der Cc IQ Amr DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Da MD UA Lv BY CN Ui Ku Kun IR Elb Mz Gh 08 28 52 53 55 57 63
- 3431. *Rivula tanitalis* Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912 Range (as codes): MA DZ Cr TR CY GR IR Fa Kaz Kd Snj Km Ss SA YE EG EGo5 IQ Kq Agh BH LB IL Pa 63
- 3432. *Saragossa siccanorum* (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870 Range (as codes): RO UA RU Cc Ro Kyi Da Sr TR IL Pa LB TM Kp IQ Agh IR Es Ke AF MN CN 06

- 3433. *Schinia cardui* (Hübner,1790)** (Noctuidae) Synonym(s): *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933. Range (as codes): ES FR IT DE CH AT CZ SK HU RO YU AL BG TR AZ Kir Cc RU Ro 06 08 13 21 36 58 62 06K 06Kc 08H 13A 13Ae 13Ax
- 3434. *Schinia cognata* (Freyer,[1833])** (Noctuidae) Synonym(s): *cognata* Freyer,[1833] Range (as codes): IT? AT CZ SK HU RO YU BG GR TR Cc RU MD UA BY 05 35 36 50 05A
- 3435. *Schinia imperialis* (Staudinger,1871)** (Noctuidae) Synonym(s): *imperialis* Staudinger,1871 Range (as codes): RU Kr Kc Kb Nt Da Kus Cc GG Smt Bku Mng AM TR 08 36 75 08H 08Hb 75F 75Fj
- 3436. *Schinia purpurascens* (Tauscher,1809)** (Noctuidae) Synonym(s): *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842 Range (as codes): RU Sr Ur TR Cc GG Smt Akh Aba CN Ts Kno 05 25 29 36 61 69 75 05A 36F 61K 69B 69Ba
- 3437. *Schinia scutosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878 Range (as codes): MA DZ TN EG ES FR IT MT IE GB NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG AM AZ Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Kyi Sb At Us MD UA BY KK TrA T-A KG Tk Aa UZ N-A CN Ui Ku Kgs Ch IN Gs Dra Kul Pj Rw KP KR US Mon Col Kan AF PK IR Lvv Mz Gls Elb Ab Mak IL Pa Sn JP Tbl Smt Bjo Kir Der BSa Ges 03 08 14 28 32 46 50 28L
- 3438. *Schranksia balneorum* (Alpheraky,1880)** (Noctuidae) Synonym(s): *balneorum* Alpheraky,1880; *bosporella* Budashkin & Kljuchko,1990 Range (as codes): Cm Cc Ur TR AM AZ GG RU IQ Agh TM Kp
- 3439. *Schranksia costaestrigalis* (Stephens,1834)** (Noctuidae) Synonym(s): *costaestrigalis* Stephens,1834; *hartigi* Berio,1991. Range (as codes): Cn MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU Cc St Kr Kc Ich MD UA BY LB GG Smt Bjo Lag YE LB JO JP AU NZ NF 34
- 3440. *Schranksia taenialis* (Hübner,[1809])** (Noctuidae) Synonym(s): *taenialis* Hübner,[1809]; *albistrigatis* Haworth,[1809] Range (as codes): Cn FR Sa Si GB BE NL DE CH AT PL CZ SK HU RO YU BG TR Cc AM AZ IR Gls DK SE LV LT RU MD UA BY IL Pa 14 28 52 53
- 3441. *Scoliopteryx libatrix* (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricus* Haworth,1809 Range (as codes): MA DZ Abe TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ Kir Cc IQ LB BSa Bei DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Sb MD UA Lvv BY KK Ax IR Elb Mz CN KP KR JP TW 05 08 13 16 30 34 38 56 61 65 05A 16A 30D 30Da 30Dt 56F 56Fq 56Fö 61K
- 3442. *Scotochrosta pulla* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller],1775 Range (as codes): ES FR Si IT DE CH AT CZ SK HU RO YU BG GR Cr TR RU Cc Kr MD UA BY 06 13 24 25 30 42 56 62 06C 06Cb 06O 06R 06Rb 06Rq 13C 13Cf 25F 30D 30Df 56E 56Eh 56F 56Fa 56Fv 56Fç 62G 62Gb
- 3443. *Scythocentropus inquinatus* (Mabille,1888)** (Noctuidae) Synonym(s): *inquinata* Mabille,1888; *mercedes* Pinker,1974 Range (as codes): Cn MR MA DZ Ajj Ges Bsk Gf TN Gab LY MT TN IQ Agh Bgd IR Hz Lo PK ?IN IL Pa SY JO EG Sn TR?
- 3444. *Scythocentropus misella* (Püngeler,1907)** (Noctuidae) Synonym(s): *misella* Püngeler,1907 Range (as codes): TR CN Ui Ku RU Ur Cc AM Eri AZ Nv Dz Da Kap PK Gg 06 36 50 06Y 06Yb 50G 50Gd
- 3445. *Sesamia cretica* Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857; *cyrnaea* Mabille,1866; *fraterna* Moore,1882; *striata* Staudinger,1888; *pecki* Tams,1938 Range (as codes): Cn MR MA DZ Abe Prr Sbd DhM TN LY EG ES FR Co Sa Si IT MT DE YU AL BG GR Cr TR IR Mz Hz B-A Ss Fa Elb Mz Th Kdj RU Cc Ro Kr Nt Ich Ing Da AF Srb EG Sn SA IL Hf Pa LB JO SY IQ Bgd Agh SD ET SO TM UZ IN Hp ZA 02 07 20 23 31 33 35 46 48 56 63 56F 56Fö 56Fç 56Fa 56Fb
- 3446. *Sesamia lacteola* (Christoph,1893)** (Noctuidae) Synonym(s): *lacteola* Christoph,1893 Range (as codes): TR Cc 76 76C
- 3447. *Sesamia nonagrioides* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *vuteria sensu auct nec Stl.*; *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898. Range (as codes): Az Md Cn MR MA DZ Abe Blid Sbd Clo TN LY EG PT ES Mu FR Co Sa Si IT MT AT YU AL BG GR Cr TR IL Pa YE SO ZA 01 07 33 01C
- 3448. *Setoctena dentula* (Lederer,1869)** (Noctuidae) Synonym(s): *dentula* Lederer,1869; *angulifera* Moore,1881; *innubila* Swinhoe,1886 Range (as codes): JO Amm TR IR Mz Gls Th Elb Gor Ss Kuh TM AF PK IN Mhw IQ Amr Akr Sbn 02 47 56 63 02F 47D 56F 56F1 63D 63E
- 3449. *Shargacucullia* (Prenanthcucullia) *armena* G.Ronkay & L.Ronkay,1986** (Noctuidae) Synonym(s): *armena* G.Ronkay & L.Ronkay,1986 Range (as codes): Cc AM TR 04 24 65 24B 65F 65Fa
- 3450. *Shargacucullia* (Prenanthcucullia) *prenanthis* (Boisduval,1840)** (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844. Range (as codes): FR IT DE CH AT PL CZ SK HU RO YU BG TR LB IR Gls RU Cc Kr Kc St Nt MD UA AM Eri TM Kp 06 08 18 26 06R 08A
- 3451. *Shargacucullia* (Verbascullia) *verbasci* (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758 Range (as codes): PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Smt Bjo AZ Nv Ord AM Cc CY LB SY DK SE LV LT RU Ro Kr St MD UA BY IQ IR Agh Fa Gor Elb Th Dam Kh AF TM Kp MA DZ Ght BSa Ktr Khh Hrh Agi Btma Hmk Ahr Afl TN LY Cy IL Pa JO UZ KG Aa TJ Pm KK 04 05 06 07 09 13 15 16 17 18 20 21 31 33 35 44 45 46 50 56 58 65 05A 13F 16A 21L 21Lf 44A 44Ab 46F 46Fg 56F 56Fa 58G 65E 65Eb 65N 65Np1 65Nm

- 3452. *Shargacucullia* (s.str.) *barthae* Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933; *kurthuberi* G.Ronkay, L.Ronkay, P.Gyulai,2011 Range (as codes): TR Cc LB Bsa Bei IL Pa Hf CY IQ IR Elb SY JO AM AZ 04 06 08 12 13 18 21 25 32 33 42 46 47 50 60 65 12E 12Eb 13G 21N 21Nh 46G 65K 65Kp 65N 65Nc 65Np 65Nm
- 3453. *Shargacucullia* (s.str.) *blattariae* (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]; *minogenica* Rebel,1916; *eugeniae* Beck,1989 Range (as codes): DZ Sbd Si? IT AT PL HU RO HV YU AL BG GR Cr TR RU AZ Nv Ord Cc Nt MD UA BY IL Pa Hf JO 05 21 33 45 47 70 05A 47D 70C 70Ce
- 3454. *Shargacucullia* (s.str.) *gozmanyi* G.Ronkay & L.Ronkay,1994** (Noctuidae) Synonym(s): *gozmanyi* G.Ronkay & L.Ronkay,1994 Range (as codes): AT DE SS HV SK HU RO BG TR 39
- 3455. *Shargacucullia* (s.str.) *kurthuberi* G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *kurthuberi* G.Ronkay, L.Ronkay & Gyulai,2011 Range (as codes): TR 12 13 12E 12Eb 13G 13Ge
- 3456. *Shargacucullia* (s.str.) *lychnitis* (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833 Range (as codes): LY ES Mu FR Co Sa Si IT MT GB BE DE CH AT PL CZ SK HU RO YU BG GR TR LB Bei Bsa Zah DK SE FI EE LT RU Cc Ro Kr St Kc Nt Ich Ing Da MD UA BY IQ IL Pa AZ Cc SY Dms IR Ab Kd Lo Yz Fa Km TM Kp 04 05 06 12 13 14 18 21 24 25 30 35 38 45 56 58 65 70 04D 04Da 04I 05A 06Y 12A 12Ab 13G 13Ge 21K 30D 38C 38Ca 38H 56F 56Fm 58G 65D 65F 65Fa 65Fe 65N 65Nb 70C 70Cb
- 3457. *Shargacucullia* (s.str.) *osthelderi* Boursin,1933** (Noctuidae) Synonym(s): *osthelderi* Boursin,1933 Range (as codes): TR 05 46 46G
- 3458. *Shargacucullia* (s.str.) *scrophulariae* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Bjo Lag AZ Kir AM Cc DK SE EE LV LT RU Ro Kr Ich MD UA BY 05 22 46 05A
- 3459. *Shargacucullia* (s.str.) *strigicosta* Boursin,1940** (Noctuidae) Synonym(s): *strigicosta* Boursin,1940 Range (as codes): EG Sn IL Pa IQ Bgd Jd IR Elb Th Kdj Fa Kh Hz B-A RU Cc Da Kus Ich Ceo TR
- 3460. *Shargacucullia* (s.str.) *thapsiphaga* (Treitschke,1826)** (Noctuidae) Synonym(s): *lanceolata* De Villers,1789; *thapsiphaga* Treitschke,1826 Range (as codes): DZ BtNa Hrh ES FR Co Sa Si IT MT CH AT PL CZ SK HU RO YU BG GR TR RU Cc Da AZ AM GG Tbl Lag Cc St Kb Kc MD UA BY IR Ke Fa CN Ui CY LB Bsa Bei Zah TM Kp IQ 01 04 05 06 13 18 25 33 42 46 47 50 51 58 60 65 66 01H 05A 13C 13Cm 47D 65F 65Fa 65N 65Np2 65Nm
- 3461. *Sideridis* (Aneda) *rivularis* (Fabricius,1775)** (Noctuidae) Synonym(s): *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845. Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Lag Smt Bjo AM Cc IQ DK NO SE FI EE LV LT RU Ro St Kb Nt Ich Ing Da Am Prj Us MD UA Lvv BY KG TJ KK Ik Ax TrA UZ CN JP TW 04 08 09 13 14 18 23 24 28 30 36 42 49 50 55 61 65 73 75 08H 08Hc 13B 13A 13F 13F38 13F7 13F71 13G 13Gy 30B 30Bt1 30Bz 30D 30Df 42B 55F 61K 61Ka 65A 65Ai 65Am 65Am4 65F 65Fr 65Fm 65Fg 65Fz 65L 65Le 73A 73Ad 73Ad1 73Ad2
- 3462. *Sideridis* (Conisania) *capsivora* (Draudt,1933)** (Noctuidae) Synonym(s): *capsivora* Draudt,1933 Range (as codes): TR Cc RU Nt Ich Da IR Fa Elb Th Ha Avd TM Kp 13 18 30 36 65 73 13G 13Ge 18F 30B 30Bg 30D 30Da 65Bx 65F 65Fe 65G 65Ge 73C 73Cd
- 3463. *Sideridis* (Dianthivora) *implexa* (Hübner,[1809])** (Noctuidae) Synonym(s): *implexa* Hübner,[1809]; *fallovi* Oberthür,1876 Range (as codes): MA DZ BtNa Khh Ahr Ges Sbd Abe TN LY ES HU RO YU MK BG GR TR IL Pa Hf LB Bei Cc GG RU Ro MD UA BY 06 10 18 46 50 60
- 3464. *Sideridis* (Luteohadena) *literata* (Fischer v. Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. Range (as codes): RU MD UA BY TR TM Kp IR GlS Kh TJ PK KG Uk AF 06 69
- 3465. *Sideridis* (Luteohadena) *luteago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. Range (as codes): DZ Hrh FR AD Co Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd FI LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA Lvv BY TR IR Fa Kh Elb Th IQ LB Bsa SY GG Tbl Bjo Smt Kir Cc AZ AM KK KG 04 05 06 07 08 11 13 18 21 24 25 29 30 33 36 37 42 49 50 58 60 61 65 73 05A 11A 13A 13Ab 13Ax 13G 13Gg 13Gw 13Gs 30B 30Bt1 30Bz 30D 30Df 50G 65A 65Am2 65Am4 65An 65Ai 65B 65Bo 65Bx 65D 65Df 65Dg 65Dga 65Dh 65F 65Fç 65Fm 65Fr 65Fz 65G 65Ge 65L 65Lb 65Le 65N 65Np5 65Np6 65Nm 73A 73Ab
- 3466. *Sideridis* (s.str.) *egena* (Lederer,1853)** (Noctuidae) Synonym(s): *egena* Lederer,1853; ? *stoliczkana* Moore,1878 Range (as codes): TR KG Tk Dj KK Ik Skm TeA RU Sb UA RU Ro Nt Ing Kyi Da MN NP CN Ui Yk IR Elb Dam Th AZ Kir Cc 05 30 36 58 05A
- 3467. *Sideridis* (s.str.) *lampra* (Schawerda,1913)** (Noctuidae) Synonym(s): *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975 Range (as codes): FR IT DE CH AT CZ SK HU RO YU B-H BG GR TR Cc RU St MD UA BY IR Elb Th Diz 04 12 13 25 30 49 65 75 04I 12E 12Ea 13G 13Gs 13Gw 25A 30B 30Bg 30D 30Da 65D 65Dg 65F 65Fr
- 3468. *Sideridis* (s.str.) *turbida* (Esper,[1790])** (Noctuidae) Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813] Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc Arr GG Tbl DK NO SE FI LV LT RU Ro St Nt Ich Ing Kyi Da MD UA BY IR Elb Gh KG Tk Dj KK Na TrA 04 18 24 25 36 42 50 58 60 65 75 04I 04E 25T 36D 36F 65G 65Ge
- 3469. *Simplicia* *rectalis* (Eversmann,1842)** (Noctuidae) Synonym(s): *rectalis* Eversmann,1842 Range (as codes): IT DE CH AT PL CZ SK HU RO YU BG GR TR AZ AM GG Cc LV LT RU Ro St MD UA BY 16 16A

- 3470. *Simyra albovenosa* (Goeze,1781)** (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809. Range (as codes): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU Nsx BG GR TR DK SE FI EE LV LT RU Cc Ro St Kr Kyi MD UA Lvv BY CN Ui Khr IR Elb Gh 06 22 060
- 3471. *Simyra dentinosa* Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 Range (as codes): RO MK AL BG GR RU Ro Kr St Nt Da MD UA TR Cc GG IL Pa LB SY Dms Hal JO IQ IR Ss AF Hr TM 05 06 20 21 25 26 30 33 34 38 42 44 46 50 56 58 60 62 63 65 76 05A 21N 21Nh 30B 30Bd 38H 44L 44Lc 56A 56Ac 56F 56Fv 63B 63Ba 65D 65Df 65Dlc 65Ds 65Dt 65Dy 65F 65Fb 65Fd 65Fi 65Fm 65Fp 65Fr 65Fu 65Fz 65K 65Kl 65Kl3 65Z 65Kz 65Kg 65L 65Le 65N 65Nc 65Nm 65Np 76B 76Bb
- 3472. *Simyra nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775. Range (as codes): FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR LT RU Cc Ro Ich Da MD UA BY IR Fa Th Es Ss AF CN Ui Ti MN KG Tk Dj KK TeA TrA TM Kp UZ 05 20 50 60 05A
- 3473. *Spaelotis degeniata* (Christoph,1876)** (Noctuidae) Synonym(s): *degeniata* Christoph,1876 Range (as codes): IR Elb Shh TR Cc KG Tk UZ N-A 36 36F 36Fb
- 3474. *Spaelotis demavendi* (F.Wagner,1937)** (Noctuidae) Synonym(s): *demavendi* F.Wagner,1937 Range (as codes): IR Mz Th Elb Dam Plr Zj Fa Lo Kh KuB Ss TR Cc 04 25 36 38 65 68 69 04D 04Da 25C 25Ca 25T 38G 38Ga 65Bx 65G 65Ge
- 3475. *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933. Range (as codes): PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr AM AZ BY Cg Tbl Smt Bjo Mng Cc IR Lo Es Th Elb Dam Kh DK NO SE FI EE LV LT RU Ro St Nt Ich Ing Kyi Da MD UA BY CN Ui Chk Tek Ju AF Bark KG Tk Dj KK Ax UZ N-A 04 05 06 14 18 25 36 42 50 58 62 65 66 73 76 04D 04Da 05A 36D 58N 65Bx 65G 65Ge 73A 76C
- 3476. *Spaelotis senna* (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 Range (as codes): MA ES FR IT CH CZ MK AL BG GR TR IR Elb Mz Dam LB Bsa Cc AZ TM 04 06 18 19 24 25 30 33 42 50 51 58 65 66 04D 04Da 04I 06C 25D 25N 25Na 50G 50Gb 58G 65F 65Fp 65Fz
- 3477. *Spodoptera cilium* Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insularis* Walker,1865; *imperviatu* Walker,1865; *retrahens* Walker,1870. Range (as codes): DZ Bsk PT ES Mu FR Co Sa? Si IT MT GB BG Cr TR IL Pa Hf LB Bei Bsa IQ Bsr Amr Agh Bgd IR Km Hz CY PK Bl Txl Abb Qu Haz Cte AF Srb IN ZA Nta Kzu Est Wca Cto Ec ZW Har KE TH Bnk 09 31 33 58 09K 09Ka 31K 31Ka 33A 33Ac
- 3478. *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebghana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985. Range (as codes): MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY CY LB Bsa IQ Agh Bgd Qr Amr KW PK Bl Qu AF Hr Gbh Srb Arh Dwe Kab ZA Gau Pre Tva Nta Kzu Dbn Est ZW IL Hf Rd Pa IR TH Fa Lo By Kz Yas Ke Hz B-A Ss Ha Kh Ab Oru Mz Elb Dam Kdj Kh Gh Bu Dlk Ro St Kb Nt Ich Ing Da ET ET24 YE Ad CV Az Md Cn Hw CA US Cp Rw Ges Ktr Agi Lgt BSA Gha Gtt Omy Ogl Gle KhH Blid Sét Abe Bsk Perr Sfr Btina Hmk DhM Hrh Onç Ah Ajj 01 05 07 08 13 14 16 17 18 21 25 27 29 30 31 32 33 36 38 42 43 44 45 46 47 49 50 51 52 56 58 63 64 65 69 05A 13A 13Ab 13Ax 13B 16A 21A 21N 21Nc 30B 30Bc 30Bz 30D 30Df 33G 44I 44Ic 47D 49F 49Fb 56F 56Fb 56Fö 56Fç 56Fv 56Fc 56Fa 56Fs 56Fm 58N 63D 65A 65An 65Am 65Am2 65D 65Df 65Dg 65Fi 65Fz 65K 65Ku 65Z 65Kp 65L 65Lb 65Le 65Nc 65N 65Nc4 65Np1 65Np5 65Nm
- 3479. *Spodoptera littoralis* (Boisduval,1833)** (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911. Range (as codes): ET ET24 ZA PT ES Mu FR Co Sa Si IT MT GB NL DE CH AL GR Cr TR CY DK SE FI IQ IR Ke Bu Dlk Hz B-A IL Pa Hf YE Ad 07 31 33 48 31K 31Ka 48D
- 3480. *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucerneae* Linnaeus,1758; *dubia* Vorbrod,1911; *pallida* Schawerda,1933 Range (as codes): ES FR IT IS IE GB DE CH AT PL CZ SK RO YU AL MK BG GR TR IR Elb Kh Lo Ha Mz Es Th DK NO SE FI RU Cc Kb Da Kus MD UA BY AM AZ LB Bsa CY AF 06 13 18 25 30 44 46 58 65 06R 06Ra 06Rq 13G 13Gü 13Gw 18F 25C 25Ca 30B 30Be 30D 30Df 44E 58G 65A 65Ab 65Aba 65D 65Dg 65F 65Fp 65Fg 65Fz
- 3481. *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948. Range (as codes): FR IT? CH GR CY TR Cc AM RU Kb Nt Da IR Elb Th Mz 04 05 06 25 31 33 36 42 46 50 51 58 60 65 66 69 05A 06E 05Ea 06R 06Rq 25C 25Ca 25T 65Bx 65G 65Ge
- 3482. *Stenodrina aeschista* Boursin,1937** (Noctuidae) Synonym(s): *aeschista* Boursin,1937; *#aeshita* Poltavsky & Nekrasov,2002 Range (as codes): TR IQ IR Elb RU Cc Kb Da Der 05 05A
- 3483. *Stenoecia dos* (Freyer,[1838])** (Noctuidae) Synonym(s): *dos* Freyer,[1838] Range (as codes): YU TR 05 34 35 42 50 05A
- 3484. *Stilbina* (s.str.) *hypoanides* Staudinger,1892** (Noctuidae) Synonym(s): *hypoanides* Staudinger,1892 Range (as codes): LB Bei IL Js Hf Pa TR IQ Ry Rww Dia Brs IR Gh Elb Mz Clu Lo CY SY JO 21 46 47 56 63 21N 21Nb 56E 56Eh 56F 56Fv 56Fö 56Fb 63D 63E 63L
- 3485. *Syngrapha interrogationis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *interrogationis* Linnaeus,1758; *aurosignata* Donovan,1808 Range (as codes): ES FR IT IS IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc Ro St Kb Kc Nt Ich Da MD UA BY 08 69

- 3486. *Tarachephia hueberi* (Erschoff, 1874)** (Noctuidae) Synonym(s): *hueberi* Erschoff, 1874 Range (as codes): TR IR Ss Ahz Elb Mz Th Kdj Bu Dlk Hz B-A IQ Amr Agh AF TM Kp UZ 46
- 3487. *Tathorhynchus exsiccatus* (Lederer, 1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer, 1855; *vinctalis* Walker, [1866]; *angustiorata* Grote, 1882; *fallax* Swinhoe, 1902; *exiccata* Wiltshire, 1941; *greuteri* Koutsaftikis, 1973 Range (as codes): Cn MA DZ Ah Ajj Ges Abe Sfr Bsa Bsk PT ES FR Sa Si IT MT GB YU GR Cr TR IR Fa Hz Ss Ke Kh Elb Th Dam Mia Kaz B-A AF Hr Gbh PK Swa Sgl Cp CY IQ Bsy Kbl LB Bei Bsa IL Pa EG OM AE SA YE Ad UZ Br ZA ET ET24 Sw US Mai Col AU NF NZ AR 07 30 73 73C 73Cd
- 3488. *Teinoptera oliva* (Staudinger, [1895])** (Noctuidae) Synonym(s): *oliva* Staudinger, [1895] Range (as codes): GR TR 01 18 24 25 32 37 42 44 50 51 58 60 70 37Y 44E 44Ei 50G 50Gc 70C 70Cf
- 3489. *Teinoptera olivina* (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer, [1852] Range (as codes): ES FR IT CH YU MK AL BG GR TR Cc 01 05 06 08 18 21 24 25 32 33 36 42 50 51 58 60 05A 58N
- 3490. *Thalpophila matura* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *matura* Hufnagel, 1766; *texta* Esper, [1787]; *cytherea* Fabricius, 1794; *provincialis* Culot, 1912. Range (as codes): PT ES Mu FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Da GG Smt Bjo IR MD UA BY 17 37 40 57 61 37P
- 3491. *Tholera cespitis* (Goeze, 1781)** (Noctuidae) Synonym(s): *cespitis* [Denis & Schiffermüller], 1775; *cespitis* Goeze, 1781; *hordei* Schrank, 1801; *autumnalis* Curtis, 1827; *confinis* Stephens, 1829; *desylessi* Boisduval, 1840; *chloris* Milliere, 1883; *decolor* Sohn, 1896. Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr MD UA Lvv BY At 06 25 65 66 06C 06Cb 25C 25Ca 65B 65Bk 65Bx 65G 65Ge 66P
- 3492. *Tholera decimalis* (Poda, 1761)** (Noctuidae) Synonym(s): *decimalis* Poda, 1761; *popularis* Fabricius, 1775; *lolii* Esper, [1785]; *typicoides* Donovan, 1811; *nervosa* Zerny, 1927; *chebka* Rungs, 1940 Range (as codes): MA PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Tbl AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kc MD UA Lvv BY 06 12 13 14 21 25 49 56 65 06R 06Rl 13C 13Cf 13D 13Da 14B 14Bb 21N 21Nb 25C 25Ca 49E 49Ea 56F 56Fi 65F 65Fp 65Fm 65Fz 65G 65Gb 65N 65Np 65Np1 65Np2 65Nm
- 3493. *Tholera hilaris* (Staudinger, 1901)** (Noctuidae) Synonym(s): *hilaris* Staudinger, 1901; *gracilis* Kostrowicki, 1963 Range (as codes): TR RU Sr Ich IL Js Pa JO Cc GG AZ AM IR Kh Nys 06 36 50 58 65 69 06C 06Cb 06E 06Ea 06R 06Rq 06Y 06Yb 58G 65A 65Ai 65D 65Df 65Dh 65F 65Fp 65Fz 65L 65Le 65N 65Nb 65Np 65Np2 65Nm
- 3494. *Thria robusta* Walker, [1858]** (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker, [1858]; *fugitiva* Walker, [1858]; *opposita* Wallengren, 1865; *sennaarensis* R. Felder & Rogenhofer, 1874; *grandis* Staudinger, 1877; *terrigena* Christoph, 1877; *similata* Moore, 1883; *distincta* Rothschild, 1920; *asiria* Wiltshire, 1988; *omana* Wiltshire, 1988; *sokotrana* Wiltshire, 1988 Range (as codes): Cn MA DZ Ath Ah Ajj Abe Sfr TN PT ES LY EG Sn IL Pa LB SY JO IT MT GR CY TR IQ Agh Bgd kut Amr IR Fa Qz Elb Th Dam Mia Kaz Kd Snj Mrv Lo Km Ss Hz Mz Gls Kh B-A Ke SA As OM Sk AF PK TM Kp KK ID Ja ZA Nta Kzu Est Tva NA Dmr KE YE Ad SD ET ET24 IN LK MM Txl 07 21 23 30 31 33 47 50 56 58 63 65 73 21N 21Nh 30B 30Be 30Bj1 30D 30Da 30Df 31K 47D 47Da 56F 56Fm 58G 63E 65D 65Dh 73A 73Ab
- 3495. *Thysanoplusia* (*Daubeiplusia*) *daubei* (Boisduval, 1840)** (Noctuidae) Synonym(s): *daubei* Boisduval, 1840; *ciliaris* Walker, [1858] Range (as codes): MA DZ Bsk Abe Bdj Ktr TN Gf LY EG ES Mu FR Co Sa Si IT MT GR Cr TR AF Nu Bsg IL Pa SY Hal LB CY IR Fa Ss Hz B-A Km Kz Bu Hz Ke IQ Bgd Agh Bsr PK Abb Bbu SI Gg IN NP CN JP TW TH Cma Php GM SN ZA ZW ZR 33 33R
- 3496. *Thysanoplusia* (s.str.) *orichalcea* (Fabricius, 1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius, 1775; *chrystina* Martyn, 1797; *aurifera* Hübner, [1813]. Range (as codes): Az Md MA DZ Cn PT ES Mu FR Sa Si IT MT IE GB NL DE CH YU BG GR Cr TR CY IL Pa LB Ch KG AF Nu Bsg Srb Hr Kab Gbh ZA Tva Lpo Spb Mdk Gau Pre Jh SH KE ZW Har Nta Kzu Dbn Mv Ec Grh MU SA JP CN TW IN LK NC NZ TH Nrt Kao VN LA MY ID PG PH NP PK SA YE AU Cc IR Gh Mz Gls Th Kh Fa Hz Elb Gor Dam Thu Cn AZ Kir DJ DJ44 ET KE Mh Nsk Abe Orn Sét Agi Bina Bsk Nar 07 13 33 13C 13Cf
- 3497. *Tiliacea aurago* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller], 1775; *rutilago* [Denis & Schiffermüller], 1775; *fuscata* Esper, 1788 nec Hufn., 1766 Range (as codes): ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 01 14 01K 14B 14Bb
- 3498. *Tiliacea citrigo* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *citrigo* Linnaeus, 1758; *flavastrigata* Retzius, 1783 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Nt St Ich MD UA BY
- 3499. *Tiliacea cypreago* (Hampson, 1906)** (Noctuidae) Synonym(s): *cypreago* Hampson, 1906 Range (as codes): Si IT MK BG GR Cr CY TR IL Pa UA Cm 01 13 25 46 56 62 65 01K 13C 13Cf 25F 56F 56Fj 62G 62Gb 65F 65Fd
- 3500. *Trachea atriplicis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *atriplicis* Linnaeus, 1758 Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Lag Smt Akh Cc AZ Kir IR Gh Elb Mz DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Kyi MD UA Lvv BY KR KP JP 06 07 14 16 28 33 34 16A 280
- 3501. *Trichoplusia circumscripta* (Freyer, 1831)** (Noctuidae) Synonym(s): *circumscripta* Freyer, 1831 Range (as codes): FR Sa Si IT GR Cr TR CY LB Bsa 07 33 07B
- 3502. *Trichoplusia ni* (Hübner, [1803])** (Noctuidae) Synonym(s): *ni* Hübner, [1803]; *humilis* Walker, 1858; *extrahens* Walker, 1858; *brassicae* Riley, 1870; *echinocystidis* Strecker, 1874; *deserticola* Rothschild, 1913 Range (as codes): MA DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR

DK SE FI EE RU EG IL Hf Pa LB Bsa JO SY SA IQ Kq Agh Amr IR Fa By Yas Lo Kh Elb GG AM AZ Cc AF Bsg Nu Kab Hr Pli Srb Gbh Ca Arh Dwe PK IN KP KR CN US CA CU ZA MX Cn MD UA BY CV Wca Cto JP MG NZ Hw TH VN NP Elb Mz Th Kz Clu Dam Plr Kdj Ab Sdt Skh Kd Bne Snj B-A Hz Kaz Mia Ss Chh Ke UZ Br Ro Kr St Kb Nt Ich Ing Da DJ DJ44 Cp Tbl Smt Bjo Kir Der Hal Sbd Blid Afl Bsk Agi Hrh Sfr Perr BSA Ktr Dzc Abe Orn Gle Btina Hmk DhM Tun Mzg Onç Ah Ath 01 05 06 07 08 11 12 13 16 17 18 21 30 31 33 36 44 46 48 50 51 56 58 65 05A 06R 12E 12Ec 13F 13F38 16A 21N 21Nh 30D 30Df 31K 31Ka 31Ka3 33E 33G 36D 36Db 44L 44Lc 46G 46Gf 48L 56F 56Fv 56Fa 56Fb 56Fm 56Fç 65A 65Ai 65Am 65Am1 65At 65At5 65D 65Dd 65Dda 65DI 65Dlc 65Dv 65F 65Fa 65Fb 65Fp 65Fr 65K 65Kp 65N 65Nc

- 3503. *Trisateles emortualis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR IR Elb Mz Clu Th DK NO SE FI EE LV LT RU UA Lvv GG Lag Cc Kr Kb Nt Ich Ing 52 53 54 61 61K 61Ka
- 3504. *Tyta luctuosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* De Villers,1789 Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG AZ Len AM Cc CY IL Pa Hf LB SY JO IR Ab Oru Jal Fa Es Ha Kh Elb Mz Dam Th Ab Km Kd DK SE FI EE LV LT RU MD UA BY At KG Tks Tk Dj KK Ik TrA Osh UZ CN Ui Kun Ku Lvv AF IQ Agh Ro Kr St Kb Nt Ich Kyi Da Sdt Bjr Zj Agi Btina Hmk Abe Hrh Perr Sét Tiz Dzc DhM Rbt 01 02 04 05 06 07 08 11 13 14 16 17 18 22 23 25 30 31 32 33 34 35 36 38 42 44 46 50 51 56 58 60 61 62 63 65 66 67 69 70 71 75 76 02F 02Fe 02Fz 05A 06R 06Rd 13G 13Gy 16A 30D 30Df 31K 31Ka 33G 36D 36Db 44E 44Eh 46G 46Gf 56F 56Fç 56Fb 56F1 56Fy 58N 60G 63D 65A 65Aö 65Au 65An 65Am 65Am4 65D 65DI 65Dlc 65Dt 65Du 65Dv 65F 65Fç 65Fz 65K 65Kp 65L 65Le 65N 65Nc 65Np6 65Nm 65Kl 65Z 65M 65Mc 65Md 75F 75Fb 76A 76Ac 76B 76Bf 76Bh 76D 76Dd
- 3505. *Ulochlaena hirta* (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813] Range (as codes): DZ Mage Btina Afl FR Si IT CH RO YU BG GR RU Ro St Da Kyi MD UA TR Cc GG Smt Bjo Tbl Da Der AZ Kir SY JO IR Ab Oru Elb Th Plr GlS TM Kp 04 05 06 07 12 13 32 30 36 38 44 46 49 56 58 62 65 70 05A 06E 06Ea 06R 06Rq 06Y 06Yb 07A 12A 12Ab 13C 13Cd 13G 13G1 30D 30Dc 36D 36Db 36E 36F 36Fb 38H 38Hc 44E 44Eh 56F 56Fo 56Fa 56Fb 56Fç 58G 58Gb 58Q 65A 65Am 65Am4 65Ai 65An 65Aö 65D 65Df 65K 65Kd 65Kl 65Klo 65Kl3 65Z 65L 65Le 65N 65Nc
- 3506. *Valeria kartalea* Kuhna & Schmitz,1997** (Noctuidae) Synonym(s): *kartalea* Kuhna & Schmitz,1997; *thomaswitti* Kravchenko, Speidel, Seplyarkaya & Müller,2007; *josefmooseri* Kravchenko, Speidel, Seplyarkaya & Müller,2007 Range (as codes): TR IL Pa 07 27 56 65 07C 07Cc 27B 56A 56Ac 56F 56Fç 65D 65Dlc
- 3507. *Valeria oleagina* (Esper,[1786])** (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786]. Range (as codes): FR Sa Si IT MT DE CH AT PL CZ SK HU RO YU BG GR TR IQ LB 04 06 09 13 15 21 30 42 43 46 47 56 58 65 73 06R 06Rb 13G 13G1 21N 21Nh 30A 30Ad 30B 30D 30Df 43D 47D 56A 56F 65D 65Dlc 65F 65Fd 65Fp 65Fm 65Fu 65Fz 73A 73Ac 73C 73Cd
- 3508. *Valerietta boursini* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *boursini* De Freina & Hacker,1985 Range (as codes): TR 13 30 65 73 13C 13Cf 30B 30Bg 30D 30Da 65D 73A
- 3509. *Valerietta niphopasta* (Hampson,1906)** (Noctuidae) Synonym(s): *niphopasta* Hampson,1906 Range (as codes): TR 01 06 07 31 33 42 62 06R 31M 33R 33Rb
- 3510. *Victrix (Rasihia) boursini* (Draudt,1936)** (Noctuidae) Synonym(s): *boursini* Draudt,1936 Range (as codes): TR Cc IR 06 13 23 36 65 71 06C 06Cb 06Y 06Yb 13C 13Cf 23I 65K
- 3511. *Victrix (Rasihia) commixta* (W.Warren,1909)** (Noctuidae) Synonym(s): *commixta* W.Warren,1909 Range (as codes): AF TR 30 30D 30Du
- 3512. *Victrix (Rasihia) duelduelica* (Osthelder,1932)** (Noctuidae) Synonym(s): *duelduelica* Osthelder,1932 Range (as codes): TR 46 56 46G 46Gf 56F 56Fç 56Fm
- 3513. *Victrix (Rasihia) hackeri* Varga & Ronkay,1991** (Noctuidae) Synonym(s): *hackeri* Varga & Ronkay,1991 Range (as codes): TR Cc AM Geg 06 13 23 50 56 58 62 65 71 06Y 13C 13Cf 13G 13Gü 13Gw 23I 56F 56Fv 56Fs 56Fç 56Fa 56Fç 56Fq 56Fj 71B 71Ba
- 3514. *Victrix (Rasihia) tabora* (Staudinger,1892)** (Noctuidae) Synonym(s): *tabora* Staudinger,1892 Range (as codes): TR IQ Mos IR Fa Km Ksh Lo Com IL Pa 13 27 30 33 44 46 47 65 73 13C 13Cf 13F 13F71 27B 30D 30Df 30Dt 30B 30Bh 30Bj1 33A 33Ac 33Ad 44L 44Lb 46G 46Gf 47D 65F 65Fa 73A 73Ad 73Ad2
- 3515. *Victrix (s.str.) artaxias* Varga & Ronkay,1989** (Noctuidae) Synonym(s): *artaxias* Varga & Ronkay,1989 Range (as codes): TR Cc AM Geg 04 26 62 65 04I 26K 26Ka 62G 65F 65Fa
- 3516. *Victrix (s.str.) gracilis* (Wagner,1931)** (Noctuidae) Synonym(s): *gracilis* Wagner,1931 Range (as codes): TR 06 42 58 70 06Y 42B 58G 70A 70Ac
- 3517. *Victrix (s.str.) karsiana* Staudinger,1879** (Noctuidae) Synonym(s): *karsiana* Staudinger,1879 Range (as codes): TR Cc AM Eri Arg Svn Geg AF 04 06 08 25 36 44 75 04D 04Da 06O 06E 06Ea 06R 06Ra 06Rk 06Rq 25F 36E 75D
- 3518. *Victrix (s.str.) pinkeri* Hacker & Lödl,1989** (Noctuidae) Synonym(s): *pinker* Hacker & Lödl,1989 Range (as codes): TR 50 71
- 3519. *Xanthia (Cirrhia) gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775 Range (as codes): MA DZ Btina ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kyi MD UA Lvv BY Ch IQ Agh IR GlS 14 47 63 62G 62Gb 63L
- 3520. *Xanthia (Cirrhia) ocellaris* (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803]. Range (as codes): MA DZ Sbd PT ES FR Si IT GB BE NL LU DE CH AT

PL CZ SK HU RO YU MK BG GR TR LB SY IR Ab Oru Fa Shr Es DK SE FI RU Cc Ro Kr St Ich MD UA Lvv BY Sb TM CN
KP KR 01 06 50 58 01K 06R 06Rq 58G

- 3521. *Xanthia castanea* (Osthelder,1933)** (Noctuidae) Synonym(s): *#castanea* W.Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968 Range (as codes): RO YU BG GR Cr CY TR LB IL Pa RU UA Cm IR 05 06 07 09 11 15 31 32 33 34 43 46 58 62 05A 07C 11A 11Aa 31K 31Ka 33G 34S
- 3522. *Xanthia icteritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788]. Range (as codes): MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Ab Elb Th DK NO SE FI EE LV LT RU Ro Kr Kb St Nt Ich Ing Kyi Da MD UA Lvv BY JP 06 13 14 25 36 62 66 75 06R 06Rb 13F 14B 14Bb
- 3523. *Xanthia sulphurago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#fulvago* Clerk,1759; *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791; *#sulfurago* Poltavsky & Nekrasov,2002 Range (as codes): PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR SE RU Cc Kr Da GG Smt Bjo MD UA Cm BY
- 3524. *Xanthia togata* (Esper,1788)** (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803]. Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR AZ Kir Cc DK NO SE FI EE LV LT RU Kr Kb Nt Ich MD UA Lvv BY 14 58 62 76 14B 14Bb 76C
- 3525. *Xanthodes albago* (Fabricius,1794)** (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858. Range (as codes): MR MA DZ Agi Bsk Ktr Perr Abe Clo ET ZA Tva Gau Pre ES Mu FR Sa Si IT MT AL GR Cr TR IR IQ AF LB Bei IN TW LK CN KP KR JP AU 01
- 3526. *Xanthothrix callicore* (Staudinger,1871)** (Noctuidae) Synonym(s): *callicore* Staudinger,1871 Range (as codes): TR 05 07 33 62 05A 07O 33R 33Rb 62G
- 3527. *Xenophysa huberi* Varga,1989** (Noctuidae) Synonym(s): *huberi* Varga,1989 Range (as codes): TR 65 65Bx 65G 65Ge
- 3528. *Xenophysa junctimacula* (Christoph,1887)** (Noctuidae) Synonym(s): *junctimacula* Christoph,1887; *cacumena* Brandt,1938. Range (as codes): TR IR Fa Th Elb Kh KuB Mz AF TM Kp CN Ts Kno UZ Fe Smk 65 65Bx 65G 65Ge
- 3529. *Xestia (Megasema) ashworthii* (Doubleday,1855)** (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855 Range (as codes): ES FR Si? IT GB DE CH AT PL CZ SK RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Kb Nt Ich Ing Da MD UA BY 04 08 18 25 36 69 75 25K 36F
- 3530. *Xestia (Megasema) c-nigrum* (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972. Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc DK NO SE FI EE LV LT RU Sb MD UA BY IR Kh Gh Elb Mz Kdj KK Ax Ik UZ N-A CN Ui Ku Ga Sz T-T IN Hp Drm Kul NI SI Up Bhi Nnt Kil PK Pj Cp KP KR JP CA Nsc US Ny Ilh MX GG AZ Ro Kr St Kb Kc Nt Ich Ing Da Kyi Smt Bjo Tbl Kir Lag Swa Sgl Yek DZ Blid Agi Abe DhM Hrh Dzc TN Txl Psu Gg 05 13 28 34 33 36 50 51 56 58 60 61 65 75 05A 13F 13F38 13G 13Gü 13Gw 33E 36D 36Db 56F 56Fa 56Fb 56Fc 56Fv 56Fj 58G 61K 61Ka 65Bx 65F 65Fj 65Fr 65Fp 65Fz 65G 65Ge 65K 65Kp 65L 65Lb 65Le 65N 65Np6 65Nm 75F 75Fb
- 3531. *Xestia (Megasema) ditrapezium* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE LV LT RU Ro Kr St Nt Ich Ing Da MD UA Lvv BY IR Elb 14 16 53 61 16A
- 3532. *Xestia (Megasema) triangulum* (Hufnagel,1766)** (Noctuidae) Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790]. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU AL GR TR DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ing Da MD UA Lvv BY AM AZ GG Smt Bjo Mng Cc KK TrA Ax IR GlS 08 14 16 18 50 53 75 08H 75F 75Fa 75Fd
- 3533. *Xestia (s.str.) baja* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775 Range (as codes): PT ES Mu FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag DK SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY IR Gh Mz Elb Dam KK Skm Ax 08 14 25 34 36 37 53 56 69 75 08A 08H 08Hc 25C 34A 36E 36F 37P 53N 56F
- 3534. *Xestia (s.str.) castanea* (Esper,[1798])** (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949. Range (as codes): MA PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY LB SY JO IL Pa 01 46
- 3535. *Xestia (s.str.) cohaesa* (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849] Range (as codes): Sa Si IT RO YU BG GR Cr TR RU Cc GG Lag Ich IQ IR Elb Th Fa SY IL Pa JO CY 01 05 07 13 21 27 34 42 50 56 63 65 76 05A 13C 13Cf 34S 56A 56E 56Eh 56F 56Fb 56Fv 63E 65N 65Np 65Nm 76C
- 3536. *Xestia (s.str.) kermesina* (Mabille,1869)** (Noctuidae) Synonym(s): *kermesina* Mabille,1869; *cermesina* Hampson,1903; *grisea* Fernandez,1908; *albida* Ribbe,1912; *darroensis* Ribbe,1912; *astigmata* Rothschild,1914; *flavida* Oberthür,1918; *divitefimbriata* Oberthür,1918; *delectans* Oberthür,1918; *uclesina* Fernandez,1918; *sylvicola* Turati,1930; *#viridibrunnea* Bytinski-Salz,1937 Range (as codes): MA DZ BtNa Afl Lbs Ges TN LY PT ES FR Co Sa TR 31

- 3537. *Xestia* (s.str.) *ochreago* (Hübner,[1809])** (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909. Range (as codes): ES FR IT DE CH AT RO YU AL BG GR TR Cc GG Smt Bjo Bku Kus RU Kr St Kb Nt Ich Da 01 04 08 25 36 58 60 65 75 76 08H 25T 60C 65F 65Fr 76C
- 3538. *Xestia* (s.str.) *palaestinensis* (Kalchberg,[1898])** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,[1898] Range (as codes): GR Cr TR IL Pa Hf JO IR IQ Brs Ry Dia Rwz CY LB SY 13 17 23 33 44 45 46 56 57 63 13C 13Cf 44I 44Ic 56F 63E
- 3539. *Xestia* (s.str.) *pallidago* (Staudinger,1900)** (Noctuidae) Synonym(s): *pallidago* Staudinger,1900 Range (as codes): TR Cc IR Elb Th 01 04 08 12 25 36 46 58 60 75 04D 04Da 04I
- 3540. *Xestia* (s.str.) *rhomboidea* (Esper,[1790])** (Noctuidae) Synonym(s): *rhomboidea* Esper,[1790]; *stigmatica* Hbn.,[1813]. Range (as codes): ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA Lvv BY 14 75
- 3541. *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936 Range (as codes): RU Sr IR Fa LB IL Pa TR Cc AM 30 50 56 62 65 30D 30Df 50G 50Gd 56F 56Fq 65F 65Fç 65Fj
- 3542. *Xestia* (s.str.) *trifida* (Fischer v. Waldheim,1820)** (Noctuidae) Synonym(s): *trifida* Fischer v. Waldheim,1820. Range (as codes): PT ES Sa? RO RU Cc Ro Da Ich TR 06 42 06O 06Y 06Yb
- 3543. *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *funerea* Gauckler,1901; *trumani* Smith,1903; *praecipuina* Rothschild,1914; *almohada* F.Wagner,1918; *faroulti* Rothschild,1920; *lepida* Constantini,1922; *algorica* Corti & Draudt,1933 Range (as codes): MA DZ Ges Lbs DhM BtNa Abe Perr TN PT ES An FR Co Sa Si IT MT IE GB BE NL DE Bw CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU Mo Cc Ro Kr St Nt Ich MD UA Lvv BY IQ Agh Bgd IR Elb Kh Nys UZ Fe Tas EG Sn JO IL Hf Pa LB CA BCo US Ws Org 01 05 13 20 31 33 42 62 05A 13C 13Cf 31F
- 3544. *Xylena* *exsoleta* (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787; *impudica* Staudinger,1888; *canaria* Pinker,1969 Range (as codes): Cn Md MA DZ Sbd Blid Ges Sfr Hrh Afl TN PT ES FR Sa Si IT MT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Bjo Tbl Cc IQ IR Kh AF LB IL Js Pa He DK NO SE FI EE LV LT RU Ro Kr St Da MD UA BY CN Ti KK Ik KG Ssn Tar Lps UZ Smk Fe 01 05 06 09 13 15 25 26 33 36 45 46 50 65 66 05A 06C 06Cb 13F 25D 50G 65A 65Ai 65K 65Kl 65Z 65Ky 65Ky1 65L 65Le
- 3545. *Xylena* *lunifera* W.Warren,1910** (Noctuidae) Synonym(s): *lunifera* W.Warren,1910; *#lunigera* W.Warren,1910 Range (as codes): MA ES RO YU BG GR TR Cc SY Ltk AM 05 06 08 24 25 62 65 75 06R 06Rb 25F 62G 65D 65Dh 65Dlc 75D
- 3546. *Xylena* *vetusta* (Hübner,[1813])** (Noctuidae) Synonym(s): *vetusta* Hübner,[1813] Range (as codes): MA DZ Bsk PT ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB CY IL Pa DK NO SE FI EE LV LT RU Cc Ro Kr St MD UA Lvv BY At Sb MN CN 06 12 25 42 50 66 06C 06Cb 12E 42D 42Dd
- 3547. *Xylocampa* *mustapha* (Oberthür,1910)** (Noctuidae) Synonym(s): *mustapha* Oberthür,1910; *mustapha* Oberthür,1920 Range (as codes): DZ Cst Lbs Agi Blid Hrh Ges MA Si IT IQ TR LB IL Js Pa JO 02 06 07 09 15 16 21 23 31 32 33 35 43 46 65 06R 06Rb 16A 21N 21Nh 23I 31K 31Ka 43D 65D 65Dlc
- 3548. *Xylomoia* *apameoides* (Hacker,1989)** (Noctuidae) Synonym(s): *apameoides* Hacker,1989 Range (as codes): TR Cc IR Elb Th Kd Bne 04 30 36 04I 30D 30Da
- 3549. *Zebeeba* *falsalis* (Herrich-Schäffer,[1839])** (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,[1839]; *?dardoumula* Millière,1871 Range (as codes): DZ Hes Agi Gue Hmk Hrh Ges Abe Sbd TN PT ES Mu FR Co Sa Si IT MT YU MK AL BG GR Cr TR CY LB Bsa IL Pa Hf SY 07 33 33A 33Ak
- 3550. *Zekelita* (Ravalita) *ravalis* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941 Range (as codes): GR RU AZ Kir Cc Ich Da Der TR CY IL Pa Js LB Bei IQ Mos Dia Ry Rwz Brs Agh Amr KG KK PK Qu Sd IN Up Alh AF Hr Blh Gbh Srb Pli Bd Fz Pag Kab EG BH JO SY IR Ak Shf Fa Ss Kh Elb Gh Mz Kd Bjr Zj Ke Hz B-A TM Kp UZ Tas Fe Smk CN Ui Ga N-A ZA 01 05 06 07 08 13 18 24 25 27 30 31 33 35 42 44 46 47 50 56 58 62 65 69 70 76 05A 06R 06Y 08H 08Ha 13A 27D 27Da 30B 30Bc1 30Bç 30Bt1 30Bz 30D 30Dx 31K 31Ka 31Ka5 44E 44Eh 44Ei 50G 50Ga 56F 56Fv 56Fç 56Fö 58G 58Gb 58N 65D 65Du 65G 65Gb 65K 65Kz 65Kg 65N 65Np5 65Nm 76C
- 3551. *Zekelita* (Rhynchodontodes) *antiqualis* (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *mardinalis* Staudinger,1892; *anatolica* F.Wagner,1931; *#antiquilis* Zukowsky,1941 Range (as codes): Si IT RO YU AL BG GR Cr CY TR AM GG Lag AZ Nv Ord RU Cc Ro St Kr LB Bsa IL Pa JO IR Ab Oru Sdt Mrv Bne Km Kd Sqq AF 01 03 05 06 07 08 12 13 16 17 18 24 30 32 33 35 36 37 42 44 45 46 47 48 50 51 56 58 62 65 67 70 73 03E 05A 06R 06Rb 13F 13F38 16A 30B 30Bj1 30D 30Df 37K 42R 42Rb 44L 44Lc 47D 48L 56F 56Fa 56Fs 56Fv 65A 65Ai 65D 65Df 65Dg 65Ds 65Dv 65F 65Fr 65Fp 65Fz 70C 70Ce 73A 73Ab 73Ad 73Ad2
- 3552. *Zethes* *brandti* Janzon,1977** (Noctuidae) Synonym(s): *nemea* Brandt,1938 (p.p.); *nemea* sensu Koçak,1977; *brandti* Janzon,1977. Range (as codes): IR Fa Mia Kaz Kz Yas Ss Kuh TR PK Cls 21 27 30 56 63 65 73 21L 27D 27Da 27Db 27Dd 30B 30Bf 30D 30Df 56F 56Fg 56Fc 56Fb 56Fm 56Fs 63M 65D 65Dl 65Dlc 73A 73Ad 73Ad2 73C 73Cd
- 3553. *Zethes* *insularis* Rambur,1833** (Noctuidae) Synonym(s): *insularis* Rambur,1833 Range (as codes): MA DZ Orn Hrh Hmk Dze Ges Sfr TN LY PT ES Mu FR Co Sa Si IT YU BG GR Rd TR CY IR Fa Mia Kaz Sse Ke By Kz Yas Lo IQ Ssa LB Bei IL Pa Hf SY JO 02 05 07 10 14 16 21 22 31 33 35 42 45 48 56 63 02E 02Ec 05A 16A 21N 21Nh 31K 31Ka 31Ka3 33L 56F 56Fc 56Fv 56Fy 56Fa 56Fb

- 3554. *Zethes narghisa* Brandt, 1938** (Noctuidae) Synonym(s): *narghisa* Brandt, 1938 Range (as codes): TR IR Fa Kaz Mia Com Sse Ss Kuh PK 13 27 30 46 47 56 62 65 73 27D 27Da 27Db 30B 30Bh 30D 30Df 47D 56F 56Fo 56Fg 65D 65Dh 65Dv 73C 73Cd

Notodontidae

- 3555. *Cerura* (s.str.) *intermedia* (Teich, 1896)** (Notodontidae) Synonym(s): *intermedia* Teich, 1896 Range (as codes): Cc TR IR Ha Es Kz IQ Er Shq Bgd PK UA RU 30 76 30B 30Ba 76B 76Bb
- 3556. *Cerura* (s.str.) *vinula* (Linnaeus, 1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus, 1758; *minax* Hübner, [1803]; *teberdina* Kornejev, 1939 Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR GG Smt Bjo Mng Lag AM AZ Kir Cc TR DK NO SE FI EE LV LT RU Kb Teh MD UA Lvv BY IQ Agh IR Ab Oru Ak Shf Kh AF Nu Bsg Kab CN Ui Khr Um 01 03 06 07 12 13 15 16 18 24 25 30 31 32 33 34 35 36 42 43 45 46 49 56 58 60 62 64 65 01G 03A 03Aa 04E 04Ea 04I 06R 06Ra 06E 06Ea 07C 13G 13Gw 13Gs 18D 25F 30Bd 30Bh 30D 30Da 31A 31Aa 33F 36D 36F 42D 42J 49E 49Ea 56F 56F3 58G 58N 60C 62G 64F 65A 65Am 65Am2 65Am4 65D 65Dc 65Dj 65F 65Fg 65Fz 65N 65Np1 65Nm
- 3557. *Clostera anachoreta* (Fabricius, 1787)** (Notodontidae) Synonym(s): *#anachoreta* [Denis & Schiffermüller], 1775; *anachoreta* Fabricius, 1787; *pallida* Staudinger, 1887 *nec* Wlk., 1855; *albidior* Pfütze, 1901; *erema* Bryk, 1942; *lundquisti* Bryk, 1942; *mahatma* Bryk, 1949 Range (as codes): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY AF Pag Bm Sfk TW LK 16 16A
- 3558. *Clostera anastomosis* (Linnaeus, 1758)** (Notodontidae) Synonym(s): *anastomosis* Linnaeus, 1758; *alticaudagrisea* Retzius, 1783; *orientalis* Fixsen, 1887; *kononis* Matsumura, 1929; *insignior* Kiriakoff, 1963 Range (as codes): ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Am Us Ask MD UA Lvv BY KG Ssn CN Ui Ku Au Fkn Yu Lik Sz Ats T-T Sz 11 28 11E 28H
- 3559. *Clostera curtula* (Linnaeus, 1758)** (Notodontidae) Synonym(s): *curtula* Linnaeus, 1758; *albicaudaalba* Retzius, 1783 Range (as codes): ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Hsk GR TR Cc GG Smt Bjo Lag AZ Kir DK NO SE FI EE LV LT RU MD UA Lvv BY CN Ui Ku 06 13 16 18 26 34 36 42 43 55 60 65 71 75 06R 06Ra 06Rb 06Re 13F 13F3 13G 13Gw 13Gs 16A 18D 36D 36F 55F 60C 71C 71Cb 75F 75Fb
- 3560. *Clostera pigra* (Hufnagel, 1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel, 1766; *reclusa* [Denis & Schiffermüller], 1775; *alticaudafurcata* Retzius, 1783; *suffusa* Stephens, 1835; *superior* Rangnow, 1935; *#flavidior* Bytinski-Salz, 1936 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo AZ Kir AM Cc DK NO SE FI EE LV LT RU MD UA Lvv BY IQ CN Ui Ku 04 06 08 12 14 18 24 30 31 36 42 44 46 49 56 58 60 62 65 04E 04Ea 06R 08H 18D 30B 30Bd 30Bh 30Bg 30D 30Da 36F 42B 49E 49Ea 56F 56F3 56F1 56Fw 60C 62E 65D 65Dh
- 3561. *Dicranura ulmi* ([Denis & Schiffermüller], 1775)** (Notodontidae) Synonym(s): *#ulmi* [Denis & Schiffermüller], 1775; *discors* Fabricius, 1798; *modica* Dannehl, 1929; *istriaca* Bytinski-Salz, 1939. Range (as codes): ES FR Co Sa IT CH AT CZ SK HU RO YU AL BG GR TR Cc GG Tbl Aj IR Gls 05 06 16 17 21 32 33 38 42 43 48 65 71 05A 06R 06Ra 16A 17E 17H 26K 42B 48L 65L 65Le 65N 65Nm 65Np 71C 71Cb 71Ce 71D
- 3562. *Drymonia dodonaea* ([Denis & Schiffermüller], 1775)** (Notodontidae) Synonym(s): *#dodonaea* [Denis & Schiffermüller], 1775; *trimacula* Esper, [1785]; *lunata* De Villers, 1789; *poltawskii* Schintlmeister, 1981; *wagneri* De Freina, 1981 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE EE LV LT RU MD UA Lvv BY Cc AZ Len Kir GG Smt Bjo Lag 06 33 46 61 80 06R 06Ra 61K 80C
- 3563. *Drymonia oblitterata* (Esper, [1785])** (Notodontidae) Synonym(s): *oblitterata* Esper, [1785]; *melagona* Borkhausen, 1790; *deleta* Brahm, 1790; *esmera* De Freina, 1981 Range (as codes): ES FR IT BE NL DE CH AT PL CZ SK RO YU BG TR Cc DK 08 14 33 34 37 53 55 60 61 69 80 08F 34A 37D 53N 55E 61K 61Kb 61L 69B 69Ba 80C
- 3564. *Drymonia querna* (Fabricius, 1787)** (Notodontidae) Synonym(s): *#querna* [Denis & Schiffermüller], 1775; *querna* Fabricius, 1787; *sausalica* Daniel, 1968; *meridioitalica* Hartig, 1970; *danieli* Hartig, 1970 Range (as codes): PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR 01 02 06 07 14 17 24 32 33 37 46 73 80 01G 02H 02Ha 06R 06Rb 07B 07C 14B 17E 37C 46D 73C 73Ce 80C
- 3565. *Drymonia ruficornis* (Hufnagel, 1766)** (Notodontidae) Synonym(s): *ruficornis* Hufnagel, 1766; *confusa* Hufnagel, 1767; *chaonia* [Denis & Schiffermüller], 1775; *roboris* Fabricius, 1777; *ilicis* Fabricius, 1793; *roboreus* Haworth, 1803; *querneus* Haworth, 1803; *concolor* Daniel, 1939; *anadolua* De Freina, 1983 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Cc Len DK NO SE EE LV LT RU MD UA Lvv BY 05 06 07 10 21 30 32 33 34 42 65 71 80 05A 06A 06Aa 06R 06Ra 06Rb 10U 21N 21Nh 30D 30Df 33F 42B 42D 65D 65Dc 71C 71Ce 80B 80Bb
- 3566. *Drymonia velitaris* (Hufnagel, 1766)** (Notodontidae) Synonym(s): *velitaris* Hufnagel, 1766; *austera* [Denis & Schiffermüller], 1775; *bifasciata* De Villers, 1789 Range (as codes): PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag Mng AM 12 13 16 25 29 30 36 37 46 49 52 53 55 60 61 65 12A 12Aa 12E 13G 13Gy 16A 25D 25F 29A 30B 30Bd 36F 37C 49E 49Ea 52G 53N 55E 55H 60C 61L 65A 65Ai 65F 65Fe
- 3567. *Furcula bicuspis* (Borkhausen, 1790)** (Notodontidae) Synonym(s): *bicuspis* Borkhausen, 1790; *borealis* Boisduval, 1829; *infumata* Staudinger, 1887; *transiens* Krulikowsky, 1909 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY Krl 13 65 13G 13Gü 13Gw 65F 65Fg

- 3568. *Furcula bifida* (Brahm,1787)** (Notodontidae) Synonym(s): *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933; *beida* Rungs,1956 Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Bku Smt DK NO SE FI EE LV LT RU Ur At Cc Sj MD UA Lvv BY KG MN 04 06 07 10 13 14 15 16 17 25 29 30 36 43 50 52 53 60 61 04A 06R 06Rb 06Re 07C 10P 10U 13C 13Cf 14B 15F 16A 25F 29A 29Ab 30D 30Db 36D 36De 36F 43M 50G 50Gd 52G 53B 53M 60C 61L
- 3569. *Furcula furcula* (Linnaeus,1761)** (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV B-H MK YU AL BG GR TR DK NO SE FI EE LV LT RU GG Lag Cc MD UA Lvv BY KG AF Fz AZ Tlh Kir Len Nv AM Alg RU Da IR Elb Clu Mz Th JP Hkk KP KR CN Shs RU Sb Sj At Krl MN Am Ya Us Sh 04 06 10 12 15 14 16 17 19 25 30 32 33 35 36 37 42 48 50 53 60 61 62 67 70 71 75 04A 06A 06Aa 06H 06R 06Ra 06Rb 06Rq 10D 10K 12E 14E 14B 15F 16A 17H 19P 25B 25E 30D 30Da 33P 35C 36F 37C 48F 50G 50Ga 53M 60C 61L 62G 67F 70C 71C 71Cb 75F 75Fb
- 3570. *Furcula interrupta* (Christoph,1867)** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989. Range (as codes): TR IR Ha Cc AZ Nv Ord Kir Elb Th Kdj Tbz IQ Shq Bgd IL Pa LB Bsa Bei SY Hms CY RU Sr UZ Fe Man CN Ui Ku 01 02 05 06 07 12 15 19 24 26 30 31 33 40 42 44 46 56 60 61 62 63 65 71 01A 01B 01G 02E 06R 06Ra 06K 06Kc 07B 19C 19P 26K 31A 31Aa 31K 31Ka 33P 40G 42B 42D 56F 56Fa 56Fq 60C 61K 62G 63E 65A 65Ai 71B 71Ba
- 3571. *Harpyia milhauseri* (Fabricius,1775)** (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA Lvv BY IQ 05 06 07 10 12 13 14 21 24 30 31 33 37 42 46 48 49 53 56 60 62 64 65 66 71 73 05A 06R 06Ra 06Rb 07B 10U 12A 12Aa 13F 13F38 13G 13Gy 14B 21N 21Nh 30B 30Bg 30Bh 30D 30Df 31B 31K 31Ka 33A 33Ak 33G 33F 37P 42B 48G 48Gb 49E 49Ea 53M 53N 56A 56Ac 56F 56Fa 56Fb 56F3 56Fi 64F 65A 65Ai 65D 65Ds 65Dy 65F 65Fe 66P 71C 71Cc 71D 73C 73Ce
- 3572. *Neoharpyia pulcherrima* (Brandt,1938)** (Notodontidae) Synonym(s): *pulcherrima* Brandt,1938 Range (as codes): IR Fa TR IQ Shq PK AF Nu Srb Bsg 13 30 56 13F 30B 30Bd 30Bh 56F 56Fb
- 3573. *Notodonta derbendica* (Daniel,1965)** (Notodontidae) Synonym(s): *derbendica* Daniel,1965; *gigantea* Schintlmeister,1981 Range (as codes): TR AM GG Bku Smt Lag Cc RU Kr IR Elb Th 04 24 36 42 52 53 60 75 04D 04Db 24G 36F 53M 60C 75E
- 3574. *Notodonta dromedarius* (Linnaeus,1767)** (Notodontidae) Synonym(s): *dromedarius* Linnaeus,1767; *dromedarulus* Haworth,1803; *zebu* Donovan,1807; *perfusca* Stephens,1828; *frigida* Rangnow,1932; *westfalica* Brandt,1936; *schintlmeisteri* Witt,1980 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Tbl DK NO SE FI EE LV LT RU MD UA Lvv BY 14 28 52 53 61 69 14B 14Bb 28O 52H 52B 52G 53M 53N 61L 61N
- 3575. *Notodonta tritophus* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983. Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU MD UA Lvv BY 06 13 14 17 24 29 36 43 60 62 65 06R 06Ra 06Rh 06E 13G 13Gg 13Gs 13Gw 17E 29A 29F 36F 43M 60C 62G 65A 65Ai 65An 65B 65Bo 65Bx 65F 65Fe
- 3576. *Notodonta ziczac* (Linnaeus,1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956 Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Am MD UA Lvv BY Ju KG Aa T-S TeA KK CN Ui Kön 37
- 3577. *Paradrymonia vittata* (Staudinger,1892)** (Notodontidae) Synonym(s): *vittata* Staudinger,1892 Range (as codes): IT RO YU MK AL BG Vrn GR TR IR Gls Kh 01 07 14 30 32 33 46 73 01K 07B 07C 14B 14Bb 30B 30Bd 32A 46D 73A 73Ab 73C 73Ce
- 3578. *Peridea anceps* (Goeze,1781)** (Notodontidae) Synonym(s): *anceps* Goeze,1781; *trepida* Esper,1786; *serrata* Thunberg,1792; *tremula* Hübner,[1800]; *baetica* Zerny,1927; *agenjoi* Schawerda,1938; *mesatlantica* Rungs,1940; *albertiana* Witt,1974. Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc AM DK NO SE EE LV LT RU MD UA BY 01 06 07 31 42 46 01G 06R 06Ra 07A 07C 31B 42B
- 3579. *Peridea korbi* (Rebel,1918)** (Notodontidae) Synonym(s): *korbi* Rebel,1918 Range (as codes): RO MK BG GR TR IR IQ Shq SY Hal 01 06 07 17 30 32 33 46 48 56 60 62 64 65 01H 06R 07A 07C 17E 30B 30Bd 48G 48Gb 56A 56F 56Fa 56Fb 56Fv 56Fg 60C 62H 64F
- 3580. *Phalera bucephala* (Linnaeus,1758)** (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lunula* Retzius,1783 nec Hufn.,1766 non Strm,1768. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag DK NO SE FI EE LV LT RU MD UA Lvv BY 05 12 13 14 16 17 24 25 32 36 42 49 53 56 58 60 61 65 05A 14B 16A 17H 25A 36D 36F 49E 49Ea 53M 56F 56Fq 56Fa 58N 60C 61K 65F 65Fe
- 3581. *Phalera bucephaloides* (Ochsenheimer,1810)** (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810 Range (as codes): ES FR Co IT AT CZ SK HU RO YU AL BG GR TR IQ Shq LB Bsa IL Pa Hf 06 07 12 13 14 21 24 30 31 37 42 56 62 06R 06Ra 07B 12A 12Aa 12E 12Ec 12Ed 13F 14B 21N 21Nb 24G 30D 30Df 30Dx 31K 31Ka 37D 42D 56F 56F6 56Fb 56Fa 56Fj 56F3 56Fj 56Fç 56Fq 62E 62H
- 3582. *Pheosia tremula* (Linnaeus,1761)** (Notodontidae) Synonym(s): *#tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Bjo Smt Bku DK NO SE FI EE LV LT RU MD UA Lvv BY 01 06 13 14 16 24 33 36 43 52 55 60 69 75 80 01G 06R 06Ra 13F 13F38 14B 16A 24G 33F 33P 36F 43M 52D 55F 60C 75E

- 3583. *Pterostoma palpinum* (Linnaeus,1761)** (Notodontidae) Synonym(s): *#palpina* Clerck,1759; *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812. Range (as codes): DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag Smt Bjo AZ Kir DK NO SE FI EE LV LT RU MD UA Lvv BY 06 12 13 14 16 19 24 25 30 32 36 37 42 46 49 50 56 60 62 65 71 06R 06Ra 06Rh 12E 13C 13Cf 13F 13F38 13F7 13F71 13G 13Gw 13Gs 13Gy 16A 19P 24G 25F 30B 30Bd 30C 30Cd 30D 30Da 36D 36Db 36F 37C 42D 42R 46D 49E 49Ea 50G 50Gd 56F 56F3 56F1 60C 62H 65A 65Ai 65An 65Am 65Am4 65D 65F 65Fe 65Fp 65Fr 65Fz 65Fg 65L 65Le 65N 65Np6 65Nm 71B 71Ba
- 3584. *Ptilodon capucina* (Linnaeus,1758)** (Notodontidae) Synonym(s): *capucina* Linnaeus,1758; *camelina* Linnaeus,1758 Range (as codes): PT ES IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku DK NO SE FI EE LV LT RU Sb Am Us MD UA Lvv BY KP KR JP 42 53 69 53N
- 3585. *Ptilodon cucullina* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *cucullina* [Denis & Schiffermüller],1775; *cuculla* Esper Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Smt Lag DK EE LV LT 14 52 53 61 69 14B 14Bb 52D 53M 53N 61L
- 3586. *Ptilodon saerdabensis* (Daniel,1938)** (Notodontidae) Synonym(s): *saerdabensis* Daniel,1938; *#caerdaensis* Gutleb & Wieser,2002 Range (as codes): TR IR Elb Mz GlS 53 53M
- 3587. *Ptilophora plumigera* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#plumigera* [Denis & Schiffermüller],1775; *variegata* De Villers,1789 *nec* Sc.,1763 Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA Lvv BY TR IR GlS 04
- 3588. *Rhegmatophila alpina* (Bellier,1880)** (Notodontidae) Synonym(s): *alpina* Bellier,1880; *burgensis* Fernandez,1934. Range (as codes): ES FR BG GR TR 01 06 12 13 14 17 18 24 37 46 49 58 60 77 01H 06R 06Ra 13G 13Gs 13Gw 14H 17E 18D 37P 49E 49Ea 58G 60C
- 3589. *Spatalia argentina* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775 Range (as codes): ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IQ LB Bsa 01 02 05 06 07 08 10 12 13 14 16 17 18 19 20 21 24 30 31 32 33 35 42 46 49 56 61 62 64 65 66 71 73 80 02F 02Fd 02Fz 05A 06R 06Ra 06Rb 07C 08H 10D 10N 10P 10U 12A 12Aa 13F 13G 13Gy 13Gg 14B 14Bb 16A 17E 17H 17M 18D 19G 21L 21Lc 21N 21Nb 21Nc 30B 30Bd 30Be 30Bh 30D 30Df 31K 33E 33F 42B 42R 46D 49E 49Ea 56F 56F1 56F3 56Fa 56Fc 56Fy 56Fm 56Fg 60C 61L 62E 64A 64F 65A 65Am 65Am4 65Ai 65D 65Dl 65Dlc 65Ds 65F 65Fe 66P 71D 73A 73Ab 73Ad 73Ad2 73Ae 73C 73Ce 73Cd 80C
- 3590. *Stauropus fagi* (Linnaeus,1758)** (Notodontidae) Synonym(s): *fagi* Linnaeus,1758 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Lag AZ AM Cc IR GlS DK NO SE FI EE LV LT RU Sb Us MD UA Lvv BY KG CN JP Hkk 01 08 12 13 14 18 25 31 34 37 49 53 56 65 80 01D 08F 14B 18F 25A 31K 31Ka 31Ka7 34A 37C 49E 49Ea 56F 56F5 65F 65Fe

Oecophoridae

- 3591. *Agonopterix adpersella* (Kollar,1832)** (Oecophoridae) Synonym(s): *adpersella* Kollar,1832; *athamanticella* Heinemann,1870; *amanthicella* Staudinger,1901; *sabulatella* Turati,1919; *karmeliella* Amsel,1933 Range (as codes): ES FR Co Sa Si IT MT DE CH AT CZ SK HU RO YU GR Cr TR IR Fa Mia Elb Th Plr TM RU LB Bsa IL Pa 05 14 16 45 46 63 71 05A 14B 14Be 16A 63E
- 3592. *Agonopterix alstromeriana* (Clerck,1759)** (Oecophoridae) Synonym(s): *alstromeriana* Clerck,1759; *monilella* [Denis & Schiffermüller],1775; *puella* Hübner,1796; *alstroemeri* Haworth,1811; *alstroemerella* Hübner,[825]; *albidella* Eversmann,1844; *alstroemeriella* Doubleday,1859 Range (as codes): PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur MD UA BY IR Kh 05 13 32 42 66 05A 05Ab 13G 13Gw 32I 42X 42Xa 66P
- 3593. *Agonopterix arenella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *arenella* [Denis & Schiffermüller],1775; *gilvella* Hübner,1796; *gilvosa* Haworth,1811; *immaculana* Stephens,1834 Range (as codes): DZ Cst PT FR Sa IT IE GB BE NL LU DE Bw Bv CH AT LAT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY Cc TR 75 75F 75Fd
- 3594. *Agonopterix assimilella* (Treitschke,1832)** (Oecophoridae) Synonym(s): *assimilella* Treitschke,1832; *irrolella* Stephens,1834; *reticulatella* Bruand,1850 Range (as codes): PT ES FR Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE EE LV LT RU MD UA BY Cc 07 31 32 07C 31M 32I
- 3595. *Agonopterix atomella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *atomella* [Denis & Schiffermüller],1775; *atomosa* Haworth,1811; *pulverella* Hübner,[1824]; *respersella* Treitschke,1833 Range (as codes): ES FR Co Sa IT GB BE DE CH AT PL CZ SK HU RO YU GR TR DK SE RU LB Bsa IL Hf Pa 05 08 16 17 60 65 08H 08Hb 16A 60G 65F 65F1
- 3596. *Agonopterix cachritis* (Staudinger,1859)** (Oecophoridae) Synonym(s): *cachritis* Staudinger,1859; *epicachritis* Ragonot,1895 Range (as codes): DZ ES Sa DZ LB Bei TR 31 31M
- 3597. *Agonopterix capreolella* (Zeller,1839)** (Oecophoridae) Synonym(s): *capreolella* Zeller,1839; *caprella* Stainton,1849 Range (as codes): ES FR Sa IT IE GB BE LU DE CH AT PL CZ SK HU YU AL TR DK NO SE FI EE LV LT RU MD UA BY Cc TM 16 29 32 36 40 42 16A 29C 29Cb 32I 36D 36Da 40D 42X 42Xa
- 3598. *Agonopterix cervariella* (Constant,1885)** (Oecophoridae) Synonym(s): *cervariella* Constant,1885 Range (as codes): FR IT CH AT YU TR 42 42B

- 3599. *Agonopterix ciliella* (Stainton,1849)** (Oecophoridae) Synonym(s): *ciliella* Stainton,1849; *annexella* Zeller,1868 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY TR 25
- 3600. *Agonopterix cnicella* (Treitschke,1832)** (Oecophoridae) Synonym(s): *cnicella* Treitschke,1832 Range (as codes): MA ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK RO YU AL GR Cr TR Cc DK EE RU MD UA BY IR Mz Gls Kh 01 13 16 23 24 44 46 01K 13F 13F71 16A 23I 23Ib 24B 24Bd 44O 44Ob
- 3601. *Agonopterix comitella* (Lederer,1855)** (Oecophoridae) Synonym(s): *comitella* Lederer,1855 Range (as codes): GR Rd Cr TR LB Bei IL Pa Js 07 17 45 07M 07Mb
- 3602. *Agonopterix curvipunctosa* (Haworth,[1811])** (Oecophoridae) Synonym(s): *curvipunctosa* Haworth,[1811]; *zephyrella* Hübner,[1813]; *granulosella* Stainton,1854; *doubledayella* Bruand,1859; *amasina* Mann,1861; *turbulentella* Glitz,1863 Range (as codes): ES FR Co Sa IT GB BE NL DE Bw CH AT LAT PL CZ SK HU RO YU AL TR DK NO SE RU Mo MD UA BY Cc 05 25 36 05A 25A 36D 36Df 36F 36Fb
- 3603. *Agonopterix dideganella* Amsel,1972** (Oecophoridae) Synonym(s): *dideganella* Amsel,1972 Range (as codes): TR IR Ss 23 24 58 23I 23Ib 24G 29C 29Cb
- 3604. *Agonopterix doronicella* (Wocke,1849)** (Oecophoridae) Synonym(s): *doronicella* Wocke,1849; *schmidtella* Zeller,1851; *laetella* Herrich-Schäffer,1853 Range (as codes): FR IT AT PL CZ SK HU RO YU AL BG TR RU MD UA BY 05 32 05A 05Ab 32I
- 3605. *Agonopterix ferocella* (Chrétien,1910)** (Oecophoridae) Synonym(s): *ferocella* Chrétien,1910 Range (as codes): AT Stm CH FR Bss IT TR UA Cm 06 32 38 58 71 06R 32I 38H 58R
- 3606. *Agonopterix flurii* Sonderegger,2013** (Oecophoridae) Synonym(s): *flurii* Sonderegger,2013; *centaureivora* Rymarczyk, Dutheil & Nel,2013 Range (as codes): FR CH TR 04 06 04D 04Db 06R
- 3607. *Agonopterix furvella* (Treitschke,1832)** (Oecophoridae) Synonym(s): *furvella* Treitschke,1832 Range (as codes): FR Co IT DE AT PL CZ SK HU RO YU AL BG GR TR RU MD UA BY 16 16A
- 3608. *Agonopterix imbutella* (Christoph,1888)** (Oecophoridae) Synonym(s): *imbutella* Christoph,1888 Range (as codes): Cc GG Bjo TR IL Js 05
- 3609. *Agonopterix irrorata* (Staudinger,1870)** (Oecophoridae) Synonym(s): *irrorata* Staudinger,1870; *rubrociliella* Ragonot,1877; *anthriscella* Brown,1886 Range (as codes): FR Si CH GR Cr TR RU UA Cm LB Bsa o
- 3610. *Agonopterix kaekeritziana* (Linnaeus,1767)** (Oecophoridae) Synonym(s): *kaekeritziana* Linnaeus,1767; *liturella* [Denis & Schiffermüller],1775; *hirudinella* Goeze,1783; *sparmanniana* Swederus,1787; *flavella* Hübner,1796; *bimaculella* Schrank,1802 *nec* Thunb.,1784; *flavosa* Haworth,1811; *montanella* Lhomme,1929. Range (as codes): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV RU MD UA BY 16 16A
- 3611. *Agonopterix kuznetzovi* Lvovsky,1983** (Oecophoridae) Synonym(s): *kuznetzovi* Lvovsky,1983 Range (as codes): GB TR RU Or 36 36F 36Fb
- 3612. *Agonopterix laterella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *laterella* [Denis & Schiffermüller],1775; *heraclella* Hübner,[1813]; *incarnatella* Zeller,1854 Range (as codes): ES FR Sa IT BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY 06 06R
- 3613. *Agonopterix latipennella* (Zerny,1934)** (Oecophoridae) Synonym(s): *latipennella* Zerny,1934 Range (as codes): TR LB Bsa 21 23 46 21K 23I 23Ib
- 3614. *Agonopterix liturosa* (Haworth,1811)** (Oecophoridae) Synonym(s): *liturella* Hübner,1796 *nec* [Denis & Schiff.],1775; *liturosa* Haworth,1811; *huebneri* Bradley,1966 Range (as codes): DZ PT ES FR IT IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT TR RU Sb MD UA BY 05 24 05A 05Ab 24B 24Bd
- 3615. *Agonopterix medelichensis* Buchner,2015** (Oecophoridae) Synonym(s): *medelichensis* Buchner,2015 Range (as codes): TR IT AT SK HU GR RU 03 32 50 03E 32I 50G 50Gd
- 3616. *Agonopterix nanatella* (Stainton,1849)** (Oecophoridae) Synonym(s): *nanatella* Stainton,1849 Range (as codes): PT FR Sa IT IE GB BE NL DE CH AT CZ HU YU GR TR RU MD UA BY KG Uk Cc
- 3617. *Agonopterix nervosa* (Haworth,[1811])** (Oecophoridae) Synonym(s): *nervosa* Haworth,[1811]; *costosa* Haworth,1811; *depunctella* Hübner,[1825]; *boieella* Freyer,1835; *costella* Doubleday,1859; *nervosella* Doubleday,1859; *nervosella* Bruand,1859; *costosella* Bruand,1859; *dryadoxena* Meyrick,1920; *blackmori* Busck,1922; *venosata* Kautz,1930 Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY 04 24 42 46 51 04A 24B 24Bd 42X 42Xa 51B
- 3618. *Agonopterix nodiflorella* (Millière,1866)** (Oecophoridae) Synonym(s): *nodiflorella* Millière,1866 Range (as codes): ES FR Sa Si IT CH YU TR LB Bsa SA 71
- 3619. *Agonopterix ocellana* (Fabricius,1775)** (Oecophoridae) Synonym(s): *ocellana* Fabricius,1775; *characterella* [Denis & Schiffermüller],1775; *signella* Hübner,1796; *signana* Hübner,1796; *signosa* Haworth,1811; *characterosa* Haworth,1811; *rubrolineella* Bruand,1850; *ocellella* Doubleday,1859 Range (as codes): DZ Elt PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY 71
- 3620. *Agonopterix oinochroa* (Turati,1879)** (Oecophoridae) Synonym(s): *oinochroa* Turati,1879 Range (as codes): ES IT NL CH DE Bw AT CZ SK HU YU TR 01 24 44 66 01K 24B 24Bd 44O 44Ob 66P
- 3621. *Agonopterix ordubadensis* Hannemann,1959** (Oecophoridae) Synonym(s): *ordubadensis* Hannemann,1959 Range (as codes): Cc AZ Nv Ord TR 65 65D 65Df

- 3622. *Agonopterix pallorella* (Zeller, 1839)** (Oecophoridae) Synonym(s): *pallorella* Zeller, 1839; *discognitella* Herrich-Schäffer, 1871; *subpallorella* Staudinger, 1871 Range (as codes): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU LB Bsa 06 24 32 58 65 32I 24D 58G 65N 65Np 65Nm
- 3623. *Agonopterix pavidata* (Meyrick, 1913)** (Oecophoridae) Synonym(s): *pavidata* Meyrick, 1913 Range (as codes): TR 33
- 3624. *Agonopterix purpurea* (Haworth, [1811])** (Oecophoridae) Synonym(s): *purpurea* Haworth, [1811]; *vaccinella* Hübner, [1813] Range (as codes): MA PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL GR TR IR DK SE LV LT RU MD UA BY Cc TM Kp 01 05 16 20 26 28 32 33 42 66 71 01K 05A 05Ab 16A 20C 28N 32I 33A 66P
- 3625. *Agonopterix putridella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *putridella* [Denis & Schiffermüller], 1775; *peucedanella* Millière, 1881; *esterella* Millière, 1881 Range (as codes): FR GB DE CH AT CZ HU RO KG UK TR 08 29 29C 29Cb
- 3626. *Agonopterix ramosella* (Stainton, 1867)** (Oecophoridae) Synonym(s): *ramosella* Stainton, 1867 Range (as codes): TR Cc Akh Smt GG 05 05A
- 3627. *Agonopterix rotundella* (Douglas, 1846)** (Oecophoridae) Synonym(s): *rotundella* Douglas, 1846; *peloritanaella* Zeller, 1847 Range (as codes): PT ES Grn FR Sa Si IT IE GB BE DE CH AT PL CZ SK HU GR TR 05 16 33 16A
- 3628. *Agonopterix rutana* (Fabricius, 1794)** (Oecophoridae) Synonym(s): *rutana* Fabricius, 1794; *retiferella* Zeller, 1850; *griseirubidella* Bruand, 1850; *rutella* Heydenreich, 1851; *syriaca* Caradja, 1920. Range (as codes): PT ES FR Co Sa Si IT MT CH YU GR Cr TR LB Bei IR Kh Bu TM Kp AF Hr Pli Bgh 05 05A
- 3629. *Agonopterix scopariella* (Heinemann, 1870)** (Oecophoridae) Synonym(s): *scopariella* Heinemann, 1870; *rubescens* Heinemann, 1870; *rubropunctella* Lhomme, 1929; *calycotomella* Amsel, 1958 [ssp.] Range (as codes): DZ Anna PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK RO YU GR Cr CY TR DK NO SE EE RU MD UA Cm BY 07 20 33 48 07B 20C 33A 33Ae 48B
- 3630. *Agonopterix squamosa* (Mann, 1864)** (Oecophoridae) Synonym(s): *squamosa* Mann, 1864 Range (as codes): ES Grn Bar FR Si IT YU MK Och TR 01 03 16 32 58 69 01H 03E 16A 32M 58G 69B 69Ba
- 3631. *Agonopterix subpropinquella* (Stainton, 1849)** (Oecophoridae) Synonym(s): *subpropinquella* Stainton, 1849; *rhodochrella* Herrich-Schäffer, [1854]; *thoracica* Lederer, 1855; *sublutella* Staudinger, 1859; *variabilis* Heinemann, 1870; *crispella* Lhomme, 1929; *keltella* Amsel, 1935; *amilcarella* Lucas, 1950 Range (as codes): DZ Phv PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ HU YU AL GR Cr TR LB Bei DK SE LV RU MD UA BY IR Fa Shr SA YE 01 05 07 21 33 44 46 71 01K 05A 07M 21K 33A 33Am 44O 44Ob 46G
- 3632. *Agonopterix subumbellana* Hannemann, 1959** (Oecophoridae) Synonym(s): *subumbellana* Hannemann, 1959 Range (as codes): Cc TR 24 32 44 50 51 58 66 76 24B 24Bd 32M 44O 44Ob 50G 50Ga 51E 51Eb 58G 58Gi 66P 76C
- 3633. *Agonopterix thapsiella* (Zeller, 1847)** (Oecophoridae) Synonym(s): *thapsiella* Zeller, 1847; *feruliphila* Millière, 1866; *linolotella* Lhomme, 1929 Range (as codes): DZ Bsk TN Gf PT ES FR Sa Si MT HV HU GR Cr TR Cc 16 46 65 76 16A 65D 65Df
- 3634. *Agonopterix thurneri* (Rebel, 1940)** (Oecophoridae) Synonym(s): *thurneri* Rebel, 1940; *nigromaculata* Hannemann, 1989 Range (as codes): MK GR TR TJ
- 3635. *Agonopterix tripunctaria* Buchner, 2015** (Oecophoridae) Synonym(s): *tripunctaria* Buchner, 2015 Range (as codes): TR IT SS HV GR 38 50 38Ca 50G 50Ga
- 3636. *Agonopterix umbellana* (Fabricius, 1794)** (Oecophoridae) Synonym(s): *umbellana* Fabricius, 1794; *ulicetella* Stainton, 1849; *lennigiella* Fuchs, 1880; *prostratella* Constant, 1884 Range (as codes): PT ES FR IT IE GB NL DE CH CZ SK DK TR 32 32I
- 3637. *Agonopterix xyleuta* (Meyrick, 1913)** (Oecophoridae) Synonym(s): *xyleuta* Meyrick, 1913 Range (as codes): TR IQ Ama Dk Ry Mos 33
- 3638. *Agonopterix yeatiana* (Fabricius, 1781)** (Oecophoridae) Synonym(s): *yeatiana* Fabricius, 1781; *albidana* Donovan, 1806; *putrida* Haworth, 1811; *yeatsii* Haworth, 1811; *yeatseana* Stephens, 1834; *ventosella* Stephens, 1834; *altricornella* Mann, 1855; *yeatiella* Doubleday, 1859; *oglatella* Chrétien, 1915 Range (as codes): cn TN Gf PT ES FR Co Sa Si IT AT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK SE LV RU MD UA BY Cc TR 32 32I
- 3639. *Alabonia staintoniella* (Zeller, 1850)** (Oecophoridae) Synonym(s): *staintoniella* Zeller, 1850 Range (as codes): PT ES FR IT CH AT PL CZ SK HU RO YU AL BG TR Cc GG RU MD UA BY 05 16 16A
- 3640. *Anchinia cristalis* (Scopoli, 1763)** (Oecophoridae) Synonym(s): *cristalis* Scopoli, 1763; *verrucella* [Denis & Schiffermüller], 1775; *hepaticella* Hübner, 1796; *verrucea* Haworth, 1811; *cneorella* Hübner, [1813] Range (as codes): ES FR IT BE LU DE CH AT PL CZ SK HU SE EE LV LT RU Us MD UA BY JP TR 30 65 30D 30Df 65A 65Ai 65Am1
- 3641. *Anchinia grandis* Stainton, 1867** (Oecophoridae) Synonym(s): *grandis* Stainton, 1867 Range (as codes): IT TR Cc GG Da RU 05 55 05A 55H
- 3642. *Anchinia laureolella* Herrich-Schäffer, 1854** (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer, 1854 Range (as codes): ES FR IT CH AT HU YU BG GR TR IR Ab Oru Kd Fa Km AF Sfk 07

- 3643. *Batia lunaris* (Haworth,[1828])** (Oecophoridae) Synonym(s): *lunaris* Haworth,[1828] Range (as codes): PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR RU MD UA BY 16 42 16A
- 3644. *Borkhausenia ? cinerariella* Mann,1859** (Oecophoridae) Synonym(s): *cinerariella* Mann,1859 Range (as codes): TR
- 3645. *Borkhausenia ? coeruleopicta* Christoph,1888** (Oecophoridae) Synonym(s): *coeruleopicta* Christoph,1888 Range (as codes): TR
- 3646. *Borkhausenia minutella* (Linnaeus,1758)** (Oecophoridae) Synonym(s): *minutella* Linnaeus,1758; *oppositella* Fabricius,1775 Range (as codes): PT ES FR IT IE GB BE NL LU DE Bw CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 3647. *Borkhausenia osthelderi* Rebel,1935** (Oecophoridae) Synonym(s): *osthelderi* Rebel,1935 Range (as codes): TR 46
- 3648. *Borkhausenia trigutta* (Christoph,1888)** (Oecophoridae) Synonym(s): *trigutta* Christoph,1888 Range (as codes): TR Cc GG Bjo
- 3649. *Cacochroa permixtella* (Herrich-Schäffer,[1855])** (Oecophoridae) Synonym(s): *permixtella* Herrich-Schäffer,[1855] Range (as codes): ES Grn FR Co Sa IT AT YU GR Cr TR 16 45 16A
- 3650. *Carcina quercana* (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana* Fabricius,1775 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR LB Bsa DK NO SE FI RU MD UA BY 16 42 46 16A 42B
- 3651. *Crossotocera wagnerella* Zerny,1930** (Oecophoridae) Synonym(s): *wagnerella* Zerny,1930; *monotona* Amsel,1942; *tripunctella* Amsel,1958 Range (as codes): RO BG Nsb GR TR CY SY 13 42 13A 13Ab 13Ac 13Ac2 13Ax 42B 44 44E 44Ei
- 3652. *Denisia similella* (Hübner,1796)** (Oecophoridae) Synonym(s): *similella* Hübner,1796 Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY 61
- 3653. *Depressaria absynthiella* Herrich-Schäffer,1865** (Oecophoridae) Synonym(s): *?anchusella* Nowicki,1860; *absynthiella* Herrich-Schäffer,1865; *absinthivora* Frey,1880; *tenerifae* Walsingham,[1908] Range (as codes): Cn FR IT DE CH AT CZ HU RO YU AL BG GR TR RU Sb At MD UA Cm BY 03 32 38 03E 32I 32M 38C 38Ca
- 3654. *Depressaria afghanella* Amsel,1972** (Oecophoridae) Synonym(s): *afghanella* Amsel,1972 Range (as codes): AF Pnj IR TR 25 25A
- 3655. *Depressaria albipunctella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *albipunctella* [Denis & Schiffermüller],1775; *albipuncta* Haworth,1811; *aegopodiella* Hübner,[1825] Range (as codes): Dz PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE LT RU MD UA BY Cc GG AZ Nv Ord 05 32 05A 32I
- 3656. *Depressaria amblyopa* Meyrick,1921** (Oecophoridae) Synonym(s): *amblyopa* Meyrick,1921 Range (as codes): TR IL Hf Pa 31
- 3657. *Depressaria badiella* (Hübner,1796)** (Oecophoridae) Synonym(s): *badiella* Hübner,1796; *badia* Haworth,1811; *aurantiella* Tutt,1893; *frigidella* Turati,1919 Range (as codes): LY Cy PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU YU GR TR DK NO SE FI EE LV LT RU Sb Sh MD UA BY MN KG Cc AM AZ GG 06 24 28 42 06E 28N 42B
- 3658. *Depressaria bayindirensis* Buchner, Kemal & Kızıldağ,2018** (Oecophoridae) Synonym(s): *bayindirensis* Buchner, Kemal & Kızıldağ,2018 Range (as codes): TR 33 35 33A 33Aj 35B
- 3659. *Depressaria cervicella* Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *cervicella* Herrich-Schäffer,1854 Range (as codes): ES IT AT CZ HU YU HV TR RU Ya IR MN 06 42 42B
- 3660. *Depressaria chaerophylli* Zeller,1839** (Oecophoridae) Synonym(s): *chaerophylli* Zeller,1839; *rarissimella* Krulikovsky,1907 Range (as codes): LY Cy ES FR IT GB BE NL DE CH AT PL CZ SK HU RO GR TR SE FI EE LV LT RU MD UA BY Cc GG AM IL Pa 16 75 16A 75D
- 3661. *Depressaria corticinella* Zeller,1854** (Oecophoridae) Synonym(s): *corticinella* Zeller,1854; *uhrykella* Fuchs,1903. Range (as codes): ES Co HU RO YU TR 16 46 16A
- 3662. *Depressaria depressana* (Fabricius,1775)** (Oecophoridae) Synonym(s): *depressana* Fabricius,1775; *anethana* Brahm,1791; *depressella* Fabricius,1798; *bluntii* Curtis,1828; *collarella* Zetterstedt,1839; *amasiella* Staudinger,1879 [ssp.]; *rhodochlora* Meyrick,1923 Range (as codes): DZ ES FR Co Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL GR CY TR DK NO SE FI EE LV LT RU Sb To At Us MD UA BY IR Fa Shr Mia Th Kdj Cc GG AZ AM KG KK TJ MN CA On Qb 05 16 24 42 44 50 58 05A 16A 24B 24Bd 44O 44Ob 50G 50Gb 58G 58Gi
- 3663. *Depressaria despoliatella* Erschoff,1874** (Oecophoridae) Synonym(s): *despoliatella* Erschoff,1874 Range (as codes): KG Tks TR 42
- 3664. *Depressaria discipunctella* Herrich-Schäffer,[1854]** (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer,[1854] Range (as codes): MR MA ES An FR Si IT AT GB BE NL DE SK RO YU BG GR TR LB Bei Bsa AF Blh MN IR Th Elb GlS UA Cm Cc GG AZ KG TM UZ SA 01 06 29 31 32 36 40 46 65 01K 06R 06Rb 06Rq 29C 29Cb 32M 32I 36D 36Df 40D 46G 65K 65Kl 65Kl3 65Z

- 3665. *Depressaria douglasella* Stainton, 1849** (Oecophoridae) Synonym(s): *douglasella* Stainton, 1849; *miserella* Herrich-Schäffer, 1855; *thoracella* Müller-Rutz, 1922 Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG MK GR TR DK SE LV RU Da MD UA Cc AM AZ TM 21 38 45 21K 38C 38Ca
- 3666. *Depressaria emeritella* Stainton, 1849** (Oecophoridae) Synonym(s): *emeritella* Stainton, 1849 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU DK SE FI LV LT RU Sb MD UA BY Cc GG TR 25 25A
- 3667. *Depressaria eryngiella* Millière, 1881** (Oecophoridae) Synonym(s): *eryngiella* Millière, 1881; *campestrella* Chrétien, 1896; *deliciosella* Turati, 1924; *obolucha* Meyrick, 1936 Range (as codes): ES FR Py IR Ss Fa IQ Hjo UA Cm TM Kp UZ KG TR 13 25 30 50 42 46 65 13A 13Ac 13Ac1 13Ax 25A 30D 30Df 46H 50G 50Ga 65A 65Am 65Am4
- 3668. *Depressaria erzurumella* Lvovsky, 1996** (Oecophoridae) Synonym(s): *erzurumella* Lvovsky, 1996 Range (as codes): GR TR 25 25C
- 3669. *Depressaria floridella* Mann, 1864** (Oecophoridae) Synonym(s): *floridella* Mann, 1864 Range (as codes): GR TR IL Hf Pa 16 51 60 16A 51E 51Eb 60H 60Hc
- 3670. *Depressaria fuscovirgatella* Hannemann, 1967** (Oecophoridae) Synonym(s): *fuscovirgatella* Hannemann, 1967; *pagmanella* Amsel, 1972 Range (as codes): RU Da Cc AM TM Kp KG Tk TR IR Kh KuB AF Pag Kab MN 25 36 58 65 69 36F 36Fb 58G 58Gi 65D 65Df 69B 69Ba
- 3671. *Depressaria hannemanniana* Lvovsky, 1990** (Oecophoridae) Synonym(s): *hannemanniana* Lvovsky, 1990 Range (as codes): Cc RU Da TM UZ KG TR CN Ui Ku MN
- 3672. *Depressaria hirtipalpis* Zeller, 1854** (Oecophoridae) Synonym(s): *hirtipalpis* Zeller, 1854 Range (as codes): ES HV GR TR IR Elb Kdv Cc AZ Nv 06 16 24 32 38 46 58 16A 24B 24Bd 32I 38Ca 46G 46Gi
- 3673. *Depressaria hofmanni* Stainton, 1861** (Oecophoridae) Synonym(s): *hofmanni* Stainton, 1861 Range (as codes): ES FR Si IT DE CH AT CZ SK GR TR RU Ur Or Sb Ya 16 16A
- 3674. *Depressaria illepida* Hannemann, 1958** (Oecophoridae) Synonym(s): *illepida* Hannemann, 1958 Range (as codes): TR IR 07
- 3675. *Depressaria irregularis* Matsumura, 1931** (Oecophoridae) Synonym(s): *irregularis* Matsumura, 1931 Range (as codes): TR RU Am Us JP NP 35
- 3676. *Depressaria junnilainen* Buchner, 2017** (Oecophoridae) Synonym(s): *junnilainen* Buchner, 2017 Range (as codes): MA Ifr ES GR SY Dms TR 01 03 01K 03O
- 3677. *Depressaria kailai* Lvovsky, 2009** (Oecophoridae) Synonym(s): *kailai* Lvovsky, 2009 Range (as codes): TR KG Db TJ 04 25 46 04D 40Db 25E 46G 46Gi
- 3678. *Depressaria libanotidella* Schläger, 1849** (Oecophoridae) Synonym(s): *libanotidella* Schläger, 1849; *laserpitii* Nickerl, 1864 Range (as codes): ES FR Sa Si IT LU DE CH AT PL CZ SK HU RO YU SE FI EE RU MD UA TR 32 51 32I
- 3679. *Depressaria marcella* Rebel, 1901** (Oecophoridae) Synonym(s): *marcella* Rebel, 1901; *cuprinella* Walsingham, 1907; *marcidella* Walsingham, 1907; *cruenta* Meyrick, 1920; *chneuriella* Lucas, 1940 Range (as codes): MA DZ TN PT ES FR Sa Si MT HU YU BG GR TR IL Pa Hf IR Km 06 07 08 16 21 26 36 46 07M 07Mb 08H 16A 21K 32I 36F 36Fb
- 3680. *Depressaria moranella* Chrétien, 1907** (Oecophoridae) Synonym(s): *moranella* Chrétien, 1907; *arabica* Amsel, 1972 Range (as codes): DZ Bsk MK SA SA63 TR 01 08 24 58 01K 08H 24D 58G 58Gi
- 3681. *Depressaria olerella* Zeller, 1854** (Oecophoridae) Synonym(s): *olerella* Zeller, 1854 Range (as codes): FR IT GB BE DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY Cc TR 03 51 03E
- 3682. *Depressaria parahofmanni* Hannemann, 1958** (Oecophoridae) Synonym(s): *parahofmanni* Hannemann, 1958 Range (as codes): IR Elb Kdv TR 25 38 50 56 58 25A 38E 50G 50Gd 56F 56Fs 58G 58Gi
- 3683. *Depressaria peregrinella* Hannemann, 1967** (Oecophoridae) Synonym(s): *peregrinella* Hannemann, 1967 Range (as codes): IR Fa Sse TR 36 50 66 36F 50G
- 3684. *Depressaria pimpinellae* Zeller, 1839** (Oecophoridae) Synonym(s): *pimpinellae* Zeller, 1839; *pimpinella* Duponchel, [1843]; *pimpinellella* Duponchel, [1845]; *reichlini* Heinemann, 1870 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO TR Cc DK NO SE FI EE LV LT RU MD UA BY 25 76 25E
- 3685. *Depressaria pseudobadiella* Nel, 2011** (Oecophoridae) Synonym(s): *pseudobadiella* Nel, 2011 Range (as codes): TR FR 24 24B 24Bd
- 3686. *Depressaria pulcherrimella* Stainton, 1849** (Oecophoridae) Synonym(s): *pulcherrimella* Stainton, 1849 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT TR RU MD UA BY 71
- 3687. *Depressaria radiella* (Goeze, 1783)** (Oecophoridae) Synonym(s): *radiella* Goeze, 1783; *radiata* Geoffroy, 1785; *pastinacella* Duponchel, 1838; *sphondiliella* Bruand, 1851; *ontariella* Bethune, 1870; *caucasica* Christoph, 1877; *obscura* Dufrane, 1957; *marginata* Dufrane, 1957; *lineata* Dufrane, 1957 Range (as codes): ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Cc Da AF US 08 71
- 3688. *Depressaria rutilcola* Christoph, 1873** (Oecophoridae) Synonym(s): *rutilcola* Christoph, 1873 Range (as codes): TR IR Srd IQ Mos IL Pa 05 28

- 3689. *Depressaria sordidatella* Tengström, 1848** (Oecophoridae) Synonym(s): *sordidatella* Tengström, 1848; *weirella* Stainton, 1849. Range (as codes): SI IT GB NL DE CH AT PL CZ SK DK TR NO SE FI EE LV LT RU MD UA BY IR Fa Shr Gls 71
- 3690. *Depressaria subalbipunctella* Lvovsky, 1981** (Oecophoridae) Synonym(s): *subalbipunctella* Lvovsky, 1981 Range (as codes): RU TR 32 42 32I 42X 42Xa
- 3691. *Depressaria subhirtipalpis* Hannemann, 1958** (Oecophoridae) Synonym(s): *subhirtipalpis* Hannemann, 1958 Range (as codes): IR TR 25 25R 25Rb
- 3692. *Depressaria tenebricosa* Zeller, 1854** (Oecophoridae) Synonym(s): *tenebricosa* Zeller, 1854 Range (as codes): PT ES Co Sa Si IT YU GR Cr TR IL Hf Pa 07 16 17 33 63 16A 63E
- 3693. *Depressaria ululana* Rössler, 1866** (Oecophoridae) Synonym(s): *ululana* Rössler, 1866 Range (as codes): PT FR DE CH RO YU TR 04 21 25 65 04D 04Db 21K 25E 65L 65Le
- 3694. *Depressaria veneficella* Zeller, 1847** (Oecophoridae) Synonym(s): *veneficella* Zeller, 1847 Range (as codes): TN Gf ES Sa Si MT RO GR Cr TR LB Bsa 16 46 16A
- 3695. *Depressaria zelleri* Staudinger, 1879** (Oecophoridae) Synonym(s): *zelleri* Staudinger, 1879 Range (as codes): FR IT RO TR 05 13 46 05A 13F 13F38
- 3696. *Diurnea fagella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *#fagella* [Denis & Schiffermüller], 1775; *pilosella* Thunberg, 1788; *atomana* Brahm, 1791; *fagi* Fabricius, 1798; *disparella* Schrank, 1802; *dormoyella* Duponchel, 1838; *nolckenella* Millière, 1880 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR Cc DK NO SE FI EE LV LT RU Sb MD UA BY 16 33 16A 33A 33Ac
- 3697. *Endrosis sarcitrella* (Linnaeus, 1758)** (Oecophoridae) Synonym(s): *sarcitrella* Linnaeus, 1758; *luridella* Scopoli, 1763; *lacteella* [Denis & Schiffermüller], 1775; *scapulata* Fourcroy, 1785; *betulinella* Fabricius, 1787; *scapulatella* De Villers, 1789; *atratus* Panzer, 1804; *sarcitea* Haworth, 1828; *kennicottella* Clemens, 1860; *subditella* Walker, 1863; *antarctica* Staudinger, 1899. Range (as codes): ES FR Co Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY ZA RE SH US Cf Org Ws 16 16A
- 3698. *Epicallima einsleri* (Amsel, 1935)** (Oecophoridae) Synonym(s): *einsleri* Amsel, 1935 Range (as codes): IL Pa Js TR 56 65 56F 56Fb 65A 65Ai
- 3699. *Epicallima formosella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller], 1775; *flammella* Duponchel, 1842 Range (as codes): DZ Lbs PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Rd TR CY GG Btm Lag Sok AZ Len AM Eri Cc IL Pa Hf SE EE LV LT RU MD UA BY KK KG US Nje Ny 05 06 12 13 16 33 46 65 71 76 05A 06R 12E 12Ec 12Ed 13A 13Ab 13Ax 16A 65N 65Np 65Nm 71D 76C
- 3700. *Epicallima haasi* (Rebel, 1902)** (Oecophoridae) Synonym(s): *haasi* Rebel, 1902 Range (as codes): UZ Man TR 46 46L
- 3701. *Epicallima icterinella* (Mann, 1867)** (Oecophoridae) Synonym(s): *icterinella* Mann, 1867 Range (as codes): YU ME BG GR Rd TR IQ Shq 05 13 42 46 05A 13F 13F38
- 3702. *Eratophyes amasiella* (Herrich-Schäffer, [1855])** (Oecophoridae) Synonym(s): *amasiella* Herrich-Schäffer, [1855]; *aleatrix* Diakonoff, 1975; *#amesiella* Yıldız & Ayberk, 2017 Range (as codes): NL DE DK BE FR SE TR 05 54 78 05A 54G 78E
- 3703. *Esperia imitatrix* (Zeller, 1847)** (Oecophoridae) Synonym(s): *imitatrix* Zeller, 1847 Range (as codes): GR Cr Rd TR LB Bei 06 31 38 45 46 48 65 06R 06Rb 31K 31Ka 31M 48G 65D 65Dn 65F 65Fb
- 3704. *Esperia intermediella* (Stainton, 1867)** (Oecophoridae) Synonym(s): *intermediella* Stainton, 1867 Range (as codes): TR 05 42 46 65 71 05A 65D 65Dn 71C 71D
- 3705. *Esperia oliviella* (Fabricius, 1794)** (Oecophoridae) Synonym(s): *oliviella* Fabricius, 1794 Range (as codes): PT ES FR Si IT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR TR RU MD UA BY 16 31 34 16A 31M
- 3706. *Esperia sulphurella* (Fabricius, 1775)** (Oecophoridae) Synonym(s): *sulphurella* Fabricius, 1775 Range (as codes): DZ Anna PT ES FR Sa Si IT MT IE GB BE NL DE AT RO GR TR 16 48 16A
- 3707. *Exaeretia ledereri* (Zeller, 1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller, 1854; *homochroella* Erschoff, 1874; *xyleuta* Meyrick, 1913; *leviella* Amsel, 1935 Range (as codes): YU MK RO TR Cc GG AM AZ CY IL Pa LB Bsa KG IR Fa Shr Mia Dlk Th IQ TM UZ TJ AF Pli Pic Pag Kab CN Ui Ku 06 08 32 46 47 61 65 76 06Y 08H 32I 46G 46Gi 65L 65Le
- 3708. *Exaeretia lutosella* (Herrich-Schäffer, [1854])** (Oecophoridae) Synonym(s): *lutosella* Herrich-Schäffer, [1854] Range (as codes): MA PT ES Co Sa IT RO YU MK HV TR Cm SY IL Pa 05 06 05A
- 3709. *Exaeretia niviferella* (Christoph, 1872)** (Oecophoridae) Synonym(s): *niviferella* Christoph, 1872 Range (as codes): RU Cc Da Or KG Uk Aa CN Ui Ku Cm UA AZ TR 25 26 38 25E 38Ca
- 3710. *Exaeretia thurneri* (Rebel, 1941)** (Oecophoridae) Synonym(s): *thurneri* Rebel, 1941; *nigromaculata* Hannemann, 1989 Range (as codes): TR MK Och GR 29 29D
- 3711. *Fabiola pokornyi* (Nickerl, 1864)** (Oecophoridae) Synonym(s): *pokornyi* Nickerl, 1864 Range (as codes): CZ SK HU YU AL BG GR TR Cc GG RU Da UA Cm 05 05A
- 3712. *Harpella eseliensis* ? Rebel, 1908** (Oecophoridae) Synonym(s): *eseliensis* Rebel, 1908 Range (as codes): TR 28 53

- 3713. Harpella forficella (Scopoli, 1763)** (Oecophoridae) Synonym(s): *forficella* Scopoli, 1763; *majorella* [Denis & Schiffermüller], 1775; *proboscidea* Sulzer, 1776; *aerisella* Caradja, 1920 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 3714. Holoscolia berytella Rebel, 1902** (Oecophoridae) Synonym(s): *berytella* Rebel, 1902; *monticolella* Zerny, 1934 Range (as codes): TR LB Bei Bsa 46
- 3715. Holoscolia huebneri Koçak, 1980** (Oecophoridae) Synonym(s): *forficella* Hübner, [1813] *nec* Thunb., 1794; *huebneri* Koçak, 1980 Range (as codes): FR Si IT BE DE AT CZ SK HU RO YU ME Ctn AL BG GR TR RU MD UA BY KG UK 05 16 70 05A 16A
- 3716. Holoscolia majorella Rebel, 1902** (Oecophoridae) Synonym(s): *majorella* Rebel, 1902 Range (as codes): Cr TR 42
- 3717. Hypercallia citrinalis (Scopoli, 1763)** (Oecophoridae) Synonym(s): *citrinalis* Scopoli, 1763; *christiarnana* Linnaeus, 1767; *thoracella* Goeze, 1783; *thoracica* Fourcroy, 1785; *christiarnella* Hübner, [1824]; *christierella* Hübner, [1825]; *christiarnini* Zeller, 1839 Range (as codes): ES FR Si IT IE GB DE Bv CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Sb At MN MD UA BY GG AZ AM Cc 05 06 16 75 05A 16A 75F 75Fb
- 3718. Kasyniana diminutella (Rebel, 1932)** (Oecophoridae) Synonym(s): *diminutella* Rebel, 1932; *gallica* Buvat & Nel, 1999 Range (as codes): MA FR AT IT Si SK SS HV AL TR
- 3719. Minetia crinitella Herrich-Schäffer, [1855]** (Oecophoridae) Synonym(s): *crinitella* Herrich-Schäffer, [1855] Range (as codes): TR
- 3720. Oecophora (Oecophoreola) kindermanni (Herrich-Schäffer, [1852])** (Oecophoridae) Synonym(s): *kindermanni* Herrich-Schäffer, [1852] Range (as codes): RO B-H YU AL TR 05 61 05A
- 3721. Oecophora (s.str.) bractella (Linnaeus, 1758)** (Oecophoridae) Synonym(s): *bractella* Linnaeus, 1758 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE RU MD UA BY 05 16 05A 16A
- 3722. Orophia denisella ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *denisella* [Denis & Schiffermüller], 1775; *carmelitella* Hübner, 1793; *monastricella* Fischer von Rösslerstamm, 1843; *obscuratella* Bauer, 1917; *candidella* Bauer, 1917 Range (as codes): ES FR Co Si IT DE CH AT CZ SK HU RO YU TR RU MD UA BY 16 16A
- 3723. Orophia sordidella (Hübner, 1796)** (Oecophoridae) Synonym(s): *sordidella* Hübner, 1796; *uhrikmeszarosi* Szent-Ivany, 1942 Range (as codes): DZ Anna Cst PT ES FR IT BE NL LU DE CH AT CZ SK HU RO YU GR TR RU MD UA Da Cc GG AZ 05 46 05A
- 3724. Pleurota (Protasis) punctella (Costa, [1836])** (Oecophoridae) Synonym(s): *punctella* Costa, [1846]; *monostictella* Heydenreich, 1851 Range (as codes): PT ES FR Si IT AT CH SS B-H HV TR 16 16A
- 3725. Pleurota (s.str.) amaniella Mann, 1873** (Oecophoridae) Synonym(s): *amaniella* Mann, 1873 Range (as codes): YU TR 33 33R 33Rb
- 3726. Pleurota (s.str.) aristella (Linnaeus, 1767)** (Oecophoridae) Synonym(s): *aristella* Linnaeus, 1767; *corniculata* De Villers, 1789; *cornicella* Villers, 1789; *schlaegerella* Zeller, 1847; *argentistrigella* Mann, 1854; *cyrniella* Mann, 1855 Range (as codes): PT ES FR Co Sa Si IT BE DE AT CZ SK HU RO YU ME Ctn AL BG GR TR RU MD UA BY Cc AZ KG Ssn 16 39 45 16A 39H
- 3727. Pleurota (s.str.) armeniella Caradja, 1920** (Oecophoridae) Synonym(s): *armeniella* Caradja, 1920 Range (as codes): Cc TR 76 76C
- 3728. Pleurota (s.str.) christophi Lvovsky, 1992** (Oecophoridae) Synonym(s): *christophi* Lvovsky, 1992 Range (as codes): AZ Nv Cc Ord TR 76 76C
- 3729. Pleurota (s.str.) contristatella Mann, 1867** (Oecophoridae) Synonym(s): *contristatella* Mann, 1867 Range (as codes): IT Sa Si GR Cr TR Cc AM 05 42 46 05A
- 3730. Pleurota (s.str.) ericella (Duponchel, 1839)** (Oecophoridae) Synonym(s): *ericella* Duponchel, 1839; *imitatrix* Herrich-Schäffer, 1854; *imitatricella* Herrich-Schäffer, 1862; *aeonella* Lhomme, 1949 Range (as codes): PT ES FR Sa RO GB IT DE? GR TR 42 42B
- 3731. Pleurota (s.str.) eximia Lederer, 1861** (Oecophoridae) Synonym(s): *eximia* Lederer, 1861; *galaticella* Staudinger, 1880 Range (as codes): Cc TR ES 05 06 13 33 42 51 60 65 70 76 13F 13F7 13F71 51B 60H 60Hb 65A 65Ai 65Ac3 65N 65Np5 65Nm 70C 70Ce
- 3732. Pleurota (s.str.) generosella Rebel, 1900** (Oecophoridae) Synonym(s): *generosella* Rebel, 1900; *alexandrina* Meyrick, 1935 Range (as codes): TR IQ Mos Kbl IR Elb Th IL Pa 21 46
- 3733. Pleurota (s.str.) issicella Staudinger, 1880** (Oecophoridae) Synonym(s): *issicella* Staudinger, 1880 Range (as codes): TR KG At RU 06 33 65
- 3734. Pleurota (s.str.) metricella (Zeller, 1847)** (Oecophoridae) Synonym(s): *metricella* Zeller, 1847 Range (as codes): FR IT? RO BG GR Rd TR Cc IR Elb Kdv Dam Mz Gor Srd Shh IL Pa Jt JO 05 06 17 38 42 46 50 65 71 76 05A 06R 38C 38C 38H 38Hc 50D 65A 65At 65At5 65N 65Nc4 65Np2 65Nm
- 3735. Pleurota (s.str.) planella (Staudinger, 1859)** (Oecophoridae) Synonym(s): *planella* Staudinger, 1859; *sublustrella* Mann, 1872 Range (as codes): ES GR An Grn TR 16 16A

- 3736. *Pleurota* (s.str.) *proteella* Staudinger, 1880** (Oecophoridae) Synonym(s): *proteella* Staudinger, 1880; *malatya* H. Back, 1973; *atrostriata* Lvovsky, 1992 Range (as codes): PT ES TR LB Bei Bsa FR IT CH AT HU CZ SK RO BG RU Sr At Cm Cc GG Tbl AM Eri KG Aa 05 06 44 56 65 71 05A 06R 56F 56Fc 65N 65Nb
- 3737. *Pleurota* (s.str.) *pungitiella* Herrich-Schäffer, [1854]** (Oecophoridae) Synonym(s): *pungitiella* Herrich-Schäffer, [1854] Range (as codes): ES FR IT HU RO YU AL BG GR TR Cc RU MD UA BY 05 06 42 71 76 05A 06B
- 3738. *Pleurota* (s.str.) *pyropella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller], 1775; *salviella* Herrich-Schäffer, 1854; *subpyropella* Staudinger, 1880 Range (as codes): DZ FR Co Sa Si IT DE CH AT CZ SK HU RO YU ME Ctn AL BG GR Cr TR Cc LB Bsa CY RU MD UA BY 05 06 10 13 16 21 27 30 31 40 42 44 46 47 51 56 65 73 75 76 05A 06R 06Rb 06Rd 10K 10Ka 13A 13Ab 13Ax 16A 21L 21Lf 27D 27Da 27Db 27Dc 27Dd 30D 30Df 31M 44L 44Lc 47B 56Dh 56Dg 65D 65G 65Gf 65Gy 65L 65Le 65N 65Np2 65Nm 73D 73Df 73Dfc 73E 73Eb 73H 73Hb 75D
- 3739. *Pleurota* (s.str.) *sparella* (Lederer, 1855)** (Oecophoridae) Synonym(s): *sparella* Lederer, 1855; *karmeliella* Amsel, 1935 Range (as codes): LB Bei Bsa Bmm Baa IL Hf Pa TR 46
- 3740. *Pleurota* (s.str.) *syriaca* Staudinger, 1880** (Oecophoridae) Synonym(s): *syriaca* Staudinger, 1880 Range (as codes): Cc TR LB Bei 46 56 76 56F 56Fb
- 3741. *Pleurota* (s.str.) *tristatella* Staudinger, 1871** (Oecophoridae) Synonym(s): *tristatella* Staudinger, 1871 Range (as codes): TR GR Nx 05 06 05A 06R
- 3742. *Pleurota* (s.str.) *tristictella* Seebold, 1898** (Oecophoridae) Synonym(s): *tristictella* Seebold, 1898 Range (as codes): TR 33
- 3743. *Pleurota* (s.str.) *uygar* Kemal & Koçak, 2017** (Oecophoridae) Synonym(s): *uygar* Kemal & Koçak, 2017 Range (as codes): TR 65 65A 65Am 65Am3 65D 65Dg 65N 65Np2 65Nm
- 3744. *Promalactis* *splendidella* (Amsel, 1935)** (Oecophoridae) Synonym(s): *splendidella* Amsel, 1935 Range (as codes): IL Pa TR CY
- 3745. *Pseudatemelia* *flavifrontella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *flavifrontella* [Denis & Schiffermüller], 1775 Range (as codes): ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 3746. *Pseudatemelia* *sordida* (Staudinger, 1879)** (Oecophoridae) Synonym(s): *sordida* Staudinger, 1879 Range (as codes): TR 05 05A
- 3747. *Schiffermuelleria* *irroratella* (Staudinger, 1879)** (Oecophoridae) Synonym(s): *irroratella* Staudinger, 1879 Range (as codes): TR 05 05A
- 3748. *Schiffermuelleria* *schaefferella* (Linnaeus, 1758)** (Oecophoridae) Synonym(s): *schaefferella* Linnaeus, 1758; *hermannella* Fabricius, 1781; *lucidula* Fourcroy, 1785. Range (as codes): ES FR IT LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK LV RU MD UA BY 06 33 42 46
- 3749. *Semioscopis* *osthelderi* Rebel, 1935** (Oecophoridae) Synonym(s): *osthelderi* Rebel, 1935 Range (as codes): TR 46
- 3750. *Telechrysis* *tripuncta* (Haworth, [1828])** (Oecophoridae) Synonym(s): *tripuncta* Haworth, [1828]; *tripunctella* Stephens, 1834; *scyllaella* Costa, [1836]; *trishignella* Zeller, 1839; *trimaculella* Duponchel, [1840] Range (as codes): FR IT GB DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV RU MD UA BY Cc 16 16A

Opostegidae

- 3751. *Opostega* *salaciella* (Treitschke, 1833)** (Opostegidae) Synonym(s): *salaciella* Treitschke, 1833; *reliquella* Zeller, 1848 Range (as codes): ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Chu MD UA BY
- 3752. *Opostega* *spatulella* Herrich-Schäffer, [1855]** (Opostegidae) Synonym(s): *spatulella* Herrich-Schäffer, [1855]; *nepticulella* Bruand, 1859; *bimaculatella* Rothschild, 1912; *costantiniella* Costantini, 1923; *angulata* Gerasimov, 1930; *heringiella* Mariani, 1937 Range (as codes): PT ES FR Co Sa Si IT GB AT SK HU RO YU BG GR TR Cc RU MD UA BY 76 76C
- 3753. *Pseudopostega* *auritella* (Hübner, [1813])** (Opostegidae) Synonym(s): *auritella* Hübner, [1813] Range (as codes): FR GB BE NL DE AT PL CZ SK HU RO TR DK SE FI LV LT RU MD UA BY UZ 16 46 16A
- 3754. *Pseudopostega* *crepusculella* (Zeller, 1839)** (Opostegidae) Synonym(s): *crepusculella* Zeller, 1839; *lvovskyi* Kozlov, 1985 Range (as codes): PT ES FR IT IE GB BE NL DE CH AT Vor Trl Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU BG GR MK TR IL Cc GG DK NO SE FI EE LV LT RU Chu MD UA BY 16 46 16A

Prodoxidae

- 3755. *Incurvaria koernerella* (Zeller,1839)** (Prodoxidae) Synonym(s): *koernerella* Zeller,1839; *albicostella* Duponchel,[1845] Range (as codes): FR IT BE NL LU DE CH AT PL CZ SK HU YU TR DK SE RU MD UA BY 16 16A
- 3756. *Lampronia corticella* (Linnaeus,1758)** (Prodoxidae) Synonym(s): *corticella* Linnaeus,1758; *rubiella* Bjerkander,1781. Range (as codes): FR IT GB BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO TR DK NO SE FI EE LV 16 16A 16A
- 3757. *Lampronia rupella* ([Denis & Schiffermüller],1775)** (Prodoxidae) Synonym(s): *rupella* [Denis & Schiffermüller],1775 Range (as codes): FR IT DE CH AT Vor Trl Et Krt Stm Slz UAT LAT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT

Psychidae

- 3758. *Acanthopsyche atra* (Linnaeus,1767)** (Psychidae) Synonym(s): *atra* Linnaeus,1767; *stigmatella* Zetterstedt,1839; *opacella* Herrich-Schäffer,1846; *fenella* Newman,1850; *nigricans* Westwood,1854; *hispidella* Heylaerts,1884; *furva* Kirby,1892; *hirsutella* Tutt,1900 Range (as codes): ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO SS TR GG Smt Akh Cc AM DK NO SE FI EE LV LT RU Pt VI At Sb To Mo Ur Sj UA KG
- 3759. *Amicta quadrangularis* (Christoph,1873)** (Psychidae) Synonym(s): *quadrangularis* Christoph,1873; *quadrangularis* Staudinger,1874; *nigrescens* Staudinger,1899 Range (as codes): TM IR Elb Cc Se AM AZ Kir TR SY EG SA YE Sk 76 76B 76Ba
- 3760. *Anaproutia reticulatella* (Bruand,1853)** (Psychidae) Synonym(s): *reticulatella* Bruand,1853; *obsurella* Chapman,1900 Range (as codes): FR IT SK RO HV Cr TR 16 16A
- 3761. *Apterona helicoidella* (Vallot,1827)** (Psychidae) Synonym(s): *helicoidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,[1851]. Range (as codes): PT ES FR IT BE LU DE CH AT PL CZ SK HU RO AL BG GR Cr TR SE FI LT RU MD UA BY Cc AZ Nv Ord GG Bjo IR Kh 05 06 50 65 05A 06R 50G 50Ga 65N 65Nc
- 3762. *Bankesia pallida* (Staudinger,1879)** (Psychidae) Synonym(s): *pallida* Staudinger,1879 Range (as codes): TR 05 05A
- 3763. *Bijugis bombycella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *bombycella* [Denis & Schiffermüller],1775 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO AL BG GR TR RU MD UA BY 16 16A
- 3764. *Bijugis pectinella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *pectinella* [Denis & Schiffermüller],1775 Range (as codes): ES FR IT AT PL CZ SK HU RO YU BG GR TR RU MD UA BY 16 33 16A
- 3765. *Canephora hirsuta* (Poda,1761)** (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *graminella* [Denis & Schiffermüller],1775; *atra* Goeze,1780; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *hieracii* Latreille,1809; *vestitella* Hübner,[1825]; *paleiferella* Bruand,1850; *asiatica* Staudinger,1887 Range (as codes): PT ES FR IT BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU Pt Mo Tt Om To Ro Tgn Cm Ao Or Ur UA Da Pr Nr Sr Am Prj Us Vv Bn Cc GG Bjo Sok UZ Fe Man Osh KK At KG CN Mc KP KR JP Hkk TH 06 36 60 06R 06Rb 36F 60C
- 3766. *Canephora villosella* (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810 Range (as codes): ES FR Co Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK SE FI EE LV LT RU Pt Mo Tt Ur Or At Ir MD UA BY KG Ssn AZ Nv Ord GG Tbl Kir Hkd Cc LB Bsa 01 07 10 33 36 46 07B 07C 10U 33P 36F
- 3767. *Dahlica triquetrella* (Hübner,[1813])** (Psychidae) Synonym(s): *triquetrella* Hübner,[1813] Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK RO YU GR TR DK NO SE FI EE LV LT RU Pt Sb Us Prj
- 3768. *Diplodoma laichartingella* (Goeze,1783)** (Psychidae) Synonym(s): *laichartingella* Goeze,1783; *herminata* Fourcroy,1785; *herminatella* De Villers,1789; *marginepunctella* Stephens,1835; *siderella* Zeller,1839. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Ur Mnu Kj MD UA JP 05 16 05A 16A
- 3769. *Dissoctena granigerella* Staudinger,1859** (Psychidae) Synonym(s): *granigerella* Staudinger,1859 Range (as codes): DZ Eba PT ES An FR TR 05 05A
- 3770. *Eochorica balcanica* (Rebel,1919)** (Psychidae) Synonym(s): *balcanica* Rebel,1919; *troughti* Amsel,1955; *#balcania* De Freina,1994 Range (as codes): RO MK AL BG Slv GR TR JO HV 11 11E
- 3771. *Epichnopterix plumella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785]; *minutella* Geoffroy,1785; *plumea* Haworth,1811; *muscea* Haworth,1811; *bombycella* Stephens,1829; *pectinella* Curtis,1837; *radiella* Curtis,1837; *pulella* Bruand,1850; *nigrolucidella* Bruand,1853;... Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR AL BG GR DK EE LV LT Cc RU Mo Tt Ur Or At Kuz Am To Da MD UA BY 05 16 05A 16A
- 3772. *Eumasia parietariella* (Heydenreich,1851)** (Psychidae) Synonym(s): *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920. Range (as codes): TN Gf PT ES FR Co IT DE CH AT CZ RO YU AL BG GR TR LB Bei RU MD UA BY 05 16 44 46 05A 16A

- 3773. *Eumasia syriaca* (Caradja,1920)** (Psychidae) Synonym(s): *syriaca* Caradja,1920 Range (as codes): TR IL LB Bei 46
- 3774. *Kalliesia ruya* Kemal & Koçak, 2018** (Psychidae) Synonym(s): *ruya* Kemal & Koçak, 2018 Range (as codes): TR 33 33A 33A 33Af
- 3775. *Megalophanes viciella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977. Range (as codes): IT BE DE AT PL CZ SK HU RO YU AL BG GR TR EE LT RU Or Da At Cc MD UA Cm BY KG Uk 01 06 14 22 25 33 34 36 42 45 80 06R 06Rb 06Re 25F 34P 36F 42D 80G
- 3776. *Oiketicoides caucasica* (A.Bang-Haas,1912)** (Psychidae) Synonym(s): *caucasica* A.Bang-Haas,1912; *subgrisea* Kozhanchikov,1956. Range (as codes): TR Cc AZ Kir IR Elb 04 08 25 30 36 56 58 60 65 73 04D 04Da 08H 25F 25T 30B 30Be 30Bh 36F 56F 58G 60C 65Bx 65G 65Ge
- 3777. *Oiketicoides febretha* (Boyer de Fonscolombe,1835)** (Psychidae) Synonym(s): *febretha* Boyer de Fonscolombe,1835; *febrethella* Bruand,1853; *magnella* Bruand,1853; *vetulella* Rambur,1866; *albipunctella* Millière,1875; *lambessa* Heylaerts,1889 Range (as codes): MR MA DZ Lbs TN PT ES Py AD B-I FR Si GR Rd TR EG IL Pa LB 42 46 42B 42Bb
- 3778. *Oiketicoides lutea* (Staudinger,1871)** (Psychidae) Synonym(s): *lutea* Staudinger,1871; *sera* Wiskott,1880; *heylaertsii* Millière,1878; *armena* Heylaerts,1885 Range (as codes): Si IT HV AL BG GR Cr TR RU Cc AM Eri GG Tbl Nv Ord AZ Kir IQ SY LB IL Pa 05 32 42 46 65 76 05A 32F 42B 65A 65Ai 76C
- 3779. *Oiketicoides senex* (Staudinger,1871)** (Psychidae) Synonym(s): *senex* Staudinger,1871 Range (as codes): RO YU BG TR Cc RU Da Ao AM GG
- 3780. *Oiketicoides* sp.?** (Psychidae) Synonym(s): Range (as codes): TR 30
- 3781. *Oiketicoides taurica* (Wehrli,1932)** (Psychidae) Synonym(s): *taurica* Wehrli,1932 Range (as codes): TR 01 33 46 80 01A 33O 80B 80Bb
- 3782. *Penestoglossa dardoinella* (Millière,1863)** (Psychidae) Synonym(s): *dardoinella* Millière,1863; *latiorella* Mann,1873; *incerta* Millière,1876; *symmathetica* Meyrick,1938 Range (as codes): DZ Anna TN Tun ES FR Co Sa Si IT MT HV GR TR 11 42 11E 42D 42Dd
- 3783. *Penestoglossa tauricella* Rebel,1935** (Psychidae) Synonym(s): *tauricella* Rebel,1935 Range (as codes): TR 46
- 3784. *Phalacropterix bruandi* (Lederer,1855)** (Psychidae) Synonym(s): *bruandi* Lederer,1855 Range (as codes): TR LB Bei Bsa 46
- 3785. *Placodoma anatolica* Sobczyk,2013** (Psychidae) Synonym(s): *anatolica* Sobczyk,2013 Range (as codes): TR 27
- 3786. *Psyche casta* (Pallas,1767)** (Psychidae) Synonym(s): *casta* Pallas,1767; *nitidella* Hübner,1793; *germanica* Chapman,1900; *minor* Chapman,1900; *bowerella* Chapman,1900; *mitterdella* Chapman,1900; *niphonica* Hori,1926; *ussuriensis* Kozhantschikov,1956. Range (as codes): DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Mo Tt Da Prj Us MD UA BY Cc GG Tbl AZ Nv Ord JP 16
- 3787. *Psyche crassiorella* (Bruand,[1851])** (Psychidae) Synonym(s): *crassiorella* Bruand,[1851]; *intermediella* Bruand,1853; *affinis* Reutti,1853; *subflavella* Milliere,1876; *ciliella* Chapman,1900; *danieli* Siedler,1958. Range (as codes): PT ES FR Sa Si IT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 06 06R
- 3788. *Psyche rassei* (Siedler,1975)** (Psychidae) Synonym(s): *rassei* Siedler,1975 Range (as codes): TR 34 34C
- 3789. *Ptilocephala* (Deuterohyalina) *albida* (Esper,[1786])** (Psychidae) Synonym(s): *albida* Esper,[1786] Range (as codes): PT ES FR IT CH BG GR TR 06
- 3790. *Ptilocephala* (gr.4) *plumifera* (Ochsenheimer,1810)** (Psychidae) Synonym(s): *plumifera* Ochsenheimer,1810; *mediterranea* Lederer,1853. Range (as codes): MA DZ PT ES FR IT BE NL DE CH AT PL CZ SK HU RO AL BG TR RU VI Sr Ur MD UA Cm KG Ssn Cc AM Eri GG Tbl AZ Nv Kir 05 08 34 05A
- 3791. *Ptilocephala* (s.str.) *muscella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *muscella* [Denis & Schiffermüller],1775 Range (as codes): PT ES FR IT DE AT CZ SK HU RO BG TR RU Or Sr Ur VI Tt Sb Ir MD UA BY Cc 36
- 3792. *Rebelia surientella* (Bruand,1858)** (Psychidae) Synonym(s): *surientella* Bruand,1858; *suriens* Bruand,1859 Range (as codes): ES FR IT DE AT PL CZ HU B-H AL TR 06 11 34 42 06E 06R 06Re
- 3793. *Reisseronia flavociliella* (Mann,1864)** (Psychidae) Synonym(s): *flavociliella* Mann,1864 Range (as codes): GR TR 16 16A
- 3794. *Taleporia pseudoimprovisella* De Freina & Witt,1984** (Psychidae) Synonym(s): *pseudoimprovisella* De Freina & Witt,1984 Range (as codes): TR 05 05A
- 3795. *Taleporia tubulosa* (Retzius,1783)** (Psychidae) Synonym(s): *tubulosa* Retzius,1783; *pseudobombycella* Hübner,1796; *glabrella* Ochsenheimer,1816; *tessellea* Haworth,1828; *tesserella* Stephens,1829; *anderreggella* Duponchel,1842; *guenei* Zeller,1852; *hirta* Bartosova & Duskova,1958 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO ME Ctn AL BG TR DK NO SE FI EE LV LT RU Or Ao Sr Ur MD UA BY KG Uk 16 46 16A

- 3796. *Typhonia lugubris* (Hübner,1793)** (Psychidae) Synonym(s): *lugubris* Hübner,1793; *ciliaris* Ochsenheimer,1810; *lugubris* Hübner,[1808] nec Fabricius,1777; *aequalis* Osthelder,1938 Range (as codes): PT ES FR IT DE CH AT SK RO YU ME Ctn AL BG GR TR Cc RU MD UA BY IR Mz Elb 16 36 65 16A 36F 65F 65Fp 65Fz
- 3797. *Typhonia punctata* (Herrich-Schäffer,[1855])** (Psychidae) Synonym(s): *punctata* Herrich-Schäffer,[1855] Range (as codes): RU TR Cc GG 16 33 45 53 53N

Pterolonchidae

- 3798. *Pterolonche (Gomezbustillus) pulverulenta* Zeller,1847** (Pterolonchidae) Synonym(s): *pulverulenta* Zeller, 1847 Range (as codes): DZ Gea PT ES An Si IT MT AT RO BG TR 46
- 3799. *Pterolonche (s.str.) albescens* Zeller,1847** (Pterolonchidae) Synonym(s): *albescens* Zeller,1847 Range (as codes): PT ES FR Co Sa Si IT MT HU RO YU BG GR TR LB BSa IL Pa 16 46 16A
- 3800. *Pterolonche (s.str.) inspersa* Staudinger,1859** (Pterolonchidae) Synonym(s): *inspersa* Staudinger,1859; *gracilis* Rebel,1916 Range (as codes): MA PT ES FR Sa IT AT RO MD UA B-H HV SS YU MK SK HU BG GR Cr TR RU Kyi 42 42B

Pterophoridae

- 3801. *Adaina microdactyla* (Hübner,[1813])** (Pterophoridae) Synonym(s): *microdactyla* Hübner,[1813]; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937; *madecasseus* Gibeaux,1994 Range (as codes): MA PT ES FR Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU HV RO BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Mz Elb Kdj Fa Gor GlS IL Jt Pa Cc GG Btm Aj CN Yu KwT TW JP SB TZ MW VN PH PG SB NP ID TH Int CMa IN Meg Ass MM MG 05 16 55 71 05A 06R 16A
- 3802. *Agdistis adactyla* (Hübner,[1819])** (Pterophoridae) Synonym(s): *adactyla* Hübner,[1819]; *huebneri* Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997. Range (as codes): AET MA DZ Phv TN Gf LY Cy ES FR Si IT DE CH AT PL CZ SK HU RO MK BG GR TR LV LT RU Ir Irk Tt Mnu KJ Cc AM Eri MD UA BY PK KG Uk TrA Aa TJ TM BdZ CN Ui Ku IMn Gn Pkn Hph She NHu LB BSa IL Pa IR Elb Th Gor GlS Mz Amo Se Fa AF Ca Pli MN 06 06R
- 3803. *Agdistis cappadociensis* Fazekas,2000** (Pterophoridae) Synonym(s): *cappadociensis* Fazekas,2000 Range (as codes): TR 58 58G
- 3804. *Agdistis caradjai* Arenberger,1975** (Pterophoridae) Synonym(s): *caradjai* Arenberger,1975; *dagestanica* Zagulyaev & Filippova,1976. Range (as codes): TR RU Da Cc IR Se Srd 76 76C
- 3805. *Agdistis cypriota* Arenberger,1983** (Pterophoridae) Synonym(s): *cypriota* Arenberger,1983 Range (as codes): AET TN CY TR 01
- 3806. *Agdistis frankeniae* (Zeller,1847)** (Pterophoridae) Synonym(s): *frankeniae* Zeller,1847; *lerinsis* Millière,1876; *bahrutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *rjabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991; *urmijensis* Zagulyaev,1996 Range (as codes): Cn MA Rbt TN Gf Tun LY Cy DZ Agi Bsk PT ES Mu FR Co Sa Si IT MT RO GR Cr TR RU Da Cc No Sr MD UA BY EG CY IL Jt Pa JO Amm IR Ak Msw Ar Se Mz SA KG Uk Ind 06 09 16 35 42 68 71
- 3807. *Agdistis heydeni* (Zeller,1852)** (Pterophoridae) Synonym(s): *heydeni* Zeller,1852; *canariensis* Rebel,1896; *excurata* Meyrick,1920. Range (as codes): Cn DZ TN PT ES FR Co Sa Si IT PL AL BG GR Cr TR SY IL Hf Js Pa LB BSa CY 06 33 06R
- 3808. *Agdistis intermedia* Caradja,1920** (Pterophoridae) Synonym(s): *intermedia* Caradja,1920; *hungarica* Amsel,1955. Range (as codes): HU RO TR KG Uk RU Da Cc 42
- 3809. *Agdistis karabachia* Zagulyaev,1990** (Pterophoridae) Synonym(s): *karabachia* Zagulyaev,1990 Range (as codes): Cc AZ TR 06 06Y
- 3810. *Agdistis meridionalis* (Zeller,1847)** (Pterophoridae) Synonym(s): *meridionalis* Zeller,1847; *staticis* Millière,1875; *portlandica* Tutt,1906; *clivicola* Meyrick,1920; *tyrrhenica* Amsel,1952; *prolai* Hartig,1953. Range (as codes): Cn MA TN Gf DZ Bsk ES Mu FR Co Sa Si IT MT GB YU HV AL GR TR CY IL Pa Hf 09 33 42 42B
- 3811. *Agdistis mevlaniella* Arenberger,1972** (Pterophoridae) Synonym(s): *mevlaniella* Arenberger,1972 Range (as codes): TR RU Da Cc TJ KG Tk 42
- 3812. *Agdistis protai* Arenberger,1973** (Pterophoridae) Synonym(s): *protai* Arenberger,1973 Range (as codes): Sa IT CY TR 33 33P
- 3813. *Agdistis sabokyi* Fazekas,2000** (Pterophoridae) Synonym(s): *sabokyi* Fazekas,2000 Range (as codes): TR 06 06Y
- 3814. *Agdistis satanas* Millière,1876** (Pterophoridae) Synonym(s): *satanas* Millière,1876; *nanus* Turati,1924; *pseudosatanas* Amsel,1952. Range (as codes): MA LY DZ TN ES Mu FR Co Sa Si IT MT DE RO BG AL GR Cr TR RU MD UA BY 06 09 06R

- 3815. *Agdistis sissia* Arenberger, 1987** (Pterophoridae) Synonym(s): *sissia* Arenberger, 1987 Range (as codes): AM Cc TR IR Es AZ Nv 07 07B
- 3816. *Agdistis tamaricis* (Zeller, 1847)** (Pterophoridae) Synonym(s): *tamaricis* Zeller, 1847; *bagdadiensis* Amsel, 1949; *xinjiangsis* Qin & Zheng, 1997. Range (as codes): Cn CV MA TN LY DZ PT ES Mu FR Co Sa Si IT MT DE CH RO YU MK BG GR Cr TR RU St Sr MD UA BY IR Mz Elb Th Kz Sde GlS Ss Hz IQ Bgd CN Ui Au IMn Kgs She Gn Hph Stg TW CY IL Jr Jf Hf JO Amm AF Kab PK Krc Pes UZ Br TM Kp BH SA SA63 Hj SA39 EG EG05 EG11 SD GH YE Mrw 16 17 16A
- 3817. *Amblyptilia acanthadactyla* (Hübner, [1813])** (Pterophoridae) Synonym(s): *acanthadactyla* Hübner, [1813]; *odontodactyla* Charpentier, 1821; *calamintinae* Frey, 1886; *tetralicella* Hofmann, 1895; *phoenicodactyla* Chrétien, 1915 Range (as codes): MA DZ TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO BG GR Cr DK NO SE EE LV LT RU MD UA BY TR CY IR Cc GG Sok Abk 16 48 65 65A 65Ai
- 3818. *Buszkoiana capnodactyla* (Zeller, 1841)** (Pterophoridae) Synonym(s): *capnodactylus* Zeller, 1841; *diversicilia* Filipjev, 1931 Range (as codes): IT BE NL DE AT PL CZ SK HU YU RO MK AL BG TR DK SE RU UA
- 3819. *Calyciphora albodactyla* (Fabricius, 1794)** (Pterophoridae) Synonym(s): *albodactyla* Fabricius, 1794; *xerodactyla* Zeller, 1841; *sicula* Fuchs, 1901. Range (as codes): ES FR Si IT DE AT PL CZ SK YU HV MK BG GR TR NO SE FI RU Irk Ir UA IR 05 16 46 58 58G
- 3820. *Calyciphora homiodactyla* (Kasy, 1960)** (Pterophoridae) Synonym(s): *homiodactyla* Kasy, 1960 Range (as codes): FR CZ YU BG GR RU Sr MD UA BY TR 39 42
- 3821. *Calyciphora maraschella* Zagulyaev, 1986** (Pterophoridae) Synonym(s): *maraschella* Zagulyaev, 1986 Range (as codes): TR 46 58 58G
- 3822. *Calyciphora nephelodactyla* (Eversmann, 1844)** (Pterophoridae) Synonym(s): *nephelodactyla* Eversmann, 1844; *apollina* Millièrre, 1882; *extensa* Zagulyaev, 1986. Range (as codes): ES FR IT CH AT PL CZ SK YU BG GR RU Sr Ti MD UA BY TR Cc GG Bjo IR 05 16
- 3823. *Calyciphora xanthodactyla* (Treitschke, 1833)** (Pterophoridae) Synonym(s): *xanthodactyla* Treitschke, 1833 Range (as codes): MA SK HU MK TR RU 05 16 42 45 05A 16A
- 3824. *Capperia celeusi* (Frey, 1886)** (Pterophoridae) Synonym(s): *celeusi* Frey, 1886; *intercicus* Meyrick, 1930; *belutschistanella* Amsel, 1959; *karakalensis* Gibeaux, 1997. Range (as codes): ES FR IT DE CH AT CZ SK HU YU HV MK B-H AL BG GR TR Cc CY RU Kc Teb MD UA Cm BY TM Kp K-K IR Ss Irs LB Bsa 05 06 08 28 29 42 60 71 06R 08G 42B
- 3825. *Capperia fletcheri* Adamczewski, 1951** (Pterophoridae) Synonym(s): *fletcheri* Adamczewski, 1951 Range (as codes): IL Js Pa TR 24
- 3826. *Capperia fusca* (Hofmann, 1898)** (Pterophoridae) Synonym(s): *fusca* Hofmann, 1898; *marrubii* Adamczewski, 1951 Range (as codes): ES FR IT BE DE CH AT CZ SK YU HV BG GR Cr TR IR GlS Cc RU Tv KG Uk 05 06 33 38 42 46 71 05A 06R 06Y 42B 71B
- 3827. *Capperia hellenica* Adamczewski, 1951** (Pterophoridae) Synonym(s): *hellenica* Adamczewski, 1951 Range (as codes): MT ES FR IT YU HV B-H GR TR LB Bei AF Kab 23 24 30 42 48 30D 30Df 42B 48D
- 3828. *Capperia maratonica* Adamczewski, 1951** (Pterophoridae) Synonym(s): *maratonica* Adamczewski, 1951 Range (as codes): ES FR Sa IT RO HV YU BG GR TR RU Kb Teb TM UA Cm Cc AM Eri IL Hf Pa IR Mz 36 42 36F 42B
- 3829. *Capperia marginella* (Zeller, 1847)** (Pterophoridae) Synonym(s): *marginella* Zeller, 1847 Range (as codes): Si GR Cr CY TR IR LB Bsa KG 05 06 35 38 05A 06R 06Rq
- 3830. *Capperia polonica* Adamczewski, 1951** (Pterophoridae) Synonym(s): *polonica* Adamczewski, 1951 Range (as codes): FR Co Sa GR Sms TR 34 34C
- 3831. *Capperia salanga* Arenberger, 1995** (Pterophoridae) Synonym(s): *salanga* Arenberger, 1995 Range (as codes): TR AF Slg Srb Kbb Pnj Pag Kab Pli IR Elb Kdj Th UZ TM Kp K-K TJ 58 65 58G 65A 65Ab 65Aba
- 3832. *Capperia tamsi* Adamczewski, 1951** (Pterophoridae) Synonym(s): *tamsi* Adamczewski, 1951 Range (as codes): ES SY TR 06 66
- 3833. *Capperia trichodactyla* ([Denis & Schiffermüller], 1775)** (Pterophoridae) Synonym(s): *trichodactyla* [Denis & Schiffermüller], 1775; *leonuri* Stange, 1882; *affinis* Müller-Rutz, 1933. Range (as codes): ES DE CH AT PL CZ SK HU MK RO BG GR Cr TR FI LV LT RU Or No At Tv Irk Am Prj Us Krl Blg Bry MD UA BY CN Mc JP 05 16 05A 16A
- 3834. *Capperia washbourni* Adamczewski, 1951** (Pterophoridae) Synonym(s): *washbourni* Adamczewski, 1951 Range (as codes): TR SY Hal GR IL Jr Pa IR Elb Th Kh AF TM K-K 05 06 23 24 25 29 32 33 42 51 65 06R 23I 24H 42X 42Xa 51D 51Da 65N 65Np6 65Nm
- 3835. *Cnaemidophorus rhododactylus* (Fabricius, 1787)** (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffermüller], 1775; *rhododactylus* Fabricius, 1787; *koreana* Matsumura, 1931; *#rhododactylus* Arenberger, 1998 Range (as codes): DZ Eba PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AM Eri IR Ab Mak GlS Kd Bne Es Kh Ha Zj LB Bsa DK NO SE FI EE LV LT RU Us TJ UZ MD UA BY Ld Ch CN Ui KP KR JP 05 06 13 16 42 46 65 05A 13F 13F71 16A 65D 65Dl 65Dlc 65F 65Fz 65Fp
- 3836. *Crombruggia distans* (Zeller, 1847)** (Pterophoridae) Synonym(s): *distans* Zeller, 1847; *distantidactyla* Bruand, 1858; *geodactylus* Fuchs, 1903; *lactuca* Fletcher, 1920; *clarisignis* Myerick, 1924; *buvati* Bigot

- & Picard,1988; pravieli Bigot & Picard,1989; gibeauxi Bigot et al.,1990; supplementum Gibeaux,1997. Range (as codes): Cn MA Azr Ouk Ifr DZ Lbs Hsb TN PT ES Grn FR Py Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO SS HV YU B-H MK AL BG GR TR DK NO SE FI RU Sb MD UA Cm GG Tbl AM Eri AZ IR Elb Kdj Th Mz Kz Gor Yas Nss BY AF Pag Kab Pli Sfk Kot Bkt Nu Hr PK Swa Mdy Ch KG UZ Smk TM Kp K-K CN Ui IN Up Hp NP SI BT Cm VI Ur At Ir Irk Bry Ik Smk Ass Khs N-A Swa Kma Snm Djl Cc KK KuA 01 05 06 07 16 22 23 30 33 34 42 44 45 46 48 50 58 61 63 65 76 01G 05A 06R 07A 07B 16A 23D 30B 30D 33O 33P 33Pa 36F 42B 46G 50G 50Ge 63B 65A 65Am 65Am4 76A 76Ae
- 3837. *Crombrugghia kollari* (Stainton,1851)** (Pterophoridae) Synonym(s): *kollari* Stainton,1851 Range (as codes): FR Co ES IT CH AT TR IR Gor RU Ur
- 3838. *Crombrugghia laeta* (Zeller,1847)** (Pterophoridae) Synonym(s): *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882. Range (as codes): MA TN DZ Bsk LY Cn PT ES FR Co Sa Si IT MT GB YU B-H HV MK AL BG GR TR Cc LB Bei IQ Shq IR Kz TM Kp K-K 05 06 16 42 44 46 76 05A 06R 42B 76C
- 3839. *Crombrugghia propedistans* (Bigot & Picard,1988)** (Pterophoridae) Synonym(s): *propedistans* Bigot & Picard,1988 Range (as codes): PT FR Co IT CZ RO GR TR
- 3840. *Crombrugghia reichli* Arenberger,1998** (Pterophoridae) Synonym(s): *reichli* Arenberger,1998 Range (as codes): Cr CY TR 01 01G 01L 01Lc
- 3841. *Crombrugghia tristis* (Zeller,1839)** (Pterophoridae) Synonym(s): *tristis* Zeller,1839; *tristidactyla* Bruand,1858; *adamczewskii* Bigot & Picard,1988. Range (as codes): PT ES FR Si IT DE AT PL CZ SK HU HV YU BG TR LT RU No At Kb IL Js Pa SY Hal IR Th Kdj Elb Ak Mya 06
- 3842. *Emmelina monodactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. Range (as codes): Cn Md MZ DZ TN LY Cy PT ES FR Co Sa Si IT MT IC IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK SS AL BG GR Cr TR CY IL Pa JO Zq LB Bsa Bei AM DK NO SE FI EE LV LT RU MD UA BY KG Uk CN Ui Ku Pkn Hph Stg She Ts SY Hal IQ Dia Bgd Mo Kc Teb Cc Cm Sr Sb Ur St No VI Bn Aa Lps KK Ik Al TM Kp TJ UZ Man AF Sfk Kot Shah Srb Kab Hr Dwe Pli Bark Blh Bd Fz Bsg PK Swa Haz IN Ch Ld SA SA63 YE Sna EG EG11 US Cf Tgo IR Elb Kdj Th Gor Gh Clu Kz Dzf Ha Lo Es Ke Jrf Ab Oru Khy Ak Tbz Zj Kh Msh Se GlS MA Ifr Ouk Anna Bsk Ski Cst Clo Sfx Tun 05 06 07 09 10 14 16 23 29 30 31 33 34 36 38 46 50 59 61 05A 06R 10K 10Ka 16A 30D 30Df
- 3843. *Geina didactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *didactyla* Linnaeus,1758; *brunneodactyla* Millière,1854. Range (as codes): ES FR IT DE AT PL CZ SK HU B-H RO BG TR DK NO SE FI EE LV LT RU Tt Or Om No At MD UA BY KG Uk 05 16 05A 16A
- 3844. *Gillmeria irakella* (Amsel,1959)** (Pterophoridae) Synonym(s): *irakella* Amsel,1959 Range (as codes): TR IR IQ Hjo
- 3845. *Gillmeria miantodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): *miantodactylus* Zeller,1841 Range (as codes): FR AT HU RO BG GR MK TR RU UA
- 3846. *Gillmeria pallidactyla* (Haworth,[1811])** (Pterophoridae) Synonym(s): *pallidactyla* Haworth,[1811]; *marginidactylus* Fitch,1854; *nebulaedactylus* Fitch,1854; *bertrami* Rössler,1864; *bischoffi* Zeller,1867; *cervinidactylus* Packard,1873; *adustus* Walsingham,1880; *chapmani* Tutt,1896; *sachalinensis* Matsumura,1931. Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU BG GR DK NO SE FI EE LV LT RU MD UA BY CN TR IR Ak Ma Ha US BR 65 76 65A 65Am 65Am4 76A 76Ac
- 3847. *Gillmeria tetradactyla* (Linnaeus,1761)** (Pterophoridae) Synonym(s): *tetradactyla* Linnaeus,1761; *ochrodactyla* [Denis & Schiffermüller],1775; *dichrodactylus* Mühlig,1863; *bosniaca* Rebel,1904; *pallida* Dufrane,1949 Range (as codes): FR IT GB BE NL LU DE CH? AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY TJ Cc AM CN Ui 05 06 16 31 46 05A 16A
- 3848. *Gypsochares baptodactylus* (Zeller,1850)** (Pterophoridae) Synonym(s): *baptodactylus* Zeller,1850; *dactylographa* Turati,1927. Range (as codes): LY PT ES Co Sa IT HV TR 16
- 3849. *Hellinsia carphodactyla* (Hübner,[1813])** (Pterophoridae) Synonym(s): *carphodactylus* Hübner,[1813]; *citridactylus* Stephens,1834; *infirma* Heydenreich,1851; *buphthalmi* Hofmann,1898; *inulaevorus* Gibeaux,1989; *alpinus* Gibeaux & Picard,1992 Range (as codes): MA DZ Bsk TN Gf PT ES FR Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU SS HV B-H MK AL BG TR EE RU Ro Tgn Tt MD UA BY IR GlS
- 3850. *Hellinsia inulae* (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992. Range (as codes): Cn MA Rbt Tgr DZ Bsk Anna TN Gf LY PT ES An Mu FR MT DE AT PL CZ SK HU YU HV MK BG GR Cr TR CY LB Bsa IL Jf js Jt JO Zq Pa RU MD UA BY EG CN Stg Ui UZ Man 09 33 34
- 3851. *Hellinsia osteodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): *microdactyla* Zetterstedt,1839 *nec* Hübn.,[1813]; *osteodactylus* Zeller,1841; *trimmatodactylus* Christoph,1872; *cinerariae* Millière,1874; *chrysocomae* Ragonot,1875; *korbi* Caradja,1920; *turbidellus* Caradja,1920; *sophronistes* Meyrick,1938. Range (as codes): MA DZ PT ES FR Sa Si IT GB LU DE CH AT PL CZ SK HU RO YU SS HV B-H MK BG TR DK NO SE FI EE LV LT RU Sr Mo Pt VI Kb Teb No At Prj Us MD UA BY Cc GG Tbl Mng KG Uk CN Stg Shs NHu Mc Sz Yu Ui MN KP KR JP Hkk 05 38
- 3852. *Marasmarcha ehrenbergiana* (Zeller,1841)** (Pterophoridae) Synonym(s): *ehrenbergiana* Zeller,1841; *decolorum* Caradja,1920 Range (as codes): SY LB TR IR Ab Sdt Mms Ak Khy Tbz Kd Bne Km Sqq Snj Lo Zj Qz KG RU 06 13 33 42 46 47 56 06R 13A 13Af 13Ax 33O 56F 56Fm
- 3853. *Marasmarcha lunaedactyla* (Haworth,[1811])** (Pterophoridae) Synonym(s): *lunaedactyla* Haworth,[1811]; *phaeodactyla* Hübner,[1813]; *agrorum* Herrich-Schäffer,1855; *altaica* Krulikowsky,1906;

- tuttodactyla* Chapman,1906 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO GR TR SE FI EE RU 31 31M
- 3854. *Merrifieldia baliodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *daliodactylus* Bruand,1850 Range (as codes): MA PT ES Grn FR IT GB BE NL LU DE CH AT PL CZ SK RO YU HV B-H MK AL BG GR Cr TR LB Bsa IL Pa DK NO SE FI EE LV LT RU Mo Kb Teb Cc MD UA BY CN Ui Ku KG TrA KK KuA 05 06 16 46 48 05A 06R 16A
- 3855. *Merrifieldia brandti* (Arenberger,1981)** (Pterophoridae) Synonym(s): *brandti* Arenberger,1981 Range (as codes): TR IR Fa Sse Kz Kaz Elb Kdj Th 29 29A
- 3856. *Merrifieldia calcaria* (Lederer,1870)** (Pterophoridae) Synonym(s): *calcaria* Lederer,1870 Range (as codes): TR RU Cb Sjm KG Uk IR Gor GlS Fa Sse Se Elb Shh TM Kp K-K
- 3857. *Merrifieldia caspia* (Lederer,1870)** (Pterophoridae) Synonym(s): *caspia* Lederer,1870 Range (as codes): TR IR GlS Kh Elb Gor Fa KuB Msh TM Kp UZ Fe Smk Nmg Man KK Osh Ik CN Ui Ku IN Ld Ik RU
- 3858. *Merrifieldia deprinsi* Arenberger,1990** (Pterophoridae) Synonym(s): *deprinsi* Arenberger,1990 Range (as codes): TR 13 13G 13Gv
- 3859. *Merrifieldia diwani* (Arenberger,1981)** (Pterophoridae) Synonym(s): *diwani* Arenberger,1981 Range (as codes): IR Zj Fa Kaz TR 55 73 55E 73A 73Ak
- 3860. *Merrifieldia leucodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fitzi* Rebel,1912; *flavella* Chrétien,1923; *dryogramma* Meyrick,1930. Range (as codes): MA DZ Tni Tis PT ES FR Sa? Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK HV B-H SS BG GR TR DK SE FI LV RU Kc Teb Cc MD UA BY CN Shs KG Uk SA AF MN 16 29
- 3861. *Merrifieldia malacodactyla* (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993 Range (as codes): Cn MA DZ Bsk TN DhM LY Cy PT ES Mu FR Co Sa Si IT MT SK HU RO YU HV B-H MK SS BG GR Cr Rd CY TR Cc RU MD UA Cm BY LB Bei Bsa Bmm SY Hal Dms IL Hf Js Pa IQ Ry Hjo IR Ab Oru GlS Ke Elb Kdj Shr Fa AF Srb Kab Sfk Kot Nu SA As 05 06 07 09 14 16 23 29 33 42 46 55 65 76 77 06R 16A 42A 42B 65N 65Np1 65Nm 76C
- 3862. *Merrifieldia tridactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *icterodactyla* Mann,1855; *flavella* Chrétien,1923; *menthae* Chrétien,1925; *exilidactyla* Buszko,1975; *neli* Bigot & Picard,1989 Range (as codes): MA Ifr DZ PT ES Mu FR Sa IT Co IE GB BE NL LU DE CH AT PL CZ SK HU YU HV MK BG GR TR DK SE FI EE LV LT RU At Kb Teb Cc Sb MD UA BY IR Mak Ab Kd Sqq Avd Ha KG Uk AF 38 42 58 65 69 58G 65A 65Am 65Am4 65N 65Np 65Nm
- 3863. *Oidaematophorus didactylites* (Ström,1783)** (Pterophoridae) Synonym(s): *didactylites* Ström,1783; *scarodactyla* Hübner,[1813]; *icarodactyla* Treitschke,1833; *catharodactylus* Caradja,1921. Range (as codes): FR IT BE NL DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RU Pt Kb Teb Ur Mo Ir Irk Sr Nr Sjm MD UA BY CN Mc Jn She Cc GG Kzb KG 50 58
- 3864. *Oidaematophorus lithodactylus* (Treitschke,1833)** (Pterophoridae) Synonym(s): *lithodactylus* Treitschke,1833; *septodactylus* Treitschke,1833; *similidactylus* Dale,1834; *lithoxyloactylus* Duponchel,[1840]. Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H BG GR TR DK NO SE FI EE LV RU Or Tt St Ir Irk Kb Teb MD UA BY CN Ui JP Kyu Hkk IR Kd Mrv 16 16A
- 3865. *Oxyptilus chrysodactylus* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *chrysodactylus* [Denis & Schiffermüller],1775; *hieracii* Zeller,1841; *hieracidactyla* Bruand,1858; *perunovi* Ustjuzhanin,1996. Range (as codes): ES Mu FR IT BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Kb Teb At To Ir Irk Bry Ya No Am Sh Vv Prj Us MD UA BY CN Mc JP Hkk 17 42
- 3866. *Oxyptilus ericetorum* (Stainton,1851)** (Pterophoridae) Synonym(s): *ericetorum* Stainton,1851; *ericetidactyla* Bruand,1859. Range (as codes): FR IT BE DE CH AT PL CZ SK RO B-H BG GR TR DK NO SE FI EE LV LT RU At No Kb MD UA BY
- 3867. *Oxyptilus parvidactylus* (Haworth,[1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroocanensis* Amsel,1956. Range (as codes): MA PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU SS YU B-H HV MK RO BG AL GR TR DK NO SE FI EE LV LT RU Sr St Kb MD UA Cm BY KG Uk Cc AM Eri LB Bsa Bmm IL Hf Pa IR Gor Mz Th Dam Elb 05 06 07 14 16 29 34 35 42 44 46 58 71 76 05A 06R 42B 58G
- 3868. *Oxyptilus pilosellae* (Zeller,1841)** (Pterophoridae) Synonym(s): *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemanni* Wallengren,1862. Range (as codes): ES Mu FR IT GB BE NL LU DE CH AT PL CZ SK HU RO SS YU B-H HV MK BG GR TR DK NO SE FI EE LV LT RU Tt No At MD UA BY CN Kgs IR Gor Elb Kdj KG Lps 46
- 3869. *Paracapperia anatolica* (Caradja,1920)** (Pterophoridae) Synonym(s): *anatolica* Caradja,1920 Range (as codes): Cc AM GG Im Kta TR SY Hal IR TJ Dsb Kd TM Kp 05 07 31 33 42 56 58 63 66 70 71 58G 63H

- 3870. *Paraplatyptilia inanis* (Caradja,1920)** (Pterophoridae) Synonym(s): *inanis* Caradja,1920 Range (as codes): TR KK? 76 76C
- 3871. *Paraplatyptilia metzneri* (Zeller,1841)** (Pterophoridae) Synonym(s): *metzneri* Zeller,1841; *bolli* Frey,1856; *gaji* Zagulyaev,1983 Range (as codes): FR IT DE CH AL BG TR IR RU At MD UA BY KG Uk MN Sb Cc CN Ui Kl o6
- 3872. *Platyptilia calodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *calodactyla* [Denis & Schiffermüller],1775; *petradactyla* Hübner,[1819]; *zetterstedtii* Zeller,1841; *taeniadactylus* South,1882; *doronicella* Fuchs,1902; *leucorrhincha* Meyrick,1902. Range (as codes): ES IT GB BE NL DE CH AT PL CZ SK YU TR IR Elb Th Se Srd BG DK NO SE FI EE LV LT RU Mo MD UA BY CN o5
- 3873. *Platyptilia chondrodactyla* Caradja,1920** (Pterophoridae) Synonym(s): *chondrodactyla* Caradja,1920 Range (as codes): TR 65
- 3874. *Platyptilia farfarella* Zeller,1867** (Pterophoridae) Synonym(s): *farfarella* Zeller,1867; *molopias* Meyrick,1906; *periacta* Meyrick,1910; *claripicta* Fletcher,1910; *gonodactyla* Hori,1934 nec [Denis & Schiff.],1775; *petila* Yano,1963 Range (as codes): AET ZA Kzu Nta Mlp Dbn MG SC MU UG KE TZ NG LK ES FR Si IT NL DE CH AT PL SK HU RO AL BG GR TR IR Ak Sbl Ar Ab Mak RU MD UA BY TW JP SB SZ ST ID PH MW 5o 65 5oF 65N 65Nr4 65Nm
- 3875. *Platyptilia gonodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Uk CN Ui Mc MN PK IN o4 16 42 65 71 75 16A 42B 65A 65Ai 65Am 65Am4 75F 75Fd
- 3876. *Platyptilia kozanica* Fazekas,2003** (Pterophoridae) Synonym(s): *kozanica* Fazekas,2003 Range (as codes): TR o1 o1G
- 3877. *Platyptilia nemoralis* (Zeller,1841)** (Pterophoridae) Synonym(s): *nemoralis* Zeller,1841; *nemoralidactyla* Bruand,1859; *graafl* Zeller,1873; *sinuosa* Yano,1960. Range (as codes): FR IT BE NL LU DE CH AT PL CZ SK HU BG TR IR Th Fi EE RU Sb MD UA BY CN Ui JP
- 3878. *Porritia galactodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *galactodactyla* [Denis & Schiffermüller],1775; *albodactylus* Fabricius,1794. Range (as codes): FR IT MT GB BE NL DE AT PL CZ SK HU RO DK SE LV RU Or Ti MD UA BY TR
- 3879. *Procapperia ankaraica* Fazekas,2003** (Pterophoridae) Synonym(s): *ankaraica* Fazekas,2003 Range (as codes): TR o6 o6R o6Rq
- 3880. *Procapperia kuldschaensis* (Rebel,1914)** (Pterophoridae) Synonym(s): *kuldschaensis* Rebel,1914; *asiatica* Zagulyaev,1986. Range (as codes): TR UA Cm RU At Tv Sj Sb AF Kab Pag Sfk Shah Kbb Pnj PK Kag Haz TM KK TeA Na Tls Ik UZ Smk KG TeA TrA Aa Ket MN CN Ui Ku Cc GG Im Kta o5 33 42
- 3881. *Procapperia linariae* (Chrétien,1922)** (Pterophoridae) Synonym(s): *linariae* Chrétien,1922; *croatica* Adamczewski,1951. Range (as codes): MA ES FR HV BG GR TR IR Ak Ar Gor Gls Shh Es Ke Yz Th Elb UA KG 13 23 65 13F 13F71 65N 65Np2 65Nm
- 3882. *Procapperia maculata* (Constant,1865)** (Pterophoridae) Synonym(s): *maculata* Constant,1865; *croatica* Adamczewski,1951. Range (as codes): FR IT HV BG TR RU Kb Teb Kis GG Tbl UA Cm Cc AM Eri o5 o6 24 33 36 42 58 65 71 o5A o6R o6Rq o6Y 24H 36D 42B 58G 65F 65Fp 65Fz
- 3883. *Pselnophorus poggei* (Mann,1862)** (Pterophoridae) Synonym(s): *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomi* Zagulyaev,1987. Range (as codes): TR Cc GG Bjo RU Kb Teb St Pja UA Cm IR Mz Elb Gor Gls o5 16 53 61
- 3884. *Pterophorus ischnodactylus* (Treitschke,1835)** (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968. Range (as codes): DZ LY ES FR Co Si IT MT BE AT HU RO YU MK HV B-H AL BG GR Rd TR RU MD UA Cm BY IL Jer Pa IQ Bgd SA SA63 OM BH PK Krc MN ZA Fs Blo IR o5 16 34 46 o5A 16A
- 3885. *Pterophorus pentadactylus* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR DK NO SE FI EE LV LT RU Da Kb Teb No St Us Prj Sr Ti MD UA Cm BY SY Hal Cc Kc Teb AM AZ Len GG IR Ab Oru Gor Gls Mz Gh Nos TM KG Tk Dj TrA Aa CN Ui Ku Yu Sz Mc Jn TW o4 o5 o6 o8 14 16 24 31 34 42 44 46 50 58 61 65 76 o5A o6R 16A 31M 58G 65D 65Do 65Doa 76C
- 3886. *Pterophorus subalternans* Lederer,1869** (Pterophoridae) Synonym(s): *subalternans* Lederer,1869 Range (as codes): TR IR Gor 16 31 16A 31M
- 3887. *Puerphorus olbiadactylus* (Millière,1859)** (Pterophoridae) Synonym(s): *olbiadactylus* Millière,1859; *hemiargus* Meyrick,1908; *dactilographa* Turati,1927. Range (as codes): Cn MA DZ Ges TN PT ES And Grn Mu FR Co Sa Si IT MT GR Cr CY LB Bsa IL Pa Js Hf JO IR Fa AF Kab TR 33
- 3888. *Stangeia siceliota* (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858. Range (as codes): MA Ouk Rf DZ Ski Hes Bsk Ktr TN CN PT ES An Grn Mu FR Co Sa Si IT YU MK HV BG GR Cr CY TR Arr Cc AM Eri SY Dms LB Bei Bsa Bmm JO Zq Amm IL Js Jt Pa AF Srb IR Ar IQ Bgd SA As OM YE CN Hun o7 o9 16 23 31 34 36 38 41 44 50 58 65 76 o7B o9K 16A 31M 34Q 34Qa 41A 44L 50G 50Gd 58G 65A 65Am 65Am1

- 3889. *Stenoptilia arida* (Zeller,1847)** (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *grisescens* Schawerda,1933; *csanadyi* Gozmany,1959; *picardi* Gibeaux,1986; *mariaeluisiae* Bigot & Picard,2001; *inopinata* Bigot & Picard,2001; *kopetdagi* Zagulyaev,2002 Range (as codes): Cn MA DZ TN ES FR Co Sa Si IT HV GR Cr BG TR IR Ak Gh Elb Mz Gor Cc AM JO CY IL Pa Js TM Kp AF Kab YE Sna 05 06 13 16 30 32 42 47 58 65 75 05A 06R 13G 16A 30B 30Bö 58G 65N 65Nm 75F 75Fd
- 3890. *Stenoptilia bipunctidactyla* (Scopoli,1763)** (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 nec Zell.,1847. Range (as codes): MA Rbt DZ Bsk Ges Gue TN Sfx LY Cn PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU UA At Tv Sb Us Cc AM Eri IL Pa IQ Mos SY Dms JO Amm EG IR Elb Ak Th KG Uk LB Bsa 16 38 42
- 3891. *Stenoptilia coprodactyla* (Stainton,1851)** (Pterophoridae) Synonym(s): *coprodactyla* Stainton,1851; *zalocrossa* Meyrick,1907. Range (as codes): ES FR IT DE CH AT PL SK HU RO YU AL BG TR RU B-H HV GR Cc At Tv Us 24 24B 24Bb
- 3892. *Stenoptilia elkefi* Arenberger,1984** (Pterophoridae) Synonym(s): *elkefi* Arenberger,1984 Range (as codes): TN FR ES IT MA GR Cr CY TR JO YE TM
- 3893. *Stenoptilia lucasi* Arenberger,1990** (Pterophoridae) Synonym(s): *lucasi* Arenberger,1990 Range (as codes): CY GR TR IR Th 24 38 24A 24Aa 38C
- 3894. *Stenoptilia mannii* (Zeller,1852)** (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochra* Meyrick,1927; *lucasi* Arenberger,1990 Range (as codes): MA FR MK BG GR TR RU IR Ab Mmş Ar Elb Th Fa Cc GG AM Eri UA Cm CN Ui Ku LB SY Hal IQ UZ KK 03 05 06 13 16 24 25 30 42 46 50 60 65 05A 06R 13A 13Ac 13Ac1 13Ax 16A 25R 25Rb 30D 30Db 30Dt 30Du 50G 50Gd 65A 65Am 65Am4 65D 65Dp 65Di 65F 65Fz 65Fw
- 3895. *Stenoptilia mariaeluisae* Bigot & Picard,2002** (Pterophoridae) Synonym(s): *mariaeluisae* Bigot & Picard,2002 Range (as codes): DZ ES FR Ct GR DZ TN Cr TR IT 25
- 3896. *Stenoptilia parnasia* Arenberger,1986** (Pterophoridae) Synonym(s): *parnasia* Arenberger,1986 Range (as codes): GR TR AM Cc IR Ke TM 65 65A 65Am 65Am1
- 3897. *Stenoptilia pinkeri* Arenberger,1984** (Pterophoridae) Synonym(s): *pinkeri* Arenberger,1984 Range (as codes): TR 01 06 42 58 65 01G 06R 06Rq 58G 65N 65Np1 65Nm
- 3898. *Stenoptilia plagiodactyla* (Stainton,1851)** (Pterophoridae) Synonym(s): *plagiodactyla* Stainton,1851 Range (as codes): FR AT HU GB Co ES CH DE IT CZ YU B-H BG RO TR 33
- 3899. *Stenoptilia pterodactyla* (Linnaeus,1761)** (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus,1761; *fuscus* Retzius,1783; *fuscodactyla* Haworth,1811; *ptilodactyla* Hübner,[1813]; *palludicola* Wallengren,1862; *#pallida* Tutt,1906 Range (as codes): ES FR Si IT MT IE GB BE NL LU DE Bv Bw CH AT PL CZ SK HU RO HV YU AL MK BG GR TR DK NO SE FI EE LV LT RU Mo Tt MD UA BY Cc GG Tbl IR Mz Elb AM KG Ur Or Sb To CN Ui T-S US 05 13 16 46 73 05A 13A 13Ac 13Ac1 13Ax 16A 73C 73Cd
- 3900. *Stenoptilia stigmatodactyla* (Zeller,1852)** (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller,1852 Range (as codes): MA TN DZ ES FR Si IT NL DE CH AT PL CZ SK HU RO YU BG GR TR RU At Ya Mgd MD UA BY Cc AM Eri Cr IL Pa IR Ak Sah Th Elb Kdj Kdv Kd Zj At Sb Ya 16 38 16A
- 3901. *Stenoptilia zophodactyla* (Duponchel,1838)** (Pterophoridae) Synonym(s): *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873. Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Rd Cr CY HV SS MK TR IR Gh DK SE RU MD UA BY LB Bei IL Pa SA Cc AM At Sb Ya MN CN Ti Sz VN Ton IN LK TH CMA JP ZA Tva Gau Pre Nta Kzu Dbn ZR MG KE PH NZ MX EC PY AU US Tx MW Blid DhM 01 02 25 35 42 55 42B
- 3902. *Stenoptilodes taprobanes* (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962. Range (as codes): TD SY LY SC NG ZA Nta Kzu Dbn PT ES FR Si IT MT BG GR Cr CY TR IR IL FI CN Kwt Kwa MM JP TH Nst CMA IN LK US Hw MW 31 33 46 31M 33A
- 3903. *Tabulaephorus parthicus* (Lederer,1870)** (Pterophoridae) Synonym(s): *parthicus* Lederer,1870 Range (as codes): IR Gor Elb Kdj Fa Kz Shh Kh Ke Jrf Bk Es Kaz Gls TR Cc AZ Nv Ord SY Hal IL Pa JO Amm AF Ca 05 06 23 33 42 46 51 58 71 76
- 3904. *Tabulaephorus punctinervis* (Constant,1885)** (Pterophoridae) Synonym(s): *punctinervis* Constant,1885; *tyrrhenica* Amsel,1954 Range (as codes): Cn DZ Lbs Afl Eba Sbd PT ES Mu FR Sa Si IT TR CY LY Cy 50
- 3905. *Wheeleria elbursi* (Arenberger,1981)** (Pterophoridae) Synonym(s): *elbursi* Arenberger,1981 Range (as codes): IR Elb Kdj Th Ab Bzg Mak Clu Fa Kaz TR 06 07 06R 07Bb
- 3906. *Wheeleria ivae* (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960 Range (as codes): MK BG GR TR LB Bei CY Bsa SY Dms Hal 03 05 06 07 14 20 42 71 06R 42B
- 3907. *Wheeleria obsoleta* (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *desertorum* Zeller,1867; *gonoscia* Meyrick,1922; *marrubii* Wasserthal,1970. Range (as codes): FR Sa Si IT AT CZ SK HU RO YU B-H HV MK BG GR TR Cc RU Or MD UA BY IL Jt Js Pa SY Hal Dms Ltk IR Fa Shr Ha Kdj Elb Th Dam Gor Gls Se Ar Es Ab Mak Km Hz Jrf Kh TM Kp CY JO Zq 05 06 07 14 16 29 31 36 38 42 44 46 47 50 51 55 58 65 71 76 05A 06R 06Y 16A 31M 42E 58G 65A 65Am 65Am4 65F 65Fp 65Fz 65N 65Np2 65Nm 76C

- 3908. *Wheeleria phlomidis* (Staudinger, 1871) (Pterophoridae)** Synonym(s): *phlomidis* Staudinger, 1871
Range (as codes): GR TR Cc IR Clu By Yas Skh Ab Oru Mak Km Kd Sq Lo Kz Qz Hz Fa Elb Kdj Th Shr Ksh Bne Snj SY Hal Dms IL Jt Pa JO Amm Zq KG RU Ro Tgn Sr Uk 05 06 12 42 46 50 51 65 71 76 05A 06R 42B 65A 65Am 65Am1 65N 65Np4 65Nm 76C
- 3909. *Wheeleria sobeidae* (Arenberger, 1981) (Pterophoridae)** Synonym(s): *sobeidae* Arenberger, 1981
Range (as codes): IR Elb Th By Es Lo Plr Kdj Skh Yas Ss Mz Dam AF Sfk Kot TR 25 29 65 65A 65Am 65Am4 65B 65Bk 65N 65Np1 65Nm
- 3910. *Wheeleria spilodactyla* (Curtis, 1827) (Pterophoridae)** Synonym(s): *spilodactyla* Curtis, 1827; *marrubii* Heydenreich, 1851; *xerodactylus* Herrich-Schäffer, 1855 *nec* Zell., 1841; *tuneta* Staudinger, 1892; *calamodactyla* Zerny, 1935 Range (as codes): MA Ifr DZ Agi Orn Ski Phv Lbs Dja Agi LY Cy TN Tun PT ES Grn Mu FR Co Sa IT GB BE NL DE AT PL YU TR Cc RU MD UA BY IR Elb Dam Kdv Plr Gor Gl 05 06 38 42 46 76 05A

Pyralidae

- 3911. *Acentria ephemerella* ([Denis & Schiffermüller], 1775) (Pyralidae)** Synonym(s): *ephemerella* [Denis & Schiffermüller], 1775; *nivea* Olivier, 1791; *phryganea* Hübner, [1803]; *sebris* Hübner, 1808; *ephemera* Hübner, 1819; *hansoni* Stephens, 1833; *nivosa* Stephens, 1834; *garonsii* Curtis, 1834; *newae* Kolenati, 1858; *latipennis* Möschler, 1860; *obscurus* Tengström, 1869; *badensis* Noleken, 1869; *germanicus* Nolcken, 1869 Range (as codes): PT ES FR Sa IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY CA On Qb US Msc Ny Wc 06 42 06Y 42B
- 3912. *Achroia grisella* (Fabricius, 1794) (Pyralidae)** Synonym(s): *grisella* Fabricius, 1794; *alvearia* Fabricius, 1798; *cinereola* Hübner, [1803]; *alvea* Haworth, 1811; *alveariella* Guenée, 1845; *anticella* Walker, 1863; *obscurivittella* Ragonot, 1901; #major Dufrane, 1930. Range (as codes): DZ Bsk PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR YE LB IL KK Ax DK NO SE FI EE LV LT RU MD UA BY LK US KP KR TW CN JP IN Clc LK AU ZA 05 05A
- 3913. *Achyra nudalis* (Hübner, 1796) (Pyralidae)** Synonym(s): *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1832; *lacunalis* Zeller, 1852; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *fulvalis* W. Warren, 1892; *ochromorpha* Lower, 1901; *kronei* Schawerda, 1914; *brunnealis* Caradja, 1916; *serenalis* Schawerda, 1916; *xanthalis* Fawcett, 1916 Range (as codes): MA TN DZ Clo PT ES FR Co Sa Si IT MT HU YU B-H AL BG GR Cr CY TR Cc Ce Gro RU Ao AM Eri GG Tbl Len AZ Kir Nv Ord YE IL Pa Hf LB IR Es Fa Shr Th Elb Kdj Kz Sde Ana Ke Put Mz IQ Bgd AF Hr Ca Blh Pli Arh Dwe Fz Bkt PK Sd Krc CN Ui MN LK IN ZA SA NE ZR KE 01 16 23 27 31 33 46 76 16A 31A 31H 31K 31Ka 31Ka3 31Ka7 31M 76A 76Aa 76B 76Ba 76Bb
- 3914. *Acritonia comeella* Amsel, 1954 (Pyralidae)** Synonym(s): *comeella* Amsel, 1954; #comella Akin, 2014 Range (as codes): IR Fa TR 13 65 73 13A 13Ab 13Ax 13F 13F38 13F171 65D 65Df 73A 73Ad 73Ad2
- 3915. *Acrobasis advenella* (Zincken, 1818) (Pyralidae)** Synonym(s): *advenella* Zincken, 1818; *rhenella* Stephens, 1834; *consociella* Duponchel, 1836; *recurvella* Guenée, 1845 Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY TR 05 56 65 56F 65L 65Le 65N 65Np 65Nm
- 3916. *Acrobasis atrisquamella* Ragonot, 1887 (Pyralidae)** Synonym(s): *atrisquamella* Ragonot, 1887; *nigrisquamella* Amsel, 1954 Range (as codes): TR IR Fa IQ Ssa IL LB Bei 05 44 46 47 65 05A 44L 65D 65Dv 65Dt 65Du
- 3917. *Acrobasis bithynella* Zeller, 1848 (Pyralidae)** Synonym(s): *bithynella* Zeller, 1848; *obliterella* Staudinger, 1859; *rubidella* Ragonot, 1887; *plumbeatella* Turati, 1913; *rufella* Turati, 1913; *turatii* Schawerda, 1921; *minuscule* Turati, 1930; *noctiptera* Schawerda, 1937; *witteella* Roesler, 1969 Range (as codes): DZ Lbs PT ES FR Co Sa Si IT YU Cr TR LB 01 05 16 33 34 42 80 16A 42B
- 3918. *Acrobasis celticola* Staudinger, 1879 (Pyralidae)** Synonym(s): *celticola* Staudinger, 1879 Range (as codes): TR 05 47 05A
- 3919. *Acrobasis centunculella* (Mann, 1859) (Pyralidae)** Synonym(s): *centunculella* Mann, 1859 Range (as codes): ES Mu FR Si IT RO YU BG GR TR 16 44 65 16A 44E 44Ei 65D 65Do
- 3920. *Acrobasis consociella* (Hübner, [1813]) (Pyralidae)** Synonym(s): *consociella* Hübner, [1813]; *consocialis* Hübner, [1825]; *tumidella* Duponchel, 1836; *oberthueri* Lucas, 1914. Range (as codes): TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY TR TM Kp 05 06 13 65 05A 06R 13F 13F01 13F11 13F18 13F19 13F20 13F35 13F41 65A 65Ai
- 3921. *Acrobasis dulcella* (Zeller, 1848) (Pyralidae)** Synonym(s): *dulcella* Zeller, 1848 Range (as codes): ES Grn An FR Si IT DE AT SK HU RO YU AL BG GR RU MD UA Cm BY Cc AM TR IQ Shq LB Bsa IR Gh Enz Srd Elb Mz Kh 05 13 16 30 35 42 46 47 51 56 65 05A 13F 13F18 13F35 16A 30D 30Df 42B 47D 56F 65A 65Am 65Am1 65N 65Np2 65Nm
- 3922. *Acrobasis erastrilla* (Ragonot, 1887) (Pyralidae)** Synonym(s): *erastrilla* Ragonot, 1887; *semistrigella* Mabilie, 1908; *lella* Chrétien, 1911 Range (as codes): DZ Onç TN Cc AZ Nv Ord TR 76 76C
- 3923. *Acrobasis fallouella* (Ragonot, 1871) (Pyralidae)** Synonym(s): *fallouella* Ragonot, 1871; *anatolica* Caradja, 1910; *persella* Zerny, 1939 Range (as codes): FR CY TR IR 01 05 06 13 31 35 42 44 46 56 65 71 05A 13F 31M 42B 44L 44Lc 56F 56F1 65D 65Du 65Dv 65Dt

- 3924. *Acrobasis farsella* (Amsel,1950)** (Pyrilidae) Synonym(s): *farsella* Amsel,1950 Range (as codes): TR IR Fa Mia 56 56F 56Fa 56Fö
- 3925. *Acrobasis glaucella* Staudinger,1859** (Pyrilidae) Synonym(s): *glaucella* Staudinger,1859 Range (as codes): DZ Lbs LY Cy PT ES Grn An FR Co Sa Si IT DE CH AT CZ SK HU RO YU BG GR Cr RU MD UA BY TR IL Pa Hf IR Ab Ak Elb Fa LB Bsa 01 05 06 13 31 35 42 44 46 56 65 71 05A 13F 13F41 31M 42B 44L 44Lc 56F 56F1 65D 65Du 65Dv 65Dt
- 3926. *Acrobasis legatea* (Haworth,[1811])** (Pyrilidae) Synonym(s): *legatea* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775; *legatalis* Hübner,[1825]; *naumanni* Roesler,1969 Range (as codes): TN GF ES FR GB Co Si IT DE CH AT CZ SK HU RO YU GR Cr RU MD UA BY TR LB Bsa IL Pa Hf 05 13 16 31 42 44 46 58 05A 13F 13F11 13F18 13F19 13F20 13F35 13F41 16A 31M 44E 44Ei
- 3927. *Acrobasis marmorea* (Haworth,[1811])** (Pyrilidae) Synonym(s): *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859; *lugens* Staudinger,1881 Range (as codes): TN PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR Cr DK NO SE LV RU MD UA BY TR IL Pa Js Jt 05 16 46 05A 16A
- 3928. *Acrobasis niveicinctella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *niveicinctella* Ragonot,1887; *iranalis* Amsel,1950 Range (as codes): TM Kp TR IR Fa Mia Kz Com Shr
- 3929. *Acrobasis obliqua* (Zeller,1847)** (Pyrilidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927. Range (as codes): PT Cn ES FR Co Sa Si IT CH YU AL GR Rd CY TR IL Pa LB Bsa 05 09 13 16 31 46 05A 13F 13F18 13F35 13F41 16A 31M
- 3930. *Acrobasis obtusella* (Hübner,1796)** (Pyrilidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825]. Range (as codes): PT ES FR Sa IT MT BE DE CH AT PL CZ SK HU RO YU BG GR RU MD UA BY SY LB Bsa TR IL Js Pa
- 3931. *Acrobasis ottomana* Caradja,1916** (Pyrilidae) Synonym(s): *ottomana* Caradja,1916 Range (as codes): TR LB Bsa IL Js Pa 01 06 13 33 42 46 56 01K 13F 13F20 56F 56Fb
- 3932. *Acrobasis repandana* (Fabricius,1798)** (Pyrilidae) Synonym(s): *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888. Range (as codes): PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR 06 21 65 06R 06Rb 21N 21Nh 65A 65Ai 65D 65Dt 65Dv
- 3933. *Acrobasis suavella* (Zincken,1818)** (Pyrilidae) Synonym(s): *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940 Range (as codes): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI RU MD UA BY 05 34 05A
- 3934. *Acrobasis tumidana* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839. Range (as codes): ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE LT RU MD UA BY TR IR Kd Lo 12 13 16 30 42 46 56 65 80 12E 12Ed 13A 13Ab 13Ax 13F 13F01 13F18 13F19 13F20 13F27 13F35 13F41 16A 30D 30Df 56F 56F1 65A 65Ai
- 3935. *Aeglotis argentalis* (Christoph,1887)** (Pyrilidae) Synonym(s): *argentalis* Christoph,1887 Range (as codes): IR Elb Kdj Th Ha Fa Com TM Kp K-A IQ Hjo Er TR PK Swa Kkar SdS 30 65 30D 30Dx 65D 65Dn
- 3936. *Aeschremon disparalis* Herrich-Schäffer,[1855]** (Pyrilidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961 Range (as codes): DZ Cst YU GR TR SY IQ Bgd IR Elb Th Kdj Srd Kdv Gor Ss Chh Fa Shr Irs Mkr Cc GG Tbl Kir AZ Nv Ord Lag Bak AF Ca Hr Anh Arh KK Ik IN RU Ro 05 33 36 76 05A 36D 36Db 76A 76Ac
- 3937. *Aglossa arcuatalis* Zerny,1914** (Pyrilidae) Synonym(s): *arcuatalis* Zerny,1914 Range (as codes): IL Pa Hf LB Bsa TR 01 07 33 07B 07Bb 33A 33Ad
- 3938. *Aglossa asiatica* Erschoff,1871** (Pyrilidae) Synonym(s): *asiatica* Erschoff,1871; *abdidalis* Christoph,1873; *maceralis* Chrétien,1891; *indistincta* Corbet & Tams,1943 Range (as codes): TR LB EG Cr IR Elb Th Kdj Ha Adv Fa Shr Sse IL Hf Pa CY AF PK UZ Smk 06 46 65 65A 65Am 65Am4
- 3939. *Aglossa caprealis* (Hübner,[1809])** (Pyrilidae) Synonym(s): *caprealis* Hübner,[1809]; *capreolatus* Haworth,1809; *#cuprealis* Hübner,[1825]; *aenalis* Costa,1836; *domalis* Guenée,1854; *incultella* Walker,1866; *enthealis* Hulst,1886 Range (as codes): MA Az Md DZ Agi Clo Omy PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ HU RO YU AL BG GR CY TR EG IL Pa Hf IR Elb Th Kdj Fa Com LB Cc GG Bjo Kir AZ Nv Ord CN AU 05 16 31 34 45 05A 16A 31M
- 3940. *Aglossa pinguinalis* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* De Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *rubralis* Hampson,1900; *guicciardii* Constantino,1922; *sanaensis* Rebel,1930; *maroccana* Schmidt,1934 Range (as codes): MA DZ Onç Gha Gea Ges PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR AF Hr DK AL NO SE FI EE LV LT RU MD UA BY IR Ab Oru EG CY IQ Bgd IL JO LB YE Sna Ax KK Na AF Ca UZ Smk PK Bl Qu Mre Haz IN CN AU 01 05 06 08 16 31 33 34 35 42 45 05A 08H 08Hc 16A 31K 31M
- 3941. *Agriphila bleszynskiella* Amsel,1961** (Pyrilidae) Synonym(s): *bleszynskiella* Amsel,1961 Range (as codes): IR Fa TR AF Srb 01 13 33 44 13F
- 3942. *Agriphila brionella* (Zerny,1914)** (Pyrilidae) Synonym(s): *brioniella* Zerny,1914; *#subbrioniella* Amsel,1959; *vasilevi* Ganey,1983 Range (as codes): FR Sa Si IT SK HU RO YU AL BG Cr CY TR RU MD UA Cm IQ SY LB Bei 01 22 33 42 50 59 80

- 3943. *Agriphila cyrenaicella* (Ragonot,1887)** (Pyalidae) Synonym(s): *cyrenaicella* Ragonot,1887; *alexandriensis* Bethune-Baker,1894; *permixtellus* Kalchberg,1897 Range (as codes): TN LY Cy ES Mu Sa Si GR Cr TR IQ Mos IR JO IL Hf Pa EG EG EG05 72 72A
- 3944. *Agriphila deliella* (Hübner,[1813])** (Pyalidae) Synonym(s): *deliella* Hübner,[1813]; *delialis* Hübner,[1825] Range (as codes): DZ Lbs PT ES FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG DK SE EE LV LT RU MD UA BY TR AF Hr Kusk IR Gol Mz Kh 06 42 33 58 70
- 3945. *Agriphila geniculea* (Haworth,[1811])** (Pyalidae) Synonym(s): *geniculea* Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839. Range (as codes): DZ Lbs PT ES An Grn Snv FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE RU MD UA BY TR JO IL Pa Hf LB 05 16 34 58 65 05A 16A 34R 34Rb 65D
- 3946. *Agriphila inquinatella* ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910. Range (as codes): DZ Eba PT ES An Snv FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Tt MD UA BY IR JO IL Pa Hf 01 03 05 06 16 31 33 35 42 44 46 56 65 76 05A 06R 06Rd 16A 31M 33A 33Aj 33Ae 44I 44Ic 56F 56Fo 65N 65Nc
- 3947. *Agriphila latistria* (Haworth,[1811])** (Pyalidae) Synonym(s): *latistria* Haworth,[1811]; *gueneellus* Duponchel,1836; *monotaeniellus* Herrich-Schäffer,[1852]; *vectifer* Zeller,1863; *vallicolella* Costa,1885. Range (as codes): DZ Lbs PT ES FR Co Sa Si IT GB BE NL DE YU BG GR Cr DK NO SE RU MD UA BY TR IQ 01 10 16 31 33 10K 10Ka 16A
- 3948. *Agriphila melike* Kemal & Koçak,2004** (Pyalidae) Synonym(s): *asiatica* Ganev & Hacker,1984 *nec* Carad.,1910; *melike* Kemal & Koçak,2004 Range (as codes): TR 01
- 3949. *Agriphila paleatella* (Zeller,1847)** (Pyalidae) Synonym(s): *paleatellus* Zeller,1847 Range (as codes): Co? Si B-H GR TR GG Cc 06 10 31 35 42 46 51 10K 10Ka 31M 51D 51Db
- 3950. *Agriphila poliella* (Treitschke,1832)** (Pyalidae) Synonym(s): *poliella* Treitschke,1832; *amseli* Ganev & Hacker,1984 Range (as codes): FR Sa Si GB DE AT PL CZ SK HU RO BG TR DK SE FI EE LV LT RU Ur Tt Sr Mnu Kj Da Cc MD UA Cm BY KG 01 06 51 71 06R 06Rl 51D 51Db
- 3951. *Agriphila straminella* ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): *straminella* [Denis & Schiffermüller],1775 *marginella* Stephens,1834. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Tt Ur Am Cc AM MD UA BY KG Tk Dj CA 18 53
- 3952. *Agriphila tersella* (Lederer,1855)** (Pyalidae) Synonym(s): *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942. Range (as codes): Cn MA TN DZ Bsk Anna PT ES FR Sa Si IT YU BG GR RO HU AT IL Pa Hf LB Bei IR IQ TR TM Kp Cc GG AM AZ 05 06 33 05A 06R
- 3953. *Agriphila tolli* (Bleszynski,1952)** (Pyalidae) Synonym(s): *tollu* Bleszynski,1952 Range (as codes): Co Si IT AT CZ SK HU RO YU HV AL BG GR Cr CY TR SY IQ Mos Shq IR RU MD UA Cm 01 05 06 13 22 42 59 65 80 06R 13F 65A 65Am 65Am4 65Am1 65Ai 65N 65Np 65Nm
- 3954. *Agriphila trabeatella* (Herrich-Schäffer,[1848])** (Pyalidae) Synonym(s): *trabeatellus* Herrich-Schäffer,[1848]; *divisellus* Joannis,1888. Range (as codes): Cn DZ LY Cy PT ES FR Co Sa Si IT MT GR Cr TR LB Bei 16 16A
- 3955. *Agriphila tristella* ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscineella* Schrank,1802; *fuscineellus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919; *hertwigae* Rasmussen,1964 Range (as codes): PT ES An Grn Mu FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc TM DK NO SE FI EE LV LT RU Tt Ur Kj Mnu MD UA BY IN PK Pj KG Tk Dj 13 14 36 75 13F 13F40
- 3956. *Agriphiloides longipalpellus* Bleszynski,1965** (Pyalidae) Synonym(s): *longipalpellus* Bleszynski,1965 Range (as codes): TR 31 31M
- 3957. *Agrotera nemoralis* (Scopoli,1763)** (Pyalidae) Synonym(s): *nemoralis* Scopoli,1763 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK TR SE FI LV LT RU MD UA BY IR Gh Tgo CN KP JP TW 16 34 46 61 16A 61K 61Ka
- 3958. *Alophia combustella* (Herrich-Schäffer,[1855])** (Pyalidae) Synonym(s): *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910. Range (as codes): DZ Bsk TN Gf PT ES Mu FR Sa Si IT MT HU RO YU GR Tyg TR IR CY IL Pa Hf Js LB Bsa JO RU MD UA BY 05 06 31 46 80 05A 31M 80B 80Bc
- 3959. *Ambia thyridialis* (Lederer,1855)** (Pyalidae) Synonym(s): *thyridialis* Lederer,1855 Range (as codes): TR LB Ghz Bei IL Pa EG 56 56F 56Fv
- 3960. *Amphithrix sublineatella* (Staudinger,1859)** (Pyalidae) Synonym(s): *sublineatella* Staudinger,1859; *ogmosema* Meyrick,1935 Range (as codes): PT ES Mu FR Co Si HV GR IL LB CY Cy5 TR 31 31K 31Ka 31Ka3
- 3961. *Anania (Eurrhyncha) hortulata* (Linnaeus,1758)** (Pyalidae) Synonym(s): *hortulata* Linnaeus,1758; *urticata* Linnaeus,1761; *urticalis* [Denis & Schiffermüller],1775; *flavicauda* Retzius,1783; *hortulana* Fourcroy,1785. Range (as codes): PT ES FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU To MD UA BY KG Tk Dj Li DsA TrA Cc GG Bjo Mng Lag Kir AZ 05 14 16 61 81 05A 16A 61K 61Ka

- 3962. *Anania (Opsibotys) fuscalis* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *fuscalis* [Denis & Schiffermüller],1775; *cinalis* Fabricius,1794; *cinalis* Hübner,1796; *julialis* Schrank,1802; *fimbrialis* Stephens,1834; *pulveralis* Stephens,1834; *deceptalis* La Harpe,1864; *sibirica* Caradja,1916; *perfuscalis* Munroe & Mutuura,1969 **Range (as codes):** PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG DK NO SE FI EE LV LT RU Sb MD UA BY KG Tk Dj Li JP 53 60 75 76 53B 75F 75Fa 76D 76Dd
- 3963. *Anania (Perinephela) lancealis* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *lancealis* [Denis & Schiffermüller],1775; *glabralis* Fabricius,1794; *palustrata* Fabricius,1794; *longalis* Haworth,1811 **Range (as codes):** PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE EE LV LT RU MD UA BY CN Yu Sz TW Hkk Krl 61 61K 61Ka
- 3964. *Anania (Phlyctaenia) coronata* (Hufnagel,1767)** (Pyalidae) **Synonym(s):** *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787. **Range (as codes):** DZ Clo PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG Bjo Lag Mng AZ Kir DK NO SE FI EE LV LT RU MD UA BY US 16 61 16A 61K 61Ka
- 3965. *Anania (Phlyctaenia) perlucidalis* (Hübner,[1809])** (Pyalidae) **Synonym(s):** *perlucidalis* Hübner,[1809] **Range (as codes):** FR GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 3966. *Anania (s.str.) crocealis* (Hübner,1796)** (Pyalidae) **Synonym(s):** *crocealis* Hübner,1796 **Range (as codes):** ES FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LV RU MD UA BY CY TR IR 16 46 48 58 16A 48L
- 3967. *Anania (s.str.) funebris* (Ström,1768)** (Pyalidae) **Synonym(s):** *funebris* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828. **Range (as codes):** ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Tk Dj Li Cc GG Bjo Bku 16 16A
- 3968. *Anania (s.str.) terrealis* (Treitschke,1829)** (Pyalidae) **Synonym(s):** *terrealis* Treitschke,1829; *borealis* Curtis,1830; *pinetalis* Zetterstedt,1839; *reisseri* Zerny,1932 **Range (as codes):** MA PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV BG TR DK NO SE FI EE LV LT RU MD UA BY AF 16 16A
- 3969. *Anania (s.str.) testacealis* (Zeller,1847)** (Pyalidae) **Synonym(s):** *testacealis* Zeller,1847 **Range (as codes):** ES FR Co Sa Si IT MT AT CZ SK HU RO YU GR Cr TR IL Pa Hf CY 16 16A
- 3970. *Anania verbascata* (Fabricius,1787)** (Pyalidae) **Synonym(s):** *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934. **Range (as codes):** DZ Clo PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf IQ Shq DK SE FI EE LV LT Cc GG Lag Tbl Mng Kir AZ IR Mz Gh Tgo 01 05 13 16 31 46 80 01G 01K 05A 13F 16A 31K 31Ka 31M 80B 80Bc
- 3971. *Anarpia incertalis* (Duponchel,1832)** (Pyalidae) **Synonym(s):** *incertalis* Duponchel,1832; *pyrenealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaicalis* Guenée,1846; *phycophanes* Meyrick,1937; *rupestris* Meyrick,1937 **Range (as codes):** MA DZ Btina TN PT ES Py FR Co Sa Si IT YU GR Cr TR Cc AZ Nv Ord Eri AM RU IR Elb Mz Dam Kh IL Pa Js LB Bsa CY B-H SY JO AF UZ KG KK IQ Rww 05 13 16 46 65 73 13F 65A 65Ac3 73C 73Cd
- 3972. *Ancylodes dealbatella* (Erschoff,1874)** (Pyalidae) **Synonym(s):** *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *subgoliathella* Caradja,1937; *kerbelella* Amsel,1949; *gigantella* Roesler,1965 **Range (as codes):** Cn ES MA DZ Bsk TN Gf LY Cy EG SD SA SA63 BH IL Pa Hf Jt JO LB SY Dms TR IQ Kbl IR Th Elb Mz AF Gbh Srb Pli PK Gg Ch MN UZ Smk TM Kp Krn RU Sr Uk KG Ind CN Yu SI 06 42 06Y 06Yb 42B
- 3973. *Ancylodes pallens* Ragonot,1887** (Pyalidae) **Synonym(s):** *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958. **Range (as codes):** Cn MA DZ Sfr TN Gf LY Cy ES MT YU HV GR Rd EG TR IL Pa Hf Jer IR Fa AF Ca Kab Srb IQ Mos SY LB Bei SA SA63 SD SD91 BH 13 33 13F
- 3974. *Ancylolomia disparalis* (Hübner,[1825])** (Pyalidae) **Synonym(s):** *disparella* Hübner,[1813] *nec* Schr.,1802; *disparalis* Hübner,[1825]; *contritellus* Zeller,1847; *hipponella* Ragonot,1888; *rabatella* Lucas,1937; *griseella* Amsel,1951; *powelli* Lucas,1954. **Range (as codes):** MA DZ Ges PT ES FR Sa Si IT HU GR TR 05 22 31 59 31M
- 3975. *Ancylolomia palpella* ([Denis & Schiffermüller],1775)** (Pyalidae) **Synonym(s):** *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909 **Range (as codes):** DZ Lbs Cst PT ES FR IT BE AT SK HU RO YU AL BG GR CY RU MD UA BY IR IQ Shq Amr Mos IL Pa Js LB TR Cc EG TM Kp KG 05 06 10 16 31 33 36 42 46 58 65 71 05A 16A 31M 33A 33Ae 65A 65An 65D 65Df 65Dh 65N 65Nb 65Np8 65Nm
- 3976. *Ancylolomia pectinatella* (Zeller,1847)** (Pyalidae) **Synonym(s):** *pectinatellus* Zeller,1847 **Range (as codes):** Si IT MT HU YU BG GR Cr TR IL Pa Js Hf JO LB IQ Mos IR Ahz CY SY 05 06 16 31 34 35 42 46 65 05A 16A 31M 46G 46Gi 65A 65Am 65Am4
- 3977. *Ancylolomia tentaculella* (Hübner,1796)** (Pyalidae) **Synonym(s):** *tentaculella* Hübner,1796; *irakella* Amsel,1949. **Range (as codes):** PT ES FR Co Sa Si IT MT GB CH RO YU AL BG GR Cr TR RU Ur MD UA Cm BY CY Cc GG Lag JO IL Pa Hf Js Jt IQ Dia IR LB 01 03 05 06 13 16 21 22 31 33 35 46 50 71 80 05A 13F 16A 21N 21Nb 31M
- 3978. *Ancylosis albicosta* (Staudinger,1870)** (Pyalidae) **Synonym(s):** *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901. **Range (as codes):** MA LY Cy RO RU Sr Or MD UA TR KG Uk Ind TM Kp K-K AF Hr Kbb IR Elb Th CN Ui Ga 16 46 16A

- 3979. *Ancylosis candidatella* (Lederer,1858)** (Pyrilidae) Synonym(s): *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. Range (as codes): MA DZ Bsk TN SY Dms IL Pa Hf LB Bei IQ Mos Kbl Bgd IR Ahz Fa Elb Th Ss Ke Aba TR Th Elb TM Kp K-K KW AF Hr Ca Kbb Srb 03 06 16 21 42 46 06R 16A
- 3980. *Ancylosis cinnamomella* (Duponchel,1836)** (Pyrilidae) Synonym(s): *dihutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. Range (as codes): DZ TN Gf PT ES Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR NO SE FI LV MD RU Or Sb Ur UA BY KG Uk Ind TM TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb KJ Th Fa Ha Ss AF Kab Kbb Pag CN Ui Ku UZ Man KK T-S Cc AZ Kir MN Mri Eha MA Ifr Ouk 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 65 71 76 05A 13F 13F01 13F11 13F35 13F41 16A 65A 65Am 65Am4 65D 65Dg 65Fp 65Fz 76C
- 3981. *Ancylosis convexella* (Lederer,1855)** (Pyrilidae) Synonym(s): *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867. Range (as codes): Cn MA DZ Ajj Bsk Onç TN Gf LY Cy ES Mu MT YU GR IR Mz Elb Th Ke Fa Ana TM Kp IL Hf Js Pa JO TR IQ Bgd Kbl Mos Dia Bsr BH EG EG11 Sn LB Bei SD SA SA63 CY AF Ca Srb Kab PK Bl Qu Krc 01 03 06 07 13 16 21 31 42 46 63 06R 13F 16A 31M
- 3982. *Ancylosis deserticola* (Staudinger,1870)** (Pyrilidae) Synonym(s): *deserticola* Staudinger,1870. Range (as codes): DZ Eal Onç Gha ES HU RO BG TR SA SA63 EG EG11 SD IL Jf Jer Hf Pa SY Dms LB Bei IR Elb Th Ss IQ RU Ur Or Sr Sb KG Uk TM Kp UZ Br AF Kab Srb PK Bl Qu UA Cm 16 21 42 46 16A
- 3983. *Ancylosis dumetella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961. Range (as codes): DZ Onç CN Ui Ku T-S TM Kp TR IR Ha Adv Th Elb Fa AF Kab Pag Ca Hr Bd KK RU Da Cc 05 13 23 05A 13F 13F6
- 3984. *Ancylosis faustinella* (Zeller,1867)** (Pyrilidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabille,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. Range (as codes): Cn MA TN DZ Ath Bsk Ogl Ah LY Cy SD MT RU JO IL Js Jf Pa AZ Nv Ord Cc TR EG EG11 Sn SA SA63 SA39 YE BH SY Dms LB Bei Bsa NE Air KG Uk IQ Mos Bsr IR Elb Th Fa Ss Irs Kz Sde Kh TM Krn Kp AF Kab Srb Ca Hr PK Bl Qu Pj Lh IN MN 01 03 06 13 16 35 42 46 65 06R 16A
- 3985. *Ancylosis geminella* (Amsel,1961)** (Pyrilidae) Synonym(s): *geminella* Amsel,1961. Range (as codes): IR Elb Th KJ Fa La Ss TR EG EG07 06
- 3986. *Ancylosis gracilella* Ragonot,1887** (Pyrilidae) Synonym(s): *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932. Range (as codes): MA TN DZ Bsk LY Cy EG EG11 BH SA SA63 SD MT MK UZ KW JO IL Hf Js Jer Jt Pa LB Bei SY TR Cc IQ Mos Bgd Amr Bsr Kbl IR Elb Th Fa Ahz Ss Kz Sde Aba Ke AF Kab Pag Ca Hr PK Gg TM Krn UZ Fe Man CN Ui Ku 06 16 21 31 38 42 46 71 76 06R 16A 31M 76C
- 3987. *Ancylosis harmoniella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930. Range (as codes): MA DZ Gab Bsk TN Gf LY Cy MT EG EG11 Sn SD SA SA63 IQ Kbl Bsr TR IR Th Elb Fa IL Js Jf SY Dms LB Bei Bsa AF Kab Kbb Bd Cc AZ Nv Ord 06 21 46 06R
- 3988. *Ancylosis hellenica* (Staudinger,1870)** (Pyrilidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. Range (as codes): LY Cy EG EG11 SD SA SA63 MK BG GR CY TR Cc IQ Shq Bgd Mos IL Hf Js Jer Jf Pa JO IR Elb KJ Th Fa Shr Ss Irs Ana Ke Ahz LB Bei Bsa SY Dms TM Kp AF Hr Kab Srb PK Nwf Bl Qu Gg Hu UZ Br 03 06 07 08 09 13 16 21 30 34 35 41 42 44 46 56 58 65 70 76 08H 08Ha 13F 16A 30B 30Bc 30Bz 44I 44Ib 56F 65D 65Du 65Dt 65G 65Gb 65N 65Np 65Nm 70C 70Ce 76C
- 3989. *Ancylosis iranella* Ragonot,1887** (Pyrilidae) Synonym(s): *iranella* Ragonot,1887; *turaniella* Ragonot,1887. Range (as codes): Cc TR IR Th Elb Shh Kdv IL Hf Pa LB Bei IQ Bsr KK TM Kp 06 21 42 45 46 76 76C
- 3990. *Ancylosis lacteicostella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915. Range (as codes): MA DZ Bsk Lbs Gha Ah TN EG SD SA SA63 KW YE IL Jf Hf Pa IQ Bgd Amr IR Lo Ss Se Elb AF TR Cc UZ Man Fe RU Ur CN Ui Ku AE 76 76C
- 3991. *Ancylosis maculifera* Staudinger,1870** (Pyrilidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. Range (as codes): MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG Uk MN CN Ui Ku RU Ur Sr Or Am TW CN Yu 01 03 05 06 13 16 21 35 42 46 58 65 71 76 05A 06R 06Ra 06Y 06Yb 16A 42B 46G 46Gi 76C
- 3992. *Ancylosis morbosella* Staudinger,1879** (Pyrilidae) Synonym(s): *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915. Range (as codes): DZ FR RU Ur TR Cc AF Kbb CN Ui Au KG Ind 05 06 12 13 42 46 58 76 05A 13F 42B 76C
- 3993. *Ancylosis muliebris* (Meyrick,1937)** (Pyrilidae) Synonym(s): *muliebris* Meyrick,1937; *macedonica* Schawerda,1937. Range (as codes): DZ TN MK TR SA SA63 EG Sn IL Js Pa JO IQ Mos KW IR Elb KJ Th Fa Ss Irs Ana Ke AF Kab UZ Smk 05 16 05A 16A
- 3994. *Ancylosis nigripunctella* (Staudinger,1879)** (Pyrilidae) Synonym(s): *nigripunctella* Staudinger,1879; *wockeella* Ragonot,1887; *carnibasalis* Hampson,1896. Range (as codes): DZ Gha TN EG EG11 MT RU TR KK KG Tk CN Ui Ku YE Ad IR Ss 46
- 3995. *Ancylosis nubeculella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *nubeculella* Ragonot,1887. Range (as codes): TN Gf Cc AZ Nv Ord TR SD SA SA63 IR Ss PK Krc AF Srb AE 46

- 3996. *Ancylosis oblitella* (Zeller,1848)** (Pyralidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraella* Lucas,1948; *boitella* Lucas,1950; *calaritallella* Amsel,1951; *indistinctella* Lucas,1955. Range (as codes): MA TN Sfx DZ Abe Bsk LY Cy PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO HV MK B-H YU AL BG GR CY DK LV RU Sr MD UA BY TR LB Bei IL Jf Js Hf Pa IQ Mos Bgd Dia IR Elb Th Mz Kh Msh SA SA63 EG AF Hr PK Gg KG Uk TM Kp MN NP 01 06 09 13 21 31 34 42 46 65 71 76 13F 31M 42B 65D 76C
- 3997. *Ancylosis ochricostella* Ragonot,1887** (Pyralidae) Synonym(s): *ochricostella* Ragonot,1887 Range (as codes): TM Kp TR AF Hr CN Ui Ku 06
- 3998. *Ancylosis pallida* (Staudinger,1870)** (Pyralidae) Synonym(s): *pallida* Staudinger,1870 Range (as codes): RO GR RU Sr Or UA SA SA63 IR Elb Th Kh TR CN Ui Ga KG Uk AF Hr Kab T-S KK Na MN 42 46
- 3999. *Ancylosis pectinatella* (Ragonot,1887)** (Pyralidae) Synonym(s): *pectinatella* Ragonot,1887 Range (as codes): DZ TN LY Cy Sk LB Bei BH KK ES UZ Man TR 21
- 4000. *Ancylosis pyrethrella* (Herrich-Schäffer,1860)** (Pyralidae) Synonym(s): *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961. Range (as codes): RO RU MD UA BY IR Ab Sro Oru Elb Srd Mz IL Pa Hf TR KG Uk Ind LB Bei IL SA SA63 IQ Mos AF Hr TM Kp KK Ax UZ Fe Man 05 16 42 46 05A 16A
- 4001. *Ancylosis rhodochrella* (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. Range (as codes): DZ Lbs Orn PT ES RU MD UA BY DZ SA SA63 SD TR Cc IL Hf Js Jf Pa LB Bsa SY Dms EG EG11 CY IR Elb KJ Th Kh Msh Fa Shr Cc AM Eri IQ Bsr Mos AF Hr Kab Pag Srb Bd PK Cp IN 01 03 05 06 07 16 21 27 31 42 44 46 58 71 76 05A 16A 27D 27Da 27Db 31M 44E 44Ei
- 4002. *Ancylosis roscidella* (Eversmann,1844)** (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zohrella* Oberthür,1888; *carnea* W.Warren,1888; *barteilella* Caradja,1910; *benderella* Amsel,1961 Range (as codes): MA DZ Bsk TN Gf LY Cy EG EG11 SA SA63 SD BH ES Mu RO YU HV MK AL BG GR TR RU Sr Or Sb IL Hf Js Jt LB Bei Bsa JO SY Dms KG Uk Ind IQ Bsr IR Elb Th KJ Ss AF Hr Kbb Srb PK Ch Cp Cc AZ Nv Ord MN Sb TM CN Ui T-S 01 03 06 09 13 16 21 42 46 65 76 16A
- 4003. *Ancylosis samaritanella* (Zeller,1867)** (Pyralidae) Synonym(s): *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954. Range (as codes): Cn MA DZ Hdr Bsk Gha TN LY Cy EG EG11 Sn SD SA SA63 PT ES RU Sr Or MD UA BY KG Uk Ind JO LB Bei Bsa IL Hf Js Jf Pa TR TM Kp Sn IR Elb Th Fa IQ BH AF Srb Ca Hr Kbb PK Bl Qu Cc AZ Nv Ord CN Ui Ku 01 03 06 07 16 21 42 46 06R 16A
- 4004. *Ancylosis sareptalla* (Herrich-Schäffer,1861)** (Pyralidae) Synonym(s): *sareptalla* Herrich-Schäffer,1861; *barbella* Lederer,1863; *albidella* Ragonot,1888 Range (as codes): ES An FR Si IT CH AT CZ SK HU RO YU AL BG GR RU Or Sr MD UA BY TR IL Hf Pa LB Bei Bsa SY Dms KG Uk MN PK Gg AF UZ Br 03 06 07 21 38 42 46 47 58 65 06R 65A 65Am 65Am4
- 4005. *Ancylosis syrtella* (Ragonot,1887)** (Pyralidae) Synonym(s): *syrtella* Ragonot,1887; *costalbella* Amsel,1954 Range (as codes): MA Ifr DZ Lbs Abe Bsk TN Gf Gab Sfx LY Cy IL Js Pa IR Elb Kdj Th Fa Ha Kh RU TR IQ Bsr AF Gbh CN Ui Ga KG Uk Ind 76 76A 76Aa
- 4006. *Ancylosis turaniella* Ragonot,1887** (Pyralidae) Synonym(s): *turaniella* Ragonot,1887 Range (as codes): TR TM Kp AF Kbb 38 47
- 4007. *Ancylosis xylinella* (Staudinger,1870)** (Pyralidae) Synonym(s): *xylinella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929. Range (as codes): MA DZ Ah TN LY EG EG11 SA SA63 PT ES RU Sr Or Sb Am MD UA BY CN Ui Ku T-S MN KG Uk Ind TM Kp IR Elb Th Fa Ss Chh Irs TR IL Hf Pa LB Bei IQ Mos AF Ca Kab Hr PK Gg Sb 03 06 13 16 42 46 65 16A
- 4008. *Anerastia lotella* (Hübner,[1813])** (Pyralidae) Synonym(s): *lotella* Hübner,[1813]; *incarnata* Staudinger,1879 Range (as codes): DZ Bsk TN Gf PT ES FR Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO GR? DK NO SE FI EE LV LT RU MD UA BY TR IR KK KG Tk Dj 05 16 42 05A 16A
- 4009. *Angustalius malacellus* (Duponchel,1836)** (Pyralidae) Synonym(s): *malacellus* Duponchel,1836 Range (as codes): PT ES Grn An FR Sa Si IT HV SS GR Cr CY TR SY IL Js LB Bei Cc GG ET ZA MG IR ET PH TW AU 01 05 07 31 33 34 44 55 56 80 05A 31A 31G 31K 31Ka 31Ka3 44O 44Oc 55E 56F 56F1
- 4010. *Anthophilopsis baphialis* (Staudinger,1870)** (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *plumbiferalis* Christoph,1877; *#baphiale* Caradja,1916; *#oleaginalis* Amsel,1970 Range (as codes): GR TR Cc IL Pa Hf TM Kp IR Ahz Ss Chh Bu Shr Com Fa Enz Gls Irs Ana Ke Gh Tgo KW IQ Bgd Kbl Mos Ry Amr EG EG11 AF Hr In Bmu Dwe Srb Gbh Pli Ca Kab Blh Arh Cc GG Tbl AZ Kir Bak Da Der AM Eri 01 06 21 31 33 35 42 46 56 63 65 76 80 01K 06R 21L 31A 56F 56F6 63D 63Dc 65D 65Du 76B 76Ba
- 4011. *Anthophilopsis moeschleri* (Christoph,1862)** (Pyralidae) Synonym(s): *moeschleri* Christoph,1862 Range (as codes): RU Ro TM Kp TR IR Th Kdj Fa Se Cc AM Eri AZ GG Kir Nv Ord Bak Tbl IL Pa Js CY AF Kab Arh Dwe Gbh Srb Pic Pli Pag KG Uk 13 42 76 13F 13F35 76A 76Aa 76B 76Ba 76C
- 4012. *Antigastra catalaunalis* (Duponchel,1833)** (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929 Range (as codes): PT ES FR BE Co Sa Si IT MT GB CH CZ HU YU GR DK CY LB Bsa IQ Bgd Dia IR Fa Shr Elb Th Mz Kdj Ss Irs Ke Ana AF Srb Dwe Kab Gbh Hr Bkt TR YE Sk EG IL Hf Pa AE IN CN TW JP AU ZA NA 01 07 13 16 31 46 80 13F 16A 31A 31K 31Ka 46G 46Gf

- 4013. *Aphomia cephalonica* (Stainton,1866)** (Pyrilidae) Synonym(s): *cephalonica* Stainton,1866; *oeconomellus* Mann,1872; *translineella* Hampson,1901; *theobromae* Dyar,1913; *lineata* Legrand,1965 Range (as codes): DZ Bsk ES FR Si IT MT GB BE NL DE CH CZ SK RO BG GR TR DK NO SE FI LV LK ID Ja Kai ZA BR TW RE WS FJ PG AU IN OW NW TH MY ID BN Bor Swk PR 16 16A
- 4014. *Aphomia gularis* (Zeller,1877)** (Pyrilidae) Synonym(s): *gularis* Zeller,1877; *modesta* Butler,1879; *tenebrosus* Butler,1879 Range (as codes): FR Si IT GB BE NL DE CH HU DK NO SE FI LV TR AU
- 4015. *Aphomia sociella* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* De Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941. Range (as codes): DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Elb Th Kdv Dam KG Tk Dj CN Ui Au Ku AU 05 06 34 46 05A 06R 06Rb
- 4016. *Aphomia unicolor* (Staudinger,1870)** (Pyrilidae) Synonym(s): *unicolor* Staudinger,1870; *murciella* Zerny,1914 Range (as codes): DZ ES An Mu GR BG IT Si TR RU CY KG Uk 16 31 31M
- 4017. *Apomyelois ceratoniae* (Zeller,1839)** (Pyrilidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950 Range (as codes): TN Gf DZ Gha Bsk SD PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT CZ HU RO YU AL BG GR Cr CY TR IR IL Pa Hf KK Ax DK NO SE FI LV RU MD UA BY SD ZA AU ID Sum US FI AF IN Mpr SI Ass TH 01 17 31 31A 31K 31Ka 31Ka7
- 4018. *Aporodes floralis* (Hübner,[1809])** (Pyrilidae) Synonym(s): *floralis* Hübner,[1809]; *stygialis* Treitschke,1829; *sicualis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939 Range (as codes): TN Sfx PT ES FR Co Sa Si IT MT DE AT CZ SK HU RO YU AL BG GR Rd Cr TR Cc IR Ahz Kdj Th Elb Nss Fa Shr Com Ss Kh Chh Qz Men IQ Mos Bgd Kbl Shq Ssa Amr GG IL Pa LB YE CY LB AF Ca Hr Bmu Pli Blh Gbh Srb Anh Fz Dwe Kab Arh Sen Pnj Bark Pag Ca Asm CN Ui Yk PK Sd Krc Cp Hf Cc GG Bjo Tbl Kir Da Der AZ IN Mh Bba Kz Sde Irs PL KG Tks Mz DZ Clo Ajj MA 01 05 06 12 13 16 21 23 31 33 42 44 46 56 58 61 65 76 01K 05A 12A 12Ai 13F 16A 21N 21Nb 31A 31K 31Ka 31Ka3 31M 42B 46H 46Hc 56F 65B 65Bo 65Bx 65D 65Dv 76A 76Ac 76B 76Bb 76C
- 4019. *Arimania komaroffi* (Ragonot,1888)** (Pyrilidae) Synonym(s): *komaroffi* Ragonot,1888; *amanella* Zerny,1934; *diplocapna* Meyrick,1937 Range (as codes): DZ Onc IR Fa IQ Rwz Brs Dia Shq Ssa TR Cc AZ Len AM 01 30 46 47 56 73 01K 30D 30Df 47D 56F 56Fb 73A 73Ad 73Ad2 73C
- 4020. *Arsissa divaricella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961 Range (as codes): UZ Smk TR Cc GG IR Fa Sse Com Ha Ss Kh Th Elb Kdj Nss Km Kd Lo Zj SA SA63 01 12 13 31 46 65 76 12A 12Ab 13A 13Ab 13Ax 13F 65A 65Am 65Am4 65D 65Df 65Dh 65Dt 65Dv 76C
- 4021. *Arsissa miridella* (Ragonot,1893)** (Pyrilidae) Synonym(s): *miridella* Ragonot,1893; *pallorella* Amsel,1961; *incertella* Amsel,1970. Range (as codes): TR IR Fa AF Hr 47 47D
- 4022. *Arsissa ramosella* (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939 Range (as codes): TR RU Sr LB Bei IR Elb Th Kdv Kd Fa Sse Kdj Shr Ha Zj Kh Shh Ab TM Kp Cc AM AF Hr Kab Kbb Pnj Srb Slg PK 05 06 13 42 45 46 47 56 58 65 70 05A 06Y 13F 13F6 56F 56Fm 56Fs 56Fs1 65A 65Am 65Am1 65D 65Df 65Drd 65Dv 65Dh 65Dt 65Du 65F 65Fe 65Fp 65Fz 65G 65Gb 65Gf 65Gy 65N 65Np2 65Np5 65Nm 70C 70Ce
- 4023. *Asalebria (Exophora) exasperata* (Staudinger,1879)** (Pyrilidae) Synonym(s): *exasperata* Staudinger,1879; *#exaspersata* Roesler,1988 Range (as codes): TR Cc AM Eri IR Ha Kd 01 05 06 08 13 21 25 30 32 38 42 46 47 58 65 76 05A 06R 13F 13F6 30D 30Dt 42B 65A 65Ac 65Ac3 65At 65At5 65D 65Df 65F 65Fp 65Fz 76C
- 4024. *Asalebria (Exophora) florella* (Mann,1862)** (Pyrilidae) Synonym(s): *florella* Mann,1862; *chiclanensis* Staudinger,1870; *syriella* Amsel,1954; *joesti* Amsel,1954; *vartianae* Roesler,1969 Range (as codes): MA DZ TN Gf PT ES Grn Mu An Sa Co IT FR DE RU RO BG HV DI MK AL GR Kf Tyg TR LB Bsa TR SY Ltk IL Hf Pa Cr 06 09 13 16 31 42 46 65 13A 13Ab 13Ax 16A 31M 65D 65Dv 65F 65Fp 65Fz 65N 65Nc 65Nc4
- 4025. *Asalebria (s.str.) geminella* (Eversmann,1844)** (Pyrilidae) Synonym(s): *geminella* Eversmann,1844 Range (as codes): PT ES HU TR RU Ur KG Uk 13 30 65 13F 30B 30Bc1 65A 65Ai 65Am 65Am1 65D 65Dl 65Dlc
- 4026. *Asalebria (s.str.) pseudoflorella* (Schmidt,1934)** (Pyrilidae) Synonym(s): *pseudoflorella* Schmidt,1934 Range (as codes): ES Mu TR 13 13F 13F35
- 4027. *Asalebria (s.str.) venustella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *venustella* Ragonot,1887; *higarella* Caradja,1916; *palella* Caradja,1916 Range (as codes): PT ES Mu FR Sa RU Sr TR Cc AM Eri IR Ss TM Kp KG Tar Ssn CN Ui Au Ku MN 46 71 76 46L 76C
- 4028. *Asarta ciliciella* Staudinger,1879** (Pyrilidae) Synonym(s): *ciliciella* Staudinger,1879 Range (as codes): TR 33
- 4029. *Assara turciella* Roesler,1973** (Pyrilidae) Synonym(s): *turciella* Roesler,1973 Range (as codes): TR 07 33
- 4030. *Atralata albofascialis* (Treitschke,1829)** (Pyrilidae) Synonym(s): *albofascialis* Treitschke,1829; *minutalis* Speyer,1868 Range (as codes): PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO HV MK BG TR Cc SE EE LV RU Sb Ya UA Cm BY 16 16A

- 4031. *Bostra obsoletalis* (Mann,1864)** (Pyralidae) Synonym(s): *obsoletalis* Mann,1864; *tunesialis* Caradja,1916; *palaestinensis* Amsel,1935; *buckwelli* Lucas,1954 Range (as codes): Cn DZ Cst Orn TN MA PT ES FR Co Sa Si IT MT YU BG GR CY TR IL Pa IR Elb Mz Kh 13 16 46 13A 13Ab 13Ax 13F 16A
- 4032. *Bradyrrhoa* (Kasikoparania) *mesobaphella* Ragonot,1888** (Pyralidae) Synonym(s): *mesobaphella* Ragonot,1888 Range (as codes): Cc TR 65 76 65A 65Ab 65Aba 65Ac 65Ac3 76C
- 4033. *Bradyrrhoa* (s.str.) *cantenerella* (Duponchel,1837)** (Pyralidae) Synonym(s): *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT CH YU MK GR TR Cc AM KK Na 05 06 16 31 46 05A 16A
- 4034. *Bradyrrhoa* (s.str.) *confiniella* Zeller,1848** (Pyralidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1887; *ifraneella* Lucas,1956; *ebertella* Roesler,1969 Range (as codes): MA Ifr Co Si IT MT YU AL BG GR Cr TR SY IL Pa LB Bei CY RU UA Cm 16 33 41 47 16A
- 4035. *Bradyrrhoa* (s.str.) *gilveolella* (Treitschke,1833)** (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833 Range (as codes): Si RO YU AL MK BG GR TR IR Ab Cc AM Eri RU UA Cm KK Na AU 01 05 06 13 16 21 22 23 29 30 31 44 51 38 42 44 46 51 56 58 65 71 77 05A 13A 13Ab 13Ac 13Ac2 13Ac 13Ag 13Ax 13F 13F38 13F6 13F01 13F7 13F71 13F74 13F11 13F38 13F41 16A 21N 21Nb 30B 30Bc1 31M 44E 44Eh 44I 44Ic 44L 44Lc 56F 56F1 65A 65Ac 65Ac3 65Am 65Am4 65D 65Df 65Dh 65F 65Fp 65Fz 65G 65Gb 65N 65Np2 65Np5 65Nr2 65Nm
- 4036. *Bradyrrhoa* (s.str.) *imperialella* (Ragonot,1887)** (Pyralidae) Synonym(s): *imperialella* Ragonot,1887 Range (as codes): IT MK BG GR Cc GG Smt Bjo TR RU Sb 65 76 65A 65Am 65Am4 65D 65Df 65Dv 76C
- 4037. *Bradyrrhoa* (s.str.) sp.?n.** (Pyralidae) Synonym(s): Range (as codes): TR 65 65A 65Am 65Am4 65B 65Bo
- 4038. *Bradyrrhoa* (s.str.) *trapezella* (Duponchel,1836)** (Pyralidae) Synonym(s): *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalcidoniella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933 Range (as codes): Cn TN DhM FR Co Sa Si IT HV YU MK BG GR TR TM 05 16 38 42 46 05A 16A
- 4039. *Cadra abstersella* (Zeller,1847)** (Pyralidae) Synonym(s): *abstersella* Zeller,1847; *bacillella* Ragonot,1887; *habenella* Ragonot,1887; *liguriella* Amsel,1954 Range (as codes): DZ Gha ES Mu FR Co Si IT MT YU AL GR Cr TR IL Hf Pa LB Bei Bsa SY Dms 16 21 42 46 16A
- 4040. *Cadra calidella* (Guenée,1845)** (Pyralidae) Synonym(s): *calidella* Guenée,1845; *#ficella* Douglas,1851; *xanthotricha* Staudinger,1859. Range (as codes): DZ Bsk Ajj PT ES FR Si IT MT IE GB NL DE CH AT CZ SK YU GR TR IQ Amr Bgd IL Pa Hf EG SA DK NO SE FI RU MD UA BY ZA 06 13 46 61 13F
- 4041. *Cadra cautella* (Walker,1863)** (Pyralidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 Range (as codes): Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz AF Srb Pic Nu Bsg CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID Ja CN TW TH JP Bsr Amr Enz PH WS FJ SB OW NW 03 06 21 38 42 46
- 4042. *Cadra delattinella* Roesler,1965** (Pyralidae) Synonym(s): *delattinella* Roesler,1965 Range (as codes): TR GR Cr LB Bei IR Elb Th Kdj Fa Shr AF Bd Shv 06 16 38 42 65 42B
- 4043. *Cadra figulilella* (Gregson,1871)** (Pyralidae) Synonym(s): *figulilella* Gregson,1871; *ficulella* Barrett,1875; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965. Range (as codes): Cn MR MA DZ Bsk TN Gf LY Cy PT ES B-I FR Co Sa Si IT MT GB BE NL DE CH AT CZ RO YU HV AL BG GR Cr TR CY LB IL JO Pa EG SD SA YE NO SE RU MD UA BY IQ IR Elb Shh Mz AF PK NP Ch CN JP KP KR ZA AU 13 31 34 46 71 76 13F 31M 76C
- 4044. *Cadra furcatella* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849] Range (as codes): IR Fa Elb LB IQ Cc AZ GG AF Srb Pag Kab Pic Bd Nu Bsg Bkt UZ LY Cy Co Sa Si IT MA PT ES Mu An Py CZ SK AT HU RO HV B-H YU MK BG AL GR Cr TR RU 01 03 05 06 09 13 16 21 31 42 44 46 65 71 05A 13F 13F6 13F71 16A 31M 65A 65Ab 65Aba 65D 65Df 65Du 65G 65Gb
- 4045. *Calamotropha hierichuntica* Zeller,1867** (Pyralidae) Synonym(s): *hierichuntica* Zeller,1867; *orontella* Ragonot,1895; *leucaniellus* Zerny,1914; *hackeri* Ganev,1985 Range (as codes): JO IL Jt Pa Hf GR TR 31 46 31F 31M
- 4046. *Calamotropha paludella* (Hübner,[1824])** (Pyralidae) Synonym(s): *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *carphurus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959 Range (as codes): PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Bsr SY IR Ahz TM DK NO SE FI EE LV LT RU Am Prj Us MD UA BY KG Dj Tk IR Mz AF Srb PK Ch AU MG ZA Tva Pre CN Sz Kgs Ui Yu IMn Mc Hun Fkn TW JP Kyu Hkk ID IN 42 46 46G 46Gf
- 4047. *Cataclysta lemnata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935. Range (as codes): MA Rbt ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB DK NO SE FI EE LV LT RU Ur MD UA BY Cc GG AZ AM Len IR Gh Tgo 42 46

- 4048. *Cataonia erubescens* (Christoph,1877)** (Pyrilidae) Synonym(s): *erubescens* Christoph,1877; *monocerialis* Ragonot,1891; *mineti* Vives,2001 Range (as codes): MR ES MT GR TR TM Krn Kp IR Ss Chh AF Srb Bsg Dwe Gbh Asm 01 31 38 46 31M
- 4049. *Cataonia mauritanica* Amsel,1953** (Pyrilidae) Synonym(s): *mauritanica* Amsel,1953 Range (as codes): TR 01
- 4050. *Catastia marginea* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *marginea* [Denis & Schiffermüller],1775; *atrella* Fabricius,1793; *auriciliella* Hübner,[1813]; *antiopella* Zincken,1818; *auricella* Zetterstedt,1839; *orcusella* Schawerda,1908; *pindosella* Roesler,1969 Range (as codes): FR IT GB DE CH AT PL CZ SK HU RO YU B-H BG GR TR Cc AM NO SE FI RU MD UA BY 25 33 46 61
- 4051. *Catharia pyrenaealis* (Duponchel,[1843])** (Pyrilidae) Synonym(s): *pyrenaealis* Duponchel,1843 Range (as codes): FR IT CH AT CY IL Pa LB TR 05 46 05A
- 4052. *Catoptria ciliciella* (Rebel,1893)** (Pyrilidae) Synonym(s): *ciliciellus* Rebel,1893; *#siliciellus* Ganev,1996. Range (as codes): BG Cc TR 08 09 33 53 69
- 4053. *Catoptria colchicella* (Lederer,1870)** (Pyrilidae) Synonym(s): *colchicellus* Lederer,1870 Range (as codes): TR Cc GG Akh Smt IR Ab Mak 12 13 36 65 75 76 12C 13G 13Gs 13Gw 65D 65Df 75F 75Fd 76C
- 4054. *Catoptria confusella* (Staudinger,1881)** (Pyrilidae) Synonym(s): *confusellus* Staudinger,1881 Range (as codes): ES AT CZ SK HU RO YU AL MK BG GR TR SY 03 04 05 06 42 61 03H 04C 04Ca 05A 06D 06R 42B 61K 61Ka
- 4055. *Catoptria dimorphella* (Staudinger,1881)** (Pyrilidae) Synonym(s): *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *aetnella* Zerny,1943; *wolffi* Ganev & Hacker,1984 Range (as codes): ES Si GR Cr TR CY LB Bei 01 05 06 31 33 42 44 46 65 01D 05A 06D 31M 33A 33Ae 42B 44I 44Ic 65D 65Df
- 4056. *Catoptria falsella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956. Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY CN Yu Ats 05 06 13 14 65 05A 13F 65F 65Fp 65Fz 65L
- 4057. *Catoptria hilarella* (Caradja,1925)** (Pyrilidae) Synonym(s): *hilarellus* Caradja,1925 Range (as codes): TR 46 65 46L 65A 65Ab 65Aba
- 4058. *Catoptria incertella* (Herrich-Schäffer,[1852])** (Pyrilidae) Synonym(s): *incertellus* Herrich-Schäffer,[1852] Range (as codes): TR Cc GG Bjo AM MK IR Elb Mz 01 05 06 28 36 53 61 75 05A 36D 36Da 36Df 61K 61Ka 75F
- 4059. *Catoptria laevigatella* (Lederer,1870)** (Pyrilidae) Synonym(s): *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903. Range (as codes): Cc GG Smt Akh TR BG LB Bei Da 01 04 05 33 53 61 76 05A 61K 61Ka
- 4060. *Catoptria lithargyrella* (Hübner,1796)** (Pyrilidae) Synonym(s): *lithargyrella* Hübner,1796 Range (as codes): ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IR DK NO SE FI EE LV LT RU Ur Tt IR Mnu Kj Cc GG AM KK CN Ui 12 16 18 25 76 16A
- 4061. *Catoptria luctiferella* (Hübner,[1813])** (Pyrilidae) Synonym(s): *luctiferella* Hübner,[1813]; *luctiferalis* Hübner,[1825]; *luctuella* Herrich-Schäffer,[1855]. Range (as codes): FR IT DE CH AT RO BG TR? 31?
- 4062. *Catoptria mytilella* (Hübner,[1805])** (Pyrilidae) Synonym(s): *mytilella* Hübner,[1805]; *villarrubiae* Agenjo,1954. Range (as codes): ES FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL RU Sb BG GR CY TR Cc AM 13 16? 13F 13F01 13F18 13F20 13F35 13F38 13F40 13F41 16A
- 4063. *Catoptria pinella* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763. Range (as codes): MA DZ TN PT ES C-M Cue FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB IR Gls DK NO SE FI EE LV LT RU Tt Ur Kj Mnu Ir Irk Vv Ask Sh MD UA BY JP Hkk KG Tk Dj 01 05 13 14 16 33 65 80 81 05A 13F 13F38 13F41 16A 65A 65Ac 65Ac3
- 4064. *Catoptria verella* (Zincken,1817)** (Pyrilidae) Synonym(s): *verellus* Zincken,1817; *radiolana* Eversmann,1844. Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK SE LV LT RU Tt Am 16 16A
- 4065. *Chilo luteellus* (Motschulsky,1866)** (Pyrilidae) Synonym(s): *lutellus* Motschulsky,1860 nec [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941 Range (as codes): DZ Bsk ES Sa IT HU BG GR Cr RO TR RU TM Kp IR Mz Shh Gh Tgo Cc AZ Len SY EG LB IQ Rwz AF Hr PK Cp CN Stg Ui Ku KP KR JP Hkk Kyu KG Tk Dj Ii KK Ik PH 01 05 06 16 25 33 36 42 46 58 76 80 05A 16A 76C
- 4066. *Chilo partellus* (Swinhoe,1885)** (Pyrilidae) Synonym(s): *zonellus* Swinhoe,[1885] nec Zell.,1847; *partellus* Swinhoe,1885; *lutulentalis* Tams,1932 Range (as codes): UG MW ZA TZ SD SD91 AF Bm Srb PK Sd Krc LK IN Poo Bba BD NP TH TW IR Ss IQ IL Pa Hf KM ID JP CY TR 01 31 80 31K 31Ka 31Ka3 31H
- 4067. *Chilo phragmitellus* (Hübner,[1810])** (Pyrilidae) Synonym(s): *phragmitellus* Hübner,[1810]; *rhombea* Haworth,[1811]. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK DK NO SE FI EE LV RU MD UA BY TR IQ IR Enz CN Ui Stg JP Hkk
- 4068. *Chilo pulverosellus* Ragonot,1895** (Pyrilidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezi* Joannis,1932; *lemarchandellus* Lucas,1945. Range (as codes): FR IT BG RU Da Cc TR JO IL Js Jt Pa SY Dms TM UZ Br 13 31 42 46 65 31M 42A 46G 46Gf 65D 65Dv

- 4069. *Cholius luteolaris* (Scopoli,1772)** (Pyralidae) Synonym(s): *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *silacella* Hübner,1796; *flavellus* O.-G.Costa,1836; *simplicella* Laharpe,1861; *albescentalis* Hampson,1900; *cremealis* Zerny,1934 Range (as codes): MA ES FR IT BE AT CZ SK HU RO YU MK BG GR TR LB Bsa RU MD UA BY 05 46 47 49 80 80E 80Ea
- 4070. *Chrysocrambus craterellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. Range (as codes): DZ Cst Clo PT ES FR IT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR RU Ur MD TR Cc Arr CY JO IR Kh LB Bsa 01 05 06 10 13 14 16 22 36 37 38 39 40 46 48 50 58 65 69 71 76 05A 06R 06Rd 10K 10Ka 13G 13Gg 16A 65A 65An 65At 65Au 65B 65Bn 65Bn1 65D 65Df 65Dg 65Dl 65Dlc 65Fz 65G 65Gf 65Gy 65L 65Le 65N 65Nc 65Np1 65Np2 65Nm
- 4071. *Chrysocrambus linetellus* (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960. Range (as codes): ES FR Co Sa Si IT GB CH AT SK HU RO YU AL BG GR Cr TR SY JO IR Gh Tgo LB IQ CY Rd UZ Br CN Ui Cc AZ Len 01 04 06 13 30 33 42 44 50 53 56 58 65 76 80 06R 13A 13Ab 13Ax 13B 13Bd 13G 13Ge1 13Gf 13F 13F6 30D 30Df 44L 44Lc 56F 56F1 56Fs 56Fs1 65A 65Ai 65Au 65B 65Bo 65Bx 65D 65G 65Gf 65Gy 65K 65Kl 65Z 65L 65Le 65N 65Np2 65Nm 76C
- 4072. *Chrysocrambus syriellus* (Zerny,1934)** (Pyralidae) Synonym(s): *syriellus* Zerny,1934 Range (as codes): LB Bsa Bei SY TR IL Pa JO IQ Hjo AF 05 06 31 46 65 05A 31A 31K 31O 65D
- 4073. *Chrysoteuchia culmella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942. Range (as codes): DZ PT ES Snv An Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA BY IR UZ Br RU Ur Prj Us Am KG Tk Dj JP Hkk 14 16 30 61 71 16A
- 4074. *Cleptotypodes ledereri* (Staudinger,1870)** (Pyralidae) Synonym(s): *ledereri* Staudinger,1870; *dufayi* Minet,1983 Range (as codes): FR IT HU RO TR GR Rd RU 35
- 4075. *Coenochroa ablutella* (Zeller,1839)** (Pyralidae) Synonym(s): *ablutella* Zeller,1839; *flaveolella* Ragonot,1887; *stigmatellus* Ragonot,1888; *seeboldi* Ragonot,1894; *majorella* Rothschild,1913; *buxtoni* Rothschild,1921 Range (as codes): Cn Md MA Rbt DZ Ajj Bsk Onç Ogl Gle PT ES Grn FR Si IT RO YU BG GR Cr TR CY IQ Bgd Mos Kbl IR Mz Qz Ss Irs Fa Shr Th Kdj Se KuB Kz Com IL Hf Pa TE LB JO EG TM Kp AF UZ PK Sd Krc IN ZA AE 01 05 06 13 23 35 42 45 46 05A 13F
- 4076. *Cornifrons ulceratalis* Lederer,1858** (Pyralidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876 Range (as codes): DZ Rhr Bsk Gha Ceg Nbr Tou Ogl Heh Gle Gtt Ah Ajj TN Gf Cn ES Sa Si IT MT YU AL GR Cr TR SY Dms SA EG IL Pa Hf Js CY JO LB IQ Bgd Dia Kbl KW IR Fa Ss Chh Kz Sde AF PK Sd Krc 07 27 65 27D 27Db 65D 65Df 65Fz
- 4077. *Crambus agitatellus* Clemens,1860** (Pyralidae) Synonym(s): *agitatellus* Clemens,1860; *saltuellus* Zeller,1863. Range (as codes): CA On Mnt US Ny Mai Iln Tx Msc TR?
- 4078. *Crambus lathoniellus* (Zincken,1817)** (Pyralidae) Synonym(s): *nemorellus* Hübner,[1813] *nec* Thunb.,1788; *lathoniellus* Zincken,1817; *angustellus* Stephens,1834; *alfacarellus* Staudinger,1859; *altivolens* Schawerda,1913; *marpurgensis* Strand,1920. Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK RO YU B-H AL BG GR TR DK NO SE FI EE LV LT RU Tt Am MD UA BY TR
- 4079. *Crambus pascuellus* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896. Range (as codes): PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Mnu KJ Ir Irk Am Sh MD UA BY GG Cc AZ AM CN Ui Ku Gn Sz T-T KG Uk JP Hkk Kyu 01 30 42 53 65 76 80 42B 65B 65Bo 65Bx 65F 65Fp 65Fz 76C
- 4080. *Crambus perlellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. Range (as codes): MA Ifr PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR GG AM Cc AZ KG Uk IR Shh Plr Dam KK AF Ch CN Ui Kml US 01 14 13 16 24 25 42 51 58 65 69 76 13A 13Ab 13Ax 16A 65B 65Bo 65Bx 65D 65Dc1 65Fz
- 4081. *Crambus pratellus* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pratellus* Linnaeus,1758; *dumetellus* Hübner,[1813]; *saltalis* Hübner,[1825]. Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Cc GG KG Uk 07 16 81 16A
- 4082. *Crambus scoticus* Westwood,1845** (Pyralidae) Synonym(s): *scoticus* Westwood,1845; *uliginosellus* Zeller,1850; *#infuscatellus* Caradja,1910 Range (as codes): ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR 13 42 13F
- 4083. *Cryptoblabes gnidiella* (Millière,1867)** (Pyralidae) Synonym(s): *gnidiella* Millière,1867; *wockiana* Briosi,[1877]; *aliene* Swazey,1909 Range (as codes): Cn PT ES FR Sa Si IT MT GB NL AT GR TR IL Pa Hf EG JO DK NO SE FI TH 01 33 80
- 4084. *Cybalomia pentadalis* (Lederer,1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer,1855 Range (as codes): GR Cr CY TR Cc LB Bei TM Kp IR Ahz Fa Shr Th Kdj Kh IQ Kbl Bgd Bsr Amr JO IL Pa Js Hf PK Sd Krc 01 07 08 30 31 33 45 46 56 76 07B 07Bb 08H 08Ha 30B 30Bt1 30Bz 31H 31M 33A 33Ac 33Ak 56F 76C
- 4085. *Cydalima perspectalis* (Walker,1859)** (Pyralidae) Synonym(s): *perspectalis* Walker,1859; *advenalis* Lederer,1863; *albifuscalis* Hampson,1899 Range (as codes): RU CH NL GB FR CZ SK IT RO BE DE AT HU SS HV Cc Kr Cc Gro TR IN KP KR CN JP ID Ja 34
- 4086. *Cynaeda* (Noctuella) *escherichi* Hofmann,[1898]** (Pyralidae) Synonym(s): *escherichi* Hofmann,[1898] Range (as codes): TR 06

- 4087. *Cynaeda (Noctuelia) mardinalis* Staudinger, 1892** (Pyralidae) Synonym(s): *mardinalis* Staudinger, 1892 Range (as codes): TR 47 47D
- 4088. *Cynaeda (Noctuelia) nepticalis* (Hofmann, [1898])** (Pyralidae) Synonym(s): *nepticalis* Hofmann, [1898] Range (as codes): TR 06 46 65 71 65D 65F 65F1 65Fz
- 4089. *Cynaeda (Noctuelia) superba* (Freyer, [1844])** (Pyralidae) Synonym(s): *superba* Freyer, [1844]; *superbalis* Herrich-Schäffer, 1848; *petitjeanii* Oberthür, 1876 Range (as codes): MA Ifr DZ Lbs MK TR GG Cc Bjo AM LB IR Elb Shh Ha Kdj Th Fa Kdv IQ AF Shah 01 05 06 12 13 21 25 30 38 42 44 46 58 65 70 71 01H 05A 06R 06Rd 12A 12Ab 13A 13Ai 13Ax 13G 13Gc 13Gw 13Gü 13Gs 13F 25A 30D 30Df 44A 44Ab 65F 65Fb 65Fc 65Fp 65Fz 65K 65Kz 65Kg 65N 65Np 65Nr4 65Nm 70C 70Ce
- 4090. *Cynaeda (s.str.) dentalis* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller], 1775; *ramalis* Fabricius, 1787; *radiata* Esper, 1788; *fulminans* Fabricius, 1794; *dilutalis* De Lattin, 1959 Range (as codes): DZ Clo Lbs Ges TN GF PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LT RU MD UA BY IL EG KG Uk Tk Dj Ii Ui CN Ku TM Kp CY LB IR Elb Kdv Th Kdj Dam Gor Cc GG Bjo Lag Kir AZ Mng Nv Ord 01 05 06 08 16 17 31 42 44 46 50 71 73 76 80 05A 08H 08Ha 16A 31F 31M 42B 73A 73Ad 73Ad2 76C
- 4091. *Cynaeda (s.str.) gigantea* (Staudinger, 1879)** (Pyralidae) Synonym(s): *#gigantea* Wocke, 1871; *gigantea* Staudinger, 1879 Range (as codes): FR CH HU YU GR Cr TR IQ Hjo Ssa IR Fa Shr Com Sse Gls IL Pa LB Bsa AF Slg Pnj Pag Adr KG Uk 05 06 08 13 14 21 23 27 30 33 38 42 44 46 50 56 58 65 76 05A 06K 06Kb 06R 06Rk 13A 13Ab 13Ax 13F 13F6 13F7 13F71 14B 14Bb 21L 21Lc 27D 27Da 27Db 30B 30Bc 30Bz 30D 30Df 33A 33Ae 38H 38Hc 44E 44Eh 50G 56F 56F1 56Fb 58G 65A 65Ac 65Ac3 65Am 65Am1 65D 65Df 65Dt 65Du 65Fz 65G 65Gb 65Gf 65Gy 65L 65Le 65N 65Np1 65Nr4 65Nm 76C
- 4092. *Cynaeda (Usgentia) vespertalis* (Herrich-Schäffer, [1855])** (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer, [1855]; *#gilvalis* Zerny, 1914; *#sordidalis* Zerny, 1914. Range (as codes): si GR LB TR Cc AM IR Kh Elb Th Kdj Fa Yz 01 05 13 30 31 33 42 45 46 55 65 72 80 01H 05A 13G 13Gc 30D 30Df 65A 65Ai 65D 65Dl 65Dlc 65Dr 65F 65F6 65Fz 72E 72Eh 80E 80Ea
- 4093. *Delplanqueia dilutella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *dilutella* [Denis & Schiffermüller], 1775; *diluta* Haworth, 1811; *dilutalis* Hübner, [1825]; *adornatella* Treitschke, 1835; *subornatella* Duponchel, 1837; *serphyllatorum* Zeller, 1839; *integella* Staudinger, 1859; *integrella* Wocke, 1871; *diffusa* Staudinger, 1881; *magna* Amsel, 1953 Range (as codes): PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR Elb Th MN 05 06 16 34 46 05A 06R 16A
- 4094. *Denticera divisella* (Duponchel, 1842)** (Pyralidae) Synonym(s): *divisella* Duponchel, 1842; *euphorbiella* Zeller, 1846; *albiricella* Herrich-Schäffer, 1849; *sardzeella* Amsel, 1961. Range (as codes): MA DZ Ajj ES FR Sa Si IT MT YU BG GR TR IR IL Pa Hf IQ R wz Dia Shq GM ZA Nta Kzu YE Ad PK Sd Krc LK 01 02 05 13 27 33 44 46 56 02F 02Fe 02Fz 05A 13F 13F01 13F35 13F42 27D 27Db 33A 33Aj 44I 44Ic 56F
- 4095. *Dentifovea fulvifascialis* (Christoph, 1887)** (Pyralidae) Synonym(s): *fulvifascialis* Christoph, 1887; *foviferalis* Hampson, 1900 Range (as codes): GR LB Bei IL Pa AF Hr Srb Pli Pic TR IQ R wz Bgd Brs IR Ahz Bu Se PK Sd Krc 31 31M
- 4096. *Diasemia reticularis* (Linnaeus, 1761)** (Pyralidae) Synonym(s): *reticularis* Linnaeus, 1761; *litterata* Scopoli, 1763 Range (as codes): PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 06 16 52 53 16A
- 4097. *Diasemiopsis ramburialis* (Duponchel, 1831)** (Pyralidae) Synonym(s): *ramburialis* Duponchel, 1831; *melaleucalis* Walker, 1859; *reconditalis* Walker, [1866]; *leucophaealis* Walker, [1866]. Range (as codes): PT ES FR Co Sa Si IT MT GB BE NL CH AT RO YU AL BG GR Cr TR IR Mz Gls DK US IN AU QAU TW ZA 16 31 46 16A 31M
- 4098. *Dioryctria abietella* (Fabricius, 1787)** (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller], 1775; *abietella* Fabricius, 1787 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Sb IN TH TW KP JP
- 4099. *Dioryctria mendacella* (Staudinger, 1859)** (Pyralidae) Synonym(s): *mendacella* Staudinger, 1859; *#mendecella* Rebel, 1939 Range (as codes): PT ES FR Co Si IT MT YU GR TR CY IL Pa Hf 01 07 33 80 33A 33Ac 33Ak
- 4100. *Dioryctria resiniphila* Segerer & Pröse, 1997** (Pyralidae) Synonym(s): *resiniphila* Segerer & Pröse, 1997 Range (as codes): GT TR CN Ui 14
- 4101. *Dioryctria simplicella* Heinemann, 1863** (Pyralidae) Synonym(s): *simplicella* Heinemann, 1863; *mutatella* Fuchs, 1903. Range (as codes): FR GB BE NL LU DE CH AT CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY TR 06 53
- 4102. *Dioryctria sylvestrella* (Ratzeburg, 1840)** (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg, 1840; *splendidella sensu auct.* Range (as codes): PT ES Mu FR Co Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY TH 08 16 75 08H 08Hc 16A 75F 75Fb
- 4103. *Dipleurina lacustrata* (Panzer, 1804)** (Pyralidae) Synonym(s): *crataegella sensu* Hübner, 1796 *nec* Linn., 1767; *lacustrata* Panzer, 1804; *pusilla* Westwood, 1845. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Gls Mz Th Cc GG Bjo Lag Ord Nv AZ AM Eri LB Bsa DK NO SE FI EE LV LT RU Prj Us MD UA BY CN 05 33 34 46 76 05A 76C
- 4104. *Dolicharthria bruguieralis* (Duponchel, 1833)** (Pyralidae) Synonym(s): *bruguieralis* Duponchel, 1833; *coniotalis* Hampson, 1903; *pseudobotys* Rothschild, 1913; *similalis* Rothschild, 1915; *bahrlutalis* Amsel, 1935; *mauretanica* D. Lucas, 1949 Range (as codes): DZ Rhr Clo Ah Omy Onç LY Cy EG MA TN PT ES FR Co

Sa Si IT MT RO YU AL BG GR Cr Rd TR CY LB Bsa Bmm IL Pa Hf IQ Rvw Brs Ry Shq IR Fa Shr Sse Bu AF Pnj Kab Pli Gbh Srb Khi Adr Fz ZA 01 02 05 06 07 13 16 21 30 31 32 33 44 46 65 70 73 02F 02Fd 02Fz 05A 07B 13F 16A 21N 21Nh 30B 30Bç 30Bt1 30Bz 30D 30Df 31K 31Ka 31Ka5 31M 33A 33Ad 33Ac 33Aj 44E 44Eh 44I 44Ic 44L 44Lc 65A 65Am 65Am1 65D 65Dc 65Dh 65Du 65Dv 70C 70Ce 73A 73Aç2 73D 73Db

- 4105. *Dolicharthria intervacatalis* (Christoph,1877)** (Pyrilidae) **Synonym(s):** *intervacatalis* Christoph,1877; *psologramma* Meyrick,1937 **Range (as codes):** TR AZ Nv Ord Cc IR Elb Th Mz Srd Fa Shr Km Ksh IL Jt Pa IQ Rvw TM K-K 13 30 56 13F 13F35 30B 30Bt1 30Bz 30D 30Df 56F 56F1 56Fm 56Fs
- 4106. *Dolicharthria punctalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) **Synonym(s):** *punctalis* [Denis & Schiffermüller],1775; *longipedalis* Curtis,1830 **Range (as codes):** TN Sfx Elk PT ES FR Co Sa Si IT GB NL DE CH AT CZ SK HU RO B-H Sjn HV YU AL BG GR Cr CY TR DK SE FI EE IR Elb Mz Th Kdj Kdv Fa Sse Ss Kh Gh Tgo Pa IL AF Anh 01 05 06 14 16 31 33 36 39 42 46 56 61 65 71 05A 16A 31M 33A 33Ac 36D 36Db 56F 61K 61Ka 65D 65Df 65Fz 65L 65Le 65N 65Nc 65Nc4 65Nf
- 4107. *Dolicharthria stigmosalis* (Herrich-Schäffer,[1848])** (Pyrilidae) **Synonym(s):** *stigmosalis* Herrich-Schäffer,[1848] **Range (as codes):** PT FR AT HU RO YU BG GR Cr TR RU MD UA BY LB Bsa Bei 01 05 06 16 17 31 33 35 46 49 65 80 05A 16A 17C 31K 31Ka 31Ka5 31Ka7 49E 49Ea 65L 65Le 65N 65Np 65Nm
- 4108. *Donacula mucronella* ([Denis & Schiffermüller],1775)** (Pyrilidae) **Synonym(s):** *mucronella* [Denis & Schiffermüller],1775 **Range (as codes):** FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV LT RU MD UA BY KG Uk 16 16A
- 4109. *Donacula nilotica* (Zeller,1867)** (Pyrilidae) **Synonym(s):** *niloticus* Zeller,1867; *alpherakii* Staudinger,1874; *vescerellus* Chrétien,1910; *argophthalmus* Meyrick,1933; *nigrolineata* Popescu-Gorj & Draghia,1968 **Range (as codes):** RO BG GR RU DZ Bsk EG EG05 EG11 TR AZ Cc Kir IL Pa Hf Js JO IQ Mos IR Kh KG Uk UZ Br IN 21 46 56 46G 46Gf 56F 56Fé
- 4110. *Duponchelia fovealis* Zeller,1847** (Pyrilidae) **Synonym(s):** *fovealis* Zeller,1847; *canuialis* Millièr,1869; *griseata* Butler,1875; *uniflexalis* Mabilie,1880 **Range (as codes):** Cn DZ Agi Bsk PT ES FR Co Sa Si IT MT NL BE DE YU GR Cr CY TR IL Pa Hf EG Hx Hp Ahz Fa Sse Ana Ke JO LB YE Ad IQ Bsr AE DK SE AF Srb ZA Nta Kzu ZR MZ 01 07 31 33 48 63 80 07C 48L 63D
- 4111. *Ecbatania holopyrrhella* (Ragonot,1888)** (Pyrilidae) **Synonym(s):** *holopyrrhella* Ragonot,1888 **Range (as codes):** Cc TR IR Elb Mz 13 46 65 76 13F 13F41 46G 65N 65Np 65Nm 76C
- 4112. *Eccopisa effractella* Zeller,1848** (Pyrilidae) **Synonym(s):** *effractella* Zeller,1848 **Range (as codes):** PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO B-H MK BG GR LV LT RU UA TR Cc AM IR Gh Tgo 16 58 16A
- 4113. *Ecpyrrhorhoe diffusalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *carnealis* Dup.,1831 *nec* Treit,1829; *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862. **Range (as codes):** Cn MA TN ES FR IT CH HU RO YU HV AL BG GR IL Pa Hf TR IR Fa Shr Com Ss Th Kdj Ha Mz LB Bsa AF Pic Kab Srb Bsg Pag PK Cp UA Lvv Cc GG Tbl Bjo AZ Kir Nv Ord AE IN 01 02 05 06 13 16 21 30 31 36 38 42 44 46 47 56 60 65 71 73 02F 02Fe 02Fz 05A 06R 13A 13Ab 13Ax 13F 13F6 16A 21L 21Le 30D 30Df 31K 31Ka 31Ka3 31M 36D 36Db 44E 44Ei 44I 44Ic 44L 44Lc 46G 46Gf 56F 56F1 65A 65Am 65Am1 65Am2 65Am4 65Ab 65Aba 65D 65Df 65Dg 65Dv 65Dt 65Ds 65F 65Fç 65Fp 65Fz 65G 65Gb 65K 65Kl1 65Z 65N 65Np6 65Nm 73A 73Aç2 73Ad 73Ad2
- 4114. *Ecpyrrhorhoe rubiginalis* (Hübner,1796)** (Pyrilidae) **Synonym(s):** *rubiginalis* Hübner,1796; *denigratalis* Hartig & Amsel,1952 **Range (as codes):** ES FR Co Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo Lag Kir Mng Sok Da AZ IR Gh Tgo LT RU At Sj Sb Am UA BY KG Tk Dj Ii 05 16 25 31 35 39 42 53 05A 16A
- 4115. *Elegia fallax* (Staudinger,1881)** (Pyrilidae) **Synonym(s):** *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953 **Range (as codes):** PT ES FR Si IT SK HU RO YU BG GR TR Cc GG Lag IQ Dia Rvw 01 05 06 13 27 30 31 33 46 71 05A 06R 13F 13F18 13F19 13F35 13F38 13F41 13F7 13F71 30D 30Df 31M 33A 33Ak
- 4116. *Elophila hederalis* Amsel,1935** (Pyrilidae) **Synonym(s):** *hederalis* Amsel,1935; *auralis* Osthelder,1935 **Range (as codes):** IL IQ Bsr IR Ahz Kz TR 46
- 4117. *Elophila nymphaeata* (Linnaeus,1758)** (Pyrilidae) **Synonym(s):** *nymphaeata* Linnaeus,1758; *potamogata* Linnaeus,1758; *rivulata* Scopoli,1763; *nymphaealis* [Denis & Schiffermüller],1775; *potamogalis* [Denis & Schiffermüller],1775; *obscuralis* Selys-Longchamps,1845; *potamogetalis* Reutti,1898 **Range (as codes):** MA DZ ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Pa DK NO SE FI EE LV LT RU MD UA BY IR Enz 14 16 16A
- 4118. *Ematheudes punctellus* (Treitschke,1833)** (Pyrilidae) **Synonym(s):** *punctellus* Treitschke,1833; *pseudopunctellus* Ragonot,1888; *tunesiella* Ragonot,1892 **Range (as codes):** MA DZ Anna Cst Btina Phv Eba Bsk TN GF PT ES FR Co Sa Si IT MT BE CH AT CZ SK HU RO YU AL BG GR Cr TR RU MD UA BY IR Elb Th Ha Fa Kdj Shr Sse Kh CY EG IL Pa Hf LB JO 01 05 06 13 16 27 31 33 34 35 38 42 46 48 71 80 05A 13F 13F6 16A 31K 31Ka3 31M 48L 80B 80Bc
- 4119. *Ematheudes varicellus* Ragonot,1887** (Pyrilidae) **Synonym(s):** *varicella* Ragonot,1887 **Range (as codes):** UZ Fe Cc GG Tbl AM TR IR Shh Gor 01 31 65 76 31M 65N 65Np2 65Nm 76C
- 4120. *Ematheudes vitellinellus* Ragonot,1887** (Pyrilidae) **Synonym(s):** *vitellinella* Ragonot,1887; *#vittelinella* Amsel,1949 **Range (as codes):** Cc GG TR IR Ahz IQ Bgd Shq 46
- 4121. *Emmalocera lucidicostella* Ragonot,1888** (Pyrilidae) **Synonym(s):** *lucidicostella* Ragonot,1888 **Range (as codes):** TR IN 33 33R 33Rb
- 4122. *Endotricha flammealis* ([Denis & Schiffermüller],1775)** (Pyrilidae) **Synonym(s):** *flammealis* [Denis & Schiffermüller],1775; *adustalis* Turati,1905; *lutealis* Turati,1905; *carnealis* De Lattin,1951 **Range (as**

- codes): DZ Clo TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ IL Hf Pa CY LB Cc GG IR Fa Sse Com Shr Mz Th Kdj Gor Gh Tgo TM Kp DK SE RU MD UA BY KG 01 05 06 07 08 10 12 13 16 30 31 33 34 42 44 46 48 56 58 60 65 71 80 05A 06R 06Rb 07B 07Bb 08H 08Hc 10K 10Ka 12E 12Eb 12Ec 12Ed 13G 13Gf 13F 16A 30B 30Bc 30Bz 30D 30Df 30Dx 31K 31Ka 31Ka3 31M 42B 44I 44Ic 48D 56F 56Fa 56Fb 60G 65A 65Ai 65D 65Dv 65Dt 65Du 65Dv 65F 65Fg
- 4123. *Epactoctena octogenalis* (Lederer,1863)** (Pyrilidae) Synonym(s): *octogenalis* Lederer,1863
Range (as codes): TR IR Ahz Ha JO IQ Ssa Dia Mos Ry Shq IL Pa Js Hf CY 13 21 23 31 33 44 46 47 56 63 65 73 13G 13Gg 13F 21N 21Nb 31A 31M 33O 44E 44Ei 47D 56F 56Fb 56Fm 63D 63Dd 65L 65Le 65N 65Nf 65Np 65Nm 73A 73Ac 73Ac2
- 4124. *Epascestria pustulalis* (Hübner,[1823])** (Pyrilidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1916 Range (as codes): ES IT LU DE AT PL CZ SK HU RO YU BG GR Rd Cr TR LB Bei IQ Hjo Cc AM Eri AZ Kir SE LV LT RU MD UA BY IR Elb Th Kdj IL Pa Hf AF Pag 01 05 06 13 31 33 35 42 44 46 56 63 65 75 80 05A 06R 13F 31M 44L 44Lc 56F 56Fé 63D 63Dc 65F 65Fo 65Fp 65Fz 65N 65Nc 65Np5 65Nm 75F 75Fb 80B 80Bc
- 4125. *Ephelis cruentalis* (Geyer,[1832])** (Pyrilidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835 Range (as codes): FR Si IT YU BG GR Rd Cr TR LB Cc GG Tbl Mng Lag AM AZ IL Pa Hf EG IR Fa Sse Elb Th Kdj Nss Kdv Gor Kh IQ Ry Shq AF Adr Shv Kab KG Slu Syr 01 05 06 12 13 16 21 25 30 31 33 34 35 36 38 39 42 44 46 49 56 58 63 65 76 80 05A 06K 06Kb 06R 12E 12Ed 13F 13F7 13F71 13G 13Gü 13Gw 16A 21L 21Lf 30B 30Bc1 30Bc 30Bz 30D 30Df 30Dx 31M 36D 36Db 42K 44E 44Ee 44L 44Lc 49D 49Db 56D 56Dc 56F 56Fb 56Fç 56Fi 58G 58Rb 65A 65Ai 65Ac 65Ac3 65Aba 65D 65Df 65Dh 65Di 65Dlc 65Dt 65Du 65Dv 65F 65Fp 65Fz 65G 65Gb 65H 65Hb 65K 65Ké 65Kç 65L 65Le 65N 65Np2 65Nr2 65Nm 76C 80B 80Bc
- 4126. *Ephestia (Anagasta) cypriusella* Roesler,1965** (Pyrilidae) Synonym(s): *cypriusella* Roesler,1965
Range (as codes): GR CY TR LB Bei 06 09
- 4127. *Ephestia (Anagasta) kuehniella* Zeller,1879** (Pyrilidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tubtim,1995 Range (as codes): DZ Hdr MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG Sk DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch SA CN Kgs JP TH TW MX NZ AU ZA 01 06
- 4128. *Ephestia (Anagasta) welseriella* (Zeller,1848)** (Pyrilidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927 Range (as codes): LY Cy DZ MA TN Gf PT ES Mu FR Co Sa Si IT MT DE CH AT HU RO YU HV MK AL BG GR Cr TR IL Hf Pa LB Bsa Bei RU Cc GG AM AZ IR Mz Elb 05 06 13 16 42 44 45 46 65 71 05A 13A 13Ab 13Ax 13F 13F35 16A 44L 44Lc 65A 65Am 65Am1 65D 65Df
- 4129. *Ephestia (s.str.) disparella* Hampson,1901** (Pyrilidae) Synonym(s): *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934. Range (as codes): Cn MA DZ TN Gf LY Cy PT ES An Mu FR Co Sa IT YU HV MK B-H AL BG GR Cr TR Cc LB Bsa Bro Bmm IL Hf Js Jt Pa SY Dms 01 03 05 06 07 09 16 21 31 34 35 42 46 76 05A 16A 31M 76C
- 4130. *Ephestia (s.str.) elutella* (Hübner,1796)** (Pyrilidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumata* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 Range (as codes): Md Cn MA DZ Anna TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY KG Uk AF PK Ch NP CN KP KR JP TH TW AU ZA 05 06 16 34 46 76 05A 16A 76C
- 4131. *Ephestia (s.str.) mistralella* (Millière,1874)** (Pyrilidae) Synonym(s): *mistralella* Millière,1874; *moebiusi* Rebel,1906; *metoenella* Zerny,1927. Range (as codes): MA PT ES Mu FR Co DE DK NO SE FI EE TR? ?13 13F 13F01 13F35
- 4132. *Ephestia (s.str.) unicolorella* Staudinger,1881** (Pyrilidae) Synonym(s): *unicorella* Staudinger,1881; *personata* Gerasimov,1930; *intermediella* Amsel,1961. Range (as codes): FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr CY TR RU Or IR Elb Th Fa Cc AZ Kir AF Bm Srb IL Hf Pa Js LB Bei Bsa SY Dms KG Uk 01 03 05 06 13 16 21 31 33 34 42 44 46 65 80 05A 13F 31M
- 4133. *Epichalcia amasiella* Roesler,1969** (Pyrilidae) Synonym(s): *amasiella* Roesler,1969 Range (as codes): TR 05 05A
- 4134. *Epiepischnia pseudolydella* Amsel,1954** (Pyrilidae) Synonym(s): *pseudolydella* Amsel,1954
Range (as codes): TR IQ Shq Hjo IR Fa Sse Elb Th Kdj 02 06 13 30 44 46 65 71 02F 02Fe 02Fz 06R 13A 13Ab 13Ax 13F 13F6 30B 30Bc 30Bt1 30Bz 44E 44Ei 65A 65Am 65Am3 65At 65At5 65D 65F 65Fp 65Fz 65G 65Gf 65Gy 65L 65Le 65N 65Np6 65Nm
- 4135. *Epimetasia eoa* (Meyrick,1936)** (Pyrilidae) Synonym(s): *eo*a Meyrick,1936 Range (as codes): IR Ha Adv IQ Ry Shq Ssa Er TR 30 56 30B 30Bc 56F 56Fb 56Fm
- 4136. *Epimetasia vestalis* (Ragonot,1894)** (Pyrilidae) Synonym(s): *vestalis* Ragonot,1894; *vestalis* Hampson,1900 (preocc.); *rubrilinealis* Zerny,1939 Range (as codes): TR IR Elb Mz 47
- 4137. *Epischidia caesariella* (Ragonot,1901)** (Pyrilidae) Synonym(s): *caesariella* Ragonot,1901 Range (as codes): MA TN TR SY MN TM Kp 38 42 42B
- 4138. *Epischnia adultella* Zeller,1848** (Pyrilidae) Synonym(s): *adultella* Zeller,1848; *gregariella* Erschoff,1877; *zophodiella* Ragonot,1887; *mongolica* Amsel,1954 Range (as codes): TR CN Ui Ku MN U-B TM Kp Cc AM Da RU Am IR Elb Kdv 76 76C

- 4139. *Epischnia albunculella* (Staudinger,1879)** (Pyralidae) Synonym(s): *albunculella* Staudinger,1879; *rhectogramma* Meyrick,1937; *albunculella* Ragonot & Hampson,1901 Range (as codes): TR IQ Ry IR Fa Mz Elb Pdv Plr Dam TM Kp 05 06 13 38 42 46 65 76 05A 13F 76C
- 4140. *Epischnia asteris* Staudinger,1870** (Pyralidae) Synonym(s): *asteris* Staudinger,1870; *banksiella* Richardson,1888; *obscura* Ragonot,1893; *peroni* Agenjo,1948 Range (as codes): ES GB FR IL TR 05 05A
- 4141. *Epischnia christophori* Ragonot,1887** (Pyralidae) Synonym(s): *christophori* Ragonot,1887; *#chrystophori* Noack,1960. Range (as codes): Cc TR TM Kp IR LB Bei 06 13 21 30 46 65 76 13F 13F6 30D 30Df 65A 65Ai 65G 65Gf 65Gy 65N 65Np2 65Nm 76C
- 4142. *Epischnia cretaciella* Mann,1869** (Pyralidae) Synonym(s): *cretaciella* Mann,1869; *cuculliella* Ragonot,1887; *demartinella* Turati,1922. Range (as codes): YU GR RU Sr TR Cc IL Pa IR Kdj Fa Com Sse JO Cy LY MD UA BY KG Uk TR Cc AZ Nv Ord IR Elb Kdv Dam Mz 05 16 42 46 76 05A 16A
- 4143. *Epischnia illotella* Zeller,1839** (Pyralidae) Synonym(s): *illotella* Zeller,1839; *asteriscella* Millière,1873; *alfacarella* Amsel,1954; *#micronella* Roesler,1969 Range (as codes): DZ Bsk Ges TN Gf PT ES Mu FR Co Sa Si IT MT DE SK RO YU MK AL GR Cr RU MD UA BY TR KG Uk CY IL Pa LB Bsa Bmm EG 16 31 42 44 65 76 16A 31M 44L 44Lc 65A 65Ai 76A 76Aa
- 4144. *Epischnia leucoloma* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer,[1849] Range (as codes): ES IT YU GR TR RU CY LB Bei AM Cc EG 16 45 46 16A 46L
- 4145. *Epischnia leucomixtella* Ragonot,1887** (Pyralidae) Synonym(s): *leucomixtella* Ragonot,1887; *bicornutella* Amsel,1961 Range (as codes): Cc GG Tbl TR IR Fa Sse Th LB Ale 42
- 4146. *Epischnia muscidella* Ragonot,1887** (Pyralidae) Synonym(s): *muscidella* Ragonot,1887 Range (as codes): TR LB Bsa 05 42 05A
- 4147. *Epischnia prodromella* (Hübner,[1799])** (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella* Rebel,1939 Range (as codes): DZ Bsk Ges TN Gf PT ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM SY IR Shh Gor Mz Elb IL Pa Hf LB CY TM Kp KG Uk RU MD UA BY 01 05 06 08 13 16 21 27 31 32 34 42 44 46 56 58 65 05A 08H 08Ha 13A 13Ac 13Ac2 13Ax 13F 13F18 13F35 13F38 13F41 16A 21L 21Lc 27D 27Da 31M 44E 44Ei 44I 44Lc 56F 56Fi 65A 65Am 65Am1 65Am4 65D 65N 65Nc 65Nc4 65Nr7 65Nm
- 4148. *Epischnia soritella* Lederer,1858** (Pyralidae) Synonym(s): *soritella* Lederer,1858 Range (as codes): TR SY Dms 45 46 46L
- 4149. *Epischnia stenopterella* Rebel,1910** (Pyralidae) Synonym(s): *stenopterella* Rebel,1910 Range (as codes): TR 46 46L
- 4150. *Episcythrastis* sp.** (Pyralidae) Synonym(s): Range (as codes): TR 65 65A 65Ab 65Aba
- 4151. *Episcythrastis tabidella* (Mann,1864)** (Pyralidae) Synonym(s): *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939 Range (as codes): ES FR Co Sa YU AL BG TR RU Sr Cc GG Tbl Bjo IR Elb Dam LB UA Cm 05 13 16 31 76 05A 13F 13F19 13F20 16A 31M 76C
- 4152. *Episcythrastis tetricella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tetricella* [Denis & Schiffermüller],1775; *tetrix* Fabricius,1798; *chrysorrhoeella* Zincken,1818; *plumbaginella* Eversmann,1844; *amurensis* Ragonot,1887; *alternella* Lewin,1942 Range (as codes): FR Co IT DE CH AT PL CZ SK HU RO YU BG TR NO SE FI EE LV LT RU Am MD UA BY 16 16A
- 4153. *Etiella zinckenella* (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. Range (as codes): PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE Sk CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY Bor ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ NA TN LY EG GW LB SL GA CM NG NE CI GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH CMa Cmz Cz10 Cz11 ID Sum Sbh AE Fa Shr Com Se Ha Th Elb Kuh Ss Kdj 01 05 06 09 13 16 17 31 33 39 44 46 58 65 71 76 80 05A 09K 09Ka 13A 13Ab 13Ax 13F 16A 31M 33A 33Ac 33Ae 44E 44Ei 44L 44Lc 65N 65Np 65Np5 65Nm 76A 76Ac 76B 76Bb
- 4154. *Eucarphia vinetella* (Fabricius,1787)** (Pyralidae) Synonym(s): *vinetella* Fabricius,1787; *vinetorum* Fabricius,1798; *vinetalis* Hübner,[1825]. Range (as codes): FR IT DE AT HU YU RU Sr At Cc AM TR MD UA BY MN CN Shs 75 75F 75Fd
- 4155. *Euchromius anapiellus* (Zeller,1847)** (Pyralidae) Synonym(s): *anapiellus* Zeller,1847 Range (as codes): MA Tgr Azr Rbt DZ Anna Dja Lbs TN PT ES FR Sa Si IT TR EG
- 4156. *Euchromius bellus* (Hübner,1796)** (Pyralidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825]. Range (as codes): MA Ifr DZ Bsk ES An Mu FR Sa Si IT SK HU RO YU BG GR Cr TR RU Cc MD UA BY IQ R wz Dia Brs Ama IR IL Pa JO Amm LB Bei EG PK Bl Chm 01 05 06 12 13 16 17 21 26 29 30 31 33 35 39 42 44 46 59 65 71 76 80 05A 12A 12Ab 13F 16A 16E 30D 30Df 31O 31M 65A 65Am 65Am3 65D 65Df 65Dv 76C
- 4157. *Euchromius bleszynskiellus* Popescu-Gorj,1964** (Pyralidae) Synonym(s): *bleszynskiellus* Popescu-Gorj,1964; *roxanus* Bleszynski,1965 Range (as codes): RO GR RU Da Cc TR 06 09 09K
- 4158. *Euchromius cambridgei* (Zeller,1867)** (Pyralidae) Synonym(s): *cambridgei* Zeller,1867; *luciella* Chrétien,1907; *prototypa* Meyrick,1935; *congruentella* Amsel,1958; *sziartoi* Gozmany,1959; *ilkui* Gozmany,1959.

Range (as codes): MA Cn DZ Bsk Gle Ktr Hes Lgt Elt Abe Sbd TN Gf Sfx LY PT ES FR Sa IT MT YU EG IL Jt Pa JO TR SD SA SA63 BH AE OM JO IR Ss AF PK Krc

- 4159. *Euchromius gratosellus* (Caradja,1910)** (Pylalidae) Synonym(s): *gratosella* Caradja,1910; *gartheellus* Derra,1985; *siuxellus* Ganev & Hacker,1986 Range (as codes): ES Co IT RU Sr KG Uk Cm TR Cc CN Ui Ln IR Shh 06 33 42 70 71 76 06Y 42K
- 4160. *Euchromius jaxartellus* (Erschoff,1874)** (Pylalidae) Synonym(s): *jaxartella* Erschoff,1874 Range (as codes): Cc AZ Nv Ord KG TR JO TM Kp UZ Br IR Kh CN Ui Ku AF Hr Srb Ca 33
- 4161. *Euchromius keredjellus* (Amsel,1949)** (Pylalidae) Synonym(s): *keredjella* Amsel,1949 Range (as codes): IR Elb Kdj Th Fa Shr TR Cc AF Hr 42 65 76 65D 65Dv 65Du
- 4162. *Euchromius mouchai* Bleszynski,1961** (Pylalidae) Synonym(s): *mouchai* Bleszynski,1961 Range (as codes): Co Si RU Sr Cc GG Bjo Lag TR 42
- 4163. *Euchromius ocellus* (Haworth,[1811])** (Pylalidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad, Zaidi & Kamaluddin,1982 Range (as codes): Md Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Rd Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Dj Ii EG IL LB TM Kp YE Ad Sk IQ Kbl Bgd Amr IR Ahz Plr CY AF Hr IN Mh Poo PK Cp Pj Krc Sd Mhw AU US Tx UZ Br ET AE SO KE MT TZ CF UG MW SC MG MZ ZW Bul Har Nta Kzu Ec Ans Fs Blo Wca Cto Dbn Grh Lds Tva Lpo Pie Gau Pre Wnn Wr Ste Cer Grg BW NA AO GO NG NE BF GH SN FP Pag Gh Tgo Ss Irs Sde Kz Mz Gls Kh Pa Hf Onç Bsk Gf Ajj Ah 01 05 07 13 16 31 32 34 42 48 56 65 71 76 05A 13F 16A 31M 56F 65D 65Dv 65N 65Nc 65Nc4
- 4164. *Euchromius pulverosus* (Christoph,1887)** (Pylalidae) Synonym(s): *pulverosa* Christoph,1887; *cochlearella* Amsel,1949 Range (as codes): Cc Nv Ord AZ TR IQ Ry IR Elb Kdv Kdj Th SY IL Pa Js LB Bsa Bei 01 06 08 13 21 23 30 36 42 44 46 51 56 65 73 06R 13F 13F7 13F71 21N 21Nb 30B 30Bç 30Bz 36D 51D 51Db 56F 56F1 65D 65Dv 65Dt 65Du 73A 73Ad1
- 4165. *Euchromius ramburiellus* (Duponchel,1836)** (Pylalidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949 Range (as codes): MA LY DZ Afl Sfr BSa Gle Ktr Gha Hes Lgt Sbd Abe Bsk Onç TN Sfx PT ES An Grn Mu FR Co Sa Si IT YU BG RU MD UA BY CN Ui KG Uk IL Pa Hf EG JO LB IR Fa Enz Ssh Sde Kz IQ Bsr Bgd Amr TR Cc 05 06 07 09 42 76 05A 76C
- 4166. *Euchromius rayatellus* (Amsel,1949)** (Pylalidae) Synonym(s): *rayatella* Amsel,1949 Range (as codes): ES IT YU BG GR Cr CY IQ Ry TR Cc RU Sr AF Pic Blh IL Jer Pa JO IR Mz UZ Br 01 31 35 76
- 4167. *Euchromius superbullus* (Zeller,1849)** (Pylalidae) Synonym(s): *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958. Range (as codes): ES FR Co Sa Si IT AT? HU RO YU AL BG GR Cr RU MD UA BY TR Cc IL CY KG Uk UZ Br IR Elb Kdv Srd PK Pj 06 07 09 13 16 31 39 42 46 65 68 71 76 13F 16A 31M 65A 65Am 65Am4 65D 65Dv 65Du
- 4168. *Euchromius vinculellus* (Zeller,1847)** (Pylalidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrlutella* Amsel,1949. Range (as codes): MA DZ Ah Hmk Ktr Sbd Abe Tmn TN DhM LY SD EG PT ES Co Sa Si IT TR GR IL Pa Hf LB IR Ahw IQ AF Srb AE KE NE Air 01 07 33 44 59 65 65D 65Dv 65Du
- 4169. *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer,[1848])** (Pylalidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848] Range (as codes): TN Gf DZ Bsk MT MK RO BG GR TR GG AM RU Da TM Kp CY LB Bei IQ Shq Cc AZ Klr Len CN Ui Ku 01 05 16 17 21 30 31 33 44 46 48 56 67 05A 16A 21N 21Nb 30B 30Bt1 30Bz 31K 31Ka 31Ka3 33R 48F 56F
- 4170. *Eudonia angustea* (Curtis,1827)** (Pylalidae) Synonym(s): *angustea* Curtis,1827; *coarctata* Zeller,1846; *hesperella* Heydenreich,1851; *acuminatella* Stainton,1859; *napolitinalis* Milliere,1870; *vafra* Meyrick,1913; *imparilis* Dyar,1929 Range (as codes): Az Cn Md MA DZ TN Gf PT ES FR Co Sa Si IT MT IE GB YU MK GR TR Cc AZ Len GG Mng 07 16 35 16A
- 4171. *Eudonia lineola* (Curtis,1827)** (Pylalidae) Synonym(s): *lineola* Curtis,1827 Range (as codes): MA DZ Cst PT ES FR Sa IE GB NL TR 05
- 4172. *Eudonia mercurella* (Linnaeus,1758)** (Pylalidae) Synonym(s): *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercurealis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862 Range (as codes): MA DZ Az PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H AL BG GR Cr DK NO SE FI EE LV LT RU MD UA BY IR Elb Dam TR Cc AZ Nv Ord GG Bjo Lag Mng CN 01 10 13 31 33 61 80 10K 10Ka 13F 31K 31Ka3
- 4173. *Eudonia murana* (Curtis,1827)** (Pylalidae) Synonym(s): *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranella* La Harpe,1855; *pseudomurana* Müller-Rutz,1925 Range (as codes): PT ES FR IT GB DE CH AT PL CZ SK HU RO YU GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY 58
- 4174. *Eudonia obsoleta* (Staudinger,1879)** (Pylalidae) Synonym(s): *obsoleta* Staudinger,1879; *berytella* Rebel,1911; *syriaca* Caradja,1916; *coprista* Meyrick,1936; *unicornutella* Amsel,1958 Range (as codes): CY LB Bei TR 05 05A
- 4175. *Eudonia phaeoleuca* (Zeller,1846)** (Pylalidae) Synonym(s): *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914 Range (as codes): ES FR IT DE CH AT CZ SK RO YU B-H AL BG Ril GR TR 05 29 42
- 4176. *Eudonia speideli* Leraut,1982** (Pylalidae) Synonym(s): *speideli* Leraut,1982 Range (as codes): Cr LB Bei JO Amm TR

- 4177. *Eudonia truncicolella* (Stainton,1849)** (Pyralidae) **Synonym(s):** *truncicolella* Stainton,1849; *pallida* Banks,1895 *nec* Curt.,1827; #*minor* Dufrane,1960; #*fusca* Dufrane,1960 **Range (as codes):** PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG B-H TR Cc GG Tbl Bjo Bku Da Kus DK NO SE FI EE LV LT RU Ur Prj Us MD UA BY CN JP 76 76C
- 4178. *Eurhodope* (Eurhobasis) *aeneella* (Zerny,1914)** (Pyralidae) **Synonym(s):** *aeneella* Zerny,1914 **Range (as codes):** IL Pa Hf TR 21
- 4179. *Eurhodope* (Eurhobasis) *cinerea* (Staudinger,1879)** (Pyralidae) **Synonym(s):** *cinerea* Staudinger,1879; *buxtoni* Rothschild,1921 **Range (as codes):** LB Bei Bsa IL Pa Hf TR IQ Kbl Bgd Amr Bsr Shq IR Ahz Ke Ana AF Hr Pli Fz Blh CY 31 35 42 31M
- 4180. *Eurhodope* (Eurhobasis) *lutescentella* (Caradja,1916)** (Pyralidae) **Synonym(s):** *lutescentella* Caradja,1916 **Range (as codes):** TR 47
- 4181. *Eurhodope* (s.str.) *incompta* (Zeller,1847)** (Pyralidae) **Synonym(s):** *incompta* Zeller,1847 **Range (as codes):** IT MK GR Cr Rd TR CY IL Pa 07 32 39 45 48 07F 45L 48D 48G
- 4182. *Eurhodope* (s.str.) *monogrammos* (Zeller,1867)** (Pyralidae) **Synonym(s):** *monogrammos* Zeller,1867; *homochromella* Amsel,1961; *melanella* Roesler,1969 **Range (as codes):** AL BG IQ JO IL Pa IR TR 01 05 06 13 16 30 31 33 42 46 50 71 01A 05A 13F 16A 30B 30Bc 30Bt1 30Bz 30D 30Df
- 4183. *Eurhodope* (s.str.) *rosella* (Scopoli,1763)** (Pyralidae) **Synonym(s):** *rosella* Scopoli,1763; *pudoralis* Denis & Schiffermüller,1775; *pudorella* Hübner,1796; *pudorana* Frölich,1828 **Range (as codes):** ES FR Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR SE LT TR Cc KG UK CN Ui Ln RU Da Cc 05 16 34 75 05A 16A 34H 75F 75Fb 75Fd
- 4184. *Eurhodope* (s.str.) *sielmannella* Roesler,1969** (Pyralidae) **Synonym(s):** *sielmannella* Roesler,1969; #*sielmanella* Roesler,1969 **Range (as codes):** TR GR Cr 09 09K
- 4185. *Eurrhysis cacuminalis* (Eversmann,1843)** (Pyralidae) **Synonym(s):** *cacuminalis* Eversmann,1843 **Range (as codes):** BG GR TR LB RU Ur Eri AM Cc GG Bjo Mng 06 32 42 65 32C 65K 65Kb 65Z
- 4186. *Eurrhysis gutturalis* (Herrich-Schäffer,1848)** (Pyralidae) **Synonym(s):** *gutturalis* Herrich-Schäffer,1848 **Range (as codes):** PT ES FR Co Sa Si IT SK RO YU BG GR TR 06
- 4187. *Eurrhysis pollinalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; #*obcaecatalis* Leraut & Luquet,1985 **Range (as codes):** MA DZ Lbs Sbd Clo TN ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo LB DK SE RU MD UA BY AU 05 06 14 16 32 39 42 46 70 05A 16A 70C 70Cf
- 4188. *Eurrhysis sartalis* (Hübner,[1813])** (Pyralidae) **Synonym(s):** *sartalis* Hübner,[1813]. **Range (as codes):** RO? RU TR
- 4189. *Euzophera* (Cymbalorissa) *fuliginosella* (Heinemann,1865)** (Pyralidae) **Synonym(s):** *fuliginosella* Heinemann,1865; *polyxenella* Millièrre,1872. **Range (as codes):** PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU MK BG GR TR IR Mz Gh Tgo DK SE FI EE LV LT RU MD UA BY 46
- 4190. *Euzophera* (s.str.) *alpherakyella* Ragonot,1887** (Pyralidae) **Synonym(s):** *alpherakyella* Ragonot,1887; #*alpherakyi* Zerny,1914 **Range (as codes):** TR IR Fa Elb Kj Th AF Pag PK Gg Hu Ch TM Kp KG Uk Tk Dj CN Ui Ku T-S DsA 65 65N 65Np6 65Nm
- 4191. *Euzophera* (s.str.) *bigella* (Zeller,1848)** (Pyralidae) **Synonym(s):** *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922 **Range (as codes):** DZ Bsk TN Gf Sfx MA PT ES An Mu FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO B-H HV MK YU AL BG GR CY TR Cc IL Hf Jer Pa IR Th Fa Shh Ss SY DK RU LB Bei IQ Mos AF Pli NP UZ Br TM K-K Kp 01 05 06 07 09 13 16 21 31 33 34 35 46 47 65 73 76 05A 09K 13F 16A 31M 73A 73Ac 76C
- 4192. *Euzophera* (s.str.) *cinerosella* (Zeller,1839)** (Pyralidae) **Synonym(s):** *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934. **Range (as codes):** ES FR Si IT GB DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR DK NO SE FI EE LV LT RU Ur St MD UA BY TR IR Elb Th Mz Dam Kdv LB IL Hf Pa CY KG Uk Ind CN Ui Ku MN 06 13 16 46 13F 16A
- 4193. *Euzophera* (s.str.) *fibigerella* Asselbergs,1997** (Pyralidae) **Synonym(s):** *fibigerella* Asselbergs,1997 **Range (as codes):** TR 27
- 4194. *Euzophera* (s.str.) *flagella* (Lederer,1869)** (Pyralidae) **Synonym(s):** *flagella* Lederer,1869 **Range (as codes):** IR Ha Shh Gor Srd TR IL Pa TM Kp 13 21 46 65 13F 65D 65Dv
- 4195. *Euzophera* (s.str.) *formosella* (Rebel,1910)** (Pyralidae) **Synonym(s):** *formosella* Rebel,1910 **Range (as codes):** GR RU UA Cm TR IQ Kbl IR Elb Th Fa Kz Com CY SY AF Kbb BdA MN KG Uk Ind CN Ui Ku 65 65A 65Abc
- 4196. *Euzophera* (s.str.) *hulli* Asselbergs,2009** (Pyralidae) **Synonym(s):** #*hulli* Asselbergs,2009 **Range (as codes):** TR 38
- 4197. *Euzophera* (s.str.) *imperfectella* Ragonot,1895** (Pyralidae) **Synonym(s):** *imperfectella* Ragonot,1895; *xyломорpha* Meyrick,1937. **Range (as codes):** TR IL Hf Pa IQ Ry Shq IR Fa 13 23 31 46 56 65 13A 13Ab 13Ax 13F 31F 31M 56F 56F1 56Fm 65D 65Df 65Fz 65N 65Np2 65Nm
- 4198. *Euzophera* (s.str.) *luculentella* Ragonot,1888** (Pyralidae) **Synonym(s):** *luculentella* Ragonot,1888 **Range (as codes):** TR Cc IR Fa SD SD45 46 65 76 65G 65Gb 76C

- 4199. Euzophera (s.str.) lunulella (Costa, 1836)** (Pyralidae) Synonym(s): *lunulella* Costa, 1836; *corcyrella* Herrich-Schäffer, 1851. Range (as codes): MA DZ TN Gf LY Cy SA ES Grn Mu FR Si IT MT LY Cy EG Sn SD Ksl SA SA63 MK AL GR Cr TR IR Ss Ana Ke IQ Kbl 38 42 44 45 46 71 38E 44E 44Ee
- 4200. Euzophera (s.str.) osseatella (Treitschke, 1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke, 1832; *arcuatella* Ragonot, 1901. Range (as codes): MA DZ Cst Bsk Gf TN LY Cy PT ES Co Sa Si IT GB NL B-H MK GR LB Bei IL Hf Jt Jf Pa SY TR EG EG11 CY IQ Mos IR Ss Irs Ana Ke 16 46 47 16A
- 4201. Euzophera (s.str.) pinguis (Haworth, [1811])** (Pyralidae) Synonym(s): *pinguis* Haworth, [1811]; *fischeri* Zeller, 1846; *splendidella* Herrich-Schäffer, 1848. Range (as codes): MA DZ Anna Orn Bsk TN Gf PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA LB Bsa TR IR Fa Cc AM 06 07 13 21 46 13F
- 4202. Euzophera (s.str.) pulchella Ragonot, 1887** (Pyralidae) Synonym(s): *pulchella* Ragonot, 1887; *xylomorpha* Meyrick, 1937. Range (as codes): B-H MK BG GR IQ Shq Ama Ry TR IL Hf Jf Pa 06 46 47 06R
- 4203. Euzophera (s.str.) rubricetella (Herrich-Schäffer, 1855)** (Pyralidae) Synonym(s): *rubricetella* Herrich-Schäffer, [1856]. Range (as codes): RU Sr TR KG Uk IR Elb Mz 16 46 16A 46L
- 4204. Euzophera (s.str.) umbrosella (Staudinger, 1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger, 1879; *albogilvella* Ragonot, 1887; *depauperatella* Ragonot, 1901. Range (as codes): GR Cr CY TR IL Hf Js Pa Cc AZ Nv Ord LB Bei 23 46 58 65 46G 46Gf 58N 65D 65Du
- 4205. Euzopherodes charlottae (Rebel, 1914)** (Pyralidae) Synonym(s): *charlottae* Rebel, 1914; *nigrolineella* Zerny, 1936. Range (as codes): MA FR AT CZ SK HU RO YU HV AL BG GR TR LB IL Js SY Dms 12 13 16 31 46 12E 12Ec 13F 16A 31M
- 4206. Euzopherodes lutisignella (Mann, 1869)** (Pyralidae) Synonym(s): *lutisignella* Mann, 1869; *leonhardi* Rebel, 1910; *scipionella* Turati, 1924; *battella* Turati, 1924. Range (as codes): Si RO RU YU B-H HV AL BG MK GR Cr LY Cy TR IL Hf Jer Pa LB Bei JO IQ R wz IR Elb Th KJ Fa AF Pag Kbb Slg Cc AM UZ Smk TM Kp 02 13 21 23 30 31 33 35 38 42 44 46 47 56 65 02F 02Fe 02Fz 13F 30D 30Df 31M 33A 33Ad 33Ae 33Ak 42B 42J 44E 44Ei 47D 47Dc 56F 56Fg 65D 65Dt
- 4207. Euzopherodes vapidella (Mann, 1857)** (Pyralidae) Synonym(s): *vapidella* Mann, 1857; *tenebrosa* Zeller, 1867; *lutescentella* Chrétien, 1911; *xylobrunnea* Amsel, 1951. Range (as codes): MA DZ TN Gf LY Cy PT ES Grn FR Sa Si MT CH AT HU RO YU HV B-H MK AL BG GR TR IL Hf Jt Js Pa JO LB Bei EG EG11 SA SA63 SD IR Ss 05 16 23 34 35 46 47 05A 16A
- 4208. Evergestis aenealis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *aenealis* [Denis & Schiffermüller], 1775; *furvalis* Hübner, 1796; *rufimitralis* Hübner, 1796; *nigralis* Schrank, 1802; *mitralis* Hübner, [1825]; *obscura* Toll, 1948. Range (as codes): ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Kh Plr Dam Elb Mz Nss DK NO SE FI EE LV LT RU MD UA BY KG DsA Tk Dj Ii 05 13 16 46 05A 13F 16A
- 4209. Evergestis alborivularis (Eversmann, 1843)** (Pyralidae) Synonym(s): *alborivularis* Eversmann, 1843; *canalsesialis* Hampson, 1913. Range (as codes): RU Ur Or Sb Sj KG Uk ES B-H HU UA Cm BG Slv Bgz Stp TR 31 46 31M
- 4210. Evergestis boursini Amsel, 1939** (Pyralidae) Synonym(s): *boursini* Amsel, 1939. Range (as codes): TR IR Elb Th Kdj Nss 58 65 58N 65D 65Df
- 4211. Evergestis caesialis (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *caesialis* Herrich-Schäffer, [1849]; *saxicolalis* Mann, 1862. Range (as codes): MA Co? IT RO HV B-H MK Och YU BG GR Cr TR IR Elb Shh Th Kdv Fa LB Bsa TN Kp ?IQ Ama AF Pag Pnj Kbb 13 16 46 65 13F 13F71 16A 65A 65Ai 65Am 65Am4 65D 65Df 65Dt 65Du 65Dh 65Fz
- 4212. Evergestis desertalis (Hübner, [1813])** (Pyralidae) Synonym(s): *desertalis* Hübner, [1813]; *vandalusialis* Herrich-Schäffer, [1855]; *avicennae* Tams, 1925. Range (as codes): MA Cn DZ Thh Ges Ah Gha Bsk Tou Ogl Heh Gle Omy Gtt LY Cy ES An Grn Alm Alc Vel Mu Si MT RO BG TR EG EG11 IQ Dy IR Fa Shr Th Kdj Elb Kz Sde Ss Irs Cc AM Eri AZ Kir Nv Ord UA SA AF Pli Kab AE 05 06 26 30 36 42 44 76 05A 30B 30Bt1 30Bz 36D 36Db 44E 44Eh 44Ei 76B 76Bb 76C
- 4213. Evergestis extimalis (Scopoli, 1763)** (Pyralidae) Synonym(s): *extimalis* Scopoli, 1763; *margaritalis* [Denis & Schiffermüller], 1775; *flavofusca* Retzius, 1783; *mediella* Goeze, 1783; *intermediata* Fourcroy, 1785; *erucalis* Hübner, 1796. Range (as codes): ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Lag 06 30 44 45 58 30D 30Df 44E 44Ei 44L 44Lc
- 4214. Evergestis flavifuscalis Rebel, 1903** (Pyralidae) Synonym(s): *flavifuscalis* Rebel, 1903. Range (as codes): Cc AM Eri TR 33 56 65 33R 33Rb 56F 56F1 65B 65Bo 65Bx 65L 65Le 65N 65Nc 65Nr2 65Nm
- 4215. Evergestis forficalis (Linnaeus, 1758)** (Pyralidae) Synonym(s): *forficalis* Linnaeus, 1758; *trivialis* Scopoli, 1763; *forficatus* Fabricius, 1798; *sodalis* Butler, 1878. Range (as codes): DZ Anna PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY IR GlS Kh AF Kot Kab Pag PK Haz Nar 05 16 17 53 05A 16A
- 4216. Evergestis frumentalis (Linnaeus, 1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus, 1761; *espanalis* Schawerda, 1926. Range (as codes): PT ES FR Co Sa IT DE AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Lag Tbl AZ Kir Len DK SE FI EE LV RU MD UA BY IR TM Kp KG Uk Tk Dj Ii CN Ui Ku Kml 05 06 08 13 16 17 30 32 36 38 42 44 65 71 76 05A 06N 06Nc 06R 06Rd 06Rh 13G 13Gw 13Gs 16A 30D 30Df 36D 36Db 44E 44Ei 65D 65Df 65Dh 65Dx 65Dl 65Dlc 65E 65Eb 65Ec 65Fz 65M 65Mc 65Md 76A 76Ac 76Ae 76B 76Bf 76Bh
- 4217. Evergestis infirmalis (Staudinger, 1870)** (Pyralidae) Synonym(s): *infirmalis* Staudinger, 1870; *helenalis* Staudinger, 1870. Range (as codes): GR TR IR Elb Kdv Shh CN Ui Kml Au 05 13 46 05A 13F 46G 46Gi

- 4218. Evergestis isatidalis (Duponchel, 1833)** (Pyralidae) Synonym(s): *isatidalis* Duponchel, 1833; *conquisitalis* Guenée, 1849 Range (as codes): MA Cn DZ Orn Anna TN Gf PT ES FR Co Sa Si IT MT YU GR JO IL Pa CY IQ Bgd IR Ss Bu Fa EG LY Cy TR 01 17 34 35 39
- 4219. Evergestis limbata (Linnaeus, 1767)** (Pyralidae) Synonym(s): *limbata* Linnaeus, 1767; *praetextalis* Hübner, [1825]; *limbalis* Hübner, [1825] Range (as codes): ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK SE TR Cc AZ Kir GG Tbl Lag 16 46 51 16A
- 4220. Evergestis mundalis (Guenée, 1854)** (Pyralidae) Synonym(s): *mundalis* Guenée, 1854; *submundalis* Millière, 1882; *permundalis* Marion, 1960 Range (as codes): ES FR IT BG? GR TR 13 30 31 44 65 13F 30B 30Bc 30Bz 30D 30Df 31M 44E 44Ee 44Ei 65A 65Am 65Am1 65B 65Bo 65Bx 65D 65Df 65F 65Fp 65Fz 65K 65Kz 65Kg 65N 65Np1 65Np2 65Np4 65Nr2 65Nm
- 4221. Evergestis nomadalis (Lederer, 1871)** (Pyralidae) Synonym(s): *nomadalis* Lederer, 1871 Range (as codes): IT GR TR Cc AZ Kir IR Elb Th Nss Fa Sse TM Kp RU Am KG DsA CN Ui Ku 25 46 51 65 69 76 65Bx 65G 65Ge 65Gü 65Gz 69B 69Ba 76C
- 4222. Evergestis pallidata (Hufnagel, 1767)** (Pyralidae) Synonym(s): *pallidata* Hufnagel, 1767; *straminalis* Hübner, 1793; *stramentalis* Hübner, [1825] Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 14 53
- 4223. Evergestis pazukii Alipanah, 2018** (Pyralidae) Synonym(s): *pazukii* Alipanah, 2018 Ranges (as codes): IR Mz Clu Th TR 65 65B 65Bo 65Bx
- 4224. Evergestis politalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *politalis* [Denis & Schiffermüller], 1775; *pictoralis* Fabricius, 1794; *bifascialis* Guenée, 1849; *disperalis* Mann, 1859; *bicoloralis* La Harpe, 1861; *maroccana* Lucas, 1955 Range (as codes): MA DZ Bsk Lbs TN Gf Sfx PT ES FR Co Sa Si IT BE DE CH AT PL CZ SK HU RO YU BG TR IR GlS TM Kp KG Tk Dj Ii Cc AM Eri AZ Kir Nv Ord 05 06 13 16 30 38 42 44 58 65 05A 13A 13Ab 13Ax 16A 30B 30Bt1 30Bz 44E 44Eh 44Ei 65F 65Fp 65Fz 65L 65Le
- 4225. Evergestis segetalis (Herrich-Schäffer, [1855])** (Pyralidae) Synonym(s): *#segetalis* Herrich-Schäffer, 1851; *blandalis* Guenée, 1854; *segetalis* Herrich-Schäffer, [1855]; *rubidalbalis* Turati, 1907 Range (as codes): DZ FR Si IT BG MK TR IR Elb Th Dam Nss Cc AZ Hkd 05 16 29 42 46 65 05A 16A 65A 65Ac 65Ac3 65B 65Bo 65Bx 65F 65Fr 65Fg
- 4226. Evergestis serratalis (Staudinger, 1870)** (Pyralidae) Synonym(s): *serratalis* Staudinger, 1870 Range (as codes): Si? MK Och GR TR Cm 01 06 33 71 33A 33Ac
- 4227. Evergestis sophialis (Fabricius, 1787)** (Pyralidae) Synonym(s): *sophialis* Fabricius, 1787; *variegalis* Fabricius, 1787; *sophiae* Fabricius, 1798; *#suffusa* Skala, 1928 Range (as codes): ES FR IT DE CH AT PL CZ SK RO YU AL BG GR TR Cc GG Bjo Nv AZ Ord Arr 14 16 30 33 76 16A 76C
- 4228. Evergestis subfuscalis (Staudinger, 1870)** (Pyralidae) Synonym(s): *subfuscalis* Staudinger, 1870 Range (as codes): YU BG GR IR Ha Adv Th Elb Nss Kdv TR Cc LB Bsa 05 58 65 71 76 05A 65B 65Bo 65Bx 76C
- 4229. Evergestis umbrosalis (Fischer v. Röslerstamm, [1842])** (Pyralidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm, [1842] Range (as codes): ES Sa? GR TR LB IR Elb Th 05 06 08 12 13 14 16 30 31 34 44 46 51 65 69 70 05A 08H 08Ha 12A 12Ab 13B 13Bg 13G 13Gw 13Gü 13Gs 16A 30B 30Bb 30Bk 31F 31Fb 44E 44Ei 46G 46Gi 65F 65Fr 65Fw 65Fz 70C 70Cg
- 4230. Faveria dionysia (Zeller, 1846)** (Pyralidae) Synonym(s): *dionysia* Zeller, 1846; *terrella* Ragonot, 1888; *isoxyla* Meyrick, 1937 Range (as codes): MA TN Gf DZ Bsk PT ES Si IT MT YU GR Cr Rd CY TR IQ Mos Bgd IR Ahz Kz Ss Irs EG EG12 GM ZA Gau Ec Elo NA Tva Jh TZ Zz GM IL Pa Hf AE 01 09
- 4231. Faveria sp.?n.** (Pyralidae) Synonym(s): Range (as codes): TR 65 65A 65Ab 65Aba
- 4232. Faveria sordida (Staudinger, 1879)** (Pyralidae) Synonym(s): *sordida* Staudinger, 1879; *atmologa* Meyrick, 1937 Range (as codes): TR LB Bei CY Nv Ord Cc AZ IQ Bgd Kbl Mos 05 13 46 47 05A 13F 13F41
- 4233. Friedlanderia cicatricella (Hübner, [1824])** (Pyralidae) Synonym(s): *cicatricella* Hübner, [1824]; *strigatell* Treitschke, 1833; *treitschkeella* Freyer, 1836 *nec* Sodoffsky, 1830. Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK SS HU RO BG TR LT RU Sb Cc MD UA BY IR Km KG 80 80B 80Ba
- 4234. Galleria mellonella (Linnaeus, 1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus, 1758; *cereana* Blom, 1764; *cerella* Fabricius, 1775; *cerea* Haworth, 1811; *cerealis* Hübner, [1825]; *obliquella* Walker, 1866; *austrina* R. Felder & Rogenhofer, 1875; *#crombruggheela* Dufrane, 1930. Range (as codes): PT DZ Anna Sbd ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Th Elb Kdj LB IQ Agh IL Pa Hf EG Tls Ax Ik KK KG CY ZA AU TH MY SG Bor Shh IN AE 01 05 06 07 13 16 34 38 42 46 51 65 80 05A 13F 16A 42B 65A 65F 65Fş
- 4235. Glaucocharis euchromiella (Ragonot, 1895)** (Pyralidae) Synonym(s): *euchromiella* Ragonot, 1895; *sinualis* Hampson, 1900; *rebeli* Osthelder, 1941. Range (as codes): GR Cr TR Cc AM IR Th Elb 13 30 31 33 46 56 65 76 13A 13Ac 13Ac2 13Ax 13F 30D 30Df 31M 33A 33Ad 56F 65A 65Ai 65D 65Df 65Dv 65Du 65Fz 65K 65Kb 65Z 65L 76D 76Dd
- 4236. Glyptoteles leucacrinella Zeller, 1848** (Pyralidae) Synonym(s): *leucacrinella* Zeller, 1848; *macra* Staudinger, 1870. Range (as codes): FR IT BE NL DE CH AT PL CZ SK HU RO YU LT RU Sr MD UA TR 31 31M
- 4237. Gymnancyla canella ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *canella* [Denis & Schiffermüller], 1775; *depositella* Zincken, 1818; *canellaris* Hübner, [1825]. Range (as codes): MA DZ Phv TN LY Cy EG SD ES Mu Cue FR Co IT MT GB BE NL LU DE CH AT PL CZ HU RO HV YU AL BG GR Cr TR KG Uk DK RU Ur 05 06 13 33 42 05A 13A 13Ab 13Ax 13F 13F35 42B

- 4238. *Gymnancyla gilvella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *gilvella* Ragonot,1887 Range (as codes): Cn MA DZ Bsk Ajj TN Gf LY Cy EG EG11 Sn IL Pa TR IQ Kbl KW Cc AM TM Krn UZ Man CN Ui Ku 76 76C
- 4239. *Gymnancyla hornigii* (Lederer,1852)** (Pyrilidae) Synonym(s): *hornigii* Lederer,1852; #*hornigi* Hannemann,1964. Range (as codes): MA DZ TN LY Cy EG SD ES Mu FR IT DE AT PL CZ SK HU RO YU AL BG GR RU IQ Bsr Bgd Amr TR o6
- 4240. *Gymnancyla leuchochrella* (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *leucochrella* Herrich-Schäffer,[1855]. Range (as codes): TR IR Ha Kj Th Elb Kd EG o5 65 o5A 65D 65Dt
- 4241. *Gymnancyla nomiella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *nomiella* Ragonot,1887; *atriscarsella* Ragonot,1887. Range (as codes): Cc AZ Kir AM TR TM Kp KG Tk Dj 76 76C
- 4242. *Gymnancyla turensis* (Ragonot,1887)** (Pyrilidae) Synonym(s): *turensis* Ragonot,1887 Range (as codes): MR DZ Bsk TN Gf RU TM Krn TR Cc AM KG IR Elb Th CN o6
- 4243. *Hannemannea tacapella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *tacapella* Ragonot,1887 Range (as codes): MA DZ TN LY Cy SD SA SA63 EG BH IL Pa IQ Mos IR TR ZA 31
- 4244. *Heliothela wulfeniana* (Scopoli,1763)** (Pyrilidae) Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 nec Fabr.,1775; *helwigiana* Fabricius,1794; *undulalis* Schrank,1802; *praegalliensis* Frey,1880; *coerulealis* Caradja,1916; #*albociliaris* Rebel,1941; *huebneri* Koçak,1980 Range (as codes): ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR GlS GG Cc o5 10 16 31 33 46 o5A 10K 10Ka 16A 46L
- 4245. *Hellula undalis* (Fabricius,1781)** (Pyrilidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977 Range (as codes): TN Sfx PT ES FR Co Sa Si IT MT GB LU DE CH AT SK RO YU GR Cr YE IL Pa TR Sk IR Enz Qz Fa Bu Shr Sse Ss Irs Ana Ke Th Kdj Lgr Km CY LB Bei TM Kp JO IQ Bgd EG AF Hr Bmu Srb Gbh Dwe Bsg Bkt Kot PK Sd Krc Hw US SH IN LK CN PH Luz TW JP AE Cp Hf TH Cc GG Sok MY Bor BN Swk Shh CV Md Cn AU QAU Bri Bth NSw Aby Gtn DZ Clo Bsk Gf RU Da Cc o1 13 16 30 31 33 46 65 73 80 13F 16A 30D 30Df 31A 31G 31K 31Ka 31Ka1 31M 65A 65Am 65Am4 65N 65Ne 65Nc4 73A 73Ad 73Ad2
- 4246. *Heosphora ramulosella* Ragonot,1895** (Pyrilidae) Synonym(s): *ramulosella* Ragonot,1895 Range (as codes): TR 23 31 31M
- 4247. *Herpetogramma licarsisalis* (Walker,1859)** (Pyrilidae) Synonym(s): *licarsisalis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1888; #*licarsialis* Rebel,1939 Range (as codes): Cn TR CY IL Pa Hf LB Bei EG EG11 IQ Bsr IR Fa Ahz Ss Irs Bmp AF Srb PK Sd Krc AE TW LK CN JP MY Bor Swk Ja ID MH FJ ZA WS TO SB PG AU IN TH o1 o8 31 33 56 o8H o8Hc 31K 31Ka 33A 56F
- 4248. *Hodebertia testalis* (Fabricius,1794)** (Pyrilidae) Synonym(s): *testalis* Fabricius,1794; *incoloralis* Guenée,1854; *ruficostalis* Lederer,1855; *melonalis* Walker,1859; *nitetisalis* Walker,1859; *albidalis* Walker,[1866]; *putrescens* Meyrick,1934 Range (as codes): DZ Bsk Lbs TN Sfx FR IT IL Pa Js LB Bei ZR ZA TZ KmJ IN BD Syl MM ID Ja CU ES Mu Si MT CH YU GR CY UA Cm TR AU JM AC KM YE Ad LK PG ID Ja TW
- 4249. *Homoeosoma achroeellum* Ragonot,1887** (Pyrilidae) Synonym(s): *achroeella* Ragonot,1887; *microsignella* Amsel,1961. Range (as codes): KG Ssn Tar TR IR Elb Th Ss TM 46
- 4250. *Homoeosoma inustellum* Ragonot,1884** (Pyrilidae) Synonym(s): *inustella* Ragonot,1884; *calcella* Ragonot,1887; *compsitella* Rebel,1914; *gravosellum* Roesler,1965; *nevadellum* Roesler,1965 Range (as codes): ES An FR Si IT CH AT PL SK HU RO YU HV BG RU Or Sj Ur MD UA BY TR SY IR Elb Th Dam Shh AF Kab Adr KG Tk Dj MN o5 o6 13 35 38 44 46 o5A 13F 13F11
- 4251. *Homoeosoma nebulellum* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulea* Haworth,1811; *muscerdalis* Hübner,[1813]. Range (as codes): DZ Gha PT ES Mu FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR DK FI EE LV LT RU Sr Or MD UA BY TR IR Elb Th KK Ax KG Uk Tk Dj Ch TM Kp o5 16 31 71 o5A 16A 31M
- 4252. *Homoeosoma nimbellum* (Duponchel,[1837])** (Pyrilidae) Synonym(s): *nimbella* Duponchel,[1837]; *subalbatella* Mann,1864; *homoeosomella* Zerny,1926; *snellenella* Bentick,1930. Range (as codes): DZ Onç Bsk PT ES Grn An FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK BG GR Cr TR DK SE EE LV LT RU MD UA BY KG Uk LB IR JO EG AM Cc Eri o1 o3 o5 o6 o7 12 16 31 35 38 39 42 46 o5A o6R 16A 31M 42B
- 4253. *Homoeosoma sinuellum* (Fabricius,1794)** (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. Range (as codes): TN DZ MA PT ES Cue Mu An Snv FR Co Sa IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY CY LB KG KK AI IR Elb Th Kdj Clu Shh GlS TM Kp Cc AM Eri AF Hr Pli Blh o1 o5 o6 o7 13 16 21 30 31 39 44 46 58 65 70 71 75 76 o5A 13F 16A 21L 21Lc 30B 30Bt1 30Bz 31M 65A 65Au 65D 65Df 65Dl 65Dlc 65Fz 65L 65Le 75F 75Fe 76C
- 4254. *Hydriris ornatalis* (Duponchel,1832)** (Pyrilidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilie,1880 nec Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972 Range (as codes): Cn DZ Anna Bsk Clo TH Bnk CMA Cuo Cuo7 PH Luz Ceb WS FJ NH MY IN LK ID Ja TW US AU PT ES FR Co Sa Si IT MT CH YU GR Cr CY TR IL Pa Hf LB IQ Bgd Amr EG ZA o1 o7 33
- 4255. *Hyperlais argillacealis* (Zeller,1847)** (Pyrilidae) Synonym(s): *argillacealis* Zeller,1847 Range (as codes): Si YU GR Cr TR 33 33A 33Ak

- 4256. *Hyperlais dulcinalis* (Treitschke,1835)** (Pyralidae) Synonym(s): *dulcinalis* Treitschke,1835 Range (as codes): IT HU RO YU BG GR TR IR Ha Avd Kh Elb Kdj Sse LB Bsa Cc GG AZ Bjo Kir Tbl Nv Ord 05 06 13 30 44 46 65 70 71 76 05A 06R 13F 30B 30Bt1 30Bz 30D 30Df 44E 44Ei 65A 65Am 65Am1 65D 65Dg 65F 65Fr 65G 65Gf 65Gy 65L 65Lb 65Le 65N 65Np 65Np1 65Np2 65Np6 65Nm 76C
- 4257. *Hyperlais lutosalis* (Mann,1862)** (Pyralidae) Synonym(s): *lutosalis* Mann,1862; *biskralis* Chrétien,1911; *cruzae* Agenjo,1952 Range (as codes): DZ Bsk ES Sa IT YU TR 16 16A
- 4258. *Hyperlais nemausalis* (Duponchel,1834)** (Pyralidae) Synonym(s): *nemausalis* Duponchel,1834 Range (as codes): ES FR IT MT GR Cr TR 16 42 45 16A
- 4259. *Hypochalcia ahenella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *fuliginella* Duponchel,1836; *luridella* Schläger,1845; *ghilianii* Staudinger,1870; *fasciatella* Staudinger,1881; *hulstiella* Ragonot,1887; *griseoanella* Ragonot,1887; *caucasica* Ragonot,1893; *lugubrella* M.Hering,1924; *robustella* Toll,1938 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY TR Cc AM IR Shh US Tx 05 06 13 16 65 76 05A 13F 16A 65A 65Ai 65D 65Du 65Dt 65F 65Fg 76C
- 4260. *Hypochalcia decorella* (Hübner,[1810])** (Pyralidae) Synonym(s): *decorella* Hübner,[1810]; *indecoralis* Hübner,[1825]. Range (as codes): FR IT DE AT CZ SK HU RO YU RU MD UA BY TR Cc AM Eri 70 76 76C
- 4261. *Hypochalcia dignella* (Hübner,1796)** (Pyralidae) Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]; *insuadella* Ragonot,1893 Range (as codes): FR AT SK HU RO YU BG RU MD UA BY TR Cc AM KG Uk 65 76 65A 65Am 65Am4 65D 65Dn 76C
- 4262. *Hyporatasa allotriella* (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *allotriella* Herrich-Schäffer,1855 Range (as codes): HU RO MK RU Sr UA TR T-S KG Uk Tk Dj Ti KK Al DsA IR Elb Th 05 05A
- 4263. *Hypotia colchicalis* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *anceschii* Turati,1926 Range (as codes): DZ TN Sfx LY ES RU Cc Kr MD UA BY TR IR Ahz Fa Ss Shr Sse SY JO IL LB IQ Ry CY IR TM KG Tk Dj 05 13 31 38 42 65 70 05A 13A 13Ab 13Ax 42B 65D 65Df 65N 65Nb
- 4264. *Hypotia corticalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *corticalis* [Denis & Schiffermüller],1775 Range (as codes): ES FR Co Sa Si IT MT GR Cr TR LB IL Pa Hf 01 16 33 16A
- 4265. *Hypotia infulalis* Lederer,1858** (Pyralidae) Synonym(s): *infulalis* Lederer,1858; *staudingeralis* Ragonot,1891; *atrisquamalis* Hampson,1900; *inclinalis* Rebel,1914; *mavromoustakisi* Rebel,1928 Range (as codes): Cn DZ Bsk PT ES Sa MT TN Gf Sfx IL Pa EG JO SY Dms CY TR IR Kh
- 4266. *Hypotia massilialis* (Duponchel,1832)** (Pyralidae) Synonym(s): *massilialis* Duponchel,1832; *taurica* Rebel,1910. Range (as codes): DZ ES FR Pro Co RO HV HU MK BG RU UA TM Kp TR KG 06 13 46 13A 13Ab 13Ax
- 4267. *Hypotia variabilis* (Zerny,1930)** (Pyralidae) Synonym(s): *variabilis* Zerny,1930 Range (as codes): TR 42 42B
- 4268. *Hypsopygia almanalis* (Rebel,1917)** (Pyralidae) Synonym(s): *almanalis* Rebel,1917 Range (as codes): GR TR CY IL Pa 80 80B 80Bc
- 4269. *Hypsopygia costalis* (Fabricius,1775)** (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *fimbrialis* [Denis & Schiffermüller],1775; *purpurana* Thunberg,1784; *hyllalis* Walker,1859; *rubrocilialis* Staudinger,1870; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917. Range (as codes): DZ Orn PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc DK NO SE FI EE LV LT RU MD UA BY IR Ab Sro Th Elb Mz Gls IL Hf Pa EG TM Kp UZ Fe PK IQ Shq Dia KG Tk Tks Nrk CN Ui 01 06 09 13 16 30 31 33 36 38 39 46 56 65 73 75 76 09K 09Ka 13A 13Aa 13B 13Ba 13F 16A 30D 30Df 30Dx 31M 33A 33Ac 36D 36Db 65A 65An 65D 65Dh 65Du 65Dv 65F 65Fr 65L 65Lb 73A 73Ad 73Ad2 75F 75Fb
- 4270. *Hypsopygia fulvocilialis* (Duponchel,1832)** (Pyralidae) Synonym(s): *fulvocilialis* Duponchel,1832; *hartigialis* Mariani,1937 Range (as codes): PT FR Si HU RO YU AL BG GR TR IL Pa Hf LB UA RU AM Cc 01 31 33 46 80 31A 31D 31M 80B 80Bc
- 4271. *Hypsopygia glaucinalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *glaucinalis* Linnaeus,1758; *nitidalis* Fabricius,1775 Range (as codes): MA PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Kir Lag Mng Hkd AZ DK NO SE FI EE LV LT RU Sb Am Sh Us MD UA BY IR Gh Tgo Mz KP KR CN Krl JP 16 34 76 16A 76C
- 4272. *Hypsopygia incarnatalis* (Zeller,1847)** (Pyralidae) Synonym(s): *incarnatalis* Zeller,1847 Range (as codes): MA DZ Lbs PT ES FR Co Sa Si IT HU RO YU GR TR 16 42 46 16A 42B
- 4273. *Hypsopygia rubidalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *rubidalis* [Denis & Schiffermüller],1775; *lucidalis* Hübner,[1813] Range (as codes): MA DZ Cst ES FR IT CH AT CZ SK HU RO YU AL BG GR TR Cc GG Bjo UA Cm RU 05 13 16 38 05A 13F 16A
- 4274. *Hypsotropa limbella* Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848 Range (as codes): FR IT YU AL BG GR Cr TR Cc 05 13 16 65 76 05A 13F 13F11 13F35 13F40 13F41 16A 65A 65Ai 65D 65Dt 65Dv 65L 65Le 76C
- 4275. *Hypsotropa paucipunctella* Ragonot,1895** (Pyralidae) Synonym(s): *paucipunctella* Ragonot,1895 Range (as codes): TR 31 33 46 31M 33A

- 4276. *Hypsotropa syriacella* Ragonot, 1888** (Pyralidae) Synonym(s): *syriacella* Ragonot, 1888 Range (as codes): TR 31 46 31M
- 4277. *Hypsotropa vulneratella* (Zeller, 1847)** (Pyralidae) Synonym(s): *vulneratella* Zeller, 1847; *ichorella* Lederer, 1855; *ostrinella* La Harpe, 1861; *albovenosella* Chrétien, 1915 Range (as codes): DZ Bsk Si MT YU IL Pa Hf TR LB Bei SY KK Al GR Cr 31 46 31M
- 4278. *Insalebria serraticornella* (Zeller, 1839)** (Pyralidae) Synonym(s): *serraticornella* Zeller, 1839; *gregella* Eversmann, 1844; *zernyi* Toll, 1942; *rungsella* D. Lucas, 1942; *ifraneella* D. Lucas, 1956; *kairouanensis* Leraut, 2003 Range (as codes): MA DZ Orn TN SK HU RO YU BG GR TR IQ Ama RU IR 13 42 46 13F 13F6 42B
- 4279. *Isauria dilucidella* (Duponchel, 1836)** (Pyralidae) Synonym(s): *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortitella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledereri* Ragonot, 1893; *cuencella* Caradja, 1916; *gabalitella* Chrétien, 1931; *griscens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970 Range (as codes): DZ Bsk ES Cue FR Sa Si IT DE CH AT PL CZ SK HU RO YU BG GR TR RU Ur MD UA BY IQ Hjo LB Bsa IL Pa TM Kp IR Fa Th Kdj Shh Plr Mz Elb Dam Kz Com AF Sfk KG MN Cc AM GG Smt Akh AE 02 05 06 10 13 16 23 25 27 30 31 32 38 42 46 47 50 53 58 65 71 02F 02Fe 02Fz 05A 10K 10Ka 13A 13Ab 13Ax 13F 13F20 13F35 13F38 13F40 16A 23I 23Ib 27D 27Da 30D 30Df 31K 31Ka 31Ka7 47D 65A 65Ab 65Aba 65Ai 65C 65Cb 65D 65Du 65L 65Le
- 4280. *Keradere lepidella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *lepidella* Ragonot, 1887 Range (as codes): YU GR TR Cc CY AM AZ Nv Ord GG LB Bsa IQ Hjo IR Ahz Kh Fa Sse Kdj 02 06 09 13 21 30 46 47 65 70 71 02F 02Fe 02Fz 06K 06Kb 13F 13F18 13F35 13F41 21L 21Lc 30B 30Ba 30Bt1 30Bz 30D 30Df 65A 65Am 65Am1 65Am4 65D 65Df 65Dh 65Dn 65Du 65Dv 70A
- 4281. *Keradere* sp.?n. or near to *noctivaga* (Staudinger, 1879)** (Pyralidae) Synonym(s): *noctivaga* Staudinger, 1879 Range (as codes): MK GR CY TR IL LB Bsa IQ Hjo IR Elb Mz Dam Fa Shr Sse TM 05 09 31 36 42 46 65 05A 31M 36D 36Db 65G 65Gb 65N 65Np5 65Nm
- 4282. *Keradere tengstroemiella* (Erschoff, 1874)** (Pyralidae) Synonym(s): *tengstroemiella* Erschoff, 1874 Range (as codes): GR RU KG Uk UZ Smk TM At TR 17
- 4283. *Khorassania compositella* (Treitschke, 1835)** (Pyralidae) Synonym(s): *compositella* Treitschke, 1835; *murinella* Heinemann, 1865; *senescens* Heinemann, 1865; *kalischeiella* Staudinger, 1870; *iconiensis* Caradja, 1910. Range (as codes): DZ Eba ES An Grn FR Co Sa Si IT MT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR SE RU MD UA BY 05 42 58 05A
- 4284. *Khorassania hartigi* Amsel, 1951** (Pyralidae) Synonym(s): *hartigi* Amsel, 1951 Range (as codes): TR IR Fa Sse Com Kz KuB AF 13 32 13F
- 4285. *Khorassania* sp.?n.** (Pyralidae) Synonym(s): Range (as codes): TR 65 65A 65Ab 65Aba
- 4286. *Lambaesia fumosella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *fumosella* Ragonot, 1887; *noctileucella* Ragonot, 1887 Range (as codes): TR Cc IR Elb Th Mz UZ Smk AF Ch 65 76 65D 65Df 76C
- 4287. *Lambaesia pistrinariella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *pistrinariella* Ragonot, 1887; *acomptella* Ragonot, 1888; *#acomtella* Caradja, 1916 Range (as codes): TR KK T-S Na CN Ui Ku Khr Au Al 29
- 4288. *Lambaesia straminella* (Zerny, 1914)** (Pyralidae) Synonym(s): *straminella* Zerny, 1914; *alphitopis* Meyrick, 1937. Range (as codes): TR SY IQ Ry Hjo IR Ha Avd 13 31 42 46 65 13F 13F6 46L 65D 65Dt 65Dv
- 4289. *Lamoria anella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller], 1775; *insulana* Schawerda, 1931; *variegana* Lucas, 1949; *marocana* Lucas, 1955 Range (as codes): MA DZ Onç TN Tun Elk PT ES FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR RU Sb Us Kr MD UA BY AF Hr IL Pa Hf LB Bei Bsa IQ Bgd IR Ahz Enz Elb Th Kdj Ha Fa Bu Ss Irs KG Uk CY TM Kp EG PK Pj Krc IN Poo Mh LK CN JP ZA AE JO SY AM Cc AZ 01 05 06 10 17 31 34 35 38 42 46 48 58 71 05A 10K 10Ka 48L
- 4290. *Lamoria brevinaevella* Zerny, 1934** (Pyralidae) Synonym(s): *brevinaevella* Zerny, 1934 Range (as codes): LB Bsa TR 46
- 4291. *Lamoria sapozhnikovi* (Krulikovsky, 1909)** (Pyralidae) Synonym(s): *anella* Zincken nec [Denis & Schiff.]; *bipunctatus* Zeller, 1848 nec Curt.; *sapozhnikovi* Krulikovsky, 1909; *decolor* Caradja, 1910; *zelleri* Joannis, 1932 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf LB Bei IR Mz ZA CN Ui Ku Mc JP LK IN 35 39 65 65A 65Ab 65Aba
- 4292. *Laristania lydella* (Lederer, 1865)** (Pyralidae) Synonym(s): *lydella* Lederer, 1865; *gypsocrates* Meyrick, 1937 Range (as codes): TR IQ Ry Cc Da Ku GG Akh Tbl AM Eri IR Elb Kdv Plr Dam Gor Yz 06 42 45 46 58 76 06R 46L 76C
- 4293. *Laristania taftanella* (Amsel, 1954)** (Pyralidae) Synonym(s): *taftanella* Amsel, 1954 Range (as codes): IR Ss Elb Th Kdj TR 13 65 13F 13F01 13F6 65B 65Bo 65Bx
- 4294. *Lepidogma tamaricalis* (Mann, 1873)** (Pyralidae) Synonym(s): *tamaricalis* Mann, 1873; *obatralis* Christoph, 1876; *vafera* Swinhoe, 1884 Range (as codes): MA DZ Bsk Agi ES Sa IT KW TR IR Ahz Ss Chh Irs Put Fa Com Kz Sde Ssh IN AF PK Sd Krc TM Krn RU Sb Pj
- 4295. *Loryma egregialis* (Herrich-Schäffer, 1838)** (Pyralidae) Synonym(s): *egregialis* Herrich-Schäffer, 1838; *medusalis* Milliere, 1872; *algerialis* Hampson, 1900 Range (as codes): DZ Bsk Onç Eal Ges TN Sfx PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr TR LB Bsa IL Hf Pa CY 01 06 22 33 35 06R
- 4296. *Loxostege aeruginalis* (Hübner, 1796)** (Pyralidae) Synonym(s): *aeruginalis* Hübner, 1796; *olivalis* Hübner, 1796 Range (as codes): ES FR Si IT HU RO YU AL BG GR TR KK CN RU Us VI JP MN 05 16 05A 16A

- 4297. *Loxostege ayhanana* Kemal & Koçak, 2017** (Pyralidae) Synonym(s): *ayhanana* Kemal & Koçak, 2017 Range (as codes): TR 65 65A 65Am 65Am4 65D 65Dg 65Dga
- 4298. *Loxostege bicoloralis* (W. Warren, 1892)** (Pyralidae) Synonym(s): *bicoloralis* W. Warren, 1892; *flavivenalis* Hampson, 1913; *osthelderi* Schawerda, 1932 Range (as codes): AM Cc TR IQ Bgd 46 63 46G 63D
- 4299. *Loxostege clathralis* (Hübner, [1813])** (Pyralidae) Synonym(s): *clathralis* (Hübner, [1813]); *comptalis* Lederer, 1855 nec Frr., [1848]; *#nivalis* Caradja, 1916 Range (as codes): RO HV RU Sr UA Cc GG Bjo Tbl AM Eri AZ Kir Lag Nv Ord Arr TR IR KG Uk Tk Dj Ii AF Shah Kot Pnj Kab CN Ui Au KG Uk 05 06 26 30 38 42 58 76 05A 30B 30Bt1 30Bz 42B 76C
- 4300. *Loxostege mucosalis* (Herrich-Schäffer, [1848])** (Pyralidae) Synonym(s): *mucosalis* Herrich-Schäffer, [1848] Range (as codes): HV MK BG Slv TR CN Ui Ku RU VI 05 06 30 34 38 71 05A 06R 30B 30Bt1 30Bz 30C 38H 38Hc
- 4301. *Loxostege peltalis* (Eversmann, 1842)** (Pyralidae) Synonym(s): *peltalis* Eversmann, 1842 Range (as codes): RU Ur Ur Or VI TR KK 58 58G
- 4302. *Loxostege peltaloides* (Rebel, 1932)** (Pyralidae) Synonym(s): *peltaloides* Rebel, 1932; *halil* Koçak & Kemal, 2007 Range (as codes): TR 42 46 58 65 69 42B 65D 65Df 65Dh 65K 65Kl 65Kl2 65Kl3 65Z 65L 65Le 69B 69Ba
- 4303. *Loxostege sticticalis* (Linnaeus, 1761)** (Pyralidae) Synonym(s): *lupulina* Clerk, 1759 nec Linn., 1758; *sticticalis* Linnaeus, 1761; *miana* Müller, 1764; *sylvata* Panzer, 1804; *tetragonalis* Haworth, 1811 Range (as codes): MA PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR Cr TR Cc GG Tbl Bjo Der Da AZ Nv MD UA Cm TM Kp DK NO SE FI EE LV LT RU Sb VI BY KG Tk Dj Ii CN Ui Kml IR GlS Kh Dam Elb AF Hr PK Psu Bl Qu CA 05 07 10 13 16 17 34 39 42 44 46 05A 07B 07Bb 10K 10Ka 13F 16A 42B 44E 44Eh
- 4304. *Loxostege turbidalis* (Treitschke, 1829)** (Pyralidae) Synonym(s): *turbidalis* Treitschke, 1829 Range (as codes): FR IT DE CH? AT PL CZ SK HU RO YU BG GR TR DK SE EE LV LT RU MD UA BY 16 16A
- 4305. *Loxostege wagneri* Zerny, 1929** (Pyralidae) Synonym(s): *wagneri* Zerny, 1929 Range (as codes): TR 06 42 50 65 06Y 06Ya 42B 50G 65F 65Fp 65Fz
- 4306. *Lymphia chalybella* (Eversmann, 1844)** (Pyralidae) Synonym(s): *chalybella* Eversmann, 1844; *acraspedella* Staudinger, 1879 Range (as codes): FR CZ BG RU Ur Cc TR 53 75 53B 75F 75Fg
- 4307. *Mecyna amasialis* (Staudinger, 1879)** (Pyralidae) Synonym(s): *amasialis* Staudinger, 1879 [1 Nov., 1879]; *pontica sensu* Chr., 1885 Range (as codes): SY TR AM AZ GG Cc IR Th Elb Kdj AF Pag 05 06 29 44 05A 06B 06V 06Ve 29A 44E 44Ei
- 4308. *Mecyna asinalis* (Hübner, [1819])** (Pyralidae) Synonym(s): *asinalis* Hübner, [1819]; *characteralis* Freyer, 1848 Range (as codes): MA Cn Md Az PT ES FR Co Sa Si IT MT IE GB DE CH YU GR Cr TR AF Kab 16 16A
- 4309. *Mecyna balcanica* Slamka & Plant, 2016** (Pyralidae) Synonym(s): *balcanica* Slamka & Plant, 2016 Range (as codes): SS HV BG SK MK TR GR AL YU Cc AM AZ Nv 06
- 4310. *Mecyna biternalis* (Mann, 1862)** (Pyralidae) Synonym(s): *biternalis* Mann, 1862; *intermedialis* Caradja, 1916 Range (as codes): BG TR 13 16 42 13F 16A 42B
- 4311. *Mecyna cuprinalis* (Ragonot, 1895)** (Pyralidae) Synonym(s): *cuprinalis* Ragonot, 1895; *pistorialis* Zerny, 1934 Range (as codes): TR LB Bsa 31 31M
- 4312. *Mecyna flavalis* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller], 1775; *paludalis* Rougemont, 1906; *flaviculalis* Caradja, 1916; *cuencalis* Caradja, 1916; *luteoflavalis* Mutuura, 1954 Range (as codes): DZ Lbs Tou ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY IR Elb Plr Gor Mz GlS Cc GG Bjo AZ Kir Len Nv Ord CN Ui Ju 05 06 16 30 42 44 45 05A 16A 30B 30Bc1 44L 44Lc
- 4313. *Mecyna lutealis* (Duponchel, 1833)** (Pyralidae) Synonym(s): *flavalis* De Villers, 1789 nec [Denis & Schiff.], 1775; *lutealis* Duponchel, 1833; *citrinalis* Herrich-Schäffer, 1849; *albarracinensis* Fuchs, 1901; *gomagoialis* Amsel, 1932 Range (as codes): MA DZ Lbs TN ES FR Si IT BE LU DE CH AT HU RO YU AL BG GR TR 05 42 56? 65? 05A 42B 56F? 56F1? 65F? 65Fb?
- 4314. *Mecyna marcidalis* (Fuchs, 1879)** (Pyralidae) Synonym(s): *marcidalis* Fuchs, 1879 [März]; *pontica* Staudinger, 1879 [1 Nov., 1879]; *designatalis* Christoph, 1887; *litalbalis* Caradja, 1916; *levilinealis* Amsel, 1935; *syriacalis* Marion, 1955 Range (as codes): TR IR Elb Kdj Kdv Gor Srd AZ Cc GG Tbl Nv Ord Fa Shr GlS Ghz IQ Shq Ry LB IL Pa Js AF Kot Pag Bm Srb Arh 12? 13 44? 46? 47 56 58? 65 71? 73 13F 13F11 13F35 13F38 13F41 47D 56F 56F1 65A 65Am 65Am4 73A 73Ad 73Ad2
- 4315. *Mecyna subsequalis* (Herrich-Schäffer, 1855)** (Pyralidae) Synonym(s): *#subsequalis* Herrich-Schäffer, 1851; *subsequalis* Herrich-Schäffer, 1855; *lutulentalis* Lederer, 1858; *consequens* Meyrick, 1932 Range (as codes): BG GR Cr TR SY Dms IQ Hjo LB Bsa Cc GG Bjo AZ Nv Ord IR Th Elb Kdv Mz Dam Gor 01 05 06 13 24 29 30 31 33 42 44 46 56 58 65 69 71 76 80 05A 06H 06R 13A 13Ab 13Ac 13Ac2 13Ax 13F 13F01 13F35 13F38 13F7 13F71 13G 13Gü 13Gw 29A 30B 30Bc1 30Bt1 30Bz 30D 30Df 31K 31Ka 31Ka3 31Ka6 44E 44Eh 44Ei 56F 56Fs 56Fs1 65A 65At 65At5 65Ab 65Aba 65B 65Bo 65Bx 65D 65Df 65Dh 65Dv 65Dt 65F 65Fz 65Fp 65G 65Gb 76C 76D 76Dd
- 4316. *Mecyna trinalis* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffermüller], 1775; *andalusica* Staudinger, 1879; *tripunctalis* Oberthür, 1887; *anienalis* Hartig, 1941; *joannisalis* Marion, 1955; *maroccanensis* Amsel, 1956 Range (as codes): MA Rf DZ Lbs Anna Agi ES Mu FR Si IT AT CZ SK HU RO YU AL BG GR TR Cc IQ Hjo Mos IR Elb Kdv Plr Mz Gor Ha Adv UA Cc GG Bjo MN 05 06 08 13 23 29 30 44 46 56 61 65 73 76 05A 06R 06Rb 08H 08Hc 13F 13F6 13F71 30B 30Bc1 30Bt1 30Bc 30Bz 44L 44Lc 56F 56Fs 56Fs1 65A 65Ac

- 65Ac3 65Ai 65At 65At5 65B 65Bo 65Bx 65D 65Df 65Dh 65Dt 65G 65Gb 65K 65Kd 65Ké 65Kğ 65N 65Np2 65Nm 73A 73Ad 73Ad1 76C 76D 76Dd
- 4317. Megasis (s.str.) kocaki Akin, 2016** (Pyralidae) Synonym(s): kocaki Akin, 2016 Range (as codes): TR 13 65 13F 13G 13Gs 13Gw 65A 65Ai 65D 65Dg 65Dga 65L 65Le 65N 65Np 65Nm
- 4318. Megasis (s.str.) rippertella (Zeller, 1839)** (Pyralidae) Synonym(s): rippertella Zeller, 1839 Range (as codes): ES FR Si IT CH AT RO YU B-H MK BG GR TR Cc AM JO IR Elb Shh KK Ik Na T-S RU Ur Sb MD UA BY 05 06 13 32 38 42 71 05A 06R 06Rd 06Rh
- 4319. Megasis (Tsaraphycis) libanoticella Zerny, 1934** (Pyralidae) Synonym(s): libanoticella Zerny, 1934; #libanotidella Osthelder, 1934. Range (as codes): LB Bsa TR IR Elb Th Ab Fa 44 46 44E 44Ei
- 4320. Megasis (Tsaraphycis) mimeticella (Staudinger, 1879)** (Pyralidae) Synonym(s): mimeticella Staudinger, 1879; tolli Amsel, 1953. Range (as codes): DZ ES FR HU BG TR Cc SA IR Mz Th Elb KK Na CN Ui Ku 05 06 36 42 44 46 58 65 05A 65B 65Bo 65Bx 65N 65Np 65Nm
- 4321. Merulempista brucella (Staudinger, 1879)** (Pyralidae) Synonym(s): brucella Staudinger, 1879 Range (as codes): TR 05 13 16 13F 13F35 13F38
- 4322. Merulempista cingillella (Zeller, 1846)** (Pyralidae) Synonym(s): cingillella Zeller, 1846; myricariella Millière, 1864; azrounella D. Lucas, 1933; hartigi Roesler, 1967 Range (as codes): MA Azr ES FR Si IT DE CH AT SK YU HV B-H AL RO IL Jt Pa Hf TR RU Cc GG Lag IR Ss Irs UA AF Hr CN Ui IMn NHu Hph 01 05 16 65 05A 65A 65Am 65Am4
- 4323. Mesocrambus candidellus (Herrich-Schäffer, [1848])** (Pyralidae) Synonym(s): candidellus Herrich-Schäffer, [1848]; #candiellus Bleszynski, 1965. Range (as codes): DZ Clo PT ES Si IT HU RO YU AL BG GR Cr TR RU Sr KG Uk SY 13 31 34 42 46 65 13F 31M 65D 65Dv 65Du
- 4324. Metacrambus carectellus (Zeller, 1847)** (Pyralidae) Synonym(s): carectellus Zeller, 1847; lugdunellus Millière, 1868; truncatellus Caradja, 1916 Range (as codes): DZ Anna PT ES FR Co Sa Si IT MT SK HU RO YU AL BG GR Cr RU Sr Cm TR LB Bei IL Pa Hf SY IR Gh Tgo UZ Br Cc AZ Len KG Tk Dj 01 03 13 31 33 42 44 46 65 71 80 13F 31D 44E 44Ee 65B 65Bo 65Bx 65D 65Df 65Dv 65G 65Gb 65K 65Kb 65Z 65L 65Le 65N 65Np 65Nm
- 4325. Metaeuchromius latoides Schouten, 1997** (Pyralidae) Synonym(s): latoides Schouten, 1997 Range (as codes): TR 33 50 33A 33Ac
- 4326. Metaeuchromius yusufeliensis Nuss & Speidel, 1999** (Pyralidae) Synonym(s): yusufeliensis Nuss & Speidel, 1999 Range (as codes): Cc TR 08 08H
- 4327. Metallosticha argyrogrammos (Zeller, 1847)** (Pyralidae) Synonym(s): argyrogrammos Zeller, 1847; ortneri Hartig, 1938 Range (as codes): si IT RO HV MK Och BG GR TR LB Bsa Bei SY Dms IL Hf Pa IR Fa Shr 05 06 13 16 21 31 38 42 45 46 48 56 65 70 73 05A 06R 13A 13Ab 13Ax 16A 21L 21Le 31M 56Fb 65A 65Am 65Am4 65D 65Df 65Du 65Dh 65Fz 73D 73Df
- 4328. Metallostichodes bicolorella (Heinemann, 1864)** (Pyralidae) Synonym(s): bicolorella Heinemann, 1864 Range (as codes): FR TR 16 16A
- 4329. Metallostichodes nigrocyaneella (Constant, 1865)** (Pyralidae) Synonym(s): nigrocyaneella Constant, 1865; chalcocyaneella Staudinger & Wocke, 1871. Range (as codes): MA DZ Cst LY PT ES An FR Co Sa Si IT MT YU GR Cr TR CY IL Pa Hf LB EG 09 14 34 41
- 4330. Metallostichodes vinaceella (Ragonot, 1895)** (Pyralidae) Synonym(s): vinaceella Ragonot, 1895; #vinacellum Rebel, 1939 Range (as codes): TR LB CY 31 46 31F 31M
- 4331. Metasia albicostalis Hampson, 1900** (Pyralidae) Synonym(s): albicostalis Hampson, 1900; berytalus Caradja, 1926 Range (as codes): TR CY LB Bsa Bei 31
- 4332. Metasia alvandalis Amsel, 1961** (Pyralidae) Synonym(s): alvandalis Amsel, 1961 Range (as codes): IR Ha Avd TR 71
- 4333. Metasia arenbergeri Slamka, 2013** (Pyralidae) Synonym(s): arenbergeri Slamka, 2013 Range (as codes): TR 33 33P
- 4334. Metasia carnealis (Treitschke, 1829)** (Pyralidae) Synonym(s): carnealis Treitschke, 1829; olbienalis Guenée, 1854 Range (as codes): ES FR Sa Co Si IT AT RO YU AL BG GR Cr TR 01 05 06 13 16 31 33 42 65 71 80 05A 06R 13F 16A 31M 42A 80B 80Bc
- 4335. Metasia inustalis Ragonot, 1894** (Pyralidae) Synonym(s): inustalis Ragonot, 1894; continualis Amsel, 1961; pseudocontinualis Amsel, 1961 Range (as codes): TR IQ Kbl IR 47 47D
- 4336. Metasia ophialis (Treitschke, 1829)** (Pyralidae) Synonym(s): ophialis Treitschke, 1829; legrandi Leraut, 2001 Range (as codes): PT ES FR Co Si IT CH AT CZ SK HU RO B-H YU AL BG GR Cr TR CY 01 05 16 44 46 56 65 05A 16A 56F 56Fb 65A 65Ai 65D 65Df 65Fz
- 4337. Metasia ossealis Staudinger, 1879** (Pyralidae) Synonym(s): ossealis Staudinger, 1879 Range (as codes): TR IQ Amr 05 46 05A
- 4338. Metasia parvalis Caradja, 1916** (Pyralidae) Synonym(s): parvalis Caradja, 1916 Range (as codes): TR CY 01 46 01K 46G
- 4339. Metasia rosealis Ragonot, 1895** (Pyralidae) Synonym(s): rosealis Ragonot, 1895; perfervidalis Hampson, 1900; rubricalis Rebel, 1939; cypriusalis Amsel, 1958 Range (as codes): YU GR TR CY LB Bei IQ 01 31 33 80 31M

- 4340. *Metasia subtilialis* Caradja,1916** (Pyrilidae) **Synonym(s):** *subtilialis* Caradja,1916; *#subtilialis* Toll,1948 **Range (as codes):** SY Dms LB Bsa TR IR Fa Sse Shr Yz Elb Th Kdj Kh TJ Pm AF Hr Ca Arh Kab Pnj Slg Gbh Kot 05 06 13 44 46 65 71 05A 13F 44E 44Ee 46G 46Gf 65D 65Df
- 4341. *Metasia supbandalis* (Hübner,[1823])** (Pyrilidae) **Synonym(s):** *supbandalis* Hübner,[1823] **Range (as codes):** DZ Btba Bsk TN Gf PT ES Mu FR Co Si RO YU AL BG GR Cr TR Cc CY IQ Hjo IR Elb Th Kdj Sse Fa Com Gls 05 06 16 17 33 34 35 42 45 58 65 71 76 05A 06R 16A 33A 33Ac 33Ae 65B 65Bo 65Bx 65D 65Df 65G 65Gb 65Kd 65Kg 65L 65Le 65N 65Np2 65Nm 76C
- 4342. *Metasia virginalis* Ragonot,1894** (Pyrilidae) **Synonym(s):** *virginalis* Ragonot,1894; *fulvilinealis* Hampson,1900; *#virginalis* Rebel,1901; *phthoneropsis* Meyrick,1937 **Range (as codes):** TR IQ Kbl Shq Dia Mos Ry IR Lo Elb Mz Th LB Bsa 13 30 46 47 56 73 13F 30D 30Df 47D 56F 56Fm 73A 73Ad 73Ad2
- 4343. *Metaxmeste sericatalis* (Herrich-Schäffer,[1848])** (Pyrilidae) **Synonym(s):** *sericatalis* Herrich-Schäffer,[1848] **Range (as codes):** TR Cc GG Bjo Akh Smt IR 13 16 31 34 46 13B 13Bg 13G 13Gs 13Gü 13Gw 16A 31E
- 4344. *Moitrelia obductella* (Zeller,1839)** (Pyrilidae) **Synonym(s):** *obductella* Zeller,1839; *origanella* Schläger,1848 **Range (as codes):** DZ Anna PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LT RU MD UA BY IR Elb Mz LB Bsa 05 13 34 42 44 13A 13Ab 13Ax 13F 13F11 13F20 13F41 44E 44Eh
- 4345. *Moitrelia placidella* (Zerny,1929)** (Pyrilidae) **Synonym(s):** *placidella* Zerny,1929; *alibotuschella* Drenowski,1932 **Range (as codes):** MK TR 13 42 13F 13F35 13F41
- 4346. *Moitrelia thymiella* (Zeller,1846)** (Pyrilidae) **Synonym(s):** *thymiella* Zeller,1846; *libyella* Leraut,2014 **Range (as codes):** LY Cy Si IT TR SY 05 16 16A
- 4347. *Myelois (Gnathogutta) circumdatella* Lederer,1858** (Pyrilidae) **Synonym(s):** *circumdatella* Lederer,1858; *ottoella* Schawerda,1924; *quinquepunctella* Turati,1934; *cinnerethella* Amsel,1935 **Range (as codes):** LY Cy TR SY Dms IL Pa Hf Js LB IQ Shq Hjo Mos IR Fa Sse Shr Th Elb Kdj 01 13 21 31 46 49 65 13F 31M 49F 49Fb 49Ff 65A 65An 65Am 65Am1 65Am4 65D 65Du 65Dh 65N 65Nr7 65Np1 65Nm
- 4348. *Myelois (Gnathogutta) luticornella* Ragonot,1887** (Pyrilidae) **Synonym(s):** *luticornella* Ragonot,1887 **Range (as codes):** TR 46 47 56 46G 47D 47Dc 56F 56Fb 56Fc
- 4349. *Myelois (Gnathogutta) osseella* (Ragonot,1887)** (Pyrilidae) **Synonym(s):** *osseella* Ragonot,1887; *jerusalemella* Amsel,1935 **Range (as codes):** MA DZ Bsk Onç IL Pa Js SY TR LB Bei AF Srb Bm Pnj 01
- 4350. *Myelois (Gnathogutta) ossicolor* Ragonot,1893** (Pyrilidae) **Synonym(s):** *ossicolor* Ragonot,1893 **Range (as codes):** CY TR IL Pa IR Elb Tsg 13 30 31 33 46 47 13F 13F35 13F38 13F7 13F71 30D 30Df 31F 31M 33A 33Ac 46G 47D
- 4351. *Myelois (Gnathogutta) pluripunctella* (Ragonot,1887)** (Pyrilidae) **Synonym(s):** *pluripunctella* Ragonot,1887 **Range (as codes):** TR GR LB Bei IL Hf Pa CY 05 13 30 31 46 56 65 05A 13F 13F6 31M 56F 56Fb 65F 65Fp 65Fz
- 4352. *Myelois (Gnathogutta) pumicosa* Lederer,1855** (Pyrilidae) **Synonym(s):** *pumicosa* Lederer,1855 **Range (as codes):** TR LB IQ Hjo Dy 13 21 44 46 56 65 13F 21F 44E 44Ei 56F 56Fb 56Fs 56Fs1 65A 65Am 65Am1 65Am4 65D 65Ds 65F 65Fg
- 4353. *Myelois (s.str.) circumvoluta* (Fourcroy,1785)** (Pyrilidae) **Synonym(s):** *circumvoluta* Fourcroy,1785; *circumvolutella* De Villers,1789; *cribrella* Hübner,1796; *carhdui* Haworth,1811; *medullalis* Hübner,[1825]; *pallium* Vallot,1829; *gilvescentella* Fuchs,1903; *britannicella* Amsel,1951; *impunctata* Hartig,1952; *nigrapeza* Hartig,1952 **Range (as codes):** DZ Ges Lbs PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR Mz 01 06 13 17 21 31 33 36 49 65 71 73 80 06R 06Rd 13F 21L 21Lc 30B 30Bt1 30Bz 31M 36D 36Db 49F 49Fb 65Am 65Am 65Am1 65Am4 65D 65Dh 65Ds 65Dv 65Du 65K 65Kd 65Kg 65N 65Np1 65Np5 65Nm 73D 73Df
- 4354. *Myelois (s.str.) cribratella* Zeller,1847** (Pyrilidae) **Synonym(s):** *cribratella* Zeller,1847; *pallipedella* Ragonot,1893 **Range (as codes):** IT FR Co Sa Si LU TR 06 44 73 44E 44Ei 44L 73A 73Ak
- 4355. *Myelois (s.str.) fuscicostella* Mann,1861** (Pyrilidae) **Synonym(s):** *fuscicostella* Mann,1861; *nivosella* Ragonot,1890; *palalbidella* Chrétien,1917; *margaritella* Turati,1930; *infumatella* Amsel,1961; *niveisplendella* Amsel,1961 **Range (as codes):** DZ Ges Bsk Lms Onç TN Gf LY Cy TR ES AF Srb Bm IR IQ Kbl 05 06 71 05A
- 4356. *Myelois (s.str.) multiforella* Ragonot,1893** (Pyrilidae) **Synonym(s):** *multiforella* Ragonot,1893; *luteotinctella* Caradja,1910; *ronja* Roesler,1988 **Range (as codes):** Si RO BG TR IR Elb Dam Mz 42 58 65 65L 65Le
- 4357. *Myelois (s.str.) quadripunctella* Zerny,1914** (Pyrilidae) **Synonym(s):** *quadripunctella* Zerny,1914 **Range (as codes):** TR AE 31 46 31M
- 4358. *Myrlaea albistrigata* (Staudinger,1881)** (Pyrilidae) **Synonym(s):** *albistrigata* Staudinger,1881 **Range (as codes):** TR Cc LB Bsa IR Elb Mz Kdv Plr Shh IQ Ry Hjo AF Pag 05 06 13 30 42 46 47 56 65 71 76 05A 13A 13Ab 13Ac 13Ac2 13Ax 13F 13F38 13F6 13F7 13F71 30B 30Bc1 42B 56F 56F1 56Fs 56Fs1 65A 65Ac 65Ac3 65Ai 65B 65Bo 65Bx 65D 65Dh 65Dt 65F 65Fp 65Fz 65G 65Gb 65N 65Np2 65Nm 76C
- 4359. *Myrlaea epischniella* (Staudinger,1879)** (Pyrilidae) **Synonym(s):** *epischniella* Staudinger,1879; *dentilineella* Ragonot,1887 **Range (as codes):** TR TM Krn IQ Hjo 05 42 44 46 05A 44L
- 4360. *Myrlaea nigrosquamalis* (Amsel,1950)** (Pyrilidae) **Synonym(s):** *nigrosquamalis* Amsel,1950 **Range (as codes):** TR IR Fa Sse Com 13 65 13F 13F01 13F35 13F41 65D 65Df 65F 65Fp 65Fz 65G 65Gb

- 4361. *Nascia ciliaris* (Hübner,1796)** (Pyrilidae) Synonym(s): *ciliaris* Hübner,1796; *venosalis* Nolcken,1848; *virgata* Reutti,1853; *simplalis* Caradja,1916 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU TR DK SE FI EE LV LT RU Am Prj Us Kj Mnu MD UA BY JP Hkk IR Gh Tgo 46
- 4362. *Neocrambus wolfschlaegeri* (Schawerda,1937)** (Pyrilidae) Synonym(s): *wolfschlaegeri* Schawerda,1937 Range (as codes): MK GR TR 65
- 4363. *Nephoterix angustella* (Hübner,1796)** (Pyrilidae) Synonym(s): *angustella* Hübner,1796; *angusta* Haworth,1811; *gracilalis* Hübner,[1825]. Range (as codes): ES FR IT GB NL LU DE CH AT PL CZ SK HU RO YU TR IR GLs DK RU MD UA BY ZA 13 13F 13F38
- 4364. *Nephoterix gregella* Eversmann,1844** (Pyrilidae) Synonym(s): *gregella* Eversmann,1844 Range (as codes): DZ Bsk RU Ur KG Tar Sb TR 38 39 58
- 4365. *Nephoterix melanotaeniella* Ragonot,1888** (Pyrilidae) Synonym(s): *melanotaeniella* Ragonot,1888; *amasiella* Caradja,1910 Range (as codes): TR 05 46 47 65 05A 65D 65Du 65Dv
- 4366. *Nephoterix minimella* Amsel,1954** (Pyrilidae) Synonym(s): *minimella* Amsel,1954 Range (as codes): IR Fa TR 13 65 13F 65D 65Dt 65Dv
- 4367. *Nomophila noctuella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859 Range (as codes): MA DZ TN Sfx Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ Bgd Dia Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz LB Bsa Bei SY IL Pa Hf AF Hr Bmu Anj Gz Jla Kot PK Mre DK NO SE FI EE LV LT RU MD UA BY PH TW AE Cp Haz Abb C-P Cte ID IN ZA Sro Qba Gea Bsk Onç Ceg Heh Ogl Gle Omy Gtt Ah Ajj Ges Rhr 01 05 06 08 11 13 14 16 17 21 30 31 32 33 34 35 37 38 39 44 46 48 49 55 56 58 60 63 65 71 73 76 80 05A 06R 08H 08Ha 13A 13Aa 13Ab 13Ac 13Ac2 13Ac3 13Ax 13B 13Ba 13F 13F6 13G 13G1 13Gö 13Gg 13Gw 13Gü 13Gs 16A 21N 21Nb 21Nc 30B 30Bc1 30Bc 30Bz 30Br 30D 30Df 31A 31H 31M 33A 33Ad 33Aj 44E 44Ei 44L 44Lc 48L 49F 49Fb 49Ff 55F 56D 56Dc 56F 56Fo 58G 60G 63B 63Ba 63D 65A 65Ai 65An 65Am 65Am1 65Am2 65Am3 65Ab 65Aba 65D 65Da 65Dd 65Dda 65Df 65Dh 65Dg 65Di 65Dlc 65Dr 65Dt 65Du 65Dv 65E 65Eb 65Ec 65Ec 65Ed 65F 65Fb 65Fc 65Fd 65Fp 65Fw 65Fz 65G 65Gb 65Gf 65Gn 65Gy 65N 65Nc 65Nc4 65K 65Kb 65Kc 65Kl 65Kl1 65Z 65Ku 65Ky 65Ky1 65L 65Lb 65Le 65M 65Mc 65Md 65N 65Nk 65Np 65Np1 65Np2 65Nm 73A 73Ac 73Ac2 73D 73Db 73Df 73Dfb 73Dfc 76B 76Bc 80B 80Bc 80E 80Ea
- 4368. *Nyctegretis lineana* (Scopoli,1786)** (Pyrilidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824]. Range (as codes): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Ur LB IL IQ IR Mz Elb CN Ui Ku Shs AF KG Uk TM Kp MN 06 07 13 16 21 31 33 34 46 48 65 71 75 76 13A 13Ab 13Ax 13F 16A 31M 48L 65A 65Ai 75F 75Fd 76C
- 4369. *Nyctegretis ruminella* Harpe,1861** (Pyrilidae) Synonym(s): *ruminella* Harpe,1861 Range (as codes): DZ Phv MA TN ES Mu FR Co Sa Si MT TR RO BG 09
- 4370. *Nyctegretis triangulella* Ragonot,1901** (Pyrilidae) Synonym(s): *triangulella* Ragonot,1901; *griseella* Caradja,1910; *impossibilella* Roesler,1969. Range (as codes): IT AT CZ SK HU RO GR TR RU Am JP CN Tkg Hun Yu 09
- 4371. *Nymphula nitidulata* (Hufnagel,1767)** (Pyrilidae) Synonym(s): *nitidulata* Hufnagel,1767; *stagnata* Donovan,1806; *stagnalis* Guenée,1854; *corculina* Butler,1879; *distinctalis* Ragonot,1894 Range (as codes): ES FR Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO B-H YU BG TR Cc GG DK NO SE FI EE LV LT RU Ur MD UA BY KG Uk Sb Am AM MN Sh JP 14 46
- 4372. *Ocrisides antiopa* Roesler,1988** (Pyrilidae) Synonym(s): *antiopa* Roesler,1988 Range (as codes): IR Kd Bne Lo TR 13 65 13A 13Ab 13Ax 65B 65Bo 65Bx 65F 65Fp 65Fz
- 4373. *Oncocera amoenella* (Zeller,1848)** (Pyrilidae) Synonym(s): *amoenella* Zeller,1848; *erberi* Mann,1867 Range (as codes): IT HV RO YU AL MK GR TR Arr Cc AM IR GLs CN Ui Ku Ga AF TM TJ KG Ao At MN UZ 13 24 36 39 56 65 73 76 13F 24L 36D 36Db 56F 56F1 65A 65Ai 73A 73Ad 73Ad2
- 4374. *Oncocera semirubella* (Scopoli,1763)** (Pyrilidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 Range (as codes): DZ Cst PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr CN JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz Mz Kh CN Ui Tek Kty 01 05 06 07 08 09 13 14 16 17 26 30 31 33 36 44 46 48 56 65 71 75 76 80 81 05A 06R 06Rd 07B 07Bb 08H 08Ha 13F 16A 30D 30Df 31A 31G 31O 31M 36D 36Db 44E 44Ei 48L 56F 65A 65Ai 65D 65Dv 65F 65Fc 65Fz 75F 75Fb 75Fd
- 4375. *Ortholepis betulae* (Goeze,1778)** (Pyrilidae) Synonym(s): *betulae* Goeze,1778 Range (as codes): FR Co IT GB BE NL LU DE CH AT CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY TR 16 16A
- 4376. *Ostrinia nubilalis* (Hübner,1796)** (Pyrilidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796; *glabralis* Haworth,1803; *appositalis* Lederer,1858; *#paulalis* Fuchs,1900; *funeralis* Zerny,1914; *rubescens* Krulikovskiy,1928; *mauretanica* Mutuura & Munroe,1970; *persica* Mutuura & Munroe,1970 Range (as codes): MA DZ Orn Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Tk Dj Ii AF Srb Bsg UZ Fe PK K-P CY SY Dms IR Elb Gh Tgo CA On Nfl Qb Mnt US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU 01 05 07 13 16 31 32 33 46 53 58 65 80 05A 13F 16A 31A 31H 31K 31Ka 46G 46Gf
- 4377. *Oxybia transversella* (Duponchel,1836)** (Pyrilidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millière,1870; *panorminatella* Caradja,1928 Range (as codes): PT ES FR Co Sa Si IT MT AT RO YU BG GR TR IL Pa Hf RU MD UA BY ZA 05 09 16 31 33 42 46 05A 16A 31M

- 4378. *Palpita vitrealis* (Rossi,1794)** (Pyrilidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabille,1880 Range (as codes): MA Cn DZ Orn TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL DE Bw Bv CH AT PL CZ SK HU RO YU HV BG GR Cr CY TR SE CY YE IL Pa Hf JO LB Bsa EG AF Bsg Bkt PK Rw AU ZA 01 16 17 31 33 34 46 48 80 16A 31K 31Ka 31Ka3 31Ka6 31Ka7 33A 33Ac 48G
- 4379. *Paracorsia repandalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775; *repandata* Fabricius nec Linn.,1758; *pallidalis* Hübner,1796 Range (as codes): MA DZ PT ES FR Co Sa IT MT GB BE LU DE CH AT PL CZ SK HU RO YU MK BG GR Cr TR Cc AZ Nv Ord IR Th Kh Fa TM Kp RU MD UA Cm BY AF Kot Srb Bsg Pag Bm US Idp 05 06 13 16 31 36 38 42 44 45 46 65 70 76 05A 06R 13A 13Ab 13Ax 13F 16A 31K 31Ka 31Ka3 31Ka5 36D 36Db 44I 44Ic 44L 44Lc 65A 65Ac 65Ac3 65Ai 65Am 65Am1 65D 65Df 65Dh 65Dg 65Dt 65F 65Fp 65Fz 65G 65Gb 65Gf 65Gy 65K 65Kl1 65Z 65L 65Le 65N 65Np2 65Nm 70C 70Ce 76C
- 4380. *Paralaodamia difficilis* Balinsky,1994** (Pyrilidae) Synonym(s): *difficilis* Balinsky,1994 Range (as codes): TR? SY?
- 4381. *Paramaxillaria meretrix* (Staudinger,1879)** (Pyrilidae) Synonym(s): *meretrix* Staudinger,1879; *trifracta* Turati,1930. Range (as codes): TR LY Cy TW 16 41 16A
- 4382. *Paranephopterix adelphella* (Fischer v. Röslerstamm,[1836])** (Pyrilidae) Synonym(s): *adelphella* Fischer v. Röslerstamm,[1836]; *barteli* Caradja,1910. Range (as codes): FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU DK SE FI EE LV LT RU MD UA BY TR 46
- 4383. *Parapohn affinalis* (Guenée,1854)** (Pyrilidae) Synonym(s): *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916 Range (as codes): IL Pa TR SY Dms IR Fa Ahz Kz Sde Ke Ana Ss Irs Gh Tgo TM AF IQ Bsr Bgd Amr Dia Mos KW EG PK Sd Krc MY IN SI Hp Sml Nk Mh Poo Bba Mhw ID AU Aru YE Sk Al TJ ZA RU Ro 01 46
- 4384. *Parapohn stratiotatum* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *depunctalis* Guenée,1854; *amanica* Osthelder,1935 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Us MD UA BY LB TR Cc AZ Len IR Gh Tgo UZ Tas KK Ik KG Uk Tk Dj Ii CN Stg 13 42 44 46 65 13A 13Aa 13Ab 13Ax 13F 42B 44I 44Ic 65G 65Gb 65L 65Lb 65N 65Nf
- 4385. *Paratalanta cultralis* (Staudinger,1867)** (Pyrilidae) Synonym(s): *cultralis* Staudinger,1867 Range (as codes): RU Da Cc At Us JP GG AM TR IR 61 61K
- 4386. *Paratalanta hyalinalis* (Hübner,1796)** (Pyrilidae) Synonym(s): *hyalinalis* Hübner,1796; *decoloralis* Turati,1924 Range (as codes): DZ Clo LY Cy ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 05 13 16 58 65 05A 13F 16A 65D 65Du
- 4387. *Paratalanta pandalis* (Hübner,[1825])** (Pyrilidae) Synonym(s): *angustalis* Haworth,1811; *pandalis* Hübner,[1825]; *thapsalis* Treitschke,1828; *oblitalis* Duponchel,1843; *bergunensis* Zeller,1878; *jessica* Butler,1878 Range (as codes): ES FR Co Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR IR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 4388. *Patania balteata* (Fabricius,1798)** (Pyrilidae) Synonym(s): *balteata* Fabricius,1798; *crocealis* Duponchel,1834; *mysolalis* Walker,[1866]; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918; *africalis* Leraut,2005 Range (as codes): ES FR Si IT CH YU HV BG AL RO GR Cr TR Cc GG Lag IL Pa UA RU IN Mys LK CN TW KP JP TH AU QAU NSw Hw MG RE CI ZA PG 01 08 16 31 33 46 08H 08Ha 16A 31K 31Ka 31Ka7 31M 33A 33Ac
- 4389. *Patania ruralis* (Scopoli,1763)** (Pyrilidae) Synonym(s): *ruralis* Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalisis* Werneburg,1864; *dubia* Hampson,1891; *#flavescens* Rebel,1916 Range (as codes): DZ Cst PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Enz IN ID Sum TW KP JP 05 13 16 30 31 34 44 46 48 65 75 81 05A 13F 16A 30B 30Bc 30Bz 30D 30Df 31M 44L 44Lc 48L 65F 65Fg 65L 75F 75Fd
- 4390. *Pediasia aridella* (Thunberg,1788)** (Pyrilidae) Synonym(s): *aridella* Thunberg,1788; *salinellus* Tutt,1887. Range (as codes): FR IT GB BE NL DE AT PL CZ SK HU RO BG TR DK NO SE FI LV LT RU MD UA BY CA Ssk Qb Abt 06 42
- 4391. *Pediasia aridelloides* Bleszynski,1965** (Pyrilidae) Synonym(s): *aridelloides* Bleszynski,1965 Range (as codes): TR 42
- 4392. *Pediasia contaminella* (Hübner,1796)** (Pyrilidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Ti Mnu Kj MD UA BY TM Kp IR Mz Gor Gh Tgo IQ Shq Len AZ Cc ZA 06 13 16 39 42 46 59 76 13F 16A
- 4393. *Pediasia desertella* (Lederer,1855)** (Pyrilidae) Synonym(s): *desertellus* Lederer,1855 Range (as codes): MR DZ Cst Bsk LB Bei PT Si RO TR IL Jf Js Hf Pa JO CY IQ Mos Dia Brs IR Fa 16 46 63 16A 63D
- 4394. *Pediasia epineura* (Meyrick,1883)** (Pyrilidae) Synonym(s): *ramosellus* Zeller,1863 nec Doubl.,1843; *epineurus* Meyrick,1883. Range (as codes): RU Or Mnu Kj At KK Ax KG Uk TR 46
- 4395. *Pediasia fascelinella* (Hübner,[1813])** (Pyrilidae) Synonym(s): *fascelinella* Hübner,[1813]; *treitschkeella* Sodoffsky,1830 Range (as codes): FR Co IT GB BE NL DE AT PL CZ SK HU RO YU BG? GR TR IR Shh DK NO SE FI EE LV LT RU Mnu Kj MD UA BY 05 16 05A 16A

- 4396. *Pediasia luteella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exsoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermanni* Zeller,1863; *uhryki* Rothschild,1911. Range (as codes): PT FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Shh Plr Mz Elb Gor EE LV LT RU Mo Tt Sb Mnu Kj MD UA BY KG Tk Dj At Mn DsA UZ Man MN CN Ui Ku Ju 05 06 16 42 05A 16A
- 4397. *Pediasia matricella* (Treitschke,1832)** (Pyralidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931; *stenopterella* Amsel,1949 Range (as codes): IT AT HU RO YU MK Och BG GR TR RU MD UA BY KG JO IL IQ Mos TM IR 01 05 06 13 23 33 42 46 50 58 65 71 05A 13F 23C 33A 33Af 65A 65Am 65Am4 65F 65Fm 65N 65Nc 65Nc4 65Np1 65Nm
- 4398. *Pediasia persella* (Toll,1948)** (Pyralidae) Synonym(s): *persella* Toll,1948 Range (as codes): RU Ur TR IR Kh Elb Th Kdj Shh KG Uk 04 06 42 58 60 70 06B 42K 70A 70Ab
- 4399. *Pediasia phrygia* Fazekas,1990** (Pyralidae) Synonym(s): *phrygius* Fazekas,1990 Range (as codes): TR 42
- 4400. *Pempelia albariella* Zeller,1839** (Pyralidae) Synonym(s): *albariella* Zeller,1839; *dilucida* Staudinger,1879 Range (as codes): ES Py FR Si IT SK HU HV MK YU RO BG TR UA Ode Cm RU Ur KG 05 36 58 65 36D 36Db 65F 65Fç 65Fz 65N 65Np1 65Nm
- 4401. *Pempelia alpigenella* (Duponchel,1836)** (Pyralidae) Synonym(s): *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845 Range (as codes): FR IT HV IT Si SK Cm RO YU MK Och AL BG GR TR Cc HU RU Sr MD UA IR Fa Com Sse Kdj Elb Mz Kdv 05 06 25 33 42 44 46 65 70 76 05A 06K 06Kb 25N 25Na 33A 42B 44L 44Lc 65A 65Ac 65Ac3 65Ab 65Aba 65D 65Dt 65Du 65Fi 65Fz 70C 70Ce
- 4402. *Pempelia argillaceella* (Osthelder,1934)** (Pyralidae) Synonym(s): *argillaceella* Osthelder,1934 Range (as codes): TR 46 46G 46Gf
- 4403. *Pempelia brephiella* (Staudinger,1879)** (Pyralidae) Synonym(s): *brephiella* Staudinger,1879; *farinosella* Caradja,1910. Range (as codes): Cn MA DZ Ah Onç Lbs Bsk Gha Gea Ges TN Gf Gab PT ES Cue FR Co Sa Si MT YU MK BG TR CY IL Pa Cc AZ Len 09 21 42 46 65 71 21L 21Lc 65A 65Am 65Am4
- 4404. *Pempelia johannella* (Caradja,1916)** (Pyralidae) Synonym(s): *johannella* Caradja,1916 Range (as codes): RO GR TR 01 09 65 01K 09K 65D 65Dlc
- 4405. *Pempelia obscurella* (Osthelder,1934)** (Pyralidae) Synonym(s): *obscurella* Osthelder,1934 Range (as codes): TR 46
- 4406. *Pempelia palumbella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775; *conturbentella* Hübner,1796; *cinerea* Humpreys & Westwood,1841; *undulatella* Walker,1866; *ragonoti* Turati,1923; *liviella* Zerny,1927 Range (as codes): ZA? DZ Lbs Tni Tis PT ES An Grn FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ Shq IL Pa Js LB Bsa Bmm DK NO SE FI EE LV LT LK 01 05 06 27 31 33 42 44 46 56 80 05A 27D 27Db 31K 31Ka 31Ka3 42J 44E 44Ei 56F 56Fb
- 4407. *Pempeliella bulgarica* Slamka & Plant,2016** (Pyralidae) Synonym(s): *bulgarica* Slamka & Plant,2016 Range (as codes): HU BG Hsk Pi Rh TR 06 16 06E 06Ea 16A
- 4408. *Pempeliella ochrifasciella* (Ragonot,1887)** (Pyralidae) Synonym(s): *ochrifasciella* Ragonot,1887; *amphipyrrha* Meyrick,1937 Range (as codes): TR Cc IQ Dia Ama 05 38 46 58 76 05A 76C
- 4409. *Pempeliella ornatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ornatella* [Denis & Schiffermüller],1775; *criptella* Hübner,1796; *criptea* Haworth,1811; *ornatalis* Hübner,[1825]; *fraternella* Ragonot,1887; *gigantella* Amsel,1932; *aixella* Lucas,1938; *elbursella* Amsel,1954 Range (as codes): DZ Lbs ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv Ord DK SE FI EE LV LT RU CN Ui Ku Ju UZ Man MD UA BY Cc AM T-S MA 06 44 46 58 65 76 44L 44Lc 65A 65Ab 65Aba 65D 65Df 65F 65Fp 65Fz 65L 65Le 65N 65Np2 65Np6 65Nm 76C
- 4410. *Pempeliella sororiella* (Zeller,1839)** (Pyralidae) Synonym(s): *sororiella* Zeller,1839; *marilella* Guenée,1845; *jucundella* Mann,1864; *satureiella* Millièrre,1873; *sororculella* Ragonot,1887; *albicostella* Amsel,1958; *iranella* Roesler,1969; *klimeschi* Roesler,1969; *#minima* Roesler,1969 Range (as codes): DZ Bsk PT ES Py FR Co Sa Si IT MT CH AT HU SS YU AL BG GR Cr TR IR Fa Shr Elb Mz IL Pa Hf 06 13 16 21 34 42 46 65 06R 13F 13F11 13F35 13F41 16A 21L 21Lc 65A 65Ai 65D 65Df 65Fz 65N 65Np2 65Nm
- 4411. *Pempelipteryx cirtensis* (Ragonot,1890)** (Pyralidae) Synonym(s): *cirtensis* Ragonot,1890 Range (as codes): DZ Bsk TN Gf CY TR IL Pa Js IR 46 46G
- 4412. *Peoria cremoricosta* (Ragonot,1895)** (Pyralidae) Synonym(s): *cremoricosta* Ragonot,1895; *prolai* Hartig,1948; *pectinellum* Chrétien,1911 Range (as codes): MA DZ Bsk ES IT Si BG GR Cr AL HV TR 01 31 46 31M
- 4413. *Phlyctaenomorpha sinuosalis* (Le Cerf,[1910])** (Pyralidae) Synonym(s): *sinuosalis* Le Cerf,[1910]; *platyphaea* Meyrick,1937. Range (as codes): IQ Ama Dk Hjo Ry IR Fa Com Sse TR Kal Ae 07 13 30 33 56 65 73 13F 13F7 13F71 30B 30Bc1 30Bç 30Bt1 30Bz 30Bd 30C 30Cd 30D 30Df 30Dp 30Dx 33A 33Ae 33Aj 33Ak 56F 56F1 56Fm 56Fs 56Fs1 65A 65Ac 65Ac3 65Ai 65Am 65Am3 65Am4 65D 65Dd 65Df 65Dh 65Du 65Dv 65Dt 65F 65Fg 65Fm 65Fp 65Fz 73A 73Ad 73Ad2 73D 73Df
- 4414. *Phycita characterica* Asselbergs,2009** (Pyralidae) Synonym(s): *characterica* Asselbergs,2009 Range (as codes): TR 07 07B
- 4415. *Phycita coronatella* (Guenée,1845)** (Pyralidae) Synonym(s): *coronatella* Guenée,1845; *arnoldella* Rougemont,1913 Range (as codes): ES FR CH RO YU AL BG GR TR 06 51

- 4416. *Phycita cryptica* Plant & Slamka, 2016** (Pyralidae) Synonym(s): *cryptica* Plant & Slamka, 2016
Range (as codes): ES FR Co Sa RO YU BG GR AL HV TR
- 4417. *Phycita diaphana* (Staudinger, 1870)** (Pyralidae) Synonym(s): *diaphana* Staudinger, 1870; *biscraella* Caradja, 1916 Range (as codes): Cn DZ Bsk PT ES An MT GR Cc TR CY EG AM SY IQ Bgd IR Ana Ke Shh Kz Ss Irs IL Pa RE MU 02 21
- 4418. *Phycita kurdistanella* Amsel, 1954** (Pyralidae) Synonym(s): *kurdistanella* Amsel, 1954 Range (as codes): TR 65 65A 65Ab 65Aba
- 4419. *Phycita macrodontella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *macrodontella* Ragonot, 1887; *burkhunella* Ragonot, 1888; *pallidisignata* Toll, 1948 Range (as codes): Cc AM TR IR Kh UZ Fe CN Ui Ku KG Tk Dj UZ
- 4420. *Phycita meliella* (Mann, 1864)** (Pyralidae) Synonym(s): *meliella* Mann, 1864 Range (as codes): DZ Bsk FR IT SK HU RO YU AL BG GR TR IL Pa 16 35 46 16A
- 4421. *Phycita mianella* Amsel, 1950** (Pyralidae) Synonym(s): *mianella* Amsel, 1950 Range (as codes): IR Fa Mia Sse TR 33 65 33B 65D 65Dv
- 4422. *Phycita pedisignella* Ragonot, 1887** (Pyralidae) Synonym(s): *pedisignella* Ragonot, 1887 Range (as codes): IT YU GR TR IL LB Bei 05 46 05A
- 4423. *Phycita poteriella* (Zeller, 1846)** (Pyralidae) Synonym(s): *poteriella* Zeller, 1846; *metzneri* Zeller, 1846; *kruegeri* Turati, 1911 Range (as codes): ES FR Co Sa Si IT RO HU YU BG GR Cr CY TR IL Pa Hf LB Bmm Bsa 06 09 16 31 35 42 46 65 16A 31M 65A 65Ai
- 4424. *Phycita* sp.?n.** (Pyralidae) Synonym(s): Range (as codes): TR 65 65A 65Am 65Am4
- 4425. *Phycita spissicella* (Fabricius, 1777)** (Pyralidae) Synonym(s): *#roborella* [Denis & Schiffermüller], 1775; *spissicella* Fabricius, 1777; *spissicornis* Fabricius, 1798; *roboralis* Hübner, [1825]. Range (as codes): DZ Lbs PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa DK NO SE FI EE LV RU MD UA BY IR Gl 06 13 56 65 06R 13F 13F01 13F38 56F 56Fb 65A 65Ai
- 4426. *Phycita strigata* (Staudinger, 1879)** (Pyralidae) Synonym(s): *strigata* Staudinger, 1879 Range (as codes): ES TR IR Elb Mz Kdv Kh 01 05 27 46 47 65 05A 65D 65Df 65Dt 65Du 65Dv 65Fz
- 4427. *Phycita teheranella* Amsel, 1954** (Pyralidae) Synonym(s): *Phycita teheranella* Amsel, 1954 Range (as codes): IR Th Elb Fa TR 13 13F 13F01
- 4428. *Phycitodes albatella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *albatella* Ragonot, 1887; *parvum* Gerasimov, 1930; *pseudonimbella* Bentick, 1937 Range (as codes): LY Cy TN Gf DZ MA Cn Az PT ES Mu FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU HV MK AL BG GR DK NO SE FI LV LT RU MD UA BY TM Kp UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG CY TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ KK NP Us CN She 01 03 06 13 16 21 38 42 44 46 65 70 71 06R 13F 16A 65A 65Ai 65D 65Dv 65Du 65Dt 70A 70Ac
- 4429. *Phycitodes binaevella* (Hübner, [1813])** (Pyralidae) Synonym(s): *binaevella* Hübner, [1813] Range (as codes): MA LY Cy ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY LB Bsa TM Kp IL Jf Pa IR Elb Th Mz AF Kab Pag Pli KG Tk Dj Ii 01 05 06 13 31 34 42 44 46 65 05E 06R 13F 16A 44E 44Ee 46G 46Gi
- 4430. *Phycitodes inquatella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *inquatella* Ragonot, 1887; *exustella* Ragonot, 1888; *canariella* Rebel, 1892; *ravonella* Pierce, 1937; *amseli* Roesler, 1965 Range (as codes): Cn MA DZ Bsk Tni Tis PT ES Mu FR Sa Si IT MT BE NL DE Bv CH AT SK HU RO YU HV MK AL BG GR Cr CY TR LB Bsa IL Hf Js Pa SY Dms IR Elb Th Fa Shr 03 05 06 09 16 38 46 05A 06R 16A
- 4431. *Phycitodes lacteella* (Rothschild, 1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild, 1915; *vietella* Roesler, 1965. Range (as codes): LY Cy TN DZ Onç MA Cn ES Mu FR Sa Si IT MT DE HU RO SK YU AL BG GR RU Ur Mo MD UA SY Dms TR LB Bda IL Jf Jer Hf SA SA63 BH IQ Bgd IR Elb Th Kdj Fa Shr Kz Ss Kh AF Gbh Pag Sfk Pic Pli Kab Dwe Blh Slg Bm Bkt Nu KG Tk Ii Dj MN 03 06 09 13 16 31 34 38 42 44 46 65 71 13F 16A 44E 44Ee 65N 65Np 65Nm
- 4432. *Phycitodes nigrilimbella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *nigrilimbella* Ragonot, 1887 Range (as codes): TR IR Elb Th Fa Shr LB Bsa IL Hf IQ Hjo 06 16 13 31 42 46 50 65 71 13F 16A 65D 65Dv 65Du 65Dt
- 4433. *Phycitodes osteella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *osteella* Ragonot, 1887; *nitidella* Ragonot, 1888; *praecalcella* Amsel, 1953 Range (as codes): TR Cc LB Bei SY Dms IL Jer IR Elb Kdj Th Fa AF Pli 13 65 71 76 76C
- 4434. *Phycitodes saxicola* (Vaughan, 1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan, 1870; *subbinaevella* Ragonot, 1888; *griseopunctata* Lucas, 1955; *vallettae* Amsel, 1951; *comeella* Amsel, 1961; *tenerifferella* Roesler, 1965 Range (as codes): Cn DZ MA TN Gf LY Cy PT ES Mu Py FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK RO YU HV B-H MK BG GR Cr CY DK NO SE FI EE LV LT TR RU Or Ur Sr LB Bei Bsa SY Dms IL Hf Js Jt IQ Bgd IR Elb Th Kdj Fa Shr AF Pag Kab Srb Gbh 01 06 07 09 13 35 42 44 65 76 13F 76C
- 4435. *Pima boisduvaliella* (Guenée, 1845)** (Pyralidae) Synonym(s): *boisduvaliella* Guenée, 1845; *farrella* J. Curtis, 1850; *lafauryiella* Constant, 1865 Range (as codes): DZ Ges PT ES FR IT GB BE NL DE CH PL HU RO TR Cc KK Ku Al CN Ui TM Kp DK NO SE FI EE LV LT RU MD UA BY 06 14 17 42 46 50 65 71 76 65D 65Du 65Dv 65Dh 65N 65Np 65Nm 76C
- 4436. *Platytes cerussella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *cerussella* [Denis & Schiffermüller], 1775; *quadrella* [Denis & Schiffermüller], 1775; *barbella* Hübner, 1796; *auriferella* Hübner, 1796; *pygmaeus* Stephens, 1834. Range (as codes): PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ur Tt MD UA Cm BY Cc AM TR 65 65B 65Bo 65Bx

- 4437. *Plodia interpunctella* (Hübner,[1813])** (Pyralidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932. Range (as codes): Cn MA DZ Bsk Anna LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD UA BY LB IL Pa SD SA IQ IR Ab Oru TM AF PK KG UK CN Ui Kgs Stg JP Hkk TW ZA AU CA 01 05 06 16 30 33 35 48 65 05A 16A 30Df 48L 65A 65At 65At5 65D 65Dh 65N 65Nc 65Nc4
- 4438. *Polyocha transversariella* (Zeller,1848)** (Pyralidae) Synonym(s): *transversariella* Zeller,1848; *strigosa* Staudinger,1879; *phoeniciella* Ragonot,1895; *discella* Hampson,1901; *granatella* Zerny,1927 Range (as codes): MA DZ Ah TN PT ES An Grn IT Si RO YU GR RU MD UA BY TR Cc IL Pa Hf LB Bei JO IQ Shq Rvw Mos Dia IR Fa 01 05 13 16 21 25 31 33 42 46 47 65 71 76 80 05A 13A 13Ab 13Ax 13F 13F6 16A 31M 42B 47D 65A 65Ab 65Aba 65Ac3 65D 65Dv 65Dt 65Du 65N 65Np2 65Nm 76C
- 4439. *Polyocha venosa* (Zeller,1847)** (Pyralidae) Synonym(s): *venosa* Zeller,1847 Range (as codes): GR TR IL Pa Hf LB CY 01 31 33 35 46 48 56 31M 56F 56Fb
- 4440. *Polyochodes farsella* (Amsel,1951)** (Pyralidae) Synonym(s): *farsella* Amsel,1951 Range (as codes): TR IR Fa Com 13 44 13A 13Ab 13Ax 13F 13F71 44E 44Ei
- 4441. *Prionapteryx margherita* (Bleszynski,1965)** (Pyralidae) Synonym(s): *margherita* Bleszynski,1965 Range (as codes): TR 01
- 4442. *Prionapteryx obeliscota* (Meyrick,1936)** (Pyralidae) Synonym(s): *obeliscota* Meyrick,1936 Range (as codes): LB Bei CY TR 33 33O
- 4443. *Pristocerella deltagrammella* (Ragonot,1888)** (Pyralidae) Synonym(s): *deltagrammella* Ragonot,1888 Range (as codes): Cc AZ Kir TR 76 76C
- 4444. *Pristocerella solskyi* (Christoph,1877)** (Pyralidae) Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivitella* Christoph,1887. Range (as codes): Cc AM Eri AZ Kir TR IR Elb Th Shh Dam Mz Ha Fa Kd Km Lo Zj Shh IQ Ry Hjo TM Kp 01 30 46 30D 30Du
- 4445. *Pristophorodes dissimilella* (Ragonot,1887)** (Pyralidae) Synonym(s): *dissimilella* Ragonot,1887 Range (as codes): TR Cc 42 76 76C
- 4446. *Prochoristis capparidis* (Christoph,1876)** (Pyralidae) Synonym(s): *capparidis* Christoph,1876; *daghestanica* Christoph,1877 Range (as codes): IR Th Elb Kdj Se TM Kp TR Cc RU Da 76 76C
- 4447. *Prochoristis rupicapralis* (Lederer,1855)** (Pyralidae) Synonym(s): *rupicapralis* Lederer,1855 Range (as codes): IL Pa Hf CY LB Bei TM Kp AF Hr TR IQ Mos Kbl Rvw SY IR Fa Shr Ss Sse Mia AE 05 30 36 63 05A 30B 30Bt1 36D 36Db 63D 63Dd
- 4448. *Prophasia platycerella* Ragonot,1887** (Pyralidae) Synonym(s): *platycerella* Ragonot,1887 Range (as codes): DZ Omy Cc AM TR
- 4449. *Psammotis pulveralis* (Hübner,1796)** (Pyralidae) Synonym(s): *pulveralis* Hübner,1796 Range (as codes): ES FR Co Sa IT GB NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK TR IQ Ry LB Bsa NO SE FI EE LV LT RU MD UA BY IR Elb Kdv Gor Shh Fa Sse Ha Yz Kh KG Tk Dj Ii AF Slg Shah Kot Adr Shv Pag 05 06 13 16 30 42 44 45 65 71 05A 06B 06R 13F 16A 30B 30Bt1 30Bz 30D 30Df 44E 44Ed 65A 65At 65At5 65D 65Dd 65Dda 65Df 65Fz 65K 65Kl 65Z 65L 65Le 65N 65Np7 65Np8 65Nm
- 4450. *Pseudosyria ambustiella* (Ragonot,1887)** (Pyralidae) Synonym(s): *ambustiella* Ragonot,1887 Range (as codes): Cc AM TR 06 13 38 42 46 56 65 76 13F 13Fo1 13F11 56F 56Fs 56Fs1 65D 65Df 76C
- 4451. *Psorosa dahliella* (Treitschke,1832)** (Pyralidae) Synonym(s): *dahliella* Treitschke,1832; *bivitella* Duponchel,1836; *flavifasciella* Hampson,1901 Range (as codes): PT ES FR Co Sa Si IT CH SK HU RO YU BG GR CY TR IQ Ama Ssa IL Pa Hf RU MD UA BY IR Dam Plr Elb Mz Gor Shh 13 25 31 46 13F 31M
- 4452. *Psorosa maraschella* Caradja,1910** (Pyralidae) Synonym(s): *maraschella* Caradja,1910; *majorella* Roesler,1970 Range (as codes): TR IR Elb Mz Th Kdj Ke Fa Sse Nss Se MN 05 13 46 65 05A 13F 13Fo1 13F6 13F11 13F20 13F35 13F38 13F41 13F42 46G 46Gi 65A 65Am 65Am1 65Am4 65D 65Df 65N 65Np2 65Nm 65K
- 4453. *Psorosa nucleolella* (Möschler,1866)** (Pyralidae) Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953. Range (as codes): PT ES Mu Si FR IT YU TR Cc IQ Shq Bgd Amr RU Sr KG UK Tk Dj IR Elb Plr Kdv Mz Shh Ss Irs Ana Ke Kz Sde AF Hr MN 31 38 71 76 31M 76C
- 4454. *Psorosa* sp.** (Pyralidae) Synonym(s): Range (as codes): TR 65 65A 65Am 65Am3 65Am4
- 4455. *Psorosa tochalella* Amsel,1954** (Pyralidae) Synonym(s): *tochalella* Amsel,1954 Range (as codes): IR Elb Th Ha Avd TR 13 13F 13Fo1 13F11 13F35 13F6
- 4456. *Pterothrixidia rufella* (Duponchel,1836)** (Pyralidae) Synonym(s): *rufella* Duponchel,1836; *impurella* Duponchel,1837; *luridatella* Herrich-Schäffer,1847; *infuscatella* Herrich-Schäffer,1849; *corsicella* Ragonot,1893; *#pallida* Leraut,2014; *rungsella* Leraut,2014 Range (as codes): MA Ifr PT ES Mu FR Co Sa IT MT CH HU RO YU AL BG GR AM Eri Cc TR 05 13 27 30 45 44 46 47 32 58 65 70 05A 13A 13Ab 13Ac 13Af 13Ax 13F 13F6 27D 27Dd 30B 30Bc 30Bz 44L 44Lc 47D 65A 65Ac 65Ac3 65Ab 65Aba 65D 65Df 65Dt 65Fz 65G 65Gb 65K 65Kl1 65Z 65N 65Np1 65Np2 65Nm 70A 70Ab
- 4457. *Pterothrixidia squalidella* (Eversmann,1842)** (Pyralidae) Synonym(s): *squalidella* Eversmann,1842; *fimbriatella* Zeller,1848; *crudella* Zeller,1848; *contectella* Zeller,1848; *tauricella* Wocke,1871; *caucasiella* Ragonot,1888; *orientella* Ragonot,1893; *melanoptera* Rebel,1910; *ancyrensis* Amsel,1954; *fordi* Amsel,1954; *rava* Amsel,1954; *osmanella* Amsel,1954 Range (as codes): RU Sr Ur Cc TR LB Bsa IR Elb Th Nss AF Pag Fa Sse Elb Th Kdj Kz Com 06 38 47 06R 47D

- 4458. *Pyla fusca* (Haworth,[1811])** (Pylalidae) **Synonym(s):** *fusca* Haworth,[1811]; *spadicella* Zincken,1818; *janthinella* Duponchel,1836; *annulatella* Zetterstedt,1839; *posticella* Zetterstedt,1839; *carbonariella* Fischer v.Roeslerstamm,1843; *bilineata* Curtis,1850; *moestella* Walker,1863; *procellariana* Walker,1863; *frigidella* Packard,1867; *cacabella* Hulst,1887; *triplagiata* Dyar,1904 **Range (as codes):** PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB DK NO SE FI EE LV LT RU MD UA BY CA US Ny 05 16 31 16A 31K 31Ka
- 4459. *Pyralis farinalis* (Linnaeus,1758)** (Pylalidae) **Synonym(s):** *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *tenerifensis* Rebel,1906; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 *nec* Fabr.,1794. **Range (as codes):** Az Cn DZ Elt TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Oru Elb Th Kdj Nss Ha Gls LB Bsa IQ Bgd Er Shq DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf AF Ca Gbh Pli AU AY NZ TW JP KP KR ZA 01 05 06 08 16 17 21 31 34 38 39 46 48 55 60 65 80 05A 06R 08H 08Hc 16A 21N 21Nh 48L 55F 60G 65E 65Eb 65Ed 80B 80Bc
- 4460. *Pyralis kacheticalis* (Christoph,1893)** (Pylalidae) **Synonym(s):** *kacheticalis* Christoph,1893; *imperialis* Caradja,1916 **Range (as codes):** Cc Da RU GG AZ AM UA Cm TR TM Kp IR Fa Sse Ss Th Elb Kdj IQ Brs Ssa 01 05 06 07 13 21 30 31 33 44 56 65 73 01H 07B 07Bb 13F 13F7 13F71 21N 21Nb 30B 30Bc 30Bz 30D 30Df 31K 31Ka 31Ka6 33A 33Ad 44E 44Ei 44I 44Ic 56F 56F1 56Fm 56Fö 65A 65Ai 65D 65DI 65Dlc 65Du 65Dv 73A 73Ac2
- 4461. *Pyralis perversalis* (Herrich-Schäffer,[1849])** (Pylalidae) **Synonym(s):** *lucidalis* Eversmann,1844 (*praeocc.*); *perversalis* Herrich-Schäffer,[1849]; *narynensis* Zerny,1914; *rubiginetincta* Caradja,1931; *#naryssensis* Amsel,1961 **Range (as codes):** CZ HU RO RU Ur MD UA BY TR Cc GG Ord Kir AZ Nv KG Tk Nrk CN Ui Ku IR Elb Mz Kh LB Bsa 13 25 42 65 76 13A 13Ab 13Ax 13F 65A 65Ac 65Ac3 65B 65Bo 65Bx 65D 65Df 65Fz 65G 65Gb 65N 65Nf 65Np2 65Nm 76C
- 4462. *Pyralis regalis* [Denis & Schiffermüller],1775** (Pylalidae) **Synonym(s):** *regalis* [Denis & Schiffermüller],1775 **Range (as codes):** ES Py FR Co IT CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag SE FI EE LV LT MD UA BY RU Am IN IL Pa Hf TW JP KP TH Shh Bpr BN MY 01 06 12 16 31 33 34 44 46 60 06R 12E 12Ec 12Ed 16A 31K 31Ka 31M 44L 44Lc 46G 46Gi 60H 60Hb
- 4463. *Pyrasia gutturalis* (Staudinger,1879)** (Pylalidae) **Synonym(s):** *gutturalis* Staudinger,1879 **Range (as codes):** TR LB Bsa SY Dms IQ Hjo IR Fa Shr Sse Com Elb Mz 01 02 07 13 21 30 31 45 46 47 56 65 02F 02Fe 02Fz 07O 13F 21L 21Lc 21N 21Nb 30D 30Df 31F 31M 46G 46Gi 56F 56Fa 65A 65An 65Am 65Am1 65Am4 65D 65Df 65Dh 65Ds 65Du 65Dv 65G 65Gf 65Gy 65K 65Kl1 65Z 65N 65Np6 65Nm
- 4464. *Pyrausta aerealis* (Hübner,1793)** (Pylalidae) **Synonym(s):** *aerealis* Hübner,1793; *obsoletalis* Fabricius,1794; *obsoletus* Fabricius,1798 **Range (as codes):** DZ Bttna Tou ES FR IT DE CH AT PL RO HV AL MK BG GR TR Cc GG Lag DK SE FI EE LV LT RU Da Cc Ur KG Uk MD UA BY IR Fa Elb Dam Kdv Mz LB Bsa TM UZ KK AI AF Shv Pag Bda LB Bsa 05 13 46 65 69 72 76 80 05A 13G 13Gd 13F 31E 46G 46Gi 65A 65Ac 65Ac3 65Ai 65B 65Bo 65Bx 69B 69Ba 72E 72Eh 76C 80E
- 4465. *Pyrausta alexandra* Shodotova,2011** (Pylalidae) **Synonym(s):** *alexandra* Shodotova,2011 **Range (as codes):** TR GG Aj Cc 08
- 4466. *Pyrausta amatalis* Rebel,1903** (Pylalidae) **Synonym(s):** *amatalis* Rebel,1903 **Range (as codes):** BG Slv SY TR Cc GG Akh 05 46 65 05A 46G 65A 65Am 65Am3 65D 65Dè 65Dn 65Df 65F 65Fb 65Fz
- 4467. *Pyrausta armeniaca* Slamka,2013** (Pylalidae) **Synonym(s):** *armeniaca* Slamka,2013 **Range (as codes):** AM Cc TR 65 65A 65Ac 65Ac3
- 4468. *Pyrausta aurata* (Scopoli,1763)** (Pylalidae) **Synonym(s):** *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *nepoldalis* Lederer,1863; *meridionalis* Staudinger,1880 *nec* Wcke,1871; *deficiens* Dufrane,1957; *inciae* Koçak,1982 **Range (as codes):** Cn MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr LB Bsa IL Pa CY TR IR Fa Yz Elb Kdj Th Ana Ke Ab Sro Enz Gh Kh Tgo Gls IQ Dia Rvw Shq DK NO SE FI EE LV LT RU MD UA BY AF Srb Pli Arh Hr Kot Fz Khi Kab Dwe Cc GG Bjo Mng Nv Ord Hkd Len Sok AZ Agi 01 05 06 13 14 16 23 30 31 42 44 56 65 71 76 05A 06R 06Rd 13A 13Ab 13Ax 13C 13Cc 13Cd 13F 13F7 13F71 13G 13Gf 13Gg 13Gw 13Gü 16A 30D 30Df 30Dx 31K 31Ka 31M 44E 44Ei 44F 44Fb 44I 44Ic 56F 56Fb 65A 65Ag 65Ai 65Am 65Am2 65At 65At5 65G 65Go 65F 65Fp 65Fz 76D 76Dd
- 4469. *Pyrausta castalis* Treitschke,1829** (Pylalidae) **Synonym(s):** *castalis* Treitschke,1829 **Range (as codes):** MA PT ES FR IT CZ HU RO HV YU AL MK BG GR RU VI UA TR IR Elb Th Fa AZ Cc Nv Ord AM Eri 05 06 13 16 25 30 37 42 44 65 69 70 71 73 76 05A 06R 13F 16A 25F 25Fa 30D 30Df 44E 44Ei 44L 44Lc 65A 65Am 65Am4 65At 65At5 65D 65Dg 65F 65Fr 65G 65Gf 65Gy 65N 65Np2 65Nm 69B 69Ba 70C 70Ce 73A 73Ac 73Ac2 73Ak 76C
- 4470. *Pyrausta cingulata* (Linnaeus,1758)** (Pylalidae) **Synonym(s):** *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninalis* Costantini,1923; *rectefascialis* Toll,1936 **Range (as codes):** ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY Cc GG Tbl Bjo Kir AZ 01 05 06 16 17 33 34 62 75 76 80 05A 16A 62G 75F 75Fd 76D 76Dd
- 4471. *Pyrausta despicata* (Scopoli,1763)** (Pylalidae) **Synonym(s):** *despicata* Scopoli,1763; *koenigiana* O.F.Müller,1764; *vestianella* Clerk,1764; *cespitalis* [Denis & Schiffermüller],1775; *sordialis* Thunberg,1784; *intermedialis* Duponchel,1833; *tendinosalis* Bremer,1874; *yangtsealis* Caradja,1938; *ifranalis* Leraut,2001 **Range (as codes):** MA Ifr PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO SS YU AL BG GR Cr TR IQ Rvw Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj Bda Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli UZ Fe CN Ui AZ AM Ju Ku LB Bsa PK Abb Sro Mz Sb Yu Uk JO KG DZ Lbs BY MD UA Cm Lvv Da Aa VI KP KR 01 05 06 11 13 14 16 17 21 24 25 30 31 32 33 34 42 46 49 51 55 56 58 65 71 76 05A 06R 06Rd 13A 13Ab 13Ax 13B 13Bg 13G 13Gf 13F 13F6 13Gö 13Gg 13Gw 16A 21L 21Lf 30D 30Df 31M 49F 49Fb 55F 56D 56Dd 56F 56F1 58G 58Gg 65A 65Ac 65Ac3 65Ai 65As 65Am 65Am1 65Am4 65At 65At5 65D 65Df 65Dg 65Dga 65Dh 65Du

- 65Dw 65G 65Gb 65Gf 65Gy 65Gn 65F 65Fb 65Fc 65Fp 65Fz 65K 65Kb 65Ké 65Kl 65Ku 65Kg 65L 65Lb 65Le 65N 65Nk 65Np 65Np7 65Np8 65Nr2 65Nm 76C
4472. **Pyrausta euergestalis (Amsel,1954)** (Pyralidae) Synonym(s): *euergestalis* Amsel,1954; *#euergestalis* Wiltshire,1957. Range (as codes): TR IR Fa Elb Kdj Th Ahz IQ Dy AF Hr Dwe o6 o6Y
4473. **Pyrausta falcatalis (Guenée,1854)** (Pyralidae) Synonym(s): *phoenicealis* Fischer von Rösslerstamm,1834 nec Hbn.,1818; *falcatalis* Guenée,1854; *tauricalis* Caradja,1916 Range (as codes): FR IT DE CH AT PL CZ SK HU RO YU BG RU VI UA TR Cc GG Bjo CN AU TW JP ZA o5 28 31 33 65 o5E 31M
4474. **Pyrausta ferrealis (Hampson,1900)** (Pyralidae) Synonym(s): *ferrealis* Hampson,1900 Range (as codes): TR IQ Mos SY o6 13 27 44 46 47 56 65 73 13F 13F01 13F35 13F38 13F41 27D 27Da 27Db 44E 44Eh 44Ei 44I 44Ic 44L 44Lc 47D 47Db 56F 56Fv 65B 65Bo 65D 65Dj 65K 65Kl1 65Z 73A 73Ak
4475. **Pyrausta gulpembe Kemal & Koçak,2018** (Pyralidae) Synonym(s): *delicatalis* Caradja,1916 nec South,1901; *gulpembe* Kemal & Koçak,2018 Range (as codes): TR 47 o2 47 56 65 o2F o2Fe o2Fz 47D 56F 56Fc 65A 65Am 65Am4
4476. **Pyrausta limbopunctalis (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *limbopunctalis* Herrich-Schäffer,[1849] Range (as codes): PT ES An Grn Sa RU TR Cc Kus Da AM IQ Ry IR Elb Th Mz Ha Dam Kdv o5 o6 16 25 30 33 38 42 46 51 58 65 69 76 o5A o6R 16A 25N 25Na 3oB 3oBb 3oBk 38C 38Ca 42B 51B 51Bc 65A 65Ac 65Ac3 65Ab 65Aba 65Bx 65D 65Df 65Dg 65Dga 65G 65Ge 65Gf 65Gy 65Gv 65Gz 65F 65Fw 65Fz 65K 65Kd 65Kg 69B 69Ba 76C
4477. **Pyrausta mauretanica Rebel,1907** (Pyralidae) Synonym(s): *mauretanica* Rebel,1907 Range (as codes): DZ Btna Tou TR 7o 7oA 7oAa
4478. **Pyrausta neglectalis Caradja,1916** (Pyralidae) Synonym(s): *neglectalis* Caradja,1916; *rungsi* D.Lucas,1942 Range (as codes): MA PT ES Cue An TR Cc AM Eri o5 42 76 o5A 76C
4479. **Pyrausta nigrata (Scopoli,1763)** (Pyralidae) Synonym(s): *nigrata* Scopoli,1763; *podaella* Fabricius,1781; *funigera* Fourcroy,1785; *anguinalis* Hübner,1796; *fascialis* Schrank,1802 nec Hbn.,1796 Range (as codes): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK SE FI EE LV LT RU MD UA BY o5 16 o5A 16A
4480. **Pyrausta obfuscata (Scopoli,1763)** (Pyralidae) Synonym(s): *obfuscata* Scopoli,1763; *fuscorubella* Goeze,1783; *bimaculosa* Fourcroy,1785; *rubralis* De Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842 Range (as codes): ES FR Si IT BE DE CH AT CZ SK HU RO YU HV AL BG GR TR RU MD UA BY IR Gls KK TJ Al o5 13 16 65 o5A 13G 13Ga 13Gb 16A 65A 65Au 65Am 65Am2 65D 65Do 65F 65Fd
4481. **Pyrausta ostrinalis (Hübner,1796)** (Pyralidae) Synonym(s): *ostrinalis* Hübner,1796; *moestalis* Duponchel,1833; *puralis* La Harpe,1864 Range (as codes): MA Ifr DZ Lbs ES Mu FR IT IE GB BE NL DE CH AT CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY AF Ca o5 10 o5A o5E 10K 10Ka
4482. **Pyrausta pachyceralis Hampson,1900** (Pyralidae) Synonym(s): *pachyceralis* Hampson,1900 Range (as codes): TR 46
4483. **Pyrausta pauperalis (Staudinger,1879)** (Pyralidae) Synonym(s): *pauperalis* Staudinger,1879 Range (as codes): TR CY IL Pa Js o5 13 31 42 44 56 o5A 13F 31M 42B 44E 44Eh 56F
4484. **Pyrausta pavidalis Zerny,1935** (Pyralidae) Synonym(s): *pavidalis* Zerny,1935; *krimensis* Budashkin & Martin,1993 Range (as codes): TR Cm o1 25 30 33 46 65 70 25A 3oD 3oDf 33A 33Ac 46G 65A 65Ai 65Am 65Am4 65D 65Df 65F 65Fp 65Fz 65N 65Np 65Np1 65Np7 65Np8 65Nm 7oC 7oCf
4485. **Pyrausta pellicalis (Staudinger,1871)** (Pyralidae) Synonym(s): *pellicalis* Staudinger,1871 Range (as codes): ES An Grn Alc Vlc FR MA DZ Cr TR 65
4486. **Pyrausta porphyralis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *porphyralis* [Denis & Schiffermüller],1775; *coccinalis* Hübner,1796; *chionealis* Guenée,1854 Range (as codes): ES FR Py IT BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 13 13B 13Bg 13G 13Gü 13Gw
4487. **Pyrausta purpuralis (Linnaeus,1758)** (Pyralidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammat* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916 Range (as codes): DZ Lbs PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Pti Kir Lag Len AZ DK NO SE FI EE LV LT RU MD UA BY IR Ha IL Pa Hf o1 o5 o7 13 16 17 31 33 39 61 65 8o o5A o5E 13F 16A 31M 65A 65As 65K 65Kl 65Z
4488. **Pyrausta sanguinalis (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819] Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR DK NO SE FI EE LV RU MD UA BY Cc GG AZ Tbl Bjo Kir Lag AM Eri IL Pa Hf LB CY IR Gh Tgo Ana Ke Fa Shr Com Elb Kh Th Mz Plr Gor AF Pag Kot Bkt Asm Arh Hr Slg Bsg Gbh Srb Pl Nv Ord Len Mz Gls DZ Bsk Clo TN Gf CN Ui Ku Js MA DZ o1 o2 o5 o6 o7 13 16 17 30 31 33 34 39 44 54 56 65 69 7o 71 73 8o o2F o2Fe o2Fz o5A o6R o6Rb 13A 13Ab 13Ax 13F 13F01 13F41 16A 31K 31Ka 31M 33A 33Ac 44L 44Lc 56F 56Fo 65A 65Am 65Am1 65D 65Df 65Ds 65Fz 7oC 7oCe 73E 73Eb
4489. **Pyrausta sp.?n.** (Pyralidae) Synonym(s): Range (as codes): TR 65 65A 65Am 65Am4
4490. **Pyrausta trimaculalis (Staudinger,1867)** (Pyralidae) Synonym(s): *trimaculalis* Staudinger,1867 Range (as codes): MK GR TR Cc AM o1 o5 o6 25 31 32 o1K o5A o6R o6Rb 25F 25Fa 31M
4491. **Pyrausta virginalis Duponchel,1832** (Pyralidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *tristriatalis* Szent-Ivany & Uhrik-Meszaros,1942; *arianalis* Amsel,1970 Range (as codes): TN Elk Sfx

FR Co Sa Si IT CH AT SK HU RO YU HV MK AL BG Slv GR Cr Rd CY TR Cc AM Eri IL Pa Js IQ Hjo Mos Shq IR Fa Shr
Sse Th Kdj Elb Mz Kh Srd AF Pnj Kbb Kot BdA 01 02 06 13 14 16 30 31 32 38 44 58 65 71 73 80 02F 02Fe 02Fz 06R 13F
16A 30B 30Bc1 30Bc 30Bz 31K 31Ka 31M 44L 44Lc ?65A ?65An ?65D ?65Dh ?65Ds ?65Dg ?65Du ?65Dt ?65N ?65Np6
?65Nm 73D 73Df 73Dfc 76D 76Dd 80B 80Bc

- 4492. *Pyrausta zeitunalis* Caradja,1916** (Pyralidae) Synonym(s): *zeitunalis* Caradja,1916 Range (as codes): TR 46 46G 46Gi 46L
- 4493. *Pyraustimorpha inexpectata* Koçak & Seven,1995** (Pyralidae) Synonym(s): *inexpectata* Koçak & Seven,1995 Range (as codes): TR 06 13 21 56 65 73 06K 06Kb 13F11 13F35 21N 21Nb 56F 65F 65Fd 73A 73Ak
Remarks: This species is recently described from Iran. The present record belongs to Başkale (Ziyanis 2400m.) (Van Province), which is new for the fauna of Turkey. Its DNA barcode is under preparation.
- 4494. *Reskovitsia alborivulalis* (Eversmann,1843)** (Pyralidae) Synonym(s): *alborivulalis* Eversmann,1843 Range (as codes): ES HU YU BG TR RU 17 31 46
- 4495. *Rhodophaea formosa* (Haworth,[1811])** (Pyralidae) Synonym(s): *formosa* Haworth,[1811]; *perfluella* Zincken,1818; *dibaphiella* Geyer,[1836]; *dubiella* Duponchel,1836; *formosella* Doubleday,1859. Range (as codes): ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY IR GlS 05 09 16 05A 16A
- 4496. *Saluria chehirella* Zerny,1929** (Pyralidae) Synonym(s): *chehirella* Zerny,1929. Range (as codes): TR 42
- 4497. *Saluria maculivittella* Ragonot,1887** (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888 Range (as codes): MA DZ Ah Gle Omy Bsk TN Gab FR Sa IT? TR KG Uk JO IQ Bgd Kbl Amr IL EG CY IR Ahz Kz Fa RU UZ Man IN
- 4498. *Schoenobius alpherakyi* Staudinger,1874** (Pyralidae) Synonym(s): *alpherakyi* Staudinger,1874 Range (as codes): AF Hr TR IL IR Ahz Elb Kdj Mz Bu Fa Shr Kz Sde IQ Bgd 46
- 4499. *Schoenobius gigantellus* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IL Jt Pa Cc AM AZ Len IQ Bgd IR Mz GlS Ahz Kz Sde DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Dj 42 46 76 76C
- 4500. *Sciota fumella* (Eversmann,1844)** (Pyralidae) Synonym(s): *fumella* Eversmann,1844; *tristis* Alpheraky,1880; *hartigi* Roesler,1974 Range (as codes): IT CH AT PL CZ SK HU RO FI EE LV LT RU Cc Am Ur GG Lag TR 05 05A
- 4501. *Sciota hostilis* (Stephens,1834)** (Pyralidae) Synonym(s): *hostilis* Stephens,1834 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO AL GR TR IL JO DK NO SE FI EE LV LT
- 4502. *Sciota insignella* (Mann,1862)** (Pyralidae) Synonym(s): *insignella* Mann,1862 Range (as codes): RO YU BG TR 05 06 13 16 46 65 73 05A 06R 13F 16A 73A 73Ad 73Ad2
- 4503. *Sciota rhenella* (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818 Range (as codes): ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK FI EE LV LT RU IQ Shq TR AF Cc GG Lag KG Tk Dj ii IR Elb Th Kdj 08 13 42 65 71 08H 08Ha 13F 65F 65Fç 65Fz
- 4504. *Scirpophaga praelata* (Scopoli,1763)** (Pyralidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960. Range (as codes): MA DZ ES FR IT CH AT PL CZ SK HU RO YU BG GR TR KG Uk IR Shh Elb Th Enz Mz LT TM RU Sr Prj Us CN JP TW LB Bei JP Hkk TW AU 01 05 06 09 17 31 32 33 46 52 31F 31Fb 31M
- 4505. *Sclerobiodes persica* Amsel,1951** (Pyralidae) Synonym(s): *persica* Amsel,1951 Range (as codes): IR Fa Com TR 13 13F 13F35
- 4506. *Sclerocona acutella* (Eversmann,1842)** (Pyralidae) Synonym(s): *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863 Range (as codes): ES FR Si IT GB NL DE CH AT CZ SK HU RO YU BG TR Cc AM AZ DK RU Or MD UA BY JP CN 46 48 48L
- 4507. *Scoparia absconditalis* Christoph,1887** (Pyralidae) Synonym(s): *absconditalis* Christoph,1887 Range (as codes): Cc GG Bjo Mng TR AZ Kir 13 76 13F 13F38 76C
- 4508. *Scoparia ambigualis* (Treitschke,1829)** (Pyralidae) Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Banks,1909 Range (as codes): MA DZ Clo ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Ur MD UA BY TR Cc AZ Len IR Elb Gor Elb Mz CN JP CA Lbr 05 16 46 05A 16A
- 4509. *Scoparia basistrigalis* Knaggs,1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923 Range (as codes): DZ Blid ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr DK NO SE EE LV LT RU MD UA BY TR MK B-H CY IR Kh
- 4510. *Scoparia ingratala* (Zeller,1846)** (Pyralidae) Synonym(s): *?majalis* Scopoli,1763; *ingratala* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982 Range (as codes): MA ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG CY GR RU Sb MD UA BY TR LB Cc GG Tbl Bjo AM Ch At KG Ur Mn 05 58 65 05A 65D 65Du
- 4511. *Scoparia obsoleta* Staudinger,1879** (Pyralidae) Synonym(s): *obsoleta* Staudinger,1879 Range (as codes): TR 05

- 4512. *Scoparia perplexella* (Zeller,1839)** (Pyrilidae) Synonym(s): *perplexella* Zeller,1839; *perplexalis* Guenée,1854; *dufayi* Leraut,1982 Range (as codes): Sa IT? YU MK GR TR 16 16A
- 4513. *Scoparia poliophaealis* Hampson,1907** (Pyrilidae) Synonym(s): *poliophaealis* Hampson,1907 Range (as codes): SY TR?
- 4514. *Scoparia pyralella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *pyralella* [Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea* Haworth,1811; *dubitellus* Zincken,1817; *tristrigella* Stephens,1834; *pyralalis* Guenée,1854; *purbeckensis* Bankes,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr DK NO SE FI EE LV LT RU MD UA BY TR LB Bsa Cc GG Bjo AZ Kir 05 16 76 05A 16A 76C
- 4515. *Scoparia subfusca* Haworth,[1811]** (Pyrilidae) Synonym(s): *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *zelleri* Wocke,1855; *pfeifferi* Marion,1960; *#sugfusca* Leraut,1984 Range (as codes): MA ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR IR Ab Sro Oru Elb Mz Plr Gor DK NO SE FI EE LV RU MD UA BY 42 46 65 42B 46G 65A 65Ai
- 4516. *Scotomera caesarealis* (Ragonot,1891)** (Pyrilidae) Synonym(s): *caesarealis* Ragonot,1891; *beatalis* Kalchberg,1897 Range (as codes): LB TR IL Pa Hf Jt JO CY EG GR 31 38 42 46 42B
- 4517. *Scotomera gnidusalis* (Walker,1859)** (Pyrilidae) Synonym(s): *gnidusalis* Walker,1859; *tristis* Butler,1881 Range (as codes): TR LK PK Cp Sd Krc IQ ZA 31 31M
- 4518. *Seeboldia korgosella* Ragonot,1887** (Pyrilidae) Synonym(s): *korgosella* Ragonot,1887; *uralskella* Caradja,1910; *occidentella* Zerny,1927; *jolanella* Schmidt,1933 Range (as codes): TN ES Cue FR Py AL RU Or CN Ui Ku Khr KG Uk KK Na Ik TR 65 65K 65Ky 65Ky1
- 4519. *Sefidia clasperella* Asselbergs,1994** (Pyrilidae) Synonym(s): *clasperella* Asselbergs,1994 Range (as codes): TR 13 33 42 56 65 13F 13F01 13F11 13F35 13F41 33B 42B 56F 56Fs 65A 65Ai
- 4520. *Selagia argyrella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *argyrella* [Denis & Schiffermüller],1775 Range (as codes): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cr Cc AM DK SE EE LV LT RU MD UA BY KG Uk Tk Dj CN Ui Kml 01 05 06 12 13 16 33 58 65 05A 13F 13F01 16A 58G 58Gg 65D 65Df
- 4521. *Selagia spadicella* (Hübner,1796)** (Pyrilidae) Synonym(s): *spadicella* Hübner,1796; *janthinella* Hübner,[1813]; *saltuella* Mann,1862 Range (as codes): MA ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Uk 06 13 16 42 46 65 06R 13A 13Ac 13Ac1 13Ax 16A 65A 65Ai
- 4522. *Sitochroa concoloralis* (Lederer,1857)** (Pyrilidae) Synonym(s): *concoloralis* Lederer,1857 Range (as codes): LB Bei TR IL Pa Hf 38 46 38C 38Ca
- 4523. *Sitochroa palealis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* De Villers,1789; *selenalis* Hübner,[1819]; *anaxisalis* Walker,1859; *algiralis* Allard,1867; *extremalis* Caradja,1916 Range (as codes): MA DZ Sfr Cst PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY IR Mz Gh Tgo Cc AM GG Lag AZ Nv Ord Da Der Hkd CN Ui Ku US Iln Idp Mch Wc 06 14 16 30 37 42 46 58 65 16A 30B 30Bc1 30Bt1 30Bz 30D 30Df 46G 46Gi 65D 65Dg 65Dt 65Du 65F 65Fp 65Fz
- 4524. *Sitochroa straminealis* (Hampson,1900)** (Pyrilidae) Synonym(s): *straminealis* Hampson,1900 Range (as codes): TR LB Bsa IR Fa Com 13 30 42 65 73 13A 13Ab 13Ax 13F 13F6 30D 30Df 65A 65Ai 65Am 65Am4 73A 73Ad 73Ad2
- 4525. *Sitochroa verticalis* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829; *nigriciliaris* Ragonot,1895 [ssp.] Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG IR Ab Ak Shf Elb GlS Th Kdj Ha Kh DK NO SE FI EE LV LT RU Sb MD UA BY AF Hr Bmu Kot Bark Fz Pli Bd UZ KG Tk Dj Ii JP 01 02 05 06 08 16 21 25 27 30 31 32 36 42 46 56 65 71 76 02F 02Fe 02Fz 05A 05E 06R 06Rb 08H 08Hc 16A 21N 21Nh 27E 30B 30Bc1 30Bc2 30Bc5 30Bt1 30Bz 36D 36Db 56F 56Fv 65A 65Ab 65Aba 65Abc 65D 65Da 65Dn 65Dl 65Dlc 65F 65Fp 65Fz 76A 76Ae 76B 76Bj 76Bf 76Bh
- 4526. *Spoladea recurvalis* (Fabricius,1775)** (Pyrilidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifacialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910. Range (as codes): Az Cn ES FR Co BE MT GB NL DE DK PH Luz Boh ID Sum Ja Amb Tim JP KP KR TW CN PG Nlr AU NZ Hw IN Adm LK MG BR ZA Lpo Tva Spb Mdk AF Srb Gbh Kot IQ Bgd YE LB IR Fa Sse Shr Ss Irs CY TR IL Pa Hf WS FJ NH MY Kmd MM TH CMA Cuo Cuo1 Cuo5 Dst Dso9 Sgk Hya PSu HU RU Sh Krl Am Us Cc Ce Gro UA Cm SG Md PK Cp H-A AE OM DB KH Kwa Stg Clb Bor Hkk Ri Swk NP Up Rj Tn Mys Guj CX DZ AO CN Sz KM ZR CG GO ET GN GH KE LS ML MW MU MZ NE NG RE SH ST SN SC SL SO SD TZ UC ZM ZW BM BS JM PA TT PR GP GD HN MQ MS Nje Fl Sca Vi CU CR DO CL CO GY PY PE VE NSW QAu WAu NC Vau CK TO TV Sz1 01 31 33 31A 31K 31Ka 31M 33A 33Aa 33Ac
- 4527. *Stemmatophora brunnealis* (Treitschke,1829)** (Pyrilidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900; *ocellata* Rothschild,1915; *lividalis* Constantini,1922; *#nigrobrunnealis* Schawerda,1941 Range (as codes): MA DZ Anna Gue Ges TN PT ES FR Sa Si IT MT CH AT CZ SK HU RO HV YU MK BG GR CY IL TR Cc AZ Kir Lag GG LB IQ Bgd TM Kp 05 13 17 44 46 65 05A 13F 44L 44Lc 46G 46Gi 65D 65Df 65F 65Fi 65Fz 65G 65Gb 65L 65Le
- 4528. *Stemmatophora combustalis* (Fischer v. Röslerstamm,[1842])** (Pyrilidae) Synonym(s): *combustalis* Fischer v. Röslerstamm,[1842]. Range (as codes): MA DZ Anna Lbs PT ES FR Co Sa Si IT RO YU AL BG GR Cr TR 06 16 46 16A

- 4529. *Stemmatophora honestalis* (Treitschke,1829)** (Pyrilidae) Synonym(s): *honestalis* Treitschke,1829; *marrakechensis* Leraut,2000 Range (as codes): MA DZ Sbd PT ES SK HU RO YU HV AL BG GR PI TR CY IR Fa Sse Shr Elb Th Kdj IQ Ry LB 05 13 16 31 33 56 73 05A 13G 13Gg 13F 16A 33A 33Ac 33Ae 56F 56Fb 73A 73Ac2
- 4530. *Stemmatophora syriacalis* (Ragonot,1895)** (Pyrilidae) Synonym(s): *syriacalis* Ragonot,1895 Range (as codes): MA DZ Orn ES An Grn FR SY TR IR Fa Com 01 30 31 33 30D 30Df 31M 33A 33Ad
- 4531. *Stiphrometasia sancta* (Hampson,1900)** (Pyrilidae) Synonym(s): *sancta* Hampson,1900; *alba* Caradja,1916 Range (as codes): IL Pa JO TR IQ Kbl Rwz IR Ahz Fa Shr 21 46 47 56 21N 21Nb 56C 56Ca 56F 56Fa 56Fi 56Fö
- 4532. *Susia discomaculella* (Ragonot,1888)** (Pyrilidae) Synonym(s): *discomaculella* Ragonot,1888 Range (as codes): DZ Bsk TN Gf TR IL Pa Js Jt 45 47
- 4533. *Susia uberalis* (Swinhoe,1884)** (Pyrilidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968. Range (as codes): DZ Bsk Ath Ah TN Gf LY Cy TR IL Jf Js Jer Pa Hf BH IR Ahz Ss Irs Hz Th Elb Kj Ke B-A LB Bei SY Dms SA SA08 SA63 EG EG11 Sn JO Amm Jt IQ Mos Kbl Bgd AE AF Srb Kab PK Sd Krc Gg Ch Sk 45 47 47D 47Db
- 4534. *Synaphe antennalis* (Fabricius,1794)** (Pyrilidae) Synonym(s): *antennalis* Fabricius,1794; *connectalis* Hübner,1796 Range (as codes): DZ Lbs ES FR IT AT CZ SK HU RO YU AL BG TR RU Cc GG Bjo Mng 13 16 76 13F 13G 13Gs 13Gw 16A 76B 76Bl
- 4535. *Synaphe armenialis* (Lederer,1870)** (Pyrilidae) Synonym(s): *armenialis* Lederer,1870 Range (as codes): Cc AZ Kir GG Tbl SY TR IQ Azz Bgd Amr 45
- 4536. *Synaphe berytalis* (Ragonot,1888)** (Pyrilidae) Synonym(s): *berytalis* Ragonot,1888 Range (as codes): LB Bei TR 01 05 06 13 31 33 44 05A 13F 31M 33A 33Ae 44E 44Eh
- 4537. *Synaphe bombycalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917. Range (as codes): MA DZ Anna Sfr Eba TN ES FR Co IT AT CZ SK HU RO YU RU Sr Tv TR Cc Arr IR Elb Th Nss Kh TM Kp UA AF KK 01 04 06 13 25 27 30 31 38 44 47 50 58 65 71 76 80 13A 13Ab 13Ax 27D 27Db 30B 30Bb 30Bk 65A 65Aj 65Au 65B 65Bp 65Bx 65F 65Fp 65Fz 65G 65Gf 65Gy 65K 65Ks 65N 65Np2 65Nm 76C 80B 80Bc
- 4538. *Synaphe consecratalis* (Lederer,1855)** (Pyrilidae) Synonym(s): *consecratalis* Lederer,1855 Range (as codes): LB TR Cc SY IR Elb Th IQ Ry Cc AM Eri 01 02 06 13 21 27 30 31 33 46 56 58 65 76 79 80 02F 02Fc 02Fz 06R 06Rd 13A 13Ag 13Ax 13G 13Gd 21N 21Nb 30D 30Df 31A 31M 46F 46Fe 56F 56Fç 56Fv 58G 65F 65Fp 65Fz 65K 65Kb 65Z 65N 65Np2 65Np7 65Nm 79B 79Ba 80B 80Bc
- 4539. *Synaphe moldavica* (Esper,[1789])** (Pyrilidae) Synonym(s): *moldavica* Esper,[1789]; *netricalis* Hübner,[1813]; *graecalis* Duponchel,1833; *palermitalis* Guenée,1854; *aberralis* Guenée,1854; *italicalis* Hartig,1941; *bertoncinii* Hartig,1941; *schmidti* Hartig,1941. Range (as codes): PT ES Si IT AT SK HU RO YU HV B-H MK AL BG GR Cr IR GlS Kh TR MD UA 05 06 07 10 16 17 22 25 31 32 34 35 38 42 45 46 48 49 58 65 70 71 05A 06R 06Rd 10K 10Ka 16A 31M 46F 46Fc 46Fg 49E 49Ea 58G 65K 65Kl 65Z 65L 65Le 65N 65Nb 65Np 65Np1 65Np2 65Np7 65Np8 65Nr3 65Nş 65Nm 70C 70Cf
- 4540. *Synaphe morbidalis* (Guenée,1849)** (Pyrilidae) Synonym(s): *morbidalis* Guenée,1849; *bipunctalis* Hampson,1906 Range (as codes): MR DZ Mage Sét Gha Sa EG SY Dms IL Pa Hf LB TR IQ 05 21 31 46 63 05A 31M 63D 63Db
- 4541. *Synaphe oculatalis* (Ragonot,1885)** (Pyrilidae) Synonym(s): *oculatalis* Ragonot,1885 Range (as codes): MA DZ Tlm TN ES IL Pa JO Jt EG TR 31
- 4542. *Synaphe punctalis* (Fabricius,1775)** (Pyrilidae) Synonym(s): *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775. Range (as codes): MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa IL Pa Hf DK NO SE FI LV LT RU MD UA BY 01 17 33 46 65 65D 65Dv 65Du
- 4543. *Synaphe uxorialis* (Lederer,1858)** (Pyrilidae) Synonym(s): *uxorialis* Lederer,1858 Range (as codes): SY TR IL Pa LB Bsa IQ Ama JO 02 05 21 46 56 73 02F 02Fc 02Fz 05A 21L 21Lf 21N 21Nb 46F 46Ff 56F 56Fb 56Fh 56Fw 56Fz 73D 73Df
- 4544. *Synclera traducalis* (Zeller,1852)** (Pyrilidae) Synonym(s): *tradiculis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatalis* Guenée,1862 Range (as codes): BG TR LB Bei SY IL Pa Hf EG EG11 IQ Mos Rwz Shq IR Ahz Fa Bu Shr AF Kot ZA Lpo Tva PH Luz IN LK ID Ja Clb Amb TH Bnk Chc Mhs Sup LY YE Ad AE SA MU KE TZ ET NG AO NA 01 31 33 46 31K 31Ka 31Ka3 31M
- 4545. *Synoria antiquella* (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *antiquella* Herrich-Schäffer,[1855] Range (as codes): GR TR Cc TM Kp AF Bd Kab 05 13 16 42 44 46 65 70 76 05A 13A 13Ab 13Ax 16A 42B 44E 65K 65Kd 65F 65Fp 65Fz 65L 76C
- 4546. *Syrianarpia mendicalis* (Staudinger,1879)** (Pyrilidae) Synonym(s): *mendicalis* Staudinger,1879; *#mencidalis* Amsel,1949; *osthelderi* Leraut,1982; *fuscella* Leraut,1982 Range (as codes): UA Cm TR IQ Rwz Brs IR Snj Kd 05 13 46 65 73 05A 13F 13F01 13F35 13F41 65A 65Ab 65Aba 73C 73Cd
- 4547. *Taftania serratella* (Ragonot,1893)** (Pyrilidae) Synonym(s): *serratella* Ragonot,1893; *oxycyma* Meyrick,1937 Range (as codes): EG Sn DZ Ges Sk TR IQ Rwz IR Fa Ss AF Kab Bm Srb 13 31 42 47 13F 13F01 13F35 31M 42R 42Rc 47D

- 4548. *Talis quercella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824]. Range (as codes): TN Gf DZ Sa IT AT PL CZ SK HU RO TR BG RU Tt Ur MD UA BY IQ Smr IR Elb Kdj Th KG Uk CN Ui Ku MN 06 16 17 26 42 76 16A
- 4549. *Talis renetae* Ganev & Hacker,1984** (Pyrilidae) Synonym(s): *renetae* Ganev & Hacker,1984 Range (as codes): TR 06 13 13A 13Ab 13Ax
- 4550. *Tegostoma albizonalis* Hampson,1900** (Pyrilidae) Synonym(s): *albizonalis* Hampson,1900. Range (as codes): TR Cc AM 71
- 4551. *Tegostoma comparalis* (Hübner,1796)** (Pyrilidae) Synonym(s): *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *fotalis* Swinhoe,1885; *#comparale* Caradja,1917. Range (as codes): DZ Bsk TN Gf ES FR Sa Si IT MT YU BG GR TR Cc AF IN PK Sd Krc Cp ZA AE SY IR Mz TM RU Ro 16 42 44 45 46 56 58 71 76 16A 42B 44I 44Ic 56F 56Fö 76A 76B
- 4552. *Tegostoma concinnalis* (Christoph,1882)** (Pyrilidae) Synonym(s): *concinnalis* Christoph,1882 Range (as codes): TR AZ Cc Nv Ord
- 4553. *Tegostoma perlepidalis* (Guenée,1854)** (Pyrilidae) Synonym(s): *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917 Range (as codes): TR Cc AM Eri AZ Nv Ord IQ IR Elb Kdj Th Ha Adv Fa Sse Shr AF Kab 05 06 13 42 56 65 71 05A 06R 13A 13Ab 13Ax 13F 56F 56F6 65D 65Df 65F 65Fo 65Fp 65Fz 65G 65Gb 65K 65Kd 65Kg 65L 65Le 65N 65Np2 65Nm
- 4554. *Teliphasa (Sultania) lophotalis* (Hampson,1900)** (Pyrilidae) Synonym(s): *lophotalis* Hampson,1900 Range (as codes): IQ Shq IL Pa JO TR LB Bsa IR Fa 07 13 30 31 33 45 46 47 56 65 73 07B 13F 30D 30Df 30Dx 31K 31Ka 33A 33Ac 56F 56Fo 65D 65Dv 65Du 73A 73Ad 73Ad2 73C 73Ce
- 4555. *Tephris romanoffella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *romanoffella* Ragonot,1887 Range (as codes): TM Kp TR IQ Shq 13 46 47 65 13F 13Fo1 13F35 13F41 46G 47D 65D 65Dv 65Du
- 4556. *Tephris verruculella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *verruculella* Ragonot,1887; *rungsi* Leraut,2002 Range (as codes): MA DZ Gtt Bsk TN Gf TR GG Cc Lag 13 13F 13Fo1 13F35 13F41
- 4557. *Thisanotia chrysonuchella* (Scopoli,1763)** (Pyrilidae) Synonym(s): *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutor* Alpheraky,1877. Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR Cc GG DK SE LT RU Tt At CN Ui Ju Ku MN 06 16 17 16A
- 4558. *Thopeutis galleriellus* (Ragonot,1892)** (Pyrilidae) Synonym(s): *galleriellus* Ragonot,1892; *canicostalis* Hampson,1896; *unicolor* De Joannis,1910; *submedianalis* Hampson,1919; *buxtoni* Rotschild,1921; *chretienellus* Dumont,1930; *maculalis* Predota,1934; *hederalis* Amsel,1935 Range (as codes): ES FR Sa RO RU Da Cc UA Cm TR IR Mz Ss Fa Gls Bu Gor Abn Ahz Kz TN DZ IN Sd Cle PK LK IQ Amr IL Pa 33
- 4559. *Thospia permixtella* Ragonot,1888** (Pyrilidae) Synonym(s): *permixtella* Ragonot,1888 Range (as codes): FR ES HV TR CY IR Elb Shh TM Kp
- 4560. *Thospia trifasciella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888. Range (as codes): CN Ui Ku UZ Nmg RU Sb AF IR Elb Th TR 42
- 4561. *Thyridiphora furia* (Swinhoe,1884)** (Pyrilidae) Synonym(s): *furia* Swinhoe,1884; *fenestrata* W.Warren,1888; *grisea* Amsel,1968. Range (as codes): GR TR IQ Rrw Kbl PK Pj Cp Krc IR Elb Th Kdj Fa Shr Chh Ss Ana Ke YE Ad 01 07 33 36 46 07B 07Bb 33A 33Aj 33Ak 36D 36Db
- 4562. *Titanio caradjae* (Rebel,1902)** (Pyrilidae) Synonym(s): *caradjae* Rebel,1902 Range (as codes): TR Cc 46 76 46G 76D 76Da
- 4563. *Titanio normalis* (Hübner,1796)** (Pyrilidae) Synonym(s): *normalis* Hübner,1796; *comitalis* Hübner,[1819]; *normata* Duponchel,1844; *ancyrensis* Hofmann,[1898] Range (as codes): DZ Btina ES Si IT AT CZ SK HU RO YU BG GR TR Cc RU KK Al KG Uk 05 06 16 32 42 45 46 58 65 71 76 05A 16A 76C
- 4564. *Titanio venustalis* (Lederer,1855)** (Pyrilidae) Synonym(s): *venustalis* Lederer,1855; *echinaea* Meyrick,1891 Range (as codes): MK GR TR AM Cc GG Mng Bjo 05 12 16 42 50 65 05A 12A 12Af 16A 50G 50Gd
- 4565. *Tragonitis cristella* (Hübner,1796)** (Pyrilidae) Synonym(s): *cristella* Hübner,1796; *cristalis* Hübner,[1825]. Range (as codes): PT FR IT GB? DE CH AT PL CZ SK HU RO YU GR TR RU MD UA BY 05 05A
- 4566. *Tretopteryx pertusalis* (Geyer,[1832])** (Pyrilidae) Synonym(s): *pertusalis* Geyer,[1832]; *weissenbornii* Freyer Range (as codes): FR GR Cr TR IQ Ama LB Bsa IL Pa 01 05 06 13 21 25 27 30 31 32 33 35 46 49 56 63 65 01L 01La 05A 06K 06Kd 06N 06Nc 06R 06Rd 13F 13G 13Gw 13Gü 21N 21Nb 27D 27Dc 30D 30Df 46F 46Fd 49E 49Ea 56F 56Fc 56Fn 56Fx 65A 65Ai 65Au 65At 65D 65Dh 65Dn 65Dv 65F 65Fb
- 4567. *Udea confinalis* (Lederer,1858)** (Pyrilidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870 Range (as codes): GR TR Cc SY Dms IQ Ry Hjo IR Elb Nss Com Kz Th Fa Kh 13 46 65 76 13A 13Ab 13Ax 13F 13F6 65A 65Ac 65Ac3 65Ab 65Aba 65B 65Bo 65Bx 65D 65Df 65Dlc 65Dp 65Fz 65K 65Kd 65Ké 76C
- 4568. *Udea dispunctalis* (Guenée,1854)** (Pyrilidae) Synonym(s): *#bipunctalis* Herrich-Schäffer,[1851]; *dispunctalis* Guenée,1854; *bipunctalis* Herrich-Schäffer,[1855]; *silvalis* de Joannis,1891 Range (as codes): PT ES Mu Grn FR Si Cr TR Cc GG Bjo RU IR Kh 13 38 42 46 65 76 13F 13F6 42B 65A 65Ab 65Aba 65D 65Df 65Fz 76C
- 4569. *Udea ferrugalis* (Hübner,1796)** (Pyrilidae) Synonym(s): *ferruginalis* Rossi,1794 *nec* Fabr.,1781; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 Range (as codes): DZ MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY IL Pa Hf LB Bsa IR Ahz Elb Mz Kdv Dam Plr Gor Kdj Km Th Fa Shr Sse Kh

- Gh Tgo IQ Dia Bgd Rwz AF Ca Arh Khi Adr Fz Bsg Hr Blh IN LK MM ET JP TW TH CMa Dst Dso9 Cc GG Tbl Lag Len AZ Sok Cn AE Ajj Clo 01 03 05 06 07 13 14 16 17 26 30 31 32 33 34 35 38 42 44 46 48 49 56 58 63 65 71 75 76 80 05A 06R 06Rb 13A 13Ab 13Ax 13F 13G 13Gö 13Gg 16A 30B 30Bc 30Bt1 30Bz 30D 30Df 31K 31Ka 31M 33A 33Ac 33Ae 44E 44Ei 44L 44Lc 48L 49F 49Fb 56F 63D 65A 65Ai 65Am 65Am2 65Am4 65D 65Df 65Du 65Dv 65F 65Fd 65Fp 65Fz 65K 65Kl 65Z 65Ku 65N 65Nc 65Nc4 65Np1 65Nm 75F 75Fb 76D 76Dd 80B 80Bc
- 4570. *Udea fimbriatralis* (Duponchel,1834)** (Pyralidae) Synonym(s): *fimbriatralis* Duponchel,1834; *#fimbriatralis* Rebel,1901 Range (as codes): MA ES FR RO IT YU BG GR TR Cc IL Pa Hf LB Bsa 01 05 06 16 31 38 42 46 76 05A 06R 16A
- 4571. *Udea fulvalis* (Hübner,[1809])** (Pyralidae) Synonym(s): *fulvalis* Hübner,[1809]; *prunoidalis* Staudinger,1879 Range (as codes): ES FR Co Si IT GB BE NL DE AT PL CZ SK HU RO YU AL BG GR TR DK FI EE LV LT RU MD UA BY AF Hr IR GlS Kh CN Ui Ku 05 13 14 16 71 05A 13F 16A
- 4572. *Udea institalis* (Hübner,[1819])** (Pyralidae) Synonym(s): ? *focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833 Range (as codes): DZ Bsk Tni Tis ES Mu FR Si IT SK HU RO YU GR Cr TR IR 05 06 16 23 42 56 65 16A 42B 56F 56F1
- 4573. *Udea languidalis* (Eversmann,1842)** (Pyralidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871 Range (as codes): RO SS HV B-H AL BG MK GR Cr TR Cc AZ Kir Mng Nv Ord IR IQ Ry IL Pa CY UA RU KG Uk 05 16 31 33 47 65 76 05A 16A 31M 33A 33Af 65D 65Dl 65Dlc 76C
- 4574. *Udea lutealis* (Hübner,[1809])** (Pyralidae) Synonym(s): *lutealis* Hübner,[1809]; *pascualis* Lienig & Zeller,1846; *aetialis* Stephens,1850; *aetialis* Guenée,1854 Range (as codes): ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY CN Ui Ju TR 65 65D 65Dp
- 4575. *Udea nebulalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nebulalis* Hübner,1796; *squalidalis* Hübner,[1809]; *pratialis* Zeller,1841 Range (as codes): FR IT DE CH AT PL CZ SK RO YU BG TR NO SE FI EE RU MD UA BY 53
- 4576. *Udea numeralis* (Hübner,1796)** (Pyralidae) Synonym(s): *numeralis* Hübner,1796; *simplicella* La Harpe,1861; *catilualis* Hampson,1900; *thalalis* D.Lucas,1908 Range (as codes): DZ Clo BtNa Lbs Ges TN Elk PT ES FR Co Sa Si IT YU GR Cr TR 13 16 45 13G 13Gy 16A
- 4577. *Udea olivalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *olivalis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Da Cc MD UA BY 53 61 75 75F 75Fb
- 4578. *Udea praepetalis* (Lederer,1869)** (Pyralidae) Synonym(s): *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937 Range (as codes): IR Ha Adv Fa Th Kdj Elb Kdv Mz Plr Gor Sse TR Cc AZ Nv Ord IQ Ry Slf TM KK CN Ui Kml 04 05 13 25 30 42 46 51 56 58 65 69 71 76 05A 13A 13Ab 13Ax 13B 13Bd 13F 25A 30B 30Bc1 30Bc 30Bz 30D 30Df 56F 56F1 56Fb 65A 65Am 65Am1 65B 65Bo 65Bx 65D 65Df 65Dl 65Dlc 65Dx 65F 65Fr 65Fp 65Fz 65G 65Gb 65H 65K 65Kd 65Kg 65Kl 65Z 65N 65Np2 65Nr2 65Nm 69B 76C
- 4579. *Udea prunalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#prunalis* [Denis & Schiffermüller],1775; *nivealis* Fabricius,1781; *ferruginalis* Fabricius,1781; *leucophaealis* Hübner,1796; *obscura* Dufrane,1955 Range (as codes): ES An FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo Mng KG Tk Dj Ii 08 13 65 08H 08Hc 13F 65L
- 4580. *Udea rhododendronalis* (Duponchel,1834)** (Pyralidae) Synonym(s): *rhododendronalis* Duponchel,1834; *ventosalis* Leraut,1996; *luquetalis* Leraut,1996 Range (as codes): ES FR IT CH AT YU AL BG GR TR
- 4581. *Uresiphita gilvata* (Fabricius,1794)** (Pyralidae) Synonym(s): *polygonalis sensu* [Denis & Schiff.],1775 *nec* Linn.,1767; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *meridionalis* Wocke,1871; *virescens* Butler,1881; *gracilis* Caradja,1916; *ochrocrossa* Clarke,1971 Range (as codes): TN Sfx PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY DK RU UA BY TR IL Pa Hf LB Bsa IQ Mos Brs Dia Amr Ssa IR Ahz Fa Shr Se Ha GlS Elb Th Kdj Lo KG Tks AF Hr Bmu Kab Srb Arh Gbh Bsg Blh Dwe Bkt PK Cp Gg Za Tva Lpo Spb Hgl Mdk Cm Lvv VI Ur Tv Lj Sd Krc Lbs An Grn Bei DZ Gtt Onç Anna Orn Ges 01 05 13 16 30 31 33 45 46 56 65 71 80 05A 13A 13Ab 13Ax 13F 16A 30D 30Dx 31K 31Ka 31M 46G 46Gf 46Gi 56F 56F1 65D 65Df 65Dv 65F 65F1 65Fz 65N 65Nc 65Nc4
- 4582. *Valdovecaria umbratella* (Treitschke,1833)** (Pyralidae) Synonym(s): *umbratella* Treitschke,1833 Range (as codes): Si IT HV TR 16 16A
- 4583. *Witlesia pallida* (Curtis,1827)** (Pyralidae) Synonym(s): *pallida* Curtis,1827; *oertzeniella* Herrich-Schäffer,1848 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU Cc AZ Len IR TR KG
- 4584. *Xanthocrambus argentarius* (Staudinger,1867)** (Pyralidae) Synonym(s): *argentarius* Staudinger,1867 Range (as codes): RU Ur Mnu Kj Am KG Tk Dj CN Ui Ku Ju Ii Ti Btn Shs Gn TR 65
- 4585. *Xanthocrambus saxonellus* (Zincken,1821)** (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888 Range (as codes): DZ Ges FR Co Sa IT BE DE CH AT CZ SK HU RO YU AL BG GR RU MD UA BY TR Cc AM Eri IR Gor Elb Shh Kdv Mz Plr 05 06 13 16 42 65 76 05A 13F 16A 65D 65Dd 65Dda 65Df 65G 65Gf 65Gy 76C
- 4586. *Zitha subustalis* (Lederer,1855)** (Pyralidae) Synonym(s): *subustalis* Lederer,1855 Range (as codes): TR LB Bsa Ghz IL Hf Pa 01 13 31 33 42 46 80 13F 31M 46G 46Gf

- 4587. *Zophodia grossulariella* (Hübner,[1809])** (Pyrilidae) Synonym(s): *convolutella* Hübner,1796 nec [Denis & Schiffermüller],1775; *grossulariella* Hübner,[1809]; *rectella* Guenée,1845. Range (as codes): US CA ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Uf MD UA BY TR
- 4588. *Zophodiodes leucocostella* Ragonot,1887** (Pyrilidae) Synonym(s): *leucocostella* Ragonot,1887 Range (as codes): TR 05 65 05A 65D 65Dv

Roeslerstammiidae

- 4589. *Roeslerstammia pronubella* ([Denis & Schiffermüller],1775)** (Roeslerstammiidae) Synonym(s): *pronubella* [Denis & Schiffermüller],1775; *transcaucasica* Toll,1958; *nitidella* Moriuti,1972 Range (as codes): FR GB DE CH AT PL CZ SK HU RO YU TR RU MD UA BY Cc GG JP

Saturniidae

- 4590. *Saturnia (Heraea) cephalariae* Romanoff,1885** (Saturniidae) Synonym(s): *cephalariae* Romanoff,1885 Range (as codes): TR Cc GG Mng AM IR Ab Qo 25 29 30 36 65 69 76 25C 25Ca 25F 25N 30B 30Be 36F 65Bx 65G 65Ge 69B 69Ba 76C
- 4591. *Saturnia (Heraea) pavonia* (Linnaeus,1758)** (Saturniidae) Synonym(s): *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc GG Tbl MD UA BY 05 16 25 34 75 05A 16A 34S 75F 75Fk
- 4592. *Saturnia (Heraea) spini* ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775 Range (as codes): IT? AT CZ SK HU RO YU BG GR TR Cc GG Mng 03 05 23 24 26 29 30 42 58 60 03A 05A 23D 24L 26K 30B 30Bd 58G
- 4593. *Saturnia (Neoris) naessigi* (De Freina,1992)** (Saturniidae) Synonym(s): *naessigi* De Freina,1992 Range (as codes): TR 13 24 25 30 58 62 13C 13Cd 24E 62E
- 4594. *Saturnia (Perisomena) caecigena* Kupido,1825** (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914 Range (as codes): IT RO YU AL BG GR TR CY GG Tbl AZ Kir Hkd Cc 04 05 06 07 12 16 22 25 30 33 35 42 48 60 65 71 75 04I 04Ib 05A 06E 06Ea 06R 06Rc 07C 12A 12Ab 16A 22F 25D 25F 30D 30Df 33R 35O 48A 49E 49Ea 60C 65F 65Fb 75F 75Fb
- 4595. *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980. Range (as codes): PT ES FR Co Sa Si IT NL LU CH AT CZ SK HU RO DK YU AL BG GR Rd TR SY Dms LB Bsa Pa IL Hf IQ IR Ab Ak Oru Shf Msw Fa Shr Kh Ke Elb Th AM Eri AZ Nv Ord Hkd GG Tbl Smt Bjo Cc RU Da Der 05 06 07 10 12 13 15 16 17 19 21 22 25 26 28 30 31 32 33 38 34 42 44 46 47 50 53 56 64 65 72 73 76 05A 06H 06Ha 06R 06Ra 06Re 06Rl 07C 10U 12E 12Ed 13C 13Cf 17E 19G 21N 21Nb 21Nh 22A 25F 26K 28H 30B 30Be 30Bd 31K 31Ka 33R 33Rb 33E 33G 34S 34Sb 47D 56F 56Fb 56Fh 64F 65D 65Dh 65F 65Fn 72F 72Fa 73A 73Ae 73Ak 76B 76Ba

Schreckensteiniidae

- 4596. *Schreckensteinia festaliella* (Hübner,[1819])** (Schreckensteiniidae) Synonym(s): *festaliella* Hübner,[1819] Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY

Scythridae

- 4597. *Bactrianoscythris satyrella* (Staudinger,1880)** (Scythridae) Synonym(s): *satyrella* Staudinger,1880; *matronella* Staudinger,1880; *vitilella* Christoph,1885 Range (as codes): IR Elb Srd Kh TM RU Sr TR
- 4598. *Enolmis acanthella* (Godart,1824)** (Scythridae) Synonym(s): *acanthella* Godart,1824; *gallicella* Zeller,1839; *delicatella* Agenjo,1951 nec Rbl.; *tavaresi* Monteiro,1961 Range (as codes): DZ Bsk Sfr TN Gf PT ES FR LU IT CH IL Pa Hf TR 42
- 4599. *Enolmis desidella* (Lederer,1855)** (Scythridae) Synonym(s): *desidella* Lederer,1855 Range (as codes): YU CY TR LB Bei LY MR SA SY 01 33
- 4600. *Eretmocera medinella* (Staudinger,1859)** (Scythridae) Synonym(s): *medinella* Staudinger,1859; *#decolorata* Turati,1924 Range (as codes): DZ TN LY Cy ES An IT Si Sa YU? Cc IR TM Krn TR UZ Smk 25 76
- 4601. *Scythris (aerariella-gr.) aerariella* (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *aerariella* Herrich-Schäffer,[1854] Range (as codes): IT HU B-H HV BG GR TR 16 46 16A

- 4602. *Scythris (aerariella-gr.) anomaloptera* (Staudinger,1880)** (Scythridae) **Synonym(s):** *anomaloptera* Staudinger,1880; *ulloai* Agenjo,1969 Range (as codes): ES FR B-H? TR RU Ur 05 40 05A 40E
- 4603. *Scythris (aerariella-gr.) flaviventrella* (Herrich-Schäffer,1855)** (Scythridae) **Synonym(s):** *flaviventrella* Herrich-Schäffer,1855 Range (as codes): ES FR IT AT Wn CZ SK HU RO YU? AL? TR RU Ur
- 4604. *Scythris (aerariella-gr.) imperiella* Jäckh,1978** (Scythridae) **Synonym(s):** *imperiella* Jäckh,1978 Range (as codes): MA ES FR IT TR 21
- 4605. *Scythris (aerariella-gr.) jaeckhi* Bengtsson,1989** (Scythridae) **Synonym(s):** *jaeckhi* Bengtsson,1989 Range (as codes): GR TR AM Cc 69
- 4606. *Scythris (aerariella-gr.) popescugorji* Passerin d'Entrèves,1984** (Scythridae) **Synonym(s):** *popescugorji* Passerin d'Entrèves,1984 Range (as codes): PT TR 33 46 46L
- 4607. *Scythris (bagdadiella-gr.) bagdadiella* Amsel,1949** (Scythridae) **Synonym(s):** *bagdadiella* Amsel,1949 Range (as codes): DZ Agi IQ Bgd TR RU Ur KG UZ AF Ca 23
- 4608. *Scythris (canescens-gr.) canescens* (Staudinger,1880)** (Scythridae) **Synonym(s):** *canescens* Staudinger,1880; *plumbeogrisea* Walsingham,1907; *maculatella* Chrétien,1915 Range (as codes): DZ Gha Bsk Hes LY MA TN Gf SY TR AF Kab Ca PK IR Ab Mak Khy Th 05 38 05A 38C
- 4609. *Scythris (caramani-gr.) caramani* (Staudinger,1880)** (Scythridae) **Synonym(s):** *caramani* Staudinger,1880 Range (as codes): TR 05 05A
- 4610. *Scythris (caramani-gr.) hebesella* Nupponen,2005** (Scythridae) **Synonym(s):** *hebesella* Nupponen,2005 Range (as codes): TR 50 50G
- 4611. *Scythris (caramani-gr.) lagomorphella* Junnilainen,2002** (Scythridae) **Synonym(s):** *lagomorphella* Junnilainen,2002 Range (as codes): TR 42 42B
- 4612. *Scythris (caramani-gr.) marashi* Passerin d'Entrèves & Roggero,2012** (Scythridae) **Synonym(s):** *marashi* Passerin d'Entrèves & Roggero,2012 Range (as codes): TR 46
- 4613. *Scythris (cicadella-gr.) moldavicella* Caradja,1905** (Scythridae) **Synonym(s):** *moldavicella* Caradja,1905; *moldavicella* Rebel,1907; *ottomana* Jäckh,1978; *balcanica* Jäckh,1978 Range (as codes): RO BG MK AL GR TR 05 05A
- 4614. *Scythris (cicadella-gr.) potentillella* (Zeller,1847)** (Scythridae) **Synonym(s):** *potentillella* Zeller,1847; *potentillae* Zeller,1855; *albiapex* Hering,1924 Range (as codes): ES FR GB NL BE DE AT PL CZ SK DK NO SE FI LT BG TR Cc ?AM IR Elb Kdj
- 4615. *Scythris (crypta-gr.) crypta* Hannemann,1961** (Scythridae) **Synonym(s):** *crypta* Hannemann,1961 Range (as codes): SE IT CZ YU DK SE BG GR MK TR
- 4616. *Scythris (elegantella-gr.) limbella* (Fabricius,1775)** (Scythridae) **Synonym(s):** *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880. Range (as codes): DZ Anna PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR CY TR Cc AM DK NO SE FI EE LV LT RU Ao MD UA BY KG Uk IR Elb Kdj Gls Fa AF 05 16 33 65 05A 16A 33A 33Ac 65A 65Ac 65Ac2
- 4617. *Scythris (fallacella-gr.) fallacella* (Schläger,1847)** (Scythridae) **Synonym(s):** *fallacella* Schläger,1847; *armatella* Herrich-Schäffer,1855; *hydrargyrella* Steudel & Hofmann,1882 Range (as codes): PT ES FR IT GB DE CH AT PL CZ SK HU YU AL BG GR TR 05? 05A
- 4618. *Scythris (fuscoaenea-gr.) dissimilella* (Herrich-Schäffer,1855)** (Scythridae) **Synonym(s):** *dissimilella* Herrich-Schäffer,1855 Range (as codes): ES FR Co IT BE DE CH PL CZ YU TR 16 16A
- 4619. *Scythris (fuscoaenea-gr.) tenuivittella* (Stainton,1867)** (Scythridae) **Synonym(s):** *tenuivittella* Stainton,1867; *leucogaster* Mann,1872; *constantella* Dumont,1925; *rhueli* Gozmany,1960 Range (as codes): ES FR Co Sa IT AT RO GR Cr TR LB 16 34 16A
- 4620. *Scythris (fuscoaenea-gr.) vittella* (Costa,[1836])** (Scythridae) **Synonym(s):** *vittella* Costa,[1836]; *restigerella* Zeller,1839. Range (as codes): ES FR Sa Si IT DE CH? AT PL CZ SK HU YU BG GR TR LB Bsa 05 05A
- 4621. *Scythris (grandipennis-gr.) cupreella* (Staudinger,1859)** (Scythridae) **Synonym(s):** *cupreella* Staudinger,1859; *#cuprella* Meess,1910 Range (as codes): ES FR RO TR
- 4622. *Scythris (grandipennis-gr.) tabidella* (Herrich-Schäffer,[1854])** (Scythridae) **Synonym(s):** *tabidella* Herrich-Schäffer,[1854]; *inquilinella* Erschoff,1874 Range (as codes): ES FR IT? DE AT HU YU GR TR UZ
- 4623. *Scythris (gravatella-gr.) gravatella* (Zeller,1847)** (Scythridae) **Synonym(s):** *gravatella* Zeller,1847; *vagabundella* Herrich-Schäffer,[1854]; *caradjae* Amsel,1939; *flavidella* Passerin d'Entrèves,1986 *nec* Preiss.,1911 Range (as codes): TN ES FR Sa Si? IT CH YU AL GR TR 05 16 71 05A 16A
- 4624. *Scythris (inclusella-gr.) inclusella* Lederer,1855** (Scythridae) **Synonym(s):** *inclusella* Lederer,1855; *subflabella* Stainton,1867 Range (as codes): Cc GG TR LB Bei Bsa IL Pa SY JO ER 46
- 4625. *Scythris (inertella-gr.) inertella* (Zeller,1855)** (Scythridae) **Synonym(s):** *inertella* Zeller,1855; *tangerensis* Stainton,1872; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeclava*

- Meyrick,1913; hassenella Chrétien,1915; semialbicostella Turati,1927* Range (as codes): MA Tgr DZ Ktr TN LY ES FR Sa Si IT GR TR LB Bei IL Pa RU Da Cc Der
- 4626. *Scythris (laminella-gr.) braschiella (Hofmann,1897)*** (Scythridae) Synonym(s): *braschiella Hofmann,1897* Range (as codes): ES DE PL GR TR RU Ur At Sb Bry
- 4627. *Scythris (monochreella-gr.) monochreella (Ragonot,1895)*** (Scythridae) Synonym(s): *monochreella Ragonot,1895; lychnitis Meyrick,1918* Range (as codes): EG TR SY LB IL Pa IQ Bsr Bgd IR AE IN Rj AF 31 33 46 31M 33O
- 4628. *Scythris (obscura-gr.) amphonycella (Geyer,[1836])*** (Scythridae) Synonym(s): *amphonycella Geyer,[1836]; viridatella Herrich-Schäffer,1855* Range (as codes): ES FR IT? CH AT RO Cc TR RU At 05
- 4629. *Scythris (obscura-gr.) cuspidella ([Denis & Schiffermüller],1775)*** (Scythridae) Synonym(s): *cuspidella [Denis & Schiffermüller],1775; bifariella Hübner,[1813]; lampyrella Constant,1865; ochrolitella Staudinger,1871; flavilaterella Fuchs,1886; immaculata Fuchs,1895; #unicolor Müller-Rutz,1920* Range (as codes): ES FR IT DE CH AT Wn PL CZ SK HU RO YU BG GR TR RU MD UA BY 35
- 4630. *Scythris (obscura-gr.) obscura (Scopoli,1763)*** (Scythridae) Synonym(s): *obscura Scopoli,1763; esperella Hübner,[1799] nec Fabr.,1787; extensella Hübner,[1825]* Range (as codes): ES FR IT DE CH AT CZ SK HU RO YU AL BG GR TR FI EE LV RU MD UA BY
- 4631. *Scythris (pascuella-gr.) flavidella Preissecker,1911*** (Scythridae) Synonym(s): *flavidella Preissecker,1911* Range (as codes): FR DE AT CZ SK LV TR
- 4632. *Scythris (pascuella-gr.) pascuella (Zeller,1855)*** (Scythridae) Synonym(s): *pascuella Zeller,1855; flavidella Preissecker,1911* Range (as codes): FR Si? IT DE AT HU RO YU GR TR 46
- 4633. *Scythris (pascuella-gr.) pudorinella (Möschler,1866)*** (Scythridae) Synonym(s): *pudorinella Möschler,1866* Range (as codes): GR RO RU Ao At Ur Sr BY UA MD TR KG UZ 05 05A
- 4634. *Scythris (pascuella-gr.) subaerariella (Stainton,1867)*** (Scythridae) Synonym(s): *subaerariella Stainton,1867* Range (as codes): BG GR TR RU Ur 13 45 46 13G 13Gw 46L
- 4635. *Scythris (pascuella-gr.) tabescentella (Staudinger,1880)*** (Scythridae) Synonym(s): *tabescentella Staudinger,1880; ? caniolella Fuchs,1903* Range (as codes): GR Cc AM Eri TR 05 65 05A 65K 65Kd 65Kg
- 4636. *Scythris (platypyga-gr.) platypyga (Staudinger,1880)*** (Scythridae) Synonym(s): *platypyga Staudinger,1880* Range (as codes): TR 05 05A
- 4637. *Scythris (pulicella-gr.) langohri Passerin d'Entrèves,1990*** (Scythridae) Synonym(s): *langohri Passerin d'Entrèves,1990* Range (as codes): ES TR
- 4638. *Scythris (punctivittella-gr.) emichi (Anker,1870)*** (Scythridae) Synonym(s): *emichi Anker,1870* Range (as codes): HU TR LV RU Ur 05 05A
- 4639. *Scythris (punctivittella-gr.) punctivittella (Costa,[1836])*** (Scythridae) Synonym(s): *punctivittella Costa,[1836]; asmodella Millière,1873* Range (as codes): FR Co Si IT RO? YU AL BG? GR CY TR 05 16 05A 16A
- 4640. *Scythris (scopolella-gr.) apicalis (Zeller,1847)*** (Scythridae) Synonym(s): *apicalis Zeller,1847; unipunctella Rebel,1901; #mediella Caradja,1920* Range (as codes): FR RO GR TR Cc AM Eri IQ Hjo Er IR LB CN Ui Ku 02 07 21 27 30 31 33 36 46 48 65 02F 02Fc 02Fz 07I 07Ia 21L 21Ld 27D 27Db 30D 30Df 31M 36F 46L 65A 65Ai 65An 65L 65Le 65N 65Np 65Nm
- 4641. *Scythris (scopolella-gr.) flabella (Mann,1861)*** (Scythridae) Synonym(s): *flabella Mann,1861; aurella Caradja,1920* Range (as codes): MK BG TR RU GG IR Fa AM Eri Cc 05 06 13 30 31 38 42 46 65 76 05A 13A 13Ab 13Ax 30B 30Bc 30Bt 30Bz 31M 65A 65Ai 65Am 65Am1 65F 65Fd 65Fp 65Fz 65K 65Kl 65Z 65L 65Le 65N 65Nb 76C
- 4642. *Scythris (seliniella-gr.) seliniella (Zeller,1839)*** (Scythridae) Synonym(s): *seliniella Zeller,1839* Range (as codes): ES FR IT? DE CH AT PL CZ SK HU RO YU AL GR TR LV RU MD UA BY KG Uk CN Ui Ku 05 33 38 05A
- 4643. *Scythris (seliniella-gr.) subseliniella (Heinemann,1876)*** (Scythridae) Synonym(s): *subseliniella Heinemann,1876* Range (as codes): ES FR IT DE AT CZ HU YU RU MD UA BY TR 05 05A
- 4644. *Scythris (subfasciata-gr.) subfasciata (Staudinger,1880)*** (Scythridae) Synonym(s): *subfasciata Staudinger,1880* Range (as codes): ES TR 05 06 05A
- 4645. *Scythris (tributella-gr.) tributella (Zeller,1847)*** (Scythridae) Synonym(s): *tributella Zeller,1847; terrenella Zeller,1847; parvella Herrich-Schäffer,1855; denigratella Herrich-Schäffer,1855; serella Constant,1885; karnyella Rebel,1918; monotinctella Turati,1924; bulbosella Lhomme,1949; igaloensis Amsel,1951* Range (as codes): LY PT ES FR Sa Si IT BE NL DE CH AT CZ SK HU RO YU AL GR RU Ur Cc GG TR IR Elb Kdj TM 21
- 4646. *Scythris alceella Junnilainen,2002*** (Scythridae) Synonym(s): *alceella Junnilainen,2002* Range (as codes): TR 50 50G
- 4647. *Scythris aristidella (Rebel,1902)*** (Scythridae) Synonym(s): *aristidella Rebel,1902* Range (as codes): TR 06 24 42 70 06K 06Kb 24E 24Ea 42B 70A

- 4648. *Scythris asiatica* (Staudinger,1880)** (Scythridae) Synonym(s): *asiatica* Staudinger,1880; *melanopepla* Caradja,1920 Range (as codes): TR Cc 05 76 05A
- 4649. *Scythris balanophora* Meyrick,1916** (Scythridae) Synonym(s): *balanophora* Meyrick,1916; *taurella* Caradja,1920 Range (as codes): TR 31 46 46L
- 4650. *Scythris basistrigella* (Staudinger,1880)** (Scythridae) Synonym(s): *basistrigella* Staudinger,1880; *zelleri* Staudinger,1880 Range (as codes): TR LB Bsa 05 42 45 50 42B 50G
- 4651. *Scythris bifasciella* Passerin d'Entrèves & Roggero,2011** (Scythridae) Synonym(s): *bifasciella* Passerin d'Entrèves & Roggero,2011 Range (as codes): TR IR 21
- 4652. *Scythris capitalis* (Erschoff,1874)** (Scythridae) Synonym(s): *capitalis* Erschoff,1874 Range (as codes): TR IR Kh KG AF TM TJ UZ KK RU
- 4653. *Scythris deprinsi* Bengtsson,2005** (Scythridae) Synonym(s): *deprinsi* Bengtsson,2005 Range (as codes): TR 13 25 50 13G 13Gw 25C 50G
- 4654. *Scythris discimaculella* Rebel,1936** (Scythridae) Synonym(s): *discimaculella* Rebel,1936 Range (as codes): TR 46
- 4655. *Scythris divergens* Bengtsson,2005** (Scythridae) Synonym(s): *divergens* Bengtsson,2005 Range (as codes): TR IQ Hjo SY LB Bei 07 31 33 38 46 50 07M 31M 33O 46L 50G
- 4656. *Scythris hyalinella* Caradja,1920** (Scythridae) Synonym(s): *hyalinella* Caradja,1920 Range (as codes): TR Cc 76 76C
- 4657. *Scythris iconiensis* Rebel,1903** (Scythridae) Synonym(s): *iconiensis* Rebel,1903 Range (as codes): TR SY 42
- 4658. *Scythris paelopyga* (Staudinger,1880)** (Scythridae) Synonym(s): *paelopyga* Staudinger,1880 Range (as codes): TR Cc 05 42 76 05A 42B
- 4659. *Scythris parachalca* Meyrick,1916** (Scythridae) Synonym(s): *parachalca* Meyrick,1916 Range (as codes): TR 31
- 4660. *Scythris pfeifferella* Rebel,1935** (Scythridae) Synonym(s): *pfeifferella* Rebel,1935 Range (as codes): TR 46
- 4661. *Scythris ruehli* Gozmany,1960** (Scythridae) Synonym(s): *ruehli* Gozmany,1960 Range (as codes): TR 34
- 4662. *Scythris schreieri* Bengtsson,1996** (Scythridae) Synonym(s): *schreieri* Bengtsson,1996 Range (as codes): PK Haz Msr Txl TR 63 63E
- 4663. *Scythris senescens* Stainton,1854** (Scythridae) Synonym(s): *senescens* Stainton,1854 Range (as codes): TR
- 4664. *Scythris shafferi* Bengtsson,2005** (Scythridae) Synonym(s): *shafferi* Bengtsson,2005 Range (as codes): TR Cc 76 76C
- 4665. *Scythris subclavella* Rebel,1901** (Scythridae) Synonym(s): *subclavella* Rebel,1901 Range (as codes): TR IR 21
- 4666. *Scythris tabelli* Junnilainen,2002** (Scythridae) Synonym(s): *tabelli* Junnilainen,2002 Range (as codes): TR 42 42B
- 4667. *Scythris tenuisquamata* (Staudinger,1880)** (Scythridae) Synonym(s): *tenuisquamata* Staudinger,1880 Range (as codes): TR 05 50 05A 50G
- 4668. *Scythris triguttella* Zeller,1839** (Scythridae) Synonym(s): *triguttella* Zeller,1839 Range (as codes): TR
- 4669. *Scythris triochrias* Meyrick,1916** (Scythridae) Synonym(s): *triochrias* Meyrick,1916 Range (as codes): TR
- 4670. *Scythris tuzensis* Bengtsson,2005** (Scythridae) Synonym(s): *tuzensis* Bengtsson,2005 Range (as codes): TR AM Cc 06 07 42 65 06D 06Y 07G 42B 42Bb 42X 42Xa 65K
- 4671. *Scythris unguicella* Bengtsson,2005** (Scythridae) Synonym(s): *unguicella* Bengtsson,2005; *#unguisella* Bengtsson,2005 Range (as codes): TR 42 42R 42Rc
- 4672. *Scythris unimaculella* Rebel,1905** (Scythridae) Synonym(s): *unimaculella* Rebel,1905 Range (as codes): TR 38
- 4673. *Scythris vernusella* Jäckh,1978** (Scythridae) Synonym(s): *vernusella* Jäckh,1978 Range (as codes): RU IR Elb TR

Sesiidae

- 4674. *Bembecia (Ductispina) transcaucasica* (Staudinger, 1891)** (Sesiidae) **Synonym(s):** *transcaucasica* Staudinger, 1891; *romanovi* Bartel, 1912 **Range (as codes):** TR Cc AM Kho IR Zj Lo Kd Es By Bk Ke Mz Th Elb TM Kp 76 76C
- 4675. *Bembecia (Pseudosphecia) stiziformis* (Herrich-Schäffer, [1852])** (Sesiidae) **Synonym(s):** *#stiziformis* Herrich-Schäffer, 1851; *stiziformis* Herrich-Schäffer, [1852]; *kara* De Freina, 1983; *tubercula* De Freina, 1983; *barbarossa* De Freina, 1983. **Range (as codes):** TR CY IR Elb Shh Cc Zj Mz Ha Kd Lo By Bk Es Yz Fa Ke AZ Tlh TM Kp PK 01 04 05 12 13 30 36 47 49 50 65 76 01K 05A 13A 13Ac 13Ac3 13Ax 13G 30B 30Bc2 49E 49Ea 65F 65Fe 65K 65Kd 65Kg 76C
- 4676. *Bembecia albanensis* (Rebel, 1918)** (Sesiidae) **Synonym(s):** *albanensis* Rebel, 1918; *corcyrensis* Rebel, 1918; *tunetana* Le Cerf, 1920 [ssp.]; *kalavrytana* Sheljuzhko, 1924 **Range (as codes):** TN ES FR Sa Si IT GB DE CH AT CZ SK RO YU AL BG GR Cr TR RU MD UA 01 59
- 4677. *Bembecia apyra* (Le Cerf, 1937)** (Sesiidae) **Synonym(s):** *apyra* Le Cerf, 1937 **Range (as codes):** IR Th Mz Elb TR
- 4678. *Bembecia gegamica* Gorbunov, 1991** (Sesiidae) **Synonym(s):** *gegamica* Gorbunov, 1991 **Range (as codes):** Cc AM TR 25 36 25C
- 4679. *Bembecia hofmanni* Kallies & K. Spatenka, 2003** (Sesiidae) **Synonym(s):** *hofmanni* Kallies & K. Spatenka, 2003 **Range (as codes):** IR Lo Th Elb Zj Kd TR 02 65 02F 02Fz 65D 65Db 65N
- 4680. *Bembecia ichneumoniformis* ([Denis & Schiffermüller], 1775)** (Sesiidae) **Synonym(s):** *#ichneumoniformis* [Denis & Schiffermüller], 1775; *rhagioniformis* Hübner, [1806]; *ophioniformis* Hübner, [1813]; *systrophaeformis* Hübner, [1813]; *palpina* Dalman, 1816; *statuiformis* Freyer, 1836; *cryptiformis* Walker, 1856; *albanica* Rebel, 1910 **Range (as codes):** PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV RU MD UA BY IR Elb Th Cc Zj Ha AM Kho 07 16 33 36 16A
- 4681. *Bembecia illustris* (Rebel, 1901)** (Sesiidae) **Synonym(s):** *illustris* Rebel, 1901 **Range (as codes):** GG Cc IQ TR 01 05 06 42 01K
- 4682. *Bembecia lomatiaeformis* (Lederer, 1853)** (Sesiidae) **Synonym(s):** *lomatiaeformis* Lederer, 1853; *gruneri* Staudinger, 1856; *rothschildi* Bartel, 1912; *norma* Le Cerf, 1914 **Range (as codes):** TR GR Cc 05 21 33 42 05A 21F 42B 42Ba
- 4683. *Bembecia parthica* (Lederer, 1870)** (Sesiidae) **Synonym(s):** *parthica* Lederer, 1870 **Range (as codes):** TR 04
- 4684. *Bembecia peterseni* K. Spatenka, 1997** (Sesiidae) **Synonym(s):** *peterseni* K. Spatenka, 1997 **Range (as codes):** TR IR Zj Lo 01 04 12 25 44 49 50 51 62 70 01K 04D 04Da 44I 49E 49Ea 50G 50Gd 51B 51Ba 70C 70Cb
- 4685. *Bembecia pontica* (Staudinger, 1891)** (Sesiidae) **Synonym(s):** *pontica* Staudinger, 1891 **Range (as codes):** TR SY 01 05 07 24 25 30 76 05A 76C
- 4686. *Bembecia priesneri* Kallies et al., 1998** (Sesiidae) **Synonym(s):** *priesneri* Kallies et al., 1998 **Range (as codes):** GR Rd TR 50
- 4687. *Bembecia puella* Z. Lastuvka, 1989** (Sesiidae) **Synonym(s):** *puella* Z. Lastuvka, 1989; *daghestanica* Gorbunov, 1991; *aladagica* Gorbunov & K. Spatenka, 2001 **Range (as codes):** SK RO RU Cc Da TR HU BG GR UA KG 01 02 04 07 14 18 21 24 25 33 38 44 50 51 58 65 70 14H 25C 25R 25Rb 65E 65F 65Fa
- 4688. *Bembecia sanguinolenta* (Lederer, 1853)** (Sesiidae) **Synonym(s):** *tengyraeformis* Herrich-Schäffer, 1851 *nec* Bsd., 1840; *sanguinolenta* Lederer, 1853; *#miranda* Le Cerf, 1914 **Range (as codes):** TR BG GR MK Cc AM SY 01 25 30 33 42 47 50 65 70 30B 50G 70C 70Ce
- 4689. *Bembecia scopigera* (Scopoli, 1763)** (Sesiidae) **Synonym(s):** *scopigera* Scopoli, 1763; *communis* Le Cerf, 1920 **Range (as codes):** ES FR IT MT CH AT CZ SK HU YU BG GR TR Cc LT UA RU 06 16 25 36 59 65 16A 25T 36F 65N 65Np 65Nm
- 4690. *Bembecia staryi* K. Spatenka & Gorbunov, 1992** (Sesiidae) **Synonym(s):** *staryi* K. Spatenka & Gorbunov, 1992 **Range (as codes):** Cc GG Bjo Smt TR 08 25 08H 25N 25Na
- 4691. *Bembecia stuebingeri* Sobczyk, Kallies & Riefenstahl, 2007** (Sesiidae) **Synonym(s):** *stuebingeri* Sobczyk, Kallies & Riefenstahl, 2007 **Range (as codes):** TR 50 50G 50Gb
- 4692. *Bembecia syzcjovi* Gorbunov, 1990** (Sesiidae) **Synonym(s):** *syzcjovi* Gorbunov, 1990 **Range (as codes):** TR IR Cc Mz Elb GG Smt Akh 25 50 65 50C 50Cd 65G 65Gu 65Gz
- 4693. *Bembecia uroceriformis* (Treitschke, 1834)** (Sesiidae) **Synonym(s):** *uroceriformis* Treitschke, 1834; *mamertina* Zeller, 1847; *monedulaeformis* Rambur, 1866; *athaliaeformis* Boisdual, [1875]; *armoricana* Oberthür, 1907; *atlantica* Le Cerf, 1920; *nigricornis* Mariani, 1937 **Range (as codes):** MA PT ES FR Co Sa Si IT CH AT SK HU RO YU GR TR RU Cc GG JO IL Pa
- 4694. *Bembecia zuvandica* Gorbunov, 1987** (Sesiidae) **Synonym(s):** *zuvandica* Gorbunov, 1987 **Range (as codes):** Cc AZ Nv Tlh AM Kho TR 30 30D 30Du
- 4695. *Chamaesphacia albida* Spatenka, 1999** (Sesiidae) **Synonym(s):** *albida* Spatenka, 1999 **Range (as codes):** TR 70 70C 70Cb

- 4696. *Chamaesphesia albiventris* Lederer, 1853** (Sesiidae) Synonym(s): *albiventris* Lederer, 1853 Range (as codes): BG GR Cc TR 01 05 08 16 42 46 16A
- 4697. *Chamaesphesia alysoniformis* (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *alysoniformis* Herrich-Schäffer, 1846 Range (as codes): HU RO YU BG Cr TR Cc RU MD UA BY 01 05 08 16 33 70 01D 05A 08H 16A 70C
- 4698. *Chamaesphesia anatolica* Schwingenschuss, 1938** (Sesiidae) Synonym(s): *anatolica* Schwingenschuss, 1938 Range (as codes): RO YU GR TR 04 06 25 42 04I 06R 06Rf
- 4699. *Chamaesphesia annellata* (Zeller, 1847)** (Sesiidae) Synonym(s): *annellata* Zeller, 1847; *ceriaeformis* Lederer, 1853 nec Luc., 1849; *muscinaeformis* Walker, 1856; *ceriiformis* Staudinger, 1856; *clermonti* Le Cerf, 1914 Range (as codes): IT CH AT PL CZ SK HU RO YU AL BG MK GR TR GG Cc RU MD UA BY LB 16 39 42 16A 42B 42Bb
- 4700. *Chamaesphesia anthracias* Le Cerf, 1937** (Sesiidae) Synonym(s): *anthracias* Le Cerf, 1937 Range (as codes): IR Elb Th Kdj TR?
- 4701. *Chamaesphesia astatifomis* (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *astatifomis* Herrich-Schäffer, 1846 Range (as codes): AT CZ SK HU RO YU BG GR TR RU Cc GG Smt Bjo Mng MD UA BY KG Uk CN Ui Au Li At Lps 13 16 42 13G 16A
- 4702. *Chamaesphesia aurifera* (Romanoff, 1885)** (Sesiidae) Synonym(s): *aurifera* Romanoff, 1885 Range (as codes): TR Cc AM AZ Nv 30 65 76 30D 30Du 76C
- 4703. *Chamaesphesia bibioniformis* (Esper, [1800])** (Sesiidae) Synonym(s): *bibioniformis* Esper, [1800]; *tengyraeformis* Boisduval, 1840; *tengiriformis* Rambur, 1866; *myrsinites* Pinker, 1954. Range (as codes): ES FR IT AT SK HU RO YU BG GR MK Och TR AM Eri GG Smt Akh Cc AZ Nv Ord IR Es RU MD UA BY 04 05 06 14 34 38 42 50 58 65 04D 05A 50G 50Ga 58N 65F 65Fp 65Fz
- 4704. *Chamaesphesia chalciformis* (Esper, [1804])** (Sesiidae) Synonym(s): *chalciformis* Esper, [1804] Range (as codes): PT IT AT SK HU RO YU BG GR Cr TR RU MD UA BY Cc GG Smt Bjo AZ Nv Ord IR Lo Kh IL Pa 02 07 16 33 46 07D 16A 46G 46Gi
- 4705. *Chamaesphesia cilicia* Bartsch & Lingenhöle, 2011** (Sesiidae) Synonym(s): *cilicia* Bartsch & Lingenhöle, 2011 Range (as codes): TR
- 4706. *Chamaesphesia colpiformis* (Staudinger, 1856)** (Sesiidae) Synonym(s): *colpiformis* Staudinger, 1856 Range (as codes): AT CZ SK HU RO YU BG GR TR RU MD UA BY 10 16 18 34 59 16A 18F 59A
- 4707. *Chamaesphesia diabarensis* Gorbunov, 1987** (Sesiidae) Synonym(s): *diabarensis* Gorbunov, 1987 Range (as codes): TR Cc AZ Tlh Zu AM IR Bk Zj 25 30 30D 30Du
- 4708. *Chamaesphesia doleriformis* (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *doleriformis* Herrich-Schäffer, 1846 Range (as codes): IT YU GR TR 16 21 16A
- 4709. *Chamaesphesia doryceraeformis* (Lederer, 1853)** (Sesiidae) Synonym(s): *doryceraeformis* Lederer, 1853 Range (as codes): TR IQ Cc AM IR Lo Es By 01 02 05 06 12 17 21 26 42 47 50 65 70 02F 05A 50G 50Ga 65K 65Kd 65Kg 70C 70Cb
- 4710. *Chamaesphesia dumonti* Le Cerf, 1922** (Sesiidae) Synonym(s): *dumonti* Le Cerf, 1922; *similis* Lastuvka, 1983 Range (as codes): FR IT DE CH AT NL DE CZ SK HU RO MK YU BG GR TR RU Cc AZ UA Cm 07 08 36 48 36F 36Fa
- 4711. *Chamaesphesia elampiformis* (Herrich-Schäffer, 1851)** (Sesiidae) Synonym(s): *elampiformis* Herrich-Schäffer, 1851 Range (as codes): TR Cc AZ Nv Ord AM Kho IR Gor Fa Sse Th Elb Lo Es Ke 01 05 16 36 47 65 05A 16A 65F 65Fp 65Fz
- 4712. *Chamaesphesia empiformis* (Esper, [1783])** (Sesiidae) Synonym(s): *empiformis* Esper, [1783]; *bombyciformis* Fourcroy, 1785; *empinaeformis* Walker, 1856; *#flavoabdominalis* Popescu-Gorj, 1955; *lastuvkai* Spatenka, 1987 Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Cc RU MD UA BY 07 16 16A
- 4713. *Chamaesphesia euceraeformis* (Ochsenheimer, 1816)** (Sesiidae) Synonym(s): *euceraeformis* Ochsenheimer, 1816; *stelidiformis* Freyer, 1836; *#misoletiformis* Herrich-Schäffer, 1846; *unicincta* Herrich-Schäffer, 1851; *herrichii* Staudinger, 1856; *euceriformis* Staudinger, 1856 Range (as codes): FR IT CH AT CZ SK HU RO YU BG TR RU MD UA BY
- 4714. *Chamaesphesia gorbunovi* K.Spatenka, 1992** (Sesiidae) Synonym(s): *gorbunovi* K.Spatenka, 1992 Range (as codes): TR Cc AZ Nv AM 25 36 42 65 65F
- 4715. *Chamaesphesia haberhaueri* (Staudinger, 1878)** (Sesiidae) Synonym(s): *haberhaueri* Staudinger, 1878 Range (as codes): TR 31 33 46
- 4716. *Chamaesphesia iranica* Le Cerf, 1937** (Sesiidae) Synonym(s): *iranica* Le Cerf, 1937; *bagandara* Gorbunov, 1995 Range (as codes): TR AM Cc AZ Nv IR Elb Kdj Th Fa Sse Ha Mz Se Kh 30 30D
- 4717. *Chamaesphesia kautti* K.Spatenka, 1997** (Sesiidae) Synonym(s): *kautti* K.Spatenka, 1997 Range (as codes): TR 42 51 51B 51Ba
- 4718. *Chamaesphesia leucopsiformis* (Esper, 1800)** (Sesiidae) Synonym(s): *leucopsiformis* Esper, 1800; *foenusaeformis* Heydenreich, 1851; *leucopsidiformis* Lederer, 1853 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY

- 4719. Chamaesphesia masariformis (Ochsenheimer, 1808)** (Sesiidae) Synonym(s): masariformis Ochsenheimer, 1808; banchiformis Hübner, [1813]; allantiformis Eversmann, 1844 nec Newm., 1832; loewii Zeller, 1847; brandti Le Cerf, 1937; djakonovi Popescu-Gorj & Capuse, 1966 Range (as codes): ES IT AT CZ SK HU RO YU AL BG GR Cr CY TR RU MD UA BY IR Yz LB SY IL Pa Js 05 10 16 42 65 76 05A 16A 65F 65F1 65Fz 76C
- 4720. Chamaesphesia mezentzevi Gorbunov, 1989** (Sesiidae) Synonym(s): mezentzevi Gorbunov, 1989 Range (as codes): TR IR TM Kp 30
- 4721. Chamaesphesia minor (Staudinger, 1856)** (Sesiidae) Synonym(s): minor Staudinger, 1856 Range (as codes): CY IL Pa LB Bei TR
- 4722. Chamaesphesia morosa Le Cerf, 1937** (Sesiidae) Synonym(s): morosa Le Cerf, 1937 Range (as codes): TR IR AZ Nv Tlh AM Kho Cc 06 26 30 42 06Y
- 4723. Chamaesphesia nigrifrons (Le Cerf, 1911)** (Sesiidae) Synonym(s): nigrifrons Le Cerf, 1911; sevenari Liphay, 1961; #schmidt Liphay, 1961 Range (as codes): FR DE AT SK HU PL RO YU BG TR RU Cc GG MD UA 31
- 4724. Chamaesphesia odyneriformis (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): odyneriformis Herrich-Schäffer, 1846 Range (as codes): TR 33v 46
- 4725. Chamaesphesia oxybeliformis (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): oxybeliformis Herrich-Schäffer, 1846 Range (as codes): RO YU BG GR TR RU Cc GG AZ IR Elb KG Uk UA Cm Sr 06 76 76C
- 4726. Chamaesphesia palustris Kautz, 1927** (Sesiidae) Synonym(s): palustris Kautz, 1927 Range (as codes): FR IT AT CZ SK HU RO YU TR RU KG Aa 14 18 54
- 4727. Chamaesphesia proximata (Staudinger, 1891)** (Sesiidae) Synonym(s): proximata Staudinger, 1891; moreau Le Cerf, 1911; gravesi Rebel, 1927 Range (as codes): YU BG GR CY TR IL Pa IR Qz Th Mz Elb Lo Bk By Es Fa Ke Ss 01 05 42 60 65 73 01K 05A 42B 42Bb 60H 65A 65Am 65Am1 65Am2
- 4728. Chamaesphesia regula (Staudinger, 1891)** (Sesiidae) Synonym(s): regula Staudinger, 1891 Range (as codes): TR 47
- 4729. Chamaesphesia ruficoronata Kallies, Petersen & Riefenstahl, 1998** (Sesiidae) Synonym(s): ruficoronata Kallies, Petersen & Riefenstahl, 1998 Range (as codes): TR Cc 04 24 30 36
- 4730. Chamaesphesia schizoceriformis (Kolenati, 1846)** (Sesiidae) Synonym(s): schizoceriformis Kolenati, 1846 Range (as codes): TR Cc GG Smt Bjo Tbl Aj IR Ab Oru 08
- 4731. Chamaesphesia schmidtiformis (Freyer, 1836)** (Sesiidae) Synonym(s): schmidtiformis Freyer, 1836 Range (as codes): IT RO YU BG Slv GR TR RU Cc AM Kho IR Ab Ha 01 05 06 16 37 38 42 46 60 05A 16A 38C 38Cb 42B 46G
- 4732. Chamaesphesia schwingenschussi (Le Cerf, 1937)** (Sesiidae) Synonym(s): schwingenschussi Le Cerf, 1937 Range (as codes): TR IR Cc Th Mz Elb Kd Ha Lo Fa Es By Yz Ke AZ Nv 04 36
- 4733. Chamaesphesia sefid Le Cerf, 1938** (Sesiidae) Synonym(s): sefid Le Cerf, 1938; modica Le Cerf, 1938; vanensis Gorbunov, 2001 Range (as codes): TR IR Fa Sse Lo Es Bk By 01 47 65 01K
- 4734. Chamaesphesia tahira Kallies & Petersen, 1995** (Sesiidae) Synonym(s): tahira Kallies & Petersen, 1995 Range (as codes): TR 04
- 4735. Chamaesphesia taurica K.Spatenka, 1997** (Sesiidae) Synonym(s): taurica K.Spatenka, 1997 Range (as codes): TR 33 33E
- 4736. Chamaesphesia tenthrediniformis ([Denis & Schiffermüller], 1775)** (Sesiidae) Synonym(s): tenthrediniformis [Denis & Schiffermüller], 1775; taediiformis Freyer, 1836 Range (as codes): ES FR IT BE NL DE AT CZ SK HU RO YU AL BG GR TR RU MD UA BY
- 4737. Chamaesphesia thracica Z.Lastuvka, 1983** (Sesiidae) Synonym(s): thracica Z.Lastuvka, 1983 Range (as codes): IT YU MK RO BG GR TR SY LB IL Pa 05 06 10 17 25 39 46 05A 06R 10K 10Ka
- 4738. Chamaesphesia turbida Le Cerf, 1937** (Sesiidae) Synonym(s): turbida Le Cerf, 1937 Range (as codes): TR IR Elb Th Kdj Ha Ab Sro Cc GG Nv AZ AM 04 25 65 65N
- 4739. Chamaesphesia zarathustra Gorbunov & K.Spatenka, 1992** (Sesiidae) Synonym(s): zarathustra Gorbunov & K.Spatenka, 1992 Range (as codes): TR IR Elb Mz Th Lo AZ Tlh AM Cc
- 4740. Diphaspecia intermedia K.Spatenka, 1997** (Sesiidae) Synonym(s): intermedia K.Spatenka, 1997 Range (as codes): BG Bgz Slv TR IR Kd 01 29 38 44 50 01K 50C 50Cd
- 4741. Diphaspecia kopica Gorbunov & Spatenka, 2001** (Sesiidae) Synonym(s): kopica Gorbunov & Spatenka, 2001 Range (as codes): TR 25
- 4742. Diphaspecia lanipes (Lederer, 1863)** (Sesiidae) Synonym(s): lanipes Lederer, 1863 Range (as codes): BG Slv TR UA Cm 01 21 38 44 01K
- 4743. Diphaspecia sertavula Bartsch & Spatenka, 2002** (Sesiidae) Synonym(s): sertavula Bartsch & Spatenka, 2002 Range (as codes): TR 33
- 4744. Euhagena palariformis (Lederer, 1858)** (Sesiidae) Synonym(s): palariformis Lederer, 1858; dioctriiformis Romanoff, 1884; rubescens Staudinger, 1887; almana Rebel, 1917 Range (as codes): TR IQ Ssa IR Fa

Ab Sro Lo Es By LB SY Bld Dms Cc IL Pa AZ AM 01 02 03 05 07 30 32 33 42 44 46 47 56 65 73 76 80 01K 05A 30D 30Da
46G 46Gi 65N 65Nr7 65Nm

- 4745. *Eusphecia melanocephala* (Dalman,1816)** (Sesiidae) Synonym(s): *melanocephala* Dalman,1816; *laphriaeformis* Hübner,[1825]; *laphriiformis* Staudinger,1856 Range (as codes): ES FR IT DE CH AT PL CZ SK RO YU TR DK NO SE FI EE LV LT RU MD UA BY
- 4746. *Eusphecia pimplaeformis* (Oberthür,1872)** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872; *maculiferum* Staudinger,[1896] Range (as codes): MK YU BG GR TR RU IQ Bgd IR Ke Lo AZ Bak Cc 14 25 31 44 65 14B 25M 31M 44L 44Lb
- 4747. *Microsphacia brosisformis* (Hübner,[1813])** (Sesiidae) Synonym(s): *brosisformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; *#obscura* Le Cerf,1914 Range (as codes): SK HU RO YU AL HV B-H BG GR TR RU Cc AZ Tlh IR Ab Ha Mz Elb Zj Kh Es Bk Ke TM UZ KK KG 01 04 05 08 13 16 25 30 33 38 42 46 58 65 01K 05A 13B 13Bd 13G 16A 30B 30Bc2 38C 38Cb 58G 58Gj 65N 65Np 65Nm
- 4748. *Microsphacia tineiformis* (Esper,[1789])** (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794. Range (as codes): AET MA DZ Lbs Cst TN PT ES Grn An Mu FR Co Sa Si IT HU YU AL BG GR Cr TR IR Elb Th Kdj 10 16 30 35 46 65 16A 30D 30Df 65D
- 4749. *Negotinthia hoplisiformis* (Mann,1864)** (Sesiidae) Synonym(s): *hoplisiformis* Mann,1864 Range (as codes): GR TR Cc AM Kho IR Kd Lo By Fa 01 05 16 30 42 46 47 65 73 01K 16A 30B 47D 65A 65Ai 65At 65At3 65D 65Dg 65Dga 65F 65G 65Ge 65Bx
- 4750. *Negotinthia myrmosaeformis* (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856. Range (as codes): RO YU AL MK BG GR TR RU UA Cm Cc AZ Nv AM Kho 01 05 06 07 16 33 36 39 42 46 50 70 01K 05A 07A 07Ak 16A 42A 50G 50Ga 70C 70Ce
- 4751. *Osminia fenusaeformis* (Herrich-Schäffer,1852)** (Sesiidae) Synonym(s): *fenusaeformis* Herrich-Schäffer,1852; *fenusiformis* Staudinger,1856 Range (as codes): IL Pa Cr TR LB Say 01 09 16 31 33 35 46 72 01K 16A 31C 33R 33Rb 72E 72Eb
- 4752. *Paranthrene diaphana* Dalla-Torre & Strand,1925** (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925 Range (as codes): MK Skj YU B-H BG Slv TR SY IL Pa IR Cc Lo Es Ke AZ 25 46 65 25M 46G
- 4753. *Paranthrene insolita* Le Cerf,1914** (Sesiidae) Synonym(s): *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917. Range (as codes): PL ES FR DE CZ SK AT UA Lvv YU HV HU BG Hsk IT TR SY Nus IR Lo Bk By Fa 01 02 06 07 11 14 21 24 26 31 33 42 46 47 62 70 80 07A 07Ak 31M 47D
- 4754. *Paranthrene tabaniformis* (Rottemburg,1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottemburg,1775; *asiliformis* [Denis & Schiffermüller],1775 nec Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801 nec Fabr.,1793; *tricincta* Harris,1839; *serratiformis* Freyer,1842; *rhingiiformis* Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893 Range (as codes): MA DZ Orn Shd TN PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL Bnt BG Hsk GR CY TR DK NO SE FI EE LV LT RU Am Sb MD UA BY CN Ui Kun Chr TJ Pm IR Elb Mz Ha Es 05 06? 18 31 40? 81 05A 81F
- 4755. *Pennisetia hylaeiformis* (Laspeyres,1801)** (Sesiidae) Synonym(s): *hylaeiformis* Laspeyres,1801; *anomala* Dehne,1850. Range (as codes): PT ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU MD UA BY 08 16 08H 16A
- 4756. *Pyropteron chrysidiformis* (Esper,[1782])** (Sesiidae) Synonym(s): *chrysidiformis* Esper,[1782]; *crabroniformis* Fabricius,1793; *polistiformis* Boisduval,1840; *chalcocnemis* Staudinger,1856; *depuiseti* Sand,1879; *rondoui* Siepi,1909; *lecerfi* Oberthür,1909; *joannisi* Le Cerf,1909; *castiliana* Le Cerf,1922 Range (as codes): PT ES FR Co Sa Si IT GB BE LU DE CH AT RO YU GR TR
- 4757. *Pyropteron minianiformis* (Freyer,1843)** (Sesiidae) Synonym(s): *minianiformis* Freyer,1843 Range (as codes): IT RO YU AL BG GR Cr CY TR RU Cc AZ Nv AM Kho IR GlS Mz Elb TM Kp 07 10 16 22 32 33 35 39 42 45 48 07A 07Ak 16A 33G
- 4758. *Pyropteron triannuliformis* (Freyer,1845)** (Sesiidae) Synonym(s): *meriaeformis* Assmann,1845 nec Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 nec Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987 Range (as codes): FR Si IT DE CH AT PL CZ SK HU RO MK AL BG GR TR Cc GG Smt Bjo Tbl AZ Nv EE LV LT RU MD UA BY IR Ab Sro Ak Th Es LB Bsa IL Pa 01 04 05 06 07 08 13 16 17 22 25 30 31 34 35 36 39 42 44 46 50 58 65 05A 16A 30B 30Bc2 30D 30Du 42B 42Bb 50G 50Ga 65A 65At 65At5
- 4759. *Sesia apiformis* (Clerck,1759)** (Sesiidae) Synonym(s): *#apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffermüller],1775; *sireciformis* Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Bkw BY 06 16 16A
- 4760. *Sesia bembeciformis* (Hübner,[1806])** (Sesiidae) Synonym(s): *bembeciformis* Hübner,[1806]; *crabroniformis* Lewin,1797 nec [Denis & Schiff.],1775; *dasypodiformis* Walker,1856; *montelii* Lofquist,1922 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK YU TR DK NO SE FI LT RU MD UA BY
- 4761. *Synansphacia affinis* (Staudinger,1856)** (Sesiidae) Synonym(s): *affinis* Staudinger,1856; *erodiiphaga* Dumont,1922 [ssp.] Range (as codes): AET DZ Lbs TN PT ES FR Si IT BE DE CH AT CZ SK HU RO YU AL GR TR Cc GG Akh Smt Bjo RU MD UA BY 05 42 46 05A
- 4762. *Synansphacia cirgisa* (Bartel,1912)** (Sesiidae) Synonym(s): *cirgisa* Bartel,1912; *montandoni* Le Cerf,1922 Range (as codes): RO MD TR RU Sr Cc AZ Cm TM KG Uk 38 58 68 38C 58M 68B

- 4763. *Synansphecchia hera* K.Spatenka,1997** (Sesiidae) Synonym(s): *hera* K.Spatenka,1997 Range (as codes): TR 01 42 46 01K 42D 46F 46Fj
- 4764. *Synansphecchia leucomelaena* (Zeller,1847)** (Sesiidae) Synonym(s): *leucomelaena* Zeller,1847; *therevaeformis* Lederer,1853; *cretica* Rebel,1916 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT RO YU HV AL BG GR Cr CY TR RU MD UA Cm IR Elb Kdv Mz 01 05 06 07 16 20 34 48 05A 16A 34R
- 4765. *Synansphecchia mannii* (Lederer,1853)** (Sesiidae) Synonym(s): *mannii* Lederer,1853 Range (as codes): GR BG Vrn TR 06 14 16 34 39 14H 16A 34R
- 4766. *Synansphecchia muscaeformis* (Esper,[1783])** (Sesiidae) Synonym(s): *muscaeformis* Esper,[1783] Range (as codes): PT ES FR IT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV RU MD UA BY Cc AM Dar AZ Kir
- 4767. *Synanthedon andrenaeformis* (Laspeyres,1801)** (Sesiidae) Synonym(s): *andrenaeformis* Laspeyres,1801; *atlantiforme* Newman,1832; *andraeniformis* Westwood,1843; *andreniformis* Staudinger,1856 Range (as codes): ES FR IT GB BE LU DE CH AT CZ SK HU RO YU BG TR Cc AM RU MD UA BY 04 24 36 24B 36F
- 4768. *Synanthedon armeniaca* Gorbunov,1991** (Sesiidae) Synonym(s): *armeniaca* Gorbunov,1991 Range (as codes): AM Cc TR IR Elb Kdv Th 61
- 4769. *Synanthedon cephiiformis* (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *cephiiformis* Ochsenheimer,1808; *laspeyres* Heppner & Duckworth,1981 Range (as codes): FR IT LU DE CH AT PL CZ SK HU RO YU BG TR GR RU MD UA BY Cc GG Smt Bjo
- 4770. *Synanthedon colchidensis* K.Spatenka & Gorbunov,1992** (Sesiidae) Synonym(s): *colchidensis* K.Spatenka & Gorbunov,1992 Range (as codes): Cc GG Bjo Smt TR 08
- 4771. *Synanthedon culiciformis* (Linnaeus,1758)** (Sesiidae) Synonym(s): *culiciformis* Linnaeus,1758; *culex* Retzius,1783; *americana* Beutenmüller,1896 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ 06 45
- 4772. *Synanthedon formicaeformis* (Esper,[1783])** (Sesiidae) Synonym(s): *formicaeformis* Esper,[1783]; *formiciformis* Staudinger,1856 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU St Mo Or Sr MD UA BY Cc GG Smt Bjo KG 36
- 4773. *Synanthedon loranthei* (Kralicek,1966)** (Sesiidae) Synonym(s): *loranthei* Kralicek,1966; *cryptica* Kralicek & Povolny,1977 Range (as codes): ES FR DE CH DE AT CZ SK HU RO SS HV B-H MK YU BG GR TR 33
- 4774. *Synanthedon myopaeformis* (Borkhausen,1789)** (Sesiidae) Synonym(s): *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861. Range (as codes): EG PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR NO SE EE LV LT RU MD UA BY Cc GG Smt Bjo IR 05 06 16 25 31 32 34 35 42 44 50 05A 06R 16A 50G 50Ga
- 4775. *Synanthedon pamphyla* Kallies,2003** (Sesiidae) Synonym(s): *pamphyla* Kallies,2003 Range (as codes): TR 07 35
- 4776. *Synanthedon pipiziformis* (Lederer,1855)** (Sesiidae) Synonym(s): *pipiziformis* Lederer,1855 Range (as codes): LB Bei SY TR IL Pa Js 01 42 01K
- 4777. *Synanthedon rubiana* Kallies, M.Petersen & Riefenstahl,1998** (Sesiidae) Synonym(s): *rubiana* Kallies, M.Petersen & Riefenstahl,1998 Range (as codes): TR GR 06 14 32 50 51 06R
- 4778. *Synanthedon spatenkai* Gorbunov,1991** (Sesiidae) Synonym(s): *spatenkai* Gorbunov,1991 Range (as codes): Cc GG AM TR 25 36
- 4779. *Synanthedon spuleri* (Fuchs,1908)** (Sesiidae) Synonym(s): *spuleri* Fuchs,1908; *schwarzi* Kralicek & Povolny,1977 Range (as codes): ES FR Si IT DE CH AT CZ SK HU YU AL BG GR TR 14
- 4780. *Synanthedon stomoxiformis* (Hübner,1790)** (Sesiidae) Synonym(s): *stomoxiformis* Hübner,1790; *culiciformis* Scopoli,1763 *nec* Linn.,1758; *stomoxiformis* Hübner,1796; *amasina* Staudinger,1878. Range (as codes): PT ES FR IT DE CH AT PL CZ SK RO YU AL BG TR LT RU MD UA BY AM Kho IR Gls Fa Es By GG LB AZ Kir Cc IL Pa 05 07 08 31 36 42 46 70 05A 07K 07Ka 46G 70C 70Ce
- 4781. *Synanthedon syriaca* Spatenka,2001** (Sesiidae) Synonym(s): *syriaca* Spatenka,2001 Range (as codes): SY TR 31
- 4782. *Synanthedon tipuliformis* (Clerck,1759)** (Sesiidae) Synonym(s): *#salmachus* Linnaeus,1758 (suppressed); *tipuliformis* Clerck,1759; *tipula* Retzius,1783; *ophioniformis* Hübner,[1813] Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Cc DK NO SE FI EE LV LT RU MD UA BY ZA 14
- 4783. *Synanthedon vespiformis* (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriiformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK SE LT RU MD UA BY IR Fa By 01 05 06 07 08 15 16 22 25 33 39 42 60 65 05E 07A 07Af 08H 16A 22F 65D 65Dt

Sphingidae

- 4784. *Acherontia atropos* (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877. Range (as codes): Az Cn CV MA DZ TN LY PT ES Mu An FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR DK NO SE FI EE LV LT RU MD UA Cm BY LB IL Hf Pa JO AZ IR Elb Gor IQ SA MU MG ZA Nta Cap Ec Pre Tva SO MZ GN SL TZ GM GA EG EGo5 SY AZ AM Bkw Gau Lpo Spb Mdk Mpu Brb Dbn Kir GG Bjo Lag Len Da Mo VI St Sr Cc Kh Agi Btma Orn Clo 01 06 17 21 31 33 34 35 36 37 46 48 55 56 61 31K 31Ka 31Ka5 36D 36F 46G 46Gf 56F 56Fa
- 4785. *Agrius convolvuli* (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927. Range (as codes): Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN Ui Au Ln Ga Pkn Ti KP KR JP ID Ja Sum GN NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm YE Ad Gor Elb TW Tn Ngl PK Krc Ask Cle BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt VI Mo Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb CmM Din Jol Ley Luz Mdo Mno Bkd Ktd Neg Pal Pan Sam Sga Siq Pre Brb Mpu AU NSw WS FJ SB TZ Bkw Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab Cma Cuo3 Cnz Czio TAK Bnk Chu Nst Phc Kln TW Cc AZ AM Cp LK Pdy Abe Btma Bsk Tun Agi Clo 05 06 10 13 16 21 31 42 44 48 60 65 05A 13F 16A 21N 21Nb 31K 31Ka3 31Ka5 48G 48Gb 60C 65N 65Ne
- 4786. *Akbesia davidi* (Oberthür,1884)** (Sphingidae) Synonym(s): *davidi* Oberthür,1884. Range (as codes): TR IQ Ssa Cc AZ IR Elb Th Fa Ss SY IL Pa Jt Gol Hal LB AF Bm Srb JO 01 02 21 27 30 31 33 46 47 56 63 65 72 73 80 01D 02E 02Ec 27D 30B 30Ba 30D 30Df 31K 31Ka 31Ka3 31M 33F 33P 46G 47G 56F 56Fa 56Fm 63E 65D 65Di 73C 73Ce 80B 80Bb
- 4787. *Clarina kotschy* (Kollar,[1849])** (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901. Range (as codes): TR IR Elb Th Mz Fa Kh IQ Shq IL Pa 21 30 47 56 65 21N 21Nb 30B 30Bc1 47D 47F 47Fa 56C 56Cc 56F 56Fa 56Fg 56Fx 65D
- 4788. *Clarina syriaca* (Lederer,1855)** (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#grisescens* Ebert,1976. Range (as codes): TR LB Bsa Bei SY IR JO IL Pa 47
- 4789. *Daphnis nerii* (Linnaeus,1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934. Range (as codes): Az Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY GG Bjo EG EG11 IR Ss LB Bei Bsa IL Hf Pa GN MU MG MZ ZA Nta Kzu Tva Lpo Spb Mdk NG TZ YE Ad IN ID Ja PH Ceb Jol Ley Luz IQ Bkw Tn LK Agh Mar Neg Gau Pre Dbn Rd JO PK AF Sfk Srb TH Bnk Cma Cuo JP Hw Sum NP MM TW Cc Agi 07 09 30 31 33 34 35 42 46 48 65 07C 30B 30Ba 30Bh 31K 31Ka 48G 48Gb 65K
- 4790. *Deilephila elpenor* (Linnaeus,1758)** (Sphingidae) Synonym(s): *elpenor* Linnaeus,1758; *porcus* Retzius,1783; *vitis* Oken,1815; *lewisi* Butler,1875; *cinerescens* Newnham,1900; *philippsi* Niepelt,1921; *szechuana* Chu & Wang,1980; *tristis* Lempke & Stolk,1986. Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU SR Sb At Am VI Pt IN Sml Syl Djl Meg Ass Khs Mpr Slo Nag MM NP TW BD MD UA Cm BY GG Smt Bjo Lag Cc IR Elb Gor CN Pkn Ui Kun Sz PK Pj Sd KP KR JP AF Sfk Bkw 32 42 53 60 53N 60C
- 4791. *Deilephila porcellus* (Linnaeus,1758)** (Sphingidae) Synonym(s): *porcellus* Linnaeus,1758. Range (as codes): DZ Dzc Blid Btma Tis Tni PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB IQ IR TM DK SE FI EE LV LT RU Sr Ur Mo VI Pt Ir Irk Ya At Am MD UA Bkw Cm BY GG Smt Bjo Tbl AZ Hkd Cc PK Pj CN Ui Ku Um Au IMn KK Ik MN KG TJ UZ 05 06 13 16 33 35 45 58 60 71 06R 06Rb 13G 13Gw 13Gs 16A 71D 71De
- 4792. *Deilephila suellus* Staudinger,1878** (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938. Range (as codes): TR IR GG Bjo Tbl Lag Cc RU Da KK Ik CN Ui Au Ju IQ LB Bsa 01 04 05 06 07 12 13 19 25 30 32 42 49 50 58 60 61 65 66 70 71 01H 04I 05A 06R 06Ra 06Re 13F 13G 13Gs 13Gw 19C 30B 30Bg 30Bd 30Bl 30D 30Da 36D 36F 42B 49E 49Ea 58R 60C 61K 61Ka 65A 65Am 65Am1 65Bx 65D 65Df 65F 65Fç 65Fe 65Fp 65Fz 65G 65Ge 65N 65Np 65Np1 65Nm 66P 70C 70Cf 71D 71De
- 4793. *Dolbina elegans* A.Bang-Haas,[1913]** (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,[1913]; *steffensi* Popescu-Gorj,1971. Range (as codes): MD RO BG GR TR IR JO UA Ode 13 21 30 31 32 33 56 62 65 73 13F 21N 21Nb 21Nh 30D 30Df 31M 56F 56Fa 56Fç 56Fg 62E 65D 65Di 73A 73Ag
- 4794. *Hemaris (Cochrania) croatica* (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911. Range (as codes): IT HU YU HV AL RO BG GR TR IQ IR TM RU Ro Or Ao Sr KG Uk GG Tbl Cc AZ Nv Ord LB Bsa JO IL Pa 05 06 13 16 30 33 42 44 45 46 50 56 60 65 71 05A 06R 06Ra 13F 13G 13Gs 13Gw 16A 30B 30Ba 30Bg 30Bd 30Be 30Bh 30Bl 33G 33R 33Rb 46G 50G 56F 56F1 60C 65A 65Ai 65As 65D 65F 65Fe 65Fy 65K 65Kl 65Z 65Kz 65Kg 65N 65Nr4 65Nm
- 4795. *Hemaris (Eitschbergera) tityus* (Linnaeus,1758)** (Sphingidae) Synonym(s): *tityus* Linnaeus,1758; *bombylififormis* Linnaeus,1758; *knautilae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *#tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998. Range (as codes): DZ PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Cc IR Elb Th DK NO SE FI EE LV LT AM RU Or Ur Tv Md UA Bkw BY KK KG Ssn Sp At CN Mc Ts Kno 05 13 16 20 36 60 65 76 05A 13B 13Bg 13G 13Gs 13Gw 16A 36D 36F 60C 65D 65Dç 65Fz
- 4796. *Hemaris (s.str.) dentata* (Staudinger,1887)** (Sphingidae) Synonym(s): *dentata* Staudinger,1887. Range (as codes): TR SY Hal 02 07 23 27 31 32 46 51

- 4797. Hemaris (s.str.) syra (Daniel,1939)** (Sphingidae) Synonym(s): *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005 Range (as codes): TR Cc AZ JO IQ Ssa IL Pa IR Fa Lo Th Elb Mz Gor TM Kp 05 12 16 25 30 36 38 56 60 65 75 80 12A 12Aa 16A 30B 30Bd 30D 30Df 38N 56A 65D 65Dc 65Do 65Doa 65Dü 65F 65Fd 65Fz 75F 75Fc 80B 80Bb
- 4798. Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrousier,1864 Range (as codes): Md Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Slv Vrn GR Rd Cr TR CY LB Bei IL Hf Pa IR Kh Th GlS Ss DK RU MD UA BY GG Smt Bjo IN Tn LK ID Sum Ja Kai AU QAU Hw PG NC NH FJ ZA Fs Cap Blo Tva Lpo Spb Mdk MZ GN SA SL PH Bal Boh Cal Ceb Dum Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Tic WS TO EL LO SB MY Gau Pre Mpu Brb Jh Nta Kzu Dbn SL JO AF Sfk Srb Nu Bsg PK Swa Sgl TH CMa Cuo TW Cc Cp Abe Rbt BtNa Agi Orn Blid Mzg Hrh 31 33 35 48 31K 31Ka 31Ka3 48G 48Gb
- 4799. Hyles euphorbiae (Linnaeus,1758)** (Sphingidae) Synonym(s): *euphorbiae* Linnaeus,1758; *esulae* Hufnagel,1766; *vandalusica* Ribbe,1910; *etrusca* Verity,1911; *sinensis* Closs,1917; *rothschildi* Stauder,1928; *dolomitcola* Stauder,1930; *filipjevi* O.Bang-Haas,1936; *lucida* Derzhavets,1980. Range (as codes): Md Cn MA DZ TN PT ES FR Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd DK SE FI EE LV LT RU Ao Sr Sb Ur MD UA Bkw BY AZ Tlh IR Elb Th CN Ui Ku Muz TJ Pm TR Cc GG Smt Bjo Tbl JO IL Pa Hf LB Bsa Bei IQ SY Dms IR Elb Th 01 05 06 07 09 10 13 14 15 16 17 20 21 24 25 30 32 33 35 36 42 45 44 46 47 48 50 51 56 58 60 63 65 70 73 76 01H 05A 06R 06Ra 06Re 10C 10D 13A 13Ab 13Ac 13Ax 13F 16A 21L 21Lc 21N 21Nb 24G 25C 25Ca 30B 30Bd 30Bt1 30Bz 30D 30Da 30Df 33R 33Rd 36D 51D 44E 44Ei 47F 47Fa 48G 48Gb 56F 56Fh 56Fa 56Fs 58G 58Gg 60C 63B 65A 65An 65Am 65Am1 65Ac 65Ac3 65B 65Bo 65Bx 65D 65Df 65Dg 65Dga 65F 65Fb 65Fe 65Fg 65Fz 65G 65Gf 65Gy 65K 65Kl1 65Z 65N 65Ne 65Nc4 65Np 65Np1 65Np2 65Nm 70C 70Cf 73C 73Cd 73D 73Da 76A 76Ac 76B 76Bb
- 4800. Hyles gallii (Rottemburg,1775)** (Sphingidae) Synonym(s): *galii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *galii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971. Range (as codes): Cn ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo DK NO SE FI EE LV LT RU Sb Am At To Ir Irk Ya Prj Us Pt Ao Sr Or Tt MD UA Bkw BY CN Ui Yu Mc Pkn KG Ssn Uk Sp Lps JP IN Ch Ch CA Lbr US 05 33 60 05A
- 4801. Hyles hippophaes (Esper,[1789])** (Sphingidae) Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974; *#hippophaeas* De Freina,1981 Range (as codes): ES FR Co IT DE CH AT RO YU BG GR TR RU Da Der MD UA BY KG TJ Pm UZ Fe CN Ui Ku Ln MN IR Ch Cc GG Tbl AF Sfk Kab Srb 06 19 23 25 30 36 44 46 50 62 65 71 76 06K 06Kc 19P 23I 25T 30B 30Ba 36F 44L 50G 65D 65F 65Fp 65Fz 65K 65Kb 65Z 65N 65Np 65Nm
- 4802. Hyles livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. Range (as codes): Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Shz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAU Ade Hw ZA Cap Fs Blo SO MG IQ TW Bkw TH CMa NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc Cp Ak Msw Ess Orn Odj Agi Ges BSa Omy Bsk Ktr Khh DhM Onç Gha Dzc Mzg Hrh Gf Omy Gle Ceg Gtt Ath Ah 01 05 06 07 09 10 13 16 17 19 21 23 30 31 33 34 35 36 44 45 46 47 48 53 56 58 60 61 63 73 75 76 05A 06R 06Ra 06Re 07A 07C 10K 10Ka 13A 13Ab 13Ax 13F 16A 19G 19P 21L 21Lc 21N 21Nb 23I 30B 30Ba 30D 30Df 31K 31Ka 31Ka7 33A 33Ad 44L 44Lc 46G 47F 47Fa 48G 48Gb 53N 56F 56Fa 56Fh 56Fo 56Fm 58N 60C 63D 65A 65At 65At5 65Am 65Am1 73C 73Cd 75F 76B 76Bb
- 4803. Hyles nicaea (Prunner,1798)** (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicea* De Freina,1981 Range (as codes): DZ Sbd MA Khh Afl PT ES FR Co Sa IT YU AL BG GR TR Cc AM Eri LB Bsa UA Cm IN KG Ssn IQ 06 13 19 25 30 36 50 58 60 65 66 76 13A 13Ab 13Ax 13G 13Gü 13Gw 19C 30B 30Ba 30Bh 30Bd 30D 30Da 36D 36F 50G 58Ia 60C 65A 65Am 65Am3 65Ac 65Ac3 65Bx 65D 65Dl 65Dlc 65F 65F1 65Fp 65Fz 65G 65Ge 65K 65Kd 65Kg 66P
- 4804. Hyles siehei (Püngeler,1903)** (Sphingidae) Synonym(s): *siehei* Püngeler,1903; *#privata* Austaut,1905. Range (as codes): TR 38 42 44 46 70 71 44E 44Ei 70C 70Cf 70Ch
- 4805. Hyles vespertilio (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio* Esper,[1780]. Range (as codes): FR IT DE CH AT SK PL YU MK AL BG TR RU Da Cc GG Smt Bjo AZ Lag AM LB 16 30 16A 30B 30Ba 30Bh
- 4806. Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Froreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996. Range (as codes): RU Da Der Ao Cc GG Tbl AZ Nv Ord TR AF TM Krn MN KK KG Uk Tks CN Ui Ln Tpn AM UZ TJ RU Da IR Elb 04 36 76 04C 04Cc 76A 76Ac
- 4807. Laothoe populeti (Bienert,[1870])** (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934. Range (as codes): TR Cc AZ NV Ord Kir GG Bjo Lag AM LB SY IQ IR Ab Oru Qba Mz GlS Kh TM UZ TJ KK KG Uk Ssn T-S CN Ui Ku Ts Kno 02 05 06 12 13 25 30 32 36 42 44 46 48 53 56 60 65 71 75 02E 02Ec 05A 06R 06Ra 12E 13A 13Ab 13Ax 13F 13F3 13F7 13F71 13G 13Gü 13Gw 30B 30Bd 30C 30Cd 30D 30Da 30Df 36D 36Db 36F 44E 44Eh 44Ei 46G 48L 56F 56F6 56F3 56F1 60C 65A 65Ai 65An 65Am 65Am1 65D 65N 65Np 65Nm 75F 75Fb
- 4808. Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892. Range (as codes): Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK Bl Qu CN Ui Kun Bkw BY KP KR TW JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm VI Pt Tt Or Bgd Rd JO Kab Khi Pjr Hrz Cc Mre Ab Qba Oru Ak Shf Rbt Saia Orn Agi Blid Omy Bsk Ktr Mzg Hrh Ahr Sfr Tni Tis 01 05 06 09 10 11 13 14 16 17 21 25 30 31 33 35 36 38 45 46 48 55 56 58 60 63 65 70 71 75 76 01H 05A 06R 06Rd 10D 10K 10Ka 13A 13Ab 13Ac 13Ax 13F 13Gw 13Gü 16A 30B 30Bc2 30D 30Df 31K 31Ka 33A 33Aa 33Ak 33R 33Rb 33Rg 36D 36Db 38G 38Ga 46F 46Fd 48A 48G 48Gb 48F 48L 55F

56F 56Fg 56Fm 56Fa 58N 63D 65A 65Ai 65B 65Bn 65Bn1 65D 65Dn 65Du 65E 65Eb 65Ec 65F 65Fb 65Fc 65Fd 65Fg 65Fz 65G 65Gs 65Gf 65Gy 65K 65Ks 65Kz 65Kg 65Ky 65Ky1 65L 65Le 65M 65Mc 65Md 65N 65Np 65Nm 70C 70Cb 75F 76B 76Bi

- 4809. *Marumba quercus* ([Denis & Schiffermüller],1775)** (Sphingidae) **Synonym(s):** *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescent* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973. **Range (as codes):** MA PT ES FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR TR AM AZ GG Cc Smt Bjo RU MD UA Bkw IR Fa Shr IQ Rwz LB JO 01 02 05 06 07 10 12 13 19 21 30 31 33 42 46 47 48 49 56 62 65 73 02F 02Fd 02Fz 05A 06R 06Rb 10D 13F 19B 21N 21Nb 21Nh 30B 30Ba 30Bh 30C 30Cd 30D 30Df 31K 33A 33Ac 42B 47F 47Fa 48G 48Gb 49E 49Ea 56F 56Fa 56Fb 56Fg 56Fc 56Fy 56Fx 56Fv 56Fg 56F1 56Fc 56Fs 56Fm 62E 65A 65Ai 65D 65Dl 65Dlc 65Du 73A 73Ae 73C 73Cd 73Df 73Dfc
- 4810. *Mimas tiliae* (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *tiliae* Linnaeus,1758 **Range (as codes):** PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ao Sr Mo To MD UA Bkw BY LB Bei Cc GG Lag Bjo Mng AM AZ KG Uk Sp 42
- 4811. *Proserpinus proserpinus* (Pallas,1772)** (Sphingidae) **Synonym(s):** *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876]; *maxima* Groum-Grshimailo,1887; *japetus* Groum-Grshimailo,1890; *gigas* Oberthür,1922. **Range (as codes):** MA LT CZ SK DE NL GB BE LU FR ES Grn Snv Alv Act Bgs Ccs Hv Ter Lda Gna Hue Nrr Rio Val Ple PT Si IT CH AT HU YU MK HV BY UA Cm B-H RO BG AL GR TR GG Bjo AM Eri LB JO IR Elb Th KG Uk Kw Sp Tk Aa UZ TJ TM Kp RU Pt Mo Chu Tt Pe Ul Sm Sr Vl Ao Ba Pr St Bkw No Om To AF Nu Bsg Pag Kab 13 40 65 13F 40G 40Ga 65D 65Du 65N 65Nc
- 4812. *Rethera brandti* O.Bang-Haas,1937** (Sphingidae) **Synonym(s):** *brandti* O.Bang-Haas,1937 **Range (as codes):** IR Fa Elb Th Ss TR IQ Dy
- 4813. *Rethera komarovi* (Christoph,1885)** (Sphingidae) **Synonym(s):** *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937 **Range (as codes):** MK AL BG GR TR Cc GG Bjo AM AZ Nv Ord RU AF KG IQ IR Kh Fa PK Bl Chm JO 02 05 06 13 23 30 36 42 44 46 56 60 65 66 70 71 02F 02Fe 02Fz 05A 06R 06B 06Bb 06Ra 13F 13F11 13F7 13F71 23I 30B 30Be1 30Bc 30Bz 30Bg 30Bl 30Bd 30Ba 30D 30Df 36D 36F 42B 44L 44Le 47F 47Fa 56F 56Fa 56Fb 56F6 56Fm 56Fq 56Fx 56Fb 56F1 60C 65A 65Am 65Am1 65Am3 65Am4 65Ai 65Ac 65Ac3 65B 65Bo 65Bx 65D 65Di 65K 65K1 65Z 66P 70C 70Cf
- 4814. *Smerinthus kindermanni* Lederer,1852** (Sphingidae) **Synonym(s):** *kindermanni* Lederer,1852; *#obscura* Closs,1917 **Range (as codes):** TR Arr IR Es Elb Th Mz Fa AF Ca Nu Bsg Srb Slg Kab Sfk PK Nwf Ci Gg Psu JO SY LB Bsa CY TM Kp IQ Agh AM Cc GG AZ Kir Len UZ Fe Man CN Ui Ga Kl Um Tpn Shz Mgn IN Hp KG Aa T-S Tra 06 21 22 23 25 30 33 42 46 56 58 60 63 65 76 06R 06Ra 21N 21Nb 25T 25F 30B 30Bl 30Bh 30Bd 30Bt1 30Bz 30D 30Da 33R 56F 56Fb 56F6 56F1 56Fy 58N 58R 60C 63M 65A 65Am 65Am3 65Ai 65F 65Fc 65Fe 65Fz 65Fm 65L 65Le 76A 76Aa
- 4815. *Smerinthus ocellatus* (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *ocellatus* Linnaeus,1758; *semipavo* Retzius,1783; *salicis* Hübner,1796; *cinerascens* Staudinger,1879 **Range (as codes):** DZ Orn PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb Sr Ao Ur MD UA Bkw BY Cc GG Bjo AZ AM IR Elb Mz KG Uk KK 05 16 32 36 42 58 60 61 05A 16A 36F 58N 60C 61K 61Ka
- 4816. *Sphingonaepiopsis gorgoniades* (Hübner,[1819])** (Sphingidae) **Synonym(s):** *gorgon* Esper,[1804] *nec Cr.*,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974. **Range (as codes):** HV RO AL GR BG UA Cm RU Ur Or MK Skj AM GG Cc TR LB Bsa IR Ab Ak Elb Th Kh Lo IQ Hjo AF Kab JO IL Pa KK KG TJ UZ Fe Man 05 13 16 30 33 36 46 50 56 60 65 13F 13G 13Gs 13Gw 16A 30D 30Df 33G 36D 36Db 46L 56F 56Fg 60C 65A 65Am 65Am1 65D 65Dg 65Fz 65N 65Np 65Np1 65Np2 65Nm
- 4817. *Sphinx ligustri* Linnaeus,1758** (Sphingidae) **Synonym(s):** *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 **Range (as codes):** Az Cn TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Am Sb Ask Pt Tt Vl Or Sr MD UA Bkw BY KG Mp KK Aa T-S At MN JP CN Cc GG Bjo Cm 06 16 25 36 42 60 06R 06Ra 06Rb 16A 36F
- 4818. *Sphinx pinastri* Linnaeus,1758** (Sphingidae) **Synonym(s):** *pinastri* Linnaeus,1758; *piceae* Gleditsch,1775; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987. **Range (as codes):** DZ Hrh Lbs FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Vi Tt Ur Pt MD UA Bkw BY Cc GG Tbl Bjo Mng LB JP US CA IN 05 06 08 09 10 15 17 19 31 32 33 36 42 46 60 05A 05G 06R 06Ra 06Re 06Rk 08H 08He 09K 09Ka 10K 10Ka 17M 19G 31K 33A 33Ad 33R 33Rd 36F 60C
- 4819. *Theretra alecto* (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941. **Range (as codes):** si RO YU BG GR Rd Cr TR RU IR Mz Kh Th Elb Ss TM Kp Mrw AZ Kir Bak Da Len Der Cc GG Lag LB Bei Bsa IL Hf Pa UZ Fe AF Ca Srb Nu Bsg Kab Pag Jla PK Kai IN CN TH CMa Cuo MM MY TW Ri ID Sum Ja Bor Flo Mlc Clb Kai PH Bal Boh Ceb Jol Ley Luz Mar Mno Mdo Neg Pal Pan Sam IQ Agh JO KG Tks Mre LK 07 09 10 13 16 31 33 34 35 45 46 56 63 07B 07C 10A 13F 16A 31K 31Ka 31Ka3 33N 33P 46G 56F 56Fa 63D

Stathmopodidae

- 4820. *Tortilia graeca* Kasy,1981** (Stathmopodidae) **Synonym(s):** *graeca* Kasy,1981 **Range (as codes):** TR CY GR Cr

Thaumetopoeidae

- 4821. Thaumetopoea (Traumatocampa) ispartaensis (M.Doğanlar & Avcı,2001)** (Thaumetopoeidae) Synonym(s): *ispartaensis* M.Doğanlar & Avcı,2001 Range (as codes): TR 32 32H
- 4822. Thaumetopoea (Traumatocampa) libanotica Kiriakoff & Talhouk,1975** (Thaumetopoeidae) Synonym(s): *libanotica* Kiriakoff & Talhouk,1975 Range (as codes): TR LB Bsa 32
- 4823. Thaumetopoea (Traumatocampa) pinivora Treitschke,1834** (Thaumetopoeidae) Synonym(s): *pinivora* Treitschke,1834 Range (as codes): ES FR DE CZ RO TR DK SE LT RU 42 42D
- 4824. Thaumetopoea (Traumatocampa) pityocampa ([Denis & Schiffermüller],1775)** (Thaumetopoeidae) Synonym(s): *#pityocampa* [Denis & Schiffermüller],1775; *orana* Staudinger,1901; *ceballosi* Agenjo,1941; *clara* Agenjo,1941; *pujoli* Agenjo,1941; *vareai* Agenjo,1941 Range (as codes): DZ Orn Abe Mage Ght Ges Btina PT ES FR Co Si IT DE CH AT AL BG GR Cr TR RU IL Pa Js 01 05 07 09 10 16 19 31 33 34 42 46 48 55 59 60 70 01H 05A 07A 09K 09Ka 16A 31L 33O 33R 33Rb 34C 46G 46Gf 48D 70C 70Cb
- 4825. Thaumetopoea (Traumatocampa) sedirica (M.Doğanlar,2005)** (Thaumetopoeidae) Synonym(s): *sedirica* M.Doğanlar,2005; *#sediria* M.Doğanlar,2005 Range (as codes): TR 07 32 32I
- 4826. Thaumetopoea (Traumatocampa) torosica (M.Doğanlar,2005)** (Thaumetopoeidae) Synonym(s): *torosica* M.Doğanlar,2005 Range (as codes): TR 01 51 01H
- 4827. Thaumetopoea (Traumatocampa) wilkinsoni Tams,1925** (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams,1925 Range (as codes): CY IL Pa LB SY TR 01 02 07 09 20 27 31 33 35 46 09K 09Ka
- 4828. Thaumetopoea (s.str.) processionea (Linnaeus,1758)** (Thaumetopoeidae) Synonym(s): *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951. Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG GR RU MD UA BY IL Pa 03 06 07 10 34 59 03H 06R 06Re 07B 59D
- 4829. Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838] Range (as codes): DZ Ges YU MK AL BG GR TR IQ Rwz LB CY IR Elb Fa Sse IL Pa Hf AF Srb SA 05 07 16 27 30 31 33 34 35 42 45 46 48 56 60 63 05A 07C 16A 30D 30Df 33A 33Ak 33Aj 42D 46G 46Gf 48G 48Gb 56F 56Fa

Thyatiridae

- 4830. Achlya flavicornis (Linnaeus,1758)** (Thyatiridae) Synonym(s): *flavicornis* Linnaeus,1758; *cinerea* Hufnagel,1766; *sulphureomaculata* Retzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809; *finmarchica* Schöyen,1881; *meridionalis* Wolfsberger,1968 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI LV LT RU MD UA BY Sb Us Vv Sh JP Hkk 06 21 56 71 06R 06Rb 21N 21Nh 56D 56Dd
- 4831. Asphalia ruficollis (Fabricius,1787)** (Thyatiridae) Synonym(s): *#ruficollis* [Denis & Schiffermüller],1775; *ruficollis* Fabricius,1787 Range (as codes): FR IT CH AT SK HU RO YU BG GR TR IL Pa EE 06 07 21 30 33 34 48 59 71 73 06R 06Rb 07A 21N 21Nh 30D 30Df 33A 33Ak 48A 73C 73A 73Ab 73Cd
- 4832. Cymatophorina diluta ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): *diluta* [Denis & Schiffermüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwegi* Reisser,1927 Range (as codes): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE RU MD UA BY 06 31 06R 06Rb 31B 31C
- 4833. Habrosyne pyritoides (Hufnagel,1766)** (Thyatiridae) Synonym(s): *pyritoides* Hufnagel,1766; *derasa* Linnaeus,1767; *gloriosa* Boisduval,1852; *intermedia* Bremer,1864 Range (as codes): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Tbl Smt Bjo Lag AZ Kir AM IR Mz DK NO SE FI EE LV LT RU MD UA BY Ur Sb Us Am KP KR JP IN Pj Drm Kgr Hp TH Cma CDo Fn Agk Int 08 14 28 34 53 61 81 08H 08Hc 14B 14Bb 28O 34A 53N 61L
- 4834. Polyploca korbi Rebel,1901** (Thyatiridae) Synonym(s): *korbi* Rebel,1901 Range (as codes): TR IQ IL Pa SY IR 06 07 16 21 30 31 32 33 42 46 48 50 56 64 65 73 06R 06Rb 07A 21N 21Nh 30D 30Df 31B 33A 33Ac 33Ak 42B 48G 48Gb 56F 56F3 56Fg 64F 65A 65Ai 73C 73A 73Ab 73Cd
- 4835. Tethea ocularis (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kosswigi* Werny,[1967]; *caucasica* Werny,[1967] *nec* Krul.,1901 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sr Ur Da Am GG Bjo Lag Smt MD UA BY IQ Cc IL Pa AZ Lag Nv Ord Kir IR Elb Th Kdj Ak Shf UZ KG KK Na TJ CN 03 06 12 13 14 15 17 19 21 32 36 37 42 43 46 50 56 60 62 65 71 03A 03Aa 06F 06Fb 06A 06Aa 06R 06Rb 06Y 13F 13F38 13G 13Gg 13Gü 13Gy 13Gw 14B 14Bb 17E 17H 19P 21N 21Nb 36F 37P 42B 42D 46D 43M 49E 49Ea 50G 56F 56Fa 56F3 60C 62E 65D 65Dh 65F 65Fe 65Fr 65Fp 65Fg 65N 65Nc
- 4836. Tethea or ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911; *nigrescens* Werny,[1967] Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Smt Lag AM AZ Kir DK NO SE FI EE LV LT RU MD UA BY Sb Am Us KG CN Ii Ui 13 14 24 25 36 46 55 56 60 61 13G 13Gs 13Gg 14B 14Bb 25D 36D 36F 55H 56F 56F3 56Fa 56Fv 60C

- 4837. *Thyatira batis* (Linnaeus,1758)** (Thyatiridae) **Synonym(s):** *batis* Linnaeus,1758; *indecorata* Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910; *japonica* Werny,[1967]; *mandschurica* Werny,[1967] **Range (as codes):** PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Smt AM AZ DK NO SE FI EE LV LT RU MD UA BY Sb Us KP KR JP CN Mc MY Bor Sbh KBa Swk 08 10 11 14 52 53 61 08H 08F 11E 14B 14Bb 53M 53N 61L
- 4838. *Thyatira hedemanni* Christoph,1885** (Thyatiridae) **Synonym(s):** *hedemanni* Christoph,1885; *elbursina* Werny,[1967] **Range (as codes):** TR Cc GG Lag AZ Kir Tlh IR Elb Kh Mz Gh 53 53B

Thyridae

- 4839. *Thyris fenestrella* (Scopoli,1763)** (Thyridae) **Synonym(s):** *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910. **Range (as codes):** PT ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR EE LV RU MD UA BY Cc GG Smt Bjo Aj AZ Len Da Der KG Lps At Am Prj Us KP KR CN 05 16 33 34 46 60 05A 16A

Tineidae

- 4840. *Anemapogon teberdella* (Zagulyaev,1963)** (Tineidae) **Synonym(s):** *teberdellus* Zagulyaev,1963; *georgiellus* Zagulyaev,1963; *teberdensis* Zagulyaev,1964; *georgicus* Zagulyaev,1964. **Range (as codes):** Cc GG Kc Teb Lag AZ Bak TR 55
- 4841. *Anomalotinea latiusculella* (Stainton,1867)** (Tineidae) **Synonym(s):** *latiusculella* Stainton,1867 **Range (as codes):** DZ Orn Cst Bsk LB Bsa Bmm TR IL Pa JO 16 33 38 42 46 16A
- 4842. *Ateliotum hungaricellum* Zeller,1839** (Tineidae) **Synonym(s):** *hungaricellum* Zeller,1839; *cypellias* Meyrick,1937 **Range (as codes):** ES FR IT DE AT PL CZ SK HU RO YU MK BG GR TR RU Da Cc AZ Tlh Dz Nv Sr Ao Or Ur UA Cm TJ KG 38 65 70 71 76 65D 65Df 65G 65Gb 65N 65Np2 65Nm 70C 70Cf 71D 76C
- 4843. *Ateliotum petrinellum* (Herrich-Schäffer,1853)** (Tineidae) **Synonym(s):** *petrinella* Herrich-Schäffer,1853; *turatiella* Millièr,1886 **Range (as codes):** MA PT ES FR CH IT GR TR AF Kab 05
- 4844. *Ateliotum syriacum* (Caradja,1920)** (Tineidae) **Synonym(s):** *syriacum* Caradja,1920 **Range (as codes):** Cr IL Pa Hf LB Bei Bsa Bmm TR 46 46G
- 4845. *Ateliotum taurensis* Zagulyaev,1966** (Tineidae) **Synonym(s):** *taurensis* Zagulyaev,1966 **Range (as codes):** TR 46
- 4846. *Cephimallota angusticostella* (Zeller,1839)** (Tineidae) **Synonym(s):** *angusticostella* Zeller,1839; *libanotica* G.Petersen,1959; *hasarorum* Zagulyaev,1965 **Range (as codes):** IT CZ SK HU RO YU AL BG GR Rd Cr CY LB Cc AM TR RU Sr MD UA BY 07 33
- 4847. *Cephimallota crassiflavella* (Bruand,1851)** (Tineidae) **Synonym(s):** *crassiflavella* Bruand,1851; *simplicella* Zeller,1852. **Range (as codes):** MA DZ Cn PT ES Grn FR Co Sa IT BE NL DE CH AT PL CZ SK YU MK GR TR RU MD UA BY 42 46
- 4848. *Cephimallota praetoriella* (Christoph,1872)** (Tineidae) **Synonym(s):** *praetoriella* Christoph,1872; *uralskella* Caradja,1920. **Range (as codes):** DE Cc RU Da Sr TM KG Uk Aa TR IR Kh 46
- 4849. *Cephimallota tunesiella* (Zagulyaev,1966)** (Tineidae) **Synonym(s):** *tunesiella* Zagulyaev,1966 **Range (as codes):** ES TN TR RU Da TM Cr Cc AZ GG Lag IR GlS Bk
- 4850. *Ceratuncus affinitellus* (Rebel,1901)** (Tineidae) **Synonym(s):** *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951. **Range (as codes):** TR IQ Dy Hjo Qg LB SY Ltk IR Elb Th Dam UA Cm AM Cc 21 27 33 38 42 46 47 65 71 21L 21Lc 27D 27Db 33R 33Rb 65A 65An
- 4851. *Ceratuncus danubiellus* (Mann,1866)** (Tineidae) **Synonym(s):** *danubiellus* Mann,1866 **Range (as codes):** AT RO YU BG GR MT TR Cc AM Eri GG Mng Tbl Lag AZ Nv Ord RU Da UA Cm 76 76C
- 4852. *Crypsithyris turcica* Gaedike,2007** (Tineidae) **Synonym(s):** *turcica* Gaedike,2007 **Range (as codes):** TR 33 51 33F 33N 33P 51D 51Da
- 4853. *Dryadula minuta* Gaedike,2007** (Tineidae) **Synonym(s):** *minuta* Gaedike,2007 **Range (as codes):** Rd TR 48 48G
- 4854. *Dryadula nedae* (Gaedike,1983)** (Tineidae) **Synonym(s):** *nedae* Gaedike,1983; *nedae* Baldizzzone,1983 **Range (as codes):** HV GR CY TR
- 4855. *Edosa fuscoviolacella* (Ragonot,1895)** (Tineidae) **Synonym(s):** *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935 **Range (as codes):** CY TR IL Hf Js Pa IQ LB Bsa Bei Cc AZ Nv Ord SY Dms IR Lo Bk 01 31 42 46 47 71 31M 42B 71D
- 4856. *Edosa lardatella* (Lederer,1858)** (Tineidae) **Synonym(s):** *lardatella* Lederer,1858 **Range (as codes):** MA DZ Gea Gha Omy Gtt Lbs Dja Eba Bsk TN Gf LY IL Pa Js JO LB Bei TR Sn EG SA OM IR Ab Oru Kd Mrv Bne Ak Tbz Kz Hz Dzf 30 31 44 46 30B 30Bc1 31M 44L 44Lc 46G

- 4857. *Elatobia bugrai* Koçak, 1981** (Tineidae) Synonym(s): *atratella* Staudinger, 1870 nec Fourcr., 1785; *bugrai* Koçak, 1981. Range (as codes): GR PI TR
- 4858. *Elatobia fuliginosella* (Lienig & Zeller, 1846)** (Tineidae) Synonym(s): *fuliginosella* Lienig & Zeller, 1846 Range (as codes): MA DZ Bsk TN ES FR Sa IT DE CH AT PL SK HU BG GR TR NO SE FI LV RU MD UA BY IR Th Dam Elb MN Sb CA US Col 29
- 4859. *Eudarcia* (Abchagleris) *glaseri* (G. Petersen, 1967)** (Tineidae) Synonym(s): *glaseri* G. Petersen, 1967; *abchasicum* Zagulyaev, 1979 Range (as codes): ES FR GR Cr UA TR Cc GG 55
- 4860. *Eudarcia* (Abchagleris) *jaworskii* Gaedike, 2011** (Tineidae) Synonym(s): *jaworskii* Gaedike, 2011 Range (as codes): TR 33 33L
- 4861. *Eudarcia* (Neomeessia) *alanyacola* Gaedike, 2011** (Tineidae) Synonym(s): *alanyacola* Gaedike, 2011 Range (as codes): TR 07 07B
- 4862. *Eudarcia* (Neomeessia) *gracilis* (G. Petersen, 1968)** (Tineidae) Synonym(s): *gracilis* G. Petersen, 1968 Range (as codes): TR
- 4863. *Eudarcia* (Obesoceras) *forsteri* (G. Petersen, 1964)** (Tineidae) Synonym(s): *forsteri* G. Petersen, 1964 Range (as codes): MK BG GR TR 41 41A
- 4864. *Eudarcia* (Obesoceras) *turcica* Gaedike, 1997** (Tineidae) Synonym(s): *turcica* Gaedike, 1997 Range (as codes): TR 58
- 4865. *Eudarcia* (Pseudobesoceras) *holtzi* (Rebel, 1902)** (Tineidae) Synonym(s): *holtzi* Rebel, 1902; *libanoticum* G. Petersen, 1968 Range (as codes): GR Cr CY RU Da Cc AM TR LB IR AF
- 4866. *Euplocamus anthracinalis* (Scopoli, 1763)** (Tineidae) Synonym(s): *anthracinalis* Scopoli, 1763; *anthracinella* [Denis & Schiffermüller], 1775; *fuesslinella* Sulzer, 1776; *guttella* Fabricius, 1781; *anthracina* Borkhausen, 1793; *fuesslinaria* Esper, [1801]; *guttatus* Latreille, 1809; *monetellus* Lederer, 1864; *amanalis* Osthelder, 1935. Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG RU 05 16 33 35 46 61 05A 16A
- 4867. *Euplocamus delagrangiei* Ragonot, 1895** (Tineidae) Synonym(s): *delagrangiei* Ragonot, 1895; *#delagrangeri* Gaedike, 2011 Range (as codes): TR 01 31 31M
- 4868. *Euplocamus ophisus* (Cramer, [1776])** (Tineidae) Synonym(s): *ophisa* Cramer, [1776]; *#aurantiella* Frivaldsky, 1835 Range (as codes): MK AL YU BG GR TR 05 14 16 34 05A 16A 34R
- 4869. *Gaedikeia kokkariensis* Sutter, 1998** (Tineidae) Synonym(s): *kokkariensis* Sutter, 1998 Range (as codes): ES Co GR Rd Ae Sms CY TR 07
- 4870. *Haplotinea ditella* (Pierce & Diakonoff, 1938)** (Tineidae) Synonym(s): *ditella* Pierce & Diakonoff, 1938 Range (as codes): IT MT GB NL DE AT PL CZ SK HU RO BG TR DK NO SE FI LV RU Ur Or Da Cc GG Bku Bjo Smt AM Svn Eri MD UA Cm BY KG Aa TrA UZ Br TM
- 4871. *Hapsifera luridella* Zeller, 1847** (Tineidae) Synonym(s): *luridella* Zeller, 1847; *eburnea* Butler, 1881; *palaestinensis* Rebel, 1901; *baliopsamma* Meyrick, 1921; *torulosa* Turati, 1919; *cyrenaicensis* Turati, 1924; *pustulatella* Lucas, 1942 nec Zell., 1852; *kerbelella* Amsel, 1949; *asiatica* Amsel, 1949; *susaella* Amsel, 1959 Range (as codes): MA TN LY Cy EG MK BG GR Nx Cr TR CY LB Bei IL Pa Hf Js JO IQ Kbl Hjo Sqw Bgd SA YE IR Ab Oru Kz Ahz Yas Km Sdt Mak Ak Hz Bu Fa Shr Ss Ke Jrf Kaz Das Snj Kd Es Th Kdj Qz Gh Elb Dam UZ Smk Br TJ PK Krc AF Srb BH Cc GG Lag AM AZ Kir Nv Ord SY Dms 01 05 06 16 21 22 27 30 31 42 46 47 56 65 71 73 76 01K 05A 06R 21L 21N 21Nh 27B 30B 30Bc 30Bz 30D 30Df 31A 31M 46G 47D 56F 56Fb 56Fs 56Fs1 65D 65N 65Np2 65Np6 65Nm 71B 71D 73D 73Df 73Dfc 76B 76Bb 76C
- 4872. *Hapsifera multiguttella* (Ragonot, 1895)** (Tineidae) Synonym(s): *multiguttella* Ragonot, 1895; *jerichoella* Amsel, 1935. Range (as codes): DZ Orn TN Gab LB Bei SY Dms JO IL Pa Jer TR 31 42 46 31M
- 4873. *Infurcitinea albicomella* (Stainton, 1851)** (Tineidae) Synonym(s): *albicomella* Stainton, 1851; *albicapilla* Zeller, 1852; *luridella* Jäckh, 1959; *raetica* Zagulyaev, 1974 Range (as codes): ES FR IT IE GB DE CH AT PL CZ SK HU RO HV AL BG GR TR DK SE RU MD UA BY Cc GG
- 4874. *Infurcitinea anatolica* G. Petersen, 1968** (Tineidae) Synonym(s): *anatolica* G. Petersen, 1968 Range (as codes): TR 42
- 4875. *Infurcitinea frustigerella* (Walsingham, 1907)** (Tineidae) Synonym(s): *frustigerella* Walsingham, 1907; *absconditella* Chrétien, 1915. Range (as codes): DZ Hes MA TN GF ES TR CY IR Mz Amo 47
- 4876. *Infurcitinea graeca* Gaedike, 1983** (Tineidae) Synonym(s): *graeca* Gaedike, 1983; *graeca* G. Petersen & Gaedike, 1983 Range (as codes): GR Cr TR CY HV 33
- 4877. *Infurcitinea nigropluviella* (Walsingham, 1907)** (Tineidae) Synonym(s): *nigropluviella* Walsingham, 1907; *maraschensis* G. Petersen, 1968. Range (as codes): DZ Hes TN TR GR Cr Rd CY IR Fa 34 46 71 71D
- 4878. *Infurcitinea rumelicella* (Rebel, 1903)** (Tineidae) Synonym(s): *rumelicella* Rebel, 1903 Range (as codes): PT FR IT RO YU BG GR RU UA Cc GG AM MK TR TM Kp
- 4879. *Infurcitinea tauridella* G. Petersen, 1968** (Tineidae) Synonym(s): *tauridella* G. Petersen, 1968; *juliae* Satschkov, 1995. Range (as codes): BG GR TR RU Rd 33

- 4880. Infurcitinea tribertii Gaedike, 1983** (Tineidae) Synonym(s): *tribertii* Gaedike, 1983; *tribertii* Baldizzone, 1983. Range (as codes): MK GR TR 71 71D
- 4881. Infurcitinea turcica G. Petersen, 1968** (Tineidae) Synonym(s): *turcica* G. Petersen, 1968 Range (as codes): TR GR Ae Le 06 71 71C 71D
- 4882. Lichenotinea pustulatella (Zeller, 1852)** (Tineidae) Synonym(s): *pustulatella* Zeller, 1852; *igaloensis* Amsel, 1951; *maculata* G. Petersen, 1957 Range (as codes): ES FR IT BE DE CH AT RO HV BG GR TR RU MD UA BY 33
- 4883. Monopis crocicapitella (Clemens, 1859)** (Tineidae) Synonym(s): *crocicapitella* Clemens, 1859; *amandatella* Walker, 1863; *hyalinella* Staudinger, 1870; *lombardica* Hering, 1889; *heringi* Richardson, 1893; *ptilophaga* Enderlein, 1909; *prometopias* Gyllenhal, 1913; *cecconii* Turati, 1919; *dobrogica* Georgescu, 1964 Range (as codes): MA PT ES FR Co Si IT MT IE GB BE NL DE CH AT CZ SK HU RO YU BG GR Cr TR RU MD UA BY JP ZA 34
- 4884. Monopis imella (Hübner, [1813])** (Tineidae) Synonym(s): *imella* Hübner, [1813]; *nitidella* Zagulyaev, 1960. Range (as codes): DZ Anna TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc AZ Len LB Bsa DK SE FI EE LV LT RU MD UA BY IR Fa Shr Kh MN CN Ui 05 16 35 46 76 05A 16A 46G 76C
- 4885. Monopis laevigella ([Denis & Schiffermüller], 1775)** (Tineidae) Synonym(s): *laevigella* [Denis & Schiffermüller], 1775; *rusticella* Hübner, 1796; *rustica* Haworth, [1828]; *saturella* Haworth, [1828]. Range (as codes): PT ES FR Co IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Mz Gls CN KP KR JP CA 16 35 16A
- 4886. Monopis meleodes Meyrick, 1917** (Tineidae) Synonym(s): *meleodes* Meyrick, 1917 Range (as codes): TR IQ 31
- 4887. Monopis obviella ([Denis & Schiffermüller], 1775)** (Tineidae) Synonym(s): *obviella* [Denis & Schiffermüller], 1775; *ferruginella* Hübner, [1813] nec Thunberg, 1788; *splendella* Hübner, [1813] nec [Denis & Schiffermüller], 1775. Range (as codes): AD FR IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cc IR Mz Gls 16 16A
- 4888. Montescardia tessulatellus (Lienig & Zeller, 1846)** (Tineidae) Synonym(s): *tessulatellus* Lienig & Zeller, 1846 Range (as codes): Si IT DE CH AT PL CZ SK HU RO YU BG TR NO SE FI EE LV LT RU MD UA Cm Sb BY Us MN 61
- 4889. Morophaga (choragella-gr.) choragella ([Denis & Schiffermüller], 1775)** (Tineidae) Synonym(s): *choragella* [Denis & Schiffermüller], 1775; *boleti* Fabricius, 1777; *fungella* Thunberg, 1794; *mediella* Hübner, 1796 Range (as codes): MA TN PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR KG Sb Cc
- 4890. Morophaga (morella-gr.) morella (Duponchel, 1838)** (Tineidae) Synonym(s): *morella* Duponchel, 1838; *#fungicolella* Dumont, 1930 Range (as codes): MA TN PT ES FR Co Sa IT MT GR Rd TR RU MD UA Cm AF 16 16A
- 4891. Myrmecozela (Dulcana) diacona Walsingham, 1907** (Tineidae) Synonym(s): *diacona* Walsingham, 1907 Range (as codes): DZ Bsk Hes TN Gf TR 26
- 4892. Myrmecozela (Flavida) lutosella (Eversmann, 1844)** (Tineidae) Synonym(s): *lutosella* Eversmann, 1844; *gigantea* Christoph, 1873; *centrogramma* Meyrick, 1921; *insignis* Amsel, 1935; *stichograpt* Meyrick, 1936 Range (as codes): TR IL Pa IQ Bgd IR Elb Fa Bu Ke RU Ao Or Ur KG CN Ui Ku 05 06
- 4893. Myrmecozela (Promasia) parnassiella (Rebel, 1915)** (Tineidae) Synonym(s): *parnassiella* Rebel, 1915 Range (as codes): MK BG GR TR CY 27 31 27D 27Db 31K 31Ka 31Ka3
- 4894. Nemapogon anatolica Gaedike, 1986** (Tineidae) Synonym(s): *anatolica* Gaedike, 1986 Range (as codes): TR GR Rd JO 06 32 42
- 4895. Nemapogon arcella (Fabricius, 1777)** (Tineidae) Synonym(s): *arcella* Fabricius, 1777; ? *niveella* Fabricius, 1777; *clematella* Fabricius, 1781; *repandella* Hübner, [1799]; *clematea* Haworth, 1828; *auritinctella* Wallengren, 1852 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY
- 4896. Nemapogon arenbergeri Gaedike, 1986** (Tineidae) Synonym(s): *arenbergeri* Gaedike, 1986 Range (as codes): MK GR TR 32 33 42 70
- 4897. Nemapogon cloacella (Haworth, [1828])** (Tineidae) Synonym(s): *cloacella* Haworth, [1828]; *infimella* Herrich-Schäffer, 1851; *nevellus* Zagulyaev, 1963 Range (as codes): DZ Anna PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Cc AZ Len TM Krn TR DK NO SE FI EE LV LT RU MD UA BY CA BCo 14
- 4898. Nemapogon gliriella (Heyden, 1865)** (Tineidae) Synonym(s): *gliriella* Heyden, 1865; *cachetiellus* Zagulyaev, 1963; *cacheticus* Zagulyaev, 1964; *ibericus* Zagulyaev, 1968 Range (as codes): DE CH SK Cc GG Bjo AM TR 14 34
- 4899. Nemapogon granella (Linnaeus, 1758)** (Tineidae) Synonym(s): *granella* Linnaeus, 1758; *domesticella* Scopoli, 1763; *fenestrella* Scopoli, 1763 (*praeocc.*); *nebulosella* Fourcroy, 1785; *tesserella* Fabricius, 1794; *costotristrigella* Chambers, 1873; *marmorella* Chambers, 1873; *fuscomaculella* Chambers, 1875; *mancuniella* Hodgkinson, 1880; *nigroatomella* Dietz, 1905; *fuscomella* Wörz, 1958 Range (as codes): MA DZ Clo PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR BG TR DK NO SE FI EE LV LT RU MD UA BY UZ Tas LB Bmm Bsa IL Pa AM Cc GG Tbl Sok Abk Mng Btm Aj Da IR Gls TM CN Ti JP ZA 05 16 46 05A 16A

- 4900. *Nemapogon gravosaellus* G.Petersen, 1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen, 1957; *signatellus* G.Petersen, 1960; *borshomi* Zagulyaev, 1964. Range (as codes): Sa Si IT AT CZ SK HU RO YU MK BG GR Cr TR Cc GG Bjo RU MD UA IL Pa 05 07 42 71 05A 71D
- 4901. *Nemapogon grossi* Gaedike, 2007** (Tineidae) Synonym(s): *grossi* Gaedike, 2007 Range (as codes): TR 36 36F
- 4902. *Nemapogon hungarica* Gozmany, 1960** (Tineidae) Synonym(s): *hungaricus* Gozmany, 1960; *pliginskii* Zagulyaev, 1963. Range (as codes): Sa IT SK HU RO YU BG GR TR RU MD UA Cm 41
- 4903. *Nemapogon inconditella* (Lucas, 1956)** (Tineidae) Synonym(s): *inconditella* Lucas, 1956; *buckwelli* Lucas, 1956; *heydeni* G.Petersen, 1957; *hispanellus* Gozmany, 1960; *thomasi* Capuşe, 1975. Range (as codes): MA ES FR Co Sa IT GB DE AT CZ SK HU RO YU BG GR TR Cc GG Bjo Tbl DK SE RU Sb MD UA Cm BY KG Aa CN At Ui 06 32 41
- 4904. *Nemapogon kasyi* Gaedike, 1986** (Tineidae) Synonym(s): *kasyi* Gaedike, 1986. Range (as codes): TR SY Dms 33 46 71 71D
- 4905. *Nemapogon lagodechiellus* Zagulyaev, 1962** (Tineidae) Synonym(s): *lagodechiellus* Zagulyaev, 1962; *teberdellus* Zagulyaev, 1963; *georgiellus* Zagulyaev, 1963 Range (as codes): Cc GG Lag RU AZ TR
- 4906. *Nemapogon levantinus* G.Petersen, 1961** (Tineidae) Synonym(s): *levantinus* G.Petersen, 1961 Range (as codes): GR Cr SY Hal TR 70
- 4907. *Nemapogon orientalis* G.Petersen, 1961** (Tineidae) Synonym(s): *orientalis* G.Petersen, 1961 Range (as codes): GR Cr Da AZ Bak Nv Ord Cc AM Eri GG Tbl LB Bei SY Hal IL Pa EG CY TR IR AF KG 46 51 55
- 4908. *Nemapogon quercicolella* (Zeller, 1852)** (Tineidae) Synonym(s): *quercicolellus* Zeller, 1852 Range (as codes): DE AT PL CZ SK GR TR RU IR Elb Kdv 06 16 42 61 16A
- 4909. *Nemapogon reisseri* G.Petersen & Gaedike, 1983** (Tineidae) Synonym(s): *reisseri* G.Petersen & Gaedike, 1983. Range (as codes): GR Cr Rd TR ME 48 48G
- 4910. *Nemapogon ruricolella* (Stainton, 1859)** (Tineidae) Synonym(s): *ruricolella* Stainton, 1859; *cochylidella* Stainton, 1854. Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT CZ SK RO AL BG TR RU UA Cm MD 06 16 16A
- 4911. *Nemapogon scutifera* Gaedike, 2007** (Tineidae) Synonym(s): *scutifera* Gaedike, 2007 Range (as codes): TR GR 29 32 42 29A 29Aa
- 4912. *Nemapogon signatella* G.Petersen, 1957** (Tineidae) Synonym(s): *signatellus* G.Petersen, 1957 Range (as codes): IT MK AL BG GR TR LB SY JO CY IR 05 06 14 16 33 71 05A 16A
- 4913. *Nemapogon variatella* (Clemens, 1859)** (Tineidae) Synonym(s): *variata* Clemens, 1859; *personella* Pierce & Metcalf, 1934; *secalella* Zacher, 1938; *infimella* Corbet, 1943. Range (as codes): ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG Lag KG 14 71 71C 71D
- 4914. *Nemapogon vartianae* Gaedike, 1986** (Tineidae) Synonym(s): *vartianae* Gaedike, 1986 Range (as codes): SY LB TR 51
- 4915. *Nemapogon phoenicica* Gaedike & Kullberg, 2016** (Tineidae) Synonym(s): *phoenicica* Gaedike & Kullberg, 2016 Range (as codes): LB Bei TR CY 01 07 33 07B 33F 33O
- 4916. *Nemaxera betulinella* (Paykull, 1785)** (Tineidae) Synonym(s): *betulinella* Paykull, 1785; *betulea* Haworth, 1828; *corticella* Curtis, 1834; *emortuella* Zeller, 1839 Range (as codes): FR IT GB BE NL DE AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Cc SS HV 31 31M
- 4917. *Neurothaumasia ankerella* (Mann, 1867)** (Tineidae) Synonym(s): *ankerella* Mann, 1867; *geratocoma* Walsingham, 1907; *nigratella* Chrétien, 1917; *burdigalensis* Le Marchand, 1934; *tirsella* Amsel, 1952; Range (as codes): MA DZ Anna Phv ES Mu FR Sa IT DE AT PL CZ SK HU RO YU AL BG GR TR DK RU MD UA Cm Cc GG IR 01 07 31 46
- 4918. *Neurothaumasia macedonica* G.Petersen, 1962** (Tineidae) Synonym(s): *macedonica* G.Petersen, 1962; *inornata* G.Petersen, 1966 Range (as codes): MK HV IT GR Cr CY IR Fa Com TR AM Cc
- 4919. *Niditinea fuscella* (Linnaeus, 1758)** (Tineidae) Synonym(s): *fuscella* Linnaeus, 1758; *spretella* [Denis & Schiffermüller], 1775; *crinitella* Schrank, 1802; *fuscipunctella* Haworth, [1828]; *nubilipennella* Clemens, 1859; *abligatella* Walker, 1863; *eurinella* Zagulyaev, 1952; *distans* Gozmany, 1959. Range (as codes): AD PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc IQ Bgd DK NO SE FI EE LV LT RU MD UA BY AF Nu ZA Ec Cto SC 05 16 35 44 76 05A 16A
- 4920. *Niditinea striolella* (Matsumura, 1931)** (Tineidae) Synonym(s): *striolella* Matsumura, 1931; *semidivisa* Meyrick, 1934; *piercella* Bentinck, 1935; *ignotella* Zagulyaev, 1956; *distinguenda* G.Petersen, 1957; *pacifella* Zagulyaev, 1960 Range (as codes): PT FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV RU TR IR Elb Mz Clu CN Yu Kgs Tkg
- 4921. *Niditinea tugurialis* (Meyrick, 1932)** (Tineidae) Synonym(s): *tugurialis* Meyrick, 1932; *baryspilas* Meyrick, 1937; *unipunctella* Zagulyaev, 1960 Range (as codes): CN Ui Kgs Ch IR Ab Oru Elb Th Kh Msh Bzg Mz IQ BH TR HV CY IL Pa JO SY EG LB TM K-K SA JP
- 4922. *Novotinea fasciata* (Staudinger, 1879)** (Tineidae) Synonym(s): *fasciata* Staudinger, 1879 Range (as codes): TR 05 05A

- 4923. *Perissomastix (Aphrodoxa) wiltshirella* (G.Petersen,1964)** (Tineidae) Synonym(s): *wiltshirella* G.Petersen,1964 Range (as codes): IR Ab Oru Fa Shr By Yas Skh Elb Th Kdj Kz Kd Mha Snj Sdt Lo Ha Ke Km Hz TR 46 47 47D 47De
- 4924. *Perissomastix (s.str.) biskraella* (Rebel,1901)** (Tineidae) Synonym(s): *biskraella* Rebel,1901; *intermediella* Turati,1926. Range (as codes): DZ Bsk Omy Out Hes MA TN Gf LY EG IL Pa JO SY Dms TR 23
- 4925. *Perissomastix (s.str.) crassicornella* (Zeller,1847)** (Tineidae) Synonym(s): *crassicornella* Zeller,1847 Range (as codes): TN Si IT AL GR Cr Rd TR Cc LB Bei Bsa 05 16 76 05A 76C
- 4926. *Praelongicera palaestinella* Amsel,1956** (Tineidae) Synonym(s): *palaestinella* Amsel,1956 Range (as codes): IL Pa Js SA YE Ad SY LB Bei JP IQ TR IR Zj 33 33O
- 4927. *Proterospastis merdella* (Zeller,1852)** (Tineidae) Synonym(s): *merdella* Zeller,1852; *autochthones* Walsingham,1907; *siccanella* Chrétien,1915; *palaestinella* Amsel,1935. Range (as codes): Cn DZ Ktr Bsk ES Si MT YU HV Cr GR Ae Sms TR IL Pa Jer JO 34
- 4928. *Reisserita chrysopterella* (Herrich-Schäffer,[1854])** (Tineidae) Synonym(s): *chrysopterella* Herrich-Schäffer,[1854]; *vitellinella* Staudinger,1859 Range (as codes): MA PT ES TR LB Bsa 31 33 31K 31Ka
- 4929. *Reisserita relicinella* (Zeller,1839)** (Tineidae) Synonym(s): *relicinella* Zeller,1839 Range (as codes): IT AT CZ SK HU RO YU AL BG GR TR RU
- 4930. *Rhodobates laevigatellus* (Herrich-Schäffer,[1854])** (Tineidae) Synonym(s): *laevigatellus* Herrich-Schäffer,[1854] Range (as codes): TR Cc AM 01 05 06 24 27 33 38 42 44 46 71 01K 05A 06R 06Rd 24E 27B 27D 27Da 27Dd 38H 38Hf 44L 46F 46Fc 46G 71C
- 4931. *Rhodobates pallipalpellus* Rebel,1901** (Tineidae) Synonym(s): *pallipalpellus* Rebel,1901; *atactopis* Meyrick,1937; *transjordanus* Amsel,1935 Range (as codes): TR JO Amm IQ Hjo Ama Bgd Dk IR By Fa Spd Bu Sde Kz Skh Yas Ke 02 05 27 47 56 02F 02Fd 02Fe 02Fz 05A 27D 27Db 47D 56F 56Fc
- 4932. *Tinea basifasciella* Ragonot,1895** (Tineidae) Synonym(s): *basifasciella* Ragonot,1895; *punctigera* Walsingham,1907; *nitentella* Chrétien,1908; *palaestinensis* Amsel,1955; *#basifasciella* Gaedike,2011 Range (as codes): MA DZ Cst Hes TN Gf LY PT ES FR Co Sa Si IT MT YU AL GR BG IL Pa Js TR IR 05
- 4933. *Tinea columbariella* Wocke,1877** (Tineidae) Synonym(s): *columbariella* Wocke,1877 Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV RU MD UA BY 46
- 4934. *Tinea murariella* Staudinger,1859** (Tineidae) Synonym(s): *murariella* Staudinger,1859; *bipunctella* Ragonot,1874. Range (as codes): Cn Md Az DZ MA EG PT ES FR IT MT GB CH RO YU GR TR SA YE SD VE AR BR 42 42B
- 4935. *Tinea pellionella* Linnaeus,1758** (Tineidae) Synonym(s): *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] nec Thunb.,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978. Range (as codes): DZ Agi ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn BG GR Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY ZA YE IN Ass SI CA US NZ NO SE MN CN Ui AU 05 16 46 48 76 05A 16A
- 4936. *Tinea translucens* Meyrick,1917** (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *fortificata* Gozmany,1968 Range (as codes): ES FR Sa Si IT IE GB DE AT CZ SK HU RO YU AL GR Cr TR Cc IR Fa Shr SY TN EG PK Nwf Pes DK LV LT RU BY IN Ch LK NP JP TM AF Hr GM GA ZA Tva Gau Pre ZW ZR Lbu US CL 34
- 4937. *Tinea trinotella* Thunberg,1794** (Tineidae) Synonym(s): *trinotella* Thunberg,1794; *ganomella* Treitschke,1833; *lappella* auct. Range (as codes): DZ PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Us MD UA BY 05 16 05A 16A
- 4938. *Tineola bisselliella* (Hummel,1823)** (Tineidae) Synonym(s): *flavifrontella* Thunberg,1794 nec [Denis & Schiff.],1775; *bisselliella* Hummel,1823; *crinella* Sodoffsky,1830; *destructor* Stephens,1834; *lanariella* Clemens,1859; *furciferella* Zagulyaev,1954; *anaphecola* Gozmany,1967 Range (as codes): ES FR Co IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL LB DK NO SE FI EE LV LT RU MD UA BY ZW Har ZA CG 46
- 4939. *Triaxomera fulvimitrella* (Sodoffsky,1830)** (Tineidae) Synonym(s): *fulvimitrella* Sodoffsky,1830 Range (as codes): FR GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY 61
- 4940. *Triaxomera parasitella* (Hübner,1796)** (Tineidae) Synonym(s): *parasitella* Hübner,1796 Range (as codes): ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO B-H AL BG GR TR IR Gor GlS DK NO SE LV LT RU Or Ur MD UA BY CA BCo 16 16A
- 4941. *Trichophaga bipartitella* (Ragonot,1892)** (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (*praeocc.*); *bipartitella* Ragonot,1892; *desertella* Mabilie,1907; *amina* Meyrick,1925 Range (as codes): MA Cn DZ Ajj TN Gab PT ES Mu FR Sa IT MT RO YU BG GR Cr TR RU TM IR Hz Ss Bu Kz Ke Jrf Ahz SA IQ Bgd IL Pa Hf AE YE EG BH SD
- 4942. *Trichophaga tapetzella* (Linnaeus,1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#tapetiella* Zeller,1839; *palaestrica* Butler,1877 Range (as codes): PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Gor GlS TM Krn DK NO SE FI EE LV RU MD UA BY ZA SA 05 16 31 05A 16A 31K 31Ka
- 4943. *Wegneria panchalcella* (Staudinger,1871)** (Tineidae) Synonym(s): *panchalcella* Staudinger,1871 Range (as codes): Cn Si HU RU Sr Da Der DZ Bsk TN Gf MK GR BG UA TR Cc AZ Len 65 76 65A 65Am 65Am4 65L 65Le 65N 65Nc4 76C

Tischeriidae

- 4944. *Coptotriche angusticollella* (Duponchel,1843)** (Tischeriidae) Synonym(s): *angusticollella* Duponchel,1843; *aurifrontella* Ragonot,1874; *suberoidella* Walsingham,1891 Range (as codes): ES FR Sa IT MT GB BE LU NL DE CH AT PL CZ SK HU RO YU TR NO SE FI LT MD UA BY Cc TM RU Us KR JP 05 16 16A
- 4945. *Coptotriche marginea* (Haworth,[1828])** (Tischeriidae) Synonym(s): *marginea* Haworth,[1828] Range (as codes): MA TM PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR DK SE FI LT RU MD UA BY 16 48 16A 48L
- 4946. *Tischeria ekebladella* (Bjerkander,1795)** (Tischeriidae) Synonym(s): *ekebladella* Bjerkander,1795; *complanella* Hübner,[1817]. Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT Vor Trl Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Ur MD UA BY IL 05 16 05A 16A

Tortricidae

- 4947. *Acleris boscanoides* Razowski,1959** (Tortricidae) Synonym(s): *boscanoides* Razowski,1959 Range (as codes): MK BG GR RO TR UA Cm 42 44 60 42B
- 4948. *Acleris comariana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *comariana* Lienig & Zeller,1846; *proteana* Herrich-Schäffer,1851; *potentillana* Wilkinson,1859. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY TR Cc GG Lag Am Us Ld JP Hkk CN Kwa Tkg CA US NZ 61
- 4949. *Acleris cristana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cristana* [Denis & Schiffermüller],1775; *rossiana* Fabricius,1794; *desfontainana* Fabricius,1794; *profanana* Fabricius,1794; *ephippana* Donovan,1794; *sericana* Hübner,[1799]; *spadiceana* Haworth,1811; *ruficostana* Curtis,1824; *brunneana* Stephens,1834; *vittana* Stephens,1834; *consimilana* Stephens,1834; *albovittana* Stephens,1834; *lefebvrana* Duponchel,1835; *lichenana* Curtis,1835; *semiustana* Curtis,1835; *sequana* Curtis,1835; *subcristalana* Curtis,1835; *insulana* Curtis,1835; *bentleyana* Curtis,1835; *alboflammana* Curtis,1835; *chantana* Curtis,1835; *ruficristana* Johnson,1842; *gumpinana* Johnson,1842; *unicolorana* Desvignes,1845; *curtisana* Desvignes,1845. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR Cc GG Lag DK NO SE LV LT RU MD UA BY Krl Us JP Hkk 05 14 05A
- 4950. *Acleris hastiana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *hastiana* Linnaeus,1758; *coronana* Thunberg,1784; *borana* Fabricius,1787; *liberana* Fabricius,1787; *byringerana* Hübner,1793; *blomiana* Thunberg,1797; *stickmanniana* Thunberg,1797; *radiana* Hübner,[1799]; *albistrianana* Haworth,1811; *eximiana* Haworth,1811; *aquilana* Hübner,[1813]; *divisana* Hübner,[1813]; *combustana* Hübner,[1813]; *autumnana* Hübner,[1817]; *bollingerana* Hübner,[1825]; *veterana* Hübner,[1825]; *leprosana* Frölich,1828; *mayrana* Geyer,[1833]; *ramostriana* Stephens,1834; *centrovittana* Stephens,1834; *subcristana* Stephens,1834; *obsoletana* Stephens,1834; *leacheana* Curtis,1835; *leucophaeana* Humpreys & Westwood,1845; *basilineana* Peyerimhoff,1863. Range (as codes): DZ Btina Lbs PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA Cm BY KG DsA Sb Am IR GlS Gor Mz Amo 46
- 4951. *Acleris kochiella* (Goeze,1783)** (Tortricidae) Synonym(s): *kochiella* Goeze,1783; *ternatella* Fourcroy,1785; *boscana* Fabricius,1794; *cerusana* Hübner,[1799]; *ulmana* Duponchel,1836; *parisiana* Guenée,1845. Range (as codes): ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK RO YU TR EE LV RU MD UA BY Cc GG Bjo KG Ur Cm Us 05 06 15 16 05A 16A
- 4952. *Acleris lacordairana* (Duponchel,1835)** (Tortricidae) Synonym(s): *lacordairana* Duponchel,1835; *obtusana* Eversmann,1844; *dissonana* Herrich-Schäffer,1851; *cyaneana* Peyerimhoff,1871 Range (as codes): Cc GG Lag Tbl IR GlS Mz Sari TR IT CH PL RU Ur Sb MD UA BY CN JP 81 81F
- 4953. *Acleris literana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffermüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851. Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG TR IL Pa Js Jf SY Hal DK NO SE FI EE LV LT RU Da Cc GG Lag Mnu Sb KG DsA MD UA Cm BY
- 4954. *Acleris logiana* (Clerck,1759)** (Tortricidae) Synonym(s): *logiana* Clerck,1759; *treueriana* Denis & Schiffermüller,1775; *niveana* Fabricius,1787; *mulzeriana* Hübner,[1825]; *scotana* Stephens,1852; *placidana* Robinson,1869; *trisignana* Robinson,1869. Range (as codes): PT FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY KG DsA Ur Sb Sj Us Krl JP CA BCo On Qb Abt US Id Vi Ny Pns Mai Nje 42 42B
- 4955. *Acleris notana* (Donovan,1806)** (Tortricidae) Synonym(s): *tripunctana* Hübner,1799 *nec* [Denis & Schiff.],1775; *notana* Donovan,1806. Range (as codes): ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Sb US CA
- 4956. *Acleris osthelderi* Obratzsov,1949** (Tortricidae) Synonym(s): *osthelderi* Obratzsov,1949 Range (as codes): TR 46

- 4957. *Acleris permutana* (Duponchel, 1836)** (Tortricidae) Synonym(s): *permutana* Duponchel, 1836; *permutatana* Herrich-Schäffer, 1851. Range (as codes): PT ES FR IT IE GB BE NL LU DE AT CZ SK HU RO YU MK TR DK SE RU MD UA BY KG DsA Sr Ur Sb 16 44 46 16A 44L 44Lc
- 4958. *Acleris quercinana* (Zeller, 1849)** (Tortricidae) Synonym(s): *quercinana* Zeller, 1849; *mucidana* Peyerimhoff, 1874. Range (as codes): PT ES FR Co Sa Si IT BE NL DE CH AT PL CZ HU RO YU HV MK AL BG GR TR DK SE EE RU MD UA BY Cc GG Lag IR Ab Sdt Km 05 13 16 44 05A 13A 13Ab 13Ax 16A
- 4959. *Acleris rhombana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *rhombana* [Denis & Schiffermüller], 1775; *reticulata* Ström, 1783; *centrana* Fabricius, 1794; *contaminana* Hübner, [1799]; *ciliana* Hübner, [1799]; *obscurana* Donovan, 1806 nec Schr., 1802; *dimidiana* Frölich, 1828. Range (as codes): PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Da MD UA Cm BY AM Eri AZ Cc GG TM IR Gls 42 50 65 65N 65Np 65Nm
- 4960. *Acleris scabrana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *scabrana* [Denis & Schiffermüller], 1775; *elevana* Fabricius, 1787; *psorana* Frölich, 1828. Range (as codes): FR BE NL DE CH AT PL CZ SK HU RO TR FI LV LT RU Ya KG UA Cm Us US Col Cf
- 4961. *Acleris schalleriana* (Linnaeus, 1761)** (Tortricidae) Synonym(s): *schalleriana* Linnaeus, 1761; *hirundana* Thunberg, 1791; *tristana* Hübner, [1799]; *castaneana* Haworth, 1811; *plumbosana* Haworth, 1811; *falsana* Hübner, [1825]; *germarana* Frölich, 1828; *trigonana* Stephens, 1834; *semirhombana* Curtis, 1835; *violaceana* Guenée, 1845; *erutana* Herrich-Schäffer, 1851. Range (as codes): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR NO SE FI EE LV LT RU MD UA BY KG Aa TrA Ur JP CN US CA
- 4962. *Acleris sparsana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *sparsana* [Denis & Schiffermüller], 1775; *sponsana* Fabricius, 1787; *halliana* Thunberg, 1791; *roborana* Fabricius, 1794; *favillaceana* Hübner, [1799]; *reticulana* Haworth, 1811; *fagana* Curtis, 1835; *longepartitana* Bruand, 1850; *malivorana* Ragonot, 1875; *pyrivorana* Ragonot, 1875. Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU ME Ctn TR DK NO SE FI EE LV LT RU MD UA BY AZ Nv Ord Cc GG Smt Akh IR Gls 34 81
- 4963. *Acleris undulana* (Walsingham, 1900)** (Tortricidae) Synonym(s): *undulana* Walsingham, 1900; *coprana* Walsingham, 1900; *aphorista* Meyrick, 1923; *subcoprana* Obraztsov, 1956. Range (as codes): MA CY SY Hal TR RU At 07 46 46L
- 4964. *Acleris variegana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller], 1775; *asperana* Fabricius, 1777; *osbeckiana* Thunberg, 1784; *nyctemerana* Hübner, [1817]; *blandiana* Charpentier, 1821; *blandana* Hübner, [1825]; *cirrana* Curtis, 1835; *albana* Humpreys & Westwood, 1845; *insignana* Herrich-Schäffer, 1851. Range (as codes): MA Rbt DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cm Da LB Bsa IL Pa Js IQ Shq SY Ltk Hal Cc AM GG IR Es Dam Gls Mz Elb Kdj Th Kh KG Aa TrA T-S TM UZ Br US Cf CA BCo Org AZ Len 05 06 09 15 16 31 32 35 42 44 46 61 65 05A 16A 31M 42B 65A 65An 65L 65Le
- 4965. *Adoxophyes orana* (Fischer v. Röslerstamm, 1834)** (Tortricidae) Synonym(s): *reticulana* Hübner, [1819] (*praecocc.*); *orana* Fischer v. Röslerstamm, 1834; *tripsiana* Eversmann, 1844; *fasciata* Walsingham, 1900; *minor* Shiraki, 1913; *sutschana* Caradja, 1926; *beijingensis* Zhou, Qiu & Fu, 1997. Range (as codes): ES FR IT GB BE LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY Cc TR GG CN Pkn TW JP
- 4966. *Aethes argyrospila* Karisch, 2005** (Tortricidae) Synonym(s): *argyrospila* Karisch, 2005. Range (as codes): IR Kd Bne TR 30 30D
- 4967. *Aethes beatricella* (Walsingham, 1898)** (Tortricidae) Synonym(s): *beatricella* Walsingham, 1898; *ferruginea* Walsingham, 1900. Range (as codes): DZ ES FR GB NL AT CZ SK HU RO B-H DK SE IT Cm UA Voo RU Da Cc SY Hal TR 65 65A 65Am 65Am4
- 4968. *Aethes bilbaensis* (Rössler, 1877)** (Tortricidae) Synonym(s): *bilbaensis* Rössler, 1877; *loxopteroides* Walsingham, 1903; *mediterranea* Rebel, 1906; *#loxopteroides* Chrétien, 1917; *reclusa* Meyrick, 1923. Range (as codes): MA DZ Lbs PT ES FR Co Sa Si IT MT AT CZ SK HU RO YU HV AL BG Vrn GR Cr TR UA Cm RU Sr IL Jf Pa LB Bsa Say AF Pnj IR Fa Gh Tgo Mz Clu Th TM Kp PK Qu Bl KG TrA Ket Aa DsA KK 03 05 06 33 46 71 05A 06R 33F
- 4969. *Aethes capnospila* (Meyrick, 1912)** (Tortricidae) Synonym(s): *capnospila* Meyrick, 1912. Range (as codes): GR Rd LB Bei TR 31 33 42 33O
- 4970. *Aethes caucasica* (Amsel, 1959)** (Tortricidae) Synonym(s): *caucasica* Amsel, 1959; *elsana* Razowski, 1961; *#caucasica* Brown, 2005. Range (as codes): IT RU Or Ur Cc GG Tbl TR RO BG 42 42B
- 4971. *Aethes confinis* Razowski, 1974** (Tortricidae) Synonym(s): *confinis* Razowski, 1974. Range (as codes): TR UA Cm KG DsA Aa RU Sb BG 42 65 42X 42Xa 65A 65Ai
- 4972. *Aethes cremonana* (Ragonot, 1894)** (Tortricidae) Synonym(s): *cremonana* Ragonot, 1894. Range (as codes): LB Bei TR IR SY 05 30 05A 05A 30D 30Db
- 4973. *Aethes deaurana* (Peyerimhoff, 1877)** (Tortricidae) Synonym(s): *deaurana* Peyerimhoff, 1877; *fusciella* Turati, 1924. Range (as codes): DZ Phv LY Cy PT ES FR Sa IT MT YU TR 31 31M
- 4974. *Aethes dilucidana* (Stephens, 1852)** (Tortricidae) Synonym(s): *dilucidana* Stephens, 1852. Range (as codes): DZ ES FR Si IT GB NL LU DE CH PL CZ HU DK NO SE LT RU Sb MD UA BY TM Krn TR KK Ik 15 32
- 4975. *Aethes fennicana* (M. Hering, 1924)** (Tortricidae) Synonym(s): *fennicana* M. Hering, 1924; *adelaidae* Toll, 1955. Range (as codes): ES FR DE AT PL CZ SK SE FI LV LT IR Mz Elb Th RU Ur TR 13 13A 13Ab 13Ax

- 4976. *Aethes flagellana* (Duponchel, 1836)** (Tortricidae) Synonym(s): *?eryngiella* Vallot, 1829; *flagellana* Duponchel, 1836; *helveticana* Heyden, 1865; *eryngiana* Heyden, 1865; *sardoa* Amsel, 1952. Range (as codes): MA DZ Anna Bsk ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB Bsa SY Dms LT RU Sr Wo MD UA BY IR Elb Mz Clu Th Kdv Fa Sse TM Kp 01 06 42 46 65 01K 06R 42B 46G 65K 65Kd 65Kg
- 4977. *Aethes francillana* (Fabricius, 1794)** (Tortricidae) Synonym(s): *francillana* Fabricius, 1794; *francillonana* Humprey & Westwood, 1845; *ferulae* Müller-Rutz, 1920. Range (as codes): Cn DZ MA PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Da Der Tt MD UA BY LB AF Pag Pm TJ KG Dsa IR Elb Kdj Th TM Krn 05 06 16 33 42 45 05A 16A
- 4978. *Aethes hartmanniana* (Clerck, 1759)** (Tortricidae) Synonym(s): *?lyonetella* Linnaeus, 1758; *#hartmanniana* Clerck, 1759; *wiedemannella* Müller, 1764; *baumanniana* [Denis & Schiffermüller], 1775; *allioniana* De Villers, 1789; *avellana* Hübner, 1822; *subbaumanniana* Wilkinson, 1859; *murciana* Caradja, 1916; *excelsior* Schawerda, 1920. Range (as codes): ES Mu FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK NO SE FI EE LV LT RU Ur MD UA BY SY Hal 01 05 13 14 16 42 65 76 01K 05A 13G 13Gs 13Gw 16A 42B 65A 65Ai 76C
- 4979. *Aethes iranica* Razowski, 1963** (Tortricidae) Synonym(s): *iranica* Razowski, 1963 Range (as codes): TR IR Ha Fa Th Es Ma Lo Ke Mz Elb Ha Avd 46 65 69 65L 69B 69Ba
- 4980. *Aethes kasyi* Razowski, 1962** (Tortricidae) Synonym(s): *kasyi* Razowski, 1962; *speciosa* Razowski, 1962 Range (as codes): IT MK TR IR Fa Elb Th Kdj Gor Kd Snj Ha Es JO Amm SK Cm SY AF 06 13 46 47 65 06R 13A 13Ab 13Ax 46G 46L 65A 65Am 65Am1 65D 65Df 65N 65Np 65Nm
- 4981. *Aethes kindermanniana* (Treitschke, 1830)** (Tortricidae) Synonym(s): *kindermanniana* Treitschke, 1830 Range (as codes): DZ Lbs ES FR Sa IT DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY 42
- 4982. *Aethes margaritana* (Haworth, [1811])** (Tortricidae) Synonym(s): *margaritana* Haworth, [1811]; *dipoltella* Hübner, [1813]. Range (as codes): ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK RO YU AL BG TR DK NO SE FI EE LV LT RU Ur Tt Wo Sr MD UA BY Cc AM Eri KG Uk TrA 16 42 75 16A 75F 75Fb
- 4983. *Aethes margaritifera* Falkovitsh, 1963** (Tortricidae) Synonym(s): *margaritifera* Falkovitsh, 1963 Range (as codes): TR Cc AM Eri RU Or Sr KG Uk 25 25C
- 4984. *Aethes margarotana* (Duponchel, 1836)** (Tortricidae) Synonym(s): *margarotana* Duponchel, 1836; *maritimana* Guenée, 1845; *parallelana* Kennel, 1913; *edrisitana* Chrétien, 1922; *paronyma* Meyrick, 1932. Range (as codes): MA DZ PT ES FR Si IT GB DE AT PL CZ SK HU RO YU AL GR Cr TR Cc AM Eri IL Pa SY Ltk IR Fa By Ke Es Ss 05 06 16 31 33 35 42 46 54 65 71 05A 06R 16A 33A 33Ac 33O 65N 65Nr7 65Nm
- 4985. *Aethes mauritanica* (Walsingham, 1898)** (Tortricidae) Synonym(s): *mauritanica* Walsingham, 1898; *#mauretanica* Kennel, 1910; *cornelia* Turati, 1924; *albella* Amsel, 1952. Range (as codes): MA Ess Tgr DZ Orn LY Cy ES Sa IT YU BG GR TR 06 13 34 41 47 06R 13A 13Ab 13Ax
- 4986. *Aethes moribundana* (Staudinger, 1859)** (Tortricidae) Synonym(s): *moribundana* Staudinger, 1859; *respirantana* Staudinger, 1879; *dispersana* Kennel, 1899; *dilutana* Kennel, 1899; *helvolana* Kennel, 1900; *lanceolata* Filipjev, 1924. Range (as codes): DZ Tni Tis PT ES An Mlg FR Si IT PL CZ SK HU RO YU AL TR IR Lo Th Ak Mz Ha Avd Fa AF RU Sb Ir MD UA BY Cc GG SY Dms Hal UZ Fe Smk Man KG Lps Dsa MN CN IMn Ts Ui Hph 05 13 14 16 42 44 46 71 05A 13F 13F71 16A 42R 44E 44Ei
- 4987. *Aethes munda* Karisch, 2003** (Tortricidae) Synonym(s): *munda* Karisch, 2003 Range (as codes): TR 42 42K
- 4988. *Aethes nefandana* (Kennel, 1899)** (Tortricidae) Synonym(s): *nefandana* Kennel, 1899; *diacrisiana* Rebel, 1903; *chersonana* Obratsov, 1937. Range (as codes): AT CZ SK HU RO HV MK YU ME Ctn AL BG Vrn GR TR RU MD UA BY KG Uk 03 06 32 38 06R 38G
- 4989. *Aethes pannosana* (Kennel, 1913)** (Tortricidae) Synonym(s): *pannosana* Kennel, 1913 Range (as codes): TR 34 42
- 4990. *Aethes prangana* (Kennel, 1900)** (Tortricidae) Synonym(s): *prangana* Kennel, 1900 Range (as codes): SY Hal IR Kdj Fa Kdj AZ Nv Ord Cc AM Eri RU Ur TR 13 56 13A 13Ab 13Ax 56F 56Fc
- 4991. *Aethes sanguinana* (Treitschke, 1830)** (Tortricidae) Synonym(s): *sanguinana* Treitschke, 1830; *#sanguinea* Humpreys & Westwood, 1845; *#sanguinella* Bradley, Tremewan & Smith, 1973 Range (as codes): DZ PT ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU GR TR RU MD UA BY 16 16A
- 4992. *Aethes smeathmanniana* (Fabricius, 1781)** (Tortricidae) Synonym(s): *smeathmanniana* Fabricius, 1781; *fabriciana* Hübner, [1799]; *biviana* Duponchel, 1842; *stachydana* Herrich-Schäffer, 1851; *scissana* Walker, 1863. Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Us MD UA BY KG Uk TrA C Lbr 16 42 46 65 16A 42B 46G 65F 65Fp 65Fz
- 4993. *Aethes spirana* (Kennel, 1899)** (Tortricidae) Synonym(s): *spirana* Kennel, 1899 Range (as codes): KG Lps Dsa KK Ax UZ TJ IR Th Ss TR 30 65 30D 30Db 65D 65Dh 65F 65Fr
- 4994. *Aethes tesserana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller], 1775; *aleella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendaliana* Thunberg, 1791. Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV ME Ctn MK AL BG GR TR SY Hal LB DK SE FI EE LV LT RU Tt Pr IR Elb 05 06 16 30 36 40 60 65 05A 06F 16A 30B 30Bc 30Bc5 36D 36Db 60C 65A 65Am 65Am3 65At 65At5 65D 65Dd 65Dda 65Dl 65Dn 65F 65Fd 65Fp 65Fz 65N 65Np2 65Np5 65Nm

- 4995. *Aethes tornella* (Walsingham, 1898)** (Tortricidae) Synonym(s): *tornella* Walsingham, 1898 Range (as codes): PT ES FR Co Sa Si IT NL DE AT CZ HU YU BG TR IL Pa Js RU MD UA BY UZ Man 05 06 16 46 65 05A 06F 16A 46G 65F 65Fe
- 4996. *Aethes williana* (Brahm, 1791)** (Tortricidae) Synonym(s): *williana* Brahm, 1791; *cembrana* Hübner, [1825]; *zephyrana* Treitschke, 1830; *dubrisana* Curtis, 1834; *marmoratana* Curtis, 1834; *luteolana* Stephens, 1834; *virginana* Guenée, 1845; *loriculana* Guenée, 1849; *costignata* Filipjev, 1926. Range (as codes): DZ Cst Orn TN Gf PT ES FR Co Sa Si IT GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr TR RU St Ur Sb IR Gh MD UA BY LB IL TM MN 05 16 34 35 42 46 05A 16A 35O 46G
- 4997. *Agapeta hamana* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *hamana* Linnaeus, 1758; *trigonana* [Denis & Schiffermüller], 1775; *citrinella* Fourcroy, 1785; *cruciana* Fabricius, 1787; *diversana* Hübner, 1793 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR IR Kh Plr Dam Elb Gor Lo Zj Kd DK NO SE FI EE LV LT RU Cc MD UA BY AF KK Ik MN CN Ui Ku IN 05 06 13 14 16 42 50 65 75 05A 06F 06R 06Rd 13A 13Aa 16A 42B 65A 65An 75F 75Fd
- 4998. *Agapeta zoegana* (Linnaeus, 1767)** (Tortricidae) Synonym(s): *zoegana* Linnaeus, 1767; *cincta* Fourcroy, 1785; *flavella* De Villers, 1789; *ferrugana* Haworth, [1811] nec [Denis & Schiff.], 1775; *#zaegana* Staudinger, 1879 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn B-H AL BG GR TR Cc DK NO SE FI EE LV LT RU Ur MD UA BY 16 75 16A 75F 75Fb
- 4999. *Aleimma loeflingianum* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *loeflingiana* Linnaeus, 1758; *mixtana* Fabricius, 1794; *plumbana* Hübner, [1799]; *ectypa* Hübner, [1800]; *plumbeolana* Haworth, 1811 Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn B-H MK AL BG GR TR GG Tbl SY Dms Hal DK NO SE FI EE LV LT RU MD UA BY Cm Da Cc IR By Kd Snj Sq 05 06 16 17 22 30 32 42 44 46 49 56 65 71 81 05A 16A 30B 30Bc 30Bz 30D 30Df 44L 44Lc 49E 49Ea 56F 56Fb 56Fi 65A 65An 65D 65Dc 65Dt 65F 65Fr
- 5000. *Ancylis achatana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *achatana* [Denis & Schiffermüller], 1775; *inarmorana* Hübner, [1799]; *steveni* Portchinskij, 1888 Range (as codes): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI LV LT RU Ur MD UA BY SY Dms 05 14 16 65 05A 16A 65L 65Le
- 5001. *Ancylis apicella* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *apicella* [Denis & Schiffermüller], 1775; *leeana* Fabricius, 1777; *plumbana* Fabricius, 1787; *siculana* Hübner, [1799]; *#alpina* Weber, 1936 Range (as codes): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Am Prj Us MD UA BY IR Mz Gl MN KP KR CN Mc JP Hkk CA 05 16 05A 16A
- 5002. *Ancylis badiana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *badiana* [Denis & Schiffermüller], 1775; *lundana* Fabricius, 1777. Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb Am Prj Us Krl MD UA BY Cc GG MN CN She Hnn Pkn Mc Sz KP KR JP Hkk 16 16A
- 5003. *Ancylis comptana* (Frölich, 1828)** (Tortricidae) Synonym(s): *comptana* Frölich, 1828; *conflexana* Walker, 1863; *pulchellana* Clemens, 1864; *lamiana* Clemens, 1864; *fragariae* Walsh & Riley, 1869; *floridana* Zeller, 1875; *amblygona* Zeller, 1875; *cometana* Walsingham, 1879; *sculpta* Meyrick, 1922 Range (as codes): ES FR Co Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT RU Ur Sb Am Prj Us Krl MD UA BY Cc GG KP KR JP Hkk CN Mc Hbe She CA Nsc US Vi Mai Mon Oh Cf 01 05 06 15 16 46 01K 05A 16A
- 5004. *Ancylis geminana* (Donovan, 1806)** (Tortricidae) Synonym(s): *geminana* Donovan, 1806; *cuspidana* Treitschke, 1830; *biarcuana* Stephens, 1834; *crenana* Duponchel, 1835; *subarcuana* Douglas, 1847; *fluctigerana* Herrich-Schäffer, [1851]; *inornatana* Herrich-Schäffer, [1851]; *diminuatana* Kearfott, 1905 Range (as codes): PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb Prj Us MD UA BY KG CN She Gn Mc JP US Nje
- 5005. *Ancylis laetana* (Fabricius, 1775)** (Tortricidae) Synonym(s): *laetana* Fabricius, 1775; *#lactana* Fabricius, 1781; *harpana* Hübner, [1799]; *ramana* Frölich, 1828 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Us Ur Sb MD UA BY KG CN She Hbe 13 81 13G 13Gw
- 5006. *Ancylis mitterbacheriana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *mitterbacheriana* [Denis & Schiffermüller], 1775; *subuncana* Haworth, 1811 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR YU DK NO SE FI EE LV LT RU MD UA BY Cc GG CN 49 65 49F 49Fb 65F 65Fb
- 5007. *Ancylis obtusana* (Haworth, [1811])** (Tortricidae) Synonym(s): *obtusana* Haworth, [1811]; *consobrinana* Curtis, 1831; *distortana* Guenée, 1845; *segmentana* Herrich-Schäffer, 1851 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK SE FI EE LV LT RU Sb Prj Us MD UA BY Cc GG KG KP KR JP CN Gn Hne She 16 16A
- 5008. *Ancylis paludana* (Barrett, 1871)** (Tortricidae) Synonym(s): *paludana* Barrett, 1871; *rhusana* Fuchs, 1903. Range (as codes): IT GB NL DE AT CZ SK HU DK TR SE FI LV RU Sb Ya Prj Us MD UA BY Cc GG CN Mc MN JP 42
- 5009. *Ancylis selenana* (Guenée, 1845)** (Tortricidae) Synonym(s): *selenana* Guenée, 1845; *curvana* Zeller, 1849 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI LV LT RU Sb Am Prj Us Krl MD UA BY Cc GG CN Gn Hbe Mc Hnn She Yu KP KR JP Hkk
- 5010. *Ancylis transientana* Filipjev, 1926** (Tortricidae) Synonym(s): *transientana* Filipjev, 1926 Range (as codes): TR IR Cc GG RU St

- 5011. *Ancylis uncella* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *uncella* [Denis & Schiffermüller],1775; *uncana* Hübner,[1799]; *subuncana* Krulikowsky,1907 Range (as codes): FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT TR IR RU Sb Am Prj Us MD UA BY KG CN Mc KP KR JP US
- 5012. *Ancylis unculana* (Haworth,[1811])** (Tortricidae) Synonym(s): *unculana* Haworth,[1811]; *derasana* Hübner,[1813]. Range (as codes): ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Sb MD UA BY IR KG KP KR CN Mc Hnn Hbe Hun Sz 16 16A
- 5013. *Aphelia (Zelotherses) christophi* Obratzsov,1955** (Tortricidae) Synonym(s): *verbascana* Christoph,1877 (homonym); *christophi* Obratzsov,1955 Range (as codes): TR IR Elb Srd Ha Avd Ar Th Nss Kdj By 65 65A 65Ab 65Aba
- 5014. *Aphelia (Zelotherses) euxina* (Djakonov,1929)** (Tortricidae) Synonym(s): *euxina* Djakonov,1929; *regisborisi* Drenowski,1931 Range (as codes): MK BG GR RU ME UA Cm TR 42 42B
- 5015. *Aphelia (Zelotherses) ferugana* (Hübner,1793)** (Tortricidae) Synonym(s): *ferugana* Hübner,1793; *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obratzsov,1957; *#shaqlavana* Razowski,1981 Range (as codes): FR Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR TR IQ Shq SY Hal Cc AM Eri GG IR Qz Th Kdj 02 05 13 14 16 21 30 31 42 46 49 56 65 71 73 02F 02Fe 02Fz 05A 13Gö 13Gğ 13Gs 13Gw 16A 21L 21Lc 21N 21Nb 30B 30Bt1 30Bz 30D 30Df 31M 49F 49Fb 56F 56Fc 65A 65An 65Ai 65Am1 65Am4 65Am 65Au 65D 65Dg 65Di 65Dh 65Du 65F 65Fd 65Fe 65Fç 65Fr 65Fz 65G 65Kl1 65Z 65K 65Kz 65Kg 65L 65Le 65N 65Np 65Np1 65Np2 65Nm 73A 73Ak
- 5016. *Aphelia (Zelotherses) icteratana* (Staudinger,1880)** (Tortricidae) Synonym(s): *icteratana* Staudinger,1880 Range (as codes): TR 05
- 5017. *Aphelia (Zelotherses) ignoratana* (Staudinger,1880)** (Tortricidae) Synonym(s): *ignoratana* Staudinger,1880 Range (as codes): TR 05 05A
- 5018. *Aphelia (Zelotherses) imperfectana* (Lederer,1858)** (Tortricidae) Synonym(s): *imperfectana* Lederer,1858; *ineffecta* Obratzsov,1968. Range (as codes): LB Bei Bsa SY Dms IL Pa RU Ur TR
- 5019. *Aphelia (Zelotherses) insincera* (Meyrick,1912)** (Tortricidae) Synonym(s): *insincera* Meyrick,1912 Range (as codes): TR 31
- 5020. *Aphelia (Zelotherses) paleana* (Hübner,1793)** (Tortricidae) Synonym(s): *paleana* Hübner,1793; *flavana* Hübner,[1799] *nec* Hübn.,[1799]; *icterana* Fröhlich,1828; *intermediana* Herrich-Schäffer,1856 *nec* Heyd.,1851; *raebeli* Toll,1951 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb MD UA BY CN
- 5021. *Aphelia (Zelotherses) peramplana* (Hübner,[1825])** (Tortricidae) Synonym(s): *amplana* Hübner,[1813] *nec* *amplana* Hübn.,[1799]; *peramplana* Hübner,[1825] Range (as codes): DZ MA TN PT ES Sa Si IT MT IR GlS GR Cr IQ Cc TR RU Sb
- 5022. *Aphelia (s.str.) viburniana* (Fabricius,1787)** (Tortricidae) Synonym(s): *#viburnana* [Denis & Schiffermüller],1775; *viburniana* Fabricius,1787 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Ur Us Krl MD UA BY Cc GG IR Zj MN 14
- 5023. *Apotomis capreana* (Hübner,[1817])** (Tortricidae) Synonym(s): *capreana* Hübner,[1817]; *sapporensis* Matsumura,1931 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY JP Hkk US 61 69 75 61N 69B 69Bc 75F 75Fd
- 5024. *Archips betulanus* (Hübner,1787)** (Tortricidae) Synonym(s): *betulanus* Hübner,1787; *decretana* Treitschke,1835 Range (as codes): IT GB BE NL DE AT PL CZ DK NO SE FI EE LV LT RU MD UA TR BY KK 05
- 5025. *Archips crataeganus* (Hübner,[1799])** (Tortricidae) Synonym(s): *crataegana* Hübner,[1799]; *roborana* Hübner,[1799] Range (as codes): ES Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE EE LV LT RU MD UA BY Cc GG IR Gh KG 03 06 15 18 34
- 5026. *Archips podanus* (Scopoli,1763)** (Tortricidae) Synonym(s): *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sørhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991 Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Lag Cc IR Th Kh GlS 01 05 14 16 17 25 34 39 41 42 46 52 71 81 16A
- 5027. *Archips rosanus* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834 Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Da Der MD UA BY IQ Shq Bgd Cc GG AZ Len IR Th Dam Elb Qz Kh Mz Ab Sdt Gh Ak GlS Kd Ar KK 03 05 06 07 08 14 15 16 17 18 22 24 25 32 34 42 44 51 71 05A 16A
- 5028. *Archips xylosteanus* (Linnaeus,1758)** (Tortricidae) Synonym(s): *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* De Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901 Range (as codes): DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG SA IR Ak Mrd GlS Mz Th Dam Zj 16 18 24 30 34 41 56 65 16A 30B 30Bç 30Bz 56F 65A 65Ai 65D 65Di 65Dlc
- 5029. *Argyroplote ottomana* Obratzsov,1952** (Tortricidae) Synonym(s): *ottomana* Obratzsov,1952 Range (as codes): TR
- 5030. *Argyrotaenia ljugiana* (Thunberg,1797)** (Tortricidae) Synonym(s): *ljugiana* Thunberg,1797; *sylvana* Hübner,[1799]; *pulchellana* Haworth,1811; *cognatana* Stephens,1852; *fuscociliana* Stephens,1852; *lepidana*

- Herrich-Schäffer, 1854; micantana Lucas, 1937. Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY IR Ar Gh 53*
- 5031. *Asketria cervinana* (Caradja, 1916) (Tortricidae)** Synonym(s): *cervinana* Caradja, 1916 Range (as codes): TR RU Cc GG AZ AM 76 76C
- 5032. *Aterpia andereggana* Guenée, 1845 (Tortricidae)** Synonym(s): *andereggana* Guenée, 1845; *spuriana* Herrich-Schäffer, 1851 Range (as codes): ES FR IT DE CH AT PL SK TR
- 5033. *Aterpia flavens* Falkovitsh, 1966 (Tortricidae)** Synonym(s): *flavens* Falkovitsh, 1966 Range (as codes): Cc GG Smt Bjo Abk TR RU Da
- 5034. *Bactra (Chiloides) venosana* (Zeller, 1847) (Tortricidae)** Synonym(s): *venosana* Zeller, 1847; *truculenta* Meyrick, 1909; *scythropa* Meyrick, 1911; *geraropa* Meyrick, 1932; *banosii* Gozmany, 1960 Range (as codes): Md Cn MA DZ Bsk TN Gf PT ES FR Co Sa Si IT MT CH SK GR EG SD IQ SA As TR LB Bei IN NP LK CN TH CMa Int Fn Nna Kao Cbi Knc Tpp Loe ID Ja Tim TW VN Ton JP PH AU Hw FJ Bor Shh Klt KR
- 5035. *Bactra (s.str.) bactrana* (Kennel, 1901) (Tortricidae)** Synonym(s): *bactrana* Kennel, 1901; *cyperana* Amsel, 1951; *mediterranea* Agenjo, 1952. Range (as codes): Cn MA DZ PT ES FR IT Si MT GR RU EG SA As IQ Bgd IR AF Hr TJ UZ KK TR Cc PK IN
- 5036. *Bactra (s.str.) furfurana* (Haworth, [1811]) (Tortricidae)** Synonym(s): *furfurana* Haworth, [1811]; *gozmaniana* Toll, 1958 Range (as codes): DZ Bsk PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG KG Uk US 05 42 05A 42B
- 5037. *Bactra (s.str.) lancealana* (Hübner, [1799]) (Tortricidae)** Synonym(s): *lancealana* Hübner, [1799]; *#lanceolana* Hübner, [1822]; *egestana* Haworth, 1811; *plagana* Haworth, 1811; *dibeliana* Hübner, [1819]; *rufana* Stephens, 1834; *nigrovittana* Stephens, 1852; *suspensa* Diakonoff, 1962; *mongolica* Diakonoff, 1972 Range (as codes): DZ Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr DK NO SE FI EE LV LT RU MD UA BY TR IL Pa LB AZ Len SY Hal Cc AM Eri IQ Bsr Hjo TM Krn PK Krc IN IR Gor Gh Tgo Mz Gls Kh TJ Pm MN CN Ui Kml ID Sum Clb LK KP KR 05 06 16 31 34 46 05A 16A 31M
- 5038. *Bactra (s.str.) robustana* (Christoph, 1872) (Tortricidae)** Synonym(s): *robustana* Christoph, 1872; *griseana* A.M.Djakonov, 1929; *grisea* A.M.Djakonov, 1929; *scirpicolana* Pierce, 1935 Range (as codes): MA ES FR Sa Si IT MT IE GB BE NL DE AT SK HU RO AL BG TR IR Gh Tgo DK NO SE FI EE LV RU MD UA BY Cc GG AF KG JP 42 42B
- 5039. *Barbara herrichiana* Obratzsov, 1960 (Tortricidae)** Synonym(s): *herrichiana* Obratzsov, 1960 Range (as codes): ES FR DE PL CZ SK RO TR RU MD UA BY 34
- 5040. *Barbara osmana* Obratzsov, 1952 (Tortricidae)** Synonym(s): *osmana* Obratzsov, 1952 Range (as codes): TR
- 5041. *Cacoecimorpha pronubana* (Hübner, [1799]) (Tortricidae)** Synonym(s): *pronubana* Hübner, [1799]; *ambustana* Frölich, 1830; *herminiana* Treitschke, 1835; *insolatana* Lucas, 1848; *perochreana* Herrich-Schäffer, 1856; *obsoletana* Strand, 1901 Range (as codes): DZ Cst Orn Anna TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL CH RO AL GR Rd CY TR SY Hal DK ?ZA UA Cm 01 06 07 16 27 31 33 34 35 46 79 80 06F 06Fb 07B 16A 31K 31Ka 31Ka4
- 5042. *Capricornia boisduvaliana* (Duponchel, 1836) (Tortricidae)** Synonym(s): *boisduvaliana* Duponchel, 1836 Range (as codes): FR Si IT BE DE PL SK HU BG TR SE FI EE LV LT RU MD UA BY
- 5043. *Capua vulgana* (Frölich, 1828) (Tortricidae)** Synonym(s): *rusticana* Hübner, [1799] *nec* Hbn., [1799]; *favillaceana* Hübner, [1817] *nec* Hbn., [1799]; *vulgana* Frölich, 1828; *ochraceana* Stephens, 1834; *terreana* Treitschke, 1835; *porcana* Zetterstedt, 1839; *stramineana* Zetterstedt, 1839 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 05
- 5044. *Celypha anatoliana* (Caradja, 1916) (Tortricidae)** Synonym(s): *anatoliana* Caradja, 1916 Range (as codes): RU Tv UA Cc TR KG MN 06 14 42 06B 42B
- 5045. *Celypha aurofasciana* (Haworth, [1811]) (Tortricidae)** Synonym(s): *aurofasciana* Haworth, [1811]; *venustana* Frölich, 1828; *dormoyana* Duponchel, 1835; *grapholitana* Guenée, 1845; *implicana* Offmann, 1850; *paleana* Caradja, 1916 Range (as codes): FR IT IE GB BE NL DE CH AT PL HU CZ RO BG TR DK SE EE LV RU MD UA BY Cc GG 16 16A
- 5046. *Celypha capreolana* (Herrich-Schäffer, 1851) (Tortricidae)** Synonym(s): *capreolana* Herrich-Schäffer, 1851 Range (as codes): FR DE AT PL CZ SK HU RO BG EE LV RU Ur MD UA BY TR IR Gls Gor KG 53
- 5047. *Celypha cespitana* (Hübner, [1817]) (Tortricidae)** Synonym(s): ? *umbriana* Scopoli, 1763; *cespitana* Hübner, [1817]; *gramineana* Curtis, 1831; *poana* Zeller, 1875 Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR IR Gls Gor Th DK NO SE FI EE LV LT RU Ur Sb Tv Am Vv MD UA BY KK Cc GG CN Mc Jn KP KR JP Hkk US 05 13 16 05A 13A 13Ab 13Ax 16A
- 5048. *Celypha flavipalpana* (Herrich-Schäffer, [1851]) (Tortricidae)** Synonym(s): *flavipalpana* Herrich-Schäffer, [1851]; *lobocasis* Meyrick, 1936 Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO YU TR Cc AM AZ Len DK LT RU MD UA BY JP 16 16A
- 5049. *Celypha rivulana* (Scopoli, 1763) (Tortricidae)** Synonym(s): *rivulana* Scopoli, 1763; *rivellana* Fabricius, 1775; *fasciella* Goeze, 1783; *undulatella* Fourcroy, 1785; *conchana* Hübner, [1799] Range (as codes): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Sb Am Ur Us MN CN KP KR 05 14 16 75 05A 16A 75F 75Fb

- 5050. *Celypha rurestrana* (Duponchel,1843)** (Tortricidae) Synonym(s): *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#rupestrana* Staudinger,1879; *kemnerana* Benander,1943. Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV RU MD UA BY 16 16A
- 5051. *Celypha striana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817]. Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 05 16 05A 16A
- 5052. *Celypha woodiana* (Barrett,1882)** (Tortricidae) Synonym(s): *woodiana* Barrett,1882 Range (as codes): FR IT GB BE LU DE CH AT PL CZ SK GR TR RU MD UA BY GG Cc 14 71 14F
- 5053. *Ceratoxanthus argentomixtana* (Staudinger,1870)** (Tortricidae) Synonym(s): *argentomixtana* Staudinger,1870 Range (as codes): RU Sr TR KG Uk Ind 32 46 46G
- 5054. *Choristoneura diversana* (Hübner,[1817])** (Tortricidae) Synonym(s): *diversana* Hübner,[1817]; *viduana* Frölich,1828; *transitana* Guenée,1845; *alfredana* Duponchel,1846 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 16 16A
- 5055. *Choristoneura hebenstreitella* (Müller,1764)** (Tortricidae) Synonym(s): *hebenstreitella* Müller,1764; *pyrana* De Villers,1789; *sorbiana* Hübner,[1799] Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR SY Hal TR DK NO SE FI EE LV LT RU MD UA BY Cc GG IR Th KG 05 13 14 16 34 81 05A 13G 13G 13Gi 16A
- 5056. *Choristoneura lafauryana* (Ragonot,1875)** (Tortricidae) Synonym(s): *lafauryana* Ragonot,1875; *inornatana* Walsingham,1900 Range (as codes): ES FR IT GB BE NL DE CH RO TR Cc GG IR Gh Kdj Th Elb Mz Amo RU Us CN JP Sb 14 81
- 5057. *Choristoneura murinana* (Hübner,[1799])** (Tortricidae) Synonym(s): *murinana* Hübner,[1799]; *caprimulgana* Koch,1859; *besseri* Nowicki,1860; *histrionana* Ratzeburg,1868 nec Fröl.,1828; *immaculana* Wachtl,1882 Range (as codes): FR Co IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR LV LT RU MD UA BY Cc GG TR 32 32N
- 5058. *Clavigesta tokei* K.Larsen,2010** (Tortricidae) Synonym(s): *tokei* K.Larsen,2010 Range (as codes): TR GR Rd 07 07B
- 5059. *Clepsis consimilana* (Hübner,[1817])** (Tortricidae) Synonym(s): *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948 Range (as codes): DZ TN Gf PT ES FR Co Sa Si IT MT IE GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Th DK SE FI RU MD UA BY LB Bsa MG 05 16 34 05A 16A 34C
- 5060. *Clepsis dumicolana* (Zeller,1847)** (Tortricidae) Synonym(s): *dumicolana* Zeller,1847; *austriaca* Amsel,1952 Range (as codes): ES Co Sa Si IT CH TR 16 16A
- 5061. *Clepsis neglectana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,1851; *flavana* Duponchel,1834 nec Hüb.,[1799]; *betulifoliata* Lederer,1859; *striolana* Ragonot,1879; *xylotoma* Meyrick,1891; *severana* Kennel,1901; *delibatana* Rothschild,1912; *dorana* Kennel,1919; *acclivana* Zerny,1933. Range (as codes): DZ Phv TN PT FR IT MT BE DE CH AT PL CZ RO BG TR SE FI EE LV LT RU Tv MD UA BY LB Bsa Cc GG CY KK Ik KG Uk Tk Dj Ii 05
- 5062. *Clepsis pallidana* (Fabricius,1776)** (Tortricidae) Synonym(s): *pallidana* Fabricius,1776; *strigana* Hübner,[1799]; *stramineana* Herrich-Schäffer,[1851]; *quinquemaculana* Bremer,1864; *cesareana* Joannis,1891; *districta* Meyrick,1920. Range (as codes): DZ ES FR Co IT BE DE CH AT PL CZ SK HU RO AL BG GR TR DK SE FI EE LV LT RU Sb Am Prj Us MD UA BY Cc GG IR Ak MN CN Shs Yu Tkg JP Hkk KP KR 38
- 5063. *Clepsis rurinana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935. Range (as codes): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb Vv Ur MD UA BY Cc GG IR AF PK Ch Gg Hu MN NP Ch Sri Snm IN CN Mc Jn Sz Tkg JP Hkk 05 14 16 05A 16A
- 5064. *Clepsis senecionana* (Hübner,[1819])** (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] (*praeocc.*); *senecionana* Hübner,[1819]; *helvolana* Fröhlich,1828; *stramineana* Zetterstedt,1839; *porcana* Zetterstedt,1839; *pulverana* Eversmann,1844; *culmana* Peyerimhoff,1864. Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Ur Sb Kmt Us KG
- 5065. *Clepsis spectrana* (Treitschke,1830)** (Tortricidae) Synonym(s): *spectrana* Treitschke,1830; *vinculana* Treitschke,1830; *lajorana* Stainton,1857; *liverana* Mansbridge,1914; *intermedia* Mansbridge,1914 Range (as codes): FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc GG MD UA BY
- 5066. *Cnephasia (Cnephasiella) incertana* (Treitschke,1835)** (Tortricidae) Synonym(s): *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistan* Amsel,1955; *atticana* Razowski,1958 Range (as codes): PT ES FR Sa Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR SY Hal DK NO SE FI EE LV LT RU MD UA BY Cc GG IQ Shq 05 34 38 42 44 46 65 05A 42B 42K 65D 65Dh
- 5067. *Cnephasia (s.str.) abrasana* (Duponchel,1843)** (Tortricidae) Synonym(s): *abrasana* Duponchel,1843 Range (as codes): PT Co IT BE AT SK HU RO YU AL BG GR TR EE LT IR CN Ui Ku 05 06 35 05A

- 5068. *Cnephasia* (s.str.) *asiatica* Kuznetsov,1956** (Tortricidae) Synonym(s): *asiatica* Kuznetsov,1956
Range (as codes): TR TM Kp 71
- 5069. *Cnephasia* (s.str.) *asseclana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *asseclana* [Denis & Schiffermüller],1775; *interjectana* Haworth,1811; *virgaureana* Treitschke,1835; *#virgaureana* Ragonot,1895; *oleraceana* Gibson,1916 Range (as codes): Cn ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY Cc GG TR 31 31M
- 5070. *Cnephasia* (s.str.) *chrysanthæana* (Duponchel,1843)** (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843; *cinareana* Chrétien,1892; *#cinareana* Meyrick,1912; *pulmonariana* Réal,1953 Range (as codes): DZ Anna Blid PT ES FR Sa Si IT AT CZ HU RO? BG? TR IR Gh Tgo RU Cc MD UA BY 35 65 71 65N 65Nf 65Np 65Nm
- 5071. *Cnephasia* (s.str.) *communana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *communana* Herrich-Schäffer,[1851] Range (as codes): MA LY ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY LB Bsa Cc GG TM KG 14 71
- 5072. *Cnephasia* (s.str.) *conspersana* Douglas,1846** (Tortricidae) Synonym(s): *conspersana* Douglas,1846; *cretaceana* Curtis,1850; *perterana* Doubleday,1850; *decolorana* Stephens,1852 Range (as codes): DZ Lbs PT ES FR IT IE GB Cc TR 76 76C
- 5073. *Cnephasia* (s.str.) *cupressivorana* (Staudinger,1871)** (Tortricidae) Synonym(s): *cupressivorana* Staudinger,1871; *apennincola* Obratzov,1950; *orthoxyana* Réal,1951; *confluentana* Réal,1951 Range (as codes): ES FR Co Sa Si IT BE CH RO YU AL BG? GR TR KK Ik 16 39 46 16A
- 5074. *Cnephasia* (s.str.) *facetana* Kennel,1901** (Tortricidae) Synonym(s): *facetana* Kennel,1901 Range (as codes): TR JO SY Dms IL Jt Pa
- 5075. *Cnephasia* (s.str.) *fragosana* (Zeller,1847)** (Tortricidae) Synonym(s): *fragosana* Zeller,1847; *adulterinana* Kennel,1901; *reisseri* Filipjev,1934; *distinctana* Lucas,1937 Range (as codes): MR MA DZ Lbs Tni Tis FR Sa Si IT? GR TR 47
- 5076. *Cnephasia* (s.str.) *graecana* Rebel,1902** (Tortricidae) Synonym(s): *graecana* Rebel,1902; *#ochreana* Razowski,1961 Range (as codes): RO MK GR ?TR
- 5077. *Cnephasia* (s.str.) *grandis* (Osthelder,1938)** (Tortricidae) Synonym(s): *grandis* Osthelder,1938 Range (as codes): LB Say Cc TR GG IR Elb Th Mz 65 73 65D 65Dh 65K 65Kl 65Z 65N 65Np6 65Nm 73D 73Df
- 5078. *Cnephasia* (s.str.) *helenica* Obratzov,1950** (Tortricidae) Synonym(s): *helenica* Obratzov,1950; *hellenica* Obratzov,1956 Range (as codes): PT ES RO GR TR RU Da Cc UA Cm
- 5079. *Cnephasia* (s.str.) *heringi* Razowski,1958** (Tortricidae) Synonym(s): *heringi* Razowski,1958 Range (as codes): YU GR Cr TR RU Ur TM o5 o6 71
- 5080. *Cnephasia* (s.str.) *kenneli* Obratzov,1956** (Tortricidae) Synonym(s): *obsoletana* Kennel,1901 *nec* Wd.,1832; *kenneli* Obratzov,1956. Range (as codes): TR SY CN Ui Ku 31 44 46 80 31M 80Ba
- 5081. *Cnephasia* (s.str.) *korvaci* Razowski,1965** (Tortricidae) Synonym(s): *korvaci* Razowski,1965 Range (as codes): TR 44
- 5082. *Cnephasia* (s.str.) *longana* (Haworth,[1811])** (Tortricidae) Synonym(s): *longana* Haworth,[1811]; *egenana* Haworth,[1811]; *expallidana* Haworth,[1811]; *ictericana* Haworth,[1811]; *lutosana* Hübner,[1813]; *capillana* Guenée,1845; *stratana* Zeller,1847; *loewiana* Zeller,1847; *luridalbana* Herrich-Schäffer,1851; *insolatana* Herrich-Schäffer,1851; *gratana* Laharpe,1860; *#ongana* Meyrick,1912; *cadizensis* Razowski,1959 Range (as codes): DZ Phv Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH PL CZ SK GR Cr Rd TR DK SE EE RU MD UA BY KK US CA CBo Cf Org 16 16A
- 5083. *Cnephasia* (s.str.) *orientana* (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877 Range (as codes): MT RO BG TR SY Dms RU UA Cm CY Cc AM Eri GG KG Uk TM UZ TJ IR Elb Dam Ar Ab Oru Es Gh Km Th IQ AF o6 13 27 30 38 44 46 56 65 76 13A 13Ab 13Af 13Ax 27D 27Dd 44A 44Ab 44L 44Lc 46F 46Ff 56D 56Dc 65B 65Bo 65Bx 65D 65Dg 65Dga 65F 65Fç 65Fz 65G 65Gf 65Gy 65K 65Kd 65Kg 65L 65Le 65N 65Np5 65Nm 76C
- 5084. *Cnephasia* (s.str.) *oxyacanthana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *oxyacanthana* (Herrich-Schäffer,[1851]). Range (as codes): AT CZ SK HU MK TR 16 16A
- 5085. *Cnephasia* (s.str.) *pasiuana* (Hübner,[1799])** (Tortricidae) Synonym(s): *pasiuana* Hübner,[1799]; *obsoletana* Stephens,1835; *pumicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezynskii* Toll,1953; *hagiosana* Razowski,1959 Range (as codes): DZ EG PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR SY DK NO SE FI EE LV LT RU Cc MD UA BY o5 16 34 35 o5A 16A
- 5086. *Cnephasia* (s.str.) *sedana* (Constant,1884)** (Tortricidae) Synonym(s): *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965 Range (as codes): ES FR IT BE DE CH AT TR SY Hal Cc GG IR IN Ch GI MN CN Ui Ju RU At Ch o6 33 38 42 46 76 o6R 33O 42B 76C
- 5087. *Cnephasia* (s.str.) *semibrunneata* De Joannis,1891** (Tortricidae) Synonym(s): *semibrunneata* De Joannis,1891 Range (as codes): DZ Phv TR

- 5088. *Cnephasia* (s.str.) *stephensiana* (Doubleday,[1849])** (Tortricidae) Synonym(s): *stephensiana* Doubleday,[1849]; *octomaculata* Curtis,1850; *perplexana* Stephens,1852; *albooctomaculana* Pierce & Metcalfe,1915; *uniformana* Caradja,1916; *anatolica* Obraztsov,1950; *hispanica* Obraztsov,1950 Range (as codes): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IR GlS Mz Elb Th Sb Us Vv CN JP 05 42 71 42B
- 5089. *Cnephasia* (s.str.) *tianshanica* Filipjev,1934** (Tortricidae) Synonym(s): *tianshanica* Filipjev,1934; *osthelderi* Obraztsov,1950; *sareptana* Razowski,1959; *alatauana* Razowski,1961 Range (as codes): RU Sr Ur TR T-S CN Ui Ku KK KG DsA Cc GG 21 46 65 71 21L 21Le 65A 65Ai 65N 65Nc4 65Np 65Nm
- 5090. *Cnephasia* (s.str.) *tofina* Meyrick,1922** (Tortricidae) Synonym(s): *tofina* Meyrick,1922; *syriella* Razowski,1956; *tolli* Razowski,1956; *palaestinisensis* Amsel,1958 Range (as codes): GR Cr SY IL Pa Hf CY TR
- 5091. *Cnephasia* (s.str.) *tristrami* (Walsingham,1900)** (Tortricidae) Synonym(s): *tristrami* Walsingham,1900 Range (as codes): IL Js Pa TR SY LB 06 46
- 5092. *Cnephasia* (s.str.) *uniformana* Caradja,1916** (Tortricidae) Synonym(s): *uniformana* Caradja,1916 Range (as codes): TR 05
- 5093. *Cnephasia* (s.str.) *virginana* (Kennel,1899)** (Tortricidae) Synonym(s): *virginana* Kennel,1899; *maraschana* Caradja,1916. Range (as codes): TR SY Hal 46 47
- 5094. *Coccothera* *pharaonana* (Kollar,1858)** (Tortricidae) Synonym(s): *pharaonana* Kollar,1858 Range (as codes): EG TR SA As YE
- 5095. *Cochyliidia* *heydeniana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obraztsov,1956 Range (as codes): MA PT ES FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IQ LB Bei DK NO SE FI LV LT RU Ur Sb Am Us Krl Sh MD UA BY CN Ui KG KP KR JP MN 16 33 16A 33A 33Ak
- 5096. *Cochyliidia* *implicitana* (Wocke,1856)** (Tortricidae) Synonym(s): *implicitana* Wocke,1856; *coercitana* Staudinger,1859; *noctulatana* Agenjo,1952. Range (as codes): MA PT ES An FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Ur Sb MD UA BY KK KG TrA Aa DsA IR Mz CN Ui 31
- 5097. *Cochyliidia* *moguntiana* (Rössler,1864)** (Tortricidae) Synonym(s): *moguntiana* Rössler,1864; *griseolana* W.Petersen,1924; *trafuenfelti* Benander,1949. Range (as codes): ES IT DE AT PL CZ SK HU RO YU DK SE EE LV LT RU Ur MD UA BY TR AF Kab CN Stg Ahw Pkn Fkn Gn Mc Hun IMn She Sz KwT Hnn Hph PK Pj Mre Haz IR Km Ab Mak 03
- 5098. *Cochyliidia* *rupicola* (Curtis,1834)** (Tortricidae) Synonym(s): *rupicola* Curtis,1834; *marginana* Stephens,1834; *humidana* Herrich-Schäffer,1851 Range (as codes): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR LB DK SE FI LV LT RU MD UA IR Mz 14 52 14B 14Bb
- 5099. *Cochylimorpha* *alternana* (Stephens,1834)** (Tortricidae) Synonym(s): *alternana* Stephens,1834; *#gigantana* Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati & C.G.Krüger,1936. Range (as codes): TN FR IT GB NL DE CH AT PL CZ SK HU TR CY DK NO SE FI EE LV LT RU Ur Mo MD UA LY Cy IR Ar 06 35 06R 35O
- 5100. *Cochylimorpha* *armeniana* (De Joannis,1891)** (Tortricidae) Synonym(s): *armeniana* De Joannis,1891. Range (as codes): TR TM Pm AF IR Ab Bzg 38 38G
- 5101. *Cochylimorpha* *asiana* (Kennel,1899)** (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934. Range (as codes): LY Cy RU Da Ro Tgn Cc AZ Kir UA TM K-K KG Ka UZ Nmg Man Fe IR Elb Th Es Cls AF Kab Srb PK Haz Kag Nar TR CY MN KK Ik CN Pkn Gn Mc Ts She Hph Stg 26
- 5102. *Cochylimorpha* *cultana* (Lederer,1855)** (Tortricidae) Synonym(s): *cultana* Lederer,1855; *pontana* Staudinger,1859; *extensana* Staudinger,1859; *lambessana* Baker,1888; *oedemana* Constant,1893; *bigenerana* Kennel,1900; *assalana* Chrétien,1915; *albidana* Caradja,1916; *symmerista* Meyrick,1935. Range (as codes): MA DZ Bsk Gha Lbs TN Gf PT ES An Mu FR RU Da Cc Ur At TR PK KG Uk TM Kp IR Elb Maz Clu CN Shs Hun Gn Jn Ts She Stg 06 42 50 42B 50G
- 5103. *Cochylimorpha* *decolorella* (Zeller,1839)** (Tortricidae) Synonym(s): *decolorella* Zeller,1839; *chamomillana* Herrich-Schäffer,[1851]; *pentactinana* Mann,1855. Range (as codes): Cn MA EG PT ES An B-I FR Co Sa Si MT BG TR 16 16A
- 5104. *Cochylimorpha* *diana* (Kennel,1899)** (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963 Range (as codes): RU TR Cc IL Js Jt Pa JO Amm LB Baa SY Dms IR Fa Ab Oru Skn Bzg Qz Th Kdj Ma Fa Kz TM 06 13 26 27 42 44 46 47 58 65 76 06F 06R 13A 13Ab 13Ax 27D 27Da 42R 44L 47D 58N 65D 65Df 65F 65Fš 65N 65Nb 65Nc 76C
- 5105. *Cochylimorpha* *discolorana* (Kennel,1899)** (Tortricidae) Synonym(s): *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964; *#discolourana* Alipanah,2009 Range (as codes): RO RU Da Sr Cc GG TR AZ Nv Ord IR Elb Mz Clu Km Kh UZ Man Fe TJ T-A KG Kpt TrA Aa AF Bm Srb 76 76C
- 5106. *Cochylimorpha* *eburneana* (Kennel,1899)** (Tortricidae) Synonym(s): *eburneana* Kennel,1899 Range (as codes): TR UZ Fe AF Hr IR Kh Fa Th Sse AM Cc 23 44 65 23M 44L 65K
- 5107. *Cochylimorpha* *elongana* (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *elongana* Fischer v. Röslerstamm,1839; *impurana* Mann,1855; *favillana* Staudinger,1859; *tetricana* Mann,1864 Range (as codes): PT ES An FR Co IT DE AT PL CZ SK HU RO HV TR RU 16 71 16A

- 5108. *Cochylimorpha fucosa* (Razowski,1970)** (Tortricidae) **Synonym(s):** *fucosa* Razowski,1970 **Range (as codes):** IT? RO TR IR Elb Th 44 65 44L 65L 65Le
- 5109. *Cochylimorpha hilarana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916. **Range (as codes):** ES FR IT DE Bv CH AT PL CZ SK HU RO TR DK SE FI LT RU IL Jer Pa MN 16 42 16A 42B
- 5110. *Cochylimorpha kurdistan* (Amsel,1959)** (Tortricidae) **Synonym(s):** *kurdistan* Amsel,1959 **Range (as codes):** TR IQ Hjo Shq IR Kd Bne Sqg Lo Th 31 65 31M 65N 65Np2 65Nm
- 5111. *Cochylimorpha langeana* (Kalchberg,1897)** (Tortricidae) **Synonym(s):** *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemanni* Razowski,1961 **Range (as codes):** IL Hf Jt Pa TR LB Bmm IR Th 06 31 65 71 06F 31M 65A 65Am4 65N 65Np8 65Nm
- 5112. *Cochylimorpha meridiana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919 **Range (as codes):** PT ES An FR IT CH YU MK AL BG RO GR TR RU Sr Ur Pr Cc GG AM LB KG Tk Dj CN Ui Ku 05 06 31 38 42 46 05A 31M 38G 46G
- 5113. *Cochylimorpha meridiolana* (Ragonot,1894)** (Tortricidae) **Synonym(s):** *meridiolana* Ragonot,1894; *ochrostriana* Kennel,1899; *meridiolana* Kennel,1900 *nec* Ragonot,1894; *kenneli* Razowski,1967. **Range (as codes):** TR IQ IR Elb Th UZ Fe Smk CN Ui Ku KG TrA Aa 30 47 30B 30Bf 47D
- 5114. *Cochylimorpha nodulana* (Möschler,1862)** (Tortricidae) **Synonym(s):** *nodulana* Möschler,1862 **Range (as codes):** RU Tv MN Sr KG Uk TR Cc IR Th 46 76 46G 76C
- 5115. *Cochylimorpha nomadana* (Erschoff,1874)** (Tortricidae) **Synonym(s):** *nomadana* Erschoff,1874 **Range (as codes):** RU IR Elb Shh Ak Kdj Lo Bk TR Cc AM Eri TM Kp K-K UZ Smk KG DsA Tk Dj CN Ui Ku AF Kab 42 76 42B 76C
- 5116. *Cochylimorpha pyramidana* (Staudinger,1871)** (Tortricidae) **Synonym(s):** *pyramidana* Staudinger,1871 **Range (as codes):** ES SK TR Cc RU Sr Ur KG Uk 76 76C
- 5117. *Cochylimorpha sparsana* (Staudinger,1880)** (Tortricidae) **Synonym(s):** *sparsana* Staudinger,1880 **Range (as codes):** ES An IT TR 05 26 05A 26K 26Ka
- 5118. *Cochylimorpha straminea* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lenticinosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954. **Range (as codes):** Cn MA Ifr DZ Bsk Lbs Anna TN Gf Sfx LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IR Elb Mz Kdj Clu Ak Mrd Ar Km DK SE LT RU Pt Ur MD UA BY IL Pa Hf Js LB IQ Shq Hjo SY Dms Cc AM Eri AZ Len TM KG Uk 05 06 16 31 33 35 42 46 47 65 76 05A 16A 31M 42B 42R 47D 47Da 65A 65Am 65Am4 76C
- 5119. *Cochylimorpha thomasi* Karisch,2003** (Tortricidae) **Synonym(s):** *thomasi* Karisch,2003 **Range (as codes):** TR 65 65Bx 65G 65Ge
- 5120. *Cochylimorpha wiltshirei* (Razowski,1963)** (Tortricidae) **Synonym(s):** *wiltshirei* Razowski,1963 **Range (as codes):** IR Ak Kdj TR 06
- 5121. *Cochylimorpha woliana* (Schleich,1868)** (Tortricidae) **Synonym(s):** *woliana* Schleich,1868; *lorana* Fuchs,1897. **Range (as codes):** FR IT DE CH AT PL CZ SK HU RO YU BG Vrn DK SE RU Sr MD UA KG Uk KK Ik TR 76 76C
- 5122. *Cochylis amoenana* Kennel,1899** (Tortricidae) **Synonym(s):** *amoenana* Kennel,1899; *apricana* Kennel,1899 **Range (as codes):** TR Cc GG Smt Akh IR Kh KuB AF TJ KK UZ Smk Dsb Fe Nmg Man Bd Slg PK Pj Bl Qu Ax CN Ui Ku
- 5123. *Cochylis atricapitana* (Stephens,1852)** (Tortricidae) **Synonym(s):** *atricapitana* Stephens,1852 **Range (as codes):** MA ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK SE RU Sr TR MD UA BY CN Ui 29 29A
- 5124. *Cochylis defessana* Mann,1861** (Tortricidae) **Synonym(s):** *defessana* Mann,1861; *centaureana* Staudinger,1879. **Range (as codes):** MK BG GR TR IR Elb Th By TM Kp RU Sr SY Hal Cc GG Mng CN Ui 05 06 14 33 42 44 50 58 71 05A 06F 42B 44L 50G 50Gc
- 5125. *Cochylis epilina* Duponchel,1842** (Tortricidae) **Synonym(s):** *epilina* Duponchel,1842; *carpophilana* Staudinger,1859. **Range (as codes):** MA Cn ES An Grn Mu FR Co Sa Si IT BE DE CH AT PL CZ SK HU RO YU MK AL BG GR TR SY Hal IL Hf Pa DK SE FI EE LV LT RU Cc MD UA BY 06 38 42 51 71 06R 06Ra 51B 42B
- 5126. *Cochylis hybridella* (Hübner,[1813])** (Tortricidae) **Synonym(s):** *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916. **Range (as codes):** PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR LB SY Hal Cc AM DK SE FI EE LV RU Ur Am Prj Us MD UA BY CN Shs Gn Mc IMn Jn Lng Ui IN Hp JP Hkk KP KR 06 06F
- 5127. *Cochylis maestana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *maestana* Kennel,1899; *suleimana* Osthelder,1938. **Range (as codes):** IR Elb Shh Srd Se GlS Mz Ke TR AF BdA Kab Slg
- 5128. *Cochylis nana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *nana* Haworth,[1811]; *carneana* Guenée,1845; *cruentana* Guenée,1845; *pallidana* Herrich-Schäffer,1851 *nec* Zell.,1847; *ochreoalbana* Walker,1863; *albidana* Walker,1866; *altocorsicana* Petry,1904; *winniana* Kearfott,1905 **Range (as codes):** PT ES FR Co IT IE GB

BE NL LU DE CH AT PL CZ SK RO YU BG GR TR DK NO SE FI EE LV LT RU Am No Prj Us Tt MD UA BY CN Hph Mc
Shs CA Nsc US Nje 42 42K

- 5129. *Cochylis pallidana* Zeller, 1847** (Tortricidae) Synonym(s): *pallidana* Zeller, 1847; *albicapitana* Cooke, 1861 Range (as codes): PT ES FR Sa Si IT IE GB NL DE CH AT PL CZ SK HU RO YU B-H AL BG GR TR LB Bei DK NO SE FI EE LV RU Sr Tt MD UA BY 06 16 30 41 46 06F 16A 30D 30Df 41A 46L
- 5130. *Cochylis posterana* Zeller, 1847** (Tortricidae) Synonym(s): *posterana* Zeller, 1847; *collaterana* Seebold, 1879; *nigrociliana* Kennel, 1899; *cuerana* Chrétien, 1925 Range (as codes): MA DZ PT ES An Grn FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY LB Say SY Dms Cc AM Eri KK Ik IR KuM Kh Elb Kdv Th GlS Gor Es Se Zj Ha Bk Ab Mak Ar Lo Ak Fa Sse TM Kp IQ Hjo CN Ui Ku Gn 01 05 06 13 14 15 16 17 30 38 42 46 49 65 05A 13A 13Ac 13Ac3 13Ax 16A 17C 30D 30Db 42B 49F 49Fb 65A 65Am 65Am4 65D 65Df 65F 65Fc 65Fe 65Fp 65Fz 65L 65Le 65N 65Np1 65Nm
- 5131. *Cochylis roseana* (Haworth, [1811])** (Tortricidae) Synonym(s): *roseana* Haworth, [1811]; *rubellana* Hübner, [1823]; *dipsaceana* Duponchel, 1843; *undulatana* Kennel, 1899. Range (as codes): ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY KG Uk IR Elb Th CN Gn 33 65 65D 65Df
- 5132. *Cochylis salebrana* Mann, 1862** (Tortricidae) Synonym(s): *salebrana* Mann, 1862; *millierana* Peyerimhoff, 1877. Range (as codes): ES FR IT HU YU HV BG TR RU Da Cc MD UA BY 14 16 65 16A 65D 65Dh
- 5133. *Cochylis similana* Razowski, 1963** (Tortricidae) Synonym(s): *similana* Razowski, 1963 Range (as codes): TR IR Yz Fa AF Kab LB Bsa Cc 44 44E 44Ei
- 5134. *Cochylis suaveolana* Fuchs, 1903** (Tortricidae) Synonym(s): *suaveolana* Fuchs, 1903 Range (as codes): TR 42 42R
- 5135. *Crociosema plebejana* Zeller, 1847** (Tortricidae) Synonym(s): *plebejana* Zeller, 1847; *altheana* Mann, 1855; *lavaterana* Millière, 1863; *peregrinana* Möschler, 1866; *obscura* Wollaston, 1879; *blackburnii* Butler, 1881; *signatana* Walsingham, 1894; *ptiladelpha* Meyrick, 1917; *insulana* Aurivillius, 1922; *synneurota* Meyrick, 1926; *tornocycla* Turner, 1946; *charmera* Turner, 1946. Range (as codes): DZ Anna Bsk MA TN Gf Cn Md Az PT ES FR Co Sa Si IT MT IE GB BE DE CH AT PL CZ SK HU RO YU B-H HV MK SS AL BG GR Cr TR DK RU MD UA BY Cc GG AZ AM SA SD IR IL Hf LB Bsa SA As YE TM IN Hp Ddu LK TH Cma TW AU CA US Cf MX BR PE CO VE EC GS ZA PH Luz Hw SH CL FJ TO WS Fl Tx Tnn Sca 01 13 14 30 31 42 65 01K 13A 13Ab 13Ax 30D 30Df 31M 42B 65D 65Du
- 5136. *Croesia bergmanniana* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *bergmanniana* Linnaeus, 1758; *rosana* Hübner, 1822. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Sb MN Sj Sh Mnu 17 34 54
- 5137. *Croesia forsskaleana* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *forsskaleana* Linnaeus, 1758; *forskaliana* Haworth, 1811. Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG US Ny IR Bk Ak 14 34 65 65D
- 5138. *Croesia holmiana* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *holmiana* Linnaeus, 1758; *stellata* Fourcroy, 1785; *stellatella* De Villers, 1789. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG TR DK NO SE FI EE LV LT RU MD UA Cm BY 05 16 75 05A 16A 75F 75Fb
- 5139. *Cryptocochylis conjunctana* (Mann, 1864)** (Tortricidae) Synonym(s): *conjunctana* Mann, 1864; *grapholitana* Kennel, 1913. Range (as codes): IT DE HU RO MK BG GR TR RU St MD UA BY 16 42 16A 42B
- 5140. *Cydia adjunctana* (Kennel, 1901)** (Tortricidae) Synonym(s): *adjunctana* Kennel, 1901 Range (as codes): TR TM Krn UZ Fe Man CN Ui Ku IR Elb Mz Kdv AF MN 05
- 5141. *Cydia alienana* Caradja, 1916** (Tortricidae) Synonym(s): *alienana* Caradja, 1916; *pfeifferi* Rebel, 1935 Range (as codes): KK TR 33 46
- 5142. *Cydia amplana* (Hübner, [1799])** (Tortricidae) Synonym(s): *amplana* Hübner, [1799]; *molybdana* Constant, 1884 Range (as codes): PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE RU MD UA BY Cc GG 14 34 71
- 5143. *Cydia caecana* (Schläger, 1847)** (Tortricidae) Synonym(s): *caecana* Schläger, 1847; *obcaecana* Ragonot, 1876 Range (as codes): DZ Lbs PT ES FR IT GB BE DE CH AT PL CZ SK HU RO YU AL TR SE FI EE LV RU Sb Us MD UA BY SY Hal IR Cc KG CN 05 16 42 46 58 65 71 05A 16A 42B 65D 65Dlc 65N 65Np 65Nm
- 5144. *Cydia compositella* (Fabricius, 1775)** (Tortricidae) Synonym(s): *compositella* Fabricius, 1775; *quadrella* Goeze, 1783; *quadratella* Fourcroy, 1785; *composana* Fabricius, 1798; *gundiana* Hübner, [1799]; *compositana* Haworth, 1802; *simillimana* Toll, 1953 Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 05 06 16 42 05A 16A 42B
- 5145. *Cydia conicolana* (Heylaerts, 1874)** (Tortricidae) Synonym(s): *conicolana* Heylaerts, 1874 Range (as codes): ES FR GB BE NL LU DE CH AT PL CZ SK HU AL GR TR DK 17
- 5146. *Cydia coniferana* (Saxesen, 1840)** (Tortricidae) Synonym(s): *coniferana* Saxesen, 1840; ? *ericicolana* Bruand, 1850; *separatana* Herrich-Schäffer, 1851 Range (as codes): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY 14 81
- 5147. *Cydia coronillana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): ? *turcica* Fourcroy, 1785; *coronillana* Lienig & Zeller, 1846; *moldovana* Caradja, 1899 Range (as codes): ES FR IT LU DE CH AT PL CZ SK HU RO AL BG GR TR LB Bsa 05 05A
- 5148. *Cydia delineana* (Walker, 1863)** (Tortricidae) Synonym(s): *delineana* Walker, 1863; *apicatana* Walker, 1863; *sinana* Felder, 1874; *tetragrammana* Staudinger, 1879; *mundana* Christoph, 1881; *terstrigana*

- Ragonot,1894; quadristrana Walsingham,1900. Range (as codes): FR IT DE AT PL CZ SK HU RO GR TR IR RU MD UA BY ZA Tva Gau Pre MU IN CN JP 05 16 05A 16A
- 5149. *Cydia difficilana* (Walsingham,1900)** (Tortricidae) Synonym(s): *difficilana* Walsingham,1900; *difficilana* Kennel,1901 Range (as codes): DZ Lbs FR Sa IT BE DE SK HU RU MD UA BY TR SY Hal 46 46G 46Ga 46L
- 5150. *Cydia duplicana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): ?*dahlana* Frölich,1828; *duplicana* Zetterstedt,1839; #*interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851 Range (as codes): Cn PT ES FR Sa IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Da Ur GG MD UA BY SY Hal KG TrA 20 42 71 81 20P 42B
- 5151. *Cydia fissana* (Frölich,1828)** (Tortricidae) Synonym(s): *fissana* Frölich,1828; *divisana* Duponchel,1836; *diffusana* Herrich-Schäffer,1851 Range (as codes): PT FR Sa Si IT LU DE CH AT PL CZ SK HU RO YU AL BG GR SY Hal TR Cc AZ Len SE RU MD UA BY
- 5152. *Cydia funebrana* (Treitschke,1835)** (Tortricidae) Synonym(s): *funebrana* Treitschke,1835; *cerasana* Kozhantschikov,1953 Range (as codes): DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG SY CY IR CN 16 16A
- 5153. *Cydia gemmiferana* (Treitschke,1835)** (Tortricidae) Synonym(s): *gemmiferana* Treitschke,1835; *olbtenana* Guenée,1845 Range (as codes): PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR SE RU MD UA BY 16 16A
- 5154. *Cydia honorana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *honorana* Herrich-Schäffer,1851 Range (as codes): AT SK GR TR 71
- 5155. *Cydia inquinatana* (Hübner,[1799])** (Tortricidae) Synonym(s): *inquinatana* Hübner,[1799] Range (as codes): FR BE Si IT DE AT CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 5156. *Cydia janthinana* (Duponchel,1843)** (Tortricidae) Synonym(s): *janthinana* Duponchel,1843; *incisana* Herrich-Schäffer,1851 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK SE LV RU MD UA BY Cc GG 16 16A
- 5157. *Cydia junctistrigana* (Walsingham,1900)** (Tortricidae) Synonym(s): *junctistrigana* Walsingham,1900 Range (as codes): TR SY Hal 05 05A
- 5158. *Cydia jungiella* (Linnaeus,1761)** (Tortricidae) Synonym(s): #*jungiella* Clerck,1759; *jungiella* Linnaeus,1761; *perlepidana* Haworth,[1811]; *jungiana* Fröhlich,1828; *schränkiana* Fröhlich,1828; *albisecondella* Bruand,1850. Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 5159. *Cydia larseni* (Rebel,1903)** (Tortricidae) Synonym(s): *larseni* Rebel,1903 Range (as codes): IT DE CZ SK HU RO RU MD UA BY TR
- 5160. *Cydia leucogrammana* (Hofmann,1898)** (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898 Range (as codes): RU Ur GG TR Cc SY Dms IL Pa IR AZ TM UZ 06 76 06A 76C
- 5161. *Cydia lobarzewskii* (Nowicki,1860)** (Tortricidae) Synonym(s): *lobarzewskii* Nowicki,1860; *prunivorana* Ragonot,1879 Range (as codes): FR IT NL LU DE CH AT CZ SK HU RO TR RU MD UA BY 42 42B
- 5162. *Cydia lunulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller],1775; *mederleana* Frölich,1828; *jungiana* Fröhlich,1828; *selenana* Zeller,1847; *effusana* Lederer,1855; *conspectana* Lederer,1859; *selliferana* Kennel,1901; *bipartitana* Kennel,1901; *dimidiatana* Kennel,1901; *intacta* Walsingham, 1903; *amplidorsana* Caradja,1916; *exosticha* Meyrick,1936; *praedorsana* Amsel,1958 Range (as codes): DZ Lbs MA PT ES FR Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK RO YU AL TR Cc CY LB DK NO SE FI EE LV LT RU Sb At MD UA BY CN Ui 35 35L 35La
- 5163. *Cydia microgrammana* (Guenée,1845)** (Tortricidae) Synonym(s): *microgrammana* Guenée,1845 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE EE LV 05 14 38 05A
- 5164. *Cydia nebritana* (Treitschke,1830)** (Tortricidae) Synonym(s): *nebritana* Treitschke,1830 Range (as codes): DZ PT ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU AL GR Rd BG TR LT RU Ur UA Cm 13 18 71 13A 13Ab 13Ax
- 5165. *Cydia nigricana* (Fabricius,1794)** (Tortricidae) Synonym(s): #*rusticella* Clerck,1759; *nigricana* Fabricius,1794; *proximana* Haworth,1811; *pisana* Guenée,1845; *ratifera* Meyrick,1912; *novimundi* Heinrich,1920 Range (as codes): DZ Lbs PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU Sb TR MD UA BY 18
- 5166. *Cydia orobana* (Treitschke,1830)** (Tortricidae) Synonym(s): *orobana* Treitschke,1830; *arcigera* Tengström,1847; *strandiana* Fuchs,1901; *persicana* Osthelder,1938 Range (as codes): FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA KG IR Mz Elb 05 06 16 35 49 65 05A 16A 65F 65Fb 65N 65Np 65Nm
- 5167. *Cydia oxytropidis* (Martini,1912)** (Tortricidae) Synonym(s): *oxytropidis* Martini,1912 Range (as codes): ES IT DE CH AT PL CZ SK HU LT TR RU MD UA BY
- 5168. *Cydia pallifrontana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): ? *elegantana* Frölich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851 Range (as codes): FR IT GB DE CH AT PL CZ SK HU RO YU TR DK NO SE LV LT RU MD UA BY SY Hal 05 16 05A 16A

- 5169. *Cydia phalacris* (Meyrick,1912)** (Tortricidae) Synonym(s): *phalacris* Meyrick,1912; *elongata* Kuznetsov,1962 Range (as codes): TR IR Yz RU Da Cc
- 5170. *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* De Villers,1789; *putaminana* Staudinger,1859; *simpsonii* Busck,1903; *glaphyrana* Rebel,1941 Range (as codes): DZ Cst Bttna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IL Pa IR Gh Tgo Ss Irs Cc Fa Shr GG AZ Len Da LB Bsa SY Hal Ch PK Bl Qu CN Ui Ku Kl US MX CA AU NZ ZA 01 05 08 13 16 24 25 27 30 32 34 36 42 45 46 51 52 65 71 01K 05A 13F 13F71 16A 30D 30Df 65A 65Ac 65Ac3 65L 65Le 65N 65Nc 65Np 65Nm
- 5171. *Cydia pyrivora* (Danilevsky,1947)** (Tortricidae) Synonym(s): *pyrivora* Danilevsky,1947; *dannehli* Obratsov,1950 Range (as codes): FR Sa Si IT AT CZ SK HU RO YU MK AL BG GR MD DZ UZ Cr LV TR Cc GG RU Sb T-S 01 05 13 14 17 20 24 29 38 42 50 66 71 13F 13F71
- 5172. *Cydia selenana* (Zeller,1847)** (Tortricidae) Synonym(s): *jungiana* sensu Zeller,1847; *selenana* Zeller,1847 Range (as codes): IT Si Sa TR 01 09 48 01K 09E 48G
- 5173. *Cydia selliferana* (Kennel,1901)** (Tortricidae) Synonym(s): *selliferana* Kennel,1901 Range (as codes): TR 31
- 5174. *Cydia sinana* (C.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *sinana* C.Felder & Rogenhofer,1875 Range (as codes): TR
- 5175. *Cydia strobilella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *strobilella* Linnaeus,1758; *strobilana* Hübner,[1799]; *kollarana* Treitschke,1829 Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY 34
- 5176. *Cydia succedana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] nec [Den. & Schiff.],1775; *griseana* Osthelder,1938; *decolorana* Obratsov,1949 Range (as codes): DZ Cst Lbs TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Elb Mz LB Bsa Bmm Cc AM KG MN AF 05 14 16 48 71 16A
- 5177. *Cydia tenebrosana* (Duponchel,1843)** (Tortricidae) Synonym(s): *tenebrosana* Duponchel,1843; *roseticolana* Zeller,1849 Range (as codes): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY 05 05A
- 5178. *Cydia triangulella* (Goeze,1783)** (Tortricidae) Synonym(s): *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *#glandella* Schrank,1802; *reaumurana* Heinemann,1863 Range (as codes): TN PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 05 14 16 34 42 71 81 05A 16A
- 5179. *Cydia trogodana* Pröse,1988** (Tortricidae) Synonym(s): *trogodana* Pröse,1988 Range (as codes): IT GR CY TR 65 65N 65Nc
- 5180. *Cydia turciana* Chambon,1993** (Tortricidae) Synonym(s): *turciana* Chambon,1993 Range (as codes): TR
- 5181. *Cydia ulicetana* (Haworth,[1811])** (Tortricidae) Synonym(s): *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865; *conjunctana* Möschler,1866 Range (as codes): DZ Lbs Bsk PT ES An FR IT DE CH? BG? TR RU MD UA BY LB Bsa 03 06 46
- 5182. *Diceratura infantana* (Kennel,1899)** (Tortricidae) Synonym(s): *infantana* Kennel,1899; *puellana* Walsingham,1903 Range (as codes): MA Tgr DZ Lbs PT ES An Mu FR TR 44
- 5183. *Diceratura keredjana* Razowski,1963** (Tortricidae) Synonym(s): *keredjana* Razowski,1963 Range (as codes): TR IR Kdj Elb 27 65 73 27D 27Da 65G 65Gf 65Gy 73A 73Ak
- 5184. *Diceratura ostrinana* (Guenée,1845)** (Tortricidae) Synonym(s): *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851]. Range (as codes): DZ Lbs ES FR Sa IT BE CH AT SK HU RO YU AL BG GR TR LB Bei Say RU Cc Da Sb Sj SY Hal UA Cm IR Elb Th KG Uk 13 16 46 65 13F 13F71 16A 46G 65D 65Df
- 5185. *Diceratura rhodograpta* Djakonov,1929** (Tortricidae) Synonym(s): *rhodograpta* Djakonov,1929 Range (as codes): FR Sa MK GR RU Voo MD UA Cm BY TR Cc AZ Nv Ord SY Hal Dms 05 06 15 33 42 06R 42B
- 5186. *Diceratura roseofasciana* (Mann,1855)** (Tortricidae) Synonym(s): *roseofasciana* Mann,1855; *aequana* Caradja,1916; *aequana* Razowski,1964 Range (as codes): PT ES FR Co Sa Si IT HU RO YU TR IL LB Bsa Bei SY Dms Da Cc Hal RU Sr IR Kz KG 01 05 06 16 21 31 42 46 01K 05A 16A 21L 21Lc 31M 42B 46G
- 5187. *Diceratura teheranica* Razowski,1970** (Tortricidae) Synonym(s): *teheranica* Razowski,1970 Range (as codes): TR IR Elb Th 65 65D 65Dg 65Dga
- 5188. *Dichelia alexiana* (Kennel,1919)** (Tortricidae) Synonym(s): *alexiana* Kennel,1919 Range (as codes): TR 31 31M
- 5189. *Dichelia cedricola* (Diakonoff,1974)** (Tortricidae) Synonym(s): *cedricola* Diakonoff,1974 Range (as codes): TR LB 32
- 5190. *Dichelia histrionana* (Frölich,1828)** (Tortricidae) Synonym(s): *pinana* [Denis & Schiffermüller],1775; *histrionana* Frölich,1828; *stygiانا* Rebel,1929 Range (as codes): ES IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV LT RU MD UA BY Cc GG 14

- 5191. *Dichrorampha acuminatana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): *acuminatana* Lienig & Zeller, 1846; *cochylana* Peyerimhoff, 1863; *graminana* Peyerimhoff, 1870 Range (as codes): FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA Cm BY 16 16A
- 5192. *Dichrorampha agilana* (Tengström, 1848)** (Tortricidae) Synonym(s): *agilana* Tengström, 1848 Range (as codes): FR IT BE NL LU DE CH AT PL CZ HU YU TR DK NO SE FI EE LV LT RU MD UA BY 05 05A
- 5193. *Dichrorampha alpinana* (Treitschke, 1830)** (Tortricidae) Synonym(s): *alpinana* Treitschke, 1830; *quaestionana* Zeller, 1878 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Am MD UA BY 05 05A
- 5194. *Dichrorampha caucasica* (Danilevsky, 1948)** (Tortricidae) Synonym(s): *caucasica* Danilevsky, 1948 Range (as codes): RU Cc GG AM AZ TR 76 76C
- 5195. *Dichrorampha cinerosana* (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): *#cinerosana* Herrich-Schäffer, 1848; *cinerosana* Herrich-Schäffer, 1851; *eurychorana* Rebel, 1941 Range (as codes): DE HU MK AL TR CN Ui Ku 13 13A 13Ab 13Ax
- 5196. *Dichrorampha coniana* Obratzsov, 1953** (Tortricidae) Synonym(s): *coniana* Obratzsov, 1953 Range (as codes): MK TR 42
- 5197. *Dichrorampha eximia* (Danilevsky, 1948)** (Tortricidae) Synonym(s): *eximia* Danilevsky, 1948; *obraztsovi* Amsel, 1959 Range (as codes): ES FR IT SK AL RU Da UA Cm TR IQ Er Hjo Cc AM AZ KG DsA TrA 71
- 5198. *Dichrorampha gruneriana* (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): *gruneriana* Herrich-Schäffer, 1851 Range (as codes): FR IT BE DE CH AT PL CZ SK HU RO YU AL TR RU MD UA Cm BY LB Bsa 05 05A
- 5199. *Dichrorampha ligulana* (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): *#ligulana* Herrich-Schäffer, 1848; *ligulana* Herrich-Schäffer, 1851; *plusiana* Staudinger, 1871; *obliterana* Müller-Rutz, 1934 Range (as codes): FR IT CH AT SK B-H YU BG TR 65 65D
- 5200. *Dichrorampha obscuratana* (Wolff, 1955)** (Tortricidae) Synonym(s): *obscuratana* Wolff, 1955 Range (as codes): BE NL CH DE AT PL CZ SK HU DK NO SE FI LV RU UA Sb TR 13 13A 13Ab 13Ax
- 5201. *Dichrorampha petiverella* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *petiverella* Linnaeus, 1758; *albinella* Linnaeus, 1758; *dorsana* Fabricius, 1775; *jacquiniana* [Denis & Schiffermüller], 1775; *petiverana* Haworth, 1809; *stelliferana* Curtis, 1831; *gigantana* Staudinger, 1879 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR SY Hal DK NO SE FI EE LV LT RU Am Us KG IR 05 16 35 48 05A 16A
- 5202. *Dichrorampha plumbagana* (Treitschke, 1830)** (Tortricidae) Synonym(s): *plumbagana* Treitschke, 1830; *salicetana* Prittwitz, 1844; *subsequana* Wocke, 1871 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK RO BG GR TR DK NO SE FI EE LV LT RU Cc Ur 05 05A
- 5203. *Dichrorampha plumbana* (Scopoli, 1763)** (Tortricidae) Synonym(s): *plumbana* Scopoli, 1763; *saturnana* Guenée, 1845; *ulicana* Guenée, 1845; *blepharana* Herrich-Schäffer, 1851; *rejectana* La Harpe, 1858; *resplendana* Heinemann, 1863 Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY SY Hal US Cf 16 16A
- 5204. *Dichrorampha proxima* (Danilevsky, 1948)** (Tortricidae) Synonym(s): *proxima* Danilevsky, 1948 Range (as codes): TR Cc RU Da UA Cm 76 76C
- 5205. *Dichrorampha sequana* (Hübner, [1799])** (Tortricidae) Synonym(s): *sequana* Hübner, [1799] Range (as codes): FR IT GB BE LU DE CH AT PL CZ SK HU RO TR DK SE RU Sb MD UA Cc AM KK KG 71 76 76C
- 5206. *Dichrorampha vancouverana* McDunnough, 1935** (Tortricidae) Synonym(s): *strigana* Haworth, [1811] *nec* [Denis & Schiff.], 1775; *politana* Guenée, 1845 (*preocc.*); *vancouverana* McDunnough, 1935; *gueneana* Obratzsov, 1953 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Us Sb MD UA Cm BY KG US Ny Mai TR CA BCo Vc 13 65 73 13A 13Ac 13Ax 65A 65D 65Df 73A 73Ad 73Ad1
- 5207. *Ditula angustiorana* (Haworth, [1811])** (Tortricidae) Synonym(s): *angustiorana* Haworth, [1811]; *rotundana* Haworth, [1811]; *dumeriliana* Duponchel, 1836 Range (as codes): TN PT ES Co Sa IT IE GB BE NL LU CH DK SE TR 16 16A
- 5208. *Eana* (Eutrachia) *goiiana* (Linnaeus, 1761)** (Tortricidae) Synonym(s): *#argentana* Clerck, 1759; *goiiana* Linnaeus, 1761; *govana* Fabricius, 1775; *argyria* Retzius, 1783; *gerningiana* De Villers, 1789; *margaritalis* Hübner, 1790; *magnana* Hübner, [1813]; *georgiella* Hulst, 1887 Range (as codes): ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT RU MD UA BY Cc GG IQ IR Elb Kdv Ha Mz Ch US Cf Col CN Ui Ku 05 14 18 38 53 65 75 05A 65A 65Ab 65Aba 75F 75Fd
- 5209. *Eana* (s.str.) *incanana* (Stephens, 1852)** (Tortricidae) Synonym(s): *incanana* Stephens, 1852; *sinuana* Stephens, 1852; *infuscanana* Réal, 1953 Range (as codes): ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 14
- 5210. *Eana* (s.str.) *penziana* (Thunberg, 1791)** (Tortricidae) Synonym(s): *penziana* Thunberg, 1791; *bellana* Curtis, 1826; *diurneana* Guenée, 1845; *alpestris* Réal, 1953; *viridescens* Razowski, 1959 [*ssp.*] Range (as codes): ES FR Co Sa Si IT IE GB DE CH AT PL CZ SK YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 14 65 65D 65Du
- 5211. *Enarmonia formosana* (Scopoli, 1763)** (Tortricidae) Synonym(s): *formosana* Scopoli, 1763; *woeberiana* [Denis & Schiffermüller], 1775; *scriptana* Thunberg, 1784; *ornatana* Hübner, [1799]. Range (as codes):

ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Ur Prj Us
MD UA BY Cc GG KG JP Hkk

- 5212. *Endothenia ericetana* (Humphreys & Westwood, 1845)** (Tortricidae) Synonym(s): *ericetana* Humphreys & Westwood, 1845; *trifoliata* Herrich-Schäffer, [1851]. Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK RO BG TR DK NO SE FI EE LV LT RU MD UA BY Sb KG CN MN 16 16A
- 5213. *Endothenia gentianaeana* (Hübner, [1799])** (Tortricidae) Synonym(s): ? *bidella* Fourcroy, 1785; *gentianaeana* Hübner, [1799]; *gentianana* Hübner, [1825]; *oblongana* Haworth, [1811]; *sellana* Frölich, 1828; *desertana* Staudinger, 1879; *adelana* Rebel, 1892. Range (as codes): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR IL Pa Hf EE LV RU MD UA BY Cc GG TM Kp Sb MN CN KP KR JP US 05 16 42 51 05A 16A
- 5214. *Endothenia lapideana* (Herrich-Schäffer, [1851])** (Tortricidae) Synonym(s): *lapideana* Herrich-Schäffer, [1851]; *digitalitana* Mühlig, 1863. Range (as codes): FR IT LU DE CH AT PL CZ SK HU RO YU AL TR RU MD UA BY 01 16 16A
- 5215. *Endothenia marginana* (Haworth, [1811])** (Tortricidae) Synonym(s): *marginana* Haworth, [1811]. Range (as codes): DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Ur MD UA BY Cc GG MN CN 14 75 81 75F 75Fd
- 5216. *Endothenia nigricostana* (Haworth, [1811])** (Tortricidae) Synonym(s): *nigricostana* Haworth, [1811]; *squalidana* Herrich-Schäffer, [1851]; *remyana* Herrich-Schäffer, [1851]; *illepidana* Kennel, 1901. Range (as codes): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK SE FI EE LV LT RU Sb Us MD UA BY Cc GG JP 01 46
- 5217. *Endothenia oblongana* (Haworth, [1811])** (Tortricidae) Synonym(s): *oblongana* Haworth, [1811]; *sellana* Frölich, 1828. Range (as codes): DZ Lbs PT ES FR Sa Si IT GB BE LU DE AT CZ SK HU RO BG GR Cr TR IL Pa SY Hal IR Mz Sa As DK NO SE FI EE 14 16 42 46 49 16A 42B 49F 49Fb
- 5218. *Endothenia quadrimaculana* (Haworth, 1811)** (Tortricidae) Synonym(s): *quadrimaculana* Haworth, 1811; *antiguana* Hübner, [1813]; *obesana* Peyerimhoff, 1863. Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG MN Sb
- 5219. *Endothenia sororiana* (Herrich-Schäffer, [1851])** (Tortricidae) Synonym(s): #*sororiana* Herrich-Schäffer, [1850]; *sororiana* Herrich-Schäffer, [1851]; *phlomidana* Staudinger, 1871. Range (as codes): si IT HU YU HV GR LT TR Cc GG UA 05 31 33 05A 31M 33A 33Ac 33Ak
- 5220. *Epagoge grotiana* (Fabricius, 1781)** (Tortricidae) Synonym(s): *grotiana* Fabricius, 1781; *flavana* Hübner, [1799]; *ochreana* Hübner, [1799]; *artificana* Herrich-Schäffer, 1851; *amasiana* Caradja, 1916. Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 03 05 16 34 38 52 05A 16A
- 5221. *Epiblema cirsianum* (Zeller, 1843)** (Tortricidae) Synonym(s): *cirsianum* Zeller, 1843. Range (as codes): GB LU AT DE DK NO SE EE TR RU Ur Us Sb KG 65 65A 65Ai 65D 65Dd 65Dda
- 5222. *Epiblema costipunctanum* (Haworth, [1811])** (Tortricidae) Synonym(s): *costipunctana* Haworth, [1811]; *argyrana* Stephens, 1829; *trigeminana* Stephens, 1834; *poecilana* Guenée, 1845; *ravulana* Herrich-Schäffer, 1851. Range (as codes): ES FR Sa? Si IT IE GB BE NL LU DE CH AT PL CZ SK RO BG GR TR RU MD UA BY 16 71 16A
- 5223. *Epiblema foenellum* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *foenella* Linnaeus, 1758; *hohenwartiana* Scopoli, 1772; *scopoliana* [Denis & Schiffermüller], 1775; *pflugiana* Fabricius, 1787; *tibialana* Hübner, [1793]; *interrogationana* Donovan, 1793; *clavigerana* Walker, 1863; *sinicana* Walker, 1863. Range (as codes): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us MD UA BY Cc GG KG KK CN Mc Sz Ui Yu Fkn Jn Hpe MN KP KR JP Hkk Sh Krl IN TW TH CMa Agk VN 16 36 65 75 36D 36Dd 65F 65Fp 65Fz 75F 75Fd
- 5224. *Epiblema gammanum* (Mann, 1866)** (Tortricidae) Synonym(s): *gammata* Mann, 1866. Range (as codes): RO Do MK Och GR UA RU TR Cc AM AZ GG 03
- 5225. *Epiblema graphanum* (Treitschke, 1835)** (Tortricidae) Synonym(s): *graphana* Treitschke, 1835; *pierretana* Duponchel, 1836. Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Sb MD UA BY Cc AZ Len IR AF KG CN LB SY Hal 05 71 05A
- 5226. *Epiblema hepaticanum* (Treitschke, 1835)** (Tortricidae) Synonym(s): *hepaticana* Treitschke, 1835; *senecionana* Staudinger, 1871; *tristana* Hauser, 1918. Range (as codes): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SY Hal KG TM RU Sb 16 16A
- 5227. *Epiblema junctanum* (Herrich-Schäffer, 1856)** (Tortricidae) Synonym(s): *junctana* Herrich-Schäffer, 1856; *jaspidana* Christoph, 1872; *maculiferana* Kennel, 1900. Range (as codes): NL DE AT PL CZ SK HU RO YU BG DK SE RU Ur Sb Prj Us MD UA BY TR IR KG
- 5228. *Epiblema obscuranum* (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): #*obscurana* Herrich-Schäffer, 1848; *obscurana* Herrich-Schäffer, 1851; *inulivora* Meyrick, 1932. Range (as codes): FR IT LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV TR
- 5229. *Epiblema scutulanum* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller], 1775; *luctuosana* Duponchel, 1836; *novana* Guenée, 1845; *alsaticana* Peyerimhoff, 1872. Range (as codes): PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG IR Gh Tgo Elb 14 16 42 51 16A 42B

- 5230. *Epiblema sticticanum* (Fabricius,1794)** (Tortricidae) Synonym(s): *sticticana* Fabricius,1794; *farfarae* Fletcher,1938. Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU Ur Prj Us Sb MD UA BY IR KG
- 5231. *Epiblema turbidanum* (Treitschke,1835)** (Tortricidae) Synonym(s): *turbidana* Treitschke,1835; *zelleriana* Schläger,1848 Range (as codes): FR Sa IT IE GB BE NL LU DE CH? AT CZ SK HU RO YU AL BG TR RU MD UA BY 14
- 5232. *Epinotia abbreviana* (Fabricius,1794)** (Tortricidae) Synonym(s): *abbreviana* Fabricius,1794; *trimaculana* Donovan,1806; *ulmariana* Duponchel,[1843]; *excruciana* Stephens,1852 Range (as codes): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc AZ Len IR Gls KG Ur 71
- 5233. *Epinotia brunnichiana* (Linnaeus,1767)** (Tortricidae) Synonym(s): *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffermüller],1775; *rhenana* Thunberg & Becklin,1791 Range (as codes): ES FR IT IE GB BE NL LU DE Bw CH AT PL CZ SK HU GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ AM KG Sb Sh CN 16 16A
- 5234. *Epinotia cedricida* Diakonoff,1969** (Tortricidae) Synonym(s): *cedricida* Diakonoff,1969 Range (as codes): MA Azr DZ Tni Tis Cré Dja FR AT TR 05
- 5235. *Epinotia cruciana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *cruciana* Linnaeus,1761; *gyllenhahliana* Thunberg,1784; *augustana* Hübner,[1813]; *viminana* Guenée,1845; *alticolana* Stephens,1852 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Ur KG MN Sb Sh KP KR JP CN CA
- 5236. *Epinotia dalmatana* (Rebel,1891)** (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *luciana* Chrétien,1908; *psychrodora* Meyrick,1936; *mesopotamica* Obratzsov,1952; *obraztsovi* Agenjo,1967 Range (as codes): ES FR IT YU HV GR TR RU MD Cc GG AZ AM IR Fa IQ SY Dms Bld LB Bsa Cm 06 13 30 44 47 13A 13Ab 13Ax 13F 13F38 30B 30Bc1 44L 44Lc
- 5237. *Epinotia deruptana* (Kennel,1901)** (Tortricidae) Synonym(s): *deruptana* Kennel,1901 Range (as codes): TR 01
- 5238. *Epinotia festivana* (Hübner,[1799])** (Tortricidae) Synonym(s): *festivana* Hübner,[1799] Range (as codes): PT FR Sa Si IT CH AT CZ SK HU RO YU AL GR BG TR RU MD UA BY Da Cc IR 05 06 12 14 16 30 46 56 65 71 81 05A 06R 06Rb 12E 12Ec 16A 30D 30Df 56F 56F1 56Fa 65A 65Ai 65D
- 5239. *Epinotia fraternana* (Haworth,[1811])** (Tortricidae) Synonym(s): *fraternana* Haworth,[1811]; *proximana* Herrich-Schäffer,1851; *distinctana* Wilkinson,1859; *concretana* Peyerimhoff,1863 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG GR TR DK NO SE RU MD UA BY 14
- 5240. *Epinotia immundana* (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *immundana* Fischer v. Röslerstamm,1839 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 52 71
- 5241. *Epinotia infessana* (Walsingham,1900)** (Tortricidae) Synonym(s): *infessana* Walsingham,1900; *#conturbatana* Caradja,1916 Range (as codes): SY Dms Hal IL Pa TR 42
- 5242. *Epinotia kochiana* Herrich-Schäffer,[1851]** (Tortricidae) Synonym(s): *kochiana* Herrich-Schäffer,[1851] Range (as codes): IT DE AT CZ SK HU RO TR RU MD UA BY Cc GG KG 05 16 05A 16A
- 5243. *Epinotia nemorivaga* (Tengström,1848)** (Tortricidae) Synonym(s): *nemorivaga* Tengström,1848; *rhododendrana* Herrich-Schäffer,1851; *finitimana* Doubleday,1859 Range (as codes): ES FR IT IE GB DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY TR 61
- 5244. *Epinotia nigricana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *nigricana* Herrich-Schäffer,[1851]; *suasana* Peyerimhoff,1863 Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR TR DK SE RU MD UA BY 14
- 5245. *Epinotia nisella* (Clerck,1759)** (Tortricidae) Synonym(s): *nisella* Clerck,1759; *boeberana* Fabricius,1787; *pavonana* Donovan,1804; *cuspidana* Haworth,1811; *rhombifasciana* Haworth,1811; *stictana* Haworth,1811; *cinereana* Haworth,1811; *nisana* Guenée,1845 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY KG Sb MN Sh Krl JP CN Ui Ku 41 56 56F 56Fm
- 5246. *Epinotia ramella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *ramella* Linnaeus,1758; *paykulliana* Fabricius,1787; *sesquilunana* Haworth,1811; *ramama* Frölich,1828; *costana* Duponchel,1836 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Cc GG KG Sb Sh CN JP
- 5247. *Epinotia solandriana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *solandriana* Linnaeus,1758; *trapezana* Fabricius,1787; *semimaculana* Hübner,1793; *parmatana* Hübner,[1817]; *semilunana* Frölich,1828 Range (as codes): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO TR Cc GG DK NO SE FI EE LV LT RU MD UA BY Sb Sh KP KR JP CN
- 5248. *Epinotia subuculana* (Rebel,1903)** (Tortricidae) Synonym(s): *subuculana* Rebel,1903 Range (as codes): IT CH AT Trl RU RO TR 42 42X 42Xa
- 5249. *Epinotia tenerana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *tenerana* [Denis & Schiffermüller],1775; *retusana* Haworth,1811; *oblitana* Duponchel,1842 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY Ur TR Cc GG Sh

- 5250. *Epinotia tetraquetra* (Haworth,1811)** (Tortricidae) Synonym(s): *tetraquetra* Haworth,1811; *triquetra* Haworth,1811; *angulana* Haworth,1811; *frutetana* Hübner,[1824] Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY Ur Cc GG Sb KG Sh
- 5251. *Epinotia thapsiana* (Zeller,1847)** (Tortricidae) Synonym(s): *thapsiana* Zeller,1847 Range (as codes): Cn PT ES FR Co Sa Si IT MT CH AT CZ HU YU AL GR Cr TR RU Mo MD UA BY IL IR Ss Elb Kdv Cc GlS GG IN Ld KG KK TJ TM CN Ui Ku KP KR 03 05 06 16 35 45 46 65 71 05A 06R 16A 46G 46Gi 65F 65Fp 65Fz
- 5252. *Eriopsela quadrana* (Hübner,[1813])** (Tortricidae) Synonym(s): *quadrana* Hübner,[1813]; *strigulosana* Zetterstedt,1839; *abiskoana* Caradja,1916; *roseni* Obraztsov,1952; *bavarica* Obraztsov,1952 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU TR DK NO SE FI EE LV LT RU MD UA BY Sb
- 5253. *Eucosma agnatana* (Christoph,1872)** (Tortricidae) Synonym(s): *agnatana* Christoph,1872; *acripta* Razowski,1972; *#agnathana* Kuznetsov,1975 Range (as codes): RO TR RU KG KK MN 05 42 05A 42B
- 5254. *Eucosma albidulana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *#albidulana* Herrich-Schäffer,1848; *albidulana* Herrich-Schäffer,[1851] Range (as codes): DZ Lbs PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR EE LT TR IR Ha KG 46
- 5255. *Eucosma albuneana* (Zeller,1847)** (Tortricidae) Synonym(s): *albuneana* Zeller,1847; *#albuncana* Lederer,1859 Range (as codes): DZ Cst PT ES FR Sa Si IT RO HV UA TR 65 65Ab 65Aba
- 5256. *Eucosma aspidiscana* (Hübner,[1817])** (Tortricidae) Synonym(s): *obscurana* Fabricius,1798; *aspidiscana* Hübner,[1817]; *zachana* Hübner,[1817]; *dahlbomiana* Zetterstedt,1839; *rubescana* Constant,1895 Range (as codes): ES FR Sa IT IE GB BE LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ur Sb Prj Us Krl MD UA BY MN 05 05A
- 5257. *Eucosma campoliliana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *campoliliana* [Denis & Schiffermüller],1775 Range (as codes): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY 44 44L 44Lc
- 5258. *Eucosma cana* (Haworth,1811)** (Tortricidae) Synonym(s): *marmorana* Fabricius,1798; *cana* Haworth,1811; *monetulana* Hübner,[1817]; *carduana* Guenée,1845; *subvittana* Staudinger,1892. Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT TR Cc Ksp RU Ur Sb Am Vv Prj Us MD UA BY IR GlS KG CN JP Ksp 14 42 65 76 81 42B 65A 65Ab 65Abe 76C
- 5259. *Eucosma coagulana* (Kennel,1901)** (Tortricidae) Synonym(s): *coagulana* Kennel,1901 Range (as codes): TR RU Da Cc IR Elb Kdv Nss Kdj KG 46 76 76C
- 5260. *Eucosma conformana* (Mann,1872)** (Tortricidae) Synonym(s): *conformana* Mann,1872; *umbratana* Staudinger,1880; *significantana* Kennel,1901 Range (as codes): Si IT AT HU RO YU HV MK AL BG GR TR LB Bei 05 14 15 16 21 32 05A 16A
- 5261. *Eucosma conterminana* (Guenée,1845)** (Tortricidae) Synonym(s): *conterminana* Guenée,1845 Range (as codes): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LT TR IR Cc GG AZ AM RU Ur Sb Prj Us MD UA BY KG Uk KK Ik Fe Osh IN Ld CN MN 76 76C
- 5262. *Eucosma directa* Meyrick,1912** (Tortricidae) Synonym(s): *directa* Meyrick,1912 Range (as codes): TR
- 5263. *Eucosma eremodora* Meyrick,1932** (Tortricidae) Synonym(s): *eremodora* Meyrick,1932 Range (as codes): TR
- 5264. *Eucosma fulvana* (Stephens,1834)** (Tortricidae) Synonym(s): *#fulvana* Stephens,1829; *fulvana* Stephens,1834 Range (as codes): IE GB NL DE CH AT PL CZ SK HU RO YU AL TR RU MD UA BY 46 46G
- 5265. *Eucosma gypsatana* (Kennel,1921)** (Tortricidae) Synonym(s): *gypsatana* Kennel,1921 Range (as codes): TR 06 42
- 5266. *Eucosma hohenwartiana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cervana* Scopoli,1763; *hohenwartiana* [Denis & Schiffermüller],1775; *pupillana* Hübner,[1799]; *scopoliana* Haworth,[1811]; *strigana* Curtis,1831; *decipiana* Laharpe,1858 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Sb At MD UA BY Cc GG CN
- 5267. *Eucosma metzneriana* (Treitschke,1830)** (Tortricidae) Synonym(s): *metzneriana* Treitschke,1830; *anserana* Heinemann,1863; *intacta* Walsingham,1900; *joannisiola* Dufrane,1955; *phaenops* Razowski,1972; *#metzneriana* Trematerra,2010 Range (as codes): FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR Gor DK FI LV LT RU Sb Am Prj Us MD UA BY KG KK Ik CN MN KP KR JP
- 5268. *Eucosma paetulana* (Kennel,1901)** (Tortricidae) Synonym(s): *paetulana* Kennel,1901; *mirana* Caradja,1916 Range (as codes): SK TR RU Sb Ur Am Us 42 42B
- 5269. *Eucosma pupillana* (Clerck,1759)** (Tortricidae) Synonym(s): *pupillana* Clerck,1759; *ansinthiana* Hübner,1799; *absynthiana* Hübner,1822; *saerdabana* Obraztsov,1968 Range (as codes): ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Ur MD UA BY TR IR Elb Dam Gor KG KK Ik TJ 65 65A 65Ac 65Ac3
- 5270. *Eucosma recentana* (Zerny,1933)** (Tortricidae) Synonym(s): *recentana* Zerny,1933; *iberica* Kuznetsov,1973 Range (as codes): ES LB Bsa Cc GG Mng AM IQ Mos Nw TR 71
- 5271. *Eucosma sparsana* (Rebel,1935)** (Tortricidae) Synonym(s): *sparsana* Rebel,1935 Range (as codes): TR 06

- 5272. *Eucosma tetraplana* (Möschler,1866)** (Tortricidae) Synonym(s): *tetraplana* Möschler,1866 Range (as codes): IN Ld RU Sr Sb Prj Us MD UA BY TR Cc IR KG Uk MN 46 76 76C
- 5273. *Eucosma urbana* (Kennel,1901)** (Tortricidae) Synonym(s): *urbana* Kennel,1901 Range (as codes): ES TR 05
- 5274. *Eudemis* (s.str.) *porphyra* (Hübner,[1799])** (Tortricidae) Synonym(s): *porphyra* Hübner,[1799]; *pomedaxana* Pierce & Metcalfe,1915 Range (as codes): FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU At Vv Cc GG MD UA BY CN 14 65 81 65D 65Dl 65Dlc
- 5275. *Eudemis* (s.str.) *profundana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *profundana* [Denis & Schiffermüller],1775; *triangulella* Goeze,1783; *nebulana* Donovan,1806; *aethiopiana* Haworth,1811; *wellesiana* Hübner,[1813]; *alphonsiana* Duponchel,1834; *#obscurata* Gibeaux & Luquet,1998; *#satans* Gibeaux & Luquet,1998 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG TR DK NO SE FI LV LT RU MD UA BY Cc AZ Len 03 06 34 65 65D 65Dl 65Dlc
- 5276. *Eudemopsis purpurissatana* (Kennel,1901)** (Tortricidae) Synonym(s): *purpurissatana* Kennel,1901 Range (as codes): TR CN 01 01K
- 5277. *Eugnosta lathoniana* (Hübner,[1800])** (Tortricidae) Synonym(s): *lathoniana* Hübner,[1800] Range (as codes): DZ PT ES Abr FR AT SK HU RO YU HV MK BG GR Pl TR Cc GG Smt Akh AM Eri RU Ao Ur Sr St Tt UA Cm KG Uk IR Ab Mak Khy Ar Ak Aha 06 13 16 31 36 42 58 70 06R 13A 13Ab 13Ac 13Ac2 13Ax 16A 31M 36D 36Db 42R 58G 70C 70Ca
- 5278. *Eugnosta magnificana* (Rebel,1914)** (Tortricidae) Synonym(s): *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana* Hübner,[1817] [*nomina dubia*!]; *magnificana* Rebel,1914. Range (as codes): ES FR Si IT DE SK HU RO YU MK RU Sr MD UA BY TR Cc AM IR Elb Dam Kdv Ar Th Kh Ak AF KG Uk T-S CN Ui Ku Imn 06 13 26 42 50 58 65 71 06R 06Rb 13A 13Ac 13Ac2 13Ax 13G 13Gw 50G 50Gc 58G 65A 65Ab 65Aba 65Bx 65D 65Df 65G 65Gb 65Ge 65K 65Ku 65Z
- 5279. *Eupoecilia ambiguella* (Hübner,1796)** (Tortricidae) Synonym(s): *ambiguella* Hübner,1796; *omphaciella* Faure-Bignet de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928 Range (as codes): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG TrA Aa DsA CN Ahw Pkn Hn Mc Hun Fkn Gn Kwa Lng She Sz Ui Yu TW JP NP IN Ass Meg Khs MY Sbh Bor KP KR TH CMA CDo 05 16 05A 16A
- 5280. *Eupoecilia angustana* (Hübner,[1799])** (Tortricidae) Synonym(s): *angustana* Hübner,[1799]; *fasciella* Donovan,1808 *nec* Goeze,1783; *cruentana* Herrich-Schäffer,[1851]. Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG TR DK NO SE FI EE LV LT RU Sr Ur Tt Pr MD UA BY Cc GG CN Ahw Pkn Gn Mc Jn NHu Hnn Hph She JP Hkk 16 16A
- 5281. *Falseuncaria degreyana* (McLachlan,1869)** (Tortricidae) Synonym(s): *degreyana* McLachlan,1869; *alaiana* Caradja,1916; *roseotincta* Filipjev,1924 Range (as codes): TR FR IT GB BE DE CH PL SK HU RO YU DK NO SE FI LV LT RU At Sb MD UA BY KK KG MN CN Ui Ku 65 65D 65Df
- 5282. *Falseuncaria ruficiliana* (Haworth,[1811])** (Tortricidae) Synonym(s): *ciliella* Hübner,[1796] *nec* [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903. Range (as codes): ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Uk DsA AF Bd CN Ui 01 05 42 65 65A 65Ab 65Aba
- 5283. *Fulvoclysia aulica* Razowski,1968** (Tortricidae) Synonym(s): *aulica* Razowski,1968 Range (as codes): TR Cc 76 76C
- 5284. *Fulvoclysia dictyodana* (Staudinger,1880)** (Tortricidae) Synonym(s): *dictyodana* Staudinger,1880; *#insignatana* Staudinger,1880; *acutana* Kennel,1913 Range (as codes): TR Cc AM Eri 05 05A
- 5285. *Fulvoclysia nerminae* Koçak,1982** (Tortricidae) Synonym(s): *fulvana* Fischer von Röslerstamm,[1836] *nec* [Denis & Schiff.],1775; *nerminae* Koçak,1982. Range (as codes): ES FR IT DE Bv AT PL CZ SK HU RO B-H BG TR UA RU Chu 05 05A
- 5286. *Fulvoclysia pallorana* (Lederer,1864)** (Tortricidae) Synonym(s): *pallorana* Lederer,1864; *armeniaca* Obraztsov,1943 Range (as codes): TR Cc AM AZ Kir 29 46 76 29A 46G 76C
- 5287. *Fulvoclysia proxima* Razowski,1970** (Tortricidae) Synonym(s): *proxima* Razowski,1970 Range (as codes): TR 06 14 06B 14M
- 5288. *Fulvoclysia subdolana* (Kennel,1901)** (Tortricidae) Synonym(s): *subdolana* Kennel,1901; *subflavana* Amsel,1959 Range (as codes): SY TR Cc IQ Hjo IR Kd Bne Ab Oru Ak Qz 01 44 46 51 65 73 76 01K 44F 44Fa 46G 46L 51B 51Bc 65K 65Kl 65Z 65N 65Np2 65Nm 73C 73Cd 76C
- 5289. *Fulvoclysia* sp.** (Tortricidae) Synonym(s): Range (as codes): TR 65 65B 65Bo 65Bx 65C 65Cb
- 5290. *Grapholita* (Aspila) *molesta* (Busck,1916)** (Tortricidae) Synonym(s): *molesta* Busck,1916 Range (as codes): MA ES FR Sa Si IT MT GB BE DE CH AT CZ SK HU RO YU BG GR TR DK SE LV LT UA Cc GG ZA US Vi Nje CN KP KR TW AU NZ 16
- 5291. *Gravarmata margarotana* (Heinemann,1863)** (Tortricidae) Synonym(s): *margarotana* Heinemann,1863; *amethystana* Peyerimhoff,1872; *retiferana* Wocke,1879 Range (as codes): ES FR BE DE CH AT PL CZ HU RO GR TR LV LT RU MD UA BY 34
- 5292. *Gynnidomorpha luridana* (Gregson,1870)** (Tortricidae) Synonym(s): *luridana* Gregson,1870 Range (as codes): ES FR Co GB BE DE HU DK SE FI LV HV RU MD UA TR Us Krl BY CN Lng Jn Hnn Mc KP KR JP

- 5293. *Gynnidomorpha permixtana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835. **Range (as codes):** ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR TR IL Pa Hf DK SE FI EE LV LT RU MD UA BY UZ Br Cc AZ Len IR Elb Mz Clu Gh AF Srb CN Mc Kgs Pkn Hph Ahw She Stg Shs Fkn Sz Hn Kwt Gn Ui Ti MN KP KR JP 16 52 16A
- 5294. *Gypsonoma aceriana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *aceriana* Duponchel,1843; *belgiensis* Dufrane,1945 **Range (as codes):** DZ Cst PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU AL BG GR TR DK NO SE IQ RU Ur 42 46
- 5295. *Gypsonoma dealbana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *dealbana* Frölich,1828; *incarnana* Haworth,1811; *minorana* Treitschke,1830; *alnetana* Guenée,1845; *#reconditana* Herrich-Schäffer,1848; *obscurifasciana* Heinemann,1854 **Range (as codes):** PT ES FR Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT KG RU Sb Us Sh Ur MD UA Cm BY Cc GG CN JP 10 13 41 52 71 13A 13Ab 13Ax
- 5296. *Gypsonoma euphraticana* (Amsel,1935)** (Tortricidae) **Synonym(s):** *euphraticana* Amsel,1935 **Range (as codes):** DZ TR IR IQ Bgd Bsr IL Pa Jer KG TM UZ TJ AF PK
- 5297. *Gypsonoma minutana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836; *albifasciana* Caradja,1916 **Range (as codes):** PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Ur Prj Us TR IR Tz Cc GG AM Eri IL Pa AF KG Uk MN CN KP KR JP Hkk 15 32 42 71
- 5298. *Gypsonoma nitidulana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *nitidulana* Lienig & Zeller,1846; *#ericetana* Lienig & Zeller,1846 **Range (as codes):** FR IT GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY 34
- 5299. *Gypsonoma obratzsovi* Amsel,1959** (Tortricidae) **Synonym(s):** *obraztsovi* Amsel,1959 **Range (as codes):** RO RU TR SY Dms IR Ke Ana IL Pa TJ Cc GG AZ AM 81
- 5300. *Gypsonoma simulantana* (Staudinger,1879)** (Tortricidae) **Synonym(s):** *simulantana* Staudinger,1879 **Range (as codes):** TR 05 05A
- 5301. *Gypsonoma sociana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *sociana* Haworth,[1811]; *neglectana* Duponchel,1844 **Range (as codes):** FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU Ur Sb Prj Us Krl MD UA BY Cc AZ JP 71
- 5302. *Hedya dimidiana* (Clerck,1759)** (Tortricidae) **Synonym(s):** *#dimidiana* Clerck,1759; *schreberiana* Linnaeus,1761 **Range (as codes):** ES FR IT MT DE AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY 05 61 05A
- 5303. *Hedya dimidioalba* (Retzius,1783)** (Tortricidae) **Synonym(s):** *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] *nec* [Denis & Schiff.],1775; *nubiferana* Haworth,[1811] **Range (as codes):** PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sr Ur MD UA BY Cc GG IQ Shq IR Mz Gls CA 03 06 13 14 15 17 22 30 31 32 34 42 65 71 13A 13Ab 13Ax 30D 30Df 31K 31Ka 31Ka3 65A 65An 65F 65Fb 65L 65Le
- 5304. *Hedya ochroleucana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *ochroleucana* Frölich,1828; *nibatana* Clemens,1860; *contrariana* Walker,1863; *consanguinana* Walsingham,1879 **Range (as codes):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 05 16 76 05A 16A 76C
- 5305. *Hedya pruniana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849 **Range (as codes):** ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY AZ Cc GG IR Gor KG 03 05 13 14 16 27 31 33 42 45 46 71 81 05A 13G 13Gy 16A 31K 31Ka
- 5306. *Hedya salicella* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775 **Range (as codes):** ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY JP 06 42 71 75 42B 75F 75Fd
- 5307. *Hysterophora maculosana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862. **Range (as codes):** PT ES FR Co Sa Si IT IE GB BE DE AT CZ SK HU RO YU HV MK BG GR TR RU MD UA Cm IL Jt Jr Pa 05 16 71 05A 16A
- 5308. *Isotrias hybridana* (Hübner,[1817])** (Tortricidae) **Synonym(s):** *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *fingalana* Millièrre,1884; *castiliana* Ragonot,1894 **Range (as codes):** PT ES FR Si IT DE AT PL CZ SK HU RO YU ME Ctn AL BG GR TR RU MD UA BY 06 14 16 06R 16A
- 5309. *Isotrias rectifasciana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *trifasciana* Donovan,[1806] (*praeocc.*); *rectifasciana* Haworth,[1811]; *nemorana* Frölich,1828; *curvifasciana* Stephens,1834; *albulana* Treitschke,1835; *insubrica* Müller-Rutz,1920; *pseudomodestana* Obraztsov,1957 **Range (as codes):** FR IT GB BE NL LU DE CH AT CZ HU GR TR DK Cc GG
- 5310. *Kenneliola fagiglandana* (Zeller,1841)** (Tortricidae) **Synonym(s):** *grossana* Haworth,[1811] *nec* Thunb.,1791; *fagiglandana* Zeller,1841; *corsica* Gibeaux,1999 **Range (as codes):** Md PT ES FR Co Sa Si IT IE GB BE NL LU DE Bw CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE RU MD UA Cm BY Cc GG LB Bsa SY Dms Hal JP 13 14 34 46 65 71 81 13F 13F38 65A 65Ai

- 5311. *Kenneliola molybdana* Constant, 1884** (Tortricidae) **Synonym(s):** *molybdana* Constant, 1884
Range (as codes): TR
- 5312. *Lathronympha strigana* (Fabricius, 1775)** (Tortricidae) **Synonym(s):** *strigana* Fabricius, 1775; *politana* [Denis & Schiffermüller], 1775; *pusillana* [Denis & Schiffermüller], 1775; *hypericana* Hübner, [1799]. **Range (as codes):** ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG KP KR JP CN Mc 14 16 33 38 53 16A 53B
- 5313. *Lepteucosma huebneriana* (Koçak, 1980)** (Tortricidae) **Synonym(s):** *ustulana* Hübner, [1813] *nec* Haw., [1811]; *huebneriana* Koçak, 1980 **Range (as codes):** FR IT DE CH AT CZ SK RO LV LT RU MD UA BY Cc GG AZ TR Sb Am Sh Us KP KR JP CN Fkn Ahw Hpe Hun Jn Kwt Mc
- 5314. *Lipoptycha grueneriana* Herrich-Schäffer, [1851]** (Tortricidae) **Synonym(s):** *grueneriana* Herrich-Schäffer, [1851] **Range (as codes):** TR
- 5315. *Lobesia* (s.str.) *andereggiana* (Herrich-Schäffer, 1851)** (Tortricidae) **Synonym(s):** *andereggiana* Herrich-Schäffer, 1851; *andereggi* Ragonot, 1884; *kreithneriana* Hornig, 1882. **Range (as codes):** CH AT SK RO HV TR?
- 5316. *Lobesia* (s.str.) *artemisiana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *artemisiana* Zeller, 1847; *trifasciana* Herrich-Schäffer, 1851; *amaryllana* Millière, 1876 **Range (as codes):** ES FR Sa Si IT NL DE CH AT PL CZ SK HU RO YU BG GR TR EE LT RU MD UA BY IQ Shq IR Cc GG 05 16 05A 16A
- 5317. *Lobesia* (s.str.) *attributana* (Kennel, 1901)** (Tortricidae) **Synonym(s):** *attributana* Kennel, 1901
Range (as codes): TR 46
- 5318. *Lobesia* (s.str.) *bicinctana* (Duponchel, 1844)** (Tortricidae) **Synonym(s):** *bicinctana* Duponchel, 1844; *lugdunana* Guenée, 1845; *spiraee* McDunnough, 1938 **Range (as codes):** ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE RU Sb Us MD UA BY CN Mc MN JP Hkk CA Nsc 65 65D 65Df 65Fz
- 5319. *Lobesia* (s.str.) *cinerariae* (Nolcken, 1882)** (Tortricidae) **Synonym(s):** *cinerariae* Nolcken, 1882; *helichrysana* Ragonot, 1879 **Range (as codes):** PT ES FR IT TR
- 5320. *Lobesia* (s.str.) *glebifera* (Meyrick, 1912)** (Tortricidae) **Synonym(s):** *glebifera* Meyrick, 1912
Range (as codes): TR 31
- 5321. *Lobesia* (s.str.) *indusiana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *indusiana* Zeller, 1847; *staticana* Millière, 1869; *cognata* Obraztsov, 1949. **Range (as codes):** DZ Bsk ES FR Sa Si IT YU BG TR RU MD UA BY 71
- 5322. *Lobesia* (s.str.) *littoralis* (Westwood & Humphreys, 1845)** (Tortricidae) **Synonym(s):** *littoralis* Westwood & Humphreys, 1845; *venustana* Douglas, 1846; *morbidana* Doubleday, 1850; *hibernana* Staudinger, 1859; *annetensis* Turner, 1934. **Range (as codes):** PT ES FR Si IT IS IE GB BE NL CH DK NO SE FI TR
- 5323. *Lobesia* (s.str.) *porrectana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *porrectana* Zeller, 1847
Range (as codes): ES FR Co Sa Si IT MT IL LB TR SY Dms Hal 15 21 27 46 21L 21Lc 27D 27Dd 46G
- 5324. *Lobesia* (s.str.) *quaggana* (Mann, 1855)** (Tortricidae) **Synonym(s):** *quaggana* Mann, 1855; *restringana* Turati, 1913. **Range (as codes):** PT ES Co Sa Si IT YU AL TR 16 16A
- 5325. *Lobesia* (s.str.) *reliquana* (Hübner, [1825])** (Tortricidae) **Synonym(s):** *reliquana* Hübner, [1825]; *leucoptera* Frölich, 1828; *fischerana* Treitschke, 1835. **Range (as codes):** ES FR Sa? Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Sb Am Vv MD UA BY Cc GG IR Gls CN KP KR JP
- 5326. *Lobesia* (s.str.) *subherculeana* (Filipjev, 1925)** (Tortricidae) **Synonym(s):** *subherculeana* Filipjev, 1925 **Range (as codes):** RU Sb TR 71
- 5327. *Lobesia* (s.str.) *vitisana* (Jacquin, 1788)** (Tortricidae) **Synonym(s):** *#botrana* [Denis & Schiffermüller], 1775; *vitisana* Jacquin, 1788; *rosmarinana* Millière, 1865 **Range (as codes):** DZ EG ER ET KE LY PT ES FR Co Sa Si IT MT GB BE DE Bw By CH AT PL CZ SK HU RO BG GR Cr TR DK SE LT RU MD UA BY Cc AZ AM GG IQ Shq Bgd LB Say IL Pa JO IR Ab Oru Mz Gls KG TM UZ TJ JP 05 06 14 30 45 70 71 05A 30D 30Df
- 5328. *Lobesiodes euphorbiana* (Freyer, 1842)** (Tortricidae) **Synonym(s):** *euphorbiana* Freyer, 1842
Range (as codes): FR Si IT NL DE AT PL CZ SK HU TR FI EE RU MD UA BY 33
- 5329. *Lobesiodes occidentis* Falkovitsh, 1970** (Tortricidae) **Synonym(s):** *occidentis* Falkovitsh, 1970
Range (as codes): FR Si GB DE AT PL SK RO RU MD UA BY TR
- 5330. *Lozotaenia djakonovi* Danilevsky, 1963** (Tortricidae) **Synonym(s):** *djakonovi* Danilevsky, 1963
Range (as codes): TR Cc RU
- 5331. *Lozotaenia forsterana* (Fabricius, 1781)** (Tortricidae) **Synonym(s):** *forsterana* Fabricius, 1781; *reticulana* Frölich, 1828; *adiunctana* Treitschke, 1830; *sineana* Freyer, 1833; *luteolana* Humphreys & Westwood, 1845; *argyllaceana* Zetterstedt, 1839; *immaculana* Strand, 1900; *fagi* Constantini, 1923 **Range (as codes):** ES FR IT IE GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI EE LV LT RU MD UA BY TR
- 5332. *Lozotaeniodes cupressana* (Duponchel, 1836)** (Tortricidae) **Synonym(s):** *cupressana* Duponchel, 1836 **Range (as codes):** PT ES An FR IT TR 16 16A
- 5333. *Metendothenia atropunctana* (Zetterstedt, 1839)** (Tortricidae) **Synonym(s):** *atropunctana* Zetterstedt, 1839; *ochromelana* Guenée, 1845 **Range (as codes):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG US 05 14 58 65 81 65D 65Dn

- 5334. *Neosphaleroptera nubilana* (Hübner,[1799])** (Tortricidae) Synonym(s): ? *alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfusca* Haworth,1811; *conradii* Portshinkij,1888 Range (as codes): ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI LV LT RU MD UA BY 03 05 15 71 05A
- 5335. *Notocelia aquana* (Hübner,[1799])** (Tortricidae) Synonym(s): #*roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799]. Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG IR KG CN 03 06 14 42 71 81 06R 06Rb
- 5336. *Notocelia cynosbatella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *tripunctata* Palm,1947; #*cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967 Range (as codes): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR BG TR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us MD UA BY SY Hal Dms LB BSa IR Kdv Elb KG 02 05 13 14 16 42 44 58 65 02F 02Fe 02Fz 05A 13A 13Ab 13Ax 16A 44E 44Ei 65A 65Ai 65An 65Am 65Am4
- 5337. *Notocelia incarnatana* (Hübner,[1800])** (Tortricidae) Synonym(s): *incarnatana* Hübner,[1800]; *incarnana* Haworth,1811; *amoenana* Hübner,[1817]; *longispina* Nasu,1980 Range (as codes): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Sb Prj Us MD UA BY IR Gls CN Ui Ku KG TM MN JP Hkk 01 05 14 65 75 01K 05A 65D 65Df 75F 75Fd
- 5338. *Notocelia rosaecolana* (Doubleday,1850)** (Tortricidae) Synonym(s): *rosaecolana* Doubleday,1850; *rosae* Matsumura,1917 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY TR IR Gls 31 31M
- 5339. *Notocelia trimaculana* (Haworth,[1811])** (Tortricidae) Synonym(s): *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843. Range (as codes): DZ Anna ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Mz Gls DK NO SE FI EE LV LT RU MD UA BY 03 06 14 16 42 46 42X 42Xa
- 5340. *Notocelia uddmanniana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758; *rubiana* Scopoli,1763; *achatan* Hübner,[1799] Range (as codes): DZ Anna ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY LB Bei IL Pa SA AZ Len Cc GG IR Mz Th KG TJ 01 05 06 14 16 21 30 31 44 46 53 58 65 81 01K 05A 16A 30B 30Bt 30Bz 30D 30Df 31K 31Ka 31Ka5 31Ka7 31M 44E 44Ei 44L 44Lc 58G 58Gb 65A 65Ai 65N 65Np 65Np5 65Nm
- 5341. *Olethreutes (Argyroplce) delitana* (Staudinger,1879)** (Tortricidae) Synonym(s): *delitana* Staudinger,1879; *laurentiana* Kennel,1919; *flava* Kennel,1919. Range (as codes): TR Cc AZ RU KG GG UA Ur 01 05 05A
- 5342. *Olethreutes (Argyroplce) ernestiana* (Obratzsov,1961)** (Tortricidae) Synonym(s): *ernestiana* Obratzsov,1961 Range (as codes): TR 42
- 5343. *Olethreutes (Argyroplce) lacunana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *decussana* Fabricius,1775; *lacunana* [Denis & Schiffermüller],1775; *alternana* Curtis,1831; *herbana* Guenée,1845; *rooana* Degraff,1861; *hoffmanniana* Teich,1890; *symmathetes* Caradja,1916; *alticola* Gibeaux,1990 Range (as codes): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc AZ Len GG IR Mz MN CN 14 16 81 16A
- 5344. *Olethreutes (Argyroplce) metallicana* (Hübner,[1799])** (Tortricidae) Synonym(s): *metallicana* Hübner,[1799]; *metallana* Frölich,1828 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT TR RU MD UA BY CN JP 34
- 5345. *Olethreutes (Argyroplce) pfeifferiana* (Obratzsov,1961)** (Tortricidae) Synonym(s): *pfeifferiana* Obratzsov,1961 Range (as codes): TR 46
- 5346. *Olethreutes (Argyroplce) stibiana* (Guenée,1845)** (Tortricidae) Synonym(s): *stibiana* Guenée,1845; *sibirana* Caradja,1916; *fluviana* Kennel,1919. Range (as codes): ES FR IT BE DE AT PL CZ SK HU RO YU AL BG GR TR IR Ha RU UA Ur Sb Sj KK MN KG Uk CN Ui Ku SY Hal 05 06 58 05A
- 5347. *Olethreutes (s.str.) arcuana* (Linnaeus,1761)** (Tortricidae) Synonym(s): #*arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lambergiana* Scopoli,1763. Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc AM GG IR KG KP KR CN JP 06 14 16 34 36 52 75 76 81 06R 06Ri 16A 36D 36Db 75F 76D 76Dd
- 5348. *Olethreutes (s.str.) obsoletana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *obsoletana* Zetterstedt,1839; *nebulosana* Zetterstedt,1839; *schoenerrhana* Guenée,1845; *sudetana* Standfuss,1846; *irriguana* Herrich-Schäffer,1856 Range (as codes): FR IT GB DE CH AT PL CZ SK HU NO SE FI EE RU At MD UA BY TR MN 34
- 5349. *Olethreutes (s.str.) umbrosana* (Freyer,1842)** (Tortricidae) Synonym(s): *umbrosana* Freyer,1842 Range (as codes): ES FR IT BE DE CH AT PL CZ SK HU RO AL TR DK SE FI EE LV LT RU MD UA BY 16 16A
- 5350. *Olindia schumacherana* (Fabricius,1787)** (Tortricidae) Synonym(s): *schumacherana* Fabricius,1787; *ulmana* Hübner,[1823]; *areolana* Hübner,[1823]; *obscurana* Burmann,1949; *cruciana* Burmann,1949. Range (as codes): FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY
- 5351. *Orthotaenia undulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifusca* Walsingham,1879

- Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY US 16 16A
- 5352. *Oxypteron impar* Staudinger, 1871** (Tortricidae) Synonym(s): *impar* Staudinger, 1871 Range (as codes): RU Sr TR IQ Dy KG
- 5353. *Oxypteron palmoni* (Amsel, 1940)** (Tortricidae) Synonym(s): *palmoni* Amsel, 1940 Range (as codes): IL Pa SY IR Fa Shr Bu TR RU Cc GG TM KG
- 5354. *Pammene albuginana* (Guenée, 1845)** (Tortricidae) Synonym(s): *albuginana* Guenée, 1845; *reisseri* Rebel, 1937 Range (as codes): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO AL TR DK NO SE FI RU MD UA BY 71
- 5355. *Pammene amygdalana* (Duponchel, 1843)** (Tortricidae) Synonym(s): *amygdalana* Duponchel, 1843; *koekilana* Freyer, 1844; *zelleri* Schulze, 1918 Range (as codes): PT ES FR Sa Si IT BE DE CH AT CZ SK RO YU BG RU MD UA BY TR SY Hal IR 13 65 13A 13Ab 13Ax 13F 13F34 65D 65Dn
- 5356. *Pammene blockiana* (Herrich-Schäffer, [1851])** (Tortricidae) Synonym(s): *blockiella* Rossi, 1794 ?; *blockiana* Herrich-Schäffer, [1851]; *cupressana* Zerny, 1927 Range (as codes): FR IT DE YU RU MD UA BY TR AM Cc Eri 33
- 5357. *Pammene fasciana* (Linnaeus, 1761)** (Tortricidae) Synonym(s): *fasciana* Linnaeus, 1761; *trinotata* Frölich, 1828; *juliana* Curtis, 1836; *nimbana* Herrich-Schäffer, 1851; *herrichiana* Heinemann, 1854 Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR SY Hal DK NO SE FI LV LT RU MD UA BY Cc GG 71
- 5358. *Pammene gallicolana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): *gallicolana* Lienig & Zeller, 1846 Range (as codes): IT NL DE CH? AT CZ SK HU RO GR TR LV RU MD UA BY 65 71 65D 65Dn 65Dx
- 5359. *Pammene germmana* (Hübner, [1799])** (Tortricidae) Synonym(s): *germmana* Hübner, [1799]; *stagnana* Hübner, [1799]; *atropurpurana* Haworth, [1811]; *germarana* Hübner, [1825]; *puncticostana* Stephens, 1834; *immaculana* Guenée, 1845; *fulvifrontana* Zeller, 1849 Range (as codes): FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK SE FI EE LV LT RU Cc MD UA BY Sb Us Krl
- 5360. *Pammene insulana* (Guenée, 1845)** (Tortricidae) Synonym(s): *insulana* Guenée, 1845; *motacillana* Zeller, 1847; *stragulana* Tengström, 1848; *ovulana* Tengström, 1848. Range (as codes): FR IT BE NL DE CH AT PL CZ SK HU YU TR NO SE FI EE LV LT RU MD UA BY 16 16A
- 5361. *Pammene luedersiana* (Sorhagen, 1885)** (Tortricidae) Synonym(s): *luedersiana* Sorhagen, 1885 Range (as codes): ES FR IT GB NL DE CZ DK NO SE FI EE LV LT RU MD UA BY TR Cc
- 5362. *Pammene mariana* (Zerny, 1920)** (Tortricidae) Synonym(s): *mariana* Zerny, 1920; *pontica* Obratzov, 1960 Range (as codes): RO HV MK YU TR Cc RU 16 71
- 5363. *Pammene nigritana* (Mann, 1862)** (Tortricidae) Synonym(s): *nigritana* Mann, 1862 Range (as codes): TR RU 06 16 06R
- 5364. *Pammene oxsenheimeriana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): ?*panzerana* Frölich, 1828; *oxsenheimeriana* Lienig & Zeller, 1846; *loxiana* Herrich-Schäffer, 1851; *luctiferana* Herrich-Schäffer, 1851 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV RU Us Krl MD UA BY CN 16 16A
- 5365. *Pammene pullana* Kuznetsov, 1986** (Tortricidae) Synonym(s): *pullana* Kuznetsov, 1986 Range (as codes): TR 46
- 5366. *Pammene querceti* (Gozmany, 1957)** (Tortricidae) Synonym(s): *querceti* Gozmany, 1957 Range (as codes): FR IT CZ SK HU YU TR 33 73 33A 33Ak 73D 73Df
- 5367. *Pammene regiana* (Zeller, 1849)** (Tortricidae) Synonym(s): *regiana* Zeller, 1849 Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI RU MD UA BY Cc GG Smt Bku
- 5368. *Pammene rhediella* (Linnaeus, 1761)** (Tortricidae) Synonym(s): ?*rhediella* Clerck, 1759; *rhediella* Linnaeus, 1761; *daldorfana* Fabricius, 1787; *dimidiana* Donovan, [1804]; *rhediana* Hübner, [1825]; *parvulana* Frölich, 1828 Range (as codes): FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY 05 16 05A 16A
- 5369. *Pammene splendidulana* (Guenée, 1845)** (Tortricidae) Synonym(s): *strobilana* Haworth, 1811; *splendidulana* Guenée, 1845; *plumbatana* Lienig & Zeller, 1846; *suberana* Constant, 1895 Range (as codes): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR Cc DK NO SE FI EE LV RU MD UA BY
- 5370. *Pammene trauniana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *trauniana* [Denis & Schiffermüller], 1775; *floricolana* Frölich, 1828; *notata* Westwood, 1845; *conjugana* Zeller, 1849 Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO TR DK RU MD UA BY
- 5371. *Pandemis cerasana* (Hübner, 1786)** (Tortricidae) Synonym(s): *cerasana* Hübner, 1786; *ribeana* Hübner, [1799]; *grossulariana* Stephens, 1834 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Us MD UA BY Cc GG KG IR Gh Ak Th Kh Ma MN CN CA 14 16 81 16A
- 5372. *Pandemis chondrillana* (Herrich-Schäffer, 1860)** (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer, 1860; *praecloratana* Kennel, 1901; *laurana* Kennel, 1919; *elsana* Kennel, 1919; *eulogiana* Kennel, 1919; ?*unicolor* Obratzov, 1943. Range (as codes): FR RO BG RU Sr Sb MD UA Cm BY TR IR Mz Elb Gh Dam Kh Msh Ha Ak Mrd GlS Gor Ar Se UZ KG Tk Dj KK CN Ui Ju MN Cc GG AF

- 5373. *Pandemis cinnamomeana* (Treitschke, 1830)** (Tortricidae) **Synonym(s):** *croceana* Hübner, [1799]; *croceana* Frölich, 1828 (*praeocc.*); *cinnamomeana* Treitschke, 1830; *basana* Zerny, 1935 **Range (as codes):** MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU Ur Sb Us MD UA BY TR MN CN KK KP KR JP 65 65F 65Fp
- 5374. *Pandemis corylana* (Fabricius, 1794)** (Tortricidae) **Synonym(s):** *avellana* Poda, 1761 (*praeocc.*); *corylana* Fabricius, 1794; *textana* Hübner, [1799] **Range (as codes):** ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ur Sb Us MD UA BY IR CN KG
- 5375. *Pandemis dumetana* (Treitschke, 1835)** (Tortricidae) **Synonym(s):** *dumetana* Treitschke, 1835; *gravana* Caradja, 1932 **Range (as codes):** ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG DK SE FI EE LV LT RU Sb us MD UA BY Ce GG TR IR Mz Gh KP KR CN Ch JP 34 81
- 5376. *Pandemis heparana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *heparana* [Denis & Schiffermüller], 1775 **Range (as codes):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Sb Am MD UA BY Ce GG IR Gh Mz Sari Fa GlS Gor CN KP KR JP 14 34 52 81
- 5377. *Paramesia gnomana* (Clerck, 1759)** (Tortricidae) **Synonym(s):** *#gnomana* Clerck, 1759; *costana* [Denis & Schiffermüller], 1775; *livoniana* Sodoffsky, 1829; *diffusana* Kennel, 1899; *montedorea* Wehrli, 1925; *schawerdae* Rebel, 1926; *aetnana* Zerny, 1943. **Range (as codes):** ES An Mlg FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI LV LT EE RU Ce GG MD UA BY SY Hal IR KG 13 14 45 65 13A 13Ab 13Ax 65A 65Ai 65F 65Fp 65Fz
- 5378. *Pelatea klugiana* (Freyer, [1834])** (Tortricidae) **Synonym(s):** *klugiana* Freyer, [1834] **Range (as codes):** ES FR IT NL DE AT SS HV HU RO BG RU MD UA TR 12 12A 12Ab
- 5379. *Pelochrista agrestana* (Treitschke, 1830)** (Tortricidae) **Synonym(s):** *agrestana* Treitschke, 1830; *fultana* Zeller, 1847 **Range (as codes):** FR Co Si IT AT HV YU BG GR Cr TR LT 16 16A
- 5380. *Pelochrista arabescana* (Eversmann, 1844)** (Tortricidae) **Synonym(s):** *arabescana* Eversmann, 1844 **Range (as codes):** FR Fo5 HU RO RU Ur Ao MD UA BY TR Ce GG 25? 65 69? 65G 65Gb
- 5381. *Pelochrista caecimaculana* (Hübner, [1799])** (Tortricidae) **Synonym(s):** *caecimaculana* Hübner, [1799]; *kollariana* Herrich-Schäffer, [1851] **Range (as codes):** PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Ce AM DK NO SE FI EE LV LT RU MD UA BY 14 16 42 76 16A 76C
- 5382. *Pelochrista dagestana* Obratsov, 1949** (Tortricidae) **Synonym(s):** *dagestana* Obratsov, 1949 **Range (as codes):** UA RU Ahy Da Ce AM AZ TR 65 65A 65Ac 65D 65Df 65F 65Fp 65Fz
- 5383. *Pelochrista griseolana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *griseolana* Zeller, 1847 **Range (as codes):** ES Si Ce TR 76 76C
- 5384. *Pelochrista hepaticaria* (Herrich-Schäffer, [1851])** (Tortricidae) **Synonym(s):** *hepaticaria* Herrich-Schäffer, [1851]; *obnuptana* Herrich-Schäffer, [1851] **Range (as codes):** FR Si IT MT DE AT CZ SK HU RO TR 05 16 16A
- 5385. *Pelochrista infidana* (Hübner, [1824])** (Tortricidae) **Synonym(s):** *infidana* Hübner, [1824]; *bulgarica* Soffner, 1967 **Range (as codes):** PT ES FR IT DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Mo MD UA BY 42 42B
- 5386. *Pelochrista invisitana* Kuznetsov, 1986** (Tortricidae) **Synonym(s):** *invisitana* Kuznetsov, 1986 **Range (as codes):** TR 47
- 5387. *Pelochrista labyrinthica* (Christoph, 1872)** (Tortricidae) **Synonym(s):** *labyrinthica* Christoph, 1872 **Range (as codes):** TR RO RU Sr UA KG Uk CN Ui Ki
- 5388. *Pelochrista medullana* (Staudinger, 1880)** (Tortricidae) **Synonym(s):** *medullana* Staudinger, 1880 **Range (as codes):** CZ SK YU BG GR TR SY Hal LB IR KK 01 05 09 14 16 33 35 46 56 65 70 01K 05A 16A 56F 56F1 65F 65Fp 65Fz
- 5389. *Pelochrista modicana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *modicana* Zeller, 1847; *modestana* Herrich-Schäffer, [1851]; *definitana* Kennel, 1901; *hinnebergiana* Fuchs, 1902 **Range (as codes):** TN PT ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG RU MD UA BY TR TM KG Uk 05 16 30 65 05A 16A 30D 30Df 65A 65Am 65Am1 65Am3
- 5390. *Pelochrista praepractana* (Kennel, 1901)** (Tortricidae) **Synonym(s):** *praepractana* Kennel, 1901 **Range (as codes):** TR 05
- 5391. *Periclepsis cinctana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *cinctana* [Denis & Schiffermüller], 1775; *ceretana* Fabricius, 1787; *albidana* Hübner, [1799] **Range (as codes):** ES IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE EE LV LT RU MD UA BY KG Uk 16 36 76 16A 76C
- 5392. *Phalonidia acutana* (Kennel, 1913)** (Tortricidae) **Synonym(s):** *acutana* Kennel, 1913 **Range (as codes):** SK RO RU TR Ce AM Eri 05 65 05A 65L 65Le
- 5393. *Phalonidia albipalpana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *albipalpana* Zeller, 1847 **Range (as codes):** ES FR Co Si IT AT HU RO GR TR RU Sr Tgn Ro Ur Da Ce AZ Len MD UA BY KG Uk Tar Ssn UZ Fe Nmg 35 42 35U 42B
- 5394. *Phalonidia contractana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *contractana* Zeller, 1847; *manifestana* Kennel, 1900; *exaequata* Meyrick, 1923; *thermoconis* Meyrick, 1925 **Range (as codes):** DZ Bsk Anna PT ES FR Sa Si IT MT AT CZ SK HU RO MK AL BG Bgz GR TR CY LB Bei IL Hf Js Pa Ce AM Eri SY Dms IR Gor Elb Mz Clu

Kh Gls Th Dam Ar Fa Gh TM Kp AF Srb PK TJ Pm Ch RU Sr Ur KG Uk CN Hnn Ui Ku KK IN Ch Sri 05 06 14 15 16 31 33
42 46 65 71 06R 16A 31M 33F 42B 46G 65G 65Gb 65L 65Le 65N 65Np1 65Nm

- 5395. *Phalonidia manniana* (Fischer v. Röslerstamm,1839)** (Tortricidae) **Synonym(s):** *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960 **Range (as codes):** ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB DK NO SE FI EE LV LT RU Prj Us UA KG TrA Ket Tk CN Mc IR Mz Elb 16 35 42 46 16A
- 5396. *Phalonidia militariana* (Derra,1991)** (Tortricidae) **Synonym(s):** *militariana* Derra,1991 **Range (as codes):** TR 47
- 5397. *Phaneta pauperana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *pauperana* Duponchel,1843 **Range (as codes):** ES FR IT GB BE DE Bv CH AT LAT PL CZ SK HU RO YU MK BG TR RU Da Cc MD UA Cm BY 42 65 71 42B 65L 65Le 71C 71Cc
- 5398. *Philedone gerningana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *gerningana* [Denis & Schiffermüller],1775; *pectinana* Hübner,[1799]. **Range (as codes):** ES Si IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 05 16 41 05A 16A
- 5399. *Phtheochroa amasiana* (Ragonot,1894)** (Tortricidae) **Synonym(s):** *amasiana* Ragonot,1894 **Range (as codes):** TR 05 46 47 05A 46G 47D 47Da
- 5400. *Phtheochroa aureopunctana* (Ragonot,1894)** (Tortricidae) **Synonym(s):** *aureopunctana* Ragonot,1894 **Range (as codes):** TR LB Bei IR IL Hf Pa 05 05A
- 5401. *Phtheochroa chalcantha* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *chalcantha* Meyrick,1912 **Range (as codes):** TR 31 65 65F 65Fr
- 5402. *Phtheochroa decipiens* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *decipiens* Walsingham,1900; *rocharva* Obratzsov,1943; *berberidana* Danilevsky,1955. **Range (as codes):** TR SY Hal Cc TM Kp K-K TJ Pm KG Aa DsA RU Ur IR Se Srd 03 29 58 58G
- 5403. *Phtheochroa dodrantaria* (Razowski,1970)** (Tortricidae) **Synonym(s):** *dodrantaria* Razowski,1970 **Range (as codes):** TR LB Bei 27 27D 27Db
- 5404. *Phtheochroa duponchelana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900 **Range (as codes):** MA DZ FR Si MT IT HU HV B-H YU AL GR Cr TR LB Bei SY Hal 01 06 16 31 42 65 01K 06F 16A 31M 42B 65D 65DI
- 5405. *Phtheochroa durbonana* (Lhomme,1937)** (Tortricidae) **Synonym(s):** *durbonana* Lhomme,1937 **Range (as codes):** FR TR IR Gh Mz Elb Amo 31 31K 31Ka 31Ka5
- 5406. *Phtheochroa sp.n.*** (Tortricidae) **Synonym(s):** **Range (as codes):** TR 13 30 13A 13Ab 13Ax 30D 30Df
- 5407. *Phtheochroa imitana* Derra,1991** (Tortricidae) **Synonym(s):** *imitana* Derra,1991 **Range (as codes):** TR 30
- 5408. *Phtheochroa larseni* Huemer,1990** (Tortricidae) **Synonym(s):** *larseni* Huemer,1990 **Range (as codes):** TR 06
- 5409. *Phtheochroa lucentana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *lucentana* Kennel,1899 **Range (as codes):** TR IR Fa Shr 46
- 5410. *Phtheochroa osthelderi* Huemer,1990** (Tortricidae) **Synonym(s):** *osthelderi* Huemer,1990 **Range (as codes):** TR 46
- 5411. *Phtheochroa palpana* (Ragonot,1894)** (Tortricidae) **Synonym(s):** *palpana* Ragonot,1894 **Range (as codes):** TR SY Hal IQ JO 01 07 31 38 42 31M 38H 38Hc 42B 42Ba
- 5412. *Phtheochroa procerana* (Lederer,1853)** (Tortricidae) **Synonym(s):** *procerana* Lederer,1853 **Range (as codes):** HU RO BG Slv Vrn TR 42 46
- 5413. *Phtheochroa purana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *purana* Guenée,1845; *limbatana* Herrich-Schäffer,[1851]. **Range (as codes):** FR IT HU RO YU HV B-H TR 16 75 16A 75F 75Ff
- 5414. *Phtheochroa rugosana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *rugosana* Hübner,[1799]; *v-albana* Donovan,1806. **Range (as codes):** Cn MA DZ PT ES FR IT GB BE NL LU DE CH AT PL CZ RO YU B-H TR Cc AM Eri 05 06 05A 06R 46G
- 5415. *Phtheochroa schreibersiana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *schreibersiana* Frölich,1828 **Range (as codes):** ES FR Co Sa IT GB BE NL DE Bw CH AT PL CZ SK HU RO TR SE FI EE LV RU Sr MD UA BY Cc GG 16 16A
- 5416. *Phtheochroa schreieri* Derra,1991** (Tortricidae) **Synonym(s):** *schreieri* Derra,1991 **Range (as codes):** TR 30
- 5417. *Phtheochroa sodaliana* (Haworth,1811)** (Tortricidae) **Synonym(s):** *sodaliana* Haworth,1811; *amandana* Herrich-Schäffer,1851 **Range (as codes):** FR IT IE GB NL DE Bv CH AT PL CZ SK HU RO YU HV GR TR CY LB? DK NO SE FI EE LV LT RU Ur MD UA BY KG Uk 27 31 27D 31K 31Ka
- 5418. *Phtheochroa thiana* Staudinger,[1900]** (Tortricidae) **Synonym(s):** *thiana* Staudinger,[1900]; *dilectana* Kennel,1900. **Range (as codes):** CN Ui Kml T-S RU Sr TR 77

- 5419. *Phtheochroa unionana* (Kennel,1900)** (Tortricidae) **Synonym(s):** *unionana* Kennel,1900 **Range (as codes):** RO TR Cc RU Da GG AM AZ 42 42B
- 5420. *Piniphila bifasciana* (Haworth,1811)** (Tortricidae) **Synonym(s):** *bifasciana* Haworth,1811; *daleana* Haworth,1811; *bicinetana* Tengström,1848; *decrepitana* Herrisch-Schäffer,1851; *silphana* Millière,1874 **Range (as codes):** PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Sb Am Us 14
- 5421. *Pristerognatha fuligana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *fuligana* [Denis & Schiffermüller],1775 **Range (as codes):** ES FR NL DE CH AT PL CZ SK RO DK SE FI LV LT Cc GG TR RU Sb KG 16 16A
- 5422. *Prochlidonia ochromixtana* (Kennel,1913)** (Tortricidae) **Synonym(s):** *ochromixtana* Kennel,1913 **Range (as codes):** TR 06 26 42 06B 06F 26D 42B 42R
- 5423. *Propiromorpha rhodophana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *rhodophana* Herrich-Schäffer,[1851] **Range (as codes):** ES FR Co IT AT YU AL BG MK GR TR RU Vv MD UA BY CN MN 16 16A
- 5424. *Pseudamelia rogana* Guenée,1845** (Tortricidae) **Synonym(s):** *rogana* Guenée,1845 **Range (as codes):** TR
- 5425. *Pseudargyrotoza conwagana* (Fabricius,1775)** (Tortricidae) **Synonym(s):** *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879. **Range (as codes):** PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Us CN JP 16 16A
- 5426. *Pseudeulia asinana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *asinana* Hübner,[1799]; *vermicularis* Meyrick,1935 **Range (as codes):** IT AT SK HU RO YU BG TR RU MD UA BY IQ Shq Cc GG CN JP 30 33 59 65 71 30D 30Df 33A 33Ac 33Ak 65D 65Dh 65F 65Fd
- 5427. *Pseudococcyx tessulatana* (Staudinger,1871)** (Tortricidae) **Synonym(s):** *tessulatana* Staudinger,1871 **Range (as codes):** DZ PT ES FR Sa Si IT MT CH YU AL BG TR GR RU MD UA BY 07 31 34 31K 31Ka 31Ka5
- 5428. *Pseudosciaphila branderiana* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *branderiana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938 **Range (as codes):** DZ Eba FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR SY Hal IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY Cc GG JP 31 39 31M
- 5429. *Ptycholoma lecheana* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834 **Range (as codes):** PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG KG 06 14 22 34 39
- 5430. *Rhopobota myrtillana* (Humphreys & Westwood,1845)** (Tortricidae) **Synonym(s):** *myrtillana* Humphreys & Westwood,1845; *vacciniana* Lienig & Zeller,1846; *latifasciana* Peyerimhoff,1863. **Range (as codes):** FR IT IE GB BE NL LU DE CH AT PL CZ SK HU YU TR DK NO SE FI EE LV LT RU Sb MD UA BY US 16 16A
- 5431. *Rhopobota stagnana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *stagnana* [Denis & Schiffermüller],1775; *fractifasciana* Haworth,[1811]; *cuphana* Duponchel,1843; *caricana* Guenée,1845; *queketana* Curtis,1850; *resupinatana* Kennel,1901; *berolinensis* Amsel,1932 **Range (as codes):** ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Ur Sb 14 16 42 16A 42B
- 5432. *Rhyacionia buoliana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouliana* Kalchberg,1897 **Range (as codes):** Md MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR CY DK NO SE FI EE LV LT RU Ur MD UA BY LB Bei IL Pa Hf KP KR CN JP US AR 06 07 09 14 15 34 41 57 06R 06Rb
- 5433. *Rhyacionia pinicolana* (Doubleday,1849)** (Tortricidae) **Synonym(s):** *pinicolana* Doubleday,1849; *cocinnana* Lederer,1859 **Range (as codes):** PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO TR YU DK NO SE FI EE LV LT RU Ur Sb Am Us Prj MD UA BY CN KP KR JP Hkk 14 75 14E 14Ea 75F 75Fb
- 5434. *Rhyacionia pinivorana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *pinivorana* Lienig & Zeller,1846; *albionana* Doubleday,1850; *pudendana* Herrich-Schäffer,1851; *rhaeticana* Thomann,1914; *hafneri* Rebel,1937 **Range (as codes):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ur Sb Am Us Prj MD UA BY KG CN KP KR JP 14
- 5435. *Selania leplastriana* (Curtis,1831)** (Tortricidae) **Synonym(s):** *leplastriana* Curtis,1831; *gueriniana* Duponchel,1836; *maderae* Wollaston,1858; *vana* Kennel,1901; *malcolmae* Walsingham,1903; *decoratana* Chrétien,1915; *extinctana* Chrétien,1915; *#decorata* Caradja,1916 **Range (as codes):** Md DZ Bsk TN Gf PT ES An FR Co Sa Si IT MT GB LU AT SK HU RO YU TR RU 16 16A
- 5436. *Siclobola micromys* (Stringer,1929)** (Tortricidae) **Synonym(s):** *micromys* Stringer,1929 **Range (as codes):** TR SY LB
- 5437. *Sparganthis pilleriana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *pilleriana* [Denis & Schiffermüller],1775 **Range (as codes):** PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LT IQ Shq IR Gh Tgo 01 05 16 32 33 46 48 50 65 05A 16A 65A 65Au

- 5438. *Spilonota ocellana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949 Range (as codes): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ AM IR Sb KG UZ TJ Pm Am Sh KP KR JP CN MN US Ny CA 05 06 14 15 16 18 25 34 52 61 71 81 05A 06R 16A
- 5439. *Strophedra nitidana* (Fabricius,1794)** (Tortricidae) Synonym(s): *nitidana* Fabricius,1794; *redimitana* Guenée,1845; *flexana* Zeller,1849; *vigeliiana* Herrich-Schäffer,1853. Range (as codes): FR Co IT IE GB BE NL DE CH AT PL CZ SK HU TR DK NO SE FI EE LV LT RU MD UA BY JP 16 16A
- 5440. *Strophedra weirana* (Douglas,1850)** (Tortricidae) Synonym(s): *weirana* Douglas,1850 Range (as codes): FR IT GB BE NL LU DE AT PL CZ SK HU YU TR DK NO SE LV RU MD UA BY Cc GG
- 5441. *Syndemis musculana* (Hübner,[1799])** (Tortricidae) Synonym(s): *musculana* Hübner,[1799]; *musculinana* Kennel,1899; *nipponensis* Yasuda,1975. Range (as codes): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG JP 10 14 10K 10Ka
- 5442. *Thiodia anatoliana* Kennel,1916** (Tortricidae) Synonym(s): *anatoliana* Kennel,1916; *#anatoleana* Kuznetsov,1976 Range (as codes): Cc AM Eri IR Elb Kdv Kz Com LB? TR 42 65 65D 65Dg 65Dga
- 5443. *Thiodia caradjana* Kennel,1916** (Tortricidae) Synonym(s): *caradjana* Kennel,1916 Range (as codes): TR Cc AM Eri 65 65D 65Dg 65Dga
- 5444. *Thiodia citrana* (Hübner,[1799])** (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzsov,1964 [ssp.] Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR AM Eri SY Dms Hal DK NO SE FI EE LV LT RU Us MD UA BY LB Bsa Cc GG AZ IR Elb KG Uk TM Sb Sh CN JP 01 05 13 16 65 75 01K 05A 13A 13Ab 13Ax 16A 65D 75F
- 5445. *Thiodia couleruana* (Duponchel,1835)** (Tortricidae) Synonym(s): *couleruana* Duponchel,1835; *castiliana* Caradja,1917; *pseudodelitanus* Obratzsov,1952 Range (as codes): PT ES Cs Bgs FR CH UA Cm IR Fa TR 03 06 65 65D 65Dh
- 5446. *Thiodia fessana* (Mann,1873)** (Tortricidae) Synonym(s): *fessana* Mann,1873 Range (as codes): TR 05 33 05A 33R 33Rb
- 5447. *Thiodia sulphurana* (Christoph,1888)** (Tortricidae) Synonym(s): *sulphurana* Christoph,1888 Range (as codes): RU Sr Cc GG TR IR Ha KG
- 5448. *Thiodia torridana* (Lederer,1859)** (Tortricidae) Synonym(s): *torridana* Lederer,1859 Range (as codes): FR IT DE CH AT PL CZ SK HU YU RU Ur Sb Am Us Sh Krl Cc GG TR KG Uk TM KK CN Ui Ku 75 75F 75Fb
- 5449. *Thiodia trochilana* (Frölich,1828)** (Tortricidae) Synonym(s): *trochilana* Frölich,1828; *delitana* Fischer v. Röslerstamm,[1839]; *rieseana* Herrich-Schäffer,1851; *bracteana* Chrétien,1922 Range (as codes): DZ MA ES FR Co Si IT DE CH AT CZ SK HU RO YU AL BG GR TR IR Kh Cc GG AM LB Say TM LV RU MD UA BY 05 16 44 65 05A 16A 44L 44Lc 65A 65Ai
- 5450. *Tortricodes selma* Koçak,1991** (Tortricidae) Synonym(s): *selma* Koçak,1991 Range (as codes): TR 06 71
- 5451. *Tortrix viridana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübner,[1799]; *coeruleana* Sorhagen,1881. Range (as codes): MA DZ Tou TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR AZ Kir Nv Ord AM Cc GG DK NO SE FI EE LV LT RU Da MD UA Cm BY IQ Hjo IR Fa Elb Kdv By Kz Lo GlS Kh SY Hal 02 03 05 06 10 12 13 16 17 30 34 39 42 45 50 56 65 71 75 76 02F 02Fd 02Fz 06R 06Rb 12A 12Ab 12Ad 13A 13Ab 13Ae 13Ax 13C 13Cg 13G 13Gg 13Gs 13Gw 16A 30B 30Bc 30Bz 30D 30Df 56F 56Fb 56F1 65A 65Am 65Am4 65An 65Ai 65D 65Dl 65Dlc 65Dt 65Du 65F 65Fç 65Fz 65Fg 65Fr 65G 65Gf 65Gy 65N 65Nc4 65Np2 65Nr2 65Nm 75F 75Fb 76C
- 5452. *Xerocnephasia rigana* (Sodoffsky,1829)** (Tortricidae) Synonym(s): *rigana* Sodoffsky,1829; *horridana* Frölich,1830; *modestana* Treitschke,1830; *monticolana* Frey,1880 Range (as codes): ES FR IT CH AT PL CZ SK HU RO YU GR TR DK SE EE LV LT RU Am Us Ja MD UA BY KP KR MN CN JP
- 5453. *Zeiraphera isertana* (Fabricius,1794)** (Tortricidae) Synonym(s): *isertana* Fabricius,1794; *communana* Fabricius,1794; *cuiviana* Fabricius,1794; *adustana* Hübner,[1813]; *corticana* Hübner,[1813]; *kuhlweiniana* Hübner,[1825]; *licheana* Treitschke,1829; *nigricans* Sorhagen,1882; *steiniana* Sorhagen,1882; *wautersi* Dufrane,1945 Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY Cc GG AM TR IR GlS 03 03O

Yponomeutidae

- 5454. *Acrolepiopsis vesperella* (Zeller,1850)** (Yponomeutidae) Synonym(s): *vesperella* Zeller,1850; *smilaxella* Millière,1864; *tami* Hering,1927 Range (as codes): MA Cn TN PT ES FR Co Sa Si IT DE YU GR TR
- 5455. *Argyresthia* (Blastotere) *illuminatella* Zeller,1839** (Yponomeutidae) Synonym(s): *illuminatella* Zeller,1839; *tatrica* Baraniak, Kulfan & Patočka,2003 Range (as codes): ES FR IT BE NL DE CH AT PL CZ SK RO BG EE LT RU TR
- 5456. *Argyresthia* (Blastotere) *impura* (Staudinger,1880)** (Yponomeutidae) Synonym(s): *impura* Staudinger,1879 Range (as codes): MK TR UZ 05 05A

- 5457. *Argyresthia (s.str.) abdominalis* Zeller, 1839** (Yponomeutidae) Synonym(s): *abdominalis* Zeller, 1839; *abdominalis* Duponchel, [1845]; *inauratella* Tengström, 1848; *abdominella* Herrich-Schäffer, 1855; *helvetica* Heinemann, [1876] Range (as codes): FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV RU MD UA BY 16 16A
- 5458. *Argyresthia (s.str.) conjugella* Zeller, 1839** (Yponomeutidae) Synonym(s): *conjugella* Zeller, 1839; *maculosa* Tengström, 1848; *aerariella* Stainton, 1871 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU TR IL Pa DK NO SE FI EE LV LT RU MD UA BY KR JP Hkk CA On Abt BCo US Cf Ny Mai Fl 05 05A
- 5459. *Argyresthia (s.str.) pretiosa* Staudinger, 1879** (Yponomeutidae) Synonym(s): *pretiosa* Staudinger, 1879 Range (as codes): TR 05 05A
- 5460. *Argyresthia (s.str.) pruniella* (Clerck, 1759)** (Yponomeutidae) Synonym(s): *#pruniella* Clerck, 1759; *comella* Scopoli, 1763; *ephippella* Fabricius, 1777; *ephippium* Fabricius, 1798; *pruni* Haworth, [1828]; *#ephippiella* Staudinger, 1879. Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 5461. *Argyresthia (s.str.) pygmaeella* ([Denis & Schiffermüller], 1775)** (Yponomeutidae) Synonym(s): *pygmaeella* [Denis & Schiffermüller], 1775; *rudolphella* Esper, 1791; *semifasciella* Stephens, 1834; *alpina* Müller-Rutz, 1920; *hyperboreella* Strand, 1920 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU TR CA Abt BCo On US Als Mai
- 5462. *Argyresthia (s.str.) spinosella* Stainton, 1849** (Yponomeutidae) Synonym(s): *mendica* auct; *spinosella* Stainton, 1849. Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU MD UA BY IR Gl 16 42 46 16A
- 5463. *Atemelia torquatella* (Lienig & Zeller, 1846)** (Yponomeutidae) Synonym(s): *torquatella* Lienig & Zeller, 1846; *fuscifrontella* Stainton, 1849 Range (as codes): TR KG Uk 05 16 46 05A 16A
- 5464. *Digitivalva (Inuliphila) occidentella* (Klimesch, 1956)** (Yponomeutidae) Synonym(s): *occidentella* Klimesch, 1956. Range (as codes): ES FR Co Sa IT Si RO YU GR TR 77
- 5465. *Digitivalva (Inuliphila) pulicariae* (Klimesch, 1956)** (Yponomeutidae) Synonym(s): *pulicariae* Klimesch, 1956 Range (as codes): ES FR Co IT IE GB BE NL DE CH AT SK HU RO YU BG GR TR CY
- 5466. *Digitivalva (Inuliphila) wolfschlaegeri* (Klimesch, 1956)** (Yponomeutidae) Synonym(s): *wolfschlaegeri* Klimesch, 1956 Range (as codes): MK Och TR 46
- 5467. *Digitivalva glaseri* Gaedike, 1971** (Yponomeutidae) Synonym(s): *glaseri* Gaedike, 1971. Range (as codes): TR 06 06R
- 5468. *Digitivalva reticulella* (Hübner, 1796)** (Yponomeutidae) Synonym(s): *reticulella* Hübner, 1796; *cariosella* Treitschke, 1835. Range (as codes): ES IT BE DE CH AT PL CZ SK RO YU BG TR NO SE FI LV RU MD UA BY 16 16A
- 5469. *Digitivalva* sp.** (Yponomeutidae) Synonym(s): Range (as codes): TR 48 48L
- 5470. *Eidophasia hufnagelii* (Zeller, 1839)** (Yponomeutidae) Synonym(s): *hufnagelii* Zeller, 1839; *hufnageliella* Duponchel, [1845] Range (as codes): ES FR Si? DE CH AT CZ SK HU SS HV YU AL LV RU Mo TR 65 65A 65Ai
- 5471. *Eidophasia infusata* Staudinger, [1871]** (Yponomeutidae) Synonym(s): *infusata* Staudinger, [1871] Range (as codes): GR TR 20
- 5472. *Eidophasia messingiella* (Fischer v. Röslerstamm, 1840)** (Yponomeutidae) Synonym(s): *messingiella* Fischer v. Röslerstamm, 1840; *transversella* Stephens, 1841; *mullerella* Rougemont, 1903; *dorsana* Caradja, 1920 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY 16 16A
- 5473. *Eidophasia syenitella* (Heydenreich, 1851)** (Yponomeutidae) Synonym(s): *syenitella* Heydenreich, 1851; *concinella* Christoph, 1888 [ssp.] Range (as codes): ES FR Si IT? HU RO YU AL BG GR TR RU MD UA BY Cc GG Bjo 16 16A
- 5474. *Eidophasia tauricella* Staudinger, 1879** (Yponomeutidae) Synonym(s): *tauricella* Staudinger, 1879 Range (as codes): TR 33 65 73 65D 65Dg 65F 65Fp 65Fz 73A 73Ak
- 5475. *Niphonympha albella* (Zeller, 1847)** (Yponomeutidae) Synonym(s): *albella* Zeller, 1847; *dealbatella* Zeller, 1847; *immaculanella* Bruand, 1850; *cignivicinella* Bruand, 1859 Range (as codes): FR Co Si IT DE CH AT CZ SK HU RO YU TR 06 31 46 06R
- 5476. *Ochsenheimeria taurella* ([Denis & Schiffermüller], 1775)** (Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffermüller], 1775; *mediopectinellus* Haworth, 1828; *birdella* Curtis, 1831; *trifasciata* Wocke, 1871; *hederarum* Millière, 1874; *talhouki* Amsel, 1947; *baurella* Zagulyaev, 1966 Range (as codes): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU YU AL GR Cr TR IR DK NO SE FI EE LV RU MD UA BY
- 5477. *Ochsenheimeria vacculella* Fischer v. Röslerstamm, 1842** (Yponomeutidae) Synonym(s): *vacculella* Fischer v. Röslerstamm, 1842; *chenopodiella* Stainton, 1849; *danilevskii* Zagulyaev, 1972 Range (as codes): ES FR GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Prj Us Vv MD UA BY KG US CA TR JO
- 5478. *Paradoxus fulgens* (Christoph, 1888)** (Yponomeutidae) Synonym(s): *fulgens* Christoph, 1888; *caucasica* Friese, 1960 Range (as codes): Cc GG Bjo TR 53

- 5479. *Paradoxus osyridellus* Stainton, 1869** (Yponomeutidae) Synonym(s): *osyridellus* Stainton, 1869
Range (as codes): PT ES FR Sa YU GR TR
- 5480. *Paraswammerdamia lutarea* (Haworth, [1828])** (Yponomeutidae) Synonym(s): *lutarea* Haworth, [1828] Range (as codes): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 06 42 06R
- 5481. *Phrealcia friesei* Mey, 2013** (Yponomeutidae) Synonym(s): *friesei* Mey, 2013 Range (as codes): TR 01 01K
- 5482. *Plutella* (Anadetia) *porrectella* (Linnaeus, 1758)** (Yponomeutidae) Synonym(s): *porrectella* Linnaeus, 1758; *hesperidis* Retzius, 1783; *julianella* Olivier, 1789; *hesperidella* Hübner, 1796; *vittatus* Fabricius, 1798
Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR AL DK NO SE FI EE LV LT RU Cc Sb MD UA BY KG UK IL P 05 05A
- 5483. *Plutella* (s.str.) *xylostella* (Linnaeus, 1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus, 1758; *cinerea* Fourcroy, 1785 nec Hufn., 1766; *xylostei* Fabricius, 1798; *maculipennis* Curtis, 1832; *niveella* Zeller, 1839; *cruciferarum* Zeller, 1843; *brassicella* Fitch, 1856; *limbipennella* Clemens, 1860; *mollipedella* Clemens, 1860; *cicerella* Rondani, 1876; *dubiosella* Beutenmüller, 1889; *albovenosa* Walsingham, 1897; *megapterella* Bentinck, 1943; *karsholtella* Baraniak, 2003 Range (as codes): Cn DZ Ajj Gha TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY Cc AZ Bak TM Krn AF Hr IR Elb Kdv Dam Mz Kh Gls IQ Njf Hjo LB Bsa IL Hf Pa ZA TH MY Cmh IN Hp SA AE YE 01 06 13 21 27 30 31 33 34 38 42 44 48 49 63 65 71 13G 13Gü 13Gw 21L 21Lf 27D 27Da 27Db 27Dc 30D 30Df 31K 31Ka 33A 33Ac 44E 44Ei 44L 44Lc 48L 49F 49Fb 63B 63Ba 65A 65Am 65Am2 65B 65Bn 65Bn1 65D 65Dy 65E 65Eb 65Ed 65F 65Fb 65Fd 65F1 65Fz 65K 65N 65Nc 65K 65Kl 65Kl3 65Z 65Kz 65Kg 65L 65Le
- 5484. *Prays citri* (Millière, 1873)** (Yponomeutidae) Synonym(s): *citri* Millière, 1873 Range (as codes): MA DZ TN PT ES FR Co Sa Si IT MT GR Cr TR LB IL Pa ZA IN ID MY JP AU
- 5485. *Prays fraxinella* (Bjerkander, 1784)** (Yponomeutidae) Synonym(s): *fraxinella* Bjerkander, 1784; *curtisella* Donovan, 1793; *circulella* Fabricius, 1794; *coenobitella* Hübner, [1813]; *curtisii* Haworth, 1828; *hortulella* Stephens, 1828 Range (as codes): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR AL BG DK NO SE FI EE LV LT RU MD UA BY
- 5486. *Prays oleae* (Bernard, 1788)** (Yponomeutidae) Synonym(s): *oleae* Bernard, 1788; *oleellus* Fabricius, 1794; *oliviella* Boyer, 1837; *adpersella* Heydenreich, 1851; *adpersigriseella* Bruand, 1859 Range (as codes): Cn MA Fez PT ES FR Co Sa Si IT MT AT YU AL GR Cr TR RU MD UA BY 16 16A
- 5487. *Pseudoswammerdamia combinella* (Hübner, 1786)** (Yponomeutidae) Synonym(s): *combinella* Hübner, 1786 Range (as codes): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE RU MD UA BY 06 16 06R 16A
- 5488. *Rhigognostis senilella* (Zetterstedt, [1839])** (Yponomeutidae) Synonym(s): *senilella* Zetterstedt, [1839]; *dalella* Stainton, 1849; *marmarosella* Wocke, 1850; *septentrionum* Zeller, 1857 Range (as codes): FR Sa IT IS IE GB DE CH AT PL CZ SK TR DK Gr1 NO SE FI LV RU Cc KG JP 06
- 5489. *Swammerdamia caesiella* (Hübner, 1796)** (Yponomeutidae) Synonym(s): *caesiella* Hübner, 1796; *heroldella* Hübner, [1825]; *caesia* Haworth, 1828; *nubeculella* Tengström, 1848; *griseocapitella* Stainton, 1851 Range (as codes): ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU MD UA BY 06
- 5490. *Yponomeuta anatolica* (Stringer, 1930)** (Yponomeutidae) Synonym(s): *anatolica* Stringer, 1930
Range (as codes): TR?
- 5491. *Yponomeuta cagnagella* (Hübner, [1813])** (Yponomeutidae) Synonym(s): *cagnagella* Hübner, [1813]; *cognatella* Hübner, [1825] Range (as codes): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Cc AZ Len 05 44 05A
- 5492. *Yponomeuta evonymella* (Linnaeus, 1758)** (Yponomeutidae) Synonym(s): *evonymella* Linnaeus, 1758; *padi* Zeller, 1846 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Am Us Vv MD UA BY CN
- 5493. *Yponomeuta irrorella* (Hübner, 1796)** (Yponomeutidae) Synonym(s): *irrorellus* Hübner, 1796; *irrorea* Haworth, 1828; *huebneri* Koçak, 1982. Range (as codes): FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI LV LT RU MD UA BY 16 16A
- 5494. *Yponomeuta malinella* (Zeller, 1838)** (Yponomeutidae) Synonym(s): *malinellus* Zeller, 1838
Range (as codes): DZ ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM DK NO SE FI EE LV LT RU MD UA BY CN Mc KP KR JP US 05 06 13 45 56 65 05A 06R 06Rb 13A 13Ab 13Ax 13F 13F71 56F 56F1 65A 65Ac 65Ac3 65An 65Ai 65D 65Df 65Dlc 65Fz 65G 65Gb 65L 65Le 65N 65Np 65Nm
- 5495. *Yponomeuta padella* (Linnaeus, 1758)** (Yponomeutidae) Synonym(s): *padella* Linnaeus, 1758; *evonymella* Scopoli, 1763 nec Linn., 1758; *malinella* Zeller, 1838; *variabilis* Zeller, 1844; *diffuellus* Heinemann, 1870.
Range (as codes): MA ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY MK IR Elb Mz 06 38 44
- 5496. *Yponomeuta plumbella* ([Denis & Schiffermüller], 1775)** (Yponomeutidae) Synonym(s): *plumbellus* [Denis & Schiffermüller], 1775; *nigrifimbriatus* Christoph, 1882 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR DK SE FI EE LV LT RU Vv Ask MD UA BY IL Pa 05 05A

- 5497. Yponomeuta rorrella (Hübner,1796)** (Yponomeutidae) Synonym(s): *rorrella* Hübner,1796; *helicella* Freyer,1827; *rorea* Haworth,1828. Range (as codes): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ HU RO BG GR TR DK SE FI LV LT RU MD UA BY o6
- 5498. Ypsolopha albiramella (Mann,1861)** (Yponomeutidae) Synonym(s): *albiramella* Mann,1861 Range (as codes): ES IT? YU AL GR Cr TR IL Pa IR RU Cc AM TM CN Ui o5 o6 76 o5A o6R
- 5499. Ypsolopha asperella (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *asperella* Linnaeus,1761; *clairvillella* Fabricius,1798; *falcatella* Donovan,1801 Range (as codes): ES FR IT GB LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Sb CN Pkn IMn KP KR 16 16A
- 5500. Ypsolopha dentella (Fabricius,1775)** (Yponomeutidae) Synonym(s): *dentella* Fabricius,1775; *harpella* [Denis & Schifferrmüller],1775; *caprifolii* Retzius,1783; *dentatus* Fabricius,1798; *pallescentella* Staudinger,1892 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA BY Cc IL Pa Sb CN Ui Mc JP
- 5501. Ypsolopha excisella (Lederer,1855)** (Yponomeutidae) Synonym(s): *excisella* Lederer,1855 Range (as codes): ES TR MN IR Mz Kh RU At o6 13 65 o6R 13A 13Ae 13Ax 65B 65Bo 65Bx 65D 65Df 65F 65Fp 65Fz
- 5502. Ypsolopha horridella (Treitschke,1835)** (Yponomeutidae) Synonym(s): *horridella* Treitschke,1835 Range (as codes): FR IT GB NL LU DE CH AT PL HU RO BG DK NO SE FI EE LV LT RU MD UA BY CN Gn IMn NHu TR
- 5503. Ypsolopha instabilella (Mann,1866)** (Yponomeutidae) Synonym(s): *instabilella* Mann,1866 Range (as codes): ES FR CH RO YU TR RU MD UA BY KG Ssn KK TJ UZ IL Pa IR Elb Plr Mz Shh o5 47 71 o5A
- 5504. Ypsolopha kristalleniae Rebel,1916** (Yponomeutidae) Synonym(s): *kristalleniae* Rebel,1916 Range (as codes): Cr TR 46
- 5505. Ypsolopha manniella (Staudinger,1879)** (Yponomeutidae) Synonym(s): *manniella* Staudinger,1879 Range (as codes): Cr TR o5 o5A
- 5506. Ypsolopha mucronella (Scopoli,1763)** (Yponomeutidae) Synonym(s): *mucronella* Scopoli,1763; *caudella* Linnaeus,1761; *panzerella* Donovan,1794; *cultrella* Hübner,1796; *acinacidella* Hübner,1796; *mucronatus* Fabricius,1798; *helwigella* Fabricius,1798; *acinacidea* Haworth,1828 Range (as codes): PT ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL TR IL Pa DK SE EE RU MD UA BY 16 16A
- 5507. Ypsolopha nebulella (Staudinger,1871)** (Yponomeutidae) Synonym(s): *nebulella* Staudinger,1871 Range (as codes): LU RU MD UA BY TR
- 5508. Ypsolopha nervosella (Zerny,1940)** (Yponomeutidae) Synonym(s): *nervosella* Zerny,1940 Range (as codes): TR IR Elb Mz o6 13 o6A o6Aa 13A 13Ae 13Ax
- 5509. Ypsolopha parenthesella (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *parenthesella* Linnaeus,1761; *costella* Fabricius,1775; *genistella* [Denis & Schifferrmüller],1775; *ochrella* Hübner,1793; *maculella* Fabricius,1794; *costatus* Fabricius,1798; *maculatus* Fabricius,1798; *ochroleucus* Haworth,1828; *ermineus* Haworth,1828; *ustulatus* Haworth,1828; *takamukui* Matsumura,1931 Range (as codes): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn BG DK NO SE FI EE LV LT TR RU MD UA BY CN Pkn Gn Hnn KP KR JP
- 5510. Ypsolopha persicella (Fabricius,1787)** (Yponomeutidae) Synonym(s): *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960. Range (as codes): PT ES An Grn FR IT BE DE CH AT PL CZ SK HU RO YU BG GR TR RU Cc IL Pa MD UA Cm BY o1 o5 o6 16 24 31 35 o1K o5A 16A 31M
- 5511. Ypsolopha satellitella (Staudinger,1871)** (Yponomeutidae) Synonym(s): *satellitella* Staudinger,1871 Range (as codes): RU Ur CN Ui KI RU KK TM AF TR UZ Man 65?
- 5512. Ypsolopha scabrella (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *scabrella* Linnaeus,1761; *bifissella* [Denis & Schifferrmüller],1775; *pterodactylella* Hübner,1793 Range (as codes): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY TR CN Gn Hnn Sz Yu
- 5513. Ypsolopha sculpturella (Herrich-Schäffer,[1854])** (Yponomeutidae) Synonym(s): *sculpturella* Herrich-Schäffer,[1854] Range (as codes): YU BG GR Cr TR RU MD UA BY o5 71 o5A
- 5514. Ypsolopha semitessella (Mann,1861)** (Yponomeutidae) Synonym(s): *semitessella* Mann,1861 Range (as codes): YU TR RU o5 o5A
- 5515. Ypsolopha sequella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#sequella* Clerck,1759; *nycthemerella* [Denis & Schifferrmüller],1775; *nyctemerus* Fabricius,1798; *leucophaea* Zeller,1839 Range (as codes): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY 16 16A
- 5516. Ypsolopha trichonella (Mann,1861)** (Yponomeutidae) Synonym(s): *trichonella* Mann,1861 Range (as codes): ES YU TR LB Bei RU IR Kh o5 71 o5A
- 5517. Ypsolopha ustella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#ustella* Clerck,1759; *ciliella* [Denis & Schifferrmüller],1775; *radiatella* Donovan,1794 *nec* Fourc.,1785; *variella* Hübner,1796 *nec* [Den. & Schiff.],1775; *fissella* Hübner,1796; *cornutus* Fabricius,1798; *unguiculatus* Fabricius,1798; *parallela* Panzer,1799; *byssinella* Hübner,[1813]; *quinquepunctatus* Haworth,1828; *lutosus* Haworth,1828; *flaviciliatus* Haworth,1828; *varians* Haworth,1828; *fissus* Haworth,1828; *radiatus* Haworth,1828; *fulvella* Duponchel,1839 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR GlS o6 o6R
- 5518. Ypsolopha vittella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *vittella* Linnaeus,1758; *sisymbrella* Denis & Schifferrmüller,[1775]; *lanceolata* Fabricius,1777; *lancea* Borkhausen,1792; *dorsella* Fabricius,1794;

dorsatus Fabricius,1798; #*vitellum* Noack,1960. Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY CN 06 16 06R 16A

5519. *Zelleria hepariella* Stainton,1849 (Yponomeutidae) Synonym(s): *hepariella* Stainton,1849 Range (as codes): ES FR Co Sa Si IT IE GB NL DE CH AT PL SK RO YU GR TR DK NO SE LV 16 16A

5520. *Zelleria oleastrella* (Millière,1864) (Yponomeutidae) Synonym(s): *oleastrella* Millière,1864 Range (as codes): Cn PT ES FR Co Sa Si MT YU GR Cr CY TR 01 31 33 80 01C 01E 01G 31B 31C 31D 31H 31G 31K 31L 31O 33R 80A 80B 80E 80G

Zygaenidae

5521. *Adscita (Tarmannita) mannii* (Lederer,1853) (Zygaenidae) Synonym(s): *mannii* Lederer,1853; *heydenreichii* Lederer,1853; *crassicornis* Staudinger,1862; *prasina* Rothschild,1917; *glauca* Verity,1946; *pseudostatices* Verity,1946. Range (as codes): DZ Khh TN DhM ES FR Si IT DE CH AT RO YU AL BG GR TR Cc GG Smt Bjo Tbl 33 76 33G 76C

5522. *Adscita (s.str.) capitalis* (Staudinger,1878) (Zygaenidae) Synonym(s): *capitalis* Staudinger,1878 Range (as codes): YU MK TR 01 05 06 50 51 58 05A

5523. *Adscita (s.str.) italica* (Alberti,1937) (Zygaenidae) Synonym(s): *italica* Alberti,1937 Range (as codes): IT Cc TR 08 13 36 65 13G

5524. *Adscita (s.str.) obscura* (Zeller,1847) (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862. Range (as codes): MK BG GR Rd CY TR RU Da Cc GG SY LB Bsa Pa IL Hf EG IQ IR Fa Sse GlS Kh 02 05 06 12 16 21 30 31 33 35 36 38 42 44 46 50 51 56 63 65 71 80 02F 02Fc 02Fz 05A 06R 06Rd 16A 21L 21Ld 30D 30Df 44L 56F 56Fi 63B 65A 65Am 65Am4 65F 65Fb 65N 65Nr7 65Nm

5525. *Adscita (s.str.) statices* (Linnaeus,1758) (Zygaenidae) Synonym(s): *statices* Linnaeus,1758; *turcosa* Retzius,1783; *stuticus* Fourcroy,1785; *micans* Freyer,1833; *extensa* Alberti,1937; *anomala* Verity,1946; *lutrinensis* Heuser,1960; *heuseri* Reichl,1964 Range (as codes): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Cc GG MD UA BY KK KG CN Ui Ii 06 10 23 31 34 38 58 80 06R 06Rb 10K 10Ka 34C 58N 58R 58Rd

5526. *Clelea fusca* (Leech,1887) (Zygaenidae) Synonym(s): *fusca* Leech,1887; *microphaea* Hampson,1919; *syriaca* Hampson,1919; *maerens* Matsumura,1925 nec Stgr.,1887; *sachalinensis* Matsumura,1927 Range (as codes): JP KP KR RU Sh TR SY 31

5527. *Jordanita (Lucasiterna) subsolana* (Staudinger,1862) (Zygaenidae) Synonym(s): *cognata* Rambur,1858 nec H.-Sch.,1847; *subsolana* Staudinger,1862; *schuetzei* Alberti,1940; *modesta* Verity,1946; *venusta* Verity,1946 Range (as codes): ES FR Si IT BE DE CH AT CZ SK HU RO YU AL BG GR Rd TR Cc SY IQ Ama RU MD UA Cm At Sb UZ Smk Man Nmg KK Gul 02 06 10 29 32 33 35 38 47 60 63 65 75 02F 02Fc 02Fz 06R 06Rb 10K 10Ka 33G 47D 47Dc 65A 65Am 65Am1

5528. *Jordanita (Praviela) anatolica* (Naufock,1929) (Zygaenidae) Synonym(s): *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi* Naufock,1935; ? *christinae* Keil,1998. Range (as codes): TR Cc AZ Nv IR Lo Fa Shr LB Bsa SY CY EG Sn LY JO IQ 13 23 27 30 33 42 44 46 47 63 65 33P

5529. *Jordanita (Rjabovia) horni* (Alberti,1937) (Zygaenidae) Synonym(s): *horni* Alberti,1937; *#armena* Alberti,1970. Range (as codes): TR Cc AM Geg AZ Nv Ord IR Elb Plr Kdv 50 65 50F

5530. *Jordanita (Roccia) budensis* (Speyer & Speyer,1858) (Zygaenidae) Synonym(s): *budensis* Speyer & Speyer,1858 Range (as codes): ES FR IT CH AT SK HU RO YU AL BG GR TR Cc RU MD UA BY CN Ui Ju Ku 05 06 23 29 33 36 42 51 58 62 69 70 05A 23M

5531. *Jordanita (Roccia) hector* (Jordan,1909) (Zygaenidae) Synonym(s): *hector* Jordan,1909; *#monotona* Alberti,1937 Range (as codes): TR LB 01 03 31 33 42 80

5532. *Jordanita (Roccia) kurdica* (Tarmann,1987) (Zygaenidae) Synonym(s): *kurdica* Tarmann,1987 Range (as codes): TR IR 30

5533. *Jordanita (Roccia) paupera* (Christoph,1887) (Zygaenidae) Synonym(s): *paupera* Christoph,1887; *mollis* Groum-Grshimailo,1893; *hamifera* Jordan,1909; *tamerlana* Alberti,1937; *minor* Alberti,1937 Range (as codes): TR JO TM Ger KG TJ UZ Smk IR Shh Elb CN Ui Um Ku Kl Ju RU Vv KP KR 06

5534. *Jordanita (Roccia) staudingeri* Alberti,1954 (Zygaenidae) Synonym(s): *staudingeri* Alberti,1954 Range (as codes): TR

5535. *Jordanita (Roccia) volgensis* (Möschler,1862) (Zygaenidae) Synonym(s): *volgensis* Möschler,1862 Range (as codes): RU Da Tt Or Om Sr No VI UA KG Uk TR SY Dms AM AZ Kir Nv Ord Bak Cc GG Smt Akh 01 06 13 36 44 49 51 58 63 65 70 06K 06Kb 06R 06Rd 49F 49Fb 58G 58Gd 65A 65Au 65D 65Dg 65F 65Fe

5536. *Jordanita (Tremewania) notata* (Zeller,1847) (Zygaenidae) Synonym(s): *notata* Zeller,1847 Range (as codes): DZ Lbs Sbd Afl Ges Khh Lbs DhM TN PT ES Mu FR Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc IR Ab Jal RU MD UA Cm 05 06 13 30 36 44 47 56 65 80 05A 56F 56Fc 56Fi

5537. *Jordanita (s.str.) chloronota* Staudinger,1870 (Zygaenidae) Synonym(s): *chloronota* Staudinger,1870; *#minima* Alberti,1937 Range (as codes): TR 01 33 33G

- 5538. *Jordanita (s.str.) chloros* (Hübner,[1813])** (Zygaenidae) Synonym(s): *chloros* Hübner,[1813]; *sepium* Boisduval,1834; *minor* Eversmann,1844; *haegeri* Alberti,1973 Range (as codes): FR IT DE CH AT CZ SK HU RO YU Ko AL MK BG GR TR RU Kis Pja Kis MD UA Cm Cc SY IQ IR 05 06 16 23 24 25 30 42 69 76 05A 06R 06Rb 76C 76D 76Da
- 5539. *Jordanita (s.str.) globulariae* (Hübner,1793)** (Zygaenidae) Synonym(s): *globulariae* Hübner,1793 Range (as codes): PT ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU MD UA Cc GG Bjo Smt Tbl AZ Kir Nv Ord 16 34 76 76C
- 5540. *Jordanita (s.str.) graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907 Range (as codes): SK HU RO YU AT HV AL BG GR Tyg TR RU MD UA Cm AM Eri Cc GG AZ CY IQ IR Elb Th Kdj 06 07 09 10 13 16 24 25 29 30 33 35 39 42 46 47 49 50 51 56 58 60 62 63 65 73 80 06C 06Cb 06R 06Rb 07B 07C 07Cc 09M 10U 13A 13Ab 13Ax 16A 25O 29C 29Cc 30B 33B 33C 33P 35U 35Ua 39K 42B 42Ba 46F 49E 49Ea 51B 51D 56F 56Fc 58N 60C 63L 65K 65Kd 65N 65Nc 65Np2 65Nm 73A 73Aa 80G
- 5541. *Jordanita (s.str.) tenuicornis* (Zeller,1847)** (Zygaenidae) Synonym(s): *tenuicornis* Zeller,1847 Range (as codes): DZ Lbs Si IT TR LB Bei Cc AZ Nv Ord 05 35 45 76 05A 76C
- 5542. *Rhagades (Wiegelia) amasina* (Herrich-Schäffer,1851)** (Zygaenidae) Synonym(s): *amasina* Herrich-Schäffer,1851 Range (as codes): GR Rd TR LB 01 03 05 09 17 33 35 45 46 51 63 05A
- 5543. *Theresimima ampelophaga* (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878. Range (as codes): DZ ES FR IT Co Sa Si SK HU RO YU MK AL BG GR Cr TR RU MD AZ GG AM CY IL Pa SY LB 01 07 16 31 33 35 46 63 79 16A 63D
- 5544. *Zygaena (Agrumenia) armena* Eversmann,1851** (Zygaenidae) Synonym(s): *armena* Eversmann,1851; *kadenii* Lederer,1864 Range (as codes): TR GG Aba Smt Akh Cc RU Kb Teh 08 75 08A 75F 75Fg 75Fi
- 5545. *Zygaena (Agrumenia) carniolica* (Scopoli,1763)** (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909 Range (as codes): ES FR Si IT BE LU DE Brd CH AT Stm PL CZ SK HU RO Do B-H Sjn HV Zad SS YU MK Skj AL BG Vrn Ppp Slv GR Cr Ve Prn TR IR Elb Mz Dam KG Tk Ii CN Ui UZ LB Ksr Bsa SY Nv Ord AZ AM Alg GG Smt Im Kta Akh Cc LV RU Ur Nt Sr Da Aty Nov Kr Kis Tua MD UA Cm BY 01 04 05 06 07 08 13 14 16 18 22 23 24 25 29 30 31 33 34 35 36 37 38 39 41 42 43 46 58 60 65 66 71 75 76 77 78 01K 05A 06C 06Cb 16A 18F 25E 31M 33G 37E 37Eb 46L 58F 58N 60H 60Hb 65A 65Ac 65D 65Dda 65Fi 65Fz 65H 65K 65Kc 65Kr 65Z 65N 65Np1 65Nm 75F 76C 78D 78Da
- 5546. *Zygaena (Agrumenia) formosa* Herrich-Schäffer,[1852]** (Zygaenidae) Synonym(s): *formosa* Herrich-Schäffer,[1852] Range (as codes): Cc TR 01 04 05 06 29 42 44 51 58 70 76 01K 04I 05A 06C 06Cb 51D 70C 70Cf 70Cg 76B
- 5547. *Zygaena (Agrumenia) fraxini* Ménétériés,1832** (Zygaenidae) Synonym(s): *fraxini* Ménétériés,1832; *scovitzii* Ménétériés,1832; *cingulata* Sheljuzhko,1958 Range (as codes): TR RU AZ Len Tlh Kir GG Tbl Cc Bjo Smt Der Da 30 76 30B 30Bk 76C
- 5548. *Zygaena (Agrumenia) loti* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777 Range (as codes): ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG Slv GR TR IR GG Sva Sok Abk Aba Cc AM Eri AZ Nv RU Kb Teh Da Kis MD UA Cm BY 04 05 06 08 12 13 14 18 22 23 25 26 28 29 30 31 32 36 37 38 42 44 46 49 53 58 60 62 65 69 71 75 76 78 05A 06C 06Cb 06K 06Kc 06R 06Rd 06Rk 08G 12A 12Ab 14I 14Ib 23I 32C 36D 36F 36Fa 44A 44Ab 46F 46Fd 62E 65D 65Dn 65Dt 65F 65Fb 65Fd 65Fp 65Fz 65K 65Kd 65Kg 65N 65Np1 65Np2 65Np7 65Np8 65Nr2 65Nm 75F 76C 76D 76Dd 78D 78Da
- 5549. *Zygaena (Agrumenia) olivieri* Boisduval,1828** (Zygaenidae) Synonym(s): *olivieri* Boisduval,1828; *cremonae* Seitz,1907 Range (as codes): TR Cc GG Akh Smt IR LB Zah Bsa Bei SY AM Alg Eri Zng AZ Nv Ord Kir 01 04 05 06 07 08 11 13 19 23 25 29 30 33 36 38 42 44 46 49 50 58 60 62 65 66 70 73 76 01K 05A 06K 06Kb 07B 07C 08H 08Hc 13G 13Gb 13Ge1 13Ge 33R 33Rb 42B 42Bb 44L 46G 46L 58N 62E 65A 65Am 65Am1 65D 65Dl 65Dlc 65Do 65Doa 65F 65Fe 70B 70Bb 70C 70Ce 76C 76D 76Dd
- 5550. *Zygaena (Agrumenia) peschmerga* Eckweiler & Görgner,1981** (Zygaenidae) Synonym(s): *peschmerga* Eckweiler & Görgner,1981 Range (as codes): TR 30 65 30B 30Bb 30Bk 65F 65Fw 65Fz
- 5551. *Zygaena (Agrumenia) rosinae* Korb,1903** (Zygaenidae) Synonym(s): *rosinae* Korb,1903 Range (as codes): TR Cc AM Alg AZ Nv IR Elb Mz Bl Ke 36 76 36D 76D
- 5552. *Zygaena (Agrumenia) sedi* Fabricius,1787** (Zygaenidae) Synonym(s): *sedi* Fabricius,1787 Range (as codes): BG Slv GR TR Cc UA Cm RU 06 12 36 45 46 49 58 60 65 06K 06Kb 36F 49E 49Ea 60C 65F 65Fe
- 5553. *Zygaena (Mesembrynus) adsharica* H.Reiss,1935** (Zygaenidae) Synonym(s): *adsharica* H.Reiss,1935; *#interrupta* H.Reiss,1935; *#omniconfluens* H.Reiss,1935 Range (as codes): TR Cc GG Smt Akh AZ Bak
- 5554. *Zygaena (Mesembrynus) araxis* Koch,1936** (Zygaenidae) Synonym(s): *araxis* Koch,1936 Range (as codes): TR Cc AZ Nv Ord IR Zj 65 65K 65Kd 65Kg
- 5555. *Zygaena (Mesembrynus) brizae* (Esper,1800)** (Zygaenidae) Synonym(s): *brizae* Esper,1800 Range (as codes): FR IT AT PL CZ SK HU B-H ME MK AL GR Cr TR RU AZ Hkd GG Smt Akh Cc Bjo Bku Aba Kir 01 05 08 25 29 33 36 42 49 53 58 60 61 65 66 76 80 05A 08C 76C
- 5556. *Zygaena (Mesembrynus) cambysea* Lederer,1870** (Zygaenidae) Synonym(s): *cambysea* Lederer,1870 Range (as codes): Cc TR AM Eri AZ Ist IR Mz Th Elb Fa Sse Gor IQ 04 05 13 25 30 58 62 65 73 76 13A 13Ab 13Ax 30D 30De 65B 65Bo 65Bx 65D 65Dc 65Dd 65Dda 65F 65Fg 65Fp 65Fz 65K 65Kc 65Kg 65N 65Np1 65Np2 65Nm 76D 76Dd

- 5557. *Zygaena (Mesembrynus) cuvieri* Boisduval, 1828** (Zygaenidae) Synonym(s): *cuvieri* Boisduval, 1828 Range (as codes): TR IR Ab Oru Ha Kd IQ Ama Cc AM Eri SY TM Kp LB Bei Bsa AZ Nv Ord 04 13 29 30 36 44 49 65 66 69 73 76 13F 13F71 65D 65Dlc 65F 65Fg 65Fo 65Fp 65Fz 65K 65Kd 65Kz 65Kg 65N 65Np 65Np6 65Nm 76C
- 5558. *Zygaena (Mesembrynus) cynarae* (Esper, [1789])** (Zygaenidae) Synonym(s): *cynarae* Esper, [1789]; *genistae* Herrich-Schäffer, 1846 Range (as codes): FR IT BE DE AT PL CZ SK HU YU RU Sm Ur Kkn Voo Uvj St Pik TR GG Smt Akh Aj Cc MD UA Kiw 75
- 5559. *Zygaena (Mesembrynus) haematina* Kollar, [1849]** (Zygaenidae) Synonym(s): *haematina* Kollar, [1849] Range (as codes): TR IR Fa By Lo Es 30 65 65D 65Dl 65Dlb
- 5560. *Zygaena (Mesembrynus) laeta* (Hübner, 1790)** (Zygaenidae) Synonym(s): *laeta* Hübner, 1790 Range (as codes): AT CZ SK HU RO YU AL MK BG GR Rd TR RU MD UA BY 05 06 11 13 16 17 25 38 42 46 58 63 66 70 05A 06K 06Kb 16A 25F 63D 70A
- 5561. *Zygaena (Mesembrynus) lydia* Staudinger, 1887** (Zygaenidae) Synonym(s): *lydia* Staudinger, 1887 Range (as codes): Cc TR 01 13 30 36 44 51 65 01K 36F 44L
- 5562. *Zygaena (Mesembrynus) manlia* Lederer, 1870** (Zygaenidae) Synonym(s): *manlia* Lederer, 1870 Range (as codes): TR IR Ke Ss Es Fa Bl Mz Kh IQ Cc AM AZ Nv Ord TM Bl Elb TM Kp Kh 30 65 30B 65F
- 5563. *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller], 1775)** (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller], 1775. Range (as codes): FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR SY Hal GG AZ Len Cc AM Alg DK SE FI EE LV LT RU Sr Da IR Elb GlS TM Kp 01 06 07 10 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75 01K 06C 06Cb 06K 06Kb 06R 06Rk 07A 07Ag 07B 13G 31M 36D 36Db 36Dc 36F 75A 75Ab
- 5564. *Zygaena (Mesembrynus) punctum* Ochsenheimer, 1808** (Zygaenidae) Synonym(s): *punctum* Ochsenheimer, 1808 Range (as codes): Si IT AT CZ SK HU RO YU AL BG GR Cr Rd TR AZ GG Cc Bjo Smt Akh AM Eri RU Sr 04 05 06 12 13 17 23 33 35 42 44 45 49 51 57 58 60 65 66 70 76 05A 13G 33G 44L 44Lc 58N 65N 65Np2 65Np7 65Np8 65Nm 70C 70Cb 70D 70Dz
- 5565. *Zygaena (Mesembrynus) purpuralis* (Brünnich, 1763)** (Zygaenidae) Synonym(s): *purpuralis* Brünnich, 1763; *pythia* Fabricius, 1777; *scabiosae* Scheven, 1777; *pilosellae* Esper, 1780; *pluto* Ochsenheimer, 1808; *pasiphae* Meigen, [1829]; *tatvanica* Reiss & Reiss, 1973. Range (as codes): ES FR Si IT IE GB BE LU DE CH AT PL CZ SK HU RO B-H HV MK Och Doj YU AL BG Slv GR TR AM Alg GG Smt Akh Tbl Cc DK LT RU Kc Teb Kis Pja Da Der At MD UA Cm BY KK KG Lps Ket CN Ui Ku T-S Na 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 46 58 61 62 65 69 71 72 75 76 06R 06Rb 06Rd 16A 29F 46F 46Fe 58N 61K 61Kb 65A 65Au 65F 65Fg 72E 72Eh 72Ei 75F 75Fg 75Fg 76B 76C
- 5566. *Zygaena (Mesembrynus) tamara* Christoph, 1889** (Zygaenidae) Synonym(s): *tamara* Christoph, 1889 Range (as codes): TR IQ IR Ak Ab Mha Sdt Krd Kdv Elb Gh Mz Lo Es Km Zj Th Ha Kd Bne Mrv Bjr Qz Cc AM Azb Alg AZ Nv Ord 13 30 62 65 30B 30Be 30Bo 30D 30Df 30Dt 62E 65F 65Fd 65G 65Gb 65Gl 65K 65Kr 65Z 65N 65Nf 65Np1 65Nm
- 5567. *Zygaena (Mesembrynus) turkmenica* H. Reiss, 1933** (Zygaenidae) Synonym(s): *turkmenica* H. Reiss, 1933 Range (as codes): AF Kbb Pnj BdA TM Kp IR Fa Kh Es Ss TR IQ 30 65
- 5568. *Zygaena* (s.str.) *amanica* Reiss, 1935** (Zygaenidae) Synonym(s): *amanica* Reiss, 1935 Range (as codes): TR 31 46
- 5569. *Zygaena* (s.str.) *araratica* Staudinger, 1871** (Zygaenidae) Synonym(s): *araratica* Staudinger, 1871 Range (as codes): Cc AM TR GG Tbl 76
- 5570. *Zygaena* (s.str.) *dorycnii* Ochsenheimer, 1808** (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer, 1808 Range (as codes): TR GG Cc Smt Bjo Len Lag Kir Mng Dar IR Th Ak Mz GlS AM AZ RU MD UA 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76 06R 06Rd 13G 33G 42B 75F 76C
- 5571. *Zygaena* (s.str.) *filipendulae* (Linnaeus, 1758)** (Zygaenidae) Synonym(s): *filipendulae* Linnaeus, 1758; *aries* Retzius, 1783; *ramburi* Herrich-Schäffer, 1861; *mersina* Herrich-Schäffer, 1861; *gurda* Lederer, 1861; *rosa* Oberthür, 1909 Range (as codes): ES Mu FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo GG Abk Sok AZ AM DK NO SE FI EE LV LT RU Kc Teb Nt MD UA Kiw BY IR Ak Ab LB Bei Bsa Aiz 01 05 06 08 10 11 12 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76 78 05A 06R 06Rb 06Rd 10K 10Ka 12A 13G 14I 14Ib 25A 31K 31Ka 31M 36F 50G 61K 65A 65Ai 65Au 65F 65Fe 65Fp 65Fz 65N 65Nr6 65Nm 76C 76D 76Da 78D 78Da
- 5572. *Zygaena* (s.str.) *graslini* Lederer, 1855** (Zygaenidae) Synonym(s): *graslini* Lederer, 1855 Range (as codes): LB Bsa Ctr Bei IL Pa Hf JO TR SY 27 31 33 46 63 70 27C 27D 27Db 31A 31Aa 33P 63D 70C 70Cb
- 5573. *Zygaena* (s.str.) *lonicerae* (Scheven, 1777)** (Zygaenidae) Synonym(s): *lonicerae* Scheven, 1777; *graminis* De Villers, 1789; *rechei* Dujardin, 1965; *microdoxa* Dujardin, 1965 Range (as codes): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK BG GR TR GG Aba Smt Akh Sok Tbl Cc AZ AM IR Ak DK NO SE FI EE LV LT RU Da Kc Teb Nt Ur MD UA Kiw BY 05 06 08 10 13 14 16 24 25 29 36 42 55 58 62 65 75 76 05A 06R 06Rb 08A 10K 10Ka 13G 16A 36F 49E 49Ea 65F 65Fe 75A 75Aa 75Ab 75F
- 5574. *Zygaena* (s.str.) *osterodensis* H. Reiss, 1921** (Zygaenidae) Synonym(s): *osterodensis* H. Reiss, 1921 Range (as codes): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Akh DK NO SE FI EE LV RU At Sb Ur Sr Ba MD UA BY MN U-B 13 36 49 53 13G 53M
- 5575. *Zygaena* (s.str.) *problematica* Naumann, 1966** (Zygaenidae) Synonym(s): *problematica* Naumann, 1966 Range (as codes): TR 33

- 5576. *Zygaena* (s.str.) *senescens* Staudinger, 1887** (Zygaenidae) Synonym(s): *senescens* Staudinger, 1887 Range (as codes): TR 01 46 01K 46G
- 5577. *Zygaena* (s.str.) *viciae* ([Denis & Schiffermüller], 1775)** (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller], 1775; *meliloti* Esper, 1789; *buglossi* Boisduval, 1829 Range (as codes): ES FR SI IT GB BE LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR IR Mz GlS Cc GG Abk Tbl Aba AZ AM DK NO SE FI EE LV LT RU Da Mah Bgo Kc Teb Nt Sb Ur MD UA BY MN U-B KG DsA UZ 05 06 08 13 18 24 25 28 31 33 38 42 46 49 58 60 71 76 76C

Selected Bibliography

1. **Aarvik, L. & O. Karsholt**, 1993, New and little known Grapholitini (Lepidoptera, Tortricidae) from the Mediterranean area. *Nota lepid.* 15 (3/4): 164-178, figs.
2. **Aarvik, L.**, 2012, *Symmoca sparsella* Joannis, 1891 (Gelechioidea, Autostichidae) new to Europe. *Nota lepid.* 35 (2): 181-183, figs.
3. **Abadjiev, S. & J. Ganev**, 1990, *Anthocharis gruneri macedonica* (Buresch, 1921) syn. nov. of *Anthocharis gruneri gruneri* (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). *Phegea* 18 (2): 65-66.
4. **Acatay, A.**, 1953, Çam kese böceği (*Thaumatopoea pityocampa* Schiff., *Thaumatopoea wilkinsoni* Tams) hakkında araştırmalar ve adalardaki mücadelesi. *Ist. Univ. Orman Fak. Dergisi* 3(1/2): 29-47, 9 şekil
5. **Acatay, A.**, 1972, *Thaumatopoea* Hbst. (Lep., *Thaumatopoeidae*) Arten in der Türkei. 13 Int. Congr. Ent. Moscow, Proceedings 3: 8-9.
6. **Ackery, P. R.**, 1973, A list of the type-specimens of *Parnassius* in the British Museum (Natural History). *Bull. Br. Mus. (Nat. Hist.) Ent.* 29: 1-35.
7. **Ackery, P. R.**, 1975, A Guide to the genera and species of *Parnassiinae* (Lepidoptera, Papilionidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 31 (4): 71-105, 32 figs., 16 pls.
8. **Adamczewski, S.**, 1951, On the systematics and origin of the generic group *Oxyptilus* Zeller (Lepidoptera, Alucitidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 1 (5): 301-388, pls.
9. **Agassiz, D. J. L. & J. R. Langmaid**, 2004, The *Eucosma hohenwartiana* group of species (Tortricidae). *Nota lepid.* 27 (1): 41-49, figs.
10. **Agassiz, J. L. R.**, 1846-1847, *Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium* [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman.
11. **Agassiz, R. D. & B. Skinner**, 1980, The apparent absence from Britain of *Thera variata* (Denis & Schiffermueller) and related changes in the nomenclature. *Entomologist's Rec. J. Var.* 92(7/8): 162-166, pls.
12. **Agenjo, R.**, 1941, Monografía de la Familia *Thaumatopoeidae* (Lepidoptera). *Eos* 17: 69-130, 5 pls.
13. **Agenjo, R.**, 1956, Monografía del genero *Narraga* Wlk. (Lepidoptera, Geometridae). *Eos* 32: 7-56, pls.
14. **Agenjo, R.**, 1958, Tribus y Subtribus de la Subfamilia *Phycitinae* Cotes, 1899 (Lepidoptera, *Phycitidae*). *Eos* 34: 205-208.
15. **Ahola, M.**, 1986, Larvae of European *Polia Ochsenheimer* (Lepidoptera, Noctuidae), with proposals on a subgeneric division and phylogeny. *Ent. scand.* 17: 55-74, figs.
16. **Akbulut, S., Yüksel, B. & A. Ketten**, 2003, The Lepidoptera (Insecta) Fauna of Düzce Province, Turkey. *Türk J. Zool.* 27: 257-268 [with some nomenclatural errors!].
17. **Akın, Ç.**, 2000, Edirne kelekleri hakkında notlar (Lepidoptera). *Centr. ent. Stud., Misc. Pap.* 63: 5-8.
18. **Akın, K.**, 2011, On the distribution and biology of *Orthosia rubricosa* (Esper, [1786]) in Turkey (Lepidoptera, Noctuidae). *Cesa News* 70: 3-5, 2 figs. 1 map.
19. **Akın, K.**, 2013, *Dolicharthria intervacatalis* (Chr.), new to the fauna of Turkey (Pyrallidae, Lepidoptera). *Cesa News* 92: 2-3, 1 fig.
20. **Akın, K.**, 2014, Mutki ilçesi (Bitlis) *Pyrallidae* (Lepidoptera) faunası ve ekolojisi üzerine araştırmalar. xxii + 340 s., şekil, harita, çizelge. YYÜ Fen Bilim. Enst. Doktora tezi [unpublished].
21. **Akın, K.**, 2015, New species and genera for the fauna of Turkey (Lepidoptera, *Pyrallidae*, *Phycitinae*). *Ent. News* 125 (1): 38-42.
22. **Akın, K.**, 2016, A new species of the genus *Megasis* Guenée, 1845 from Turkey (Lepidoptera, *Pyrallidae*). *Zool. Middle East* 62 (1): 1-3, 2 figs.
23. **Akın, K., Seven, E. & K. Layci**, 2015, About distribution of *Acrobasis advenella* Zincken, 1818 in Turkey. *BEU J. Sci.* 4 (1): 65-67.
24. **Akkuzu, E., Ayberk, H. & S. Inac**, 2007, Hawk moths (Lepidoptera, *Sphingidae*) of Turkey and their zoogeographical distribution. *J. env. biol.* 28 (4): 723-730.
25. **Albers, T. & F. Diehl**, 1938, Beitrag zur Verbreitung von *Chloridea dipsacea* L. und *maritima* Grasl. *Ent. Rdsch.* 55: 461-465.
26. **Albers, T.**, 1940, Beiträge zur Kenntnis der Gattung *Boarmia* Tr. (Geom., Pal.) I. *Boarmia correptaria* Z. und ihre Stellung im System. *Z. Wien. ent. Ver.* 25: 65-69, Taf. xii-xiii.

27. **Albers, T.**, 1941, Beiträge zur Kenntnis der Gattung *Boarmia* Tr. (Geom., pal.) II. Die männlichen Genitalarmaturen der europäischen und nordafrikanischen Boarmien. Mitt. münch. ent. Ges. 31: 948-982, 25 Abb.
28. **Alberti, B. & K. Fritsch**, 1983, Über einige bemerkenswerte Funde von Lepidoptera aus dem Grossen Kaukasus. Nota lepid. 6 (4): 192-202, figs.
29. **Alberti, B.**, 1928, Über *Lycaena thersites* Cant. Dt. ent. Z. 1928: 211-217.
30. **Alberti, B.**, 1937-1938, Revision und Neubeschreibungen asiatischer *Procris*-Arten. Mitt. münch. ent. Ges. 27 (2): 67-101; 27 (3): 116-126, 3 Taf.
31. **Alberti, B.**, 1938, Nachtrag zur Revision asiatischer *Procris*-Arten. Mitt. münch. ent. Ges. 28 (2): 92-96, figs.
32. **Alberti, B.**, 1954, Über die stammesgeschichtliche Gliederung der *Zygaenidae*, nebst Revision einiger Gruppen (Insecta, Lepidoptera). Mitt. zool. Mus. Berl. 30: 115-480, 33 figs., 63 pls.
33. **Alberti, B.**, 1955, Eine neue Vikariante der *Pyrgus malvae* L.-Gruppe (Lep., Hesperidae). Z. Wien. ent. Ges. 40: 43-46, figs.
34. **Alberti, B.**, 1955, Zur Kenntnis der Gattung *Carcharodus* Hbn., mit einer Betrachtung zum Art- und Gattungsbegriff. Z. Lepid. 3: 105-142, figs.
35. **Alberti, B.**, 1955, Zur Stammesgeschichte und Systematik der *Zygaenini* (Lepidoptera, *Zygaenidae*). Dt. ent. Z. (N.F.) 2: 301-321, 5 figs., 5 Pls.
36. **Alberti, B.**, 1956, Zur Umgrenzung und Gliederung von *Zygaena* F. Ent. Z., Frankf. a. M. 66: 200-206.
37. **Alberti, B.**, 1964, Über Verbreitungsbild und systematische Wertung von *Carcharodus orientalis* Rev. and *altheae* Hbn. (Lepidoptera, Hesperidae). Z. wien. ent. Ges. 49: 99-103, figs.
38. **Alberti, B.**, 1965, Westasiatische und nordkaukasische *Procris* Funde (Lepidoptera, *Zygaenidae*). Opusc. zool. 88: 1-7, figs.
39. **Alberti, B.**, 1965, Zur Kenntnis der *Plusia modesta* Hb.-Gruppe (Lepidoptera, Noctuidae). Dt. ent. Z. (N.F.) 12 (4/5): 365-369, figs.
40. **Alberti, B.**, 1971, Über *Zygaena dorycnii* O. und forma *araratica* Stgr. (Lepidoptera, *Zygaenidae*). NachrBl. bayer. Ent. 20: 1-4.
41. **Alberti, B.**, 1973, Ergänzende Bemerkungen zu Higgins & Riley "A field guide to the butterflies of Britain and Europe", nebst Beschreibung der *Lycaena pyrenaica latedisjuncta* n.subsp. Ent. Z., Frankf. a. M. 83: 217-223.
42. **Alberti, B.**, 1973, Zweite Mitteilung über einige neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). Atalanta 4 (6): 380-393, 2 pls.
43. **Alberti, B.**, 1974, Ergebnisse der tschechoslovakisch- iranischen entomologischen Expedition nach der Iran 1970 (mit Angaben ueber einige Sammelresultate in Anatolien). Nr.5 Lepidoptera: Hesperidae, Syntomidae, *Zygaenidae*. Acta ent. Mus. natn. Pragae (suppl.) 6: 79-85.
44. **Alberti, B.**, 1974, Über die Identität von *Procris staudingeri* Alberti, mit *Procris hector* Jordan, nebst Beschreibung einer neuen Unterart von *Procris volgensis* (Lepidoptera, *Zygaenidae*). Ent. Z., Frankf. a. M. 84: 48-51, 6 figs.
45. **Alberti, B.**, 1974, Zur Kenntnis der Artgruppe um *Melitaea athalia* im Kaukasus (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 84: 157-164, figs.
46. **Alberti, B.**, 1975, Über eine neue Form von *Endromis versicolora* (Lep., Endromidae). Ent. Z., Frankf. a. M. 85 (8): 85-89, Abb.
47. **Alberti, B.**, 1975, Über einige Artprobleme in der Gattung *Zygaena* (Lepidoptera, *Zygaenidae*). NachrBl. bayer. Ent. 22: 8-15.
48. **Alberti, B.**, 1981, Über Wesen und Aussagegrenzen der "Phylogenetischen Systematik" von Hennig, untersucht am Beispiel der *Zygaenidae*. Mitt. münch. ent. Ges. 71: 1-31, 7 figs.
49. **Alberti, B.**, 1984, Zur Taxonomie der *Pyrgus alveus* Hb.- Gruppe (Lepidoptera, Hesperidae). Nota lepid. 7 (1): 2-6.
50. **Albrecht, M., Goldschalt, M. & R. Treiber**, 1999, Der Heilziest-Dickkopffalter *Carcharodus floccifera* (Zeller, 1847) (Lepidoptera, Hesperidae). Nachr. ent. Ver. Apollo, Suppl. 18: 1-256, 76 Abb. Tab.
51. **Alipanah, H. & P. Ustjuzhanin**, 2005, An annotated checklist of the Pterophorinae (Oidaematophorini and Pterophorini) of Iran (Lepidoptera, Pterophoridae). Ent. fenn. 16: 129-143, figs.
52. **Alkan, B.**, 1946, Kızılcahamam, Bolu (Abant) ve Düzce ormanlarında entomolojik araştırmalar. 28pp. 26 figs. Hüsnütabiat Basımevi, İstanbul [in Turkish].

53. **Alpheraky, S.N.**, 1876, Die Schmetterlinge der Umgegend von Taganrog. Trudy russk. ent. Obshch. 8: 150-226.
54. **Alpheraky, S.N.**, 1877, Lepidoptera Caucasi Septentrionalis. Trudy russk. ent. Obshch. 10: 3-34.
55. **Alpheraky, S.N.**, 1880, Die Lepidopteren der Umgegend von Taganrog. Trudy russk. ent. Obshch. 11: 45-50.
56. **Alpheraky, S.N.**, 1880, Hypenodes balneorum sp.n. Horae Soc. ent. ross. 15: 137-138.
57. **Alpheraky, S.N.**, 1881, Lépidopteres du district de Kouldja et des montagnes environnantes. Iere Partie. Rhopalocera. Horae Soc. ent. ross. 16: 334-435, pls.
58. **Alpheraky, S.N.**, 1882, Lépidopteres du district de Kouldja et des montagnes environnantes II. Partie. Horae Soc. ent. ross. 17: 15-103, pls.
59. **Alpheraky, S.N.**, 1883, Lépidopteres du district de Kouldja et des montagnes environnantes III. Partie. Horae Soc. ent. ross. 17: 156-227, pls.
60. **Alpheraky, S.N.**, 1883, Ueber die Gattung Colias F. Stettin ent. Ztg. 44: 488-495.
61. **Alpheraky, S.N.**, 1889, Le Pamir et sa faune lépidoptérologique. Noctuelites. [In] Romanoff, N.M., Mém. Lépid. 5: 124-191.
62. **Alpheraky, S.N.**, 1893, Metopoplus gen.n., [in] Christoph, A., Lepidoptera nova faunae palaearticae. Dt. ent. Z., Iris 6: 92.
63. **Alpheraky, S.N.**, 1908, Schmetterlinge der Umgebung von Taganrog. Horae Soc. ent. ross. 38: 558-627.
64. **Alpheraky, S.N.**, 1913, Quelques données sur les races de la Zegris eupheme Esper. Etud. Lepid. comp. 7: 221-234.
65. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki Koruma Bült. 21 (2): 53-88 [80-81].
66. **Amsel, H.G.**, 1935, Weitere Mitteilungen ueber palaestinensische Lepidopteren. Veröff. dt. Kolon. Übers.-Mus. 1(2): 223-277.
67. **Amsel, H.G.**, 1935, Zur Kenntnis der Microlepidopterenfauna des südlichen Toten-Meer-Gebietes, nebst Beschreibung neuer palästinensischer Macro- und Microlepidoptera. Veröff. dt. Kolon. Übers.-Mus. 1(2): 203-221, 2 Taf.
68. **Amsel, H.G.**, 1936, Die palaearktischen Isophrictis- Arten (Lepidoptera, Gelechiidae). Veröff. dt. Kolon. Übers.-Mus. Bremen. 1(3): 369-376.
69. **Amsel, H.G.**, 1939, Beiträge zur Kleinschmetterlingsfauna der Balkanländer und Kleinasien. Dt. ent. Z., Iris 52 (3/4) (1938): 152-159, Taf. 4 figs. 10-12.
70. **Amsel, H.G.**, 1942, Revision der Gattung Holcopogon Stgr. (Lepidoptera, Scythrididae). Veröff. dt. Kolon. Übers.-Mus. Bremen 3(3): 224-237, pls.
71. **Amsel, H.G.**, 1949, Die Microlepidopteren der Brandt'schen Iran Ausbeute I. Bull. Soc. Fouad I Ent. 33: 227-269, figs.
72. **Amsel, H.G.**, 1949, On the Microlepidoptera collected by E.P. Wiltshire in Iraq and Iran. Bull. Soc. Fouad I Ent. 33: 271-351, 12 Pls.
73. **Amsel, H.G.**, 1950, Die Lepidopteren der Brandt'schen Iran Ausbeute II. Ark. Zool. 1 (17): 223-257, figs.
74. **Amsel, H.G.**, 1951, Die Microlepidopteren der Brandt'schen Iran Ausbeute III. Ark. Zool. 1 (36): 525-563, figs.
75. **Amsel, H.G.**, 1952, Über einige von Hampson beschriebene palaearktische Pyraliden (Lepidoptera, Pyralidae). Mitt. münch. ent. Ges. 42: 40-70, figs.
76. **Amsel, H.G.**, 1953, Ueber einige von Ragonot und Dumont beschriebene palaearktische Microlepidopteren des Pariser Museums. Revue fr. Ent. 20 (3): 223-230, 11 figs.
77. **Amsel, H.G.**, 1953, Über einen tiergeographisch interessanten Kleinschmetterling Süddeutschlands. Die Unterart- Bildung bei *Pristophora florella* Mn. (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SüdwDtl. 12: 12-16, pl.
78. **Amsel, H.G.**, 1953, Wissenschaftliche Ergebnisse der zoologischen Expedition des National Museum in Prag nach der Türkei. Sb. ent. Odd. nar. Mus. Praha 28: 411-429, figs.
79. **Amsel, H.G.**, 1954, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16) (29 Dec. 1953): 255-326, figs.
80. **Amsel, H.G.**, 1954, Neue oder bemerkenswerte Kleinschmetterlinge aus Syrien. Bull. Soc. Fouad I Ent. 38: 47-50, figs.
81. **Amsel, H.G.**, 1955, Berichtigung *Postsalebria* nom. nov. für *Praesalebria* Amsel, 1954. Z. Wien. ent. Ges. 40: 357.

82. **Amsel, H.G.**, 1955, Irakische Kleinschmetterlinge. Beitr. naturk. Forsch. SüdWdtl. 14 (2): 119-129, pl.
83. **Amsel, H.G.**, 1955, Über mediterrane Microlepidopteren und einige transcaspiische Arten. Bull. Inst. R. Sci. nat. Belg. 31: 1-64.
84. **Amsel, H.G.**, 1958, Cyprische Kleinschmetterlinge. Z. wien. ent. Ges. 43: 51-58, 69-75, 135, pl.
85. **Amsel, H.G.**, 1959, Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 41-83, Taf.
86. **Amsel, H.G.**, 1959, Microlepidoptera aus Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.25). Stuttg. Beitr. Naturk. 28: 1-47, Abb., 5 Taf.
87. **Amsel, H.G.**, 1959, Microlepidopteren aus dem Kaukasus und der Ukraine. Acta ent. Mus. natn. Pragae 33: 419-422.
88. **Amsel, H.G.**, 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs.
89. **Amsel, H.G.**, 1961, Zwei neue Evippe- Arten aus Afghanistan, Iran und Nordsyrien (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SüdWdtl. 20: 99-103, figs.
90. **Amsel, H.G.**, 1966, Neue Synonymien und Bemerkungen zu paläarktischen Pyraliden (Lepidoptera, Pyralidae). Z. Wien. ent. Ges. 51: 53-55.
91. **Amsel, H.G.**, 1967, Die afghanischen Arten des Anarsia- Komplexes. Zugleich eine vorläufige Revision der sonstigen palaearktischen Arten (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SüdWdtl. 26(3): 17-31, figs.
92. **Amsel, H.G.**, 1970, Afghanische Pyraustinae (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SüdWdtl. 29: 25-66, 27 textfigs., 4 pls.
93. **Amsel, H.G.**, 1979, Zur Unterartbildung bei *Axia theresiae* (Korb, 1900) (Lepidoptera, Axiidae). Atalanta 10 (1): 70-77, pl.
94. **Anker, L.**, 1870, Ein neues Microlepidopteron aus Ungarn. Butalis emichi. Stettin ent. Ztg. 31: 143-144.
95. **Anonymous**, 2008, Catalogue of Life: 2008 annual checklist.- <http://www.catalogueoflife.org/annual-checklist/2008/> [last accessed: 10.xi.2008].
96. **Arenberger, E.**, 1972, Eine neue Agdistis-Art aus Kleinasien (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 31: 151-152.
97. **Arenberger, E.**, 1975, Eine neue Agdistis- Art aus der Caradja-Sammlung (Lepidoptera, Pterophoridae). Trav. Mus. Hist. nat. "Gr. Antipa" 16: 205-206, 2 figs.
98. **Arenberger, E.**, 1977, Die palaearktischen Agdistis- Arten (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 36: 185-226, 1 Abb. 15 Taf.
99. **Arenberger, E.**, 1981, Die Pterophorus- Arten West- und Zentralasiens. 2. Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 33 (1/2): 17-29, figs.
100. **Arenberger, E.**, 1981, Die Pterophorus- Arten West- und Zentralasiens. 1. Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 32 (3/4): 97-110, figs.
101. **Arenberger, E.**, 1984, Neue palaearktische Pterophoridae (Lep., Pterophoridae, Platyptiliinae). Z. ArbGem. öst. Ent. 36 (1/2): 8-14, 9 Abb.
102. **Arenberger, E.**, 1985, Zur Synonymie einiger Pterophoridae (Lepidoptera). Ent. Z., Frankf. a. M. 95: 244-250, 4 figs.
103. **Arenberger, E.**, 1987, Pterophoridae aus dem östlichen Mittelmeerraum (Lepidoptera). Z. ArbGem. öst. Ent. 38 (3/4) (1986): 103-106, figs.
104. **Arenberger, E.**, 1988, Taxonomische Klarstellungen bei den Pterophoridae (Lepidoptera). Stapfia 16: 1-12, 18 figs.
105. **Arenberger, E.**, 1993, Beitrag zur Kenntnis der Pterophoridae: Die Gattung *Tabulaephorus* gen. nov., mit der Beschreibung von zwei neue Arten (Lepidoptera, Pterophoridae). Nachr. ent. Ver. Apollo N.F. 13 (3a): 307-328, 18 figs.
106. **Arenberger, E.**, 1995, Die Pterophoridae der österreichischen Turkmenistan-Expedition 1993. Z. ArbGem. öst. Ent. 47 (1/2): 55-58, figs.
107. **Arenberger, E.**, 1995, Pterophoridae Teilband I, [In] Amsel, H.G., Reisser, H. & F. Gregor: Microlepidoptera Palaeartica 9: xxv + 258 pp. 153 Taf. Karlsruhe.
108. **Arenberger, E.**, 2002, Pterophoridae aus Zentralasien und angrenzenden Territorien (5. Teil) (Lepidoptera). Z. ArbGem. Öst. Ent. 54: 133-143, figs.
109. **Arenberger, E.**, 2002, Pterophoridae Teilband II, [In] Gaedike, R., Microlepidoptera Palaeartica 11: 287 pp. 96 Taf. Goecke & Evers, Keltern.

110. **Arenberger, E.**, 2005, Pterophoridae Teilband III, [In] Gaedike, R., Microlepidoptera Palaearctica 12: 191 pp. 50 Taf. Goecke & Evers, Keltern.
111. **Arnscheid, W.R. & M. Weidlich**, 2017, Psychidae Microlepidoptera of Europe 8. 360 pp. Pls. Brill.
112. **Arutyunyan, R.G.**, 1989, New data on Phycitinae (Lepidoptera) of Armenia. Ent. Obozr. 69 (3): 642-656, figs.
113. **Asselbergs, J.E.F.**, 1994, *Sefidia clasperella* sp.n. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Nota lepid. 16(3/4): 171-178, 5 figs.
114. **Asselbergs, J.E.F.**, 1997, A new *Euzophera* species from Turkey (Pyralidae, Phycitinae). Nota lepid. 20 (3/4): 305-309, figs.
115. **Asselbergs, J.E.F.**, 1997, *Merulempista wolschrijni* spec. nov. from The Netherlands and *Merulempista brucella* (Staudinger) stat.nov. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Ent. Ber., Amst. 57 (1): 8-13, 20 figs.
116. **Asselbergs, J.E.F.**, 2009, Descriptions of new Pyraloidea from the Palaearctic Region (Lepidoptera, Pyraloidea, Pyralidae, Pyralinae, Phycitinae, Crambinae). Phegea 37 (2): 55-68, figs.
117. **Atahan, A., Bozacı, V., Çelikkaya, D., Gül, O., Hançer, M. & K. Şimşek**, 2009, Illustrated list of the butterflies of İzmir Province (Turkey). Cesa News 45: 1-132, 239 figs.
118. **Atay, E. & B. Altıntaş**, 2005, *Anania verbascalis* (Denis & Schiffermüller, 1775) (Lepidoptera, Crambidae, Pyraustinae), new for Turkey. Zool. Middle East 34: 117-118, 3 figs. [Faunal information, consequently the title of the article incorrect! Since 1861, this species is known from Turkey (Mann, 1861, Wien. ent. Monatschr. 5: 162)].
119. **Atay, E. & F. Can**, 2007, External and genital morphology of *Eurrhypara hortulata* (Linnaeus, 1758) (Crambidae). J. Ent. 4 (6): 479-483, figs.
120. **Atay, E. & M. Çelik**, 2017, *Polyommatus diana* (Lepidoptera, Lycaenidae) Kayseri ili Rhopalocera faunası için ilk kayıt ve erkek genital morfolojisi. Karadeniz Fen Bilim. Derg. 7 (2): 79-86.
121. **Atay, E. & S. Yolcu**, 2012, Butterfly fauna of the province of Hatay, Turkey and major taxonomic characters of *Polyommatus bollandi* Dumont, 1998 (Lycaenidae). Pakistan J. Zool. 44 (3): 893-896 [with some incorrect specific identifications, and incorrect citations of the references].
122. **Atay, E.**, 2000, Hatay ilinde bulunan Pyraloidea (Lepidoptera) faunası üzerine taksonomik-sistematik çalışmalar [Master thesis, 165 pp., no.98227. <http://tez2.yok.gov.tr> access: 1.2.2012] [a weak thesis from various aspects, with conceptual error among fauna, taxonomy and systematics in the title].
123. **Atay, E.**, 2003, *Tegostoma baphialis* (Staudinger, 1871) (Lepidoptera, Crambidae): new for Turkey. Zool. Middle East 30: 117-118, 2 figs. [Faunal information, consequently the title of the article incorrect! Since 1879, this species is known from Turkey (Staudinger, 1879, Horae Soc. ent. ross. 15: 166)].
124. **Atay, E.**, 2004, *Herpetogramma licarsisalis* (Walker, 1859) (Lepidoptera, Crambidae): the Grass Webworm new for Turkey. Zool. Middle East 31: 117-118.
125. **Atay, E.**, 2005, A new record for the Turkish *Dolicharthria* Stephens, 1834 (Lepidoptera, Crambidae, Pyraustinae) fauna of Adana Province. Ekoloji 56: 30-32, figs. [Faunal information in the text is incorrect! Since 1879, *Dolicharthria bruguieralis* is known from Turkey (Staudinger, 1879, Horae Soc. ent. ross. 15: 183)].
126. **Atay, E.**, 2005, Adana Mersin ve Osmaniye illerinde bulunan Pyraloidea (Lepidoptera) faunası üzerine taksonomik-sistematik çalışmalar [Doktora tezi, 284 s., no.170563. <http://tez2.yok.gov.tr> access: 1.2.2012] [with some serious nomenclatural, faunal, and identification errors].
127. **Atay, E.**, 2006, The identity of *Parapoynx affinalis* (Guenée, 1854) (Lepidoptera, Crambidae, Nymphulinae) in Turkey. J. Ent. 3 (1): 76-81, figs. [Faunal information in the text is incorrect! Since 1935, *Parapoynx affinalis* is known from Turkey (Osthelder, 1935, Mitt. münch. ent. Ges. 25: 95)].
128. **Atay, E.**, 2011, *Catoptria luctiferella* (Hübner, 1813) (Lepidoptera, Pyralidae, Crambinae), new for Turkey. Black Sea J. Sci. 1 (4): 20-24, figs.
129. **Atay, E.**, 2012, The genital morphology and major taxonomic characteristics of *Zerynthia deyrollei* (Oberthür, 1869) and *Zerynthia cerisyi* (Godart, 1822) (Lepidoptera, Papilionidae, Zerynthiinae). Pakistan J. Zool. 44 (5): 1343-1347, figs. [See Larsen (1973) for specific identity and diagnostic features of the species. In Atay's paper, *Z. cerisyi* is identified as *deyrollei* erroneously. The paper contains also numerous errors].

130. **Aubert, J.-F.**, 1959, Les Geometrides palaearctiques du genre *Entephria* Hb. Description d'un genre nouveau pour *argenti-plumbea* Hamps. Z. wien. ent. Ges. 44 (11/12): 177-209, 6 pls., figs.
131. **Aurivillius, C.**, 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. Dt. ent. Z., Iris 7: 121-192.
132. **Aussem, B.**, 1978, Beitrag zur systematischen Stellung von *Pseudochazara graeca* und Beschreibung einer neuen Subspecies (Lep., Satyridae). Ent. Z., Frankf. a. M. 88 (3): 13-22, 21 Abb.
133. **Aussem, B.**, 1980, Ein Freiland-Hybrid der Gattung *Pseudochazara* (Lepidoptera, Satyridae). Satyriden-Studie 2. Ent. Z., Frankf. a. M. 90 (15): 161-165, Abb.
134. **Aussem, B.**, 1980, Satyriden-Studie I. Zur Kenntnis der Androkonienfelder von *Pseudochazara telephassa* (Geyer, 1827) und *Pseudochazara anthelea* (Hübner, 1824). Entomofauna 1: 354-356.
135. **Aussem, B., Freina, J.J.de & T.Witt**, 1985, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Zur Situation der Gattung *Paidia* Hbn. [1819] 1816 in Europa und Nordwestafrika (Lepidoptera, Arctiidae) VII. Atalanta 16: 109-113.
136. **Austaut, J.L.**, 1889, Les Parnassiens de la faune Palearctique. 222pp., 32 Pls., Leipzig.
137. **Austaut, J.L.**, 1905, Notice sur quelques Lepidopteres nouveaux. Ent. Z., Stuttgart 18: 143.
138. **Avci, M.**, 1997, Marmara Bölgesi Ormanlarının Tortricidae (Lep.) Faunası. Ist Univ. Orman Fak. Derg. (A) 47 (1): 111-138.
139. **Ayberk, H., Hakyemez, A. & H.Cebeci**, 2010, Light trap surveys for moths in Sile [sic!] region of Istanbul [sic!] Turkey. African J. Biotech. 9 (29): 4624-4630.
140. **Aydın, M.**, 2012, Sarım çayı vadisi (Kulp) Papilionoidea ve Hesperioidea (Lepidoptera) faunası ve ekolojisi üzerine araştırmalar. 87s. Yüksek lisans tezi. Yüzüncü Yıl Üniversitesi Fen Bilimleri Enstitüsü, Van. Tez no 309837 [erişim 23 5 2015].
141. **Aytekin, H.U.**, 2011, Gaziantep ilinde Pyraloidea (Lepidoptera) faunası ve sistematigi üzerine araştırmalar 120s. [Thesis of MSc was confirmed and published by the Council of Higher Education in 2011; access 10 12 2012]. [comment: In the text, given information extremely poor, mostly incorrect, some images copied from internet without citing the necessary references but defaced. An unadvisable publication].
142. **Ayvalı, C.**, 1989, Metamorfoz sırasında *Agrotis ipsilon* (Hufn.) (Lepidoptera, Noctuidae) hemositleri üzerine araştırmalar Ankara Univ. Ziraat Fak. Yay. no.1149, 20 s., 21 şek.
143. **Back, H.E.**, 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung *Pleurota* (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken.
144. **Back, W. & R.Leestmans**, 2001, Une nouvelle sous-espèce d'*Euchloe penia* (Freyer, 1852) du Nord-Ouest de l'Iran: *taleschicus* ssp. nova (Lepidoptera, Pieridae). Linneana Belg. 18 (4): 193-198, figs.
145. **Back, W. & U.Eitschberger**, 1976, Die Unterarten von *Euchloe charlonia* Donzel, 1842. Atalanta 7 (3): 142-160, pls.
146. **Back, W.**, 1976, Ist *Pontia chloridice* (Hübner, 1808) ein Binnenwanderer II. Ordnung? Atalanta 7: 22-24.
147. **Back, W.**, 1985, Zur Biologie von *Anthocharis damone* (Boisduval, 1836) und *Anthocharis grueneri* (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). Atalanta 16: 105-108.
148. **Back, W.**, 1991, Die Präimaginalstadien von *Euchloe charlonia* (Donzel, 1842) im Vergleich zu *Euchloe penia* (Freyer, 1852) und *Euchloe transcaspica* ssp. *amseli* (Gross & Ebert, 1975) (Lepidoptera, Pieridae). Atalanta 22 (2/4): 357-366, Pls.
149. **Back, W.**, 1991, Taxonomische Untersuchungen innerhalb der Artengruppe um *Euchloe ausonia* (Hübner, 1804) (Lepidoptera, Pieridae). Atalanta 21 (3/4) (1990): 187-206, Taf. ii, iii.
150. **Bacot, A.W.**, 1895, The genus *Smerinthus*. Entomologist's Rec. J. Var. 6(8): 173-181.
151. **Bae, Y.-S., Shin, Y.-M., Na, S.-M. & K.-T.Park**, 2016, The genus *Anarsia* in Cambodia and the northern Vietnam (Lepidoptera, Gelechiidae), with descriptions of ten new species and a catalogue of the genus in the Central-East Asia. Zootaxa 4061 (3): 227-252, figs.
152. **Baisch, G., Beshkov, S.V., Gelbrecht, J., Hacker, H., Huber, K., Kallies, A. et al.**, 1998, Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). Esperiana 6: 213-373.
153. **Baixeras, J. & O.Karsholt**, 2011, The Tortricidae described by J.C.Fabricius (Lepidoptera). Zootaxa 3127: 1-37, figs.
154. **Baker, G.T.**, 1888, Descriptions of some new species of Lepidoptera from Algeria. Trans. ent. Soc. London 1888: 117-121.

155. **Bakowski, M. & R. Dobosz**, 2005, A contribution to the knowledge of the clearwing moths of Turkey (Lepidoptera, Sesiidae), Part II. Ann. Upp. Sil. Mus. (Ent.) 13: 77-79.
156. **Bakowski, M.**, 1998, A contribution to the knowledge of the clearwing moths of Turkey (Lepidoptera, Sesiidae). Phegea 26 (3): 85-86.
157. **Bakowski, M.**, 2007, New records of *Paranthrene insolita* Le Cerf, 1914 (Lepidoptera, Sesiidae) in south-eastern Turkey. Annls Upp. Sil. Mus. 14-15: 131-134, figs.
158. **Baldizzone, G. & H. Patzak**, 1991, Sur quelques Coleophoridae de la région de Berdjansk (Ukraine). Beitr. Ent. 41 (2): 351-369, 8 pls.
159. **Baldizzone, G. & J.-F. Landry**, 2012, *Kasyniana shardana* Baldizzone, sp.n. (Lepidoptera, Oecophoridae). Shilap Revta lepid. 40 (158): 197-205, figs.
160. **Baldizzone, G. & J. Tabell**, 1999, *Coleophora conspersa* Baldizzone & Tabell, sp.n., *C. daglarica* Baldizzone & Tabell, sp.n., and some further notes on the coleophorids from Turkey (Lepidoptera, Coleophoridae). Revta lepid. 27 (108): 525-537, figs.
161. **Baldizzone, G. & J. Tabell**, 2006, Three new species of the genus *Coleophora* Hübner from Bulgaria and adjacent countries (Lepidoptera, Coleophoridae). Shilap Revta lepid. 34 (133): 93-102, figs.
162. **Baldizzone, G.**, 1982, Contributions a la connaissance des Coleophoridae xxv. Les taxa décrits par H. Rebel (2e partie). Linneana Belgica (8) 10: 425-438, 48 figs.
163. **Baldizzone, G.**, 1987, Sur quelques Coleophoridae de la collection von Heyden (Lepidoptera). Alexanor 15 (1): Suppl.: [17]-[28], 2 figs.
164. **Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LIV. Deux nouvelles espèces du genre *Coleophora* Hübner: *C. aporiella* sp.n. et *C. longiductella* sp.n. (Lepidoptera). Nota lepid. 12 (2): 103-112, 18 figs.
165. **Baldizzone, G.**, 1990, Contributions a la connaissance des Coleophoridae Lxi. Trois espèces nouvelles du groupe de *Coleophora attalicella* Zeller, 1871 (Lepidoptera, Coleophoridae). Nota lepid. 13 (2/3): 108-119, figs.
166. **Baldizzone, G.**, 1991, Contribuzioni alla conoscenza dei Coleophoridae. LXIX *Coleophora didymella* Chrétien, 1899 e *C. quadristraminella* Toll, 1961 due specie della val Curone (Prov. di Alessandria) nuove per la fauna Italiana (Lepidoptera). Riv. piem. St. Nat. 12: 47-62, figs.
167. **Baldizzone, G.**, 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). Assoc. natur. Piemont. Memorie 3: 1-423, 699 figs.
168. **Baldizzone, G.**, 2001, Contribuzioni alla conoscenza dei Coleophoridae XCV. Nuove specie di Coleophoridae della collezione Klimesch (Lepidoptera, Coleophoridae). Revta lepid. 29 (114): 131-144, figs.
169. **Baldizzone, G.**, 2007, Contribuzioni alla conoscenza dei Coleophoridae CXV. Su alcune interessanti specie di Coleophoridae della Turchia e regioni limitrofe (Lepidoptera, Coleophoridae). Shilap Revta. lepid. 35 (139): 355-367, figs.
170. **Baldizzone, G.**, 2016, The Coleophoridae of Armenia collected by Ole Karsholt in 2011. Contributions to the knowledge of the Coleophoridae CXXXI (Lepidoptera, Coleophoridae). Shilap Revta lepid. 44 (173): 129-144, figs.
171. **Baldizzone, G., Nel, J. & J.-F. Landry**, 2014, *Coleophora nepetellae* Baldizzone & Nel, a new species of the lixella group (Lepidoptera, Coleophoridae) from France and Italy. Zookeys 459: 119-135, figs.
172. **Baldizzone, G., Wolf, H. van der & J.-F. Landry**, 2006, Coleophoridae, Coleophorinae (Lepidoptera). World Catalogue of Insects 8: 1-215. Apollo Books.
173. **Baldock, D.W. & R.F. Brentherton**, 1988, Some butterflies from Turkish Asia Minor. Entomologist's Rec. J. Var. 100: 133-134.
174. **Balint, Z. & A. Kertész**, 1990, A survey of the subgenus *Plebejides* (Sauter, 1968) - preliminary revision. Linneana Belgica 12 (5): 190-224, figs.
175. **Balint, Z. & A. Olivier**, 2001, Butterfly species-group taxa from the Balkans and western Anatolia attributed to Imre Frivaldszky (1799-1870) (Lepidoptera, Hesperioidea & Papilionoidea). Annls. hist.-nat. Mus. natn. hung. 93: 151-198.
176. **Balint, Z. & K. Johnson**, 1997, Reformation of the *Polyommatus* section with a taxonomic and biogeographic overview (Lepidoptera, Lycaenidae, Polyommataini). Neue ent. Nachr. 40: 1-68, Pls., figs.

177. **Balint, Z.**, 1999, Annotated list of the type specimens of *Polyommatus* sensu Eliot of the Natural History Museum London (Lepidoptera, Lycaenidae). *Neue ent. Nachr.* 46: 1-89, 4 Pls.
178. **Balint, Z., Kertesz, A. & V.A. Lukhtanov**, 1992, A survey of the subgenus *Plebejides* Sauter, 1968 (Lepidoptera, Lycaenidae). *Ent. Obozr.* 71 (4): 863-886, 74 figs.
179. **Balletto, E. & G.G. Toso**, 1980, Electrophoretic techniques as a systematic research on Lepidoptera. *Nota lepid.* 3(1/2): 25-31.
180. **Balletto, E. & G.G. Toso**, 1980, Valeur taxonomique de la conformation des tegulae dans le genre *Agrodiaetus* Hübner (Lycaenidae). *Nota lepid.* 3 (1/2): 33-38, figs.
181. **Bang-Haas, A.**, 1906, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 19: 127-129.
182. **Bang-Haas, A.**, 1907, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 20: 69-88, Taf.
183. **Bang-Haas, A.**, 1910, Neue oder wenig bekannte palaearktische Macrolepidopteren. *Dt. ent. Z., Iris* 24: 27-51, 2 Taf.
184. **Bang-Haas, A.**, 1912, Neue oder wenig bekannte palaearktische Makrolepidopteren V. *Dt. ent. Z., Iris* 26: 139-162, Taf. vi.
185. **Bang-Haas, A.**, 1913, Neue oder wenig bekannte palaearktische Macrolepidopteren VII. *Dt. ent. Z., Iris* 27: 108.
186. **Bang-Haas, A.**, 1913, Neue oder wenig bekannte palaearktische Makrolepidopteren VI. *Dt. ent. Z., Iris* 26 [31.12.1912] (4): 229-230.
187. **Bang-Haas, O.**, 1926, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 1. Bis zum Jahre 1920. *Novit. macrolepid.* 1: xx+ 238pp.
188. **Bang-Haas, O.**, 1927, *Horae Macrolepidopterologicae regionis palaearcticae* Vol. 1. Neubeschreibungen und Berichtigungen der Palaearktischen Lepidopterenfauna. xxviii+ 128S. 11 Taf. Dresden-Blasewitz.
189. **Bang-Haas, O.**, 1927, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 2. Vom Jahre 1921 bis 1926. *Novit. macrolepid.* 2: xxii+ 301pp.
190. **Bang-Haas, O.**, 1928, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 3. Neubeschreibungen des Jahres 1927. *Novit. macrolepid.* 3: xvi+ 104pp.
191. **Bang-Haas, O.**, 1929, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 4. Neubeschreibungen des Jahres 1928. *Novit. macrolepid.* 4: xvi+ 80pp.
192. **Bang-Haas, O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Faunenverzeichnisse der Jahre 1758 bis 1930. *Novit. macrolepid.* 5: xvi+ 1-152.
193. **Bang-Haas, O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Neubeschreibungen des Jahres 1929. *Novit. macrolepid.* 5: 153-207.
194. **Bang-Haas, O.**, 1930, *Novitates Macrolepidopterologicae* Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz.
195. **Bang-Haas, O.**, 1937, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXVII. *Ent. Z., Frankf. a. M.* 50: 562-564, 4 Abb.
196. **Bang-Haas, O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxix. *Ent. Z., Frankf. a. M.* 51: 120.
197. **Baraniak, E. & J.-C. Sohn**, 2015, Redescription of *Eidophasia syenitella* (Herrich-Schaffer, [1854]) (Lepidoptera, Plutellidae). *Zootaxa* 4057 (4): 585-589, figs.
198. **Baraniak, E. & U. Walczak**, 2015, Redescription of *Eidophasia tauricella* Staudinger, 1880 (Lepidoptera, Plutellidae) with first description of the female genitalia. *Zootaxa* 3956 (3): 445-448, figs.
199. **Baraniak, E.**, 2007, Taxonomic revision of the genus *Plutella* Schrank, 1802 (Lepidoptera, Plutellidae) from the Palaearctic Region with notes on its phylogeny. *Polski pismo Ent.* 76 (Suppl.): 1-122, figs.
200. **Baraniak, E.**, 2016, *Rhigognostis senilella* (Zetterstedt, 1839) and *R. marmorosella* (Wocke, 1849): two valid species distinguishable in genitalia (Lepidoptera, Plutellidae). *Zootaxa* 4084 (3): 348-360, figs.
201. **Baraniak, E., Bakowski, M. & J. Nowacki**, 1994, A Contribution to the knowledge of the Lepidoptera of European Turkey Part I. Macrolepidoptera. *Cent. ent. Stud., Misc. Pap.* 19: 1-5.

- 202. Baraniak, E., Walczak, U. & R. Gaedike**, 2014, The Plutellidae to Ypsolophidae in the Lepidoptera collection of Senckenberg Deutsches Entomologisches Institut. Contribution to the knowledge of Yponomeutoidea. X (Lepidoptera, Yponomeutoidea). Shilap. Revta lepid. 42 (165): 83-90, fig.
- 203. Baron, T.**, 2007, *Araschnia levana* (Lepidoptera, Nymphalidae), a new species for the Turkish fauna. Phegea 35 (2): 65-68, fig. [see also Göbekçioğlu, Z. & N. Aktaş, 1990]
- 204. Baron, T.**, 2008, The moths fauna (Lepidoptera) of Şile in the Asian part of Istanbul Province, Turkey. Esperiana 14: 545-558, pl. 39.
- 205. Bartel, M.**, 1899-1902, *Nachtfalter*. [In] Rühl, F., *Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte*. Vol. 2. (Lief. 17-23). 336 pp. Leipzig.
- 206. Bartel, M.**, 1904, *Eriogaster philippsi* n.sp. Dt. ent. Z., Iris 17: 10-11.
- 207. Bartel, M.**, 1906, Drei neue russische *Sesia*-Arten. Societas Ent. 20: 169-170.
- 208. Bartel, M.**, 1912, *Aegeriidae* (Sesiidae). [In] Seitz, A., *Die Gross-Schmetterlinge der Erde* 2: 375-416, pls. Stuttgart.
- 209. Barton, I.**, 2015, A contribution to the microlepidopteran fauna of Cyprus. Entomologist's Rec. J. Var. 127: 157-167, 15 pls.
- 210. Barton, I.**, 2015, On *Pammene crataegophila* Amsel, 1935 (Tortricidae) from Cyprus, with a description of the female genitalia. Entomologist's Rec. J. Var. 127: 104-107, 2 pls.
- 211. Barton, I.**, 2018, A second contribution to the lepidopteran fauna of Cyprus, presenting records for 48 taxa from 17 families. Entomologist's Rec. J. Var. 130: 29-39, 14 pls.
- 212. Bartsch, D. & A. Lingenhöle**, 2011, *Chamaesphracia cilicia* sp. nov. aus dem Taurus Gebirge, Türkei (Lepidoptera, Sesiidae). Ent. Z., Stuttg. 121 (2): 89-91, 7 Abb.
- 213. Bastelberger, M.**, 1900, Ueber Genitalanhänge der Männchen unserer europäischen *Zonosoma*-(*Ephyra*-) Formen. Dt. ent. Z., Iris 13: 73-94, Taf.
- 214. Başaran, A.**, 1974, Gündoğdu köyü (İzmit) gündüz kelekleri. Diyarbakır Univ. Tıp Fak. Derg. 3 (1): 117-128, şekil.
- 215. Başaran, A.**, 1975, Diyarbakır ve Çevresi Gündüz Kelebeklerinin Sistemik Araştırılması. Diyarbakır Üniv. Tıp Fak. Derg. 3 (3): 529-547.
- 216. Başoğlu, M. & N. Öztürk**, 1955, İstanbul civarındaki gündüz kelekleri için familyalara kadar bir tayin anahtarı. Biyoloji 5: 74-81.
- 217. Battenfeld, P.**, 1978, Sammelergebnisse von Ankara (08.07-4.07.197). Nachr. ent. Ver. Apollo 3: 44-47, 54-58.
- 218. Bayle, B. G.**, 1809, Saggio intorno agli Insetti nocivi ai vege-tabili oeconomici, agli animali utili, all'agricoltura ed ai prodotti dell'oeconomia rurale. 18 opp., 2 pls. Milano.
- 219. Beck, H.**, 1989, Verantwortungsvolles Taxieren, Appell an den "Internationalen Trust for Zoological Nomenclature". Beschreibung einer neuen Unterart von *Cucullia blattariae* (Esper, 1790): *Cucullia blattariae eugeniae* subsp. n. Synonymien im Genus *Cucullia* (Lep., Noctuidae). Atalanta 19: 189-217, figs.
- 220. Beck, H.**, 1991, Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae). Atalanta 22 (2/4): 175-232.
- 221. Beck, H.**, 1992, New view of higher classification of the Noctuidae (Lepidoptera). Nota lepid. 15(1): 3-28, 7 figs.
- 222. Beck, H.**, 1993, III. Corrigenda and Addenda zu Beck (1991): "Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae)". Beschreibung der Raupe von *Perplexhadena syriaca* (Osthelder, 1933) comb. nov. Atalanta 23 (3/4): 605-611, pls.
- 223. Beck, H.**, 1996, Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). Neue ent. Nachr. 36: 1-122.
- 224. Beck, H.**, 1999-2000, Die Larven der europäischen Noctuidae. 4 Bde. Herbiopoliana vol. 5. Marktleuthen.
- 225. Beck, H., Kobes, L. & M. Ahola**, 1993, Die generische Aufgliederung von *Noctua* Linnaeus, 1758 (Lepidoptera, Noctuidae, Noctuinae). Atalanta 24 (1/2): 207-264, 16 Pls.
- 226. Behounek, G. & H. Hacker**, 1986, *Lygephila schachtii* n.sp., eine neue Noctuidenart aus der Ost-Türkei, nebst faunistischen Angaben für neunundzwanzig weitere Noctuiden Arten aus der Ost-Türkei (Lepidoptera, Noctuidae). Entomofauna 7 (3): 41-53, 8 Abb.
- 227. Behounek, G.**, 1983, Kleiner Beitrag zur Noctuidae-Fauna Kleinasien. Entomofauna 4 (25): 401-404.

228. **Behounek, G.**, 1984, Ergebnisse einer Sammelreise durch Nordgriechenland und Anatolien (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 4(3): 71-80.
229. **Behounek, G.**, 1986, Beitrag zur Noctuiden-Fauna der Türkei und des Irans. Neue Erkenntnisse zur Verbreitung von *heliophobus reticulata* (Goeze, 1780) (Lep., Noctuidae). NachrBl. bayer. Ent. 36: 115-122, 3 figs.
230. **Behounek, G.**, 1992, Die holarktischen Arten der Gattung *Lacanobia* Billberg, 1820 (Lepidoptera, Noctuidae, Hadeninae). Esperiana 3: 33-65, Abb.
231. **Behounek, G., Han, H.L. & V.S. Kononenko**, 2013, Revision of the Old World genera *Panthea* Hübner, [1820] 1816 and *Pantheana* Hreblay, 1998 with description two new species from China (Lepidoptera, Noctuidae, Pantheinae). Revision of Pantheinae, contribution ix. Zootaxa 3746 (3): 422-438, figs.
232. **Beirne, B.P.**, 1954, British Pyralid & Plume Moths. 208 pp. 405 figs. 16 Pls. Frederick Warne, London & New York.
233. **Beljaev, E.A. & S.V. Vasilenko**, 1998, New and little known Ennominae from Turkmenistan with description of two new species (Lepidoptera, Geometridae). Atalanta 28 (3/4): 315-326, 4 figs.
234. **Beljaev, E.A.**, 2006, A morphological approach to the Ennominae phylogeny (Lepidoptera, Geometridae). Spixiana 29 (3): 215-216, fig.
235. **Beljaev, E.A.**, 2008, A new concept of the generic composition of the Geometrid moth tribe Ennomini (Lepidoptera, Geometridae) based on functional morphology of the male genitalia. Ent. Obozr. 87(1): 152-165, figs. [Ent. Rev. 88 (1): 50-60, figs.]
236. **Bell, E.L. & W.P. Comstock**, 1941, The synonymy of *Papilio coridon* Poda, *Papilio phocion* Fabricius and others. Jl. N. Y. ent. Soc. 49: 371-374.
237. **Bellier, C.**, 1858, *Agrotis celsicola*. Annls Soc. ent. Fr. 3 (6): ccliii.
238. **Bellier, C.**, 1859, Observations sur les Lépidoptères des Basses-Alpes Environs de Larche. Annls Soc. ent. Fr. 3 (7): 177-193, pl.
239. **Belter, G.**, 1934, Neues aus der *Melitaea didyma* Esp.- Gruppe, mit Berücksichtigung des Materials des Deutschen Entomologischen Instituts. Arb. morph. taxon. Ent. Berl. 1: 105-115, figs.
240. **Belter, G.**, 1935, Zwei neue *Brenthis*-Rassen aus Kleinasien. Ent. Z., Frankf. a. M. 49: 71-72.
241. **Benedek, B. & J. Babics**, 2016, Taxonomic notes on the genus *Tiliacea* Tutt, 1896 (Lepidoptera, Noctuidae, Xylenini) with the description of a new species and a new genus. Zootaxa 4171 (3): 517-533, figs.
242. **Benedek, B. & L. Ronkay**, 2001, On the taxonomy of the genus *Agrochola* Hübner, 1821 (Lepidoptera, Noctuidae), Part III. Two new species from Asia. Annls. hist.- nat. Mus. natn. hung. 93: 199-206, figs.
243. **Bengtsson, B.A. & R. Sutter**, 1992, Die fallacella-Gruppe (Lepidoptera, Scythrididae). Nota lepid. 15: 90-101, figs.
244. **Bengtsson, B.A.**, 1989, Two new scythridis species from South Europe - *Scythris jaeckhi* n.sp. and *S. nieukerkeni* n.sp. (Lepidoptera, Scythrididae). Phegea 17: 75-81, figs.
245. **Bengtsson, B.A.**, 1991, Review of the fuscoaenea species-group of *Scythris* (Lepidoptera, Scythrididae). Ent. scand. 21: 405-414, 25 figs.
246. **Bengtsson, B.A.**, 1996, Scythridids found by H. Hacker in Pakistan 1988 and India 1992. Esperiana 4: 467-481, Abb.
247. **Bengtsson, B.A.**, 1997, Scythrididae, [in] Huemer, P. Karsholt, O. & L. Lyneborg, Microlepidoptera of Europe 2: 1-301, Pls. [Incomprehensible thing is that numerous species from North Africa and the Middle East are described in an European book!].
248. **Bengtsson, B.A.**, 2005, Notes on Palaearctic scythridids, with descriptions of nine new species (Lepidoptera, Scythrididae). Ent. fenn. 16 (4): 207-220, figs.
249. **Benyamini, D. & M. Avni**, 2001, *Muschampia proteides stepporum* subsp. nov. from the steppe belts of eastern Israel and western Jordan (Lepidoptera, Hesperiidae). Linneana Belgica 18 (1): 45-54, figs.
250. **Benyamini, D.**, 1988, The zoogeography of the butterflies (Lepidoptera, Rhopalocera) of Israel and nearby areas. Monogr. biol. 62: 309-324, 6 figs.
251. **Benyamini, D., Bruschini, C., Serra, G. & E. John**, [2008], First confirmed records of *Papilio demoleus* (Linnaeus, 1758) in Syria, with comments on the species' appearance in Turkey and Dominican Republic. News Is. Lepid. Soc. 24 (2): 1-7, figs.

252. **Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 2: 1-79, Pls. 15-48. Hanau.
253. **Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 3: 1-48, Pls. 49-72. Hanau.
254. **Bergsträßer, J.A.B.**, 1780, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 4: 1-47, Pls. 73-96. Hanau.
255. **Berio, E.**, 1936, Contributo alla conoscenza della variazione di *Agrotis puta* (Hb., 1802) Ochs., 1816 *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 69-117, 4 Tav.
256. **Berio, E.**, 1950, Terzo Contributo alla conoscenza del gen. *Ozarba* Wlk. (Lep., Noctuidae) sulla sistematica di alcune specie ascritte a questo genere. *Annali Mus. civ. Stor. nat. Giacomo Doria* 64: 131-157, 98 figs.
257. **Berio, E.**, 1955, Sulla distribuzione geografica della *Noctua algira* L. e sulle specie affini (Lep., Noctuidae). *Boll. Soc. ent. ital.* 85(9/10): 140-148, 24 figs.
258. **Berio, E.**, 1978, Novita paleartiche del genere *Hadena* Schr. (Lepidoptera, Noctuidae, Hadeninae). *Memorie Soc. ent. ital.* 56: 233-238.
259. **Berio, E.**, 1982, *Egira servadeii* n.sp. del Pamir (Lepidoptera, Noctuidae, Hadeninae). *Memorie Soc. ent. ital.* 60: 61-62, 3 figs.
260. **Bernardi, G. & M. Lagnel**, 1966, Une espèce jumelle méconnue du genre *Maniola* Schrank (Lep., Nymphalidae, Satyrinae). *Bull. Soc. ent. Fr.* 71: 35-40, 11 figs.
261. **Bernardi, G.**, 1945, Etudes sur le genre *Euchloe* Hb. (Lep., Pieridae). *Misc. Ent.* 42: 65-103, Pls.
262. **Bernardi, G.**, 1953, Note sur la taxonomie des genres *Belenois* Hb. et *Anaphaeis* Hb. (Lepidoptera, Pieridae). *Revue fr. Ent.* 20 (1): 47-53, 14 figs.
263. **Bernardi, G.**, 1957, Contribution a l'étude des pseudodualspecies: une nouvelle espece iranienne d'*Euchloe* Hb. (Lep., Pieridae). *Bull. Soc. ent. Fr.* 62: 38-41, 4 figs.
264. **Bernardi, G.**, 1962, Note sur la position systématique correcte du *Lycaena pontica* Courvoisier (Lepidoptera, Lycaenidae). *Revue fr. Ent.* 29 (3): 238-240.
265. **Bernardi, G.**, 1965, Deux nouvelles sous-espèces de *Synchloe callidice* Esper (Lep., Pieridae). *Bull. Soc. ent. Fr.* 70: 230-232.
266. **Bernardi, G.**, 1966, Une espèce jumelle méconnu du genre *Maniola* Schrank (Satyridae). *Bull. Soc. ent. Fr.* 71: 35-40, figs.
267. **Bernardi, G.**, 1970, La Variation géographique de l'*Anthocharis grüneri* H.S. *Lambillionea* 70: 1-13, figs.
268. **Bernardi, G.**, 1970, Note sur la Variation géographique d'*Allancastris cerisyi* Godart (Papilionidae). *Lambillionea* 70: 55-64.
269. **Bernardi, G.**, 1972, Note sur la variation géographique de l'armure génitale male de *Iolana* (Lepidoptera, Lycaenidae). *Bull. Soc. ent. Fr.* 77: 160-167, figs.
270. **Beshkov, S.**, 1996, *Yigoga flavina flavina* (Herrich-Schäffer, 1852) = *Yigoga flavina pretiosa* (Caradja, 1931) syn.n., stat.rev. (Lepidoptera, Noctuidae, Noctuinae). *Phegea* 24(2): 69-80, 13 figs., 2 Pls.
271. **Beshkov, S.**, 1999, *Egira tibori* Hreblay, 1994 - a new species for the European fauna (Lepidoptera, Noctuidae, Hadeninae). *Hist. nat. bulg.* 10: 77-83, figs.
272. **Beshkov, S.**, 2000, An annotated systematic and synonymic checklist of the Noctuidae of Bulgaria (Insecta, Lepidoptera, Noctuidae). *Neue Ent. Nachr.* 49: 1-300, figs., pls.
273. **Beshkov, S.**, 2006, *Nola ronkayorum* sp n., a new species from Bulgaria and Turkey (Lepidoptera, Nolidae). *Phegea* 34 (1): 17-32, figs.
274. **Beshkov, S.**, 2015, A significant range extension of *Erannis declinans* (Staudinger, 1879) in Europe (Lep., Geometridae). *Entomologist's Rec. J. Var.* 127: 271-277, figs.
275. **Beshkov, S.**, 2016, *Agrochola luteogrisea* (Warren, 1911) new for Bulgaria and Serbia and *Dryobotodes servadeii* Parenzan, 1982 (Lepidoptera, Noctuidae) new for Serbia with taxonomic notes on *Dryobotodes servadei* and *Dryobotodes monochroma* (Esper, [1790]). *Entomologist's Rec. J. Var.* 128: 245-256, 8 pls. [title too long, but an informative study]
276. **Bethune-Baker, G.T.**, 1913, Comparative notes on *Chilades galba* Led. and *phiala* Gr.-Gr. *Trans. ent. Soc. London* 1913: 201-204, pl.

277. **Bethune-Baker, G.T.**, 1913, Notes on the specific distinction of certain species in the orbitulus and pheretiades section of the genus *Plebeius*. Trans. ent. Soc. London 1913: 205-212, pls.vi-viii.
278. **Bethune-Baker, G.T.**, 1914, On the correlation of pattern and structure in *Rhopalocera* with special reference to the *Ruralidae*. Entomologist's Rec. J. Var. 26: 177-184, 7 Pls.
279. **Bethune-Baker, G.T.**, 1914, Synonymic notes on the *Ruralidae*. Entomologist's Rec. J. Var. 26: 133-136, 159-164.
280. **Bethune-Baker, G.T.**, 1916, Descriptions of new species of *Lepidoptera*. Ann. Mag. Nat. Hist. (8) 17: 378-385.
281. **Bethune-Baker, G.T.**, 1916, The synonymy of *Zygaena*, *Adscita* (*Procris*), and *Amata* (*Syntomis*). Entomologist's Rec. J. Var. 28: 25-28.
282. **Bethune-Baker, G.T.**, 1918, A Revision of the genus *Tarucus*. Trans. ent. Soc. London (1917) 65 (2/4): 269-296, pls.xiv-xx.
283. **Betti, G.**, 1977, Nouvelles sous-especes des *Lycaenidae* paléarctiques. Alexanor 10 (2): 87-95, Tab.i-iv.
284. **Betti, G.**, 1989, Contribution a la connaissance des *Parnassius* d'Anatolie (*Lepidoptera*, *Papilionidae*). Linneana Belg. 12 (2): 67-76, 3 figs.
285. **Betts, E.B.C.**, 1922, *Rhopalocera* from Rhodes, Samos, Gallipoli etc. Entomologist 55: 137-138.
286. **Beuret, H.**, 1951, Eine interessante Form von *Aricia agestis* Schiff. Mitt. ent. Ges. Basel 1: 53-55, fig.
287. **Beuret, H.**, 1952, *Palaeochrysophanus candens* H.S., eine bisher verkannte Art (*Lycaenidae*). Mitt. ent. Ges. Basel 2: 57-64, figs.
288. **Beuret, H.**, 1958, Zur systematischen Stellung einiger wenig bekannten *Glaucopsyche* (*Lep.*, *Lycaenidae*). Mitt. ent. Ges. Basel 8: 61-79, 81-100, pls.
289. **Bidzilya, O. & H.Li**, 2010, Review of the genus *Agnippe* (*Lepidoptera*, *Gelechiidae*) in the Palaearctic region. Eur. J. Ent. 107: 247-265, figs.
290. **Bidzilya, O. & O.Karsholt**, 2008, New data on *Anomologini* from Palaearctic Asia (*Gelechiidae*). Nota lepid. 31 (1): 199-213, figs.
291. **Bidzilya, O. & O.Karsholt**, 2015, Revision of the genus *Istrianis* Meyrick, 1918 (*Lepidoptera*, *Gelechiidae*) with special regard to the Palaearctic Region. Zootaxa 4059 (3): 401-445, figs.
292. **Bidzilya, O. & Y.I.Budashkin**, 2015, New species of *Gelechiidae* (*Lepidoptera*) from Ukraine. Zootaxa 3974 (2): 217-230, figs.
293. **Bidzilya, O.**, 1996, A new species of the genus *Bryotropha* (*Lepidoptera*, *Gelechiidae*) from the South Ukraine. Vestn. zool. 1996: 83.
294. **Bidzilya, O.**, 2005, A review of the genus *Athrips* (*Lepidoptera*, *Gelechiidae*) in the Palaearctic Region. Dt. ent. Z. 52 (1): 3-72, figs.
295. **Bidzilya, O.**, 2005, A review of the genus *Metanarsia* Staudinger, 1871 (*Gelechiidae*). Nota lepid. 27 (4): 273-297, figs.
296. **Bidzilya, O., Budashkin, Y. & A.Zhakov, A.**, 2016, Checklist of grass-mining moths of Ukraine with description of one new species (*Lepidoptera*, *Elachistidae*). Shilap Revta lepid. 44 (173): 17-38, figs.
297. **Bidzilya, O.V. & Y.I.Budashkin**, 2017, New records of *Lepidoptera* from Ukraine and description of a new species of *Caloptilia* Hübner, 1825 (*Lepidoptera*, *Gracillariidae*) from the mountains of Crimea. Nota lepid. 40 (2): 5-21, figs.
298. **Bigot, L., Nel, J. & J.Picard**, 2008, *Stenoptilia mannii* (Zeller, 1852) et *S.megalochra* Meyrick, 1930, espèces distinctes. *Stenoptilia lucasi* Arenberger, 1990, présente en France (*Lepidoptera*, *Pterophoridae*). Oreina 1998: 4-5, figs.
299. **Bigot, L., Nel, J. & J.Picard**, 2009, Classification actualisée du genre *Stenoptilia* Hübner, 1825 (*Lepidoptera*, *Pterophoridae*). Bull. Soc. ent. Fr. 114 (3): 327-336, figs.
300. **Billberg, G.J.**, 1820, Enumeratio insectorum in Museo Billberg, 138 pp., Holmiae.
301. **Blaschke, P.**, 1914, Die Raupen Europas mit ihren Futterpflanzen. 29+264+75S. 28 Taf. Grasers Verlag, Annaberg.
302. **Bleszynski, S. & R.J.Collins**, 1962, A short catalogue of the world species of the family *Crambidae* (*Lepidoptera*). Acta zool. cracov. 7 (12): 197-389.
303. **Bleszynski, S.**, 1955, Materialien zur Kenntnis der *Crambinae* X. Über die systematische Stellung der *Crambus delicatellus* Zeller- Gruppe. Z. wien. ent. Ges. 40: 266-269, 3 figs.
304. **Bleszynski, S.**, 1957, Studies on the *Crambidae* (*Lepidoptera*). Part XIV. Revision of the European species of the generic group *Crambus* (s.l.). Acta zool. cracov. 1: 161-622, pls.27-92.

305. **Bleszynski, S.**, 1958, Studies on the Crambidae (Lepidoptera), Part xviii. Revision of the genus *Chrysocrambus* Blesz. Acta zool. cracov. 2 (34): 845-870, Pls.
306. **Bleszynski, S.**, 1960, Studies on the Crambidae (Lepidoptera). Part XXIII. New species of the generic group *Crambus* F. Polski Pismo Ent. 30 (2): 11-22, 10 figs.
307. **Bleszynski, S.**, 1961, Studies on the Crambinae (Lepidoptera). part xxvi. Preliminary study on the genus *Euchromius* Gn. Acta ent. Mus. natn. Pragae 34: 451-468, 26 figs.
308. **Bleszynski, S.**, 1965, Crambinae, [In] Amsel, H.G., Reisser, H. & F.Gregor: *Microlepidoptera Palaearctica* 1: xlvii + 533pp. 133 pls., Wien
309. **Bleszynski, S.**, 1969, Crambinae aus der Türkei und aus Griechenland (Lepidoptera, Pyralidae). Ent. Z., Frankf. a. M. 79: 25-27.
310. **Bleszynski, S.**, 1970, A revision of the world species of *Chilo* Zincken (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 25: 101-195, 5 pls.
311. **Bodenheimer, F.S.**, 1941, Türkiye Entomolojisi II. Türkiye Haşerat Familyalarının Resimli Teşhis Anahtarı. 103 S., xxxiii Tablo. T.C. Ziraat Vekaleti Neşriyatı, Sayı 531, Nebat Hastalıkları 7, Çankaya Matbaası, Ankara.
312. **Bodenheimer, F.S.**, 1951, Citrus Entomology in the Middle East with special references to Egypt, Iran, Irak, Palestine, Syria, Turkey. xii+663pp. s'Gravenhage.
313. **Bodenheimer, F.S.**, 1951, Citrus Entomology in the Middle East with special references to Egypt Iran Irak Palestina Syria and Turkey. xii + 663 pp., 154 figs. W.Junk, The Hague.
314. **Bohatsch, O.**, 1883, Eine neue *Boarmia* aus Ungarn Wien. ent. Ztg. 2: 111-114, fig.
315. **Bohatsch, O.**, 1886, Beitrag zur Lepidopterenfauna Transkaukasiens. Wien. ent. Ztg. 5: 123-128, 200-203.
316. **Bohatsch, O.**, 1893, Mittheilungen über *Eupithecia*. Dt. ent. Z., Iris 6: 1-35.
317. **Bohatsch, O.**, 1910, Neue palaearktische Macrolepidopteren. Jber. wien. ent. Ver. 19: 163-164.
318. **Boisduval, J.B.A.**, 1828, Essai sur une Monographie des Zygénides, suivie d'un tableau méthodique de classification des Lépidoptères. xxvi+132 pp. 8 pls. Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 836]
319. **Boisduval, J.B.A.**, 1828, *Europaeorum Lepidopterorum index methodicus*. 103 pp., Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 845]
320. **Boisduval, J.B.A.**, 1832-[1834], *Icones historiques des Lépidoptères nouveaux ou peu connus*. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.1, 252 pp., 47 pls. Paris.
321. **Boisduval, J.B.A.**, 1834-[1841], *Icones historiques des Lépidoptères nouveaux ou peu connus*. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.2, 208 pp., 37 pls. Paris.
322. **Boisduval, J.B.A.**, 1836, *Histoire naturelle des Insectes. Spécies général des Lépidoptères* vol.1, [4]+ xii + 690 + 6pp., 24 pls. Paris.
323. **Boisduval, J.B.A.**, 1840, *Genera et Index Methodicus Europaeorum Lepidopterorum*, 238 pp. Paris. [out by 9 May; vide Bibl. Franç.].
324. **Boisduval, J.B.A.**, 1848, Note relative aux Lépidoptères recueillis par Kindermann aux environs d'Odessa et au pied du Caucase. Annls Soc. ent. Fr. 2 (6): xxviii- xxx.
325. **Boisduval, J.B.A.**, 1852, Trois nouvelles espèces de *Psyche*. Annls Soc. ent. Fr. 2(10): xxii.
326. **Bollino, M. & G.Sala**, 1992, *Papilio alexanor eitschbergeri*, a new subspecies from Samos Island (Greece) and Western Turkey (Lepidoptera, Papilionidae). *Atalanta* 23 (1/2): 127-131, pl.vii.
327. **Bollino, M. & G.Sala**, 1995, Considerations about proposed synonymy of some *Papilio alexanor* subspecies (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 16 (2/3): 253-258.
328. **Bollow, C.**, 1929, Gattung *Parnassius* Latr. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 20-91, pls. Stuttgart.
329. **Bollow, C.**, 1929-1930, Gattung *Parnassius* Latr. [In] Seitz, A., *Gross-Schmett. Erde, Suppl.* 1: 20-83. Stuttgart.
330. **Bollow, C.**, 1930, Fam. *Lycaenidae* (Gattung *Virachola*-Taraca). [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 251-306, pls. Stuttgart
331. **Bollow, C.**, 1930, Fam. *Pieridae*. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 93-125, pls. Stuttgart.
332. **Bollow, C.**, 1930, Familie *Nymphalidae*. Gruppe: *Apaturidi*. [In] Seitz, A., *Die Gross-Schmett. Erde, Suppl.* 1: 191-196. Stuttgart.

333. **Bollow, C.**, 1930, Familie Pieridae. [In] Seitz, A., Die Gross-Schmett. Erde, Suppl. 1: 96-125. Stuttgart.
334. **Bollow, C.**, 1930, Subfam. Nymphalinae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 191-198, pl. Stuttgart.
335. **Bollow, C.**, 1930-1931, Familie Lycaenidae. [In] Seitz, A., Die Gross-Schmett. Erde (Suppl.) 1: 249-296. Stuttgart.
336. **Bollow, C.**, 1931, Nachträge zu den Lycaenidae (Gruppe der Lycaenini), Hesperidae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 353-354. Stuttgart.
337. **Bollow, C.**, 1931, Nachträge zur Fam. Nymphalidae (Nymphalinae). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 341-342. Stuttgart.
338. **Bollow, C.**, 1931, Nachträge zur Familie Papilionidae, Pieridae, Satyridae (Lethe-Erebia). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 327-339, pl. Stuttgart.
339. **Bollow, C.**, 1932, Familie Saturniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 129-135. Stuttgart.
340. **Borkhausen, M.B.**, 1788, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 1. 288pp. Frankfurt.
341. **Borkhausen, M.B.**, 1789, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 2. 239pp. pl., Frankfurt.
342. **Borkhausen, M.B.**, 1790, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 3. 476pp. Frankfurt.
343. **Borkhausen, M.B.**, 1792, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 4. 809pp. Frankfurt.
344. **Borkhausen, M.B.**, 1794, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 5. 572pp. Frankfurt.
345. **Boudinot, J.**, 1986, Description d'un genre nouveau parmi les Limenitini paléarctiques (Lepidoptera, Nymphalidae) Nouv. Rev. Ent. (n.s.) 2 (4): 403-409.
346. **Boudinot, J.**, 1986, Observations sur le cycle biologiques d'*Azuritis reducta* (Stgr.) (Lepidoptera, Nymphalidae) Alexanor 14 (7): 315-322, 12 figs.
347. **Bourgogne, J.**, 1951, Ordre des Lépidoptères, [in] Grassé, P.P., Traité de Zoologie. 10(1): 174-448, figs. 192-437, pls. Masson et C. Paris.
348. **Boursin, C.**, 1932, Zwei neue *Athetis* aus dem Libanon. Int. ent. Z. 26: 245-248, Pl.
349. **Boursin, C.**, 1933, Neue *Cucullia* und *Athetis* von Marasch in türkisch Nordsyrien, von der Expedition L. Osthelder und E. Pfeiffer. Mitt. münch. ent. Ges. 23 (1): 8-26, 6 pls.
350. **Boursin, C.**, 1936, Contributions a l'étude des Agrotidae Trifinae XV. Nouvelles *Athetis* (Caradrina auct.) paléarctiques. Bull. Soc. ent. Fr. 1936 (6): 87-94.
351. **Boursin, C.**, 1936, Contributions a l'étude des Agrotidae Trifinae (Lep.) XVI. Nouvelles especes paléarctiques. Bull. Soc. ent. Fr. 1936 (12): 224-226.
352. **Boursin, C.**, 1937, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XX I. Morphologische und systematische Studie über die Gattung *Athetis* Hb. (Caradrina auct.). Ent. Rdsch. 54: 364-368, 388-391, 419-423, pl.
353. **Boursin, C.**, 1937, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XX II. Beschreibung der vorstehend angeführten neuen Arten. Ent. Rdsch. 54: 429-432, 437-440, pls.
354. **Boursin, C.**, 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. Mitt. münch. ent. Ges. 30: 474-543, Taf. viii-xii.
355. **Boursin, C.**, 1944, Contributions a l'Etude de la Faune du Caucase et de l'Arménie. Revue fr. Ent. 10: 75-84, pls.
356. **Boursin, C.**, 1945, Un nouveau *Chersotis* d'Arménie: *Chersotis elegantula* n.sp. (Lepidoptera, Agrotinae). Revue fr. lépid. 10: 64-69, pl.
357. **Boursin, C.**, 1946, Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. Revue fr. lépid. 10: 186-192.
358. **Boursin, C.**, 1948, Über zwei *Autophila*-Arten aus den Brandtschen Ausbeuten in Süd- und Ost-Iran. Z. wien. ent. Ges. 32 (1947): 142-148, pls. 8-10.
359. **Boursin, C.**, 1951, Eine neue *Agrochola* Hb. (*Orthosia* auct.) aus Kleinasien. Z. wien. ent. Ges. 36: 158-161.
360. **Boursin, C.**, 1952, Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen, III. Z. f. Lepidopt. 2 (1): 49-68.

- 361. Boursin, C.**, 1952, Zwei neue Cryphia Hb. (Bryophila) - Arten aus dem vorderasiatisch-mediterranen Faunekreis. Z. wien. ent. Ges. 37: 152-155, pl.
- 362. Boursin, C.**, 1953, Über die Gattung "Allophytes" Tams nebst Beschreibung einer neuen Art aus Klein-Asien Lep. Phalaenidae (Noctuidae) (Beiträge zur Kenntnis der "Agrotidae-Trifinae", LIX). Mitt. münch. ent. Ges. 43: 239-247, Taf. ii-v.
- 363. Boursin, C.**, 1953, Über die systematische Stellung von "Crymodes" dumetorum Hb.-Geyer nebst Beschreibung einer neuen Gattung. Z. lepid. 3 (1): 47-49, pl.3
- 364. Boursin, C.**, 1953, Zwei neue Agrochola Hb.- Arten (Orthosia auct.) aus der Umgebung von Ochrid in Mazedonien. Z. wien. ent. Ges. 38: 62-66, Taf.5.
- 365. Boursin, C.**, 1954, Zwei neue Cryphia Hb. (Bryophila)-Arten aus dem vorderasiatisch-mediterranen Faunenkreis (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXVI (66)). Z. wien. ent. Ges. 39: 85-89, 2 Taf.
- 366. Boursin, C.**, 1954, Zwei neue Cryphia Hb. (Bryophila)-Arten aus Französisch- Nordafrika. Z. wien. ent. Ges. 39: 123-126, 7 Abb.
- 367. Boursin, C.**, 1957, Description de huit nouvelles Caradrina O. d'Afghanistan, de l'expédition Klapperich, et de deux Oedibrya Hps. (Perse et Afghanistan) (Lep., Phalaenidae) (Diagnoses préliminaires) (Contribution à l'étude des Agrotidae-Trifinae xc/90). Bull. mens. Soc. linn. Lyon 26 (6): 158-163.
- 368. Boursin, C.**, 1957, Eine neue Allophytes Tams aus Mittelchina (Aus Dr.Höne's China-Ausbeuten) (Beiträge zur Kenntnis der Agrotidae-Trifinae xciii(93)). Z. wien. ent. Ges. 42: 103-106, 1 Taf.
- 369. Boursin, C.**, 1958, Trois nouveaux genres d'Asie Antérieure, de la sous-famille des Zenobiinae (Lep., Noctuidae). Bull. mens. Soc. linn. Lyon 27 (1): 4-6.
- 370. Boursin, C.**, 1959, Über zwei für Europa neue Hadena-Arten (=Dianthoecia B.) Hadena clara Stgr. (1901), bona sp.! und Hadena urumovi Dren. (1931), bona sp.! Z. wien. ent. Ges. 44: 113-131, pls.5-11.
- 371. Boursin, C.**, 1962, Eine neue Aegle Hb. aus Anatolien. Z. wien. ent. Ges. 47: 183-186, Taf. 18, 19.
- 372. Boursin, C.**, 1962, Eine neue Cosmia Hb. (Calymnia auct.) aus dem Balkan und Kleinasien. Z. wien. ent. Ges. 47: 65-69, pls.
- 373. Boursin, C.**, 1962, Eine neue Hadena Schr. (Dianthoecia B.) aus Armenien. Z. wien. ent. Ges. 47: 162-164, pl.
- 374. Boursin, C.**, 1962, Lithophane semibrunnea Haw. Eine vorderasiatisch-mediterrane Art mit Beschreibung einer neuen Subspecies. Z. wien. ent. Ges. 47: 92-94, Taf.11.
- 375. Boursin, C.**, 1964, Eine neue Anamecia Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf.3.
- 376. Boursin, C.**, 1966, Eine neue Conisania Hps. aus Sining nebst Synonymie-Notizen. Z. wien. ent. Ges. 51: 154-159, Tab.13-17, 17 figs.
- 377. Boursin, C.**, 1967, Eine neue Mythimna O. aus Ostanatolien. Z. wien. ent. Ges. 52: 90-91, pl.
- 378. Boursin, C.**, 1969, Bryopsis n. subgen. für Cryphia muralis Forst. (1771). Z. wien. ent. Ges. 54: 46.
- 379. Boursin, C.**, 1970, Description de 40 especes nouvelles de Noctuidae Trifinae paléarctiques et de deux genres nouveaux des sous-familles Noctuinae et Amphipyrrinae 2e série. Contributions à l'étude des Noctuidae Trifinae, 166. Entomops 18: 45-79, figs.52-122.
- 380. Bramson, K.L.**, 1910, Analytische Uebersicht der Formen von Melitaea didyma O. Horae Soc. ent. ross. 39: 391-410.
- 381. Brandt, W.**, 1938, Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 55: 497-505, 516-523, 548-554, 558-561, 567-574, 584-588, 597-602, 616-621, 632-634, 671-675, 698-699, 701-702, Abb. Taf.
- 382. Brandt, W.**, 1939, Beitrag zur Lepidopteren-Fauna von Iran. Einige neue Agrotiden aus Laristan und Baloutchistan. Ent. Rdsch. 56 (23): 241-245; (25): 268-273; (27): 294-300, 3 Taf.
- 383. Brandt, W.**, 1939, Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 56: 11-15, 23-24, 32-34, 59-61, 86-88, 109-111, 139-142, 161-163, Abb.
- 384. Brandt, W.**, 1941, Beitrag zur Lepidopterenfauna von Iran (3). Agrotiden. Mitt. münch. ent. Ges. 31: 835-863, figs.
- 385. Brandt, W.**, 1941, Beitrag zur Lepidopterenfauna von Iran (4). Geometridae. Mitt. münch. ent. Ges. 31: 864-886, figs.
- 386. Brandtstetter, C.M.**, 1981, Über die Verbreitung von Rethera komarovi Christoph (Lepidoptera, Sphingidae). Ent. Nachr. 1: 84-86.

387. **Bridges, C.A.**, 1988, Bibliography (Lepidoptera, Rhopalocera). 587 pp. Urbana Illinois (Sebstverlag).
388. **Bridges, C.A.**, 1988, Catalogue of Hesperioidea (Lepidoptera). 463 pp., Urbana Illinois (Sebstverlag).
389. **Bridges, C.A.**, 1988, Catalogue of Lycaenidae & Riodinidae (Lepidoptera, Rhopalocera). 816 pp. Urbana Illinois (Sebstverlag).
390. **Bridges, C.A.**, 1988, Catalogue of Papilionidae & Pieridae (Lepidoptera, Rhopalocera). 721 pp. Urbana Illinois (Sebstverlag).
391. **Bridges, C.A.**, 1988, Catalogue of the family-group genus-group and species-group names (Lepidoptera, Rhopalocera) of the World. 357 pp. Urbana Illinois (Sebstverlag).
392. **Bridges, C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A. Bridges, Urbana, Illinois.
393. **Brink, H.v.d. & H.v.Oorschot**, 1996, Additions and corrections to "Die Tagfalter der Türkei". I. Interesting observations of butterflies in Turkey during the 37th expedition of the "Werkgroep Grieks-Turkse dagvlinders" (Lepidoptera: Hesperidae, Pieridae, Lycaenidae). Phegea 24(1): 19-23, 1 fig. Pl.1.
394. **Brock, J.P.**, [1968], The systematic position of the Choreutinae (Lepidoptera, Glyphipterygidae). Entomologist's mon. Mag. 103: 245-246.
395. **Brock, J.P.**, 1971, A contribution towards an understanding of the morphology and phylogeny of the ditrysian Lepidoptera. J. nat. Hist. 5: 29-102.
396. **Bros, E.de**, 1991, Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei. Mitt. ent. Ges. Basel 41(4): 112-135, 6 Abb.
397. **Bros, E.de**, 1994, Corrigenda zum "Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei" (Mitt. ent. Ges. Basel 41(4), 112-135, 1991). Mitt. ent. Ges. Basel 44(2): 74-75.
398. **Brown, J.**, 1976, A Review of the genus *Pseudochazara* de Lesse 1951 (Lep., Satyridae) in Greece. Entomologist's Gaz. 27: 85-90, 13 figs.
399. **Brown, J.W.**, 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
400. **Bruand, T.**, 1857-1858, Classification des Tinéides et examen des caractères et de leur importance relative, d'après la méthode naturelle. Annls Soc. ent. Fr. (3) 5: 807-826; (3) 6: 601-702.
401. **Bruand, T.**, 1859, Essai monographique sur le genre *Coleophora* première partie. Annls Soc. ent. Fr. (3) 7: 375-414.
402. **Brünnlich, M.T.**, 1863, Insecta Lepidoptera [in] Pontoppidan, E., Den Danske Atlas I: 684-689, pl.30, figs. Kiøbenhavn.
403. **Bryk, F. & C.Eisner**, 1930, *Parnassius apollo* L. in Klein-Asien. Parnassiana 1 (4): 1-3, figs.
404. **Bryk, F. & C.Eisner**, 1931, *Parnassius mnemosyne* L. in Klein-Asien. Parnassiana 1 (7/8): 1-3 figs.
405. **Bryk, F. & C.Eisner**, 1934, Zwei neue Rassen von *P. mnemosyne* L. aus Armenien. Parnassiana 3: 38-39, figs. 3-4.
406. **Bryk, F. & C.Eisner**, 1935, Zur Prazisierung des Fundortes von *P. apollo* ssp. *graslini* Oberth. Parnassiana 3: 67-68, 3 figs.
407. **Bryk, F.**, 1912, Syntomidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 7. 179pp. Dr.W.Junk Berlin.
408. **Bryk, F.**, 1912-1914, Parnassiana v. Zur Synopsis der asiatischen *Mnemosyne*. Societas Ent. 27 (1912): 24-25, 38-40, 48-50, 52-53, 61-62, 87-89, 99-101, 106-107, 25 figs.; *ibid.* 28 (1913): 14-16; 29 (1914): 42-44, 66-71, figs.
409. **Bryk, F.**, 1914, Randbemerkungen zu Dr. Pagenstechers *Parnassius apollo* in Kaukasien. Mitt. münch. ent. Ges. 4: 70-74, figs.
410. **Bryk, F.**, 1914-1915, Über das Abändern von *Parnassius apollo* L. Untersuchungen über Biologie und Zeichnungsverhältnisse des Formenkreis *Parnassius apollo* L. Arch. Naturgesch. 80 A (5): 131-160, figs. 1-9, pl. 1-3 [1914]; (6): 149-180, figs. 10-29, pl.4-8 [1914]; (7): 153-184, figs. 30-36, pl.9-13 [1915]; (8): 143-174, pl.14-21 [1915]; (9): 133-164, pl.22-29 [1915]; (10): 147-167, pl.30-35 [1915].
411. **Bryk, F.**, 1923, Baroniidae, Teinopalpidae, Parnassiidae. [in] Strand, E. Lepidopterorum Catalogus 24 (27): 1-247.
412. **Bryk, F.**, 1932, Neue Zerynthiinae. Parnassiana 2: 102-104.

413. **Bryk, F.**, 1934, Lepidoptera Baroniidae, Teinopalpidae, Parnassiidae Pt.1 Tierreich 64: xxiii + 129 pp., 87 figs.
414. **Bryk, F.**, 1934, Lymantriidae, [in] E.Strand, Lepidopterorum Catalogus. Pars 62: 1-441 pp. W.Junk, Berlin.
415. **Bryk, F.**, 1935, Lepidoptera Parnassiidae Pt.II (Subfam. Parnassiinae). Tierreich 65: li + 788 pp., 698 figs.
416. **Bryk, F.**, 1936, Zygaenidae II. [in] Bryk, F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W.Junk 's-Gravenhage.
417. **Bryk, F.**, 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk, F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage.
418. **Bryk, F.**, 1940, Geographische Variabilität von *Melitaea didyma* (Esper). Folia zool. hydrobiol. 10: 293-353, 6 pls.
419. **Bubics, J. & L.Ronkay**, 2009, Two new *Lygephila* Billberg, 1820 species from the Himalayan-Sino-Tibetan region (Lepidoptera, Noctuidae, Catocalinae). Folia ent. hung. 70: 169-180, figs.
420. **Buchner, P.**, 2015, Two new species of *Agonopterix* (Depressariidae, Lepidoptera) from Europe. Zootaxa 3986 (1): 101-114, figs.
421. **Buchner, P.**, 2017, *Depressaria junnilaineni*, a new species from the *veneficella* species-group (Depressariinae, Lepidoptera) from the West Palaearctic, with additional information on the rare species *D. pentheri* and *D. erzurumella*. Cent. ent. Stud., Misc. Pap. 166: 1-19, figs.
422. **Buchner, P.**, 2017, Faunistic records of Depressariidae (Lepidoptera, Gelechioidea) from Turkey - a result of studies for "Microlepidoptera of Europe: Depressariinae". Cesa News 134: 1-34, figs.
423. **Buchner, P.**, 2017, Redescription of *Agonopterix selini* (Heinemann, 1870) with description of *Agonopterix lessini* sp.n. and *Agonopterix paraselini* sp.n. (Lepidoptera, Gelechioidea). Gortania Bot. Zool. 38 (2016): 71-101, figs.
424. **Buchner, P., Corley, M. & J.Junnilainen**, 2017, Three new species and one new subspecies of Depressariinae (Lepidoptera) from Europe. Zookeys 684: 119-154, figs.
425. **Buchner, P., Kemal, M. & S.Kızıldağ**, 2018, *Depressaria bayındirensis*, a new species from the *hystricella/taciturna* species-group (Depressariinae, Lepidoptera) from Turkey. Misc. Pap. 170: 1-11, 19 figs.
426. **Budashkin, Y.I. & S.A.Sachkov**, 1991, New taxa of moth from the genus *Ochromolopis* (Lepidoptera, Epermeniidae) in the USSR fauna and identification of similar species. Zool. Zh. 70 (10): 78-83, figs.
427. **Bugnion, C.**, 1837, Description de quatre nouvelles especes de Lépidopteres de la Syrie et de l'Egypte. Annls Soc. ent. Fr. 6: 439-444, pl.16.
428. **Bugnion, C.**, 1839, Note sur la *Sphinx cretica*. Annls Soc. ent. Fr. 1839: 113-116.
429. **Buntebarth, G.**, 1979, Zur Biologie der *Zygaena formosa* und der *Zygaena carniolica kappadokiae* (Lep., Zygaenidae). Ent. Z., Frankf. a. M. 89 (9): 100-104, 2 figs.
430. **Buresch, I.**, 1915, Beitrag zur Lepidopterenfauna von Thrazien und Mazedonien. Z. bulg. Akad. Wiss. Sophia 12: 37-54, figs.
431. **Buresch, I.**, 1915, Biology of *Doritis apollinus* Hbst. and its distribution in the Balkan Peninsula. Spis. bulg. Akad. Nauk. 12: 15-36.
432. **Buresch, I.**, 1921, Neue und seltene Schmetterlinge aus Thrazien und Mazedonien. Z. bulg. Akad. Wiss. Sophia 23: 162-165.
433. **Burgeff, H.**, 1914, Kommentar zum paläarktischen Teil der Gattung *Zygaena* des von Chr. Aurivillius und H. Wagner herausgegebenen Catalogue Lepidopterorum. Mitt. münch. ent. Ges. 5 (5/8): 35-70; (9/12): 77-78, Taf.ii-vi.
434. **Burgermeister, F.**, 1969, Macrolepidopteren Funde aus dem Raume Alanya (Mediterrane Südküste der Kleinasiatischen Türkei). Jb. Steyrer Entomologenrunde 11: 1-33, 3 pls.
435. **Burr, M.**, 1944, Bithynian Mt. Olympus. Entomologist's Rec. J. Var. 56: 100-104.
436. **Burr, M.**, 1944, *Parnassius apollo*, race *kosswigi*, de Lattin. Entomologist's Rec. J. Var. 56: 41, 57-58.
437. **Burr, M.**, 1949, *Catocala fraxini* commits suicide. Entomologist's Rec. J. Var. 61: 119.
438. **Busck, A.**, 1914, New genera and species of Microlepidoptera from Panama. Proc. U.S. nat. Mus. 47 (2043): 1-67.
439. **Busck, A.**, 1939, Restriction of the genus *Gelechia* (Lepidoptera, Gelechiidae), with descriptions of new genera. Proc. U.S. nat. Mus. 86 (3064): 563-589, pls.

440. **Butler, A.G.**, 1865, Description of six species of diurnal Lepidoptera in the British Museum Collection. Proc. zool. Soc. London 1865: 430-434, Pl 25.
441. **Butler, A.G.**, 1868, An Essay towards an arrangement of the genera of the family Satyridae. Entomologist's mon. Mag. 4: 193-197.
442. **Butler, A.G.**, 1868, Catalogue of Diurnal Lepidoptera of the family Satyridae in the Collection of the British Museum. 211 pp. 5 Pls. London.
443. **Butler, A.G.**, 1870, Catalogue of diurnal lepidoptera described by Fabricius in the collection of the British Museum. 303 pp. 2 pls. London.
444. **Butler, A.G.**, 1875, Revision of the genus *Spilosoma* and allied groups of the family Arctiidae. Cist. ent. 2: 21-44.
445. **Butler, A.G.**, 1876, Revision of the lepidopterous genus *Teracolus* with descriptions of the new species. Proc. zool. Soc. Lond. 1876: 126-165, pls.vi,vii.
446. **Butler, A.G.**, 1891, Revision of the noctuid moths in the Natural History Museum hitherto referred to *Eriopus* and *Callopietria*. Ann. Mag. nat. Hist. (6) 8: 70-78, plate ix.
447. **Butler, A.G.**, 1892, Revision of the noctuid genus *Melipotis* Hübn. with description of two new species. Ann. Mag. nat. Hist. 6 (10): 315-327.
448. **Butler, A.G.**, 1901, A revision of the butterflies of the genus *Precis*, with notes on the seasonal phases of the species. Ann. Mag. nat. Hist. 7 (8): 196-216.
449. **Buxton, D.A.J.**, 1916, Lepidoptera at the Dardanelles. Entomologist's Rec. J. Var. 28 (10): 213-217.
450. **Buxton, P.A.**, 1920, A Liparid moth, *Ocnerygia amanda* Staud., destructive to figs in Mesopotamia. Bull. ent. Res. 11: 181-186.
451. **Bytinski-Salz, H. & W.Brandt**, 1937, New Lepidoptera from Iran. Entomologist's Rec. J. Var. 49: 1-15.
452. **Bytinski-Salz, H.**, 1936, New Lepidoptera from Asia Minor. Entomologist's Rec. J. Var. 48: 1-6.
453. **Bytinski-Salz, H.**, 1939, New Amatidae from Asia. Entomologist's Rec. J. Var. 51: 149-153, pl.x.
454. **Calle, J.A.**, 1982, *Dysgonia torrida* (Guenée, 1852) (Lep., Noctuidae) en España. Bol. Asoc. esp. Ent. 6 (1): 125-126, figs.
455. **Can Cengiz, F. & A.Hausmann**, 2014, The Geometridae of Amanos mountains in southern Turkey - with a review of the historical exploration. Spixiana 37 (2): 263 [only a very short text of two paragraphs, completely irrelevant with its striking title. No scientific information!]
456. **Can Cengiz, F.**, 2011, Geometridae (Lepidoptera) familyasına bağlı türlerin bazı davranış özellikleri. MKU Zir. Fak. Derg. 16 (1): 11-18, şekil.
457. **Can Cengiz, F., Ulaşlı, B. & A.Schintlmeister**, 2015, Contribution to the knowledge of the Notodontidae (Lepidoptera) of Turkey. Türk. ent. derg. 39 (4): 381-392, figs.
458. **Can, F. & M.Subchev**, 2015, Seasonal flight patterns of *Anarsia lineatella* Zeller (Lepidoptera, Gelechiidae) in South-East Turkey. JMEST 2 (8): 2147-2150.
459. **Can, F. & V.Mironov**, 2006, *Perizoma onurcani* sp.n. from Turkey (Geometridae, Larentiinae). Nota lepid. 28 (3/4): 163-166, figs.
460. **Can, F.**, 2008, Geometrid moths (Lepidoptera) from the middle and eastern Black Sea Regions of Turkey. Turk J. Zool. 32: 1-8.
461. **Can, F.**, 2009, DNA barcoding confirms species rank for a cryptic geometrid species from Turkey and Bulgaria (Lepidoptera, Geometridae, Sterrhinae). Zootaxa 2314: 63-68, figs.
462. **Can, F.**, 2010, Evaluation of morphological characters and male genitalia features of emerald moths (Lepidoptera, Geometridae, Geometrinae) from Turkey. Afr. J. Agr. Res. 5 (9): 867-873, figs.
463. **Can, F., Demirel, N., Sağiroğlu, E.I., Toshova, T. & M.Subchev**, 2010, Employing pheromone traps to establish the distribution and seasonal activity of *Theresimima ampellophaga* in Turkey. Phytoparasitica 38 (3): 217-222.
464. **Can, F., Garrevoet, T. & A.I.Sağiroğlu**, 2010, *Synanthedon syriaca*, a new species to the Turkish fauna (Lepidoptera, Sesiidae). Phegea 38 (1): 8-10.
465. **Canterer, L.P.**, 1834-[1835], Histoire naturelle des Lepidopteres Rhopaloceres ou Papillons diurnes, des Départements des Haut et Bas-Rhin, de la Moselle, de la Meurthe et des Vosges. 166 pp., 39 pls. Paris.
466. **Capdeville, P.**, 1978-1980, Les races géographiques de *Parnassius apollo*. 6 parts. 191pp. 24 col. pls.
467. **Capuse, I. & D.Dogof**, 1969, Contribution a l'étude de *Janthinea frivaldszkyi* (Dup) de Bulgarie (Lepidoptera, Noctuidae). Bull. Soc. ent. Mulhouse 1969: 81-84, 3 figs.

468. **Capuse, I.**, 1958, *Ancata* n.g. (*Taeniocampa* Gn., partim, Lepidoptera). *Polski Pismo Ent.* 28: 167-171.
469. **Capuse, I.**, 1966, New and rare palaearctic Tineidae (Lepidoptera). *Tijdschr. Ent.* 109 (5): 103-124, 49 figs.
470. **Capuse, I.**, 1971, *Recherches Morphologiques et Systematiques sur la famille des Coleophoridae* (Lepidoptera). 66 pp., pls. Bucharest.
471. **Capuse, I.**, 1973, Zur Systematik und Morphologie der Typen der Sesiidae (Lepidoptera) in der R. Puengeler- Sammlung des Zoologischen Museums zu Berlin. *Mitt. münch. ent. Ges.* 63: 134-171, figs.
472. **Caradja, A.v.**, 1910, Beitrag zur Kenntnis über die geographische Verbreitung der Pyraliden des europäischen Faunengebietes nebst Beschreibung einiger neuer Formen. *Dt. ent. Z., Iris* 24: 105-147, Taf.14.
473. **Caradja, A.v.**, 1916, Beitrag zur Kenntnis der geographische Verbreitung der Pyraliden und Tortriciden des europäischen Faunengebietes, nebst Beschreibung neuer Formen. *Dt. ent. Z., Iris* 30 (1): 1-88, 151-152.
474. **Caradja, A.v.**, 1920, Beitrag zur Kenntnis der geographischen Verbreitung der Microlepidopteren des palaarktischen Faunengebietes nebst Beschreibung neuer Formen. *Dt. ent. Z., Iris* 34: 75-179.
475. **Caradja, A.v.**, 1935, Beitrag zur Kleinfalterfauna Inneranatoliens. *Dt. ent. Z., Iris* 48: 183-184.
476. **Carbonell, F. & A.Naderi**, 2006, *Melanargia sadjadii* n.sp., du nord de l'Iran (Lepidoptera, Nymphalidae). *Bull. Soc. ent. Fr.* 111 (4): 465-468, figs.
477. **Carbonell, F. & A.Naderi**, 2007, *Melanargia grumi lorestanensis* n. ssp. dans le sud-ouest de l'Iran (Lep., Nymphalidae). *Bull. Soc. ent. Fr.* 112 (4): 454, figs.
478. **Carbonell, F. & C.Brevignon**, 1982, Une nouvelle sous-espèce d'*Archon apollinus* de Turquie (Lepidoptera, Papilionidae). *Alexandor* 12 (8): 339-343, figs.
479. **Carbonell, F. & C.Brevignon**, 1983, Notes sur les Lépidoptères de la Turquie du sud a Paques. *Alexandor* 13 (2): 50-53.
480. **Carbonell, F.**, 1991, Contribution a la connaissance du genre *Archon* Hübner, 1822. Découverte de zones de sympatrie pour *Archon apollinus* (Herbst) et *A.apollinaris* Staudinger (Lepidoptera, Papilionidae). *Linneana Belgica* 13 (1): 3-12, figs.
481. **Carbonell, F.**, 1991, Contribution a la connaissance du genre *Polyommatus* en Turquie orientale (Lepidoptera, Lycaenidae). *Linneana Belgica* 13 (4): 221-235, figs.
482. **Carbonell, F.**, 1991, Une espèce jumelle méconnue du genre *Polyommatus* (*Neolysandra*) Koçak, 1977. *Linneana Belgica* 13 (1): 35-45, figs.
483. **Carbonell, F.**, 1993, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): le complexe ultraspécifique d'*A. transcaspica* Staudinger (1899) (Lepidoptera, Lycaenidae). *Linneana Belgica* 14 (2): 89-116, 12 figs. Tab.
484. **Carbonell, F.**, 1994, Contribution à la connaissance du genre *Polyommatus* Latreille (1804): le complexe ultraspécifique de *Polyommatus eros-eroides* au Moyen-Orient et en Transcaucasie (Lepidoptera, Lycaenidae) (1re partie: descriptions de nouveaux taxa). *Linneana Belgica* 14 (4): 227-234, figs.
485. **Carbonell, F.**, 1994, Le complexe d'*Agrodiaetus poseidon* Herrich-Schäffer (1851) en Turquie et au Liban. Description d'une nouvelle sous-espece d'*A.theresia* (Lepidoptera, Lycaenidae). *Linneana Belgica* 14 (6): 291-302, Pls.
486. **Carbonell, F.**, 1995, Contribution a la connaissance du genre *Polyommatus* Latreille (1804): le complexe ultraspécifique de *Polyommatus eros-eroides* au Moyen-Orient et en Transcaucasie (2ème partie). *Linneana Belgica* 14 (8): 439-454, figs.
487. **Carbonell, F.**, 1996, Contribution a la connaissance des genres *Agrodiaetus* Hübner, (1822) *Agrodiaetus lycius* n.sp. en Turquie méridionale (Lepidoptera, Lycaenidae). *Linneana Belgica* 15 (7): 281-285, figs.
488. **Carbonell, F.**, 1996, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): *A. lycius* nouvelle espece en Turquie méridionale. *Linneana Belgica* 15 (7): 89-116, figs.
489. **Carbonell, F.**, 1997, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): *A.actis artvinensis* nouvelle sous-espèce en Turquie orientale. *Linneana Belgica* 15 (11): 139-142, figs.
490. **Carbonell, F.**, 1997, *Hyponephele shirazica* n.sp. en Iran méridionale (Lepidoptera, Nymphalidae, Satyridae). *Linneana Belgica* 16 (3): 99-104, 9 col. figs., 1 text-figs.

491. **Carbonell, F.**, 1998, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822), position taxinomique d'*Agrodiaetus anticarmon* Koçak, 1983 (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (7): 263-265, 6 figs.; 16(8): 349.
492. **Carbonell, F.**, 1998, Contribution a la connaissance du genre *Agrodiaetus* Hübner, 1822 *Agrodiaetus cilicius* n.sp. en Turquie méridionale (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (8): 343-349, maps, pl.
493. **Carbonell, F.**, 2000, Contribution a la connaissance du genre *Chazara* Moore, 1893 *Chazara egina mortezai* n.ssp. en Iran (Lepidoptera: Nymphalidae, Satyrinae). *Linneana Belgica* 17 (6): 247-254, figs. map.
494. **Carbonell, F.**, 2002, *Agrodiaetus erzindjanensis* n.sp. de Turquie (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 107: 524.
495. **Carbonell, F.**, 2003, *Agrodiaetus antidolus pertekensis* n.ssp., de Turquie orientale, et *A. morgani sanandajensis* n.ssp., de l'ouest de l'Iran (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 108 (5): 441-445, figs.
496. **Carbonell, F.**, 2003, *Agrodiaetus damocles tortumensis* n.ssp. et *A. d. urartua* n.ssp. de Turquie orientale (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 108 (2): 167-175, figs.
497. **Carbonell, F.**, 2013, Nouvelle plante-hôte pour *Allancastris louristana* (Le Cerf) et *Archon apollinaris* (Staudinger) (Lep., Papilionidae). *Bull. Soc. ent. Fr.* 118 (4): 426, figs.
498. **Carbonell, F.**, 2015, Un nouvel *Agrodiaetus* de Turquie (Lepidoptera, Lycaenidae). *Bull. Soc. ent. Fr.* 120 (4): 463-464, figs.
499. **Carter, D.**, 1992, *Butterflies and Moths*. 304pp., figs. Dorling Kindersley, London
500. **Casale, A. & S.A. Cecchin**, 1990, Further data on *Parnassius apollo* Linné, 1758 in the Peloponnesos (Lepidoptera, Papilionidae). *Nota lepid.* 13(1): 8-11, 4 figs.
501. **Cebeci, Z. & M. Çelik**, 2012, Sultan'ın günlüğü. Sultan (*Danaus chrysippus* L.) kelebeğinin biyolojisi ve ekolojisi. 26s. [http://www.adameros.org/contents/download/Sultan_20\(Danaus_20chrysippus\)_20Turkey.pdf](http://www.adameros.org/contents/download/Sultan_20(Danaus_20chrysippus)_20Turkey.pdf) [access 29 11 2012].
502. **Cebeci, Z., Atay, E., Çelik, M. & F. Güvercin**, 2013, Adana'ya endemik çokgözlü *teresamavisi* (*Polyommatus* (*Agrodiaetus*) *theresia*) kelebeği üzerinde gözlem çalışmaları ve türün varlığının yeniden onaylanması. *Karadeniz Fen Bil. Derg.* 3 (8): 1-10, şekil.
503. **Cerf, F. le**, [1910], Collections recueillies en Perse par M.J. de Morgan. *Lépidopteres. Description d'espèces nouvelles des genres Lycaena et Phlyctaenodes*. *Bull. Mus. natn. Hist. nat. Paris* 3: 535-536.
504. **Cerf, F. le**, 1914, Description d'une espèce nouvelle du genre *Zenodoxus* Gr. et Rob. (Lep., Aegeriidae). *Bull. Soc. ent. Fr.* 1914: 272-275, 1 figs.
505. **Cerf, F. le**, 1918, Description d'une *Triphosa* nouvelle de Corse et observations sur les formes apparentes à *Triphosa sabaudiata* Dup. *Bull. Mus. natn. Hist. nat. Paris* 24: 403-417, pl. 9.
506. **Cerf, F. le**, 1937, *Aegeriade* [sic!] nouvelles d'Asie Mineure. *Bull. ent. Soc. Fr.* 42: 172-176.
507. **Cerf, F. le**, 1937, *Aegeriidae* nouvelles ou peu connues d'Asie Antérieure. *Z. öst. EntVer.* 22: 81-89, 96-99, 103-109, 1 pl. 6 figs.
508. **Chainey, J. E.**, 2005, The species of Papilionidae and Pieridae (Lepidoptera) described by Cramer and Stoll and their putative type material in the Natural History Museum in London. *Zool. J. Linn. Soc.* 145: 283-337, 43 figs.
509. **Chapman, M. D.**, 1902, On Hypotianae, a new subfamily of Pyralidae. *Trans. ent. Soc. London* 1902: 49-55.
510. **Chapman, T. A.**, 1897, Notes on *Charaxes jasio*: its life-history, protective resemblance, etc, with some observations on moulting and pupation. *Entomologist's Rec. J. Var.* 9: 192-194, 217-220.
511. **Chapman, T. A.**, 1900, The pupa of *Libythea celtis*. *Entomologist's Rec. J. Var.* 12: 284-286.
512. **Chapman, T. A.**, 1905, On the pupal suspension of *Thais*. *Trans. ent. Soc. London* 1905: 203-218.
513. **Chapman, T. A.**, 1908, Are *Everes argiades* and *coretas* distinct species? *Trans. ent. Soc. London* 1908 (2): 371-374, pls. xix-xx.
514. **Chapman, T. A.**, 1908, *Erebia lefebvrei* and *Lycaena pyrenaica*. *Trans. ent. Soc. London* 1908 (2): 307-316, pls. viii-xiii.
515. **Chapman, T. A.**, 1910, On *Zizeeria* Chapman, *Zizera* Moore. A Group of Lycaenid Butterflies. *Trans. ent. Soc. Lond.* 1910 (4): 479-497, pl. 51-60, 4 text figs.
516. **Chapman, T. A.**, 1912, An unrecognised European *Lycaena* identified as *Agriades thersites* (Boisd. MSS), Canterbury. *Trans. ent. Soc. London* 1912 (2): 662-677, figs.

517. **Chapman, T.A.**, 1913, On the shedding of the cornuti in *Pyrausta aurata*, Sc. Entomologist's Rec. J. Var. 25: 106-108, 4 pls.
518. **Chapman, T.A.**, 1914, A contribution to the life history of *Agriades thersites*, Canterer. Trans. ent. Soc. London 1914: 285-308, pls.
519. **Chapman, T.A.**, 1917, *Micropteryx* entitled to ordinal rank. Order Zeugloptera. Trans. ent. Soc. London 1916: 310-314, 12 figs.
520. **Choi, S.-W.**, 1998, Systematics of the genus *Cidaria* Treitschke (Lepidoptera, Geometridae, Larentiinae). Zool. J. linn. Soc. 122: 555-580, 29 figs.
521. **Choi, S.-W.**, 2000, A cladistic analysis of the Therini: A new synonym of the *Cidariini* (Lepidoptera, Geometridae, Larentiinae). Amer. Mus. Novit. 3295: 1-25, 61 figs., 3 tab.
522. **Choi, S.-W.**, 2001, Phylogeny of *Eulithis* Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. Amer. Mus. Novit. 3318: 1-37, 24 figs., 2 Tab.
523. **Christoph, H.**, 1881, Eine Reise im westlichen Caucasus. Stettin ent. Ztg. 42(4/6): 157-166.
524. **Christoph, H.**, 1882, Einige neue Lepidoptera aus Russisch-Armenien. Horae Soc. ent. ross. 17: 104-122.
525. **Christoph, H.**, 1885, Lepidoptera aus dem Achal-Tekke Gebiete 2.Theil. [in] Romanoff, Mém. Lépid. 2: 119-171, Pls. vi-viii, xv.
526. **Christoph, H.**, 1888, Diagnosen zu einigen neuen Lepidopteren des palaearctischen Faunengebietes. Horae Soc. ent. ross. 22: 308-314.
527. **Christoph, H.**, 1892, *Pellonia tabidaria* Z. und *Pellonia sieversi* Chr. Stettin ent. Ztg. 53: 245-247.
528. **Christoph, H.**, 1893, Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 86-96.
529. **Clarke, C.A. & T.B.Larsen**, 1986, Speciation problem in the *Papilio machaon* group of butterflies (Lepidoptera, Papilionidae). Syst. Ent. 11: 175-181, 3 figs. 2 Tab.
530. **Clarke, J.F.G.**, 1941, Revision of the North American moths of the family Oecophoridae, with descriptions of new genera and species. Proc. U.S. Nat. Mus. 90 (3107): 33-286, 48 Pls.
531. **Clarke, J.F.G.**, 1958, Catalogue of the type specimens of Microlepidoptera in the British Museum (Natural History) described by Edward Meyrick. Vol. III. Tortricidae, Olethreutidae, Noctuidae. 600 pp., 298 Pls. London.
532. **Clerck, C.**, 1759-[1764], Icones Insectorum Rariorum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae.
533. **Coenen, F.**, 1990, Révision du statut taxonomique de quelques populations de *Pieris napi* (Linnaeus, 1758) du sud-est de l'Europe et du Proche-Orient (Lepidoptera, Pieridae). Phegea 18 (2): 89-124, 38 figs.
534. **Collenette, C.L.**, 1938, New Palaearctic and Indo-Australian Lymantriidae in the British Museum Collection. Ann. Mag. nat. Hist. (11) 2: 368-387, Pl. xiv.
535. **Collins, N.M. & M.G.Morris**, 1985, Threatened Swallowtail Butterflies of the World. 401pp. 8 Pls. IUCN, Gland & Cambridge.
536. **Common, I.F.B.**, 1958, A revision of the pink bollworms of Cotton (*Pectinophora* Busck (Lepidoptera, Gelechiidae)) and related genera in Australia. Aust. J. Zool. 6 (3): 268-306, 1 pl.
537. **Cook, M.A. & M.J.Scoble**, 1992, Tympanal organs of geometrid moths: a review of their morphology, function, and systematic importance. Syst. Ent. 17: 219-232, figs.
538. **Corley, M.F.V.**, 2001, *Pseudosphronia*, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs.
539. **Cormier, A.C. du, Guérin, P. & H. de Lesse**, 1957, Une nouvelle forme de *Boloria* aux Alpes Pontiques. Lambillionea 57(5/6): 34-37.
540. **Costa, O.G.**, 1832-[1836], Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque le bagnano, contenente la descrizione de nuovi o poco esattamente conosciuti con figure ricavate... 321 pp. 23 Pls. Napoli.
541. **Courvoisier, L.G.**, 1911, Einige neue oder wenig bekannte Lycaeniden Formen. Dt. ent. Z., Iris 25: 103-109, pl. 2.
542. **Courvoisier, L.G.**, 1913, Zur Nomenklatur und Diagnose der europäischen Theclinen. Int. ent. Z. 7: 231-233, 239-240, 243-244, 251-253.
543. **Coutsis, J.G. & Borie, J.-P.**, 2007, *Turanana dushak* new to Iran, a re-description of its valva and of the valva of *Turanana panaegides*, and new sampling locality data for *Turanana endymion* and *Turanana endymion ahasveros* (Lepidoptera, Lycaenidae). Phegea 35 (2): 57-63, figs.

544. **Coutsis, J.G.**, 1986, Notes concerning the taxonomic status of *Turanana panagaea taygetica* Rebel (Lep. Lycaenidae). *Nota lepid.* 9 (1/2): 35-38, 2 figs.
545. **Coutsis, J.G.**, 2001, The male genitalia of the butterflies placed in the subgenus *Neolysandra* of the genus *Polyommatus* (Lycaenidae). *Nota lepid.* 24 (1/2): 65-72, figs.
546. **Coutsis, J.G.**, 2004, Revision of the *Turanana endymion* species-group (Lycaenidae). *Nota lepid.* 27 (4): 251-272.
547. **Coutsis, J.G.**, 2006, Additional revisionary actions and corrections in the *Turanana endymion* species-group (Lepidoptera). *Nota lepid.* 29 (1/2): 17-25.
548. **Coutsis, J.G.**, 2006, Revision of the *Turanana endymion* species-group (Lycaenidae) - a correction. *Nota lepid.* 28 (3/4) (2005): 202.
549. **Coutsis, J.G.**, 2008, *Pseudophilotes bavius casimiri*, the most differentiated subspecies of the *P. bavius* species-group. *Pseudophilotes fatma*, a distinct species (Lepidoptera, Lycaenidae, Scolitantiditi). *Phegea* 36 (4): 121-125, 24 figs.
550. **Coutsis, J.G., Prins, W.de & D.v.d.Poorten**, 1997, *Turanana laspura* Evans separated from *T. cytis* (Christoph) as a distinct species (Lepidoptera, Lycaenidae). *Phegea* 25 (3): 135-140, 9 figs.
551. **Cowan, C.F.**, 1985, The type-species of *Hipparchia Fabricius*, 1807 (Lepidoptera, Satyridae). *Entomologist's Gaz.* 36: 284.
552. **Cramer, P.**, [1775], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: parts (1)-(7): xxx, 16 pp. 1-132, pls. 1-84, "1779".* Amsterdam & Utrecht.
553. **Cramer, P.**, [1776], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: part (8): pp. 133-156, pls. 85-96,* Amsterdam & Utrecht.
554. **Cramer, P.**, [1777], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 2: parts (9)-(16): pp. 1-152, pls. 97-192,* Amsterdam & Utrecht.
555. **Cramer, P.**, [1779], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (17)-(21): pp. 1-104, pls. 193-252,* Amsterdam & Utrecht.
556. **Cramer, P.**, [1780], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (22)-(24): pp. 105-176, pls. 253-288,* Amsterdam & Utrecht.
557. **Cramer, P.**, [1780], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4: parts (25)-(26a): pp. 1-28, pls. 289-304,* Amsterdam & Utrecht.
558. **Culot, J.**, 1917-[1918], *Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iii).* 268 pp., 1-37 pls. Genève.
559. **Culot, J.**, 1919-1920, *Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iv).* 167 pp., 38-69 pls. Genève.
560. **Curtis, J.**, 1823-1840, *British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing col. figs. from nature of the most rare and beautiful species, and ...16 vols. 770 pls.* London.
561. **Çelikkaya, D.**, 2009, 19 yıl sonra 19 Temmuz... *Cesa News* 48: 1-60, 111 figs.
562. **Çiftçi, D., Seven, S. & A.Hasbenli**, 2016, The morphology of egg chorion of *Bembecia scopigera* (Scopoli, 1763) with data on a new host plant and contribution to Turkish distribution (Lepidoptera, Sesiidae). *Shilap Revta lepid.* 44 (174): 313-317, figs.
563. **D'Abrera, B.**, [1987], *Sphingidae Mundi: Hawk Moths of the World.* x+226pp., Faringdon.
564. **D'Abrera, B.**, 1980, *Butterflies on the Afrotropical Region.* 593 pp., Pls. Lansdowne Ed., Melbourne.
565. **Dalla Torre, K.W.v.**, 1914, *Thyrididae.* [in] Wagner, H., *Lepidopterorum Catalogus Pars 20.* 55pp. Dr. W. Junk Berlin.
566. **Dalla Torre, K.W.v.**, 1923, *Cossidae.* [in] Strand, E., *Lepidopterorum Catalogus Pars 29.* 63pp. Dr. W. Junk Berlin.
567. **Dalman, J.W.**, 1816, *Försök till systematik Upptällning af Sveriges Fjarilar.* K. svenska VetenskAkad. Handl. 37: 48-105, 199-225, 2 Taf.
568. **Dang, P.T.**, 1993, Vesicas of selected tortricid and small lepidopterous species, with descriptions of new techniques of vesica eversion (Lepidoptera, Tortricidae, Oecophorida, Gelechiidae, and Nepticulidae). *Can. Ent.* 125 (5): 785-799, figs.
569. **Daniel, F.**, 1932, *Cossus osthelderi* spec.nov. *Mitt. münch. ent. Ges.* 22: 95.
570. **Daniel, F.**, 1932, *Neue Schmetterlingsformen und -Arten aus Marasch in Nordsyrien.* *Mitt. münch. ent. Ges.* 22: 15-16.
571. **Daniel, F.**, 1932, *Thyrididae-Hepialidae.* [In] Osthelder, L. & E. Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien.* *Mitt. münch. ent. Ges.* 22 (2): 74-82.

572. **Daniel, F.**, 1932, Zygaenidae-Cymatophoridae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22 (2): 52-73, pls.
573. **Daniel, F.**, 1935, Beiträge zur Verbreitung und Rassebildung von *Chelis maculosa* Gerning. Mitt. münch. ent. Ges. 25 (2): 45-55, pl.
574. **Daniel, F.**, 1935, *Roeselia taurica* sp. nova. Mitt. münch. ent. Ges. 25 (2): 42.
575. **Daniel, F.**, 1938, Neuheiten aus Vorderasien (Lepidoptera). Mitt. münch. ent. Ges. 28 (1): 2-6, pl.
576. **Daniel, F.**, 1939, Gedanken zu einigen Arctiiden Formen (Lepidoptera). Mitt. münch. ent. Ges. 29: 354-368, Taf. xi (25 figs).
577. **Daniel, F.**, 1939, Zygaenidae-Hepialidae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 29: 84-103, pl.
578. **Daniel, F.**, 1953, Neue Heterocera-Arten und -Formen. Mitt. münch. ent. Ges. 43: 252-261, Taf. vii.
579. **Daniel, F.**, 1955, Monographie der Cossidae-I. Kritische Beurteilung der bisher dem Genus *Stygia* Latr. zugeteilten Arten. Mitt. münch. ent. Ges. 44/45: 159-181, pl.
580. **Daniel, F.**, 1956, Die Formen von *Trichiura crataegi* L. (Lep., Lasiocampidae). NachrBl. bayer. Ent. 5: 67-71, 78-80, 87-94.
581. **Daniel, F.**, 1956, Monographie der palaearktischen Cossidae II. Die Genera *Cossus* Fabr. und *Lamellacossus* gen. n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, Taf. viii-x, 4 Abb.
582. **Daniel, F.**, 1956, Monographie der palaearktischen Cossidae II. Die Genera *Cossus* Fabr. und *Lamellacossus* gen. n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, pls.
583. **Daniel, F.**, 1959, Die Südformen der *Dendrolimus pini* L. (Lepidoptera, Lasiocampidae). Fragm. balcan. 2 (13): 97-105, 2 Taf.
584. **Daniel, F.**, 1959, Monographie der palaearktischen Cossidae III. Das Genus *Holcocerus* Stgr. Mitt. münch. ent. Ges. 49: 102-160, Taf. ii-v.
585. **Daniel, F.**, 1960, Monographie der palaearktischen Cossidae IV. Die Genera *Cossulinus* Kby., *Dyspessacossus* Dan. und *Isoceras* Tti. (Lep.). Mitt. münch. ent. Ges. 50: 93-118, Taf. xiv, xv.
586. **Daniel, F.**, 1961, Monographie der palaearktischen Cossidae V. Die Genera *Parahypopta* g.n., *Sinicossus* Clench und *Catopta* Stgr. Mitt. münch. ent. Ges. 51: 160-212, 10 Abb., Taf. xvi, xvii.
587. **Daniel, F.**, 1962, Monographie der palaearktischen Cossidae VI. Genus *Dyspessa* Hbn. Erster Teil. Mitt. münch. ent. Ges. 52: 1-38, Taf. I, II.
588. **Daniel, F.**, 1963, Ein Beitrag zur Spinner- und Schwärmerfauna des Iran und Afghanistans. Z. wien. ent. Ges. 48 (9): 145-155, 26-28. Taf.
589. **Daniel, F.**, 1964, Monographie der palaearktischen Cossidae VII. Genus *Dyspessa* Hbn. Zweiter Teil. Genus *Paropta* Stgr. Mitt. münch. ent. Ges. 54: 181-236, 4 Abb., Taf. iii-vi.
590. **Daniel, F.**, 1965, Das Genus *Harpyia* O. (= *Cerura* auct.) im palaearktischen Raum unter Einschluß der naheverwandten nordamerikanischen Formen. Z. wien. ent. Ges. 50: 5-47, 23 figs., 6 Taf.
591. **Daniel, F.**, 1965, Monographie der palaearktischen Cossidae VIII. Nachträge und Register zur Subfamilie Cossinae. Mitt. münch. ent. Ges. 55: 77-114, Taf. II, III.
592. **Daniel, F.**, 1967, Beitrag zur Kenntnis südosteuropäischer und vorderasiatischer Hepialidae (Lep.). Mitt. münch. ent. Ges. 57: 91-97, Taf. II-IV, 3 Abb.
593. **Daniel, F.**, 1970, Rassenanalytische Untersuchungen bei *Phragmatobia fluginosa* L. und *Phragmatobia amurensis* Seitz (Lep., Arctiidae). Z. ArbGem. öst. Ent. 22: 2-17, figs.
594. **Danilevsky, A. S.**, 1955, New species of Lepidoptera, Microheterocera, injurious to trees and shrubs in Central Asia. Ent. Obozr. 34: 108-123, figs.
595. **Dantchenko, A. V.**, 1997, Notes on the biology and distribution of the damone and damocles species-complexes of [sic!] the subgenus *Polyommatus* (*Agrodiaetus*) (Lep., Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) Nachr. Ent. Ver. Apollo, Suppl. 16: 23-42, figs.
596. **Davenport, D.**, 1941, The butterflies of satyrid genus *Coenonympha*. Bull. Mus. comp. Zool. Harv. 87 (4): 214-349, 10 Tab.
597. **Davis, D. R. & G. Deschka**, 2001, Biology and systematics of the North American *Phyllonorycter* Leafminers on Salicaceae, with a synoptic catalog of the Palaearctic species (Lepidoptera, Gracillariidae). Smithsonian Contr. Zool. 614: iv+1-89 pp., Pls.
598. **Davis, D. R.**, 1975, A review of *Ochsenheimeriidae* and the introduction of the Cereal Stem Moth *Ochsenheimeria vcculella* into the United States (Lepidoptera, Tineoidea). Smithsonian Contr. Zool. 192: 1-20, 31 figs. 2 maps.

599. **Dawidowicz, L. & R. Rozwalka**, 2017, *Anatrachyntis badia* (Hodges, 1962) (Lepidoptera, Cosmopterigidae) the first report from Turkey and a case of importation to Poland. *Turk J. Zool.* 41: 60-63, figs.
600. **Denis, M. & I. Schiffermüller**, 1775, *Ankündigung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend.* 322 pp. 2 Pls. Wien.
601. **Denso, P.**, 1913, *Celerio hippophaes* Esp. *Dt. ent. Z., Iris* 27: 22-45, Taf. I, II.
602. **Denso, P.**, 1913, *Celerio zygophylli* O.I. *Dt. ent. Z., Iris* 27: 145-146, Taf. V.
603. **D'Entrèves, P. P. & A. Vives Moreno**, 1990, Contribucion al conocimiento de la Familia Scythrididae Rebel, 1901, de Espana (Insecta, Lepidoptera). *Shilap Revta lepid.* 18 (71): 253-263, 9 figs.
604. **Derra, G. & H. P. Schreier**, 1990, Beitrag zur Noctuidae-Fauna der Türkei (Lepidoptera). *Esperiana* 1: 393-402, 19 figs.
605. **Derra, G.**, 1985, *Euchromius gartheellus* n.sp., eine neue Crambidae aus der Türkei (Lepidoptera). *Ent. Z., Frankf. a. M.* 95: 237-240.
606. **Derra, G.**, 1990, Neue Tortricidae aus der Türkei (Lepidoptera, Tortricidae). *Atalanta* 21 (3/4): 295-300, Taf.
607. **Derra, G.**, 2011, Beschreibung neuer Arten der Familien Gelechiidae, Holcopogonidae und Oecophoridae (Lepidoptera). *Esperiana* 16: 207-212, figs.
608. **Derzhavets, Y. A.**, 1984, Review of the classification of the Sphingidae (Lepidoptera), with a list of the species of the USSR. *Ent. Obozr.* 63(4): 604-620.
609. **Deschka, G.**, 1970, *Lithocolletis (Phyllonorycter) anatolica* spec. nov. *Polski Pismo ent.* 40: 739-743.
610. **Deschka, G.**, 1972, Eine neue Bucculatrix-Art: *Bucculatrix anthemidella* n.sp. (Lep., Bucculatricidae). *Ent. Z., Frankf. a. M.* 82 (9): 81-86, 6 figs.
611. **Deschka, G.**, 1986, Blattminierende Lepidopteren aus dem Nahen und Mittleren Osten V. Teil. *Z. ArbGem. öst. Ent.* 37 (3/4): 65-75, 20 Abb.
612. **Deschka, G.**, 2013, Eine neue Phyllonorycter-Art vom Taurus-Gebirge in der Türkei (Lepidoptera, Gracillariidae). *Linzer biol. Beitr.* 45 (1): 601-605, figs.
613. **Desmarest, E.**, 1857, *Papillons, Nocturnes.* [In] Chenu, J. C., *Encyclopédie d'Histoire naturelle.* iv+312pp., 40 pls. Paris.
614. **Diakonoff, A. & B. V. Lefebvre**, 1980, Rediscovery of *Eratophyes aleatrix* Diakonoff (Lepidoptera, Oecophoridae). *Ent. Ber., Amst.* 40(3): 38-40, figs.
615. **Diakonoff, A. & E. J. van Nieuwerkerken**, 1987, *Eratophyes amasiella* (Herrich-Schäffer) comb. nov., a senior synonym of *E. aleatrix* Diakonoff (Lepidoptera, Oecophoridae). *Ent. Ber. (Amst.)* 47 (7): 103-104, figs.
616. **Diakonoff, A.**, 1962, Preliminary survey of the Palaearctic species of the subgenus *Bactra* Stephens (*Bactra*, Tortricidae, Lepidoptera). *Zool. Verh.* 59: 1-48, 37 figs., 13 Pls.
617. **Diakonoff, A.**, 1964, Further records and descriptions of the species of *Bactra* Stephens (Tortricidae, Lepidoptera). *Zool. Verh.* 70: 1-81, 59 figs.
618. **Diakonoff, A.**, 1975, A surprising new addition to the Dutch fauna of Microlepidoptera (Oecophoridae). *Ent. Ber., Amst.* 35: 187-189, figs.
619. **Diakonoff, A.**, 1986, *Glyphipterigidae auctorum sensu lato*, [in] Amsel, H. G. et al., *Microlepidoptera Palaearctica* vol. 7. Text & Taf. G. Braun Druckerei, Karlsruhe.
620. **Diakonoff, A.**, 1989, Remarks on *Bactra* Stephens, with the description of two new species from Bahrain and Nepal (Lepidoptera, Tortricidae, Olethreutinae). *Nota lepid.* 11(4): 242-250, 5 figs.
621. **Diakonoff, A.**, 1989, Revision of the palaearctic Carposinidae with description of a new genus and new species (Lepidoptera, Pyraloidea). *Zool. Verh.* 251: 1-155, 50 figs.
622. **Dick, C. K. G.**, 1923, *Rhopalocera* of Constantinople. *Entomologist* 61: 230-233.
623. **Didmanidze, E. A. & Y. P. Nekrutenko**, 1966, Eine neue Unterart von *Papilio machaon* L. aus dem Kaukasus (Lep., Papilionidae). *Dt. ent. Z. (N.F.)* 13: 461-464, fig.
624. **Dierl, W.**, 1968, Die Typusarten der palaearktischen Psychidae-Gattungen (Lep.). *Z. ArbGem. öst. Ent.* 20: 1-17.
625. **Dierl, W.**, 1970, Flugzeit und Augengröße als systematisches Merkmal der Psychidae (Lepidoptera). *Mitt. münch. ent. Ges.* 60: 168-173.
626. **Dierl, W.**, 1973, Zur Nomenklatur der Gattung *Canephora* Heydenreich, 1851 (Lep., Psychidae). *NachrBl. bayer. Ent.* 22: 7-8.

627. **Dierl, W.**, 1996, Der Familienstatus von *Lypusa maurella* Denis & Schiffermüller, 1775 (Insecta, Lepidoptera). *Spixiana* 19 (1): 39-42.
628. **Dietrich, K.**, 1862, Zur Systematik der Schmetterlinge. *Stettin ent. Ztg.* 23: 466-479.
629. **Dietze, C.**, 1904, Beiträge zur Kenntnis der Eupitheciiden. *Dt. ent. Z., Iris* 16 (1903): 331-387, pls.
630. **Dietze, C.**, 1872-1878, Beiträge zur Kenntnis der Arten der Gattung *Eupithecia* Curt. *Stettin ent. Ztg.* 33: 184-204; 35: 209-221, 270-277; 36: 69-76, 236-256; 38: 98-100
631. **Dietze, C.**, 1910-1913, Biologie der Eupitheciiden (Tafeln & Text). 1. Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2. Teil (Text): 172 pp. Pls. 83-86, 1913. Berlin.
632. **Dietze, K.**, 1906, Beiträge zur Kenntnis der Eupitheciiden. *Dt. ent. Z., Iris* 19: 55-67, 121-126, Taf. I-IV.
633. **Diskus, A. & R. Puplesis**, 2003, Catalogue of the World Nepticuloidea & Tischerioidea, [in] Puplesis & Diskus, the Nepticuloidea & Tischerioidea (Lepidoptera) - a global review, with strategic regional revision, 318-436 pp. *Lutute*, Kaunas.
634. **Djakonoff, A. M.**, 1935, Un nouveau représentant du genre *Synopsisia* Ld. (Lepidoptera, Geometridae) de la Transcaucasie. *Lambillionea* 35 (7): 142-147, 3 figs.
635. **Doğanlar, F. & S. Kornoşor**, 2003, Doğu Akdeniz Bölgesi Ennominae (Lepidoptera, Geometridae) faunası. *Ç.Ü. Zir. Fak. Derg.* 18 (3): 79-88 [extracted from doctoral thesis].
636. **Doğanlar, F.**, 2003, Doğu Akdeniz Bölgesi Geometridae (Lepidoptera) familyası üzerinde faunistik ve sistematik araştırmalar. Doktora tezi no. 135727. YÖK Ulusal Tez Merkezi, 275s., <http://tez2.yok.gov.tr/> [access 25 2 2011]
637. **Doğanlar, M. & O. Doğanlar**, 2005, Türkiye Thaumetopeidae [sic!] türleri tanımları dağılışı alanları doğal düşmanları ve mücadele yöntemleri. 56s. *Kültür Ofset*, Antakya.
638. **Doğanlar, M.**, 1985, Iğdır ovasında yeni bir pamuk zararlısı, *Pexicopia malvella* (Hb.) (Lepidoptera, Gelechiidae) ve parazitleri. *Türk. bitki kor. derg.* 9 (3): 165-172, şekil.
639. **Doğanlar, M., et al.**, 2005, Morphology and systematics of European species of *Traumatocampa* Wallengren, 1871 with descriptions of two new species from the Mediterranean region of Turkey (Lepidoptera, Thaumetopoeidae). *Entomofauna* 26 (13): 229-240, figs.
640. **Doğanlar, M., Özbek, H., Ecevit, O. & H. Yüksel**, 1982, Doğu Anadolu Bölgesinin Bazı Lepidopterleri. *Bitki Koruma Bül.* 21 (3): 155-172.
641. **Dorp, K. van**, 2004, Molecular systematics of *Lycaena* F., 1807 (Lepidoptera, Lycaenidae) - some preliminary results. *Proc. neth. ent. Soc.* 15: 65-70, 2 figs.
642. **Doubleday, E.**, 1847, Description of new British Lepidoptera. *Zoologist* 5: 1914-1915.
643. **Douglas, J. W.**, 1849-1850, On the British species of the genus *Gelechia* of Zeller. *Trans. ent. Soc. London* (1) 5: 173-179, 195-201; (2) 1: 60-68, 101-108, 241-251.
644. **Draudt, M.**, 1931, Familie Arctiidae. In Seitz, A., Gross-Schmett. *Erde, Suppl.* 2: 61-94. Stuttgart.
645. **Draudt, M.**, 1931, Familie Syntomidae. In Seitz, A., Gross-Schmett. *Erde, Suppl.* 2: 53-60. Stuttgart.
646. **Draudt, M.**, 1933, Neue Heteroceren des paläarktischen Faunengebietes. *Ent. Rdsch.* 50(12): 157-160, 167-169, 186-188, 2 Taf.
647. **Draudt, M.**, 1933-1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Syntomidae, Arctiidae. In Seitz, A., Gross-Schmett. *Erde, Suppl.* 2: 278-281. Stuttgart.
648. **Draudt, M.**, 1935, Beiträge zur Biologie einiger kleinasiatischer Heteroceren. I. Beschreibung eines neuen Spanners. *Ent. Rdsch.* 52: 174-175.
649. **Draudt, M.**, 1935, Beiträge zur Biologie einiger kleinasiatischer Heteroceren. *Ent. Rdsch.* 52 (17): 225-230, 1 fig.
650. **Draudt, M.**, 1936, Neue Arten und Formen von Noctuiden. *Ent. Rdsch.* 53: 457-462, 465-471, 491-493, 1 Taf.
651. **Draudt, M.**, 1937, Zur Frage der *Larentia* (*Euphyia*) *noacki* Drt. *Ent. Rdsch.* 54: 154-156, 4 figs.
652. **Draudt, M.**, 1938, Einiges über *Chloridea maritima* Grasl. und *dipsacea* L. *Ent. Rdsch.* 55: 306-309, Abb.
653. **Draudt, M.**, 1938, Zusätzliche Berichtigung zum Aufsatz über *Chloridea maritima* und *dipsacea*. *Ent. Rdsch.* 55: 371-372.
654. **Drury, D.**, 1773-1782], *Illustrations of Natural History*. 3 vols. London.
655. **Dubatolov, V. V. & J. P. Korshunov**, 1984, New data on taxonomy of the butterflies of the USSR. *Chlenistonogie i gel'minty, Sibir. Otdel. Ak. Nauk USSR, Novosibirsk*: 51-57.
656. **Dubatolov, V. V. & V. V. Zolotuhin**, 2011, Does *Eilema* Hübner, [1819] (Lepidoptera, Arctiidae, Lithosiinae) present one or several genera? *Eur. Ent. J.* 10 (3): 367-380, pl. vii.

657. **Dubatolov, V.V.**, 1989, A revision of the genus *Axiopoea* (Lepidoptera, Arctiidae). Vestn. Zool. 1989 (1): 8-13, figs.
658. **Dubatolov, V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A list of the Arctiinae of the territory of the former U.S.S.R. (Lepidoptera, Arctiidae). Neue ent. Nachr. 37: 39-89, figs.
659. **Dubatolov, V.V.**, 2003, A new subspecies of *Hemaris fuciformis* (Linnaeus, 1758) from the Kopetdagh Mountains in Southern Turkmenistan (Lepidoptera, Sphingidae) Eur. Ent. J. 2 (1): 67-68, 1 fig.
660. **Dubatolov, V.V.**, 2007, New tiger moth taxa from Eurasia (Lepidoptera, Arctiidae). Atalanta 38 (3/4): 351-359, figs.
661. **Dubatolov, V.V.**, 2008, Analysis of Insect distribution in the northern Hemisphere by the example of the subfamily Arctiinae (Lepidoptera, Arctiidae) I. Genus level. Contemporary Problems of Ecology 1 (2): 183-193, figs.
662. **Dubatolov, V.V.**, 2010, Tiger-moths of Eurasia (Lepidoptera, Arctiidae). Neue ent. Nachr. 65: 1-106.
663. **Dubatolov, V.V., Korb, S.K. & R.V. Yakovlev**, 2016, A review of the genus *Triphysa* Zeller, 1858 (Lepidoptera, Satyridae). Biol. Bull. Bogdan Chmel. Melit. St. Ped. Univ. 2016 (1): 445-497, figs.
664. **Dufay, C.**, 1958, Mise au point de la synonymie des *Nycteola* Hb. (*Sarrothripus* Curt.) européennes. Bull. mens. Soc. linn. Lyon 27 (4): 108-120.
665. **Dufay, C.**, 1958, Révision des *Nycteola* Hübner (*Sarrothripus* Curtis) Paléarctiques (Lepidoptera, Noctuidae, Nycteolinae). Annls Soc. ent. Fr. 27: 107-132, Pl.ii,iii,A,B.
666. **Dufay, C.**, 1961, Les *Nycteola* Hübner (*Sarrothripus* Curtis) de la Staudinger description d'une espèce nouvelle d'Asie centrale et antérieure. Dt. ent. Z. (N.F.) 8 (5): 431-440, 4 figs.
667. **Dufay, C.**, 1963, Descriptions de trois nouvelles espèces d'*Euchalcia* Hb. d'Asie Antérieure (Lepidoptera, Noctuidae, Plusiinae). Bull. mens. Soc. linn. Lyon 32 (3): 68-72.
668. **Dufay, C.**, 1966, Description de deux nouvelles espèces d'*Euchalcia* Hübner du Caucase (Lep., Noctuidae, Plusiinae) (note préliminaire). Entomops 4: 123-126, 2 figs.
669. **Dufay, C.**, 1973, *Cryphia amasina* Drdt. espèce nouvelle pour l'Europe (Noctuidae, Apatelinae). Entomops 30: 185-186, 1 fig.
670. **Dufay, C.**, 1975, *Dryobotodes carbonis* Wgn., bona species, espèce nouvelle en Europa, et en France (Lepidoptera, Noctuidae, Cuculliinae). Bull. mens. Soc. linn. Lyon 44 (1): 24-27.
671. **Dufay, C.**, 1978, *Cryphia vandalusia* (Duponchel) espèce française méconnue (Lep., Noctuidae, Acronictinae). Entomops 45: 149-158, 18 figs.
672. **Dufay, C.**, 1982, Découverte en Grèce de *Lophoterges hoerhammeri* (F.Wagner), bona sp., espèce nouvelle pour l'Europe (Noctuidae, Cuculliinae). Nota lepid. 5 (2/3): 77-80, 6 figs.
673. **Dufay, C.**, 1983, *Ochropleura gracilis* (F.Wagner), bona sp., espèce nouvelle pour l'Europe: description de sa sous-espèce hellénique (Noctuidae, Noctuinae). Nota lepid. 6 (1): 41-48, 10 figs.
674. **Dufay, C.**, 1984, Révision du statut taxonomique de quelques Noctuidae européens (1re note préliminaire). Nota lepid. 7 (2): 113-116.
675. **Dufay, C.**, 1986, Révision de la nomenclature de deux *Chersotis* Boisduval distingués récemment (Noctuidae, Noctuinae). Nota lepid. 9 (1/2): 51-54.
676. **Dumont, D.**, 1998, Une nouvelle espèce de Lycaenidae du sud de la Turquie: *Polyommatus bollandi* n.sp. Linneana Belg. 16 (8): 335-338, 7 figs. map.
677. **Dumont, D.**, 2000, Découverte et description de la femelle de *Polyommatus bollandi* Dumont, 1998 et considérations nouvelles sur le male (Lepidoptera, Lycaenidae). Linneana Belg. 17 (7): 273-275, figs.
678. **Dumont, D.**, 2004, Révision du genre *Iolana* Bethune-Baker, 1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: *kermani* n.sp. Linneana Belg. 19 (8):
679. **Duponchel, P.A.J.**, 1821-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.1 Diurnes. 12+303+7 pp., tab. 1-12, Paris.
680. **Duponchel, P.A.J.**, 1821-1828, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.3 Crepusculaires. 200 pp., tab. 13-22, Paris.
681. **Duponchel, P.A.J.**, 1822-1823, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.4 Bombycites. 424 pp., tab. 1-40, Paris.
682. **Duponchel, P.A.J.**, 1822-1830, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.2 Diurnes. 246 pp., tab. 1-28, Paris.

- 683. Duponchel, P.A.J.**, 1824-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.5 Tineites & Noctuelites. 524 pp., tab. 41-71, Paris.
- 684. Duponchel, P.A.J.**, 1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.6. Noctuelites. 475 pp., tab. 72-100, Paris.
- 685. Duponchel, P.A.J.**, 1827, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (1). Noctuelites. 524 pp., tab. 101-132, Paris.
- 686. Duponchel, P.A.J.**, 1829, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (2). Phalenites. 507 pp., tab. 133-170, Paris.
- 687. Duponchel, P.A.J.**, 1830-1832, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (1). Phalenites. 597 pp., tab. 171-210, Paris.
- 688. Duponchel, P.A.J.**, 1833, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (2). Pyralites. 402 pp., tab. 211-236, Paris.
- 689. Duponchel, P.A.J.**, 1834-1835, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.9 Platyomides. 626 pp., tab. 237-266, Paris.
- 690. Duponchel, P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.10. Crambites & Yponomeutides. 384 pp., tab. 267-286, Paris.
- 691. Duponchel, P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.11. Tineites & Pterophorites. 720 pp., tab. 287-314, Paris.
- 692. Duponchel, P.A.J.**, 1844-1846, Catalogue méthodique des Lépidoptères d'Europe. 523 pp. Paris.
- 693. Dyar, H.G.**, 1894, A classification of lepidopterous larvae. Ann. N.Y. Acad. Sci. 8: 194-232, 5 figs.
- 694. Dyar, H.G.**, 1899, The phylogeny of the lasiocampids. Entomologist's Rec. J. Var. 11: 141-142, Pl.ii.
- 695. Dyar, H.G.**, 1905, A descriptive list of a collection of early stages of Japanese Lepidoptera. Proc. U.S. natn. Mus. 28 (1412): 937-956, 23 figs.
- 696. Ebert, G. & H.Hacker**, 2002, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). Esperiana 9: 237-409, figs.
- 697. Ebert, G.**, 1971, Drei neue Macrolepidoptera-Arten aus Iran. Beitr. naturk. Forsch. SWDtl. 30: 65-71, 1 Taf., 9 Abb.
- 698. Ebert, G.**, 1978, Neue Taxa paläarktischer Noctuidae aus dem wissenschaftlichen Nachlaß von Charles Boursin (Lep. Noct. Trifin.).1. Die Arten der Gattung Oncocnemis Lederer, 1853. Beitr. naturk. Forsch. Südwdtl. 37: 193-207, figs.
- 699. Eckweiler, W. & C.L.Häuser**, 1997, An illustrated checklist of Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs.
- 700. Eckweiler, W. & E.Görgner**, 1981, Eine neue Art der Gattung Zygaena F. aus Türkisch-Kurdistan. Atalanta 12 (2): 139-146, figs.
- 701. Eckweiler, W. & E.Görgner**, 1981, Rhopaloceren- Fauna des Palandöken-Gebirges in Ostanatolien. Nachr. ent. Ver. Apollo 2: 80-96, 97-116, figs.
- 702. Eckweiler, W. & G.C.Bozano**, 2011, Guide to the butterflies of the palaearctic region. Satyrinae. Part iv. 102pp.
- 703. Eckweiler, W. & G.C.Bozano**, 2016, Guide to the butterflies of the palaearctic region, Lycaenidae 4. subgenus Agrodiaetus. 132 pp. Omnes Artes. [Apparently scientific but prepared for amateurs for commercial purpose, with numerous mis-spellings, A.Ö.K.]
- 704. Eckweiler, W. & G.Hesselbarth**, 1978, Eine neue Unterart von Agriades pyrenaicus Boisduval aus Ostanatolien. NachrBl. bayer. Ent. 27: 64-68, figs.
- 705. Eckweiler, W. & K.G.Schurian**, 1980, Verbreitung und subspezifische Gliederung von Neolysandra coelestina (Eversmann, 1843) (Lep., Lycaenidae). Atalanta 11 (1): 69-78, 8 figs.
- 706. Eckweiler, W. & K.G.Schurian**, 2013, Eine neue Unterart von Polyommatus (Agrodiaetus) iphigenia (Herrich-Schäffer, [1847]) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 33 (4): 185-186, figs.
- 707. Eckweiler, W. & K.Rose**, 1988, Identität, Verbreitung und subspezifische Gliederung von Pseudochazara lydia (Staudinger, 1878) (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 9 (4): 213-223, figs.
- 708. Eckweiler, W. & K.Rose**, 1993, Zwei neue Lycaeniden aus der Südwesttürkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 355-364, figs.
- 709. Eckweiler, W.**, 1978, Eine neue Art der Gattung Hyponephele Muschamp aus der Südosttürkei (Lepidoptera, Satyridae). Atalanta 9 (4a): 375-379, 9 figs.

710. **Eckweiler, W.**, 1978, Zwei Lycaeniden-Neufunde aus Nordostanatolien. *Nota lepid.* 1(3): 115-118, 8 Abb.
711. **Eckweiler, W.**, 1984, Eine neue Unterart von *Turanana cytis* (Christoph, 1877) aus Türkisch-Kurdistan (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 5(2/3): 63-70, figs.
712. **Eckweiler, W.**, 1989, Drei neue Lycaeniden aus der Türkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 10(2): 81-102, 50 figs.
713. **Eckweiler, W.**, 1997, Neue Taxa von *Polyommatus (Agrodiaetus)* (Lepidoptera, Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus (Agrodiaetus)* species-group (Lep., Lycaenidae). *Nachr. Ent. Ver. Apollo, Suppl.* 16: 7-22, figs.
714. **Eckweiler, W.**, 2004, Die Verbreitung und subspezifische Gliederung von *Pseudochazara mamurra* (Herrich-Schaffer, [1846]) (Lepidoptera, Nymphalidae, Satyrinae). *Nachr. ent. Ver. Apollo (N.F.)* 25 (1/2): 9-14, figs.
715. **Eecke, v. R.**, 1925, *Cochlidionidae (Limacodidae)*, [in] Strand, E., *Lepidopterorum Catalogus* 32: 1-79. W. Junk, Berlin.
716. **Efetov, K.A. & G.M. Tarmann**, 1994, A revision of *Zygaenoprocris* Hampson, 1900, a subgenus of *Adscita* Retzius, 1783 (Lepidoptera, Zygaenidae, Procrinae). *Entomologist's Gaz.* 45: 81-105, 62 figs.
717. **Efetov, K.A. & G.M. Tarmann**, 1995, An annotated check-list of the Palaearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. *Entomologist's Gaz.* 46: 63-103, 23 figs.
718. **Efetov, K.A. & G.M. Tarmann**, 1999, *Forester Moths*. 192 pp., Apollo Books. [see review: Koçak, A.Ö., 2000, *Cent. ent. Stud., Misc. Pap.* 64: 7-8].
719. **Efetov, K.A.**, 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). *Entomologist's Gaz.* 52: 153-162, figs.
720. **Efetov, K.A., Mollet, B. & G.M. Tarmann**, 2010, The biology and early stages of *Adscita (Adscita) capitalis* (Staudinger, 1879) (Lepidoptera, Zygaenidae, Procrinae). *Nachr. ent. Ver. Apollo (N.F.)* 31 (3): 119-125, figs.
721. **Efetov, K.A., Tarmann, G.M., Toshova, T.B. & M.A. Subchev**, 2015, Enantiomers of 2-butyl 7Z-dodecenoate are sex attractants for males of *Adscita mannii* (Lederer, 1853), *A. geryon* (Hübner, 1813), and *Jordanita notata* (Zeller, 1847) (Lepidoptera, Zygaenidae, Procrinae) in Italy. *Nota lepid.* 38 (2): 161-169, figs.
722. **Effendi, R.M.E.**, 1984, Foodplants of *Anthocharis gruneri armeniaca* Christoph (Lepidoptera, Pieridae). *Vestn. Zool.* 1984 (5): 74.
723. **Effendi, R.M.E.**, 1987, On the colour variation of *Zygaena tamara* Christoph (Lepidoptera: Zygaenidae). *Vestn. Zool.* 1987 (2): 38.
724. **Ehrlich, P.R.**, 1958, The comparative morphology, philogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). *Univ. Kans. Sci. Bull.* 39 (8): 305-370.
725. **Eimer, G. H. T.**, 1889-1895, Die Artbildung der Verwandtschaft bei den Schmetterlingen. Jena.
726. **Eisner, C. & S. Wagener**, 1974, Zwei neue Unterarten von *Allancastris cerisyi* Godart aus Anatolien (Lepidoptera, Parnassidae). *Zoöl. Meded.* 48(10): 81-83, figs.
727. **Eisner, C.**, 1954, *Parnassiana nova* ii. *Archon apollinus* Herbst. *Zool. Meded.* 33 (7): 49-53, Leiden.
728. **Eisner, C.**, 1966, *Parnassiidae*-Typen in der Sammlung J.C. Eisner. *Zool. Verh., Leiden* 81: 1-190, 84 Pls.
729. **Eisner, C.**, 1968, *Parnassiana nova* XLIII. Nachträgliche Betrachtungen zu der Revision der Subfamilie *Parnassiinae* (Fortsetzung 16). *Zool. Meded.* 43 (2): 9-17, 2 Taf.
730. **Eisner, C.**, 1974, *Parnassiana nova* xlix. Die Arten und Unterarten der *Baroniidae*, *Teinopalpidae* und *Parnassiidae* (Erster Teil) (Lepidoptera). *Zool. Verh., Leiden* 135: 3-96.
731. **Eisner, C.**, 1976, *Parnassiana nova* xlix. Die Arten und Unterarten der *Parnassiidae* (Lepidoptera) (Zweiter Teil). *Zool. Verh., Leiden* 146: 99-266, 2 Taf.
732. **Eisner, C.**, 1978, *Parnassiana nova* LIII. Vier neue *Parnassius* Unterarten. *Zool. Meded.* 53 (11): 107-109, Taf. 2.
733. **Eitschberger, U. & H. Steiniger**, 1975, Die geographische Variation von *Eumedonia eumedon* (Esper, 1780) in der westlichen Palaearktis (Lep., Lycaenidae). *Atalanta* 6(2): 84-125, 3 Abb., Taf.
734. **Eitschberger, U. & M. Ströhle**, 1987, Eine neue Art der Gattung *Isoceras* Turati, 1924 aus der Türkei (Lepidoptera, Cossidae). *Atalanta* 18: 93-95, 21 figs.
735. **Eitschberger, U. & P. Hofmann**, 2002, Morphologische Untersuchungen an einigen *Aporia crataegi*-Populationen aus dem Iran (Lepidoptera, Pieridae). *Atalanta* 33 (3/4): 373-387.

736. **Eitschberger, U. & V. Zolotuhin**, 1997, Die Gattung *Dolbina* Staudinger, 1877 mit der Beschreibung eines neuen Subgenus *Elegodolba* subgen. nov. (Lepidoptera, Sphingidae). *Atalanta* 28(1/2): 135-144, 5 Abb.
737. **Eitschberger, U.**, [1984], Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.) (Lepidoptera, Pieridae). *Herbipoliana* 1 (1): xxii+504pp., 1(2): 601pp. Markt Leuthen.
738. **Eitschberger, U.**, 1990, Die Taxa der *Pieris napi*-Gruppe in Südeuropa dem Balkan, der Türkei und Persien (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 269-271.
739. **Eitschberger, U.**, 1993, *Autographa messmeri* Schädewald, 1992 und *Autographa voelkeri* Schädewald, 1992- Anmerkungen zur Verbreitung beider Arten (Lepidoptera, Noctuidae). *Atalanta* (1992) 23(3/4): 581-857, pls.
740. **Eitschberger, U.**, 1993, *Phlogophora lamii* Schädewald, 1992- Zur Verbreitung dieser Art (Lepidoptera, Noctuidae). *Atalanta* (1992) 23(3/4): 593-597, pls.
741. **Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Amorpha* Hübner, [1819], *Laothoe* Fabricius, 1807, *Pachysphinx* Rothschild & Jordan, 1903 und *Phyllosphinxia* Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). *Neue ent. Nachr.* 23: 151-195, figs.
742. **Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Paonias* Hübner, [1819], sowie *Smerinthus* Latreille, [1802], mit der Beschreibung neuer *Paonias*-Arten (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 23: 85-149, figs.
743. **Eitschberger, U., Danner, F. & B. Surholt**, 1992, Zweiter Beitrag zu "Taxonomische Veränderungen bei den Sphingiden Europas" und die Beschreibung einer neuen *Sphinx*-Unterart aus der Türkei (Lepidoptera, Sphingidae). *Atalanta* 23 (1/2): 245-247, pl. iv.
744. **Elekçioglu, N. Z. & N. Uygün**, 2006, The Parasitoid complex of the Citrus Leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. *Türk. J. Zool.* 30: 155-160.
745. **Eliot, J. N. & A. Kawazoe**, 1984, Blue butterflies of the *Lycaenopsis* group. 306 pp., 6 Pls., figs. British Museum (Natural History), London.
746. **Eliot, J. N.**, 1969, An analysis of the Eurasian and Australian Neptini (Lepidoptera, Nymphalidae). *Bull. Br. Mus. (Nat. Hist.) Ent., Suppl.* 15: 1-150, Pls.
747. **Eliot, J. N.**, 1973, The higher classification of the Lycaenidae (Lepidoptera): A tentative arrangement. *Bull. Br. Mus. (Nat. Hist.) Ent.* 28 (6): 373-505, figs., 6 Pls.
748. **Eller, K.**, 1936, Die Rassen von *Papilio machaon* L. *Abh. Bayer. Acad. Wiss. (N.F.)* 36: xiv+96 pp.
749. **Eller, K.**, 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von *Papilio machaon* L. (Lep., Rhopalocera). *Z. angew. Ent.* 24: 145-149, 2 Abb.
750. **Eller, K.**, 1939, Fragen und Probleme zur Zoogeographie und zur Rassen- und Artbildung in der *Papilio machaon*-Gruppe. *Verh. VII. Int. Kongr. Ent.* 1938 (1): 74-101, Pls.
751. **Elsner, G. & J. Jaros**, 2003, A new species of *Ceratoxanthia* Razowski, and distribution records of two species of *Aethes* Billberg from Balkan Peninsula (Tortricidae, Cochylini). *Nota lepid.* 25 (4): 221-225, figs.
752. **Elwes, H. J. & J. Edwards**, 1893, A Revision of the Genus *Ypthima*, with especial reference to the characters afforded by the male genitalia. *Trans. ent. Soc. London* 1893: 1-54, Pl. 3.
753. **Elwes, H. J. & J. Edwards**, 1897, A Revision of the oriental Hesperidae. *Trans. zool. Soc. Lond.* 14 (4): 101-324, pls. 18-27.
754. **Elwes, H. J.**, 1889, A revision of the genus *Argynnis*. *Trans. ent. soc. London* 1889 (4): 535-575, [3 figs].
755. **Emich, G.**, 1872, Beitrag zur Lepidopteren-Fauna Transkaukasiens und Beschreibung zwei neuer Arten. *Horae Soc. ent. ross.* 9: 40-44, Tab.
756. **Englert, W. D.**, 1974, Revision der Gattung *Metzneria* Zeller (Lepid., Gelechiidae) mit Beiträgen zur Biologie der Arten. *Z. angew. Ent.* 75 (4): 381-421, 27 Abb.
757. **Erlacher, S. & J. Erlacher**, 2017, A new species of *Charissa* Curtis, 1826 from Europe (Lepidoptera, Geometridae). *Zootaxa* 4341 (1): 089-096, figs.
758. **Erlacher, S. & R. Trusch**, 1999, Phylogenie und Verbreitung der Arten der *Dyscia conspersaria*-Gruppe (= *Dyscia* s.str.) (Lepidoptera, Geometridae). *Cour. Forsch.-Inst. Senckenb.* 215: 67-81, figs.
759. **Erlacher, S.-I.**, 1998, Die phylogenetischen Beziehungen innerhalb des Taxon *Dyscia* Hübner, [1825] (Lepidoptera, Geometridae). Diplomarbeit. 105 Seite 5 Tafeln, Jena. http://www.naturkunde-chemnitz.de/dateien/Diplarb_Dyscia_Erlacher.pdf [access on 10 September 2013].

- 760. Escherich, K.**, 1897, Bilder aus der Asiatischen Türkei. Allg. Ztg. 156/157: 1-36 (Sonderabdruck aus der Beilage).
- 761. Esper, E.J.C.**, [1776-1830], Die europäischen Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen. Teil 1 Tagvögel 2 Bde: Bd.1 (1777), p.1-388, Pls. 1-50; Bd.2 (1780), pl.1-190, Pls.51-93; Suppl. 1 (1805), p.1-120, Pls. 94-116; Suppl.2 (1805), p.1-48, Pls. 117-123; Teil 2 Nachtvögel (1779), p.1-234, Pls.1-36; Suppl. (1807), p.1-52, Pls.37-47. Teil.3 (1782), p.1-396, Pls.1-79; Suppl. (1807) 1-104, Pls.80-94. Teil 4 2Bde Bd.1 & 2 (1786); Teil 5 (1794) p.1-276, Pls.1-52 Erlangen.
- 762. Essayan, R. & C. Cintré**, 1980, Notes sur les Rhopaloceres de la Peninsule Balkanique et de la Turquie occidentale. Alexanor 11 (6): 261-271.
- 763. Evans, W.H.**, 1912, A list of Indian Butterflies. J. Bombay nat. Hist. Soc. 21 (2): 553-584; (3): 969-1008.
- 764. Evans, W.H.**, 1937, A Catalogue of the African Hesperidae indicating the classification and nomenclature adopted in the British Museum. xii+212 pp., 30 pls. London.
- 765. Evans, W.H.**, 1949, A Catalogue of the Hesperidae from Europe, Asia and Australia in the British Museum (Natural History). London.
- 766. Evans, W.H.**, 1955, A revision of the genus *Tarucus* (Lep., Lycaenidae) of Europe, North Africa and Asia. Entomologist 88: 179-187.
- 767. Eversmann, E.**, 1831, Enumeratio Lepidopterorum fluvium Volgam inter et montes Uralenses habitantium. Bull. Soc. nat. Moscou 3: 241-252.
- 768. Eversmann, E.**, 1832, Lepidopterorum species nollunae novae gubernium Orenburgense incolentes. Mém. Soc. nat. Moscou 8: 347-354, 2 Taf.
- 769. Eversmann, E.**, 1842, Quaedam Lepidopterorum species novae, in Rossia orientali observatae. Bull. Soc. nat. Moscou 15: 543-565, 2 Taf.
- 770. Eversmann, E.**, 1844, De quibusdam Lepidopteris Rossicis. Bull. Soc. imp. Nat. Moscou 17: 538-604, 3 Taf.
- 771. Eversmann, E.**, 1844, Fauna lepidopterologica Volgo-Uralensis exhibens Lepidopterorum species quas per viginti quinque annos in provinciis Volgam fluvium inter et montes Uralenses sitis observavit.
- 772. Eversmann, E.**, 1848, Beschreibung einiger neuen Falter Russlands. Bull. Soc. imp. nat. Moscou 21 (2): 205-232.
- 773. Eversmann, E.**, 1851, Description de quelques nouvelles especes de Lépidopteres de la Russie. Bull. Soc. imp. nat. Moscou 24 (1): 610-644.
- 774. Eversmann, E.**, 1854, Beiträge zur Lepidopterologie Russlands, und Beschreibung einiger anderen Insecten aus den südlichen Kirghisensteppen, den nördlichen Ufern des Aral Sees, und des Sir-Darjas. Bull. Soc. imp. nat. Moscou 27 (2): 174-205, 1 Taf.
- 775. Eversmann, E.**, 1855-1859, Les Noctuérites de la Russie. Bull. Soc. imp. nat. Moscou 28: 129-203, 313-427; 29(2): 161-233, Tab.3; 29(3): 1-120; 30: 48-150, 355-439; 32: 550-584.
- 776. Fabre, J.-P.**, 1997, Geographical distribution of the tortricid moth *Epinotia cedricida* (Lepidoptera, Tortricidae) within the natural and artificial ranges of the cedar trees *Cedrus atlantica* and *C. libani*. Eur. J. Ent. 94: 485-494, figs.
- 777. Fabricius, J.C.**, [1776], Genera Insectorum. Chilonii.
- 778. Fabricius, J.C.**, 1775, Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae.
- 779. Fabricius, J.C.**, 1781, Species Insectorum vol. 1, viii+ 552 pp., vol. 2, 494 pp. Hamburgi et Kilonii.
- 780. Fabricius, J.C.**, 1787, Mantissa Insectorum. vol. 1 xx+348 pp., vol.2, 382pp. Hafniae.
- 781. Fabricius, J.C.**, 1793, Entomologia systematica. vol.2, viii+519 pp. Hafniae.
- 782. Fabricius, J.C.**, 1794, Entomologia systematica. vol.3, pars 2, 349 pp. Hafniae.
- 783. Fabricius, J.C.**, 1798, Supplementum Entomologiae systematicae. 572 pp., Hafniae.
- 784. Falkovitsh, M.I.**, 1963, New species of the family Cochylidae (Lepidoptera) from Kazakhstan and the Caucasus. Zool. Zh. 42: 697-703, figs.
- 785. Falkovitsh, M.I.**, 1988, A new genus and four new species of Casebearers (Lepidoptera, Coleophoridae) from Turkmenia. Ent. Obozr. 1988 (4): 811-820, 10 figs.
- 786. Farren, W.**, 1893, On the variation of *Papilio machaon*. Entomologist's Rec. J. Var. 4: 100-108.
- 787. Fazekas, I. & T. Balazs**, 1979, Taxonomische, ökologische und faunistische Überprüfung des *Palaeochrysophanus hippothoe sumadiensis* Szabo 1956 (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 89 (20): 230-236, 4 Abb.

- 788.Fazekas,I.**, 1984, *Oligia latruncula erewani* ssp. nova (Noctuidae, Amphipyridae). *Nota lepid.* 7 (2): 117-120, 2 Abb.
- 789.Fazekas,I.**, 1986, Beiträge zur Kenntnis der Pterophoridae-Fauna Ungarns (1.) *Stenoptilia paludicola* Wallengren, 1859, *Pterophorus obsoletus* Zeller, 1841 (Lepidoptera, Pterophoridae). *Nota lepid.* 8 (4) (31.xii.1985): 325-328, figs.
- 790.Fazekas,I.**, 1987, *Poecilocampa populi grisea* Daniel 1963, neue Synonymie und neuer Status als Forma (Lepidoptera, Lasiocampidae). *Ent. Z., Frankf. a. M.* 97: 298-301, 3 Abb.
- 791.Fazekas,I.**, 1987, Zur Systematik der *Catoptria* Hübner der Balkan-Halbinsel (Lepidoptera, Crambinae). *Ent. Z., Frankf. a. M.* 97 (15): 214-221, 6 figs.
- 792.Fazekas,I.**, 1990, *Catoptria aetnella* (Zerny, 1943) und *C. wolfi* Ganév & Hacker, 1984 neue Synonyme von *C. dimorphella* (Staudinger 1882) (Lepidoptera, Crambidae). *Nachr. ent. Ver. Apollo (N.F.)* 11 (2): 105-111, 11 figs.
- 793.Fazekas,I.**, 1990, *Pediasia phrygius* n.sp. aus der Türkei sowie Ergänzungen zur Kenntnis von *P. aridella caradjaella* Rebel, 1907 (Lepidoptera, Crambinae). *Ent. Z., Frankf. a. M.* 100 (12): 225-229, 4 figs.
- 794.Fazekas,I.**, 1991, *Agriphila tolli beieri* Bleszynski, 1955 status novus (Lepidoptera, Crambidae). *Annln naturh. Mus. Wien* 92 (B): 113-119, 11 Abb.
- 795.Fazekas,I.**, 1993, Eine Revision der westpaläarktischen Unterarten von *Crambus perlellus* Scopoli, 1763 (Lepidoptera, Crambinae). *Annln naturh. Mus. Wien* 94/95B: 595-502, figs.
- 796.Fazekas,I.**, 1996, Revision der *Nychiodes waltheri* F. Wagner 1919 Art. I. Beitrag Die Balkanhalbinsel (Lepidoptera, Geometridae). *Ent. rom.* 1: 3-16, figs.
- 797.Fazekas,I.**, 1997, Revision des *Nychiodes obscuraria* Villers 1789 - Artenkomplexes, mit ergänzenden Angaben zu *Nychiodes dalmatina* F. Wagner 1909 (Lepidoptera, Geometridae). *Ent. rom.* 2: 13-44, figs.
- 798.Fazekas,I.**, 2000, Notes on the genus *Agdistis* from Asia Minor, with descriptions of two new species (Lepidoptera, Pterophoridae, Agdistinae). *NachrBl. bayer. Ent.* 49 (1/2): 2-11, figs.
- 799.Fazekas,I.**, 2002, Die taxonomische und tiergeographische Revision des Artenpaares *Catoptria confusella* (Staudinger, 1882) und *Catoptria incertella* (Herrich-Schäffer, 1852) (Lepidoptera, Crambidae). *Quadrifina* 5: 1-16, figs.
- 800.Fazekas,I.**, 2003, Federmotten aus der Mongolei, Russland, der Türkei, der Balkanhalbinsel und Afrika mit Beschreibung neuer Arten (Microlepidoptera, Pterophoridae). *Folia comloensis* 12: 5-24, figs.
- 801.Fazekas,I.**, 2009, Contribution to the Microlepidoptera fauna of Balkans Nr.1 (Lepidoptera). *Natura Somogyiensis* 15: 181-194, figs.
- 802.Fazekas,I.**, 2009, *Stenoptilia mariaeluisae* Bigot & Picard, 2002 and *Crombrugghia reichli* Arenberger, 1998 in Turkey (Lepidoptera, Pterophoridae). *Acta natur. pannon.* 4 (2): 131-136, figs.
- 803.Fazekas,I.**, 2013, Disjunct distribution of *Evergestis alborivularis* (Eversmann, 1843) in the palaearctic (Lepidoptera, Crambidae, Evergestinae). *Nat. Somogy.* 23: 211-220, figs.
- 804.Fazekas,I.**, 2017, The European distribution of *Tecmerium perplexum* (Gozmany, 1957) (Lepidoptera, Blastobasidae). *Microlepid. hu* 12: 17-25, figs.
- 805.Felder,C. & R.Felder**, 1865-[1867], Reise der Österreichischen Fregatte Novara um die Erde. vi+549 pp., 137 Pls. Wien.
- 806.Felder,C., Felder,R. & A.F.Rogenhofer**, 1864-[1875], Reise der Österreichischen Fregatte Novara um die Erde. (2) (Atlas) 20 pp.+ 140 Pls. Wien.
- 807.Fernald,C.H.**, 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass.
- 808.Fibiger,M. & D.Agassiz**, 2001, *Araeopteron ecphaea*, a small noctuid moth in the West Palaearctic (Noctuidae, Acontiinae). *Nota lepid.* 24 (1/2): 29-36, 6 figs.
- 809.Fibiger,M. & H.Hacker**, 1992, Systematic List of the Noctuidae of Europe Corrigenda and Addenda I. [Title in english, text in german!] *Esperiana* 3: 507-511, 2 Abb.
- 810.Fibiger,M. & H.Hacker**, 1998, Systematic List of the Noctuidae of Europe Corrigenda et Addenda II. *Esperiana* 6: 9-40.
- 811.Fibiger,M. & H.Hacker**, 2007, Noctuidae Europaeae vol.9: Amphipyridae, Condicinae, Eriopinae, Xyleninae (part). 410pp. Pls. Soro.
- 812.Fibiger,M. & J.D.Lafontaine**, 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. *Esperiana* 11: 7-92.
- 813.Fibiger,M. & L.Ronkay**, 1991, New *Autophila* taxa from Sicily and Turkey (Lepidoptera, Noctuidae). *Ann. Hist. Nat. Mus. nat. Hung.* 83: 135-137, figs.

814. **Fibiger, M. & O. Karsholt**, 1998, First records of *Nola harouni* from Europe and comments on the taxonomic status of *N. centonalis holsatica* (Nolidae). *Nota lepid.* 21: 194-205, figs.
815. **Fibiger, M. & P. Svendsen**, 2006, News about *Dasypolia fibigeri* Hacker & Moberg, 1988, incl. description of the female (Lepidoptera, Noctuidae). *Esperiana* 12: 196-199, figs.
816. **Fibiger, M.**, 1990, *Noctuidae Europaeae* vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
817. **Fibiger, M.**, 1992, *Autophila libanotica osthelderi* Boursin, 1940 and *Characoma nilotica* (Rogenhofer, 1882) new to Europe (Lepidoptera, Noctuidae, Catocalinae, Ophiderinae). *Nota lepid.* 14 (4): 297-301, figs.
818. **Fibiger, M.**, 1992, Contribution to the knowledge of the Lepidoptera fauna of Turkey 1. Description of a new species in the subfamily Noctuinae: *Yigoga hackeri* Fibiger, sp.n. *Esperiana* 3: 447-449, figs.
819. **Fibiger, M.**, 1993, *Noctuidae Europaeae* vol.2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
820. **Fibiger, M.**, 1995, *Anumeta arax* sp.n. from Turkish Armenia (Lepidoptera, Noctuidae, Catocalinae). *Nota lepid.* 17 (3/4): 107-112, 4 figs.
821. **Fibiger, M.**, 1997, *Micronoctua karsholti* gen. et sp.n.: an astonishing small noctuid moth (Noctuidae). *Nota lepid.* 20 (1/2): 23-30, figs.
822. **Fibiger, M.**, 2002, A new species in the genus *Dichagyris* Lederer, 1857 hitherto regarded as the Turkish form of *D. eremicola* (Standfuss, 1888); *Dichagyris wilsoni* sp.n. (Lepidoptera, Noctuidae). *Esperiana* 9: 511-515, pl. 9.
823. **Fibiger, M.**, 2007, Revision of the Micronoctuidae (Lepidoptera, Noctuoidea) Part 1. Taxonomy of the Pollexinae. *Zootaxa* 1567: 1-116, 27 pls.
824. **Fiedler, K. & K.G. Schurian**, 1994, Oviposition behaviour in *Lycaena thetis* Klug (Lepidoptera, Lycaenidae). *Nota lepid.* 17(1/2): 25-29, 1 fig.
825. **Fiedler, K.**, 1995, Associations of Lycaenid Butterflies with Ants in Turkey. [In] Hesselbarth, et al., *Die Tagfalter der Türkei, unter Berücksichtigung der angrenzenden Länder* 1: 437-450. Bocholt.
826. **Fiedler, K., Schurian, K.G. & M. Hahn**, 1994, The life-history and myrmecophily of *Polyommatus candalus* (Herrich-Schäffer) from Turkey (Lep., Lycaenidae). *Linneana Belgica* 14(6): 315-332, figs.
827. **Fischer, H. & S. Lewandowski**, 2004, Neue taxonomische Erkenntnisse der zyprischen Geometridae (Lepidoptera, Geometridae, Ennominae). *Atalanta* 35 (1/2): 127-132, figs.
828. **Fletcher, D.S. & I.W.B. Nye**, 1982, Bombycoidea, Castnioidea, Cossoidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol.4. xiv+192 pp., 1 frontispiece, London.
829. **Fletcher, D.S. & I.W.B. Nye**, 1984, Pyraloidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World*. vol.5. xv+185pp., London.
830. **Fletcher, D.S.**, 1967, A Revision of the Ethiopian Species and a Check List of the World Species of *Cleora* (Lepidoptera, Geometridae). *Bull. Br. Mus. (Nat. Hist.) Ent. Suppl.* 8: 3-119, 14 textfigs, 14 Pls., 9 Maps.
831. **Fletcher, D.S.**, 1979, Geometridae. [In] Nye, I.W.B. *The Generic Names of Moths of the World*. vol. 3, xx+243 pp. 2 frontispieces, London.
832. **Fletcher, T.B.**, 1929, A list of the generic names used for Microlepidoptera. *Mem. Dep. Agric. India ent. Ser.* 11: ix + 244pp. Calcutta.
833. **Ford, E.B.**, 1924, The geographical races of *Heodes phlaeas* L. *Trans. ent. Soc. London* 1923: 692-743, pl. liv.
834. **Ford, E.B.**, 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. *Proc. R. ent. Soc. Lond. (A)* 19: 92-106.
835. **Forster, W.**, 1936, Beitrag zur Systematik des Tribus Lycaenini unter besonderer Berücksichtigung der argyrognomon- und der argus-Gruppe. *Mitt. münch. ent. Ges.* 26(2): 41-140.
836. **Forster, W.**, 1938, Das System der palaearktischen Polyommataini (Lep., Lycaen.). *Mitt. münch. ent. Ges.* 28: 97-118, 395.
837. **Forster, W.**, 1938, Die *Lycaena pylaon*-Gruppe. *Ent. Rdsch.* 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls.
838. **Forster, W.**, 1956, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) I. *Z. wien. ent. Ges.* 41: 42-61, 70-89, 118-127, Taf. 8-13.

- 839. Forster, W.**, 1960, Einige neue Formen der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.). Ent. Z., Frankf. a. M. 70 (3): 17-22.
- 840. Forster, W.**, 1960-1961, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) II. Z. wien. ent. Ges. 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15.
- 841. Fountaine, M.**, 1904, A "butterfly summer" in Asia Minor. Entomologist 37: 79-84, 105-108, 135-137, 157-159, 184-186.
- 842. Fourcroy, A.F.**, 1785, Entomologia Parisiens. vol.2. Paris.
- 843. Fracker, S.B.**, 1915, The Classification of lepidopterous larvae. Illinois biol. Monogr. 2: 1-169, 112 figs.
- 844. Franke, G. & I. Franke**, 1993, 15 Jahre Zucht: Beobachtungen an *Parnassius apollo* L. (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 13: 457-505, Pls.
- 845. Freina, J.J.de & A.R. Naderi**, 2003, Beschreibung einer neuen Unterart von *Archon apollinaris* (Staudinger, [1892]) aus dem südwestlichen Zentral-Zagros, *bostanchii* subsp. nov. mit ergänzenden Angaben zur Gesamtverbreitung der Art (Papilionidae, Parnassiini). Atalanta 34 (3/4): 429-434, pl. xxvi.
- 846. Freina, J.J.de & B. Aussem**, 1987, *Chazara bischoffi* (Herrich-Schäffer, 1846) und ihre nächstverwandten Arten (Lepidoptera, Satyridae). NachrBl. bayer. Ent. 36 (1): 1-10, figs.
- 847. Freina, J.J.de & B. Aussem**, 1987, *Hyponephele urartua* sp.n., eine neue Satyriden-Art aus Anatolien (Lep., Satyridae). Nota lepid. 9 (3/4): 200-212, 29 Abb.
- 848. Freina, J.J.de & H. Hacker**, 1985, Neue Arten und Unterarten der Familie Noctuidae aus Anatolien und Türkisch-Kurdistan (Lepidoptera, Noctuidae). Entomofauna 6: 241-261, 27 figs.
- 849. Freina, J.J.de & M. Geck**, 2003, Studien zur Ökologie, Biologie, Verbreitung und geographischen Variabilität von *Akbesia davidi* (Oberthür, 1884) (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) 23 (4): 167-180, figs.
- 850. Freina, J.J.de & R. Leestmans**, 2003, Une nouvelle sous-espèce mélanisante d'*Archon apollinus* (Herbst, 1789) dans le Sud syrien et données sur la répartition générale des taxa du genre *Archon* Hübner, 1822 (Lepidoptera, Papilionidae, Parnassini). Linneana Belg. 19 (1): 21-34, figs.
- 851. Freina, J.J.de & T.J. Witt**, 1983, Zwei neue Lycaenidae-Arten aus Türkisch-Kurdistan: *Lysandra dezina* sp.n. und *Polyommatus ciloicus* sp.n. (Lep., Lycaenidae). Entomofauna 4 (14): 181-197, figs.
- 852. Freina, J.J.de & T.J. Witt**, 1984, *Antennola* gen.n.; *Antennola impura* (Mann, 1862) comb.n. neu für Europa (Lep., Nolidae). Entomofauna 5 (23): 267-272, figs.
- 853. Freina, J.J.de & T.J. Witt**, 1984, *Setina pontica* stat. nov., die Flechtenbaeren aus dem Nordostanatolisch-kaukasischen Raum (Lepidoptera, Lithosiidae). NachrBl. bayer. Ent. 33 (2): 50-57, 6 Abb.
- 854. Freina, J.J.de & T.J. Witt**, 1984, Taxonomische und zoogeographische Studien an *Cymbalophora rivularis* (Ménétriés, 1832) (Lepidoptera, Arctiidae I). Z. ArbGem. öst. Ent. 35 (3/4) (1983): 101-105, 1 map.
- 855. Freina, J.J.de & T.J. Witt**, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über die Berechtigung von Unterarten bei *Spiris striata* (Linnaeus, 1758) und *Coscinia cribraria* (Linnaeus, 1758). Ergebnisse einer Teilrevision. Nota lepid. 7 (3): 223-236,
- 856. Freina, J.J.de & T.J. Witt**, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über *Taleporia improvisella* (Staudinger, 1859) und *Taleporia pseudoimprovisella* sp.n. (Lepidoptera, Psychidae). Entomofauna 5 (13): 153-163, 3 Abb.
- 857. Freina, J.J.de & T.J. Witt**, 1984, Zwei neue Arctiidae Gattungen für den westpaläarktischen Faunenbereich: *Watsonarctia* gen.n. und *Maurica* gen.n. (Lep., Arctiidae). Entomofauna 5 (28): 323-334, figs.
- 858. Freina, J.J.de & T.J. Witt**, 1986, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München.
- 859. Freina, J.J.de & T.J. Witt**, 1987, Über Trennungsmerkmale und die Verbreitung von *Cilix glaucata* (Scopoli, 1763) und *Cilix asiatica* Bang-Haas, 1907 (Lepidoptera, Drepanidae). NachrBl. bayer. Ent. 36 (1): 10-14, Abb. 5.
- 860. Freina, J.J.de & T.J. Witt**, 1990, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München.
- 861. Freina, J.J.de & T.J. Witt**, 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München.

- 862. Freina, J.J.de & T.J.Witt**, 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München.
- 863. Freina, J.J.de & T.J.Witt**, 2004, *Paidia elegantia* spec. nov., eine neue Flechtenbärenart aus dem südlichen Iran (Lepidoptera, Arctiidae, Lithosiinae). *Atalanta* 35 (1/2): 109-113, figs.
- 864. Freina, J.J.de & W.Ten Hagen**, 2003, Contribution a la connaissance des Syntominiæ d'Iran: les taxons du complexe *Amata wiltshirei* Bytinski-Salz, 1939 et description d'*Amata wiltshirei* kordestana ssp.n. (Lepidoptera, Arctiidae, Syntominiæ, Syntomini). *Linneana Belg.* 19 (1): 51-60, figs. map.
- 865. Freina, J.J.de**, [1987], Bemerkungen zur Biologie Verbreitung und Systematik kleinasiatischen Papilioniden (Lepidoptera, Papilionidae). *Atalanta* 17 (1/4) (1986): 205-208, Taf.
- 866. Freina, J.J.de**, 1976, *Callistegiæ mi elzei* n.subsp., eine neue Noctuidenrasse von der Schwarzmeerküste (Lepidoptera, Noctuidae). *Atalanta* 7(2): 99-101, 12 figs.
- 867. Freina, J.J.de**, 1979, Eine beobachtete Massenwanderung von *Colias crocea* Fourcroy, 1785 in Südost-Anatolien. *Atalanta* 10: 94-96, 1 fig.
- 868. Freina, J.J.de**, 1979, Zur Kenntnis der Gattung *Allancastris* unter Berücksichtigung der Arten *A.cerisyi* und *A.deyrollei* (Lepidoptera, Papilionidae). *Ent. Z., Frankf. a. M.* 89: 129-142, 5 figs.
- 869. Freina, J.J.de**, 1980, Eine neue Unterart von *Parnassius nordmanni* Nordmann aus Kleinasien (Lepidoptera, Papilionidae). *NachrBl. bayer. Ent.* 29: 50-62, figs.
- 870. Freina, J.J.de**, 1980, Hinweis auf die Typusart des Genus *Wittia* de Freina, 1980 (Lepidoptera, Arctiidae). *NachrBl. bayer. Ent.* 29(6): 125.
- 871. Freina, J.J.de**, 1980, *Wittia* nom.nov. (Lepidoptera, Arctiidae). *NachrBl. bayer. Ent.* 29(4): 80.
- 872. Freina, J.J.de**, 1981, Über die Berechtigung von Unterarten des Wiener Nachtpfauenauges, *Saturnia pyri* (Denis & Schiffermüller) in Kleinasien. *Ent. Z., Frankf. a. M.* 91: 17.
- 873. Freina, J.J.de**, 1982, 4. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Neue Kenntnisse über Artenspektrum, Systematik und Nomenklatur sowie Beschreibungen neuer Taxa (Lepidoptera). *Mitt. münch. ent. Ges.* 72: 57-127, figs.
- 874. Freina, J.J.de**, 1982, Eine neue Population von *Brahmaea ledereri* Rogenhofer, 1873 (*Brahmaea ledereri zaba* ssp.n.) in türkisch-Kurdistan, sowie Nachweis der Konspezifität von *Brahmaea ledereri* Rogenhofer, 1873 und *Brahmaea christophi* Staudinger, 1873 (Lep., Brahmaeidae). *Entomofauna* 3 (9): 129-139, figs.
- 875. Freina, J.J.de**, 1983, *Papilio alexanor orientalis* Romanoff, 1885. Angaben zur Biologie, Verbreitung und zur Frage der Berechtigung dieses Taxons (Lepidoptera, Papilionidae). *Atalanta* 14: 23-30, figs.
- 876. Freina, J.J.de**, 1985, Neuere Kenntnisse über die Biologie und Systematik von *Brahmaea ledereri* Rogenhofer, 1873 und deren Verbreitung in Kleinasien (Lepidoptera, Brahmaeidae). *Mitt. münch. ent. Ges.* 74: 77-90, figs.
- 877. Freina, J.J.de**, 1985, Revision der Gattung *Archon* Hübner, 1822 mit Angaben zur Biologie, Verbreitung, Morphologie und Systematik von *Archon apollinus* (Herbst, 1798) und *Archon apollinaris* Staudinger, 1892 (stat.nov.) (Lepidoptera, Papilionidae). *Nota lepid.* 8 (2): 97-128, figs.
- 878. Freina, J.J.de**, 1985, Zur Verbreitung von *Euapatura mirza* Ebert, 1971 in Kleinasien (Lepidoptera, Nymphalidae). *NachrBl. bayer. Ent.* 34(2): 49-51, figs.
- 879. Freina, J.J.de**, 1986, Über die Verbreitung von *Trichiura verenae* Witt, 1981 (Lepidoptera, Lasiocampidae). *NachrBl. bayer. Ent.* 36 (4): 113-114, 1 Abb.
- 880. Freina, J.J.de**, 1988, 5. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Eine neue *Eriogaster nippei* spec.n. aus dem Taurus (Lep., Lasiocampidae). *Atalanta* 18: 379-383, 3 figs.
- 881. Freina, J.J.de**, 1989, *Gonepteryx rhamni* (Linnaeus, 1758) in Kleinasien. Bemerkungen zur Bionomie und geographischen Variabilität mit Beschreibung einer neuen Unterart (Lepidoptera, Pieridae). *Mitt. münch. ent. Ges.* 79: 111-117, 7 Abb.
- 882. Freina, J.J.de**, 1992, Beitrag zur Kenntnis der Gattung *Neoris* Moore, 1862 mit Beschreibung ihrer kleinasiatischen Vertreter (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 102 (13): 233-252, 14 Abb.
- 883. Freina, J.J.de**, 1992, Beschreibung des Weibchens von *Eriogaster nippei* de Freina, 1988 i Vergleich mit vorderasiatischen *Eriogaster*-Arten und Angaben zur Verbreitung der Art (Lepidoptera, Lasiocampidae). *NachrBl. bayer. Ent.* 41(3): 90-95, 7 Abb.
- 884. Freina, J.J.de**, 1994, 9. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung von Cossidae,

- Psychidae, Cochlididae, Syntomidae, Brahmaeidae, Drepanidae, Axiidae, Hepialidae Atalanta 25 (1/2): 317-349, Taf. xiv,xv.
- 885.Freina,J.J.de**, 1994, Untersuchungen zur Eimorphologie bei *Parnassius mnemosyne* (Linnaeus,1758) und ihrer infraspezifischen Variabilität an Hand von REM-Darstellungen (Lepidoptera, Papilionidae). *Nota lepid.* 16 (3/4): 179-194, 20 figs.
- 886.Freina,J.J.de**, 1999, 10. Beitrag zur systematischen Erfassung der Bombyces und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung der Lasiocampidae, Lemoniidae, Notodontidae, Thaumetopoeidae, Lymantriidae, Arctiidae... Atalanta 30 (1/4): 187-257, Taf.xi, xia.
- 887.Freina,J.J.de**, 2000, Zur Verbreitung von drei Procrinae-Arten im Nahen Osten (Lepidoptera, Zygaenidae, Procrinae). Atalanta 31 (1/2): 223-224.
- 888.Freina,J.J.de**, 2003, Neue Wirtspflanzennachweise für *Adscita* (*Adscita*) *obscura* (Zeller,1847) und *Jordanita* (*Roccia*) *budensis* (Speyer & Speyer,1858). Atalanta 34 (3-4): 453-456, figs.
- 889.Freina,J.J.de**, 2004, Zur Kenntnis [sic!] der Flechtenbärenarten des Nahen Ostens. Beschreibung von *Paidia moabitica* spec.nov., Anmerkungen zur Artdefinition von *Paidia albescens* Staudinger,1891 sowie Wiederbeschreibung und Neukombination von *Paidia cinerascens palaestinensis* Amsel,1935 (Lepidoptera, Arctiidae, Lithosiinae). Atalanta 35 (3/4): 427-436, Taf.xxiv.
- 890.Freina,J.J.de**, 2006, *Paidia minoica* sp.n. von Kreta, eine neue *Paidia* für Europa. Beschreibung und Angaben zur Phänologie der Art (Lepidoptera, Arctiidae, Lithosiinae). *Mitt. münch. ent. Ges.* 96: 21-27, figs.
- 891.Freina,J.J.de**, 2010, Eine Revision der Syntomini Irans (Lepidoptera, Arctiidae, Syntomini). *Nachr. ent. Ver. Apollo (N.F.)* 31 (3): 97-118, figs.
- 892.Freina,J.J.de**, 2011, Revision des *Arctia villica*-Komplexes 2.Teil Nomenklatur und Systematik der osteuropäisch-asiatischen Arten *Arctia villica* (Linnaeus,1758) (part.), *Arctia marchandi* de Freina,1983 stat.n. & *Arctia confluens* Romanoff,1884 stat.n. (Lepidoptera,Arctiidae). *Entomofauna* 32 (4): 93-124, figs.
- 893.Freina,J.J.de**, 2012, 11. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens- Ergänzungen zu Artenspektrum und Verbreitungsbildern durch interessante Nachweise (Insecta, Lepidoptera). Atalanta 43 (1/2): 191-210, 19 Abb. [with some errors of label information].
- 894.Frey,H.**, 1856, Die Tineen und Pterophoren der Schweiz. 12+430 pp. Meyer, Zürich.
- 895.Frey,H.**, 1857, Revision der Nepticuliden. *Linn. Ent.* 11: 351-446.
- 896.Frey,H.**, 1859, Das Tineiden-Genus *Elachista*. *Linn. Ent.* 13: 172-314.
- 897.Frey,H.**, 1860, Die Elachistiden-Geschlecht *Laverna*. *Linn. Ent.* 14: 180-205.
- 898.Frey,H.**, 1870, Ein Beitrag zur Kenntnis der Microlepidopteren. *Mitt. Schweiz. ent. Ges.* 3: 244-256, 277-296.
- 899.Freyer,C.F.**, 1828-1830, Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. 3 vols. 1 (1828): 164pp., 48 Tab.; 2 (1829): 166pp., 48 Tab.; 3 (1830): 168pp., 48 Tab. Nürnberg.
- 900.Freyer,C.F.**, 1831-1858, Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls. Augsburg.
- 901.Fric,Z., Wahlberg,N., Pech,P. & J.Zrzavy**, 2007, Phylogeny and classification of the Phengaris-Maculinea clade (Lepidoptera, Lycaenidae): total evidence and phylogenetic species concepts. *Syst. Ent.* 32: 558-567.
- 902.Friedel,G.**, 1968, *Perisomena caecigena* ssp. *parviocellata* Friedel (Lepidoptera, Saturniidae). *Z. wien. ent. Ges.* 53:18-19.
- 903.Friedel,G.**, 1968, *Thera juniperata* ssp.n. *loeberbaueri* Friedel (Lep., Geometridae). *Z. wien. ent. Ges.* 53: 17-18.
- 904.Friedel,G.**, 1968], *Rhegmaphila alpina* ssp.n. *osmana* Friedel. *Z. wien. ent. Ges.* 52: 52-54.
- 905.Friedel,G.**, 1977, Eine neue Rasse von *Cossus cossus* L. aus Ost- Anatolien (Lepidoptera, Cossidae). *Z. ArbGem. öst. Ent.* 29(1/2): 29-30.
- 906.Friese,G.**, 1959, *Dysauxes punctata* (F.) und *famula* (FRR.) und ihre Rassenkreise (Lep., Syntomidae). *Dt. ent. Z. (N.F.)* 6(1/3): 251-259, 2 Abb.
- 907.Fröhlich,F.**, 1828, *Enumeratio Tortricum Würtembergiae*. *Dissert. Inaug.* 102pp. Tübingen.
- 908.Fruhstorfer,H.**, 1910, Neues über *Eumenis fagi* und *alcyone*. *Ent. Z., Stuttgart* 24: 71-73, 75-77, 82-83, 86-88, 22 Abb.

909. **Fruhstorfer, H.**, 1911, *Satyrus geyeri aristochinus*. [In] Seitz, A., Die Gross-Schmetterlinge der Erde 9: 307-308.
910. **Fruhstorfer, H.**, 1916, Neue Rhopaloceren aus der Sammlung Leonhard. Arch. Naturg. (A) 82 (2): 1-28, 1 Taf.
911. **Fruhstorfer, H.**, 1918, Neue palaearktische Rhopaloceren. Ent. Z., Stuttgart 31 (21): 77-78, 81-82.
912. **Fruhstorfer, H.**, 1920, Altes und Neues über Erebien. Arch. Naturg. (A) 84 (7): 83-108.
913. **Fuchs, A.**, 1879, Lepidopterologische Mittheilungen aus dem nassauischen Rheinthale. Stettin ent. Ztg. 40: 40-46 [Fortsetzung].
914. **Fuchs, A.**, 1902, Neue Geometriden und Kleinfalter des europäischen Faunengebiets. Stettin ent. Ztg. 63: 317-330.
915. **Fuchs, A.**, 1903, Neue Kleinfalter des Mittelmeergebiets. Stettin ent. Ztg. 64: 4-16.
916. **Fuchs, F.**, 1908, *Sesia spuleri* nov.spec. Int. ent. Z. 2(5): 33.
917. **Fuessly, J.C.**, 1781-1786, Archiv der Insektengeschichte. Heft 1-8, 50 Tafeln. Zürich u. Winterthur.
918. **Gaede, M.**, 1930, Familie Lycaenidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 239-249. Stuttgart.
919. **Gaede, M.**, 1930, Familie Nymphalidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 196-227. Stuttgart.
920. **Gaede, M.**, 1930, Familie Satyridae. Gattungen: *Melanargia* Meigen- *Triphysa* Z. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 153-179. Stuttgart.
921. **Gaede, M.**, 1931, Drepanidae. [in] Strand, E., Lepidopterorum Catalogus Pars 49. 60pp. Dr. W. Junk Berlin.
922. **Gaede, M.**, 1932, Familie Lasiocampidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart.
923. **Gaede, M.**, 1932, Familie Lemoniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 127-128. Stuttgart.
924. **Gaede, M.**, 1932, Familie Lymantriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 95-106. Stuttgart.
925. **Gaede, M.**, 1932, Familie Thaumetopoeidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 107-108. Stuttgart.
926. **Gaede, M.**, 1933, Familie Aegeriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 229-240. Stuttgart.
927. **Gaede, M.**, 1933, Familie Cossidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 241-245. Stuttgart.
928. **Gaede, M.**, 1933, Familie Drepanidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 167-170. Stuttgart.
929. **Gaede, M.**, 1933, Familie Hepialidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 247-248. Stuttgart.
930. **Gaede, M.**, 1933, Familie Notodontidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 173-186. Stuttgart.
931. **Gaede, M.**, 1933, Familie Thyrididae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 227-228. Stuttgart.
932. **Gaede, M.**, 1937, Gelechiidae [in] Bryk, F., Lepidopterorum Catalogus. Pars 79, 630pp.
933. **Gaede, M.**, 1938-1939, Oecophoridae [in] Bryk, F., Lepidopterorum Catalogus. Pars 92, 209-476pp.
934. **Gaedike, R. & J. Kullberg**, 2016, A contribution to the Dryadaulidae and Tineidae of Lebanon, with two species new to science (Lepidoptera). Beitr. Ent. 66 (1): 145-152, figs.
935. **Gaedike, R. & R. Mally**, 2014, On the taxonomic status of *Ochromolopis ictella* (Hübner, 1813) and *O. zagulajevi* Budashkin & Sachkov, 1991 (Lepidoptera, Epermeniidae). Nota lepid. 37 (1): 49-62, figs.
936. **Gaedike, R.**, 1966, Die Genitalien der europäischen Epermeniidae. Beitr. Ent. 16 (5/6): 633-692, 12 Taf.
937. **Gaedike, R.**, 1966, Eine neue Art der Gattung *Epermenia* Hb. aus dem Orient (Lepidoptera, Epermeniidae). Reichenbachia 6 (20): 151-154, 5 figs.
938. **Gaedike, R.**, 1967, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil V. Epermeniidae. Z. wien. ent. Ges. 52: 85-87.

- 939. Gaedike, R.**, 1967, Zur systematische Stellung einiger Gattungen der Heliodinidae/Schreckensteiniidae sowie Revision der paläarktischen Arten der Gattung *Panalia* Curtis, 1830 (Lepidoptera). Beitr. Ent. 17 (3/4): 363-374, 23 figs.
- 940. Gaedike, R.**, 1970, Revision der paläarktischen Acrolepiidae (Lepidoptera). Ent. Abh. 38: 1-54, 101 figs.
- 941. Gaedike, R.**, 1971, Die Epermeniidae und Acrolepiidae des Vorderen und Mittleren Orients. Beitr. Ent. 21 (1/2): 43-54, 13 figs.
- 942. Gaedike, R.**, 1972, Errata- Nomenklatorische Bemerkungen zu paläarktischen Epermeniidae und Acrolepiidae (Lepidoptera). Dt. ent. Z. (N.F.) 19 (4/5): 301-302.
- 943. Gaedike, R.**, 1974, Revision der paläarktischen Douglesiidae (Lepidoptera). Acta faun. ent. Mus. Nat. Pragae 15 (176): 79-102, 69 figs.
- 944. Gaedike, R.**, 1975, Zur Kenntnis der Mikrolepidopterenfauna der Vorderen und Mittleren Orient (Epermeniidae, Acrolepiidae, Douglesiidae). Beitr. Ent. 25 (2): 213-219, 5 figs.
- 945. Gaedike, R.**, 1997, 3. Nachtrag zur Revision der Gattung Infurcitinea Spuler, 1910 (Lepidoptera, Tineidae). Beitr. Ent. 47 (1): 35-53, 13 figs.
- 946. Gaedike, R.**, 2007, New and poorly known Lepidoptera from the West Palearctic (Tineidae, Acrolepiidae, Douglesiidae, Epermeniidae). Nota lepid. 29 (3/4): 159-176, figs.
- 947. Gaedike, R.**, 2010, New and poorly known Palearctic Microlepidoptera (Tineidae, Acrolepiidae, Douglesiidae, Epermeniidae). Nota lepid. 33 (1): 9-24, figs.
- 948. Gaedike, R.**, 2011, Contributions to the knowledge of Palearctic Tineidae. Nota lepid. 34 (2): 137-144, figs.
- 949. Gaedike, R.**, 2011, New and poorly known Tineidae from the Western Palearctic (Lepidoptera). Beitr. Ent. 61 (2): 357-370, figs.
- 950. Gaedike, R.**, 2015, Tineidae I, [in] Nuss, M. et al. (ed.), Microlepidoptera of Europe. xxviii+308 pp. Brill, Leiden & Boston.
- 951. Ganev, J. & H. Hacker**, 1984, *Agrochola osthelderi* Boursin, 1951 eine neue Art für Europa (Lepidoptera, Noctuidae, Cuculliinae). Articulata 2 (5): 104-105, fig.
- 952. Ganev, J. & H. Hacker**, 1984, Beitrag zur Kenntnis der Mikrolepidopteren der Türkei. Die Crambidae (Lepidoptera, Pyraloidea) der Ausbeute H. Hacker aus dem Jahr 1983 nebst Beschreibung neuer Taxa. Nota lepid. 7 (3): 237-250; 7 (4): 308, 8 Abb.
- 953. Ganev, J. & H. Hacker**, 1986, Beitrag zur Kenntnis der Crambidae (Lepidoptera, Pyraloidea) von Griechenland und der Türkei mit Beschreibung einer neuen Art *Euchromius siuxellus* n.sp. Z. ArbGem. öst. Ent. 37 (3/4) (1985): 81-83, 5 Abb.
- 954. Ganev, J. & H. Hacker**, 1986, Weiterer Beitrag zur Kenntnis der Crambidae Griechenlands und der Türkei. Nota lepid. 8 (4) (31.xii.1985): 329-330.
- 955. Ganev, J.**, 1984, Die von Josef de Freina gesammelten Microlepidoptera aus der Türkei, Afghanistan und Pakistan. Eine faunistische und taxonomische Studie (Lepidoptera, Ethmiidae und Crambidae). Articulata 2 (4): 80-84, 2 figs.
- 956. Ganev, J.**, 1985, *Agriphila beieri josifovi* n.ssp. aus der Türkei (Lepidoptera, Crambidae). NachrBl. bayer. Ent. 34(4): 139-141, figs.
- 957. Ganev, J.**, 1987, On Crambidae in the collection of the Copenhagen Museum (Lepidoptera, Pyraloidea). Entomofauna 8 (4): 41-52, figs.
- 958. Garrevoet, T. & W. Garrevoet**, 2002, *Synanthedon rubiana*, a new species to the European fauna (Lepidoptera, Sesiidae). Phegea 30 (3): 103.
- 959. Garrevoet, T., Garrevoet, J. & W. Garrevoet**, 2015, On the knowledge of *Bembecia hofmanni* with description of the female (Lepidoptera, Sesiidae). Phegea 43 (2): 26-30, figs.
- 960. Garrevoet, T., Garrevoet, W. & H. Özbek**, 2005, A contribution to the knowledge of the Sesiidae of Turkey (Lepidoptera). Turk J. Zool. 29: 27-38.
- 961. Gaskin, D.E. & E.A. Litter**, 1986, Rhopalocera from Kefalonia, Zakynthos, Samos, and Chios Islands (Greece), and the Kuşadası Region (SW Turkey) in 1983 and 1984. Entomologist's Rec. J. Var. 98: 186-192.
- 962. Gaskin, D.E. & E.A. Litter**, 1989, Butterflies in western Turkey, June 1986. Phegea 17 (2): 57-60.
- 963. Gaskin, D.E.**, 1971, A revision of New Zealand Diptychophorini (Lep., Pyralidae, Crambinae). N. Z. Jl. Sci. 14: 759-809.
- 964. Gehlen, B.**, 1930, Neue Spingiden. Ent. Z., Frankf. a. M. 44 (12): 176, figs.
- 965. Gehlen, B.**, 1932, Familie Spingidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 137-166. Stuttgart.

966. **Gehlen, B.**, 1932, Neue Sphingiden. Ent. Rdsch. 49: 182-184, 2 figs.
967. **Gehlen, B.**, 1932, Neue Sphingiden. Ent. Rdsch. 49: 84-85, fig.4.
968. **Gehlen, B.**, 1934, Neue afrikanische und asiatische Sphingiden. Ent. Z., Frankf. a. M. 48 (8): 59-62, 4 figs.
969. **Geiger, H., Descimon, H. & A. Scholl**, 1988, Evidence for speciation within nominal *Pontia daplidice* (Linnaeus, 1758) in southern Europe (Lepidoptera, Pieridae). *Nota lepid.* 11 (1): 7-20, 5 figs. 2 Tab.
970. **Geiger, H.-J. & A. Scholl**, 1982, *Pontia daplidice* (Lepidoptera, Pieridae) in Südeuropa- eine Gruppe von zwei Arten. *Mitt. schweiz. ent. Ges.* 55: 107-114.
971. **Gelbrecht, J. & A. Hausmann**, 1997, *Scopula immistaria beshkovi* ssp.n. - neu für Bulgarien und den Balkan (Lepidoptera, Geometridae). *Linzer biol. Beitr.* 29 (2): 983-990, figs.
972. **Gelbrecht, J., Malkiewicz, A. & R. Stelmaszczyk**, 2004, *Lomaspilis bithynica* Wehrli, 1954 stat.rev., a distinct species new for Europe (Geometridae). *Nota lepid.* 27 (2/3): 179-186, figs.
973. **Gençer, L. & S. Seven**, 2005, Chalcidoid parasitoids of *Micrurapteryx sophorivora* (Lepidoptera, Gracillariidae) in Kuluncak, Turkey *Phytoprotection* 86 (2): 133-134.
974. **Geoffroy, E. L.**, 1785, Lepidoptera. [In] Fourcroy, A. F., *Entomologia parisiensis, sive catalogus Insectorum, quae in agro parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones, genera et species distributus; cui...species I: 1-231; II: 233-544.* Paris.
975. **Gerasimov, A. M.**, 1937, *Hepialidenraupen* (Lepid.) Ent. Z., Frankf. a. M. 51(9): 81-84.
976. **Gerhard, B.**, [1850]-[1853], Versuch einer Monographie der europäischen Schmetterlingsarten: *Thecla*, *Polyommatus* [sic!], *Lycaena*, *Nemeobius*. 21 pp., 39 Taf. Hamburg [for the dates of publication, see: Koçak, 1980, *Communs Fac. Sci. Univ. Ankara* 24: 16-20; also Olivier, 1999].
977. **Gerhard, B.**, 1882, *Lepidopterologisches*. Berl. ent. Z. 26 (1): 125-128.
978. **Gershenson, Z. S. & S. A. Ulenberg**, 1998, The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas. *Kon. Ned. Akad. Wet. Verh. Afd. Naturk.* 1998: 1-202.
979. **Gerstberger, M.**, 1981, *Glyptoteles leucacrinella* Z. und *Euzophora bigella* Z. Zwei verwechselte Arten (Pyralidae, Phycitinae). *Nota lepid.* 4(4): 151-154, figs.
980. **Gerwien, E.**, 1911, Deskriptives und biologisches über *Taeniocampa rorida* H.-S. (Friv?). Berl. ent. Z. 55 (1910): 174-178, Taf. iii figs. 1-6.
981. **Geyer, C.** [1827]-[1838], [in] Hübner, J., *Sammlung exotischer Schmetterlinge* 3: [53] Pls. Augsburg.
982. **Geyer, C. [in] Hübner, J.**, [1819]-[1832], *Sammlung exotischer Schmetterlinge* 2: [5] pp., [225] Pls. Augsburg.
983. **Geyer, C.**, [1832], [in] Hübner, J., *Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. Viertes Hundert: 1-48, figs. 401-600.* Augsburg.
984. **Gianti, M.**, 2005, *Syrianarpia faunieralis* sp.n. from the Cottian Alps of Italy (Crambidae, Scopariinae). *Nota lepid.* 27 (4): 299-302, figs.
985. **Gibeaux, C.**, 1987, Etude des Pterophoridae paléarctiques (6.note) *Stenoptilia arida* (Zeller, 1847), stat.rev., bona species et sa synonymie; *Stenoptilia scabiodactyla* (Gregson, 1869), stat.rev., bona sp. en France (Lepidoptera, Pterophoridae). *Alexandor* 15 (1) Suppl.: [38]-[44], figs.
986. **Gielis, C.**, 1988, Synonyms in the European genus complex *Stenoptilia-Platyptilia* and reestablishment of *Stenoptilia arvenicus* (de Peyerimhoff, 1875) (Lepidoptera, Pterophoridae). *Phegea* 16(2): 51-58, 7 figs.
987. **Gielis, C.**, 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). *Zool. Verh.* 290: 1-139, 239 figs.
988. **Gielis, C.**, 1996, Pterophoridae, [in] Huemer, P., Karsholt, O. & L. Lyneborg (eds.), *Microlepidoptera of Europe* 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup.
989. **Gielis, C.**, 2003, Pterophoroidea and Alucitoidea (Lepidoptera). *World Catalogue of Insects* 4, 198pp. Apollo Books, Stenstrup.
990. **Gilbert, P.**, 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London.
991. **Gilligan, T. M. & D. J. Wright**, 2013, Revised world catalogue of Eucopina, Eucosma, Pelochrista, and Phaneta (Lepidoptera, Tortricidae, Eucosmini). *Zootaxa* 3746 (2): 301-337.
992. **Gillmer, M.**, 1904, *Lycaena icarus* Rott., ab. *persica* Bien. Ent. Z., Stuttgart 17(20): 76.
993. **Gillmer, M.**, 1904, Nochmals *Lycaena icarus*, Rott., var. *persica*, Bien. Ent. Z., Stuttgart 17 (22): 84-85.

994. **Girgin, S.**, 1990, Bazı Satyrinae türlerinin erginlerinde ikinci abdomen sternit yapısı üzerine araştırmalar (Satyridae, Lepidoptera). Doğa J. Zool. 14: 127-138, 14 figs.
995. **Glaser, W.**, 1974, Beitrag zur Kenntnis der Coleophoridae V. Das Weibchen von *Coleophora amasicola* Toll, 1942 (Lep., Coleophoridae). Ent. Z., Frankf. a. M. 84 (11): 122-123, 1 fig.
996. **Glaser, W.**, 1974, Das Weibchen von *Pediasia aridelloides* Bleszynski (Lep., Pyralidae, Crambinae). Ent. Z., Frankf. a. M. 84 (10): 111-112, 1 fig.
997. **Glaser, W.**, 1975, Beitrag zur Kenntnis der Coleophoridae VII. Eine neue Coleophorenart aus Südspanien. Erste stände und das Männchen von *Col. nitidipennella* Toll & Amsel, 1967. Das Männchen von *Col. coarctataephaga* Toll, 1961 (Lepidoptera, Coleophoridae). Z. ArbGem. öst. Ent. 27 (1/2): 19-24, 10 figs.
998. **Glaser, W.**, 1980, Beitrag zur Kenntnis der Coleophoridae X (Lepidoptera, Coleophoridae). Z. ArbGem. öst. Ent. 31 (3/4): 75-77, figs.
999. **Glaser, W.**, 1981, Beitrag zur Kenntnis der Coleophoridae XII (Lepidoptera, Coleophoridae). Z. ArbGem. öst. Ent. 32 (3/4): 133-135, 6 figs.
1000. **Glaser, W.**, 1981, Beitrag zur Kenntnis der Coleophoridae xii (Lepidoptera, Coleophoridae). Z. ArbGem. öst. Ent. 32 (3/4): 133-135, 6 Abb.
1001. **Glassl, H.**, 1993, *Parnassius apollo*. Seine Unterarten. 214pp. pls. maps. H. Glassl Verlag. Möhrendorf.
1002. **Godart, J.B.**, 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp. 329-828 [1824]. Paris.
1003. **Goeze, J.A.E.**, 1777-1783, Entomologische Beyträge zu des Ritter Linné zwölften Ausgabe des Natursystems Bd. 1 [1777], xvi+736pp.; Bd. 2 [1778], lxxii+352pp.; Bd. 3(1) [1779], xi+390pp.; Bd. 3(2) [1780], xxiv+350pp.; Bd. 3(3) [1781], xlviii+439pp.; Bd. 4 [1783], xx+178pp. Leipzig.
1004. **Goeze, J.A.E.**, 1781, Entomologische Beytraege zu des Ritter Linné zwölften Ausgabe des Natursystems 3: 1-439.
1005. **Goltz, H.F.v.d.**, 1930, Familie Satyridae. Gattung: *Erebia* Dalm. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 132-152. Stuttgart.
1006. **Gonzales-Estébanez, F.J. & D.C. Mancenido-Gonzalez**, 2013, *Udea lutealis* (Hübner, [1809]) nueva especie para la fauna de Espana (Lepidoptera, Crambidae, Spilomeninae). Shilap Revta lepid. 41 (164): 427-430, figs.
1007. **Goossens, E.**, 1980, Deuxième voyage entomologique en Turquie (1978). Bull. cercle Lépid. Belg. 8: 108-115.
1008. **Gorbunov, O.G.**, 1986, Clearwing moths (Lepidoptera, Sesiidae) of Transcaucasia. Trudy vses. ent. Obshch. 67: 5-10, figs.
1009. **Gorbunov, O.G.**, 1986, A new species of clearwing moths of the genus *Synanthedon* (Lepidoptera, Sesiidae) from Azerbaidjan. Zool. Zh. 65 (6): 938-940, figs.
1010. **Gorbunov, O.G.**, 1990, A new species of the genus *Bembecia* Hübner, 1819 from the Caucasus, USSR (Lep., Sesiidae). Atalanta 20 (1989): 119-123, figs. 6, 7.
1011. **Gorbunov, O.G.**, 1991, Review of the genus *Dipchasphecia* Capuse, 1973 (Lep., Sesiidae). Atalanta 22 (2/4): 145-167, pl. xxiii.
1012. **Gozmany, L. & W. Mey**, 2005, Eine neue Art der Familie Lecithoceridae aus der Türkei (Lep., Gelechioidea). Ent. Nachr. Ber. 49 (2): 127-128, fig.
1013. **Gozmany, L.**, 1978, Lecithoceridae, [in] Amsel, H.G., Gregor, F. & H. Reisser, Microlepidoptera Palaearctica vol. 5 (text & plates), xxviii + 1-306 pp. Verlag Georg Fromme & Co. Wien.
1014. **Gozmany, L.A.**, 1955, Notes on some Hungarian Gelechioidea and Coleophoridae. Ann. hist.-nat. Mus. natn. hung. 47: 307-320, figs.
1015. **Gozmany, L.A.**, 1958, Notes on the generic group *Stomopteryx* Hein., and the descriptions of some new Microlepidoptera. Acta zool. hung. 3: 107-135, figs.
1016. **Gozmany, L.A.**, 1960, Records on Microlepidoptera. Ann. hist.-nat. Mus. natn. hung. 52: 423-428, 2 figs.
1017. **Gozmany, L.A.**, 1961, The description of some new symmocid taxa (Lepidoptera, Gelechiidae). Acta zool. hung. 7: 97-110, figs.
1018. **Gozmany, L.A.**, 1962, New and interesting Symmocoid species in the Zoological Collection of the Bavarian State, Munich, Germany (Lep., Gelechiidae). Opusc. zool. 64: 1-6, 5 figs.
1019. **Gozmany, L.A.**, 1963, The family Symmocidae and the description of new taxa mainly from Near East (Lepidoptera). Acta zool. hung. 9: 67-134, 71 figs.

- 1020. Gozmany, L.A.**, 1965, On the genus *Apiletria* Lederer, 1855 (Lepidoptera, Symmocidae). *Acta zool. Acad. Sci. Hung.* 11 (1/2): 101-120, 16 figs.
- 1021. Gozmany, L.A.**, 1967, The family Holcopogonidae fam. nov. (Lepidoptera) and its constituent taxa. *Acta zool. hung.* 13: 271-278.
- 1022. Gozmany, L.A.**, 1968, Die von E. Arenberger in Kleinasien gesammelten Symmociden (Lepidoptera). *Z. wien. ent. Ges.* 53: 20-28, 6 figs.
- 1023. Gozmany, L.A.**, 1986, New Symmocid and Holcopogonid species from eastern Mediterranean (Lepidoptera, Symmocidae, Holcopogonidae). *Entomofauna* 7 (14): 201-214, 8 figs.
- 1024. Gozmany, L.A.**, 2000, Holcopogonidae, [in] Gaedike, R. *Microlepidoptera Palaearctica* vol. 10 176 pp. Pls. Goecke & Evers, Keltern.
- 1025. Göbekçioğlu, Z. & N. Aktaç**, 1990, Trakya Bölgesi (Istranca Dağları) Gündüz Kelebekleri (Lepidoptera, Papilionoidea, Hesperioidea). X. Ulusal Biyoloji Kongresi 18-20 Temmuz 1990, Erzurum: 193-202.
- 1026. Göktürk, T.**, 2011, Lepidoptera fauna in Artvin province in North Black Sea Region of Turkey. *J. Anim. Vet. Adv.* 10 (15): 1938-1946.
- 1027. Gömürgen, A.N.**, 1991, Bazı Hesperiidler üzerinde morfolojik araştırmalar (HesperIIDae, Lepidoptera). *Doğa J. Zool.* 15: 1-15, 18 figs.
- 1028. Gömürgen, A.N.**, 1992, Bazı Hesperiidlerin erkek dış genital organları üzerine araştırmalar (HesperIIDae, Lepidoptera). *Doğa J. Zool.* 16: 209-228, 19 şekil.
- 1029. Gömürgen, A.N.**, 1993, Bazı Hesperiidlerin dişi dış genital organları üzerine araştırmalar (HesperIIDae, Lepidoptera). *Doğa J. Zool.* 17: 379-403, 17 şekil.
- 1030. Görgner, E. & A. Hofmann**, 1982, Eine neue Zugaenenart für die Türkei (Lepidoptera, Zygaenidae, Zygaena Fabricius, 1775, Subgenus Mesembrynus Hübner [1819]) *Entomofauna* 3 (4): 33-54, figs.
- 1031. Görgner, E.**, 1984, Beitrag zur Biologie von *Euapatura mirza* Ebert, 1971 (Lep., Nymphalidae). *Nachr. ent. Ver. Apollo (N.F.)* 5(1): 7-17, figs. [Corrigendum: *ibid.*, 5 (2/3): 42].
- 1032. Görgner, E.**, 1985, Beiträge zur Kenntnis der Lepidopteren der südosttürkischen Provinz Hakkari, I. Allgemeines, Papilionidae. *Nachr. ent. Ver. Apollo (N.F.)* 5 (4): 77-94, figs.
- 1033. Grange, J.-C., Grange, D. & J. Nel**, 2011, *Depressaria zelleri* Staudinger, 1879, espèce nouvelle pour la France (Lep., Depressariidae). *Oreina* 16: 10, 2 figs.
- 1034. Graves, P.P.**, 1910, A day's lepidopterology near Scutari. *Entomologist's Rec. J. Var.* 22: 215.
- 1035. Graves, P.P.**, 1911-1912, A season's collecting at Constantinople in 1911. *Entomologist's Rec. J. Var.* 23: 315-318; *ibid.* 24: 10-12; 74.
- 1036. Graves, P.P.**, 1912, Notes of the season 1912 at Constantinople. *Entomologist's Rec. J. Var.* 24: 293-294.
- 1037. Graves, P.P.**, 1913, Constantinople and Syrian Butterflies. Corrections and additions. *Entomologist's Rec. J. Var.* 25: 139-140.
- 1038. Graves, P.P.**, 1913, *Lycaena arion* at Constantinople. *Entomologist's Rec. J. Var.* 25: 118.
- 1039. Graves, P.P.**, 1914, Collecting in Turkey, mainly near Constantinople in 1913. *Entomologist's Rec. J. Var.* 26: 17-21.
- 1040. Graves, P.P.**, 1914, Near eastern Urbicolids. *Entomologist's Rec. J. Var.* 26: 193-194.
- 1041. Graves, P.P.**, 1915, Collecting at Constantinople in 1914. *Entomologist's Rec. J. Var.* 27: 35-40.
- 1042. Graves, P.P.**, 1918, Collecting in various places (1914-1917). *Entomologist's Rec. J. Var.* 30: 62-65.
- 1043. Graves, P.P.**, 1919, *Agriades thetis* race *vectae*, Verity. *Entomologist's Rec. J. Var.* 31: 90.
- 1044. Graves, P.P.**, 1919, Collecting in various places in 1916-1918. *Entomologist's Rec. J. Var.* 31: 5-8, 61-66, 156-158.
- 1045. Graves, P.P.**, 1919, *Hamearis lucina* at Constantinople. *Entomologist's Rec. J. Var.* 31: 111.
- 1046. Graves, P.P.**, 1920, Collecting in Turkey in 1919. *Entomologist's Rec. J. Var.* 32: 105-107.
- 1047. Graves, P.P.**, 1921, A note from Constantinople - A third brood of *P. chloridice*. *Entomologist's Rec. J. Var.* 33: 199.
- 1048. Graves, P.P.**, 1921, Collecting in Asia Minor in 1920. *Entomologist's Rec. J. Var.* 33: 41-48.
- 1049. Graves, P.P.**, 1921, Review: Lepidoptera of the Amanus. *Entomologist's Rec. J. Var.* 33: 141-142.
- 1050. Graves, P.P.**, 1921, Some new records for the Constantinople district and Bithynia. *Entomologist's Rec. J. Var.* 33: 165-166.
- 1051. Graves, P.P.**, 1923, Notes on the Lepidoptera of the Constantinople district (Asia) and Brusa. *Entomologist's Rec. J. Var.* 35: 95-96.

1052. **Graves, P.P.**, 1925, The Lepidoptera of Constantinople. *Entomologist* 58: 191-194, 242-245, 260-262, 291-294.
1053. **Graves, P.P.**, 1926, Additions to the Lepidoptera of the Constantinople district. *Entomologist* 59: 249-253, 262-265.
1054. **Graves, P.P.**, 1926, Heterocera from Macedonia, Gallipoli and Central Greece. *Entomologist's Rec. J. Var.* 38: 152-158, 165-170.
1055. **Graves, P.P.**, 1928, The seasonal variation of *Spilothyrus* (*Carcharodus*) *orientalis* Rev. *Entomologist's Rec. J. Var.* 40: 77.
1056. **Graves, P.P.**, 1938, A New Subspecies of *Leptidea duponcheli* Stgr. *Entomologist* 71: 154-155.
1057. **Gregersen, K. & O. Karsholt**, 2017, Taxonomic confusion around the Peach Twig Borer, *Anarsia lineatella* Zeller, 1839, with description of a new species (Lepidoptera, Gelechiidae). *Nota lepid.* 40 (1): 65-85, 12 figs.
1058. **Grieshuber, J. & G. Lamas**, 2007, A synonymic list of the genus *Colias* Fabricius, 1807 (Lepidoptera, Pieridae). *Mitt. münch. ent. Ges.* 97: 131-171.
1059. **Griffin, F.J.**, 1936, A catalog of papers concerning the dates of publication of natural history books. *J. Soc. Bibl. nat. Hist.* 1: 1-30.
1060. **Griffin, F.J.**, 1943, A catalog of papers concerning the dates of publication of natural history books. *J. Soc. Bibl. nat. Hist.* 2 (1): 1-17.
1061. **Groenen, F. & H. Özbek**, 2002, *Aethes margaritifera*, a new species for Turkey (Lepidoptera, Tortricidae). *Phegea* 30 (1): 37-39, figs.
1062. **Gross, F.J.**, 1959, Bemerkungen zur Verbreitung von *Satyrus* (*Hipparchia*) *fagi* Scop., *syriacus* Stgr. und *semele* L. *Ent. Z., Frankf. a. M.* 69 (3): 17-23, 4 figs.
1063. **Gross, F.J.**, 1977, Über *Hyponephele narica* und *H. naricina* und deren Verbreitung in der Türkei (Lep., Satyridae). *Atalanta* 8 (2): 123-125.
1064. **Gross, F.J.**, 1978, Beitrag zur Systematik von *Pseudochazara*-Arten (Lep., Satyridae). *Atalanta* 9(1): 41-103, figs.
1065. **Grote, A.R.**, 1899, Gattungs-Typen der europäischen Bombycides. *Illte Wschr. Ent.* 4: 2-4, 53-55, Pl.
1066. **Grote, A.R.**, 1902, Die Gattungsnamen der europäischen Geometriden. *Allg. Z. Ent.* 7: 470-472.
1067. **Grote, A.R.**, 1902, Die Gattungsnamen der europäischen Noctuiden. *Allg. Z. Ent.* 7: 395-400.
1068. **Grund, A.**, 1905, *Leptidea sinapis* in der Umgebung Agrams (Kroatien) mit drei neuen Formen. *Int. ent. Z.* 19 (26): 145-148, 20 figs.
1069. **Guenée, A.**, 1837, Essai pour servir a la classification des Noctuéliques. *Annls Soc. ent. Fr.* 6: 311-367.
1070. **Guenée, A.**, 1838, Matériaux pour servir a la classification des Noctuéliques. *Annls Soc. ent. Fr.* 7: 107-125, 201-230.
1071. **Guenée, A.**, 1839-1841, Essai sur la classification des Noctuéliques. *Annls Soc. ent. Fr.* 8 [1839]: 473-522; 10 [1841]: 53-83, 217-250.
1072. **Guenée, A.**, 1845, Essai sur une nouvelle classification des Microlépidoptères et catalogue des espèces européennes connues jusqu'à jour. *Annls Soc. ent. Fr.* (2) 3: 105-192, 207-344
1073. **Guenée, A.**, 1846, *Europaeorum Microlepidopterorum Index Methodicus*.
1074. **Guenée, A.**, 1852, Noctuéliques I. [In] Boisduval, J.A. & A. Guenée, *Histoire naturelle des Insectes. Species général des Lépidoptères* 5. xcv + 407 pp. Paris.
1075. **Guenée, A.**, 1852, Noctuéliques II. [In] Boisduval, J.A. & A. Guenée, *Histoire naturelle des Insectes. Species général des Lépidoptères* 6. xcv + 407 pp. Paris.
1076. **Guenée, A.**, 1852, Noctuéliques III. [In] Boisduval, J.A. & A. Guenée, *Histoire naturelle des Insectes. Species général des Lépidoptères* 7. 442 pp. Paris.
1077. **Guenée, A.**, 1854, Deltoïdes et Pyralites. [In] Boisduval, J.A. & A. Guenée, *Histoire naturelle des Insectes. Species général des Lépidoptères* 8. 448 + 6 pp., 10 Pls. Paris.
1078. **Gumpenberg, C.v.**, 1888, Beiträge zur Kenntnis der Gattung *Erebia* Dalm. *Stettin ent. Ztg.* 49: 365-393.
1079. **Güneyi, N. & A. Şengün**, 1971, 1964-1969 yıllarında Kefeliköy'de toplanmış kelebek türleri I, II. *Ist. Univ. Fen Fak. Mecm. (Ser.B)* 37: 119-123, 125-128, pls.
1080. **Güneyi, N. & M. Kuşçu**, 1972, Uşak ve civarı gündüz kelekleri. *Ist. Univ. Fen Fak. Mecm. (Ser.B)* 37 (1/2): 91-96, figs.
1081. **Güneyi, N.**, 1969, Gölçük (Ödemiş) Gündüz kelekleri. *Ist. Univ. Fen Fak. Mecm.* 34 (1/2): 39-42, figs.

1082. **Güneyi, N.**, 1970, Abant gündüz kelebekleri. Ist. Univ. Fen Fak. Mecm. (Ser.B) 35 (1/2): 63-67, 4 pls.
1083. **Gyulai, P. & L. Ronkay**, 1995, New Noctuidae (Lepidoptera) species from West and Central Asia. Folia ent. hung. 56: 27-35, figs.
1084. **Gyulai, P. & L. Ronkay**, 2006, New Noctuidae taxa from Iran and Turkey (Lepidoptera). Esperiana 12: 255-266, figs., Taf. 27.
1085. **Gyulai, P. & Z. Varga**, 2006, New taxa of Noctuidae, Noctuinae from Iran and Central Asia (Lepidoptera). Esperiana 12: 271-281, figs.
1086. **Gyulai, P.**, 1993, *Orthosia ivani* species nova from Turkey (Lepidoptera, Noctuidae). Entomofauna 14 (20): 329-340, figs.
1087. **Gyulai, P., Hreblay, M. & L. Ronkay**, 1992, New taxa and synonyms in the *Oncocnemis exacta* Christoph, 1887 Group (Lepidoptera, Noctuidae). Acta zool. Hung. 38: 33-46, figs.
1088. **Haaf, E.**, 1952, Über die Genitalmorphologie der Zygaenen (Lep.). Veröff. Zool. Staatsamml. München 2: 125-160, figs.
1089. **Habeler, H.**, 1974, Zum Problem *Horisme tersata* Schiff./ *testacea* Hbn. Mitt. münch. ent. Ges. 64: 1-12.
1090. **Habisch, O.**, 1905, [Beschreibung einer neuen Noctuidae aus Haifa]. Verh. zool.- bot. Ges. Wien 55: 20-21.
1091. **Hacker, H. & A. Moberg**, 1988, Zwei neue *Dasypolia* Guenée, 1852 Arten aus der östlichen Türkei (Lepidoptera, Noctuidae, Cuculliinae). Mitt. münch. ent. Ges. 78: 179-185, figs.
1092. **Hacker, H. & A. Moberg**, 1989, Zwei neue *Agrochola* Hübner, [1821] - Arten (Lepidoptera, Noctuidae, Cuculliinae) aus der Türkei und aus Griechenland. Nota lepid. 12 (2): 121-132, 4 figs.
1093. **Hacker, H. & L. Ronkay**, 1988, *Cucullia behouneki* sp. nov., *Cucullia armena* Ronkay & Ronkay, 1986 und *Cucullia prenanthis* Boisduval, 1840, in der Türkei (Lepidoptera, Cuculliinae). Nota lepid. 11 (1): 39-44, figs.
1094. **Hacker, H. & L. Ronkay**, 1992, Das Genus *Polymixis* Hübner, [1820] mit Beschreibung neuer Taxa und Festlegung neuer Stati (Lepidoptera, Noctuidae). Esperiana 3: 473-496, figs.
1095. **Hacker, H. & L. Ronkay**, 1992, Taxonomic news in the genus *Euchalcia* Hübner, 1821 (Lepidoptera, Noctuidae, Plusiinae) Part 1. Esperiana 3: 457-471, figs.
1096. **Hacker, H. & L. Weigert**, 1986, Sechster Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Das Artenspektrum im April und Oktober. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus neueren Aufsammlungen (Lepidoptera). Neue ent. Nachr. 19 (3/4): 133-188, figs.
1097. **Hacker, H. & M. Lödl**, 1989, Taxonomisch und faunistisch bemerkenswerte Funde aus der Sammlung Pinker im Naturhistorischen Museum Wien. Neunter Beitrag zur systematischen Erfassung der Noctuidae (Lepidoptera) der Türkei. Z. ArbGem. Öst. Ent. 40 (1/2) (1988): 65-82, figs.
1098. **Hacker, H. & P. Gyulai**, 2013, Supplement to the revision of the genus *Hadena* Schrank, 1802 by Hacker (1993, 1996). Esperiana 18: 225-253, figs.
1099. **Hacker, H. & P. Kuhna**, 1986, Drei neue Noctuidae-Arten aus der Türkei (Lepidoptera). Nota lepid. 9 (3/4): 179-188, Taf. 1, 3 Abb.
1100. **Hacker, H. & R. Pinker**, 1987, *Cucullia mixta* ronkayi n. ssp. aus der Osttürkei (Lep., Noctuidae). Z. ArbGem. öst. Ent. 38 (3/4): 107-109, 1 Abb.
1101. **Hacker, H.**, [1987], Erster Beitrag zur systematischen Erfassung der Noctuidae der Türkei (Lepidoptera). Atalanta 17 (1/4) (1986): 1-26, 2 Taf.
1102. **Hacker, H.**, [1987], Fünfter Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Wolf und Hacker aus dem Jahr 1985 sowie Ergänzungen zu früheren Arbeiten (Lepidoptera). Atalanta 17 (1/4) (1986): 27-83, 13 Taf.
1103. **Hacker, H.**, 1983, Faunistische und taxonomische Beiträge zur Noctuidenfauna des Mittelmeergebietes (Lepidoptera). Neue ent. Nachr. 6: 43-57, 18 figs.
1104. **Hacker, H.**, 1985, Dritter Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Hacker und Wolf aus dem Jahr 1984 (Lepidoptera). Neue Ent. Nachr. 15: 1-65, Taf.
1105. **Hacker, H.**, 1986, 2. Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde

- aus den Aufsammlungen von de Freina aus den Jahren 1976-1983 (Lepidoptera). Spixiana 9 (1): 25-81, figs.
- 1106. Hacker, H.,** 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbiopoliana 2: 1-590, Taf.
- 1107. Hacker, H.,** 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf.
- 1108. Hacker, H.,** 1992, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei (Lepidoptera). Esperiana 3: 409-446, Abb.
- 1109. Hacker, H.,** 1992, Revision der Gattung *Hadena* Schrank, 1802 (Lepidoptera) Teil 1. Esperiana 3: 243-361, 65 Abb.
- 1110. Hacker, H.,** 1996, Beschreibung einer neuen *Agrochola* Hübner, [1821] - Art aus der Südost-Türkei. Esperiana 4: 455-458, figs.
- 1111. Hacker, H.,** 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). Esperiana 4: 273-330, Abb.
- 1112. Hacker, H.,** 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera) Nachtrag zu S.273-330. Esperiana 4: 453-458, Abb.
- 1113. Hacker, H.,** 1998, Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs.
- 1114. Hacker, H.,** 1998, Revision der Gattungen *Hadula* Stgr., 1889 (= *Discestra* Hmps., 1905; *Aglossestra* Hmps., 1905; *Cardiestra* Brsn., 1963), *Anartomorpha* Alph., 1892, *Trichanarta* Hmps., 1895, *Anarta* Ochs., 1816 und *Cardepija* Hmps., 1905 mit Beschreibung einer neuen Gattung *Hadumorpha* g.n. Esperiana 6: 577-843, Taf., figs.
- 1115. Hacker, H.,** 2004, Revision of the genus *Caradrina* Ochsenheimer, 1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
- 1116. Hacker, H., Kuhna, P. & F.J. Gross,** [1987], 4. Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Gross und Kuhna aus den Jahren 1968-1984 (Lep., Noctuidae). Mitt. münch. ent. Ges. 76 (31.12.1986): 79-141, figs.
- 1117. Hacker, H., Legrain, A. & M. Fibiger,** 2008, Revision of the genus *Acontia* Ochsenheimer, 1816 and the tribus Acontiini Guenée, 1841 (Old World) (Lepidoptera, Noctuidae, Acontiinae). Esperiana 14: 7-533, figs.
- 1118. Hacker, H.H.,** 2001, Fauna of the Nolidae and Noctuidae of the Levante with descriptions and taxonomica notes. Appendix: Revision Genus *Clytie* Hübner, 1823. Esperiana 8: 7-398, figs.
- 1119. Hacker, H.H., Schreier, H.-P. & B. Goater,** 2012, Revision of the tribe Nolini of Africa and the Western Palaearctic Region (Lepidoptera, Noctuoidea, Noctuidae, Nolinae). Esperiana 17: 1-614, figs. [diagnostic characters of the most of African new species are not concrete]
- 1120. Hagen, H.T.,** 1862, Bibliotheca Entomologica 2 Vols. Leipzig.
- 1121. Hampson, G.F.,** 1892 [1893], Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 1: xxiii+ 527pp., 333 figs. Taylor & Francis, London.
- 1122. Hampson, G.F.,** 1894, Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii+ 609pp., 287 figs. Taylor & Francis, London.
- 1123. Hampson, G.F.,** 1895, Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3. Taylor & Francis, London.
- 1124. Hampson, G.F.,** 1896, Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 4: xxviii+ 449pp., 239 figs. Taylor & Francis, London.
- 1125. Hampson, G.F.,** 1896, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. Trans. ent. Soc. London 1896 (4): 451-550, figs.
- 1126. Hampson, G.F.,** 1897, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1897: 603-633, figs.
- 1127. Hampson, G.F.,** 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scopariinae. Trans. ent. Soc. London 1897 (2): 127-240, figs.
- 1128. Hampson, G.F.,** 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. Proc. zool. Soc. London 1898: 590-761, Pls. 49, 50.
- 1129. Hampson, G.F.,** 1898, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. i. Syntomidae. xxi+559 pp., Pls. i-xvii. Printed by the order of the Trustees British Museum (Natural History), London.

- 1130. Hampson, G.F.,** 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. Proc. zool. Soc. London 1899: 172-291.
- 1131. Hampson, G.F.,** 1900, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiadae (Nolinae, Lithosiinae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1132. Hampson, G.F.,** 1900, New Palaearctic Pyralidae. Trans. ent. Soc. Lond. 1900: 369-401, Pl.
- 1133. Hampson, G.F.,** 1901, A classification of a new family of the Lepidoptera. Trans. ent. Soc. London 1901 (2): 187-192, figs.
- 1134. Hampson, G.F.,** 1901, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iii. Arctiadae & Agaristidae. xix+ 690 pp., Pls. xxxvi-liv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1135. Hampson, G.F.,** 1903, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1136. Hampson, G.F.,** 1905, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1137. Hampson, G.F.,** 1906, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls. xcv-cvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1138. Hampson, G.F.,** 1908, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1139. Hampson, G.F.,** 1908, The moths of India: Supplementary paper to the volumes in "The Fauna of British India". J. Bombay Nat. Hist. Soc. 18: 27-53, 257-271, 572-585, pl.C.
- 1140. Hampson, G.F.,** 1909, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Trustees British Museum (Natural History), London.
- 1141. Hampson, G.F.,** 1910, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1142. Hampson, G.F.,** 1910, The moths of India: Supplementary paper to the volumes in "The Fauna of British India". J. Bombay nat. Hist. Soc. 20: 83-125, 634-674, 1046-1083.
- 1143. Hampson, G.F.,** 1911, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Erastrinae). Pls. cxlviii-clxxiii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1144. Hampson, G.F.,** 1912, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliinae to Acontinae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Trustees British Museum (Natural History), London.
- 1145. Hampson, G.F.,** 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-ccxxi. Printed by the order of the Trustees British Museum (Natural History), London.
- 1146. Hampson, G.F.,** 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. ccxxii-ccxxxix. Printed by the order of the Trustees British Museum (Natural History), London.
- 1147. Hampson, G.F.,** 1916, Descriptions of New Pyralidae of the Subfamilies Epipaschianae, Chrysauginae, Endotrichinae, and Pyralinae. Ann. Mag. nat. Hist. (8) 18: 126-160, 349-373.
- 1148. Hampson, G.F.,** 1917, A Classification of the Pyralidae, subfamily Galleriinae. Novit. zool. 24: 17-58.
- 1149. Hampson, G.F.,** 1919, A classification of the Aegeriadae of the Oriental and Ethiopian Regions. Novit. zool. 26: 46-119.
- 1150. Hampson, G.F.,** 1920, On new genera and species of Lepidoptera Phalaenae, with the characters of two new families. Novit. zool. 26 (2): 253-282.
- 1151. Handlirsch, A.,** 1924, Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840.
- 1152. Hannemann, H.J.,** 1953, Natürliche Gruppierung der europäischen Arten der Gattung *Depressaria* s.l. (Lep., Oecoph.). Mitt. zool. Mus. Berlin 29 (2): 269-373, Abb.

- 1153. Hannemann, H.J.**, 1959, Neue Depressarien aus der Sammlung S.Toll (Lepidoptera, Oecophoridae). Dt. ent. Z. (N.F.) 6 (1/3): 34-43, 15 Abb.
- 1154. Hannemann, H.J.**, 1964, Kleinschmetterlinge oder Microlepidoptera II. Die Wickler (s.l.) (Cochylidae, Carposinidae). Die Zünslerartigen (Pyraloidea). [in] Dahl, F., Die Tierwelt Deutschlands und der angrenzenden Meeresteile. 50 Teil, viii + 401 pp. 22 Taf. Jena.
- 1155. Hannemann, H.J.**, 1967, Die Microlepidopteren der Brandtschen Iran-Ausbeute. Teil: Depressariini. Ent. Tidskr. 88 (3/4): 164-169.
- 1156. Hanus, J. & D. Hoareau**, 1998, Polyommatus (Agrodiaetus) dama (Staudinger, 1892) on the Nemrut Dağı in Turkey (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 18 (4): 416.
- 1157. Hardwick, D.F.**, 1950, Preparation of slide mounts of Lepidopterous genitalia. Can. Ent. 82 (11): 231-235.
- 1158. Hartig, F.G.**, 1963, Beitrag zur Kenntnis der Gattung Ocnieria Hbn. II. Die Genitalapparaturen einiger Ocnieria-Arten und Versuch einer Revision der Arten (Lepidoptera, Lymantriidae). Mitt. münch. ent. Ges. 53: 57-69, 12 Abb.
- 1159. Harutiunian, R.G.**, 1989, New data on narrow-winged Phycitids (Lepidoptera, Phycitidae) of Armenia. Ent. Obozr. 68 (3): 642-656, figs.
- 1160. Harz, K.**, 1970, Distelfalterzüge in Ostanatolien und im Iran. Atalanta 3(1): 16.
- 1161. Haumann, A.**, 1999, Falsification of an entomological rule: Polymorphic genitalia in Geomeyrid moths (Lepidoptera, Geometridae). Spixiana 22 (1): 83-90, figs.
- 1162. Häuser, C. & K.G. Schurian**, 1980, Zur Kenntnis des Areals von Colias chlorocoma Christoph, 1888 (Pieridae). Nota lepid. 3(1/2): 41-50, figs.
- 1163. Häuser, C.**, 1993, An Annotated checklist of the species of the Parnassiinae (Lepidoptera, Papilionidae). Tijdschr. Ent. 136: 137-146.
- 1164. Häuser, C.**, 2004, Clas Michael Naumann zu Königsbrück 26.06.1939 - 15.02.2004. Nota lepid. 27 (1): 3-10.
- 1165. Häuser, C.L. & W. Eckweiler**, 1997, A catalogue of the species-group taxa in Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the Polyommatus (Agrodiaetus) species-group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112.
- 1166. Häuser, C.L.**, 1993, Critical comments on the phylogenetic relationships within the family Papilionidae (Lepidoptera). Nota lepid. 16 (1): 34-43.
- 1167. Hausmann, A. & G.M. Laszlo**, 1999, Taxonomic and faunistic studies on Turkmenian Sterrhinae (Lepidoptera, Geometridae). Folia ent. hung. 60: 317-324, figs.
- 1168. Hausmann, A. & J. Viidalepp**, 2012, The Geometrid Moths of Europe. 3. volume, Apollo Books, Stenstrup.
- 1169. Hausmann, A. & S. Dötterl**, 2004, Nectar plants and larval plants of the genus Glossotrophia (Geometridae, Sterrhinae) studies on pollen grains attached to museum specimens. Nota lepid. 26 (3/4): 127-136.
- 1170. Hausmann, A.**, 1993, Beitrag zur Taxonomie und Systematik des Gnophos poggearia Lederer, 1855 Verwandtschaftskreises (Lepidoptera, Geometridae, Ennominae). Bonn. zool. Beitr. 44 (3/4): 225-240, Abb.
- 1171. Hausmann, A.**, 1993, Zweiter Beitrag zur Taxonomie und Systematik der Gattung Glossotrophia Prout, 1913 (Lepidoptera, Geometridae, Sterrhinae). Mitt. münch. ent. Ges. 83: 77-107, 68 Abb.
- 1172. Hausmann, A.**, 1994, "Idaea circuitaria (Hübner, [1819])" - ein Komplex von mehreren verschiedenen Arten aus dem Mittelmeerraum (Lepidoptera, Geometridae, Sterrhinae). Z. ArbGem. öst. Ent. 46 (1/2): 45-55, Abb.
- 1173. Hausmann, A.**, 1994, Morphology and taxonomy of the species belonging to the genus Myinodes Meyrick, 1892 (Lepidoptera, Geometridae). Nota lepid. 17 (1/2): 31-43, 17 figs.
- 1174. Hausmann, A.**, 1994, Notes on the morphology of some little known species of the genus Idaea Treitschke, 1825 in the Middle East (Lepidoptera, Geometridae, Sterrhinae). Bonner zool. Beitr. 45 (1): 67-78, figs. [wrong journal citation by Hausmann (2001: 569) as "Bonner Zool. Nachr."]
- 1175. Hausmann, A.**, 1994, Revision der altweltlichen Arten der Gattung Microloxia Warren, 1893 (Lepidoptera, Geometridae, Geometrinae): Atalanta 25 (3/4): 571-608, figs.
- 1176. Hausmann, A.**, 1995, Neue Geometriden-Funde aus Zypern und Gesamtübersicht über die Fauna. Mitt. münch. ent. Ges. 85: 79-111.
- 1177. Hausmann, A.**, 1995, Zur Systematik einiger ostmediterraner Geometridenarten (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 85: 73-78, figs.

1178. **Hausmann, A.**, 1996, Systematic list of the geometrid moths of the Levant and neighbouring countries. Part I. Orthostixinae and Geometrinae. *Nota lepid.* 19 (1/2): 91-106.
1179. **Hausmann, A.**, 1996, The morphology of the geometrid moths of the Levant and the neighbouring countries. *Nota lepid.* 19 (1/2): 3-90, 148 figs.
1180. **Hausmann, A.**, 1996, Zwei neue Geometridenarten aus Vorderasien (Insecta, Lepidoptera, Geometridae). *Spixiana Suppl.* 22: 3-10, figs.
1181. **Hausmann, A.**, 1997, The Geometrid Moths of various entomological collections in Israel (Lepidoptera, Geometridae). *Entomofauna* 18 (1): 1-19, 7 figs.
1182. **Hausmann, A.**, 2001, The Geometrid Moths of Europe Vol. 1 282 pp., 8 Pls. Apollo Books.
1183. **Hausmann, A.**, 2004, The Geometrid Moths of Europe Vol. 2 Sterrhinae. 600 pp., figs. Pls. Apollo Books.
1184. **Hausmann, A.**, 2006, Revision of the *Idaea inquinata* (Scopoli, 1763) species-group s.str. from the Middle East (Lepidoptera, Geometridae, Sterrhinae). *Mitt. münch. ent. Ges.* 95: 37-47, figs.
1185. **Hausmann, A.**, 2011, An integrative taxonomic approach to resolving some difficult questions in the Larentiinae of the Mediterranean region (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 101: 73-97, figs.
1186. **Haworth, A.H.**, 1803-1828, *Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiuntur...* Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London.
1187. **Hayes, A.H.**, 1980, A revision of the Pantropical genus *Tathorhynchus* Hampson (Lep., Noctuidae, Ophiderinae). *Proc. Br. ent. nat. Hist. Soc.* 1980: 25-30, 5 Pls.
1188. **Hazır, A. & M.R.Ulusoy**, 2009, Adana ve Mersin illeri şeftali ve nektarin bahçelerinde Şeftali güvesi [*Anarsia lineatella* Zell. (Lepidoptera, Gelechiidae)]'nin ergin popülasyon değişimi. *Bitki koruma bült.* 49 (2): 45-54.
1189. **Heath, J.**, 1965, Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes 33. Beitrag Lepidoptera-Micropterigidae. *Dt. ent. Z. (N.F.)* 15(5/6): 641-647.
1190. **Heath, J.**, 1981, Threatened *Rhopalocera* (butterflies) in Europe. *Nature Environ. Ser.* 23: 1-157.
1191. **Heath, J.**, 1987, A Check List of the genus *Micropterix* Hübner, [1825] (Lepidoptera, Micropterigidae). *Entomologist's Gaz.* 38: 205-207.
1192. **Heeger, E.**, 1838, Beiträge zur Schmetterlingskunde oder Abbildungen und Beschreibungen neuer sicilianischen Schmetterlinge. 7pp. 3 pls. Wien.
1193. **Heikkilä, M. & L.Kaila**, 2010, Reassessment of the enigmatic Lepidopteran family Lypusidae (Lepidoptera, Tineoidea, Gelechioidea). *Syst. Ent.* 35 (1): 71-89, figs.
1194. **Heinemann, H.v. & M.F.Wocke**, 1870-[1876], Die Schmetterlinge Deutschlands und der Schweiz nebst analytischen Tabellen zum Bestimmen der Schmetterlinge. Zweite Abteilung Kleinschmetterlinge Band II Die Motten und Federmotten Heft II. 825 + 102 pp., Braunschweig.
1195. **Heinemann, H.v.**, 1859, Die Schmetterlinge Deutschlands und der Schweiz nebst analytischen Tabellen zum Bestimmen der Schmetterlinge. Erste Abtheilung: Die Grossschmetterlinge. 23 + 848 pp. Braunschweig.
1196. **Heinemann, H.v.**, 1863, Die Schmetterlinge Deutschlands und der Schweiz nebst analytischen Tabellen zum Bestimmen der Schmetterlinge. Zweite Abteilung Kleinschmetterlinge, Band 1 Heft 1 Die Wickler. 248 + 39 pp. Braunschweig.
1197. **Heinemann, H.v.**, 1865, Die Schmetterlinge Deutschlands und der Schweiz nebst analytischen Tabellen zum Bestimmen der Schmetterlinge. Zweite Abtheilung Kleinschmetterlinge Band I Heft II, Die Zünsler. 214 + 27 pp. Braunschweig.
1198. **Hellmich, W.**, 1969, Bemerkungen zur Tiergeographie und Ökologie des Vansee-Beckens in Ostanatolien. *Veröff. Zool. Staatssamml. München* 13: 143-154.
1199. **Hemming, A.F.**, 1929, *Carcharodus dravira* Moore, a good species. *Proc. ent. Soc. London* 4: 1-3, pl.i.
1200. **Hemming, A.F.**, 1929, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). *Ann. Mag. nat. Hist.* (10) 3: 217-245.
1201. **Hemming, A.F.**, 1929, Two new subspecies of *Polyommatus loewii* Zell. *Proc. ent. Soc. London* 4:
1202. **Hemming, A.F.**, 1931, Revision of the genus *Iolana* Bethune-Baker (Lepidoptera, Lycaenidae). *Trans. ent. Soc. London* 79 (2): 323-333, Pl.
1203. **Hemming, A.F.**, 1932, Revisional notes on certain generic and specific names proposed for species of the genus *Agapetes* Billberg (Lepidoptera, Satyridae). *Ann. Mag. nat. Hist.* (10) 10: 571-574.

- 1204. Hemming, A.F.**, 1932, Supplementary notes on the collections of butterflies made in Greece, T. vicrama astabene nom. nov. Entomologist 65: 179-183.
- 1205. Hemming, A.F.**, 1934, Revisional notes on certain species of Rhopalocera (Lepidoptera) Stylops 3 (9): 193-200.
- 1206. Hemming, A.F.**, 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp.
- 1207. Hemming, A.F.**, 1937, Hübner. A Bibliographical and systematic account of the entomological works of Jacob Hübner and of the supplements thereto by Carl Geyer, Gottf. Franz von Fröhlich and Gottl. August Wilhelm Herrich-Schäffer. Vol.I (xxxiv + 605 pp); vol.II (x + 274 pp).
- 1208. Hemming, A.F.**, 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509.
- 1209. Hensle, J.**, 1993, Beobachtungen bei westanatolischen Osterluzeifaltern (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 14(3): 289-299, 13 Abb.
- 1210. Heppner, J.B. & W.D. Duckworth**, 1981, Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144, figs.
- 1211. Heppner, J.B.**, 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134.
- 1212. Heppner, J.B.**, 1979, Brachodidae, a new family name for Atychidae (Lep., Sesiioidea). Ent. Ber., Amst. 39 (8): 127-128.
- 1213. Heppner, J.B.**, 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89 (4): 220-294.
- 1214. Heppner, J.B.**, 1982, Dates of selected Lepidoptera literature for the western hemisphere fauna. J. Lepid. Soc. 36 (2): 87-111.
- 1215. Heppner, J.B.**, 1982, Millieriinae, a new subfamily of Choreutidae, with new taxa from Chile and United States (Lepidoptera, Sesiioidea). Smiths. Contr. Zool. 370: 1-27, 63 figs.
- 1216. Hering, E.**, 1889, Mémoires sur les Lépidoptères rédigés par N.M. Romanoff. Tome III. St. Petersburg 1887. Stettin ent. Ztg. 50: 257-278.
- 1217. Hering, E.**, 1891, Nachwort. Stettin ent. Ztg. 52(4/6): 116-128.
- 1218. Hering, E.M.**, 1924, Beitrag zur Kenntnis der Microlepidopteren-Fauna Finlands. Notulae Ent. 4: 75-84.
- 1219. Hering, E.M.**, 1950, Die Oligophagie phytophager Insekten als Hinweis auf eine Verwandtschaft der Rosaceae mit den Familien der Amentiferae. Verh. 8. Int. ent. Kongr., Stockholm: 74-79.
- 1220. Hering, E.M.**, 1950, Monophagie und Xenophagie. Naturwissenschaft. 37: 531-536.
- 1221. Hering, M.**, 1933, Familie Limacodidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 201-209. Stuttgart.
- 1222. Hering, M.**, 1933, Lepidoptera Sureyana. Weitere Noctuiden und Geometriden von Ankara. Int. ent. Z. 26: 411-415.
- 1223. Hering, M.**, 1964, Die Lebensweise von Procris graeca Jord. (Lepidoptera, Zygaenidae). Z. wien. ent. Ges. 49: 75-81, 4 Abb.
- 1224. Herrich-Schäffer, G.A.W.**, 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
- 1225. Herrich-Schäffer, G.A.W.**, 1856-1861, Neue Schmetterlinge aus Europa und den angrenzenden Ländern. Heft I [1856]: 1-8, 9 pls.; Heft 2 [1860]: 9-20, 9 pls.; Heft 3 [1861]: 21-32, 8 pls. Regensburg.
- 1226. Hesselbarth, G. & K.G. Schurian**, 1984, Beitrag zur Taxonomie, Verbreitung und Biologie von Tomares nogelii (Herrich-Schäffer, 1851) in der Türkei (Lep., Lycaenidae). Entomofauna 5(20): 243-250.
- 1227. Hesselbarth, G. & W. Siepe**, 1993, Polyommatus (Aricia) torulensis - eine bisher nicht bekannte Lycaenide aus Anatolien (Lepidoptera, Lycaenidae). Phegea 21(2): 47-53, Pls.
- 1228. Hesselbarth, G.**, 1974, Anmerkungen zu den ersten Ständen von Hipparchia fatua. NachrBl. bayer. Ent. 23(2): 23-28, Abb.
- 1229. Hesselbarth, G.**, 1977, Anmerkungen zur Biologie von Chazara bischoffi (Herrich-Schäffer) (Satyridae). Nota lepid. 1(1): 39-41.
- 1230. Hesselbarth, G.**, 1983, Anmerkungen zur Biologie und Verbreitung von Coenonympha saadi Kollar (Lepidoptera, Satyridae). Nota lepid. 6 (2/3): 111-120, 5 figs.
- 1231. Hesselbarth, G.**, 1983, Beitrag zur Biologie von Ypthima asterope Klug (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 4 (1): 7-14, 5 figs.

1232. **Hesselbarth, G.**, 1987, Beitrag zur Kenntnis der ersten Stände und zum Biotopverhalten von *Pseudochazara mnischei* (Herrich-Schäffer, 1851) und *P. mamurra* (Herrich-Schäffer, 1846) (Lep., Nymphalidae, Satyrinae). *Phegea* 15(3): 121-129, figs.
1233. **Hesselbarth, G., Oorschot, H.v. & S. Wagener**, 1995, Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Bde. 1 & 2: 1354 S. 75 Abb., 21 Tab., 2 fb. Karte, 36 fb. Tab. Bd. 3: 847 S., 128 fb. Tab., 13 sw Tab., vi+342 Karte. Selbstverlag S. Wagener, Bocholt.
1234. **Heydemann, F.**, 1938, Zu *Chloridea maritima* Graslin. *Ent. Rdsch.* 55: 368-371, Abb.
1235. **Heyden, T.v.d.**, 2009, Bemerkungen zur Biologie, zur Ökologie und zur Verbreitung von *Danaus chrysippus* Linnaeus, 1758 im Mittelmeerraum, insbesondere in der Türkei (Lepidoptera, Nymphalidae, Danainae). *Nachr. ent. Ver. Apollo (N.F.)* 30 (3): 173-176, figs.
1236. **Heylaerts, F.J.M.**, 1881, Essai d'une Monographie des Psychides de la faune européenne précédé de considérations générales sur la famille des Psychides. *Annls Soc. ent. Belg.* 25: 29-73.
1237. **Heyne, A.**, 1893-1895, [in] Rühl, F., Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 385-857 S. Leipzig.
1238. **Heyne, A.**, 1897, *Polyommatus virgaureae* L. nov. var. *aureomicans* Heyne. *Societas ent.* 12: 9.
1239. **Hızal, E., Köse, M., Yeşil, C. & D. Kaynar**, 2012, The new pest *Cydalima perspectalis* (Walker, 1859) (Lepidoptera, Crambidae) in Turkey. *J. Anim. Vet. Adv.* 11 (3): 400-403.
1240. **Higgins, L.G. & N.D. Riley**, 1970, A Field Guide to the Butterflies of Britain and Europe. 380 pp. 60 Pls., 371 maps. Collins St James's Place, London.
1241. **Higgins, L.G. & N.D. Riley**, 1976, *Satyrus sintenisi* Staudinger, 1895. A Synonym of *Satyrus mamurra* Herrich-Schäffer, 1845 (Lep., Satyridae). *Entomologist's Gaz.* 27: 213-214, pl.
1242. **Higgins, L.G.**, 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). *Trans. R. ent. Soc. Lond.* 91 (7): 175-354, 16 Pls., 214 figs., 7 maps.
1243. **Higgins, L.G.**, 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). *Trans. R. ent. Soc. Lond.* 101 (12): 435-489, 7 maps, 44 figs.
1244. **Higgins, L.G.**, 1955, A descriptive catalogue of the genus *Melicta* Billberg (Lepidoptera, Nymphalidae) and its species, with supplementary notes on the genera *Melitaea* and *Euphydryas*. *Trans. R. ent. Soc. Lond.* 106 (1): 1-131, 2 Pls., 4 maps, 88 figs.
1245. **Higgins, L.G.**, 1964, Butterflies of Lebanon. *Entomologist* 97: 193-200, Pl. viii.
1246. **Higgins, L.G.**, 1965, Boisduval, *Europaeorum Lepidopterorum index methodicus*. *Entomologist* 98: 241-242.
1247. **Higgins, L.G.**, 1965, Five new butterflies. *Entomologist* 98: 10-12.
1248. **Higgins, L.G.**, 1966, Check-List of Turkish Butterflies. *Entomologist* 99: 209-222, 1 map.
1249. **Higgins, L.G.**, 1969, A New Genus of European Butterflies (Lycaenidae). *Entomologist* 102: 67.
1250. **Higgins, L.G.**, 1974, A new subspecies of *Spialia phlomidis* (Herrich-Schäffer) (Lepidoptera, Rhopalocera). *J. Ent. (B)* 43 (1): 83-87, 14 figs.
1251. **Higgins, L.G.**, 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London.
1252. **Higgins, L.G.**, 1978, A Revision of the genus *Euphydryas* Scudder (Lep., Nymphalidae). *Entomologist's Gaz.* 29: 109-115, 19 figs.
1253. **Hoffmann, O.**, [1898], Verzeichniss d. von K. Escherich und Prof. Dr. L. Kathariner bei Angora in Zentral Kleinasien gesammelten Schmetterlinge. *Dt. ent. Z., Iris* 10: 231-240, figs.
1254. **Hoffmann, O.**, 1898, Die Orneodiden (Alucitiden) des palaarktischen Gebietes. *Dt. ent. Z., Iris* 11: 329-359.
1255. **Hoffmann, O.**, 1898, Eine neue *Amblyptilia*. *Dt. ent. Z., Iris* 11: 33-34.
1256. **Hoffmansegg, G.v.**, 1806, Nachtrag zu Alphabetisches Verzeichniss zu J. Hübners Abbildungen der papilionen mit den beigefügten vorzüglichsten Synonymen. *Illiger's Magazin* 5: 176-183.
1257. **Hofmann, A. & W.G. Tremewan**, 1996, A systematic catalogue of the Zygaeninae (Lepidoptera, Zygaenidae). 251 pp. Colchester.
1258. **Hofmann, A. & W.G. Tremewan**, 2010, A revised check-list of the genus *Zygaena* Fabricius, 1775 (Lepidoptera, Zygaenidae, Zygaeninae), based on the biospecies concept. *Entomologist's Gaz.* 61: 119-131.
1259. **Hofmann, A.**, 1983, Beitrag zur Zygaenenfauna Südost-Anatoliens: *Zygaena* (*Mesembrynus*) *manlia* *pjotri* n. subsp. - ein Erstnachweis für die Türkei (Lepidoptera, Zygaenidae). *Ent. Z., Frankf. a. M.* 93 (9): 113-119, 10 Abb.
1260. **Hofmann, A.**, 2005, Neue *Zygaena*-Taxa aus Südosteuropa, Vorder- und Zentralasien (Lepidoptera, Zygaenidae). *Bonn. zool. Beitr.* 53 (1/2) (2004): 81-97, 63 figs.

- 1261. Hofmann, A.**, 2018, Neue Zygaena -Taxa (II) aus China, Vorder- und Zentralasien. Entomofauna 38 (7): 105-138, figs.
- 1262. Hofmann, E.**, 1893, Die Raupen der Gross-Schmetterlinge Europas. 318 S., 50 Tafeln, 1900 Abb. Stuttgart.
- 1263. Hofmann, O.**, 1897, Eine neue Butalis-Art. Dt. ent. Z., Iris 10: 241-244.
- 1264. Holik, O. & L. Sheljuzhko**, 1953, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 43: 102-226.
- 1265. Holik, O. & L. Sheljuzhko**, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 44/45: 26-158.
- 1266. Holik, O. & L. Sheljuzhko**, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 46: 93-239.
- 1267. Holik, O. & L. Sheljuzhko**, 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 47: 143-185.
- 1268. Holik, O. & L. Sheljuzhko**, 1958, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 48: 166-285.
- 1269. Holik, O.**, 1935, Zyg. rosinae Korb, Zyg. formosa H.-S. und andere armenische Zygaenen. Ent. Z., Frankf. a. M. 49: 29-32.
- 1270. Holik, O.**, 1936, Zyg. olivieri Bsd. und ihre Biologie. Ent. Rdsch. 53: 506-509.
- 1271. Holik, O.**, 1937, A propose des races de Zygaena carniolica Scop. de l'Asie Mineure et de l'Iran. Lambillionea 37: 209-216, 20 figs. pl.12.
- 1272. Holik, O.**, 1937, Zygaena lonicerae ssp. kindermanni Obth. und andere kaukasische und asiatische Zygaena lonicerae-Rassen. Festschr. Prof. Dr. Embrik Strand 3: 420-430, Taf.xvii.
- 1273. Holik, O.**, 1938, "Lavanduloide" Zygaenen. Ent. Rdsch. 55: 320-323, 331-333.
- 1274. Holik, O.**, 1938, Bemerkungen zur beabsichtigten Neueinteilung der Gattung Zygaena F. Ent. Rdsch. 55: 349-354, 382-384.
- 1275. Holik, O.**, 1938, Biologische Notizen über einige vorderasiatische Zygaenenarten. Mitt. münch. ent. Ges. 28: 388-394, Taf.viii-ix.
- 1276. Holik, O.**, 1939, Zyg. araratensis Reiss und Zyg. mana Kirby. Ent. Rdsch. 56(8): 70-72, (12): 113-116, (15): 150-153.
- 1277. Holik, O.**, 1940-1941, Kaukasische und armenische Zygaenen. Ent. Z., Frankf. a. M. 54: 201-205 [1940]; 209-215 [1941].
- 1278. Holik, O.**, 1941, Montane und submontane Rassen der Zygaena purpuralis Brünn. (Lep., Zygaenidae). Mitt. münch. ent. Ges. 31: 726-780.
- 1279. Holik, O.**, 1942, Zwei kleinasiatische Zygaenen-Rassen aus der Sammlung des Kgl. Naturhistorischen Museums in Sofia. Izv. tsarsk. prirodonach. Inst. Sofia 15: 255-256.
- 1280. Holik, O.**, 1949, Über die Gattung Satyrus I. Z. wien. ent. Ges. 34: 98-105.
- 1281. Holloway, J.D. S.E. Miller**, 2003, The composition generic placement and host-plant repaltionships of the joviana-group in the Parallelia generic complex (Lepidoptera, Noctuidae, Catocalinae). Invertebrate Syst. 17: 111-118, figs.
- 1282. Holtz, M.**, 1897, Die Macrolepidopteren-Fauna Ciliciens. Ein Beitrag zur Insektenfauna Kleinasien. Illte Wschr. Ent. 2: 42-47, 60-63, 77-79, 88-93.
- 1283. Homberg, R.**, 1909, Description d'une nouvelle Acidalia (Lep., Geometridae). Bull. Soc. ent. Fr. 1909: 229-230.
- 1284. Honrath, E.G.**, 1891, Eine neue Notodonta. Berl. ent. Z. 36 (2): 445, Taf.xv fig.8.
- 1285. Hopffer, C.**, 1865, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 26: 382-398.
- 1286. Hopffer, C.**, 1869, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 30: 427-453.
- 1287. Hörhammer, C.**, 1937, Zur systematischen Stellung von Lycaena aedon Christ. Ent. Z., Frankf. a. M. 51: 114.
- 1288. Hreblay, M.**, 1992, Neue Taxa und Synonyme der Gattung Conistra Hübner,[1821] (Lepidoptera, Noctuidae). Esperiana 3: 531-544, figs.
- 1289. Hreblay, M.**, 1992, Paläarktische Taxa der Mythimna (Aletia) pallens L.- impura Hb.- Artengruppe (Lepidoptera, Noctuidae). Esperiana 3: 513-529, Taf., figs.
- 1290. Hreblay, M.**, 1992, Revision der Gattung Valerietta Draudt, 1938. Esperiana 3: 235-241, 14 Abb.
- 1291. Hreblay, M.**, 1994, New taxa of the tribe Orthosiini, IV (Lepidoptera, Noctuidae). Acta zool. hung. 40 (3): 241-252, figs.

- 1292. Hreblay, M.,** 1996, Neue paläarktische Taxa aus der Gattung *Perigrapha* Lederer, 1857 (Lepidoptera, Noctuidae). *Esperiana* 4: 65-94, 90 Abb., Taf.
- 1293. Huber, K. & D. Stengel,** [1990], Eine neue Subspezies von *Chelis maculosa* (Gerning, 1780) aus Griechenland (Lepidoptera, Arctiidae). *Atalanta* 20 (1989): 191-196, figs.
- 1294. Huemer, P. & G.C. Luquet,** 1992, Quatre Microlépidoptères nouveaux pour la faune de France. *Alexanor* 17 (7): 421-425, figs.
- 1295. Huemer, P. & G.C. Luquet,** 1995, Beitrag zur Kenntnis der Gattung *Pleurota* in Frankreich (Lepidoptera, Oecophoridae). *Alexanor* 19 (1): 55-63, figs.
- 1296. Huemer, P. & K. Sattler,** 1995, A taxonomic revision of Palaearctic *Chionodes* (Lepidoptera, Gelechiidae). *Beitr. Ent.* 45 (1): 3-108, figs.
- 1297. Huemer, P. & O. Karsholt,** 1999, Gelechiidae I (Gelechiinae: Teleiodini, Gelechiini), [in] Huemer, P., Karsholt, O. & L. Lyneborg, *Microlepidoptera of Europe* vol. 3., 356 pp., Pls., Stenstrup.
- 1298. Huemer, P. & O. Karsholt,** 2001, Additions to the fauna of Gelechiidae (Gelechiinae, Teleiodini and Gelechiini) of Europe. *Nota lepid.* 24 (3): 41-55, figs.
- 1299. Huemer, P. & O. Karsholt,** 2002, A review of the genus *Acompsia* Hübner, 1825, with description of new species (Gelechiidae). *Nota lepid.* 25 (2/3): 109-151, figs.
- 1300. Huemer, P. & O. Karsholt,** 2010, Gelechiidae II (Gelechiinae: Gnorimoschemini), [in] Huemer, P., Karsholt, O. & M. Nuss, *Microlepidoptera of Europe* vol. 6., 587 pp., Pls., Stenstrup.
- 1301. Huemer, P.,** 1988, A taxonomic revision of *Caryocolum* (Lepidoptera, Gelechiidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 57 (3): 439-571, figs.
- 1302. Huemer, P.,** 1988, Kleinschmetterlinge an Rosaceae unter besonderer Berücksichtigung ihrer Vertikalverbreitung (excl. *Hepialidae*, *Cossidae*, *Zygaenidae*, *Psychidae* und *Sesiidae*). *Neue ent. Nachr.* 20: 1-376, 81 Abb.
- 1303. Huemer, P.,** 1989, Bemerkenswerte Funde von *Caryocolum*-Arten aus den Südalpen und dem Mittelmeerraum (Lepidoptera, Gelechiidae). *NachrBl. Bayer. Ent.* 38: 37-40.
- 1304. Huemer, P.,** 1989, Neue und wenig bekannte Arten der Gattung *Caryocolum* Gregor & Povolny, 1954 aus Südwestasien (Lepidoptera, Gelechiidae). *Mitt. Münch. ent. Ges.* 79: 127-142, 46 Abb.
- 1305. Huemer, P.,** 1990, *Phtheochroa rugosana* auct. - ein Artenkomplex (Lepidoptera, Tortricidae). *Nota lepid.* 12 (4): 269-289, 46 Abb.
- 1306. Huemer, P.,** 1992, Der *Teleiodes vulgella*-Artenkomplex in Europa (Lepidoptera, Gelechiidae). *Z. ArbGem. öst. Ent.* 44 (1/2): 1-14, 33 Abb.
- 1307. Huemer, P.,** 1998, Neue Erkenntnisse zur Identität und Verbreitung europäischer *Oegoconia* Arten (Lepidoptera, Autostichidae). *Mitt. Münch. ent. Ges.* 88: 99-117, figs.
- 1308. Huemer, P., Elsner, G. & O. Karsholt,** 2013, Review of the *Eulamprotes wilkella* species-group based on morphology and DNA barcodes, with descriptions of new taxa (Lepidoptera, Gelechiidae). *Zootaxa* 3746 (1): 69-100, figs.
- 1309. Huemer, P., Karsholt, O. & W. Sauter,** 1996, The genus *Epiparasia* Rebel, 1914 in Spain (Lepidoptera, Gelechiidae). *Shilap* 24(96): 341-345, 9 figs.
- 1310. Hufnagel,** 1766, Dritte Tabelle von den Nachtvögeln (*Bombyx*) der Gegend um Berlin. *Berl. Mag.* 2: 391-437.
- 1311. Hufnagel,** 1766, Tabelle von den Tagvögeln der Gegend um Berlin. *Berl. Mag.* 2: 54-90.
- 1312. Hufnagel,** 1767, Vierte Tabelle von den Nachtvögeln (*Noctua*) der Gegend um Berlin. *Berl. Mag.* 3: 202-215, 279-309, 393-426.
- 1313. Hufnagel,** 1768, Fortsetzung der Tabelle von den Nachtvögeln (*Geometra*). *Berl. Mag.* 4: 504-527, 599-626.
- 1314. Hundsdoerfer, A.K., Kitching, I. & M. Wink,** 2005, A molecular phylogeny of the Hawkmoth genus *Hyles* (Lepidoptera, Sphingidae, Macroglossinae). *Mol. Phylog. Evol.* 35: 442-458, figs.
- 1315. Hübner, J.,** 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg.
- 1316. Hübner, J.,** 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16 pp., 100 Pls., Augsburg.
- 1317. Hübner, J.,** 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortricidae: 53 Pls., Augsburg.
- 1318. Hübner, J.,** 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralidae: 32 Pls., Augsburg.
- 1319. Hübner, J.,** 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineidae: 71 Pls., Augsburg.

1320. **Hübner, J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Spingies: 38 Pls., Augsburg.
1321. **Hübner, J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg.
1322. **Hübner, J.**, 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg.
1323. **Hübner, J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
1324. **Hübner, J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg.
1325. **Hübner, J.**, 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg.
1326. **Hübner, J.**, 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg.
1327. **Hübner, J.**, 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburgscher Gattungen. 81 pp. Augsburg.
1328. **Hüseyinoğlu, Y. & M. Akyol**, 2013, Lepidoptera fauna in Akdağmadeni region of Yozgat, Turkey. J. Ent. Nem. 5 (1): 10-18.
1329. **Hüseyinoğlu, Y.**, 1999, Sincanlı (Afyon) Papilionoidea ve Hesperioidea faunası üzerine araştırmalar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 60: 1-8.
1330. **Hüseyinoğlu, Y.**, 2013, A faunistic study on Papilionoidea and Hesperioidea (Lepidoptera) of Murat Mountain in Banaz, Uşak Province, Turkey. Pakistan J. Zool. 45 (2): 437-445.
1331. **Hüseyinoğlu, Y.**, 2013, Faunistic study on Papilionoidea and Hesperioidea (Lepidoptera) of Göksu valley in Mut, southern Turkey. Pakistan J. Zool. 45 (5): 1291-1297.
1332. **Hüseyinoğlu, Y.**, 2014, A faunistic study of Papilionoidea (Lepidoptera) of the Western Taurus Mountains, Turkey. J. Kansas Ent. Soc. 87 (1): 74-83.
1333. **Igarashi, S.**, 1971, *Protapatura iwasei*; a new Nymphalid butterfly from Kurdistan, the Northern Iraq (Nymphalidae). Tyo to Ga 22 (1/2): 14-17, 6 figs.
1334. **Igarashi, S.**, 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96.
1335. **Ignatyev, N.N. & T.J. Witt**, 2007, A review of *Eilema* Hübner, 1819 of Russia and adjacent territories, Part 1. The *Eilema griseola* (Hübner, 1803) species group (Arctiidae, Lithosiinae). Nota lepid. 30 (1): 25-43, figs.
1336. **Ignatyev, N.N. & V.V. Zolotuhin**, 2005, A review of syntomids (Lepidoptera, Syntomidae) of Russia and adjacent territories. Part 1. Genus *Syntomis* Ochsenheimer, 1808. Eversmannia 2005 (3/4): 28-54, figs.
1337. **Iren, Z. & H. Bulut**, 1981, Orta Anadolu Bölgesinde Elma ağaçlarında gövde kurdu (*Synanthedon myopaeformis* Borkh.) (Lepidoptera, Aegeriidae)'nin yayılışı, zararı ve yaşayışı üzerinde çalışmalar. Bitki kor. Bült. 21 (4): 197-210.
1338. **Iren, Z. & M.K. Ahmed**, 1973, Insect pests of Turkey found on deciduous fruits (Meyva zararlıları). Bitki kor. Bült. (Suppl.1): 35-86.
1339. **Iren, Z.**, 1973, Türkiye'nin Microlepidopterleri ve meyva zararlıları. Bitki kor. Bült. (Suppl.1): 5-34.
1340. **Jachontov, A.A.**, 1904, On the specific status of *Lycaena coretas* Ochs. Russk. ent. Obozr. 4: 96-101, 2 figs.
1341. **Jachontov, A.A.**, 1908, Notes on Caucasian Lepidoptera Rhopalocera. Russk. ent. Obozr. 8: 282-292.
1342. **Jachontov, A.A.**, 1910, *Epinephele lupinus* Costa (Lep., Satyridae) et ses formes du Caucase. Russk. ent. Obozr. 10: 45-49.
1343. **Jachontov, A.A.**, 1911, Deux sous-especes de *Satyrus briseis* L. de la Transcaucasie. Russk. ent. Obozr. 11: 418-421.
1344. **Jachontov, A.A.**, 1911, *Satyrus anthe* O. et *S. enervatus* Stgr. Russk. ent. Obozr. 11: 261-266.
1345. **Jachontov, A.A.**, 1912, Trois Arctiines peu connues de la faune du Caucase. Russk. ent. Obozr. 12: 23-26.
1346. **Jachontov, A.A.**, 1915, Particularités dans la construction de l'organe male de certaines races des Lépidoptères- Rhopalocères. Bull. Soc. ent. Moscou 1: 40-57, figs.
1347. **Jäckh, E.**, 1977, Bearbeitung der Gattung *Scythris* Hübner (Lepidoptera, Scythrididae) 1. Die "grandipennis-Gruppe". Dt. ent. Z. (N.F.) 24 (1/3): 261-271, 11 Taf.

1348. **Jäckh, E.**, 1978, Bearbeitung der Gattung *Scythris* Hübner (Lepidoptera, Scythrididae) (Fortsetzung). Dt. ent. Z. (N.F.) 25: 71-89, 21 Taf.
1349. **Jaworski, T.**, 2009, *Caloptilia robustella* Jäckh, 1972 and *Caloptilia* (*Povolnya*) *leucapennella* (Stephens, 1835) in Turkey (Lepidoptera, Gracillariidae). Cesa News 49: 42-44, 3 figs.
1350. **Jiang, N., Xue, D. & H. Han**, 2011, A review of *Biston* Leach, 1815 (Lepidoptera, Geometridae, Ennominae) from China, with description of one new species. Zookeys 139: 45-96, figs.
1351. **Joannis, J. de**, 1921, Note sur *Stagmatophora serratella* Tr. (Lep., Tineidae). Bull. Soc. ent. Fr. 1921: 265-267.
1352. **Johansson, R.**, 1971, Notes on the Nepticulidae (Lepidoptera) I. A revision of the Nepticula ruficapitella group. Ent. scand. 2: 241-262, figs.
1353. **John, O.**, 1910, Eine Revision der Gattung *Leucanitis* Gn. Horae Soc. ent. ross. 39: 585-633, Taf. xvi-xxiii, 5 textfigs.
1354. **Johnson, G.**, 1967, Butterfly Expedition to Iran, 1966. Entomologist's Rec. J. Var. 79: 35-42.
1355. **Jong, R. de**, 1972, Systematics and geographic history of the genus *Pyrgus* in the Palaearctic Region (Lepidoptera, Hesperidae). Tijdschr. Ent. 115 (1): 1-121, 60 textfigs., 6 Pls.
1356. **Jong, R. de**, 1974, Notes on the genus *Carcharodus* (Lepidoptera, Hesperidae). Zool. Meded. 48: 1-9, figs.
1357. **Jong, R. de**, 1974, Systematic and evolution of the Palaearctic *Spialia* species (Lepidoptera, Hesperidae). Tijdschr. Ent. 117 (6): 225-271, 37 figs.
1358. **Jong, R. de**, 1976, Affinities between the West palaearctic and Ethiopian butterfly faunas. Tijdschr. Ent. 119: 165-215, maps.
1359. **Jong, R. de**, 1978, Monograph of the genus *Spialia* Swinhoe (Lepidoptera, Hesperidae). Tijdschr. Ent. 121 (3): 23-146, 119 figs. 7 Pls.
1360. **Jong, R. de**, 1984, Notes on the genus *Thymelicus* Hübner (Lepidoptera, Hesperidae). Nota lepid. 7 (2): 148-163, 31 figs.
1361. **Jordan, K.**, 1907, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 5: 11-45, pls. 1-17.
1362. **Jordan, K.**, 1907, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-17, pls. 1-3.
1363. **Jordan, K.**, 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart.
1364. **Jordan, K.**, 1923, On *Anaitis efformata* Guen. (1858), a species distinct from *A. plagiata* L. (1758). Novit. zool. 30: 243-246, 9 figs.
1365. **Jordan, K.**, 1939, On the constancy and variability of the differences between the Old World species of *Utetheisa* (Lepid., Arctiidae). Novit. zool. 41: 251-291, 30 figs.
1366. **Junge, G., Naumann, C.M. & K. Rose**, 1977, Ein weiterer Beitrag zur Zygaenen-Fauna Kappadokiens (Lep., Zygaenidae). Atalanta 8 (4): 282-289, 8 figs.
1367. **Junnilainen, J.**, 2002, Three new species of Scythrididae from Central Turkey (Lepidoptera, Scythrididae). Ent. fenn. 13: 146-152, figs.
1368. **Junnilainen, J., Karsholt, O., Nupponen, K., Kaitila, J.-P., Nupponen, T. & V. Olschwang**, 2010, The gelechiid fauna of the southern Ural Mountains, part II: list of recorded species with taxonomic notes (Lepidoptera, Gelechiidae). Zootaxa 2367: 1-68, figs.
1369. **Kaçar, G. & M.R. Ulusoy**, 2008, Doğu Akdeniz Bölgesi'nde yeni bir zeytin zararlısı karanfil yaprakbükeni, *Cacoecimorpha pronubana* (Hübner) 1796-1799 (Lepidoptera, Tortricidae). Türk. ent. Derg. 32 (3): 211-223, figs.
1370. **Kaçar, G. & M.R. Ulusoy**, 2011, *Zelleria oleastrella* (Milliere) (Lepidoptera, Yponomeutidae), a new record for the fauna of Turkey. Turk. J. Zool. 35 (6): 891-892.
1371. **Kaila, L. & A. Albrecht**, 1994, The classification of the *Timandra griseata* group (Lepidoptera, Geometridae, Sterrhinae). Ent. scand. 25: 461-479, figs.
1372. **Kaila, L., Baran, T. & M. Mutanen**, 2015, A revision of the *Elachista dispilella* complex (Lepidoptera, Gelechioidea, Elachistidae). Zootaxa 3963 (4): 517-560, figs.
1373. **Kaila, L. & K. Nupponen**, 2017, On species related to *Elachista deceptricula* Staudinger, 1880 with descriptions of three new species (Lepidoptera, Elachistidae). Shilap Revta lepid. 45 (179): 415-428, figs.
1374. **Kaila, L. & K. Nupponen**, 2018, A review of the *Elachista subula* Parenti species complex (Lepidoptera, Elachistidae), with descriptions of nine new Palearctic species. Zootaxa 4433 (3): 401-433, figs.

1375. **Kaila, L.**, 2005, A review of *Dibrachia* Sinev & Sruoga, 1992, a subgenus of *Elachista* (Elachistidae, Elachistinae). *Nota lepid.* 28 (2): 139-155, figs.
1376. **Kaila, L.**, 2009, Notes on the genus *Perittia* of the West Palaearctic region with descriptions of three new species (Lepidoptera, Elachistidae). *Zootaxa* 2230: 16-28, figs.
1377. **Kaila, L.**, 2011, On species *Elachista pollutella* Duponchel (Lepidoptera, Elachistidae), with descriptions of four new Palaearctic species. *Ent. fenn.* 22: 129-139, figs.
1378. **Kaila, L.**, 2015, New Palaearctic species of the *Elachista bifasciella* group (Lepidoptera, Gelechioidea, Elachistidae). *Shilap Revta lepid.* 43 (171): 385-423, figs.
1379. **Kaila, L.**, 2015, The *Elachista dispunctella* (Duponchel) complex (Lepidoptera, Elachistidae) revisited, with exceptional level of synonymy. *Zootaxa* 3980 (3): 301-358, figs.
1380. **Kalchberg, A.F.**, [1897], Ueber die Lepidopteren-Fauna von Haifa in Syrien. *Dt. ent. Z., Iris* 10: 161-190.
1381. **Kalchberg, A.v.**, 1876, Beiträge zur Lepidopteren-Fauna Sicilien's. *Stettin ent. Ztg.* 36: 137-150.
1382. **Kallies, A. & K.Spatenka**, 2002, Four species of Brachodidae new to the fauna of Europe (Sesioidea). *Nota lepid.* 25 (2/3): 155-160, pl.
1383. **Kallies, A. & K.Spatenka**, 2003, The Clearwing Moths of Iran (Lepidoptera, Sesiidae). *Linneana Belg.* 19 (2): 81-94; 19 (3): 119-126, 22 figs.
1384. **Kallies, A. & M.Petersen**, 1995, *Chamaesphecia tahira* sp.n. - eine neue Glasflüglerart aus Ostanatolien (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo N.F.* 16(1): 75-80, figs.
1385. **Kallies, A.**, 1999, Revision of the south-western Palaearctic species of *Synansphecia* (Sesiidae). *Nota lepid.* 22 (2): 82-114, figs.
1386. **Kallies, A.**, 2001, Revision of the *Brachodes pumila* (Ochsenheimer, 1808) species-group (Sesioidea, Brachodidae). *Nota lepid.* 24 (1/2): 7-19, figs.
1387. **Kallies, A.**, 2003, *Synanthedon pamphyla* sp.n. from Southern Turkey with a comparative analysis of mitochondrial DNA of related species (Sesiidae). *Nota lepid.* 26 (1/2): 27-34, figs.
1388. **Kallies, A., Petersen, M. & H.G.Riefenstahl**, 1998, Drei neue Glasflüglerarten aus Anatolien (Lepidoptera, Sesiidae). *Esperiana* 6: 56-62, Taf.
1389. **Kandul, N.P. & V.A.Lukhtanov**, 1997, Karyotype variability and systematics of the blue butterflies of the species groups *Polyommatus* (*Agrodiaetus*) *poseidon* and *P. (A.) dama* (Lepidoptera, Lycaenidae). *Zool. Zh.* 76 (1): 63-69.
1390. **Kandul, N.P., et al.**, 2004, Phylogeny of *Agrodiaetus* Hübner, 1822 (Lepidoptera, Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1- α : Karyotype diversification and species radiation. *Syst. Biol.* 53 (2): 278-298.
1391. **Kansu, İ.A.**, 1955, Orta Anadolu Meyva Ağaçlarına Zarar Veren Bazı Makrolepidoptera Türlerinin Evsafı ve Kısa Biyolojileri Üzerine Araştırmalar. *Ziraat Vekaleti Neşriyatı ve Haberleşme Müdürlüğü*, yayın no.704, Ankara.
1392. **Kansu, İ.A.**, 1961, Lepidoptera pest of fruit trees in Ankara and its vicinity. *Yb. Fac. Agric. Univ. Ankara* 1961: 57-68.
1393. **Kansu, İ.A.**, 1961, Türkiye Lepidoptera faunası için ilkel liste - I. Bitki Koruma Bült. 2 (10): 3-6, şekil.
1394. **Kansu, İ.A.**, 1962, Meyva ağaçlarına zarar veren bir tür *Amorphogynia necessaria* Z. *Yb. Fac. Agric. Univ. Ankara* 1962 (3/4): 300-310.
1395. **Kansu, İ.A.**, 1963, Murgul'da tespit edilen Lepidoptera türleri üzerine araştırmalar. *Ank. Üniv. Zir. Fak., Yay. No.212*, 91 S.
1396. **Kansu, İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - V. Bitki Koruma Bült. 3 (3): 208-223, 65-94 şekil.
1397. **Kansu, İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - II. Bitki Koruma Bült. 3 (1): 3-7.
1398. **Kansu, İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - III. Bitki Koruma Bült. 3 (2): 83-99, 40 şekil.
1399. **Kansu, İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - IV. Bitki Koruma Bült. 3 (3): 195-207, 64 şekil.
1400. **Kansu, İ.A.**, 1963, Türkiye'de tespit edilen *Arctia* türlerinin yapı özellikleri üzerine bir inceleme. *Türk. Biol. Derg.* 13 (4): 125-135, şekil.
1401. **Kansu, İ.A.**, 1964, Biological notes on Microlepidoptera from Ankara. *Univ. Ankara Yb. Fac. Agric.* 1963: 157-165.
1402. **Kansu, İ.A.**, 1964, Türkiye Pyralidae (Lepidoptera) faunasının tespiti için yapılan toplamalara ait bazı notlar. *Türk Biol. Derg.* 14 (3): 13-19.

- 1403. Kansu, İ.A.**, 1965, Short notes on some Pyralids from Turkey. YB. Fac. Agric. Univ. Ankara 1965: 32-40.
- 1404. Kansu, İ.A.**, 1966, Türkiye Lepidoptera faunası için ilkel liste - VI. Bitki Koruma Bült. 6 (2): 73-75.
- 1405. Karaca, U.**, 2008, List of the butterflies of the Kırklareli Province (N.W.Turkey). Cesa News 29: 11-14.
- 1406. Karaçetin, E. & H.J. Welch**, 2011, Türkiye'deki kelebeklerin kırmızı kitabı. Doğa Koruma Merkezi, Ankara. [Seemingly popular book written untimely by inexperienced authors. Its bibliography has a value to some degree. Misleading and non-scientific sides will be dealt with by us later].
- 1407. Karatepe, Y.**, 2003, Gelibolu Yarımadası Tarihi Milli Parkının Lepidoptera türleri. Süleyman Demirel Univ. Orman Fak. Derg. (A) 1: 167-180.
- 1408. Karisch, T. & M. Stanescu**, 2005, On the presence of *Acleris boscanoides* Razowski, 1959 and *Dichrorampha baixerana* Trematerra, 1991 (Lepidoptera, Tortricidae) in Romania. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 48: 203-211, figs.
- 1409. Karisch, T.**, 2003, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VII. Die Cochylini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Nachtrag) mit Beschreibung von zwei neuen Arten. Naturw. Beitr. Mus. Dessau 15: 121-129, Taf. 8.
- 1410. Karisch, T.**, 2004, On the identity of *Epinotia berolinensis* (Amsel, 1932) (Tortricidae, Olethreutinae). Nota lepid. 27 (2/3): 193-194, 2 figs.
- 1411. Karisch, T.**, 2005, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau X. Die Cnephasiini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Teil 1). Naturw. Beitr. Mus. Dessau 17: 91-94.
- 1412. Karisch, T.**, 2005, Zur Kenntnis von *Aethes cremonana* (Ragonot, 1894) und ähnlicher Arten der Gattung *Aethes* Billberg, 1825 [sic] (Lepidoptera, Tortricidae, Cochylini). Entomofauna 26 (5): 45-56, figs.
- 1413. Karsholt, O. & C. Gielis**, 1995, The Pterophoridae described by J. C. Fabricius, with remarks on type material of Fabrician Lepidoptera. Steenstrupia 21: 31-35.
- 1414. Karsholt, O. & E.S. Nielsen**, 1976, Notes on some Lepidoptera described by Linnaeus, Fabricius, and Ström. Ent. scand. 7: 241-251.
- 1415. Karsholt, O. & E.S. Nielsen**, 1986, The Lepidoptera described by C.P. Thunberg. Ent. scand. 16: 433-463.
- 1416. Karsholt, O. & J. Razowski (eds)**, 1996, The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stentrup.
- 1417. Karsholt, O. & J. Sumpich**, 2015, A review of the genus *Nothris* Hübner, 1825, with description of new species (Lepidoptera, Gelechiidae). Zootaxa 4059 (3): 471-498, figs.
- 1418. Karsholt, O. & T. Rutten**, 2005, The genus *Bryotropha* Heinemann in the Western Palaearctic (Lepidoptera, Gelechiidae). Tijdschr. Ent. 148: 77-207, 422 figs.
- 1419. Karsholt, O., Mutanen, M. Lee, S. & L. Kaila**, 2013, A molecular analysis of the Gelechiidae (Lepidoptera, Gelechioidea) with an interpretative grouping of its taxa. Syst. Ent. 38: 334-348, figs.
- 1420. Kasperek, M.**, 1993, A record of the plain tiger, *Danaus chrysippus* in Western Anatolia. Zool. Middle East 9: 81-82.
- 1421. Kasy, F.**, 1969, Vorläufige Revision der Gattung *Ascalenia* Wocke (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 73: 339-375, figs.
- 1422. Kasy, F.**, 1972, Über die geographische Variabilität des männlichen Genitals von *Cochylis pallidana* Zeller (Lepidoptera, Cochylidae). Annln. naturh. Mus. Wien 76: 733-745, Abb.
- 1423. Kasy, F.**, 1979, Beitrag zur Kenntnis der Gattung *Tortilia* Chrétien (Lepidoptera, Oecophoridae). Annln naturh. Mus. Wien 82: 533-539, figs.
- 1424. Kayci, L. & M. Fidan**, 2010, *Chazaria incarnata* (Freyer, 1838) türünün biyolojisi ve yayılış hakkında notlar (Lepidoptera, Noctuidae). Cesa News 59: 55-59, 6 şekil.
- 1425. Kayci, L.**, 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea in Ereğli Mountain (Van). Cent. ent. Stud., Priamus (suppl.) 6: 1-47.
- 1426. Kaymak, B.**, 2016, Hazro ilçesi (Diyarbakır) Lepidoptera faunasına katkılar (abstract). MSc thesis no 413309. First published online on 5th Febr., 2016 by the Council of Higher Education Turkey (access 6 2 2016).
- 1427. Kemal, M. & A.Ö. Koçak**, 2004, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 90: 1-5.

1428. **Kemal, M. & A.Ö. Koçak**, 2004, Pyralidae Araştırmaları Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 88/89: 14-15.
1429. **Kemal, M. & A.Ö. Koçak**, 2005, Annotated Checklist of the Lepidoptera of Çatak Valley (Van Province, Turkey), Part I. Cent. ent. Stud., Priamus 11 (3): 29-58.
1430. **Kemal, M. & A.Ö. Koçak**, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, 2 figs.
1431. **Kemal, M. & A.Ö. Koçak**, 2006, Diurnal Lepidoptera in the Nemrut Crater (East Turkey). Cent. ent. Stud., Misc. Pap. 101: 1-8, 10 figs.
1432. **Kemal, M. & A.Ö. Koçak**, 2006, List of the butterflies of Mardin Province (South Turkey) (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Misc. Pap. 96: 1-7.
1433. **Kemal, M. & A.Ö. Koçak**, 2006, List of the butterflies of Urfa Province (South Turkey) (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Misc. Pap. 94: 3-8.
1434. **Kemal, M. & A.Ö. Koçak**, 2006, *Nemophora eretna* n.sp. from Turkey (Adelidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 100: 1-4, 3 figs.
1435. **Kemal, M. & A.Ö. Koçak**, 2007, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (Lepidoptera) - V. Cent. ent. Stud., Misc. Pap. 136: 1-2.
1436. **Kemal, M. & A.Ö. Koçak**, 2007, Revised and expanded list of the vernacular names of the Lepidoptera in Turkish language. Cent. ent. Stud., Priamus 12 (4): 95-125.
1437. **Kemal, M. & A.Ö. Koçak**, 2007, South African Noctuidae species in the fauna of Turkey (Lepidoptera). http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view
1438. **Kemal, M. & A.Ö. Koçak**, 2008, Announcement [about Biological Station and Research Laboratory (BSRL) of the Cesa]. Cesa News 26: 1-11, 20 figs.
1439. **Kemal, M. & A.Ö. Koçak**, 2008, Brief field notes on the Insecta observed in South and East Turkey in late August 2008. Cesa News 30: 1-17, 27 figs.
1440. **Kemal, M. & A.Ö. Koçak**, 2008, First scientific trip to the South West Van lake Region (6-8 March, 2008). Cesa News 7: 1-15, 25 figs.
1441. **Kemal, M. & A.Ö. Koçak**, 2008, Further record of pre-imaginal stages of *Esperarge (s.str.) clymene* ssp. *valentinae* (Miller) from Van Province (East Turkey). Cesa News 19: 1-5, 5 figs. 1 map.
1442. **Kemal, M. & A.Ö. Koçak**, 2008, Illustrated notes on the entomological trips to various provinces of East Turkey-I. Tahir Pass (Ağrı Province). Cesa News 24: 1-12, 1 map, 20 figs.
1443. **Kemal, M. & A.Ö. Koçak**, 2008, Illustrated notes on the entomological trips to various provinces of East Turkey-II. Kop Dağı and Vauk Dağı (Erzurum and Gümüşhane Provinces). Cesa News 25: 1-19, 3 maps 31 figs.
1444. **Kemal, M. & A.Ö. Koçak**, 2008, *Orthosia rubricosa* (Esper) in Oak Woodland of Buğlan Pass (Muş Province) (Lepidoptera, Noctuidae). Cesa News 12: 1-5, figs.
1445. **Kemal, M. & A.Ö. Koçak**, 2008, Second attempt for determining the Lepidoptera fauna of Kozluk with notes on some other insects of the district (Batman Prov., East Turkey)-I. Cesa News 20: 1-15, 26 figs.; ibid. 21: 1-15, 28 figs.; ibid. 22: 1-13, 25 figs.
1446. **Kemal, M. & A.Ö. Koçak**, 2008, Second attempt for determining the Lepidoptera fauna of Kozluk with notes on some other insects of the district (Batman Prov., East Turkey)-II. Cesa News 23: 1-4.
1447. **Kemal, M. & A.Ö. Koçak**, 2010, Illustrated list of the *Zygaena* Fabr. species in Turkey based upon the Info-system of the Cesa (Lepidoptera, Zygaenidae, Zygaeninae). Cesa News 54: 1-35, 53 figs.
1448. **Kemal, M. & A.Ö. Koçak**, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map.
1449. **Kemal, M. & A.Ö. Koçak**, 2010, Winter trips to South Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs.
1450. **Kemal, M. & A.Ö. Koçak**, 2011, A synonymical and distributional checklist of the Papilionoidea and Hesperioidea of East Mediterranean countries, including Turkey (Lepidoptera). Cent. ent. Stud., Priamus (Suppl.) 25: 1-162, 42 pls.
1451. **Kemal, M. & A.Ö. Koçak**, 2012, Insect life in Turkey at night I- Upper Dez Valley, Hakkari Province, SE Turkey (Lepidoptera). Cesa News 72: 1-12, 45 figs.
1452. **Kemal, M. & A.Ö. Koçak**, 2012, List of the species and subspecies illustrated in the Cesa publications on the Old World Lepidoptera. Cesa News 73: 3-44.
1453. **Kemal, M. & A.Ö. Koçak**, 2012, On the occurrence of *Syncopacma polychromella* (Rbl.) in Turkey (Lepidoptera, Gelechiidae). Cesa News 82: 19-21, 3 figs. 1 map.

1454. **Kemal, M. & A.Ö.Koçak**, 2013, Notes on the subgenus *Polyommatus* (*Neolysandra*) *Koçak* in East Turkey, with descriptions of new taxa (*Lycaenidae*, *Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 160: 5-6.
1455. **Kemal, M. & A.Ö.Koçak**, 2013, On a small moth collection of Yusufeli (Artvin Prov., NE Turkey) made by the authors in 2003 (*Lepidoptera*). *Cesa News* 92: 49-50.
1456. **Kemal, M. & A.Ö.Koçak**, 2013, On the occurrence of *Pyraustimorpha inexpectata* in East Turkey (*Lepidoptera*, *Pyralidae*). *Cesa News* 92: 51-52, 2 figs.
1457. **Kemal, M. & A.Ö.Koçak**, 2013, On the occurrence of *Talis renetae* in East Turkey (*Lepidoptera*, *Pyralidae*). *Cesa News* 92: 57-59, 3 figs.
1458. **Kemal, M. & A.Ö.Koçak**, 2013, *Ptocheuusa paupella* in Van Province (East Turkey) (*Lepidoptera*, *Gelechiidae*). *Cesa News* 92: 53-56, 6 figs.
1459. **Kemal, M. & A.Ö.Koçak**, 2013, Results of the late summer entomological trip from Van to Ankara in 2013 (*Insecta*, *Pterygota*). *Cesa News* 93: 6-25, figs. 10-33.
1460. **Kemal, M. & A.Ö.Koçak**, 2013, *Stamnodes depeculata* (*Geometridae*, *Lepidoptera*) in Van Province (East Turkey) with faunistical, ecological and taxonomical notes including accompanied species. *Cesa News* 92: 15-40, 44 figs.
1461. **Kemal, M. & A.Ö.Koçak**, 2013, *Zygaena peschmerga* in Van Province (East Turkey) (*Zygaenidae*, *Lepidoptera*). *Cesa News* 92: 12-14, 4 figs.
1462. **Kemal, M. & A.Ö.Koçak**, 2014, A planned faunistical survey on the *Lepidoptera* of Erciş district (Van Province, East Turkey). *Cesa News* 98: 3-10, 10 figs.
1463. **Kemal, M. & A.Ö.Koçak**, 2014, A short entomo-faunistical visit to Bey Dağı Natural Park, Malatya Province (East Turkey). *Cesa News* 100: 1-16, 28 figs.
1464. **Kemal, M. & A.Ö.Koçak**, 2014, Illustrated and annotated list on the Entomofauna of Gören Mount (Van Province, East Turkey), with ecological remarks I- Period of April-June 2014. *Priamus (Suppl.)* 33: 5-206, 273 figs. 1 Table.
1465. **Kemal, M. & A.Ö.Koçak**, 2015, A new *Phycitine* to the fauna of Diyarbakır Province (SE Turkey) (*Lepidoptera*, *Pyralidae*). *Cesa News* 112: 15-16, 2 figs. 1 map.
1466. **Kemal, M. & A.Ö.Koçak**, 2015, A pictorial forest pest report of *Leucoma salicis* (*Lymantriidae*, *Lepidoptera*) at Nemrut Caldera (Bitlis Prov., East Turkey). *Cesa News* 110: 10-13, 9 figs.
1467. **Kemal, M. & A.Ö.Koçak**, 2015, *Eugnorisma persago* Gyulai & L.Ronkay in East Turkey (*Noctuidae*, *Lepidoptera*). *Cesa News* 112: 7-8, 2 figs. 1 map 1 tab.
1468. **Kemal, M. & A.Ö.Koçak**, 2015, First annotated list of the *Lepidoptera* recorded in Hazro district (Diyarbakır Prov., SE Turkey). *Cesa News* 109: 1-91, 69 figs. 87 maps
1469. **Kemal, M. & A.Ö.Koçak**, 2015, On the occurrence of *Scythris aristidella* Rebel in Turkey (*Lepidoptera*, *Scythridae*). *Cesa News* 106: 1-4, 6 figs.
1470. **Kemal, M. & A.Ö.Koçak**, 2015, On the *Pterygota* fauna of Hatay Province (S.Turkey), based upon the info-system of the Cesa. *Cesa News* 102: 16-233, 100 [+1] figs. 34 maps.
1471. **Kemal, M. & A.Ö.Koçak**, 2015, Pictorial notes on the early stages of *Heptapotamia eustratii* Alph. in East Turkey (*Lepidoptera*, *Noctuidae*). *Cesa News* 112: 1-6, 14 figs.
1472. **Kemal, M. & A.Ö.Koçak**, 2015, Preliminary annotated list of the *Lepidoptera* of Sivas Province (East Turkey). *Cesa News* 113: 1-101, 23 maps.
1473. **Kemal, M. & A.Ö.Koçak**, 2015, Preliminary list of the *Pterygota* of Vargözü- Yeşiltaş area (Yüksekova, Hakkari Province, SE Turkey). *Cesa News* 103: 1-26, 6 figs.
1474. **Kemal, M. & A.Ö.Koçak**, 2015, *Stomopteryx gaesata* (Meyrick), little known species in Van and Bitlis Provinces (*Lepidoptera*, *Gelechiidae*). *Cesa News* 104: 1-4, 5 figs.
1475. **Kemal, M. & A.Ö.Koçak**, 2015, *Syringopais temperatella* (Led.) in South Turkey (*Lepidoptera*, *Gelechioidea*). *Cesa News* 106: 5-12, 10 figs. 1 map.
1476. **Kemal, M. & A.Ö.Koçak**, 2016, Annotated and pictorial list of the Çatak *Lepidoptera*. *Priamus (Suppl.)* 41: 1-118, 95 figs.
1477. **Kemal, M. & A.Ö.Koçak**, 2016, Annotated list of the *Pterygota* fauna of Artos Mountain (Van Province, East Turkey). *Cesa News* 125: 1-36, 30 figs.
1478. **Kemal, M. & A.Ö.Koçak**, 2016, First contribution to the knowledge of the *Pterygota* fauna of Bahcesaray (Van Province, East Turkey). *Cent. ent. Stud., Misc. Pap.* 161: 1-16, figs.
1479. **Kemal, M. & A.Ö.Koçak**, 2016, Illustrative notes on the entomofauna and the flora of Cudi Mountain (Şırnak Prov., SE Turkey). *Cesa News* 123: 1-22, 69 figs.
1480. **Kemal, M. & A.Ö.Koçak**, 2016, Interpretative notes on the species of the genus *Ennomos Treitschke* in Turkey (*Lepidoptera*, *Geometridae*). *Cesa News* 122: 1-10, 9 figs.

- 1481. Kemal, M. & A.Ö. Koçak**, 2016, New and little known Tortricidae for the fauna of East Turkey (Lepidoptera). Cesa News 123: 23-31, 21 figs.
- 1482. Kemal, M. & A.Ö. Koçak**, 2016, New faunistical records of *Stygia mosulensis* Daniel in Turkey and nomenclatural comment on the subfamily Stygiinae (Lepidoptera, Cossidae). Cesa News 121: 1-3, 2 figs.
- 1483. Kemal, M. & A.Ö. Koçak**, 2016, Notodontidae fauna of Turkey (Lepidoptera). Cent. ent. Stud., Misc. Pap. 162: 1-29, 10 figs. 36 maps.
- 1484. Kemal, M. & A.Ö. Koçak**, 2016, On the fauna of Macro-Heterocera of Bahçesaray district, with some eco-faunistical notes (Van Province, East Turkey) (Lepidoptera). Priamus 14 (3): 121-159, 43 figs. 36 maps
- 1485. Kemal, M. & A.Ö. Koçak**, 2016, On the Geometridae fauna of Bahçesaray district, together with some morphological and eco-faunistical notes (Van Prov., East Turkey) (Lepidoptera) Priamus 14 (2): 76-119, 69 figs. 32 maps.
- 1486. Kemal, M. & A.Ö. Koçak**, 2016, On the Noctuidae fauna of Bahçesaray district (Van Province, East Turkey) (Lepidoptera). Priamus 14 (1): 1-74, 30 figs. 56 maps.
- 1487. Kemal, M. & A.Ö. Koçak**, 2016, Winter aspects of some classical localities of the Lepidoptera between Van and Ankara (Turkey), with faunal lists based upon the info-system of the Cesa. Cesa News 121: 4-28, 30 figs.
- 1488. Kemal, M. & A.Ö. Koçak**, 2017, A gelechiid species, new for the fauna of Turkey (Lepidoptera). Cent. ent. Stud., Misc. Pap. 163: 1-3, 3 figs. 1 map.
- 1489. Kemal, M. & A.Ö. Koçak**, 2017, A new genus and a species for the fauna of Turkey (Lepidoptera, Pyralidae). Cesa News 129: 1-5, 10 figs. 1 map.
- 1490. Kemal, M. & A.Ö. Koçak**, 2017, A new record of Lasiocampidae, new to the fauna of Euphrates region in south Turkey. Cesa News 142: 1-3, 7 figs. 1 map.
- 1491. Kemal, M. & A.Ö. Koçak**, 2017, Annotated list of the moths of Süphan Volcano (Bitlis Province, East Turkey) (Lepidoptera). Priamus 15 (2): 82-123, 72 figs.
- 1492. Kemal, M. & A.Ö. Koçak**, 2017, Description of a new species of the genus *Pleurota* Hbn. from East Turkey (Lepidoptera, Oecophoridae). Misc. Pap. 165: 1-3, 3 figs.
- 1493. Kemal, M. & A.Ö. Koçak**, 2017, New and little known Pyraloidea of Turkey, with some faunistical notes (Lepidoptera). Cesa News 130: 1-43, 103 figs.
- 1494. Kemal, M. & A.Ö. Koçak**, 2017, Notes on *Muschampia proteides* (Wagner) (Lepidoptera, Hesperidae). Cesa News 140: 1-6, 14 figs.
- 1495. Kemal, M. & A.Ö. Koçak**, 2017, Notes on two phycitine species of Van Lake Basin (East Turkey) (Lepidoptera, Pyralidae). Cesa News 148: 1-5, 14 figs.
- 1496. Kemal, M. & A.Ö. Koçak**, 2017, On some Microlepidoptera of Bahçesaray district (Van Province, East Turkey). Priamus 15 (3): 125-164, 105 figs.
- 1497. Kemal, M. & A.Ö. Koçak**, 2017, On the identities of some populations of *Neognopharmia* in SE Turkey (Lepidoptera, Geometridae, Ennominae). Cesa News 141: 1-5, 16 figs. 1 Table.
- 1498. Kemal, M. & A.Ö. Koçak**, 2017, On the Lepidoptera fauna of a single locality, Saklıvadi (Van Province, East Turkey). Priamus 15 (1): 1-80, 101 figs. 45 maps 1 Tab.
- 1499. Kemal, M. & A.Ö. Koçak**, 2017, On the moths of Mutki district (Bitlis Province, East Turkey) (Lepidoptera). Cesa News 150: 2-46, 93 figs.
- 1500. Kemal, M. & A.Ö. Koçak**, 2017, On the Pyralidae of Bahçesaray district, with some eco-faunistical and taxonomical notes (Van Province, Turkey) (Lepidoptera). Priamus 14 (4): 161-245, 111 figs. 62 maps.
- 1501. Kemal, M. & A.Ö. Koçak**, 2017, On the vernal Lepidoptera fauna of Nizip-Birecik districts - Euphrates region in South Turkey. Cesa News 137: 1-20, 51 figs.
- 1502. Kemal, M. & A.Ö. Koçak**, 2017, Preliminary list of the Lepidoptera recorded from Erek Mountain (Van Province, East Turkey). Cesa News 149: 1-15, 37 figs.
- 1503. Kemal, M. & A.Ö. Koçak**, 2017, Some faunistic and taxonomic notes on two *Euzophora* species of East Turkey (Lepidoptera, Pyralidae). Cesa News 147: 1-6, 11 figs. 1 map, 1 table.
- 1504. Kemal, M. & A.Ö. Koçak**, 2017, Some vernal Lepidoptera of SE Turkey, faunistical results of a short trip made in 2017 with some taxonomic and bionomic notes. Cesa News 133: 1-16, 26 figs.
- 1505. Kemal, M. & A.Ö. Koçak**, 2018, Annotated list of the moth fauna of Anamur district (İçel Prov., South Turkey), with descriptions of new species (Lepidoptera). Misc. Pap. 167: 1-45, 73 figs. 1 map.
- 1506. Kemal, M. & A.Ö. Koçak**, 2018, Distributional and synonymic catalogue of the Pyraloidea of Van Lake Basin (East Turkey) (Lepidoptera). Priamus 16 (1): 1-41.

1507. **Kemal, M. & A.Ö.Koçak**, 2018, New faunistic records of *Diceratura* Diakonoff in Turkey (Tortricidae, Lepidoptera). *Cesa News* 152: 1-4, 10 figs. 1 Table.
1508. **Kemal, M. & A.Ö.Koçak**, 2018, On the *Stueningia* species in Turkey (Lepidoptera, Geometridae). *Cesa News* 151: 1-3, 2 figs. 1 map.
1509. **Kemal, M. & A.Ö.Koçak**, 2018, Short notes on the vernal Lepidoptera fauna of Beybağı near Darende (Malatya Province, East Turkey). *Cesa News* 155: 1-21, 16 figs. 1 map.
1510. **Kemal, M. & E.Seven**, 2008, Spring aspect of the diurnal Lepidoptera fauna of Şirvan District (Siirt Province) (South East Turkey). *Cesa News* 10: 1-14, 21 figs.
1511. **Kemal, M. & E.Seven**, 2013, Siirt ilinde Şirvan'ın Geometridae türlerinin ekolojisi ve faunası üzerine araştırmalar (Lepidoptera). *Priamus (Suppl.)* 29: vi+ 1-41, figs.
1512. **Kemal, M. & H.Uçak**, 2018, Description of a new species of the genus *Wehrliola* Strand in East Turkey (Lepidoptera, Geometridae). *Misc. Pap.* 168: 1-4, 11 figs.
1513. **Kemal, M. & I.Akdeniz**, 2008, Scientific note: On the Early Stages of *Princeps demoleus* (Linnaeus, 1758) in South East Turkey (Lepidoptera, Papilionidae). *Cesa News* 2: 9-13, 17 figs.
1514. **Kemal, M. & K.Akın**, 2011, *Choreutis muhabbet*: New provincial record in Turkey and its early stages (Lepidoptera, Choreutidae). *Cesa News* 62: 6-12, 12 şekil.
1515. **Kemal, M. & M.Aydın**, 2008, List of the Lepidoptera of Diyarbakır Province (East Turkey). *Cesa News* 15: 1-6.
1516. **Kemal, M. & M.Aydın**, 2008, Spring aspects of the diurnal Lepidoptera of Kulp District with new faunal records (Diyarbakır Province, East Turkey). *Cesa News* 14: 1-12, 15 figs.
1517. **Kemal, M. & M.Mükemre**, 2011, New larval food-plant and pupa of the species *Satyrium abdominalis* in East Turkey (Lepidoptera, Lycaenidae). *Cesa News* 64: 1-3, 3 figs.; corrigendum: *ibid.* 66: 37.
1518. **Kemal, M. & O.Karabacak**, 2008, *Ephelis cruentalis*'in Biyolojisi Hakkında (Lepidoptera, Pyralidae). *Cent. ent. Stud., Misc. Pap.* 139-140: 6-10, 9 şekil.
1519. **Kemal, M. & Özkol, H. & L.Kayci**, 2008, *Xylena Ochsenheimer* in East Turkey with new provincial records and larval food-plants (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 139-140: 10-14, 12 figs.
1520. **Kemal, M. Seven, S. & A.Ö.Koçak**, 2007, List of the Irano-Anatolian Noctuidae with some faunal and zoogeographical remarks based upon the Info-System of the Cesa (Lepidoptera). *Priamus Suppl.* 9: 1-88, 1 map, 1 table.
1521. **Kemal, M.**, 2000, *Tomares (nogelii) dobrogensis* ssp. *uighurica* (ssp.n.) [in] Koçak, A., Enkhère vilayitidiki kepineklirining sinonumik tizimligi (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 67/69: 14.
1522. **Kemal, M.**, 2000, *Tomares (nogelii) nogelii* ssp. *cesa* (ssp.n.) [in] Koçak, A., Enkhère vilayitidiki kepineklirining sinonumik tizimligi (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 67/69: 14.
1523. **Kemal, M.**, 2006, Bilimsel gezilerimden anılar I-Norduz Yaylası. *Cent. ent. Stud., Priamus Suppl.* 4: 1-25, 52 figs.
1524. **Kemal, M.**, 2006, *Bir Dünya Mirası - A World Inheritance*. A Documentary film on DVD format. Narrated in Turkish by Muhabbet Kemal, subtitle in English. 28 minutes, 10 seconds. A Cesa Production.
1525. **Kemal, M.**, 2008, A Camel Spider at Kemaliye, Erzincan Province, East Turkey (Galeodidae, Solifugae). Icon. Arachn. (A), <http://www.archive.org/details/IconographiaArachnidorumSeriesAnr.2ByTheCesa>
1526. **Kemal, M.**, 2008, A hunting Camel Spider at Çatak, Van Province, East Turkey (Galeodidae, Solifugae). Icon. Arachn. (A), <http://www.archive.org/details/IconographiaArachnidorumSeriesAByTheCesa>
1527. **Kemal, M.**, 2008, *Pieris ergane* [in] Butterflies at Artos Mountain, Van Province, East Turkey. Icon. Insect. (A), <http://www.archive.org/details/PierisErganeInButterfliesAtArtosMountVanProvinceEastTurkey>
1528. **Kemal, M.**, 2008, Van Gölü havzasında kelebek çeşitliliği (Diversity of the butterflies in Van Lake Basin East Turkey). *Cesa News* 9: 1-6, 5 figs.
1529. **Kemal, M.**, 2009, Biodiversity in Ereğ Mountain and its rarest butterfly *Callophrys mystaphia* (Lepidoptera, Lycaenidae). <http://www.archive.org/details/BiodiversityInErekMountainAndItsRarestButterflyCallophrysMystaphiaeg>
1530. **Kemal, M., Çelikkaya, D., Bozacı, V. & A.Ö.Koçak**, 2009, Stray notes on the insects of the vicinity İzmir (West Turkey). *Cesa News* 47: 1-42, 71 figs.

1531. **Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018, Distributional and synonymic catalogue of the Geometridae fauna of Van Lake Basin in East Turkey (Lepidoptera). *Priamus* 16 (3): 65-117, 6 figs., 42 maps.
1532. **Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018, Preliminary list of the Lepidoptera of Zerneke, with some faunistic, taxonomic, and molecular remarks (East Turkey, Van Province). *Misc. Pap.* 171: 1-16, 41 figs.
1533. **Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018, Preliminary list of the Lepidoptera of Posof district (Ardahan Province, NE Turkey). *Cesa News* 156: 1-11, 8 figs.
1534. **Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018, Some molecular phylogenetic and taxonomic remarks on the Gnophini of Turkey, with faunistic notes (Lepidoptera, Geometridae, Ennominae). *Misc. Pap.* 172: 1-15, 1 fig.
1535. **Kemal, M., Koçak, A.Ö. & E. Seven**, 2008, Spring aspect of the nocturnal Lepidoptera fauna of Şirvan District (Siirt Province) (South East Turkey). *Cesa News* 11: 1-6, 6 figs.
1536. **Kemal, M., Koçak, A.Ö. & E. Seven**, 2010, Occurrence of *Colotis fausta* in South East Turkey (Lepidoptera, Pieridae). *Cesa News* 61: 2-8, 10 figs.
1537. **Kemal, M., Koçak, A.Ö. & E. Seven**, 2011, *Calophasia lunula* in South East Turkey (Lepidoptera, Noctuidae). *Cesa News* 64: 4-6, 5 figs.
1538. **Kemal, M., Koçak, A.Ö. & E. Seven**, 2013, *Lehmannodes guneyi* in South East Turkey (Lepidoptera, Geometridae). *Cesa News* 92: 60-62, 3 figs. 1 map.
1539. **Kemal, M., Koçak, A.Ö. & H. Uçak**, 2017, *Agrochola elami*, a new species for the fauna of Turkey (Lepidoptera, Noctuidae). *Cesa News* 146: 1-4, 6 figs.
1540. **Kemal, M., Koçak, A.Ö. & H. Uçak**, 2017, On a collection of Lepidoptera from Dağlıca (South-East Turkey, Hakkari Province). *Cesa News* 139: 1-24, 42 figs.
1541. **Kemal, M., Koçak, A.Ö. & H. Uçak**, 2018, List of the Lepidoptera species of Dağlıca (Hakkari Province, SE Turkey). *Cesa News* 159: 1-21, 22 figs. 1 map.
1542. **Kemal, M., Koçak, A.Ö. & H. Uçak**, 2018, On the Lepidoptera of Elmalık village (Edremit, Van Province, East Turkey). *Priamus* 16 (2): 43-63, 46 figs.
1543. **Kemal, M., Koçak, A.Ö. & K. Akın**, 2008, Butterflies of Batman Province (East Turkey) (Lepidoptera). *Cesa News* 17: 1-6, 7 figs.
1544. **Kemal, M., Koçak, A.Ö. & K. Akın**, 2008, List of the Lepidoptera of Mardin Province (South East Turkey) with some faunistic remarks. *Cesa News* 16: 1-10, 8 figs.
1545. **Kemal, M., Koçak, A.Ö. & M. Aydın**, 2011, On the nocturnal spring moths of Kulp district (Diyarbakır Prov., SE Turkey) (Lepidoptera). *Cesa News* 63: 10-20, 1 tab., 2 graphs, 13 figs.
1546. **Kemal, M., Koçak, A.Ö., Akın, K., Yalçın, M., Bakan, B. & D. Çelikkaya**, 2010, Spring aspect of the pterygot insects of Mutki (Bitlis Prov., South East Turkey). *Cesa News* 58: 1-78, 150 figs. 1 graph.
1547. **Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018, New faunistic records and confirmation of the status of *Sitochroa verticalis* ssp. *albalis* from SE Turkey (Lepidoptera, Pyraloidea). *Misc. Pap.* 173: 1-4, 1 fig. 1 map.
1548. **Kemal, M., Malatlı, N., Turdush, M. & A.Ö. Koçak**, 2014, Results of the two entomological trips in summer around Van Lake (East Turkey). *Cesa News* 97: 4-12, 36 figs.
1549. **Kemal, M., Özkol, H. & L. Kayci**, 2008, Diurnal Lepidoptera of Sarmaç village Erek Mountain (Van Province, East Turkey). *Cesa News* 19: 5-17, 20 figs.
1550. **Kemal, M., Seven, E. & A.Ö. Koçak**, 2013, *Epimetasia eoa* (Meyrick), new to the fauna of Turkey (Pieridae, Lepidoptera). *Cesa News* 92: 4-6, 3 figs.
1551. **Kemal, M., Seven, E. & A.Ö. Koçak**, 2013, *Leucoma wiltshirei*, new to the fauna of Turkey (Lymantriidae, Lepidoptera). *Cesa News* 92: 7-9, 2 figs.
1552. **Kemal, M., Yıldız, I., Kızıldağ, S., Uçak, H. & A.Ö. Koçak**, 2018, Taxonomic and molecular evaluation of *Apochima Agassiz* in East Turkey, with a description of a new genus (Lepidoptera, Geometridae, Ennominae). *Misc. Pap.* 169: 1-13, 27 figs. 1 map.
1553. **Kennel, J. & F. Eggers**, 1933, Die Abdominalen Tympanalorgane der Lepidopteren. *Zool. Jb. (Anat.)* 57: 1-104, figs.
1554. **Kennel, J.**, 1899, Neue Tortriciden. *Dt. ent. Z., Iris* 12: 1-42, Taf. 1
1555. **Kennel, J.**, 1900, Neue Palaearktische Tortriciden, nebst Bemerkungen über einige bereits beschriebene Arten. *Dt. ent. Z., Iris* 13: 124-159, Taf. v.
1556. **Kennel, J.**, 1901, Neue Wickler des palaearktischen Gebietes. *Dt. ent. Z., Iris* 13: 205-305.

1557. **Kennel, J.**, 1908-1921, Die Palaearktische Tortriciden. Zoologica 21 (54) (1908): 1-100; Taf.1-6; (1910): 101-232, Taf.7-12; (1913): 233-397, Taf.13-16; (1916): 398-546, Taf. 17-20; (1921): 545-742, Taf.21-24.
1558. **Kennel, J.**, 1912, Über Tympanalorgane im Abdomen der Spanner und Zünsler. Zool. Anz. 39: 163-170.
1559. **Kennel, J.**, 1919, Mittelasiatische und andere neue Tortriciden. Mitt. münch. ent. Ges. 8: 50-95.
1560. **Kettner, M.**, 2004, Beschreibung einer neuen Art der Cuculliinae aus der Türkei (Lepidoptera, Noctuidae). Ent. Z., Stuttg. 114 (3): 99-100, figs.
1561. **Khajehali, J., Rakhshani, H. & V.Nazari**, 2016, First report of *Altenia mersinella* (Lep., Gelechiidae, Gelechiini, Litini), a pest of pistachio from Iran. J. Ent. Soc. Iran 35 (4): 73-74, figs.
1562. **Kheil, N.M.**, 1911, *Parnassius nordmanni*, nebst einer Einleitung über die "Parnassiiden als Handelsartikel". Int. ent. Z. 5: 83-86.
1563. **Kılıç, T.**, 2010, First record of *Tuta absoluta* in Turkey. Phytoparasitica 38 (3): 243-244.
1564. **Kılıç, Y.**, 1987, The Lepidoptera fauna of Gökçeada. Anadolu Univ. Fen Ed. Fak. Derg. 1: 5-13.
1565. **Kirby, W.F.**, 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London.
1566. **Kirby, W.F.**, 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London.
1567. **Kirby, W.F.**, 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London.
1568. **Kirby, W.F.G.**, 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
1569. **Kiriakoff, S.G.**, 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143.
1570. **Kitching, I.J. & J-M.Cadiou**, 2000, Hawkmoths of the World. An annotated and illustrated revisionary checklist (Lepidoptera, Sphingidae). x+226pp., 8 Pls. Natural History Museum, London.
1571. **Kitching, I.J. & J.E.Rawlins**, 1999, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
1572. **Kitching, I.J. & R.Zahiri**, 2007, Taxonomic notes and new records of the genus *Sphingonaepiopsis* Wallengren, 1858 (Lepidoptera, Sphingidae) in Iran. Zootaxa 1610: 41-52, 10 pls.
1573. **Kitching, I.J.**, 1984, An historical review of the higher classification of Noctuidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 49 (3): 153-234.
1574. **Kitching, I.J.**, 1987, Spectacles and Silver Ys: a synthesis of the systematics, cladistics and biology of the Plusiinae (Lepidoptera, Noctuidae). Bull. Br. Mus. nat. Hist. (Ent.) 54 (2): 75-261, figs.
1575. **Klemstein, J.**, 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21.
1576. **Klima, A.**, 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague
1577. **Klima, A.**, 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.89. 1-224pp. W.Junk, Berlin & The Hague
1578. **Klima, A.**, 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.94. 225-384pp. W.Junk, Berlin & The Hague
1579. **Klimesch, J.**, 1953, Die Raupe von *Depressaria* (*Schistodepressaria*) *cervicella* HS. (Lep., Oecophoridae). Z. wien. ent. Ges. 38: 22-25, figs.
1580. **Klimesch, J.**, 1975, Über neue mediterrane und kanarische Nepticuliden (Lepidoptera, Nepticulidae). Mitt. münch. ent. Ges. 65: 1-28, 41 Abb.
1581. **Klimesch, J.**, 1978, Beitrag zur Kenntnis der Nepticulidenfauna von Anatolien und der Insel Rhodos (Lepidoptera, Nepticulidae). Tijdschr. Ent. 121 (5): 239-278, 82 figs.
1582. **Klimesch, J.**, 1978, *Fomoria luisae* n.sp. (Lep., Nepticulidae). Z. ArbGem. öst. Ent. 29 (3/4): 89-91, 6 Abb.
1583. **Klots, A.B.**, 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl.
1584. **Klots, A.B.**, 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242.
1585. **Klots, A.B.**, 1970, Lepidoptera. [In] Tuxen, S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2).

1586. **Klug, F.**, 1829-1845, *Insecta* [in] Ehrenberg, C.G., *Symbole Physicae, seu icones et descriptiones corporum naturalium novarum aut minus cognitorum* [183] pp., 50 Pls. Berolini.
1587. **Knölke, S.**, 2007, A revision of the European representatives of the Microlepidopteran genus *Dioryctria* Zeller, 1846 (*Insecta, Lepidoptera, Pyralidae, Phycitinae*). Dissertation. Ludwig-Maximilians-Universität, München. edoc.ub.uni-muenchen.de/8425/1/Knoelke_Sonja.pdf
1588. **Kobes, L.W.R. & M. Fibiger**, 2003, A new species of the genus *Griposia* Tams, 1939 from the Ponto-Mediterranean area (*Lepidoptera, Noctuidae, Hadeninae*). *Nachr. ent. Ver. Apollo* (N.F.) 24 (4): 211-214, figs.
1589. **Kobes, L.W.R.**, 1980, *Saturnia pyri* in der Türkei, mit Beschreibung einer neuen Subspecies (*Lepidoptera, Saturniidae*). *Ent. Z., Frankf. a. M.* 90 (19): 209-214, Abb.
1590. **Koch, M.**, 1934, Eine neue *Zygaena purpuralis*-Rasse aus dem armenischen Bergland. *Dt. ent. Z., Iris* 48: 191-194.
1591. **Koch, M.**, 1937, *Zygaena* Fabr. I. *Ent. Z., Frankf. a. M.* 51: 19-20, 36-39, 46, 61-63, 71-72, 47 figs.
1592. **Koch, M.**, 1937, *Zygaena* Fabr. II. *Ent. Z., Frankf. a. M.* 51: 345-347.
1593. **Koch, M.**, 1939, *Zygaena* Fab. V. Eine *Zygaena*-ausbeute aus Georgien. *Mitt. münch. ent. Ges.* 29: 397-415.
1594. **Koçak, A.Ö. & K. Akin**, 2011, *Clytie haifae* (Habisch), new to the fauna of Turkey (*Lepidoptera, Noctuidae*). *Cesa News* 63: 6-7, 1 fig.
1595. **Koçak, A.Ö. & M. Kemal**, 2000, *Chazara briseis* (Linnaeus) üzerine revizyon notları (*Satyridae, Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 65/66: 1-5.
1596. **Koçak, A.Ö. & M. Kemal**, 2000, *Euphydryas Scudder* cinsi içinde "sareptana Staudinger" in taksonomik durumu hakkında (*Argynnisidae, Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 70: 5-6.
1597. **Koçak, A.Ö. & M. Kemal**, 2000, Nomenclatural notes on some taxa (*Papilionoidea, Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 65/66: 10-12.
1598. **Koçak, A.Ö. & M. Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (*Lepidoptera, Rhopalocera*) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Misc. Pap.* 74: 1-3.
1599. **Koçak, A.Ö. & M. Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (*Lepidoptera, Rhopalocera*) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Misc. Pap.* 75: 1-3.
1600. **Koçak, A.Ö. & M. Kemal**, 2001, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (*Lepidoptera*) I. *Cent. ent. Stud., Misc. Pap.* 77: 1-8.
1601. **Koçak, A.Ö. & M. Kemal**, 2001, *Lepidoptera* coğrafyası üzerine araştırmalar 1. Ankara vilayeti kelebeklerinin zoocoğrafik analizi. *Cent. ent. Stud., Priamus* 10 (3/4): 105-111.
1602. **Koçak, A.Ö. & M. Kemal**, 2001, Türkiye kelebeklerinin anadillerdeki isimlerinin listesi. *Cent. ent. Stud., Misc. Pap.* 72/73: 1-15.
1603. **Koçak, A.Ö. & M. Kemal**, 2002, *Aethria Hübner*, [1821] cins isminin geçerliliği hakkında (*Noctuidae, Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 80/81: 15-16.
1604. **Koçak, A.Ö. & M. Kemal**, 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte *Hyponephele Muschamp* cinsinin kataloğu (*Lepidoptera, Satyridae*). *Cent. ent. Stud., Misc. Pap.* 80/81: 1-15, 1 Tab.
1605. **Koçak, A.Ö. & M. Kemal**, 2002, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J. Scoble (*Lepidoptera*) II. *Cent. ent. Stud., Misc. Pap.* 86: 1-2.
1606. **Koçak, A.Ö. & M. Kemal**, 2002, *Euapatura mirza*'nın besin bitkisi hakkında (*Lepidoptera, Argynnisidae*). *Cent. ent. Stud., Misc. Pap.* 86: 5-7, figs.
1607. **Koçak, A.Ö. & M. Kemal**, 2002, Faunistik taksonomik ve zoocoğrafik notlarla Çatak kelebekleri (*Papilionoidea, Hesperioidea, Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 82/85: 1-32, figs.
1608. **Koçak, A.Ö. & M. Kemal**, 2002, Türkiye'de bir Karakuşaklı Güzel *Colobochyla platyzona* (Lederer, 1870) (*Noctuidae, Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 86: 2-5, figs.
1609. **Koçak, A.Ö. & M. Kemal**, 2006, Checklist of *Lepidoptera* of Turkey. *Cent. ent. Stud., Priamus* Suppl. 1: 1-196.
1610. **Koçak, A.Ö. & M. Kemal**, 2006, List of the species in the genus *Pelochrista* Lederer, with some remarks (*Lepidoptera, Tortricidae*). *Cent. ent. Stud., Misc. Pap.* 98: 1-6.
1611. **Koçak, A.Ö. & M. Kemal**, 2007, Annotated List of the *Lycaena* Fabr. (*Lycaenidae, Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 135: 1-8.
1612. **Koçak, A.Ö. & M. Kemal**, 2007, Chapter 16: *Lepidoptera* fauna of Eretna Sultanate in Asia Minor (LER), [in] Koçak, A.Ö. & M. Kemal, Results of the International Project of the CESA on the

Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1919-1989, 49 Pls. [for all chapters of Memoirs 3-4]

1613. **Koçak, A.Ö. & M. Kemal**, 2007, Chapter 4: Bibliography of the Lepidoptera (BL), [in] Koçak, A.Ö. & M. Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1117-1267.
1614. **Koçak, A.Ö. & M. Kemal**, 2007, Preliminary checklist of *Loxostege* Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8.
1615. **Koçak, A.Ö. & M. Kemal**, 2007, Revised and annotated checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 8: 1-150, 2 Tables.
1616. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Şırnak Province (South East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 127: 1-8.
1617. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Ardahan Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 128: 1-8.
1618. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Iğdır Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 129/130: 1-12.
1619. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of İçel Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 131-133: 1-20.
1620. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Bursa Province (North West Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (5): 81-111.
1621. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Kars Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (6): 113-131.
1622. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Kahramanmaraş Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (7): 133-171.
1623. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Ankara Province (Central Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 12 (1): 1-32.
1624. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Konya Province (Central Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 12 (2): 33-62.
1625. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Adıyaman Province (South East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 106: 3-8.
1626. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Ağrı Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 107/108: 1-12.
1627. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Artvin Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 109/110: 1-16.
1628. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Elazığ Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 113/114: 1-12.
1629. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Bitlis Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 111/112: 1-12.
1630. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Erzincan Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 115/116: 1-16.
1631. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Erzurum Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 117/119: 1-20.
1632. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Hatay Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 120/121: 1-16.
1633. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Malatya Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 122/123: 1-12.
1634. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Tunceli Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 124/125: 1-12.
1635. **Koçak, A.Ö. & M. Kemal**, 2007, Synonymical and distributional list of the species of Bayburt Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 126: 1-8.
1636. **Koçak, A.Ö. & M. Kemal**, 2008, Announcement with illustrations: "Studies on the Lepidoptera Fauna of Artos Mountain (Van Province, East Turkey)". Cesa News 27: 1-10, 18 figs.
1637. **Koçak, A.Ö. & M. Kemal**, 2008, Checklist of the diurnal Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 15: 1-41.
1638. **Koçak, A.Ö. & M. Kemal**, 2008, First attempt for a list of the patronyms in the Lepidopterology based upon the Info-System of the Cesa. Priamus Suppl. 12: 1-89.
1639. **Koçak, A.Ö. & M. Kemal**, 2008, On the late summer butterflies of Artos Mountain (Van Province, East Turkey). Cesa News 29: 1-11, 17 figs.

1640. **Koçak, A.Ö. & M. Kemal**, 2008, Patronymic names in Lepidoptera I- A list of the scientific names referring to the persons based upon the Info-System of the Cesa. 212 pp. 32 figs. Cesa & YYU Publication.
1641. **Koçak, A.Ö. & M. Kemal**, 2008, Synonymical and distributional list of the Lepidoptera of Turkey -I. Tortricidae. Cent. ent. Stud., Priamus Suppl. 13: 1-39.
1642. **Koçak, A.Ö. & M. Kemal**, 2008, Synonymical and distributional list of the species of Muş Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 1-6.
1643. **Koçak, A.Ö. & M. Kemal**, 2009, Revised checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus (suppl.) 17: 1-253.
1644. **Koçak, A.Ö. & M. Kemal**, 2010, Evaluation of the lepidopterological bibliography based upon the info-system of the Cesa. Cent. ent. Stud., Priamus (Suppl.) 21: 1-1185, 39 figs. 3 graphs.
1645. **Koçak, A.Ö. & M. Kemal**, 2010, Stray notes of a life devoted to Entomology. Cesa News 59: 1-54, 101 figs.
1646. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa) - 88, Part 2: List of the valid names of the order Lepidoptera. Cent. ent. Stud., Priamus (Suppl.) 18: 3077-3186.
1647. **Koçak, A.Ö. & M. Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey III. Cesa News 68: 1-17, 21 figs.
1648. **Koçak, A.Ö. & M. Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey II. Cesa News 67: 1-26.
1649. **Koçak, A.Ö. & M. Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey I. Cesa News 66: 1-37.
1650. **Koçak, A.Ö. & M. Kemal**, 2012, Iğdır kelebekleri (Lepidoptera). Cent. ent. Stud., Priamus (Suppl.) 27: ix + 1-253, 194 figs., 190 maps.
1651. **Koçak, A.Ö. & M. Kemal**, 2012, List of two thousand species of pterygot insects in Van Province (East Turkey). Cesa News 81: 2-86, 37 figs.
1652. **Koçak, A.Ö. & M. Kemal**, 2012, Number of the species of the Lepidoptera fauna of the selected countries with sample lists of some classical localities in the Old World. Cesa News 83: 8-55.
1653. **Koçak, A.Ö. & M. Kemal**, 2013, A regrettable case for the Lepidopterology caused by a dipterist, a report on an article, published in an university journal in Turkey. Cesa News 87: 1-5, figs.
1654. **Koçak, A.Ö. & M. Kemal**, 2014, Faunal list of the Lepidoptera of Kahramanmaraş province in Turkey, together with the recorded pterygots, based upon the info-system of the Cesa. Cesa News 99: 1-178, 54 figs.
1655. **Koçak, A.Ö. & M. Kemal**, 2014, Faunistical list of the Lepidoptera of the provinces of Turkey, together with the recorded pterygots. Cesa News 97: 1-3.
1656. **Koçak, A.Ö. & M. Kemal**, 2015, A preliminary list of the Pterygota of Muş Province, based upon the info-system of the Cesa. Cesa News 104: 9-69, 1 fig. 18 maps.
1657. **Koçak, A.Ö. & M. Kemal**, 2015, Annotated list of the Arctiidae of Turkey (Lepidoptera). Cesa News 111: 1-60, 36 figs. 30 maps.
1658. **Koçak, A.Ö. & M. Kemal**, 2015, Annotated list of the lepidopterological taxa in the info-system of the Cesa Part I. Cent. ent. Stud., Memoirs 7: 1-4792.
1659. **Koçak, A.Ö. & M. Kemal**, 2015, Initial list of the Pterygota of Malatya Province, based upon the info-system of the Cesa (East Turkey). Cesa News 105: 1-150, 30 figs. 58 maps.
1660. **Koçak, A.Ö. & M. Kemal**, 2015, List of the genera of Pyralidae of Turkey (Lepidoptera). Cesa News 114: 1-19.
1661. **Koçak, A.Ö. & M. Kemal**, 2015, List of the genus group names of the family Noctuidae of Turkey (Lepidoptera). Priamus (Suppl.) 40: 1-30.
1662. **Koçak, A.Ö. & M. Kemal**, 2015, List of the Lepidoptera of Mardin Province (SE Turkey). Cesa News 103: 27-37.
1663. **Koçak, A.Ö. & M. Kemal**, 2015, Nemrut Kalderası'nın diurnal Lepidopterlerinin habitat tercihlerinin karşılaştırmalı analizi (Bitlis, Türkiye). Priamus Suppl. 37: ix + 1-57, şekiller.
1664. **Koçak, A.Ö. & M. Vural**, 1998, Türkiye'deki bazı Lepidopterlerin biyonomisi hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 51: 6-7.
1665. **Koçak, A.Ö. & S. Seven**, 1990, Anthocharis cardamines (Linnaeus) türünün erken gelişme safhaları üzerine bir çalışma (Lepidoptera, Pieridae). Cent. ent. Stud., Misc. Pap. 8: 5-7, şek.1.

- 1666.Koçak,A.Ö. & S.Seven**, 1991, Faunistisch- ökologische Notizen über Tagfalterfauna von Kızılcahamam (Prov. Ankara, Türkei) (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 105-122, 3 Abb.
- 1667.Koçak,A.Ö. & S.Seven**, 1991, Faunistische Notizen über Türkisch-Thrazien Lepidopteren. Cent. ent. Stud., Misc. Pap. 10: 4-12, 4 Abb.
- 1668.Koçak,A.Ö. & S.Seven**, 1991, Lepidopterlerin erken gelişme safhaları ve beslenme biyolojisine katkılar-I. Cent. ent. Stud., Priamus 5 (4): 149-156, 9 şekil.
- 1669.Koçak,A.Ö. & S.Seven**, 1993, Türkiye Kod Listesi İle İlgili Taksonomik Notlar-I (Lepidoptera). Cent. ent. Stud., Misc. Pap. 18: 1-4.
- 1670.Koçak,A.Ö. & S.Seven**, 1993, Über die Tagfalterfauna des Gebirges Hodulca bei Kızılcahamam (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 97-113.
- 1671.Koçak,A.Ö. & S.Seven**, 1994, "Türkiye Kod Listesi" ile ilgili taksonomik notlar-II (Lepidoptera). Cent. ent. Stud., Misc. Pap. 19: 5-8.
- 1672.Koçak,A.Ö. & S.Seven**, 1994, Türkiye Lepidoptera Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141.
- 1673.Koçak,A.Ö. & S.Seven**, 1994, Türkiye Lepidoptera faunasına katkılar-II. Cent. ent. Stud., Misc. Pap. 21: 1-8.
- 1674.Koçak,A.Ö. & S.Seven**, 1994, Türkiye Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 20: 1-8.
- 1675.Koçak,A.Ö. & S.Seven**, 1995, Tokat Papilionoidea ve Hesperioidea Faunası ve Ekolojisi Hakkında (Lepidoptera). Cent. ent. Stud., Priamus 7 (3): 93-116.
- 1676.Koçak,A.Ö. & S.Seven**, 1995, Türkiye'den Yeni Bir Lycaenidae Taksonu Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 25: 1-5, 1 harita.
- 1677.Koçak,A.Ö. & S.Seven**, 1995, Yeni Bir Pyralidae Cinsi ve Türü Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 23/24: 13-16, 2 şekil.
- 1678.Koçak,A.Ö. & S.Seven**, 1996, Anadolunun Diurnal Lepidoptera Birlikleri ve Ekolojisi. Cent. ent. Stud., Priamus 8 (3/4): 53-167.
- 1679.Koçak,A.Ö. & S.Seven**, 1997, Lacydes spectabilis sheljuzhkoii Dubatolov'un Türkiye'de bulunuşu hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 1-2, 1 harita.
- 1680.Koçak,A.Ö. & S.Seven**, 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8.
- 1681.Koçak,A.Ö. & S.Seven**, 1997, Türkiye Crambinae Faunası Üzerine Araştırmalar (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 39/40: 1-16.
- 1682.Koçak,A.Ö. & S.Seven**, 1998, A tentative list of the threatened butterflies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 3-8.
- 1683.Koçak,A.Ö. & S.Seven**, 1998, Eski Dünya Polyommata alttribusuna ait taksonların nomenklatürü ve sınıflandırması hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 1-5, 1 grafik.
- 1684.Koçak,A.Ö. & S.Seven**, 1998, On the Papilionoidea and Hesperioidea fauna of the Mount Kayağı (Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 53/54: 1-12.
- 1685.Koçak,A.Ö. & Seven,S. & M.Kemal**, 2007, Chapter 3: Valid species group names (species, and subspecies) recorded in the Databank of the CESA, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 143-1116.
- 1686.Koçak,A.Ö.**, 1975, A new species of genus Lysandra from Turkey (Lepidoptera, Lycaenidae). Atalanta 6 (1): 31-34, 6 figs.
- 1687.Koçak,A.Ö.**, 1975, New Lepidoptera from Turkey-I. Atalanta 6 (1): 24-30, figs.
- 1688.Koçak,A.Ö.**, 1975, New Lepidoptera from Turkey-II. Atalanta 6 (1): 50-55, 10 figs.
- 1689.Koçak,A.Ö.**, 1976, A new subspecies of Melanargia larissa from Turkey (Lepidoptera, Satyridae). Atalanta 7 (1): 40-41, 2 figs.
- 1690.Koçak,A.Ö.**, 1977, New Lepidoptera from Turkey IV. Description of a new subspecies of Archon apollinus (Herbst,1789) (Parnasiidae). NachrBl. bayer. Ent. 26 (3): 54-60, 7 figs.
- 1691.Koçak,A.Ö.**, 1977, New Lepidoptera from Turkey V. Atalanta 7 (2): 126-146, 47 Abb, 1 map.
- 1692.Koçak,A.Ö.**, 1977, Studies on the family Lycaenidae (Lep.) I. New taxa and records from East Turkey. Atalanta 8 (1): 41-62, 24 figs.

1693. **Koçak, A.Ö.**, 1979, Studies on the family Lycaenidae II. New Taxa and Records from Turkey. *Atalanta* 10 (4a): 309-325, 37 figs.
1694. **Koçak, A.Ö.**, 1980, On the nomenclature of some genus- and species-group names of Lepidoptera. *Nota lepid.* 2 (4): 139-146.
1695. **Koçak, A.Ö.**, 1980, Some notes on the nomenclature of Lepidoptera. *Communs Fac. Sci. Univ. Ankara, (Ser C3, Zool.)* 24: 7-25.
1696. **Koçak, A.Ö.**, 1980, Studies on the family Lycaenidae III. A review of the subspecies of *Agrodiaetus* (*Sublysandra*) *myrrhus* (H.-S., 1852). *Atalanta* 11 (4): 262-272, 14 figs.
1697. **Koçak, A.Ö.**, 1981, *Buszkoiana* nom.nov. A Replacement name in the family Pterophoridae (Lepidoptera). *Cent. ent. Stud., Priamus* 1 (1): 10.
1698. **Koçak, A.Ö.**, 1981, Nomenclatural note on the genus *Petersenia* Gozmany, 1960 (Tineidae). *Cent. ent. Stud., Priamus* 1 (2): 45.
1699. **Koçak, A.Ö.**, 1981, On the nomenclature of some genera of Lepidoptera. *Cent. ent. Stud., Priamus* 1 (1): 18-23; 1 (3): 97-109, 112-122.
1700. **Koçak, A.Ö.**, 1981, On the nomenclature of some genera of the family Psychidae (Lepidoptera). *Cent. ent. Stud., Priamus* 1 (1): 7-10; 1 (3): 122-123.
1701. **Koçak, A.Ö.**, 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. *Cent. ent. Stud., Priamus* 1 (2): 93-96.
1702. **Koçak, A.Ö.**, 1981, On the type-species of the genus *Proterebea* Roos & Arnscheid, 1980 (Satyridae, Lepidoptera). *Cent. ent. Stud., Priamus* 1 (1): 6-7.
1703. **Koçak, A.Ö.**, 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). *Cent. ent. Stud., Priamus* 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37.
1704. **Koçak, A.Ö.**, 1982, Notes on *Archon apollinus* (Herbst, 1798) (Papilionidae, Lepidoptera). *Cent. ent. Stud., Priamus* 2 (1): 44-63, figs., map.
1705. **Koçak, A.Ö.**, 1982, On the date of publication of "Nachtrag" of Heydenreich's *Lepidopterorum Europaeorum Catalogus Methodicus* (3.ed.), 130pp. 1851. *Cent. ent. Stud., Priamus* 2 (2): 92-95.
1706. **Koçak, A.Ö.**, 1982-1983, Additions and corrections to the names published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut, 1980. *Cent. ent. Stud., Priamus* 2 (3): 97-133; 2 (4): 137-157.
1707. **Koçak, A.Ö.**, 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". *Cent. ent. Stud., Priamus* 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
1708. **Koçak, A.Ö.**, 1983, Ecological Notes. *Cent. ent. Stud., Priamus* 3 (1): 6.
1709. **Koçak, A.Ö.**, 1983, Foodplants of the adults of Turkish Butterflies -I. *Cent. ent. Stud., Priamus* 3 (2): 86-92.
1710. **Koçak, A.Ö.**, 1983, On the nomenclature of the genus *Hipparchia* Fabricius, 1807 (Lepidoptera, Satyridae). *Cent. ent. Stud., Priamus* 2 (4): 166-169.
1711. **Koçak, A.Ö.**, 1983, On the nomenclature of *Thersamonia thersamon* (Esper, 1784) from the West Palaearctic Region (Lycaenidae, Lepidoptera). *Cent. ent. Stud., Priamus* 3 (1): 3-5.
1712. **Koçak, A.Ö.**, 1983, Some notes on "Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia)" by J. P. Heppner & W. D. Duckworth, 1981. *Cent. ent. Stud., Priamus* 2 (4): 169-170.
1713. **Koçak, A.Ö.**, 1983-1986, More notes on the homonymy of the specific names of Lepidoptera. *Cent. ent. Stud., Priamus* 2 (1983) (4): 164-166; 3 (1983) (2): 41-42; 4 (1986) (1/2): 55-60.
1714. **Koçak, A.Ö.**, 1986, A New Species of the genus *Ethmia* Hübner from Turkey (Lep., Azinidae). *Cent. ent. Stud., Priamus* 4 (1/2): 62-64, figs.
1715. **Koçak, A.Ö.**, 1986, *Ayaş Dağları Lepidopterleri Hakkında*. *Cent. ent. Stud., Priamus* 4 (1/2): 66-77.
1716. **Koçak, A.Ö.**, 1986, *Charaxes jasius* Linn.'un gece uçuşu ve Anadoludaki yayılışı. *Cent. ent. Stud., Priamus* 4 (1/2): 45-46.
1717. **Koçak, A.Ö.**, 1986, *Eratophyes aleatrix* Diakonoff. Türkiye'den yeni bir Epigraphiidae (=Oecophoridae) cins ve türünün ilk kaydı hakkında (Lepidoptera). *Cent. ent. Stud., Priamus* 4 (1/2): 52-54.
1718. **Koçak, A.Ö.**, 1986, On the foodplants of Turkish Lepidoptera-I. *Cent. ent. Stud., Priamus* 4 (1/2): 13-18.
1719. **Koçak, A.Ö.**, 1986, On the paper "Lepidoptera names of Denis & Schiffermüller - A case for stability" by K. Sattler & W.G. Tremewan in 1984. *Cent. ent. Stud., Priamus* 4 (1): 3-12.

1720. **Koçak, A.Ö.**, 1986, *Pseudozarba bipartita* H.-Sch. Türkiye'den yeni bir Noctuidae Türü (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 19-20.
1721. **Koçak, A.Ö.**, 1986, Türkiye Lepidopter'lerinin Dağılışı Haritaları Hakkında. Cent. ent. Stud., Priamus 4 (1/2): 48-51, harita.
1722. **Koçak, A.Ö.**, 1987, *Chersotis* (*Cyrebis*) *adili* sp.n. Description of a new species from N.E. Turkey, with some notes on other closely related species (Lepidoptera, Noctuidae). Cent. ent. Stud., Priamus 4 (3): 121-125, figs.
1723. **Koçak, A.Ö.**, 1987, Diurnal Lepidoptera of Çal Dağı (Central Anatolia) 1. Remarks on the Ecology of the species. Cent. ent. Stud., Priamus 4 (3): 87-114.
1724. **Koçak, A.Ö.**, 1987, *Panstegia meciti* sp.n. Description of a new species in the family Pyralidae (Lepidoptera). Cent. ent. Stud., Priamus 4 (3): 115-116, figs.
1725. **Koçak, A.Ö.**, 1987, *Sultania lophotalis* (Hampson) Koçak in Turkey, with a description of a new genus (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 4 (3): 117-120, figs.
1726. **Koçak, A.Ö.**, 1989, Autobiography of Prof. Dr. Ahmet Ö. Koçak. Cent. ent. Stud., Misc. Pap. 1: 1-4.
1727. **Koçak, A.Ö.**, 1989, *Croesia bergmanniana* (Linn.). New to the fauna of Turkey (Lepidoptera, Tortricidae). Cent. ent. Stud., Priamus 4 (4): 161.
1728. **Koçak, A.Ö.**, 1989, Description of the genus *Adoritis* (gen.n.) with notes on other closely related groups in Parnassiinae (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 163-170, figs.
1729. **Koçak, A.Ö.**, 1989, *Discoloxia blomeri* (Curtis) in Turkey (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 92-94, 1 fig.
1730. **Koçak, A.Ö.**, 1989, *Geometra purissima* Wiltshire in North Pakistan (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 100-102, 2 figs. 1 map.
1731. **Koçak, A.Ö.**, 1989, *Hyponephele lycaonoides* Weiss in Turkey, with descriptions of new subspecies (Lep., Satyridae). Cent. ent. Stud., Priamus 4 (4): 142-146, 6 figs.
1732. **Koçak, A.Ö.**, 1989, Migration of *Ephesia nymphaea* Esp., 1788 (Noctuidae). Cent. ent. Stud., Priamus 4 (4): 149.
1733. **Koçak, A.Ö.**, 1989, Migration of *Parahipparchia algerica* Obth., 1876 (Satyridae). Cent. ent. Stud., Priamus 4 (4): 149.
1734. **Koçak, A.Ö.**, 1989, Notes on the Lepidoptera of Erzurum Province (East Turkey). Cent. ent. Stud., Priamus 5 (3): 73-91, 6 figs.
1735. **Koçak, A.Ö.**, 1989, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera)-I. Cent. ent. Stud., Priamus 5 (3): 103-104.
1736. **Koçak, A.Ö.**, 1989, On the authorship of the family name Lemoniidae with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149.
1737. **Koçak, A.Ö.**, 1989, On the butterflies of Taurus Mountains in the provinces Antalya and Konya (S. Turkey), with some taxonomic descriptions and remarks (Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 33-68, 1 fig.
1738. **Koçak, A.Ö.**, 1989, On the early stages of *Cynaeda gigantea* (Stgr.) in Central Turkey (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 5 (3): 95-97, 2 figs.
1739. **Koçak, A.Ö.**, 1989, On the early stages of *Parnassius apollo* L. from North Turkey. Cent. ent. Stud., Priamus 5 (1/2): 31-32.
1740. **Koçak, A.Ö.**, 1989, On the Lepidoptera of Ayaş District (C. Anatolia). Cent. ent. Stud., Priamus 4 (4): 150-161, figs.
1741. **Koçak, A.Ö.**, 1989, On the Lepidoptera taken from Elmadağ (Central Anatolia). Cent. ent. Stud., Priamus 5 (1/2): 23-25.
1742. **Koçak, A.Ö.**, 1989, Provision of a valid name for the type-species of the genus *Sideridis* Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2.
1743. **Koçak, A.Ö.**, 1989, *Pseudochazara lydia nesrin* (ssp.n.). A new subspecies from Turkey (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 5 (1/2): 69-71, figs.
1744. **Koçak, A.Ö.**, 1990, A new species to the fauna of Turkey *Archearis notha* (Hübner, 1803) (Lep., Geometridae). Cent. ent. Stud., Misc. Pap. 8: 7-8, fig.
1745. **Koçak, A.Ö.**, 1990, Additional faunistical and ecological notes to the Lepidoptera of Ayaş district (Central Turkey). Cent. ent. Stud., Misc. Pap. 4: 3-7.
1746. **Koçak, A.Ö.**, 1990, Additional notes to the butterfly fauna of Taurus Mountains in the provinces Antalya and Konya (S. Turkey). Cent. ent. Stud., Misc. Pap. 2: 4-5.

1747. **Koçak, A.Ö.**, 1990, Additional notes to the Lepidoptera fauna of Işık Dağı (N.Turkey). Cent. ent. Stud., Misc. Pap. 5: 4-8.
1748. **Koçak, A.Ö.**, 1990, An annotated list of the Lepidoptera collected from Işık Dağı (N.Turkey) in 1988. Cent. ent. Stud., Misc. Pap. 3: 1-7.
1749. **Koçak, A.Ö.**, 1990, An annotated list of the Lepidoptera of Karadere and Bolu district (Prov. Bolu, N.Turkey). Cent. ent. Stud., Misc. Pap. 6: 1-11.
1750. **Koçak, A.Ö.**, 1990, Ecological notes on the Turkish Lepidoptera. Cent. ent. Stud., Misc. Pap. 4: 1.
1751. **Koçak, A.Ö.**, 1990, Kızılcahamam Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 8: 1-4.
1752. **Koçak, A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4.
1753. **Koçak, A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -IV. Cent. ent. Stud., Misc. Pap. 8: 4-5.
1754. **Koçak, A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7.
1755. **Koçak, A.Ö.**, 1990, On the butterflies of Bilecik province (NW. Turkey). Cent. ent. Stud., Misc. Pap. 2: 6-7.
1756. **Koçak, A.Ö.**, 1990, On the full grown caterpillar of Hyles euphorbiae L. from SW. Turkey (Lepidoptera, Sphingidae). Cent. ent. Stud., Misc. Pap. 2: 1.
1757. **Koçak, A.Ö.**, 1990, Seyahat Defterimden. Cent. ent. Stud., Misc. Pap. 2: 2-3; 6: 11-12.
1758. **Koçak, A.Ö.**, 1991, Introductions and Remarks, [in] Seven, S. & S. Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara.
1759. **Koçak, A.Ö.**, 1991, Notes on the taxonomy and nomenclature of the palaearctic Noctuidae (Lepidoptera)-V. Cent. ent. Stud., Misc. Pap. 10: 1-3.
1760. **Koçak, A.Ö.**, 1991, On the Arctiidae of Turkey in the collection of CES with some taxonomical and ecological notes (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 122-149, 7 figs.
1761. **Koçak, A.Ö.**, 1991, Über Lepidopterenfauna von Kızılcahamam mit taxonomischen Notizen (Lepidoptera). Cent. ent. Stud., Misc. Pap. 9: 1-10, 3 figs.
1762. **Koçak, A.Ö.**, 1992 Further notes on the Lepidoptera of Bilecik Province (NW.Turkey). Cent. ent. Stud., Misc. Pap. 13: 4-8.
1763. **Koçak, A.Ö.**, 1992, Lycaenidae familyasında yeni bir altcins Alciphronia'nın tanımı ve Türkiyede'ki taksonlarına ait bazı taksonomik notlar (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 16: 1-5.
1764. **Koçak, A.Ö.**, 1992, Lysandra syriaca ssp. burak (n.ssp.), Güney Anadolu'dan yeni bir Lycaenidae alttürü (Lepidoptera). Cent. ent. Stud., Misc. Pap. 16: 6-8.
1765. **Koçak, A.Ö.**, 1992, M. ve W. Glaser tarafından Kızılcahamam'dan toplanan Lepidopterlerin listesi-I. Cent. ent. Stud., Misc. Pap. 14: 6-8; 15: 1-8.
1766. **Koçak, A.Ö.**, 1993, Trakyanın ilkbahar lepidopterleri hakkında faunistik notlar. Cent. ent. Stud., Misc. Pap. 17: 1-8.
1767. **Koçak, A.Ö.**, 1993, Über die Schmetterlinge von Beypazarı (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 113-131.
1768. **Koçak, A.Ö.**, 1995, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan Entomolojik ve Botanik Ekspedisyonunun Sonuçları 1.Giriş. Cent. ent. Stud., Misc. Pap. 22: 6-8, 1 harita.
1769. **Koçak, A.Ö.**, 1995, Lepidoptera palaeo-tropica araştırma programı hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5.
1770. **Koçak, A.Ö.**, 1996, Güney Batı Asya Polyommatae taksonlarının listesi ve bazı nomenklatür notları (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 30/33: 1-32.
1771. **Koçak, A.Ö.**, 1998, Doğu Anadolu'dan yeni bir lycaenid alttürü Rubrapterus bavius masal (subsp.n.) (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 57: 7-8.
1772. **Koçak, A.Ö.**, 1998, On the nomenclature of a taxon in the family Pieridae (Lepidoptera) with remarks on the taxonomical studies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 1-3.
1773. **Koçak, A.Ö.**, 1999, Orta Anadolu'da yeni bir Agrodiaetus Hbn. türünün tanımı (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 59: 3-7, 4 figs.
1774. **Koçak, A.Ö.**, 2000, Enkhère vilayitidiki kepineklirining sinonimik tizimliğı (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 1-22 [in Uighur language].

1775. **Koçak, A.Ö.**, 2000, Revisional notes on the taxonomy of 'eurypilos Gerhard' and 'surakovi Dantchenko & Lukhtanov' in the genus *Latreille* (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 8-10.
1776. **Koçak, A.Ö.**, 2008, Description of *Choreutis muhabbet* sp.n. (Choreutidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 6-7.
1777. **Koçak, A.Ö.**, 2008, Illustration of *Choreutis muhabbet* Koçak, 2008 described in Miscellaneous Papers Nr. 142 pages 6-7 of the Cesa. Cesa News 30: 17, fig.1.
1778. **Koçak, A.Ö.**, 2008, Irregular meeting of the Cesa. Cesa News 5: 1-4, 7 figs.
1779. **Koçak, A.Ö., Kemal, M. & I. Akdeniz**, 2006, A new genus and species to the Lepidoptera fauna of Turkey and Syria (Papilionidae). Cent. ent. Stud., Misc. Pap. 97: 1-6, 2 figs.
1780. **Koçak, A.Ö., Kemal, M. & L. Kayci**, 2011, List of the species of the Lepidoptera of Van Province (East Turkey). Cent. ent. Stud., Priamus (Suppl.) 23: 1-43, 9 figs.
1781. **Koçak, A.Ö., Kemal, M. Seven, S. Özkol, H. & L. Kayci**, 2007, Selected bibliography on the Lepidoptera of Caucasus Region. Cent. ent. Stud., Priamus Suppl. 10: 1-44, 1 map.
1782. **Koçak, A.Ö., Kemal, M. Seven, S. Özkol, H. & L. Kayci**, 2008, Noctuidae fauna of the Caucasus Region (Lepidoptera). Cent. ent. Stud., Priamus Suppl. 11: 1-128, 7 tables, 10 maps, 11 figs.
1783. **Koçak, A.Ö., Kemal, M., Aydın, M. & Güngen, A.**, 2008, Two days in an oak woodland in Bingöl Province (East Turkey). Cesa News 28: 1-16, 29 figs.
1784. **Koçak, A.Ö., Seven, S. & Y. Hüseyinoğlu**, 1997, *Eucharia festiva* ssp. *nivea* (Bang-Haas, 1927)'nin taksonomisi ve dağılışı Hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 5-8, 2 harita.
1785. **Koçak, A.Ö., Seven, S. & Y. Hüseyinoğlu**, 1997, Kuzey İran'da *Epicallia villica* (Linnaeus)'nin varlığı hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 3-5, 1 harita.
1786. **Koçak, E., Özdemir, M. & V.V. Zlobin**, 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. Turk. J. Zool. 33: 245-247.
1787. **Koçak, Ö.**, 2009, Karaman Kelebekleri. Cesa News 50: 1-18, 39 resim 37 harita.
1788. **Koda, N.**, 1987, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 1. Tyo to Ga 38 (3): 153-237, figs.
1789. **Koda, N.**, 1988, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 2. Tyo to Ga 39 (1): 1-79, figs.
1790. **Kodandaramaiah, U. & N. Wahlberg**, 2009, Phylogeny and biogeography of *Coenonympha* butterflies (Nymphalidae, Satyrinae)- patterns of colonization in the Holarctic. Syst. Ent. 34: 315-323.
1791. **Kolenati, F.A.**, 1846, Meletemata Entomologica Insecta Caucasi: Coleoptera, Dermaptera, Lepidoptera, Neuroptera, Mutilidae, Aphaniptera, Anoplura. Petropoli, Typis Imp. Acad. Sci., Fasc. 5, 3+170pp., 3 Pls.
1792. **Kolev, Z.**, 2017, *Rubrapterus bavius* (Eversmann, 1832), a butterfly genus and species new to Bulgaria (Insecta, Lepidoptera, Lycaenidae). ZooNotes 114: 1-4, figs.
1793. **Kollar, V. & L. Redtenbacher**, [1849], Über den Charakter der Insecten-Fauna von Süd-Persien. Denkschr. Akad. Wiss. Wien 1 (1): 42-53.
1794. **Kononenko, V.S. & A.Y. Matov**, 2009, A review of Palaearctic *Metachrostis* Hübner, [1820] with description of three new species (Lepidoptera, Noctuidae, Eublemminae). Zootaxa 2026: 1-17, figs.
1795. **Korb, M.**, 1900, *Epicimelia theresiae* nov. spec. Dt. ent. Z., Iris 12: 300-302, Taf. 7.
1796. **Korb, M.**, 1903, Eine neue *Zygaena*. Dt. ent. Z., Iris 15: 326-327.
1797. **Korb, M.**, 1910-1924, Über die von mir beobachteten palaarktischen Lepidopteren (Vorkommen, Lebensweise etc.). Mitt. münch. ent. Ges. 1 (1910): 2-5; (2): 15-16; (3-4): 17-19; (9-10): 66-70; 2 (1911): 17-22, 55-59, 88-91; 3 (1912): 17-20; 4 (1913): 5-8, 49-54; 6 (1915): 35-42; 7 (1916): 25-30, 91-99; 9 (1919): 57-64; 11 (1921): 4-14; 14 (1924): 18-24.
1798. **Korb, M.**, 1934, Eine neue *Zygaena purpuralis*- Rasse aus dem armenischen Bergland. Dt. ent. Z., Iris 48: 191-194.
1799. **Korb, M.**, 1936, Neues über asiatische *Zygaenen*. Ent. Z., Frankf. a. M. 50: 398-401.
1800. **Korb, S.K. & L.V. Bolshakov**, 2010, Taxonomical notes to the publication: Lastukhin, A.A. 2008. Taxonomic notes of the tribe Euphydryini Higgins, 1978 (Melitaeinae, Nymphalidae,

- Lepidoptera)// [Scientific papers of the "Prisursky" State Nat. Res.] T.19.P.47-63. Eversmannia 21-22: 30-36.
- 1801. Kornoşor, S. & M. Lödl**, 1990, New records of Noctuidae (Lepidoptera) from Turkey. Z. ArbGem. Öst. Ent. 42 (1/2): 58-60, 10 figs.
- 1802. Kornoşor, S. & M. Lödl**, 1990, Two new species of the genera *Orthosia* Ochsenheimer, 1816 and *Simyra* Ochsenheimer, 1816 from Turkey (Noctuidae, Lepidoptera). Z. ArbGem. Öst. Ent. 42 (3/4): 68-72.
- 1803. Kornoşor, S.**, 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste ?? Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): ??-94.
- 1804. Kornoşor, S.**, 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste II. Quadrifinae grubu. Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): 95-102.
- 1805. Kornoşor, S.**, 1989, Three new *Euxoa* Hübner, 1821 (Lepidoptera, Noctuidae) species from Turkey. Türk ent. derg. 13 (4): 205-216.
- 1806. Koster, J.C. & S.Y. Sinev**, 2003, Microlepidoptera of Europe volume 5. Momphidae, Batrachedridae, Stathmopodidae, Agonoxenidae, Cosmopterigidae, Chrysopeleidae. Apollo Books, Stenstrup.
- 1807. Koster, J.C., Özbek, H., Aslan, I. & T. Rutten**, 2004, *Blastodacna libanotica* Diakonoff, 1939 - a pest on Pear in Turkey (Agonoxenidae). Nota lepid. 27 (1): 33-40, figs.
- 1808. Kostjuk, I.J.**, 2009, *Agriopis budashkini* sp.n. - a new species of geometrid moths (Lepidoptera, Geometridae, Ennominae) from Crimea. Proc. zool. Mus. Kiev 5: 61-64, figs.
- 1809. Kostrowicki, A.S.**, 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). Acta zool. cracov. 6: 367-472, pls.
- 1810. Kostrowicki, A.S.**, 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warschau.
- 1811. Kotzsch, H.**, 1932, Neue Varietät von *Pachypasa otus*. Int. ent. Z. 25 (43): 440.
- 1812. Kotzsch, H.**, 1934, Neues über *Colias chlorocoma*. Ent. Rdsch. 51 (29): 228.
- 1813. Kotzsch, H.**, 1935, *Colias* Studien meiner Armenien Reise 1934. Ent. Z., Frankf. a. M. 49: 97-101.
- 1814. Kotzsch, H.**, 1936, Ein Sommer unter den Kurden. Ent. Rdsch. 53: 313-317, 352-359, 372-376, 393-396, 414-418, 9 Abb.
- 1815. Kotzsch, H.**, 1940, Eine neue Noctuide aus Iran. Eustrotia Hb. (*Erastria* O.) *iranica* sp. nov. Ent. Z., Frankf. a. M. 54: 73-74, figs.
- 1816. Kozhantschikov, I.V.**, 1928, Beitrag zur Kenntnis der Agrotiden. Übersicht der Gattung *Triphaena* Hb. Encycl. ent. (B3) 3: 67-87, 7 figs.
- 1817. Kozhantschikov, I.V.**, 1930, Neue kaukasische und zentralasiatische Agrotiden (Lepidoptera, Noctuidae). Dt. ent. Z., Iris 43: 180-189, 7 figs.
- 1818. Kozhantschikov, I.V.**, 1930, Übersicht der Gattung *Dichagyris* Led. (Lepidoptera, Noctuidae). Russk. ent. Obozr. 24 (1/2): 1-30, 5 pls.
- 1819. Kozhantschikov, I.V.**, 1937, Insectes Lepidopteres Fam. Noctuidae (subfam. Agrotinae), [in] Stackelberg, A.A. [ed.], Faune de l'URSS vol. xiii, no. 3, Inst. Zool. Acad. Sci. URSS, Moscou & Leningrad [in Russian with English Summary].
- 1820. Kozhantschikov, I.V.**, 1956, Lepidoptera Psychidae (*Chekhlonosy-meshechnitsy*), [in] Stackelberg, A.A. [ed.], Faune of the USSR vol. iii, no. 2, Zool. Inst. Acad. Sci. USSR, Moskva-Leningrad, [Israel Program for Scientific Translations, Jerusalem, 1969].
- 1821. Kozlov, M.V. & E.L. Zvereva**, 2006, Aggregation of *Micropterix maschukella* moths on inflorescences of common elder: mating at foraging sites (Lepidoptera Micropterigidae). Ethology Ecology & Evolution 18: 147-158, figs.
- 1822. Kozlov, M.V.**, 1994, Geographical variation in wing pattern of *Micropterix maschukella* Alpheraky, 1876 (Lepidoptera, Micropterigidae). Nota lepid. 17 (1/2): 45-52, figs.
- 1823. Kozlov, M.V.**, 2003, Annotated checklist of the European species of *Nemophora* (Adelidae). Nota lepid. 26 (3/4): 115-126.
- 1824. Kozlov, M.V.**, 2004, Records of the genus *Nemophora* Hoffmannsegg, 1798 from Spain: critical re-examination of the collections of the Museo Nacional de Ciencias Naturales (Madrid) (Lepidoptera, Adelidae). Shilap Revta. lepid. 32 (126): 95-98.
- 1825. Kravchenko, V.D., Fibiger, M., Hausmann, A. & G.C. Müller**, 2007, Noctuidae, [in] Müller et al. (eds.), The Lepidoptera of Israel. 320 pp. Pensoft Publ. Sofia-Moscow.

1826. **Kravchenko, V.D., Müller, G.C., Fibiger, M., Mooser, J. & L. Ronkay**, 2006, A new *Euchalcia* Hübner, [1821] species in Israel (Lepidoptera, Noctuidae). *Shilap Revta lepid.* 34 (136): 345-352, figs.
1827. **Kristal, P.M. & W.A. Nässig**, 1996, Korrektur zur Meldung über das Vorkommen von *Leptidea reali* Reissinger 1989 in Deutschland und einigen anderen Ländern (Lepidoptera, Pieridae). *Nachr. ent. Ver. Apollo (N.F.)* 17(3): 259-261.
1828. **Kristensen, N.P., Scoble, M.J. & O. Karsholt**, 2007, Lepidoptera phylogeny and systematics: the state of inventorying moth and butterfly diversity [in] Zhang, Z.Q. & W.A. Shear (eds), *Linnaeus Tercentenary: Progress in Invertebrate Taxonomy*. *Zootaxa* 1668: 699-747, figs.
1829. **Krodel, E.**, 1904, *Lycaena icarus* Rott., ab. *persica* Bien. *Ent. Z., Stuttgart* 17(21): 80-81.
1830. **Krulikowsky, L.**, 1904, *Sarrothripus revayana* var. *asiatica*. *Rev. russk. Ent.* 4: 91-92.
1831. **Krupitsky, A.V. & K.A. Kolesnichenko**, 2013, A new species of the *Callophrys mystaphia* Miller, 1913 - group from Iran (Lepidoptera, Lycaenidae, Eumaeini). *Zootaxa* 3619 (4): 460-466, figs.
1832. **Krüger, M.**, 2001, A revision of the tribe Macariini (Lepidoptera: Geometridae: Ennominae) of Africa, Madagascar and Arabia. *Bull. nat. Hist. Mus. Lond. (Ent.)* 70 (1): 1-502, 1040 figs., 14 Tab. & App.
1833. **Kudrna, O. & E. Balletto**, 1984, An Annotated Catalogue of the Skippers (Lepidoptera: Hesperidae) named by Roger Verity. *J. Res. Lepid.* 23(1): 35-49.
1834. **Kudrna, O.**, 1974, *Artogeia* Verity, 1947, gen. rev. for *Papilio napi* Linnaeus (Lepidoptera, Pieridae). *Entomologist's Gaz.* 25: 9-12, 7 figs.
1835. **Kudrna, O.**, 1974, On the taxonomy of some asiatic forms of the genus *Brenthis* Hbn. (Lep., Nymphalidae). *Entomologist's Gaz.* 25: 93-96.
1836. **Kudrna, O.**, 1975, A revision of the genus *Gonepteryx* Leach (Lep., Pieridae). *Entomologist's Gaz.* 26: 3-37, 50 figs.
1837. **Kudrna, O.**, 1975, On a hitherto undescribed European species of the genus *Hipparchia* Fabricius (Lep., Satyridae). *Entomologist's Gaz.* 26: 197-207, 15 figs.
1838. **Kudrna, O.**, 1977, A revision of the genus *Hipparchia* Fabricius. *Classey*.
1839. **Kudrna, O.**, 1977, On the nomenclature of some taxa of the genus *Artogeia* Verity (Lep., Pieridae). *Z. ArbGem. Öst. Ent.* 29(1/2): 63-64.
1840. **Kudrna, O.**, 1982, On the nomenclature of *Colias alfacariensis* Berger, 1948 (Lepidoptera, Pieridae). *J. Res. Lepid.* 20: 103-110.
1841. **Kudrna, O.**, 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. *J. Res. Lepid.* 21: 1-106.
1842. **Kudrna, O.**, 1985, Concise bibliography of European butterflies. [in] Kudrna, O., *Butterflies of Europe* 1: 1-448.
1843. **Kudrna, O.**, 1986, Aspects of the conservation of butterflies in Europe. [in] Kudrna, O., *Butterflies of Europe* 8: 1-323.
1844. **Kudrna, O.**, 1989, An annotated checklist of taxa referable to the genus *Arethusana* Lesse, 1951 (Lepidoptera, Satyridae). *Entomologist's Gaz.* 40: 23-30.
1845. **Kuhna, P. & B. Schmitz**, 1997, Eine neue Art der Gattung *Valeria* aus der Süd-Türkei (Lepidoptera, Noctuidae). *Jb. Naturw. Ver. Wuppertal* 5: 94-99.
1846. **Kuhna, P.**, 1977, Über *Allancastris* in Kleinasien (Lepidoptera, Papilionidae). *Atalanta* 8 (2): 99-107, 11 figs.
1847. **Kumata, T. & H. Kuroko**, 1988, Japanese species of the *Acrocercops*-group (Lepidoptera, Gracillariidae), Part I. *Insecta matsumurana (Ser. Ent.) (n.s.)* 38: 1-111, figs.
1848. **Kumata, T.**, 1956, A revision of the Japanese species of the genus *Leucoma* Stephens (Lepidoptera, Lymantriidae). *Insecta Matsumurana (N.S.)* 20 (3/4): 107-113, figs.
1849. **Kun, A.**, 2007, Studies on Palaearctic *Ethmia* Hübner, 1819 (Lepidoptera, Elachistidae). *Annls hist.-nat. Mus. natn. hung.* 99: 101-114, figs. [incomplete references!]
1850. **Kupido, F.J.**, 1825, Neuentdecktes europäisches Nacht-Pfauen-Auge. *Saturnia caecigena* Nro. 4. 11 pp., 1 pl. Brunn.
1851. **Kuznetsov, V.I. & S.V. Baryshnikova**, 2001, Review of the Palaearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily *Ornixolinae* Kuznetsov & Baryshnikova, subfam. n. *Ent. Obozr.* 80 (1): 96-120, figs.
1852. **Kuznetsov, V.I.**, 1962, *Bucculatrix ulmicola* Kuzn. sp. n. *Akad. Wiss. armSSR.* 35: 81-83, figs.

1853. **Kuznetsov, V.I.**, 1978, Tortricidae (Olethreutinae, Cochylidae) - listovertki, [in] Medvedev, G.S. (ed.) *Opredelitel nasekhomykh Evropeiskoy tchasti SSSR* 4: 193-710, figs., Nauka, Leningrad.
1854. **Kuznetsov, V.I.**, 1981, Gracillariidae (Lithocolletidae), [in] Medvedev, G.S. (ed.) *Opredelitel nasekhomykh Evropeiskoy tchasti SSSR* 4, Lepidoptera 2: 149-311, figs., Nauka, Leningrad.
1855. **Kuznetsov, V.I.**, 1986, New Palaearctic species of the leaf roller tribes Eucosmini and Laspeyresiinae (Lepidoptera, Tortricidae). *Vestn. Zool.* 1986 (4): 23-29, 4 figs.
1856. **Kühne, L. & W. Speidel**, 2004, The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae). *Beitr. Ent.* 54 (1): 147-184.
1857. **Kyrki, J.**, 1989, Reasessment of the genus *Rhigognostis* Zeller, with descriptions of two new and notes on further seven Palaearctic species (Lepidoptera, Plutellidae). *Ent. scand.* 19: 437-453, figs.
1858. **Kyrki, J.**, 1990, Tentative reclassification of holarctic Yponomeutoidea (Lepidoptera). *Nota lepid.* 13 (1): 28-42.
1859. **Laicharting, J.N.v.**, 1782, *Papilio celtis*, der Zürgel-Falter [in] Fuessly, Arch. Insectengesch. 1782 (2): 1-3.
1860. **Lajonquiére, Y.de**, 1972, 11. Contribution a l'etude des Lasiocampidae. Espèces et formes asiatiques du Genre *Malacosoma* Hübner (Lep.). *Bull. Soc. ent. Fr.* 77: 297-307, 8 figs., 1 Pl.
1861. **Lajonquiére, Y.de**, 1973, Genres *Dendrolimus* Germar, *Hoenimnema*, n.gen., *Cyclophragma* Turner. 10. Contribution a l'etude des Lasiocampides. *Annls Soc. ent. Fr. (N.S.)* 9(3): 509-592, 69 figs., 3 Pls.
1862. **Lajonquiére, Y.de**, 1975, 14. Contribution a l'etude des Lasiocampides un *Dendrolimus* et un *Eriogaster* nouveaux. *Alexandor* 9: 17-22, 9 figs., 4 Pl.
1863. **Lamas, G.**, 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). *Entomofauna* 26 (6): 57-100.
1864. **Lambert, B. & C.M. Naumann**, 1992, *Zygaena* (*Zygaena*) *nevadensis* Rambur, 1844 - new for Turkey (Zygaenidae, Lepidoptera). In Dutreix, C. et al. (eds): *Recent advances in burnet moth research* (Lep., Zygaenidae). *Proc. of the 4th Symposium on Zygaenidae*, Nantes 11-13 Sept. 1987. pp.184-186.
1865. **Landry, J.-F. & P.D.N. Hebert**, 2013, *Plutella australiana* (Lepidoptera, Plutellidae), an overlooked diamondback moth revealed by DNA barcodes. *Zookeys* 327: 43-63, figs.
1866. **Landry, J.-F., Nazari, V., Dewaard, J.R., Mutanen, M., Lopez-Vaamonde, C., Huemer, P. & P.D.N. Hebert**, 2013, Shared but overlooked: 30 species of Holarctic Microlepidoptera revealed by DNA barcodes and morphology. *Zootaxa* 3749 (1): 1-93, figs.
1867. **Larsen, K.**, 2010, The distribution of *Cydia pyrivora* (Lepidoptera, Tortricidae). *Phegea* 38 (1): 1-4, figs.
1868. **Larsen, K.**, 2010, The genus *Clavigesta* (Lepidoptera, Tortricidae) with description of two new species. *Phegea* 38 (2): 41-54, figs.
1869. **Larsen, T.B. & A.R. Pittaway**, 1982, Notes on the ecology, biology and taxonomy of *Apharitis acamas* (Klug) (Lepidoptera, Lycaenidae). *Entomologist's Gaz.* 33: 163-168, 2 figs.
1870. **Larsen, T.B.**, 1982, *Gegenes pumilio* Hoffmannsegg, 1804; a review with cytological evidence that two species are involved (Hesperiidae). *Nota lepid.* 5 (2/3): 103-110, 1 fig.
1871. **Larsen, T.B.**, 1986, Tropical Butterflies of the Mediterranean. *Nota lepid.* 9(1/2): 63-77.
1872. **Larsen, T.B.**, 1995, *Aricia crassipuncta bassoni* Larsen, 1974 from Lebanon raised to species rank (Lepidoptera, Lycaenidae). *Nota lepid.* 17(3/4): 121-123, 1 fig.
1873. **Lastuvka, A. & Z. Lastuvka**, 2007, Southern European *Phyllonorycter* species mining *Quercus*, with two new species (Lepidoptera, Gracillariidae). *Acta Univ. Agr. Silv. Mend. Brun.* 55 (1): 95-110, figs.
1874. **Lastuvka, Z. & A. Lastuvka**, 1998, Beitrag zur Kenntnis der Nepticulidenfauna Griechenlands (Lepidoptera, Nepticulidae). *Stapfia* 55: 313-326, figs.
1875. **Lastuvka, Z., Malicky, H., Hüttinger, E., Rausch, H. & F. Ressler**, 1990, Sesien-Funde aus Europa und dem Mediterrangebiet (Lepidoptera, Sesiidae). *Z. ArbGem. öst. Ent.* 41(3/4): 105-110.
1876. **Laszlo, G.M., Lödl, M., Gaal-Haszler, S., Galsworthy, A., Ronkay, G., Ronkay, L. & Z. Varga**, 2018, The Vartian Collection Part IV. Geometridae. *Fibigeriana* 4: 166 pp. 87 pls. Heterocera Press.
1877. **Laszlo, G.M., Ronkay, G., Ronkay, L. & T. Witt**, 2007, The Thyatiridae of Eurasia including the Sundaland and New Guinea (Lepidoptera). *Esperiana* 13: 1-683, figs.
1878. **Latreille, P.A.**, 1796, *Précis des Caractères génériques des insectes, disposés dans un ordre naturel* parle Citoyen Latreille. Bourdeaux.

- 1879. Latreille, P.A.**, 1802, Ordre Sixieme. Lépidoptères. Lepidoptera [in] Buffon & Sonnini, Histoire naturelle, générale et particulière des Crustacés et des Insectes 3: 387-418. Paris.
- 1880. Latreille, P.A.**, 1804, Lepidoptera, [in] Nouveau Dictionnaire d'Histoire Naturelle 24: 184-187, 199-200. Paris.
- 1881. Latreille, P.A.**, 1809, Genera Crustaceorum et Insectorum vol. 4, 1-399, pls. 13-16. Amand Koenig, Paris.
- 1882. Latreille, P.A.**, 1810, Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes avec un tableau methodique de leurs genres disposés en familles. 444 pp. Paris.
- 1883. Lattin, G.de**, 1941, Eine neue Parnassius apollo L. Rasse aus Anatolien. Z. Wien. entVer. 26: 145-148.
- 1884. Lattin, G.de**, 1944, Einige bemerkenswerte Lepidopterenfunde aus der Türkei. Z. wien. ent. Ges. 29: 74-78.
- 1885. Lattin, G.de**, 1949, Über die Artfrage in der Hipparchia semele L.-Gruppe. Ent. Z., Frankf. a. M. 59: 113-118, 124-126, 131-132.
- 1886. Lattin, G.de**, 1950, Türkische Lepidopteren -I. Ist. Univ. Fen Fak. Mec. (Ser B) 15 (4): 301-328, Taf. I,II.
- 1887. Lattin, G.de**, 1951, Türkische Lepidopteren -II. Ist. Univ. Fen Fak. Mec. (Ser B) 16 (1): 45-73, Taf.III.
- 1888. Lattin, G.de**, 1951, Über die Arten der Gattung Cynaeda Hb. (Pyrilidae). Z. Lepidopt. 1 (2): 65-84, pl.3 [erratum. ibid. 2 (1): 23].
- 1889. Lattin, G.de**, 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. Decheniana 105/106: 115-164.
- 1890. Lattin, G.de**, 1959, Beiträge zur Kenntnis der Gattung Cynaeda Hb. (Lepid., Pyralidae). Beitr. naturk. Forsch. SwDtl. 18 (1): 106-111.
- 1891. Lattin, G.de**, 1963, Über die Arten der Ethmia pusiella L.- Gruppe (Lepidoptera, Ethmiidae). Beitr. naturk. Forsch. SüdwDtl. 22: 45-64, Tab.2-5.
- 1892. Lattin, G.de**, 1967, Grundriss der Zoogeographie. [In] Borriß, H. & Gersch, M., Hochschullehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena.
- 1893. Leach, W.E.**, [1815], Entomology [In] Brewster, D., Edinburgh Encyclopaedia 9.vol., pt.1. 57-172 pp., Edinburgh.
- 1894. Leach, W.E.**, 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London.
- 1895. Lederer, J.**, 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.- bot. Ver. Wien 3: 165-269, pls.
- 1896. Lederer, J.**, 1853, Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool. bot. Ver. 2 (1852): 14-34, 65-126.
- 1897. Lederer, J.**, 1855, Beitrag zur Schmetterlings-Fauna von Cypern, Beirut und einem Theile Klein-Asiens. Verh. zool.- bot. Ver. Wien 5: 177-254, 5 Taf.
- 1898. Lederer, J.**, 1857, Die körperlichen Auszeichnungen der europäischen Hesperiden. Wien. ent. Monatschr. 1: 75-80.
- 1899. Lederer, J.**, 1857, Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16+252pp., 4 Pls. Wien.
- 1900. Lederer, J.**, 1857, Über die Lycaeniden-Gattungen der europäischen Fauna. Wien. ent. Monatschr. 1: 25-32.
- 1901. Lederer, J.**, 1858, Noch einige syrische Schmetterlinge. Wien. ent. Monatschr. 2 (5): 135-152, 3 Taf.
- 1902. Lederer, J.**, 1859, Classification der europäischen Tortriciden. Wien. ent. Monatschr. 3: 118-126, 141-155, 241-255, 273-288, 328-346, 366-389, 2 Pls.
- 1903. Lederer, J.**, 1861, Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. Wien. ent. Monatschr. 5: 144-155, 2 Taf.
- 1904. Lederer, J.**, 1863, Beitrag zur Kenntniss der Pyralidinen. Wien. ent. Monatschr. 7 (8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18.
- 1905. Lederer, J.**, 1864, Zur Lepidopterenfauna von Imeritien und Grusien. Wien. ent. Monatschr. 8: 165-172, Taf.3.
- 1906. Lederer, J.**, 1865, Excursion Lépidoptérologique en Anatolie. Annls Soc. ent. Belg. 9: 49-81, Pl.3.

- 1907. Lederer, J.**, 1869, Verzeichnis der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 6: 73-93, pls.
- 1908. Lederer, J.**, 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie. Annls. Soc. ent. Belg. 13: 17-54, 2 Taf.
- 1909. Lederer, J.**, 1871, Nachtrag zum Verzeichnisse der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 8: 3-28, 2 Taf.
- 1910. Lee, S. & R.L. Brown**, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). Zootaxa 1818: 1-55, figs.
- 1911. Leestmans, R. & R. Mazel**, 1996, Sur la répartition géographique et l'écologie de *Leptidea morsei* (Fenton, 1882) espece nouvelle pour la faune de Turquie (Lepidoptera, Pieridae). Linneana Belgica 15(7): 293-300, figs.
- 1912. Leestmans, R., Mottet, P., Verhulst, J. & F. Carbonell**, 1986, Contributions a la connaissance de la faune printanière des Lépidoptères du Sud de l'Asie Mineure (Insecta, Lepidoptera). Linn. Belg. 10 (8): 334-381, figs.
- 1913. Lefèbvre, M.A.**, 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl. 5.
- 1914. Legrain, A., Yela, J.L. & M. Fibiger**, 1988, *Evisa schawerdai* Reisser, 1930 espece nouvelle pour la faune de la Peninsule Ibérique (Noctuidae, Cuculliinae). Nota lepid. 11 (4): 265-273, figs.
- 1915. Lehmann, L.**, 1998, Eine neue Subspezies von *Archanara dissoluta* (Treitschke, 1825) aus der Türkei (Lepidoptera, Noctuidae). Esperiana 6: 374-375, fig.
- 1916. Lének, O.**, 1969, Eine Zucht von *Harpyia leucotera* Stichel (bona species). Z. wien. ent. Ges. 54: 48-50.
- 1917. Leneveu, J., Chichvarkhin, A. & N. Wahlberg**, 2009, Varying rates of diversification in the genus *Melitaea* (Lepidoptera, Nymphalidae) during the past 20 million years. Biol. J. Linn. Soc. 97: 346-361, 3 figs.
- 1918. Lepiforum, e.V.**, 2013, Bestimmung von Schmetterlingen (Lepidoptera) und ihren Präimaginalstadien. <http://www.lepiforum.de> [access 1 March, 2014].
- 1919. Leraut, P.** 2005, Etude de quelques genres et especes de Pyrales (Lepidoptera, Pyraloidea). Revue fr. Ent. (n.s.) 27 (1): 21-44, figs.
- 1920. Leraut, P.**, 1980, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse. 334pp. Paris.
- 1921. Leraut, P.**, 1984, Contribution a l'etude des Scopariinae 4. Revision des types decrits de la region palearctique occidentale, description de dix nouveaux taxa et ebauche d'une liste des especes de cette region (Lep., Crambidae). Alexanor 13 (4): 157-192, 37 figs.
- 1922. Leraut, P.**, 1997, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris.
- 1923. Leraut, P.**, 2003, Nouvelle contributions l'étude des Pyrales paléarctiques (Lepidoptera, Pyraloidea). Revue fr. Ent. (n.s.) 25 (2): 67-79, figs.
- 1924. Leraut, P.**, 2006, Contribution a l'étude du genre *Hypsopygia* Hübner (Lepidoptera, Pyralidae). Revue fr. Ent. (n.s.) 28 (1): 5-30, figs.
- 1925. Leraut, P.**, 2012, Moths of Europe. Volume 3 Zygaenids, Pyralids 1. 599pp. 201 text-figs., 112 pls. N.A.P. ed., Verrières-le-Buisson.
- 1926. Leraut, P.**, 2014, Moths of Europe. Volume 4 Pyralids 2. 441pp. 190 text-figs., 69 pls. N.A.P. ed., Verrières-le-Buisson.
- 1927. Lesse, H.de**, 1951, Divisions génériques et subgénériques des anciens genres *Satyrus* et *Eumenis* (sensu lato). Revue fr. lepid. 13 (3/4): 39-43.
- 1928. Lesse, H.de**, 1952, Note sur le genre *Kanetisa* (Satyridae) Revue fr. Lépidopt. 13 (15/17): 257-259, Taf. 13.
- 1929. Lesse, H.de**, 1952, Revision de l'ancien genre *Satyrus* (s.l.). Annls Soc. ent. Fr. 120 (1951): 77-101, 28 figs.
- 1930. Lesse, H.de**, 1952, Revision des anciens genres *Pararge* (s.l.) et *Maniola* (= *Epinephele* auct.). Annls Soc. ent. Fr. 121 (1952): 61-76, 24 figs.
- 1931. Lesse, H.de**, 1957, Description deux nouvelles especes d'*Agrodiaetus* (Lep., Lycaenidae) séparées a la suite découverte de leurs formules chromosomiques. Lambilliona 57 (6): 65-71.
- 1932. Lesse, H.de**, 1959, Caractères externes et formule chromosomique d'*Agrodiaetus baytopi* n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1959: 44-48, 6 figs.

- 1933. Lesse, H. de**, 1959, Description d'une nouvelle sous-espèce d'*Agrodiaetus hopfferi* H.S. (Lep., Lycaenidae) et de sa formule chromosomique particuliere. Bull. mens. Soc. linn. Lyon 28 (5): 149-151.
- 1934. Lesse, H. de**, 1959, Note sur deux especes d'*Agrodiaetus* (Lep., Lycaenidae) récemment séparées d'après leurs formules chromosomiques. Bull. Soc. ent. Mulhouse 1959 (1/2): 5-10, 9 figs.
- 1935. Lesse, H. de**, 1959, Nouvelle étude chorologique et cytologique conduisant a changer l'application du nom d'*Agrodiaetus iphigenia* H.S. (Lep., Lycaenidae). Lambillionea 59 (7/8): 56-61.
- 1936. Lesse, H. de**, 1959, Sur la valeur spécifique de deux sous-especes d'*Agrodiaetus* (Lep., Lycaenidae) récemment décrites. Bull. mens. Soc. linn. Lyon 28 (10): 312-315, 5 figs., 1 tab.
- 1937. Lesse, H. de**, 1960, *Agrodiaetus iphigenia* H.S. et son espece jumelle *Agrodiaetus tankeri* n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1960: 75-78.
- 1938. Lesse, H. de**, 1960, Les nombres de chromosomes dans la classification du groupe d'*Agrodiaetus ripartii* Freyer (Lepidoptera, Lycaenidae). Revue fr. Ent. 27 (3): 240-264, 10 figs. 6 tab. Taf.1-2.
- 1939. Lesse, H. de**, 1960, Spéciation et variation chromosomique chez le Lépidoptères Rhopalocères. Annls. Sci. nat. (2.ser) Zool. 2: 1-223, 222 figs.
- 1940. Lesse, H. de**, 1961, Les nombres de chromosomes chez *Agrodiaetus dolus* Hübner et les especes voisines (Lycaenidae). Alexanor 2 (2): 57-63; 2 (3): 72; Tab. 3, figs.1-6.
- 1941. Lesse, H. de**, 1961, Variations géographiques des caractères externes chez les espèces autrefois réunies sous le nom d'*Agrodiaetus ripartii* Freyer (Lep., Lycaenidae). Revue fr. Ent. 28 (2): 93-100.
- 1942. Lesse, H. de**, 1962, Variation chromosomique chez *Agrodiaetus actis* H.S. et *A. altivagans* Forst. (Lep., Lycaenidae). Revue fr. Ent. 29 (1): 66-76, 6 figs.
- 1943. Lesse, H. de**, 1963, Variation chromosomique chez *Agrodiaetus carmon* H.S. et *A. cyanea* Stgr. (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 177-181, 2 figs. 2 tab.
- 1944. Lesse, H. de**, 1963, Variation chromosomique chez les *Agrodiaetus* (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 182-189, 4 figs.
- 1945. Lesse, H. de**, 1969, Les nombres de chromosomes dans le groupe de *Lysandra coridon* (Lep., Lycaenidae). Annls Soc. ent. Fr. (n.s.) 5 (2): 469-522, 18 figs., 6 tab.
- 1946. Lesse, H. de**, 1970, Les nombres de chromosomes dans le groupe de *Lysandra argester* et leur incidence sur sa taxonomie (Lep., Lycaenidae). Bull. Soc. ent. Fr. 75: 64-68, 2 figs.
- 1947. Lewandowski, S. & H. Fischer**, 2005, Revision der Artengruppen von *Lasiocampa trifolii* und *L. serrula* der Gattung *Lasiocampa* von Paula Schrank, 1802 (Lepidoptera, Lasiocampidae). Nachr. ent. Ver. Apollo (N.F.) 26 (4): 183-196, figs.
- 1948. Lewvanich, A.**, 1981, A revision of the Old World species of *Scirpophaga* (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 42: 185-298, 188 figs.
- 1949. Li, H. & K. Sattler**, 2012, A taxonomic revision of the genus *Mesophleps* Hübner, 1825 (Lepidoptera, Gelechiidae). Zootaxa 3373: 1-82, figs.
- 1950. Li, H. & O. V. Bldzilya**, 2017, Review of the genus *Gnorimoschema* Busck, 1900 (Lepidoptera, Gelechiidae) in China. Zootaxa 4365 (2): 173-195, figs.
- 1951. Lienig, F. & P. C. Zeller**, 1846, Anmerkungen, [in] Lienig, F., Lepidopterologische Fauna von Livland und Kurland. Isis 1846 (3): 175-302.
- 1952. Lindler, E.**, 1934, Anatolienfahrt. Ent. Rdsch. 51: 221-225, 231-237.
- 1953. Linnaeus, C.**, 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae.
- 1954. Linnaeus, C.**, 1761, Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae.
- 1955. Linnaeus, C.**, 1764, Museum S.R.M. Ludovicae Ulrica Reginae etc. in quo animalia rariora, exotica, inprimis insecta et conchilia describuntur et determinantur, prodromi instar editum. 720pp., Holmiae.
- 1956. Linnaeus, C.**, 1767, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae.
- 1957. Lorkovic, Z.**, 1927, Leptidea sinapis ab. major Grund zasebna vrsta Rhopalocera iz Hroatske. Acta Soc. ent. jugosl. 2(1): 11-16.
- 1958. Lorkovic, Z.**, 1972, Karyological identification of the Caucasian species of the *Erebia tyndarus* Group (Lepidopt., Satyridae). Acta ent. Jugosl. 8 (1/2): 111-121, 19 figs.

- 1959. Lovtrup, S.**, 1975, On the Phylogenetic Classification. Acta zool. cracov. 20 (14): 499-524, 2 text-figs.
- 1960. Löbel, H. & T. Drechsel**, 1996, Zur Lebensweise der Raupe von *Euchalcia emichi* (Rogenhofer, 1873) in Zentralanatolien (Türkei) (Lepidoptera, Noctuidae, Plusiinae). Nota lepid. 18 (2): 179-180.
- 1961. Lödl, M. & B. Mayerl**, 1998, Revision der Gattung *Zekelita* Walker, 1863 (= *Rhynchodontodes* Warren, 1913) (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 1: 115-230, figs.
- 1962. Lödl, M. & E. Arenberger**, 1994, Bemerkungen zum Artbegriff anhand einiger Pterophoriden-Arten (Lepidoptera). Z. ArbGem. Öst. Ent. 46 (3/4): 103-110.
- 1963. Lödl, M. & R. Imb**, 1988, Die Noctuiden-Sammlung von Dipl. Ing. Rudolf Pinker im Naturhistorischen Museum Wien. Z. ArbGem. öst. Ent. 40(1/2): 53-59.
- 1964. Lödl, M.**, 1987, *Noctua warreni* sp.n., a new sibling species of *Noctua comes* Hbn., 1813 from Cyprus (Lepidoptera, Noctuidae). Nota lepid. 10(2): 163-174, 12 figs.
- 1965. Lödl, M.**, 1993, Die Flügelzeichnung der Gattungsgruppe *Hypena* Schrank, 1802 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 103 (4): 453-459.
- 1966. Lödl, M.**, 1993, Notes on the synonymy of the genera *Hypena* Schrank, 1802, *Dichromia* Guenée, 1854 and *Harita* Moore, 1882 (Lepidoptera, Noctuidae). Z. ArbGem. Öst. Ent. 45 (1/2): 11-14.
- 1967. Lödl, M.**, 1994, Remarks on the classification of the genera *Hypena* Schrank, 1802, *Dichromia* Guenée, 1854, und *Harita* Moore, 1882 (Lepidoptera, Noctuidae). Nota lepid. 16(3/4): 241-250, figs.
- 1968. Lödl, M.**, 1994, Revision der Gattung *Hypena* Schrank, 1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 96B: 373-590, 400 Abb.
- 1969. Lödl, M.**, 1995, Revision der Gattung *Hypena* Schrank, 1802 s.l., der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 97B: 255-393, 533 Abb.
- 1970. Lödl, M.**, 1996, A note on the Vartian collection at the Museum of Natural History in Vienna - a milestone on Lepidoptera of the Near and Middle East (Insecta). J. Nat. Hist. 30 (9): 1421-1422.
- 1971. Lödl, M., Kerbaci, R. & S. Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta, Lepidoptera). Ent. NachrBl. 3 (2/3) (N.F.): 1-5, 3 Abb.
- 1972. Lukhtanov, V.A. & A.V. Dantchenko**, 2003, Two new chromosome races of *Agrodiaetus altivagans-wagneri* complex (Lepidoptera, Lycaenidae) Atalanta 34 (3/4): 421-428, pl. xxviii.
- 1973. Lukhtanov, V.A.**, 1989, Karyotypes of some blue butterflies of the *Agrodiaetus* species groups (Lepidoptera, Lycaenidae). Ann. ent. fenn. 55: 137-144, 6 figs.
- 1974. Lukhtanov, V.A.**, 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. Ent. Obozr. 70(3): 619-636, 3 figs.
- 1975. Lukhtanov, V.A., Kandul, N.P., Prins, W.O. de & D.v.d. Poorten**, 1998, Karyology of species of *Polyommatus* (*Agrodiaetus*) from Turkey: new data and their taxonomic consequences (Lepidoptera, Lycaenidae). Holarct. Lepid. 5 (1): 1-8, 15 figs.
- 1976. Lukhtanov, V.A., Wiemers, M. & K. Meusemann**, 2003, Description of a new species of the "brown" *Agrodiaetus* complex from south-east Turkey (Lycaenidae). Nota lepid. 26 (1/2): 65-71, figs.
- 1977. Lvovsky, A.L.**, [1994], A revision of broad-winged moths of the subfamily Pleurotinae (Lepidoptera, Oecophoridae) from Russia and neighboring countries. Trudy Zool. Inst. Ross. Akad. Nauk 248 (1992): 39-75, figs.
- 1978. Lvovsky, A.L.**, 1981, Oecophoridae, [in] Medvedev, G.S. (ed.) Opredelitel nasekhomykh Evropeiskoy tchasti SSSR 4, Lepidoptera 2: 560-638, figs., Nauka, Leningrad.
- 1979. Lvovsky, A.L.**, 1992, New species and subspecies of Oecophorid moths of the genus *Pleurota* Hübner, 1825 (Lepidoptera, Oecophoridae). Ent. Obozr. 71 (3): 630-639, figs. [engl. transl. Ent. rev. 72 (6): 67-76, 14 figs., 1993]
- 1980. Lvovsky, A.L.**, 1995, New and little known genera and species of the broad-winged moths (Lepidoptera, Oecophoridae, Depressariidae) of the Palearctic fauna. Ent. Obozr. 74 (1): 138-152, figs. [engl. text: Ent. Rev. 75 (3): 41-55, 25 figs., 1996].
- 1981. Lvovsky, A.L.**, 1996, Composition of the genus *Odites* Wlsm. and status of the genus in the taxonomic system of Gelechioidea s.l. (Lepidoptera). Ent. Obozr. 75 (3): 650-659, figs. [engl. text: Ent. Rev. 76(4): 529-536, 21 figs., 1996].

- 1982. Lvovsky, A.L.**, 1996, New and little known species of *Depressaria* Haworth, 1811 (Lepidoptera, Oecophoridae). *Atalanta* 27 (1/2): 421-425, 11 figs.
- 1983. Lvovsky, A.L.**, 1997, Two new subspecies of *Anchinia laureolella* Herrich-Schäffer, 1854 from South-Western Asia (Lepidoptera, Amphisbatidae). *Atalanta* 28 (1/2): 173-176, 4 figs.
- 1984. Lvovsky, A.L.**, 2001, A review of Flat Moths of the genus *Depressaria* Haworth, 1811 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries I. *Ent. Obozr.* 80 (3): 680-705, figs.
- 1985. Lvovsky, A.L.**, 2002, Examination of *Crossotocera wagnerella* Zerny, 1930, with the description of a new tribe (Lepidoptera, Oecophoridae). *Atalanta* 33 (1/2): 209-212, figs.
- 1986. Lvovsky, A.L.**, 2003, Check-list of the Broad-winged Moths (Oecophoridae s.l.) of Russia and adjacent countries. *Nota lepid.* 25 (4) (2002): 213-220.
- 1987. Lvovsky, A.L.**, 2006, Check-list of the broad-winged and flat moths (Lepidoptera, Oecophoridae, Chimabachidae, Amphisbatidae, Depressariidae) of the fauna of Russia and adjacent countries. *Trudy Zool. Inst. Ross. Akad. Nauk.* 307: 1-118.
- 1988. Lvovsky, A.L.**, 2009, A new species of the genus *Depressaria* Haworth, 1811 (Lepidoptera, Depressariidae) from Kazakhstan and Tajikistan. *Zoosyst. ross.* 18 (1): 70-72, 3 figs.
- 1989. Lvovsky, A.L.**, 2013, A review of flat moths of the genus *Exaeretia* Stainton, 1849 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries. *Ent. Obozr.* 92 (4): 780-801, figs. [*Ent. rev.* 94 (2) (2014): 254-271]
- 1990. Lvovsky, A.L., Sinev, Y.S., Kravchenko, V.D. & G.C. Müller**, 2016, A contribution to the Israeli fauna of Microlepidoptera: Oecophoridae, Autostichidae, Depressariidae, Cryptolechiidae and Lecithoceridae with ecological and zoogeographical remarks (Lepidoptera, Gelechioidea). *Shilap Revta lepid.* 44 (173): 97-113, figs.
- 1991. Mabille, M.P.**, 1876, Sur la classification des Hespériens avec la description de plusieurs espèces nouvelles. *Annls Soc. ent. Fr.* (5)6: 251-274.
- 1992. Mabille, M.P.**, 1909, Hesperidae, [in] Seitz, A., *Die Gross-Schmetterlinge der Erde*, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart.
- 1993. Mabille, P.**, 1904, Lepidoptera. [in] Wytsman, P., *Genera Insectorum Fasc.* 17. Hesperidae. Bruxelles.
- 1994. Maes, K.**, 1984, Some remarks on the genus *Euproctis* Hübner, [1819] 1816 (Lepidoptera, Lymantriidae). *Nota lepid.* 7: 55-58, figs.
- 1995. Maes, K.**, 1985, A comparative study of the abdominal tympanal organs in Pyralidae (Lepidoptera) I. Description, terminology, preparation technique. *Nota lepid.* 8 (4): 341-350, figs.
- 1996. Maes, K.**, 1986, Pyralidae from Turkey. *Nota lepid.* 9 (1/2): 78-80.
- 1997. Maes, K.V.N.**, 1998, On the morphology of the gnathos in the Pyraloidea (Lepidoptera). *Ent. scand.* 28: 381-390, figs.
- 1998. Maes, K.V.N.**, 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). *Nota lepid.* 24 (4) (2001): 51-58, 2 Pls.
- 1999. Mairiaux, J. & J. Hutsebaut**, 1997, The identification of *Apatura metis* and *Apatura ilia* and their distribution in Greece and Turkey (Lepidoptera, Nymphalidae). *Phegea* 25 (2): 65-79, figs., Pls.
- 2000. Mann, J.**, 1861, Zur Lepidopterenfauna von Asien. *Wien. ent. Monatschr.* 5: 155-162, 183-193.
- 2001. Mann, J.**, 1862, Verzeichniss der im Jahre 1851 bei Brussa in Kleinasien gesammelten Schmetterlinge. *Wien. ent. Monatschr.* 6: 356-371, 373-409, Taf. 3.
- 2002. Mann, J.**, 1864, Nachtrag zur Schmetterlings-Fauna von Brussa. *Wien. ent. Monatschr.* 8: 173-190, Taf. 4-5.
- 2003. Marion, H.**, 1952, Ebauche d'une classification nouvelle des Pyraustidae. *Revue fr. Lépidopt.* 13: 260-270, 5 figs.
- 2004. Marion, H.**, 1953-1958, Révision des Pyraustidae de France. *Revue fr. Lépidopt.* 14 (1953-54): 123-128, 221-227; 15 (1955-56): 41-58, 181-188; 16 (1957-58): 60-63, pl.
- 2005. Marion, H.**, 1957, Classification et nomenclature des Pyraustidae d'Europe. *Entomologiste* 13: 75-87.
- 2006. Marion, H.**, 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. *Entomologiste* 13: 129-130.
- 2007. Marion, H.**, 1959-1976, Révision des Pyraustidae de France. *Alexandria* 1 (1959/60): 15-22, 103-110, 175-182; 2 (1961/62): 11-18, 83-90, 173-180, 224-226, 297-304; 4 (1965/66): 329-372; 8 (1973/74): 71-78, 129-136, 177-184; 9 (1975/76): 209-219, 338-344, Pls. 2-8. Paris.

- 2008. Marion, H.**, 1977, *Staudingeria morbosella* Stgr., 1879 (= *Euzophera lafauryella* Rag., 1880) Synonyme nouvelle (Phycitidae). *Alexanor* 10 (2): 65-68, 5 figs.
- 2009. Marten, W.**, 1937, Zur Kenntnis der Axiidae. *Ent. Rdsch.* 55: 15-17, 21-23, 45-48, 61-66, 25 Abb.
- 2010. Martin, M.O.**, 1986, New genera of Pyraustidae (Lepidoptera) of the West Palaearctics. *Vestn. zool.* 30 (3): 70-72, figs.
- 2011. Mathew, G.F.**, 1881, List of Lepidoptera observed in the neighbourhood of Gallipoli, Turkey in 1878. *Entomologist's mon. Mag.* 17: 10-13.
- 2012. Matosevic, D.**, 2013, Box Tree Moth (*Cydalima perspectalis*, Lepidoptera, Crambidae), new invasive insect pest in Croatia. *South-East Eur. For.* 4 (2): 1-6, figs.
- 2013. Matthews, M.**, 1991, Classification of the Heliothinae. *Nat. Res. Inst. Bull.* 44: 198 pp.
- 2014. Mattoni, R.H.T.**, 1981, The Scolitantidini II. The World's smallest butterfly? Notes on *Turanana*, and a new genus and species from Afghanistan (Lycaenidae). *J. Res. Lepid.* 18 (4): 256-264, figs.
- 2015. Mayer, J.**, 1851, *Pont[ia] Mannii* n.sp. *Stettin ent. Ztg.* 12: 151.
- 2016. Mayerl, B. & M. Lödl**, 1999, Revision der Gattung *Rhynchina* Guenée, 1854 (Lepidoptera, Noctuidae, Hypeninae). *Quadrifina* 2: 1-124, figs.
- 2017. Mazel, R. & R. Leestmans**, 1999, Seconde contribution a l'etude des relations entre *Leptidea sinapis* Linné et *L. reali* Reissinger en France, Belgique et quelques autres contrées européennes (Lepidoptera, Pieridae). *Linneana Belg.* 17 (4): 155-168, map.
- 2018. Mazel, R. & R. Leestmans**, 1999, Séparataion biométriques des *Leptidea sinapis* L., *morsei* Fenton et *reali* Reissinger. *Linneana Belgica* 17(1): 46-52, figs.
- 2019. McDunnough, J.**, 1935, New canadian eucosmids with notes (Lepidoptera). *Can. Ent.* 67: 140-149, pl. 6.
- 2020. Mehrnejad, M.R. & W. Speidel**, 2011, The Pistachio Fruit Hull Borer Moth *Arimania komaroffi* Ragonot, 1888 (Lepidoptera, Pyralidae). *Entomofauna* 32 (2): 17-28, figs.
- 2021. Meigen, J.W.**, 1829-1832, Systematische Bearbeitung der europäischen Schmetterlinge.
- 2022. Mentzer, E.v.**, 1981, The group *Aplocera lythoxylata* (Hübner) with *A. dervendaria* n.sp. and *A. palumbata* n.sp. (Lepidoptera, Geometridae). *Ent. scand.* 12: 49-56, figs.
- 2023. Mentzer, E.v., Moberg, A. & M. Fibiger**, 1991, *Noctua janthina* ([Denis & Schiffermüller]) sensu auctorum a complex of three species (Lepidoptera, Noctuidae). *Nota lepid.* 14 (1): 25-40; (3): 288, figs.
- 2024. Mey, W. & W. Speidel**, 2008, Global diversity of butterflies (Lepidoptera) in freshwater. *Hydrobiologia* 595: 521-528, figs.
- 2025. Mey, W.**, 1994, Taxonomische Bearbeitung der westpaläarktischen Arten der Gattung *Leucoptera* Hübner, [1825], s.l. (Lepidoptera, Lyonetidae). *Dt. ent. Z. (N.F.)* 41: 173-234, 125 Abb.
- 2026. Mey, W.**, 2013, *Phrealcia steueri* n.sp. und *P. friesei* n.sp. - zwei neue Arten einer disjunkt verbreiteten Gattung (Lepidoptera, Ypsolophidae). *Ent. Nachr. Ber.* 56: 53-57, figs.
- 2027. Meyrick, E.**, 1886, On the classification the the Pterophoridae. *Trans. ent. Soc. London* 1886: 1-21.
- 2028. Meyrick, E.**, 1890, On the classification of the Pyralidina of the European fauna. *Trans. ent. Soc. London* 1890 (3): 429-492, Pl. xv
- 2029. Meyrick, E.**, 1892, Classification by structure of imago. *Entomologist's Rec. J. Var.* 3: 104-106.
- 2030. Meyrick, E.**, 1892, On the classification of the Geometrina of the European fauna. *Trans. ent. Soc. London* 1892: 53-140, Tab. iii.
- 2031. Meyrick, E.**, 1908, Notes and descriptions of Pterophoridae and Orneodidae. *Trans. ent. Soc. London* 1907 (4): 471-511.
- 2032. Meyrick, E.**, 1912, Adelidae, Micropterygidae, Gracilariidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 6*. 68pp. Dr. W. Junk Berlin.
- 2033. Meyrick, E.**, 1912-1916, Exotic Microlepidoptera, vol. 1. 640pp.
- 2034. Meyrick, E.**, 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 13*. 53pp. Dr. W. Junk Berlin.
- 2035. Meyrick, E.**, 1916-1923, Exotic Microlepidoptera, vol. 2. 640pp.
- 2036. Meyrick, E.**, 1923-1930, Exotic Microlepidoptera, vol. 3. 640 pp.
- 2037. Meyrick, E.**, 1925, Lepidoptera Heterocera Fam. Gelechiidae, [in] Wytsman, P., *Genera Insectorum* 184: 1-290, 5 pls.
- 2038. Meyrick, E.**, 1930-1936, Exotic Microlepidoptera, vol. 4. 642pp.
- 2039. Michener, C.D.**, 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. *Bull. Am. Mus. Nat. Hist.* 98: 335-502, 5 Pls.

- 2040. Mikkola, K. & M.R. Honey**, 1993, The Noctuoidea (Lepidoptera) described by Linnaeus. Zool. J. Linn. Soc. 108: 103-169, 23 figs.
- 2041. Mikkola, K.**, 1981, Notes on some Geometrid and Noctuid species described by J. F. Fabricius (Lepidoptera). Ent. scand. 12 (4): 433-436.
- 2042. Mikkola, K.**, 1985, The Geometroidea and Noctuoidea described by Carl Clerck (Lepidoptera). Ent. scand. 16: 121-129.
- 2043. Mikkola, K.**, 1998, Revision of the genus *Xylomoia* Staudinger (Lepidoptera, Noctuidae) with descriptions of two new species Syst. Ent. 23 (2): 173-186, 2 Tab., 28 figs.
- 2044. Mikkola, K., Lafontaine, J.D. & P. Grotenfelt**, 1987, A revision of the Holarctic *Chersotis andereggii* complex (Lepidoptera, Noctuidae). Nota lepid. 10 (3): 140-157, 6 figs.
- 2045. Miller, E.**, 1913, Neue Rhopalocera aus Transkaukasien. Dt. ent. Z., Iris 26 [31.12.1912] (4): 220-223.
- 2046. Miller, E.**, 1923, Lépidoptères, rapports des environs de Kagysman dans le district de Cars. Bull. Soc. ent. Moscou 2 (2): 81-118.
- 2047. Miller, J.S.**, 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). Bull. Am. Mus. Nat. Hist. 186 (4): 365-512.
- 2048. Millière, M.P.**, 1859-1864, Iconographie et description de Chénilles et Lépidoptères inédits. Tome I. Lyon.
- 2049. Millière, M.P.**, 1864-1868, Iconographie et description de Chénilles et Lépidoptères inédits. Tome II. Lyon.
- 2050. Millière, M.P.**, 1869-1874, Iconographie et description de Chénilles et Lépidoptères inédits. Tome III. Lyon.
- 2051. Minet, J. & A. Surlykke**, 2003, Auditory and sound producing organs. [in] Kristensen, N.P. (Ed.). Lepidoptera, moths and butterflies, vol.2: Morphology, physiology and development: 289-323. Walter de Gruyter, Berlin & New York.
- 2052. Minet, J.**, 1986, Ebauche d'une classification moderne de l'ordre des Lépidoptères. Alexanor 14: 291-313.
- 2053. Minet, J.**, 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). Alexanor 16 (4) (1989): 239-255, figs.
- 2054. Minet, J.**, 1991, Tentative reconstruction of the ditrysiian phylogeny (Lepidoptera: Glossata). Ent. scand. 22: 69-95.
- 2055. Mironov, V. & U. Ratzel**, 2012, *Eupithecia* Curtis, 1825 of Afghanistan (Geometridae, Larentiinae). Nota lepid. 34 (2): 197-231, 25 figs.
- 2056. Mironov, V. & U. Ratzel**, 2012, New species of *Eupithecia* Curtis (Geometridae, Larentiinae) from Syria. Nota lepid. 35 (1): 19-26, figs.
- 2057. Mironov, V.**, 1991, *Eupithecia pinkeri* spec. nov. (Lepidoptera, Geometridae) from Anatolia and Transcaucasia. Beitr. Ent. 41 (2): 371-373, 9 figs.
- 2058. Mironov, V.**, 2013, New species and checklist of Turkish *Eupithecia* Curtis (Geometridae, Larentiinae). Zootaxa 3717 (1): 39-52, figs.
- 2059. Mironov, V.G. & T.A. Trofimova**, 2007, New species of *Eupithecia* Curtis, 1825 (Lepidoptera, Geometridae) for the fauna of southern Urals. Eversmannia 10: 39-41, figs.
- 2060. Mironov, V.G.**, 2003, The Geometrid Moths of Europe Vol. 4 Larentiinae II. 462 pp., figs. Pls. Apollo Books.
- 2061. Mitter, C. & E. Silverfine**, 1987, On the systematic position of *Catocala* Schrank (Noctuidae). Syst. Ent. 13: 67-84, figs.
- 2062. Mosher, E.**, 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs.
- 2063. Moucha, J.**, 1953, La distribution géographique de la *Leptidea morsei* Fent. en Europe (Lep., Pieridae). Bull. Soc. ent. Mulhouse 1953: 1-5.
- 2064. Moucha, J.**, 1967, Geographische Verbreitung und Variabilität von *Pandoriana pandora* (Denis & Schiffermüller, 1775). Acta ent. Mus. natn. Pragae 37: 239-249.
- 2065. Möschler, H.B.**, 1862, Neue südrussische Schmetterlinge. Wien. ent. Monatschr. 6: 139-143, Taf. 1.
- 2066. Muche, W.H.**, 1960, Eindrücke einer Sammelreise nach der Türkei. Ent. Z., Frankf. a. M. 70: 176-180, 181-188, 199-201, 207-210, 7 Abb.
- 2067. Munroe, E.**, 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51.

- 2068. Munroe, E.**, 1970, Types of Nymphulinae, Scopariinae, Cybalomiinae, Odontiinae, Evergestinae, and Pyraustinae (Lepidoptera, Pyralidae) in the Zoological Institute, Academy of Sciences of the USSR, Leningrad, with selections of lectotypes. *Can. ent.* 102: 1025-1035.
- 2069. Murzin, V.S.**, 2003, The tiger moths of the former Soviet Union (Insecta, Lepidoptera, Arctiidae). 254pp. Pensoft Publ. Sofia-Moscow.
- 2070. Muschamp, P.H.**, 1915, The Ci-devant genus *Epinephele*. *Entomologist's Rec. J. Var.* 27: 152-156.
- 2071. Mutuura, A. & E. Munroe**, 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus *Ostrinia* (Lepidoptera, Pyralidae). *Mem. ent. Soc. Can.* 71: 1-112, 661 figs.
- 2072. Mutuura, A.**, 1972, Morphology of the female genitalia in Lepidoptera, and its taxonomic significance. *Can. ent.* 104 (7): 1055-1071, 24 figs.
- 2073. Müller, B.**, 1986, *Gnophos* (*Lysognophos*) *zejae* Wehrli, 1953 - eine gute Art (Lep., Geometridae). *Neue ent. Nachr.* 19 (1/2): 3-10, figs.
- 2074. Müller, G.C., Kravchenko, V.D., Witt, T.J., Junnila, A., Mooser, J., Saldaitis, A., Reshöft, K., Ivinskis, P., Zahiri, R. & W. Speidel**, 2008, New underwing taxa of the section of *Catocala lesbia* Christoph, 1887 (Lepidoptera, Noctuidae). *Acta zool. Lituanica* 18 (1): 30-49, figs.
- 2075. Müller, G.C., Laszlo, G.M., Ronkay, G., Ronkay, L., Speidel, W., Kravchenko, V.D., Mooser, J. & T.J. Witt**, 2006, The Drepanoidea of Israel: Distribution, phenology and ecology (Lepidoptera, Thyatiridae and Drepanidae), with description of a new species. *Entomofauna* 27 (4): 57-76, figs.
- 2076. Nässig, W.A.**, 1980, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) I. Brahmaeidae. *Nachr. ent. Ver. Apollo (N.F.)* 1 (3/4): 77-91, figs.
- 2077. Nässig, W.A.**, 1981, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) 2. Saturniidae. *Nachr. ent. Ver. Apollo (N.F.)* 2 (1): 1-39, figs.
- 2078. Nässig, W.A.**, 1994, Vorschlag für ein neues Konzept der Gattung *Saturnia* Schrank, 1802 (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo (N.F.)* 15(3): 253-266.
- 2079. Nässig, W.A.**, 2002, Anmerkungen über *Saturnia* (*Perisomena*) *caecigena* mit Beschreibung einer neuen Untereinart von *Zybern* (Lepidoptera, Saturniidae, Saturniinae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (1/2): 43-48, figs.
- 2080. Naufock, A.**, 1929, *Procris anatolica* sp.n. *Mitt. münch. ent. Ges.* 19: 94-96, 2 figs.
- 2081. Naufock, A.**, 1935, *Procris pfeifferi* sp.n. *Mitt. münch. ent. Ges.* 25 (1): 7-8.
- 2082. Naumann, C.M. & S. Naumann**, 1985, Zur morphologischen Differenzierung asiatischer Populationen des *Zygaena purpuralis* -Komplexes (Lepidoptera, Zygaenidae). *Entomofauna* 6 (20): 265-358, 286 figs.
- 2083. Naumann, C.M. & S. Naumann**, 1985, Zur morphologischen Differenzierung asiatischer Populationen des *Zygaena purpuralis* Komplexes (Lep., Zygaenidae). *Entomofauna* 6: 265-358, figs.
- 2084. Naumann, C.M. & W.G. Tremewan**, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung *Zygaena* Fabricius, 1775 (Insecta, Lepidoptera, Zygaenidae). *Spixiana* 7 (2): 161-193, 24 figs.
- 2085. Naumann, C.M.**, 1966, *Zygaena* (Subg. *Zygaena* F.) *problematica* nov.sp. *Z. wien. ent. Ges.* 51: 10-19, Pls., fig.
- 2086. Naumann, C.M.**, 1970, Bemerkungen zur Biologie und zur systematischen Stellung von *Zygaena graslini* Lederer, 1855 (Lep., Zygaenidae). *Bonn. zool. Beitr.* 21 (1/2): 133-136, 1 Abb.
- 2087. Naumann, C.M.**, 1982, Zur Kenntnis der von Hans Burgeff beschriebenen Taxa des *Zygaena-purpuralis* Komplexes (Lep., Zygaenidae). *Entomofauna* 3: 411-437, figs.
- 2088. Naumann, C.M.**, 1982, Zur Kenntnis der von Hugo Reiss beschriebenen Taxa des *Zygaena-purpuralis* Komplexes (Lep., Zygaenidae). *Entomofauna* 3: 459-498, figs.
- 2089. Naumann, C.M.**, 1982, Zur Kenntnis der von Manfred Koch beschriebenen Taxa des *Zygaena-purpuralis* Komplexes (Lep., Zygaenidae). *Entomofauna* 3: 225-241, figs.
- 2090. Naumann, C.M.**, 1982, Zur Kenntnis der von Otto Holik beschriebenen Taxa des *Zygaena-purpuralis* Komplexes (Lep., Zygaenidae). *Entomofauna* 3: 371-405, figs.
- 2091. Naumann, C.M.**, 1983, Zur Kenntnis der von O. Staudinger und H. Rebel beschriebenen Taxa des *Zygaena-purpuralis* Komplexes (Lep., Zygaenidae). *Entomofauna* 4: 201-208, figs.
- 2092. Naumann, C.M.**, 1984, Zur Kenntnis der von Leo Sheljuzhko und Otto Holik & Leo Sheljuzhko beschriebenen Taxa des *Zygaena-purpuralis* Komplexes (Lep., Zygaenidae). *Entomofauna* 5: 1-19, figs.

- 2093. Naumann, C.M., Schurian, K.G. & J.-C. Weiss**, 1993, Notes on the ecology and early stages of *Zygaena* (*Mesembrynus*) *lydia* Staudinger, 1887 (Lepidoptera, Zygaenidae). *Entomologist's Gaz.* 44: 225-229, 2 figs.
- 2094. Naumann, C.M., Tarmann, G.M. & W.G. Tremewan**, 1999, The western Palaearctic Zygaenidae. 304pp., 12 pls. Apollo Books. [see review: Koçak, A.Ö., 2000, *Cent. ent. Stud.*, Misc. Pap. 64: 7].
- 2095. Naumann, S. & C.M. Naumann**, 1978, Eine neue ostanatolische Unterart der *Zygaena* (*Zygaena*) *loti* (Denis & Schiffermüller, 1775) (Lep., Zygaenidae). *Ent. Z., Frankf. a.M.* 88: 37-40, figs.
- 2096. Naumann, S. & C.M. Naumann**, 1980, Ein Beitrag zur Kenntnis der Zygaenen-Fauna Nord- und Ost-Anatoliens (Lep., Zygaenidae). *Entomofauna* 1: 302-353, figs.
- 2097. Navickaite, A., Diskus, A., Stonis, J.R. & V. Dobrynina**, 2011, Taxonomic catalogue of the world Nepticuloidea and Tischerioidea (Lepidoptera) described by members of the biosystematics research group (Lithuania) up to 2009. *Acta zool. Lithuanica* 21 (2): 113-132, figs.
- 2098. Nazari, V.**, 2003, Butterflies of Iran. 598pp., 74 Pls., maps. National Museum of Natural History, Department of Environment I.R. Iran [in Persian].
- 2099. Nekrutenko, Y.P. & R.M.E. Effendi**, 1983, A review of *Lycaena phoenicurus* - group (Lepidoptera, Lycaenidae) with description of a new species from Azerbaidjan. *Vestn. zool.* 1983 (4): 8-15.
- 2100. Nekrutenko, Y.P.**, 1964, On the revision of the genus *Apatura* Fabr. *Dopov. Akad. Nauk. ukr. RSR* 1964: 1391-1394.
- 2101. Nekrutenko, Y.P.**, 1966, Eine neue Subspezies von *Gonepteryx rhamni* L. aus dem Kaukasus. *Z. wien. ent. Ges.* 51: 44-47.
- 2102. Nekrutenko, Y.P.**, 1972, A new subspecies of *Eumedonia eumedon* from Caucasus (Lycaenidae). *J. Lepid. Soc.* 26: 215-218, figs.
- 2103. Nekrutenko, Y.P.**, 1973, On the taxonomic position of the Caucasian form of *Callophrys rubi* L. (Lycaenidae). *Dopov. Akad. Nauk. ukr. RSR. (B)* (10): 949-952
- 2104. Nekrutenko, Y.P.**, 1974, Comparative notes on certain West-Palaearctic species of *Agriades*, with description of a new subspecies *Agriades pyrenaicus* from Turkey. *J. Lepid. Soc.* 28: 278-288, figs.
- 2105. Nekrutenko, Y.P.**, 1975, A new species of *Melitaea* (Nymphalidae) from Armenia. *J. Lepid. Soc.* 29 (2): 102-105, 7 figs.
- 2106. Nekrutenko, Y.P.**, 1975, Two new subspecies of *Plebejus* (*Plebejides*) *pylaon* from the southern and northern sides of the West Caucasus (Lycaenidae). *J. Lepid. Soc.* 29: 151-155, 11 figs.
- 2107. Nekrutenko, Y.P.**, 1980, Revisional notes on lycaenid butterfly species assigned to *Ultraaricia Beuret* (Lycaenidae). *Nota lepid.* 2(4): 55-68, 16 figs.
- 2108. Nekrutenko, Y.P.**, 1983, *Neolysandra alticola* (Christoph, 1893) comb. et stat.n. = *Albulina alexander* Higgins, 1981, syn.n. *Vestn. Zool.* 1983 (1): 52.
- 2109. Nekrutenko, Y.P.**, 1987, A new genus of the subfamily Lethinae (Lepidoptera, Satyridae). *Vestn. Zool.* 1987 (2): 83-85.
- 2110. Nekrutenko, Y.P.**, 1987, *Esperella* Nekrutenko, nom n. pro *Esperia* Nekrutenko. *Vestn. Zool.* 1987 (3): 62.
- 2111. Nekrutenko, Y.P.**, 1988, *Esperarge* Nekrutenko (Lepidoptera, Satyridae), nom.n. pro *Esperella* Nekrutenko 1987. *Vestn. Zool.* 1988 (1): 50.
- 2112. Nekrutenko, Y.P.**, 1990, *Kafkasya Kelebekleri-I*. 213 pp., 32 pls., 106 figs.
- 2113. Nekrutenko, Y.P.**, 2000, A catalogue of the type specimens of Palaearctic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universität zu Berlin. *Nota lepid.* 23 (3/4): 192-352.
- 2114. Nel, J.**, 1995, Découverte d'authentiques *Stenoptilia mannii* (Zeller, 1852) en France (Lepidoptera, Pterophoridae). *Alexandor* 18 (7) (1994): 433-439, 6 figs.
- 2115. Neuburger, W.**, 1900, *Lycaena menalcas* ab. *amasina*. *Illte. Z. Ent.* (23): 370.
- 2116. Newman, E.**, 1832, *Monographia Aegeriarum Angliae*. *Ent. Mag.* 1: 66-84.
- 2117. Niculescu, E.V.**, 1981, Sur la position du genre *Archon* Hübner dans la classification. *Bull. Soc. ent. Mulhouse* 1981: 59-60.
- 2118. Nielsen, E.S., Robinson, G.S. & D.L. Wagner**, 2000, Ghost-moths of the world: a global inventory and bibliography of the Exoporia (Mnesarchaeoidea and Hepialoidea) (Lepidoptera). *J. nat. Hist.* 34: 823-878.
- 2119. Nielsen, S.E.**, 1981, A taxonomic revision of the species of *Alloclemensia* n.gen. (Lepidoptera: Incurvariidae s.str.). *Ent. scand.* 12: 271-294, 66 figs.

- 2120. Nieukerken, E.J.v. & R.Johansson**, 1987, Identity of hitherto doubtful species names in European Nepticulidae (Lepidoptera). Zool. Meded. 61 (32): 459-474.
- 2121. Nieukerken, E.J.v. & R.Johansson**, 2003, The Quercus feeding Stigmella species of West Palaearctic: New species, key and distribution (Lepidoptera, Nepticulidae). Tijdschr. Ent. 146: 307-370, 3 Tab., 179 figs.
- 2122. Nieukerken, E.J.v.**, 1986, A provisional phylogenetic check-list of the western palaearctic Nepticulidae, with data on hostplants (Lepidoptera). Ent. scand. 17: 1-27.
- 2123. Nieukerken, E.J.v.**, 1986, Systematics and philogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysia). Zool. Verh. 236: 1-93, figs.
- 2124. Nieukerken, E.J.v.**, 2007, Acalyptis Meyrick: revision of the platani and staticis groups in Europe and the Mediterranean (Lepidoptera, Nepticulidae). Zootaxa 1436: 1-48, figs.
- 2125. Nieukerken, E.J.v.**, 2007, Review of the subgenus Trifurcula (Levarchama), with two new species (Lepidoptera, Nepticulidae). Acta zool. hung. 53 (Suppl.1) 101-140, figs.
- 2126. Nieukerken, E.J.v.**, 2008, Two new species in the Ectoedemia (Fomoria) weaweri-group from Asia (Lepidoptera, Nepticulidae). Zool. Meded. 82 (15): 113-130, 28 figs.
- 2127. Nieukerken, E.J.v., Lastuvka, A. & Z.Lastuvka**, 2010, Western palaearctic Ectoedemia (Zimmermannia) Hering and Ectoedemia Busck s.str. (Lepidoptera, Nepticulidae): five new species and new data on distribution, hostplants and recognition. Zookeys 32 (Special issue): 1-82, figs.
- 2128. Nieukerken, E.J.v., Maurkiewicz, A. & K.Palka**, 2004, Trifurcula pallidella (Duponchel, 1843) (Nepticulidae): distribution, biology and immature stages, particularly in Poland. Nota lepid. 27 (2/3): 159-178, figs.
- 2129. Nieukerken, E.J.van & R.Puplesis**, 1991, Taxonomy and distribution of the Trifurcula (Glaucolepis) raikhonae group (Lepidoptera, Nepticulidae). Tijdschr. Ent. 134: 201-210, 22 figs.
- 2130. Nieukerken, E.J.van, Doorenweerd, C., Hoare, R.J.B. & D.R.Davis**, 2016, Revised classification and catalogue of global Nepticulidae and Opostegidae (Lepidoptera, Nepticuloidea). Zookeys 628: 65-246, figs.
- 2131. Noack, H.**, 1960, Verzeichniss der von mir im Mai und Juni 1934 bei Ankara gesammelten Microlepidopteren. Ent. Z., Frankf. a. M. 70: 105-107, 131-132, 141-142.
- 2132. Nordmann, A.von**, 1851, Neue Schmetterlinge Russlands beschrieben. Bull. Soc. imp. Nat. Moscou 24 (4): 439-446, 2 pls.
- 2133. Noreyka, R.V.**, 1991, Review of the fauna of Leafblotch Miners (Lepidoptera, Gracillariidae) of Turkmenia. Ent. Obozr. 1991 (2): 429-443, 10 figs. [transl. Ent. Rev. 1993: 17-34, 10 figs.]
- 2134. Nupponen, K.**, 2005, Notes on Palaearctic Scythrididae, with description of two new species (Lepidoptera, Scythrididae). Ent. fenn. 16 (3): 165-174, figs.
- 2135. Nupponen, K.**, 2013, Noteworthy records of Scythrididae from the palaearctic region, with descriptions of two new species from Spain (Lepidoptera, Scythrididae). Shilap Revta lepid. 41 (164): 495-510, figs.
- 2136. Nupponen, K., Junnilainen, J., Kaitila, J.-P. & T.Nupponen**, 2007, Records of scythridids (Lepidoptera, Scythrididae) from southeastern Balkan. Ent. fenn. 18: 1-10, figs.
- 2137. Nuss, M. & A.Kallies**, 2001, Titanio caradjae (Rebel, 1902) comb.n., transferred from Brachodidae (Sesioidea) to Crambidae (Pyraloidea). Nota lepid. 24 (3): 33-39, figs.
- 2138. Nuss, M. & W.Speidel**, 1999, A new crambid moth species from the north-eastern part of Turkey (Crambidae, Crambinae). Nota lepid. 22 (2): 155-159, figs.
- 2139. Nuss, M., et al.**, 2003-2016, Global information System on Pyraloidea. www.pyraloidea.org. [last access 26 Dec., 2015]
- 2140. Nuss, M., Sobczyk, T. & R.Bläsius**, 2006, The taxonomy and life history of Epimetasia monotona (Amsel, 1953) (comb.n.) from Northwest Africa (Pyraloidea, Crambidae, Odontiinae, Odontiini). Nota lepid. 29 (1/2): 37-47, figs.
- 2141. Nye, I.W.B. & D.S.Fletcher**, 1986, Microlepidoptera, [in] Nye, I.W.B., The generic names of Moths of the World. vol.6. London.
- 2142. Nye, I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London.
- 2143. Oberthür, C.**, 1869, Thais deyrollei. Petites Nouv. Ent. 1869: 7.
- 2144. Oberthür, C.**, 1872, Catalogue raisonné des Lépidoptères rapportés par M. Théophile Deyrolle de son exploration scientifique en Asie Mineure. Revue Mag. zool. 23: 480-488.
- 2145. Oberthür, C.**, 1878, Catalogue raisonné des Papilionidae de la collection de Ch.Oberthür. Etud. Ent. 4: 1-117, Pls.

- 2146. Oberthür, C.**, 1884, *Smerinthus davidi* sp.n. *Annls Soc. ent. Fr.* 1884: xi-xii.
- 2147. Oberthür, C.**, 1884, Sphingide de nouveau d'Asie Mineure. *Etud. Ent.* 9: 29-30.
- 2148. Oberthür, C.**, 1891, Lépidoptères du genre *Parnassius*. *Etud. Ent.* 14: 1-18, Pls.
- 2149. Oberthür, C.**, 1893, Lépidoptères d'Asie. *Etud. Ent.* 18: 11-49, Pls.
- 2150. Oberthür, C.**, 1894, Lépidoptères d'Europe, d'Algérie, d'Asie et d'Océanie. *Etud. Ent.* 19: 1-41, Pls.
- 2151. Oberthür, C.**, 1909, Notes pour servir à établir la Faune Française et Algérienne des Lépidoptères. *Etud. lepid. comp.* 3: 101-400, Pls. xi-xxvi.
- 2152. Oberthür, C.**, 1918, Faune des Lépidoptères de Barbarie Noctuidae. *Etud. lepid. comp.* 16: 1-251, Pls.
- 2153. Obratzsov, N.S.**, 1931, *Acidalia orientalis* Alph. bona species. *Int. ent. Z.* 25 (23): 235-238, 5 Abb.
- 2154. Obratzsov, N.S.**, 1935, *Lycaena* (*Aricia*) allous Hb. und östlichen Rassen. *Folia zool. hydrobiol.* 8: 141-150.
- 2155. Obratzsov, N.S.**, 1936, Nouvelles races de *Lycaena* (*Lysandra*) thersites Cant. *Lambillionea* 36: 11-18.
- 2156. Obratzsov, N.S.**, 1937, Studien über die paläarktischen Amatiden V. Zur geographischen Variabilität von *Amata nigricornis* Alph. *Ent. Rdsch.* 54: 449-452, 462-466, 14 figs.
- 2157. Obratzsov, N.S.**, 1943, Eine neue Phaloniiden-Gattung und -Art (Lepidoptera, Tortricidae). *Z. wien. ent. Ges.* 28: 43-45, 2 Text-fig.
- 2158. Obratzsov, N.S.**, 1952, Neue palaearktische Eucosmini-Arten (Lepidoptera, Tortricidae). *Z. wien. ent. Ges.* 37: 122-129, 5 Abb.
- 2159. Obratzsov, N.S.**, 1952, Zur Revision der Synaphe-Arten der moldavica- und bombycalis-Gruppe (Lepidoptera, Pyralididae). *Mitt. münch. ent. Ges.* 42: 87-109, 10 Abb. Taf.1.
- 2160. Obratzsov, N.S.**, 1953, Revision der palaearktischen Arten der Gattungen *Nycteola* Hbn. und *Erschoviella* gen. nov. *Eos* 29: 143-172, figs.
- 2161. Obratzsov, N.S.**, 1953, Systematische Aufstellung und Bemerkungen über die palaearktischen Arten der Gattung *Dichrorampha* Gn. (Lepidoptera, Tortricidae). *Mitt. münch. ent. Ges.* 43: 10-100, 50 Abb.
- 2162. Obratzsov, N.S.**, 1958, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. *Tijdschr. Ent.* 101 (3/4): 229-261, 1-24 Abb.
- 2163. Obratzsov, N.S.**, 1959, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 2.Theil. *Tijdschr. Ent.* 102 (2): 175-216, 25-63 Abb., 4 Taf.
- 2164. Obratzsov, N.S.**, 1960, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 3.Theil. *Tijdschr. Ent.* 103 (1/2): 111-143, 64-106 Abb., 3 Taf.
- 2165. Obratzsov, N.S.**, 1961, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 4.Theil. *Tijdschr. Ent.* 104 (5): 51-70, 107-126 Abb.
- 2166. Obratzsov, N.S.**, 1961, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda 1. Theil. *Tijdschr. Ent.* 104 (10): 232-240.
- 2167. Obratzsov, N.S.**, 1961, Zwei neue und zwei wenig bekannte palaearktische *Argyroproce*-Arten (Lepidoptera, Tortricidae). *Mitt. münch. ent. Ges.* 51: 154-158, Taf.xii-xv.
- 2168. Obratzsov, N.S.**, 1964, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 5.Theil. *Tijdschr. Ent.* 107 (1): 1-48, 127-177 Abb., 8 Taf.
- 2169. Obratzsov, N.S.**, 1965, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda, 2.Theil. *Tijdschr. Ent.* 108 (1): 1-40, 1-6 Abb., 4 Taf.
- 2170. Obratzsov, N.S.**, 1965, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 6.Theil. *Tijdschr. Ent.* 108 (12): 365-387, 178-191 Abb., 7 Taf.
- 2171. Obratzsov, N.S.**, 1966, Die palaearktischen *Amata*-Arten (Lepidoptera, Ctenuchidae). *Veröff. zool. Stsaml. München* 10: 1-383, Taf.
- 2172. Obratzsov, N.S.**, 1967, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda 2.Theil. *Notes on the Palaearctic Laspeyresiini. Tijdschr. Ent.* 110 (2): 13-36, figs. 2 Pls.
- 2173. Obratzsov, N.S.**, 1967, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. 7. Teil. *Tribus Eucosmini* (Hein. 1923) - Fortsetzung. *Tijdschr. Ent.* 110 (4): 65-88, 1-24 Abb., 3-10 Taf.
- 2174. Obratzsov, N.S.**, 1968, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. 8.Theil und Schluss. *Tijdschr. Ent.* 111 (2): 1-48, 1-5 Abb, 1-11 Taf.
- 2175. Ochseneimer, F.**, 1808, Die Schmetterlinge von Europa. Bd.1, Abth.2. Falter oder Tagschmetterlinge. 240+30 pp. Leipzig.

2176. **Oemig, S.**, 1978, Eine neue Subspecies von *Satyrus favonius* aus dem Iran (Lepidoptera, Satyridae). Ent. Z., Frankf. a. M. 88 (22): 251-253, 1 Abb.
2177. **Okyar, Z. & M.Yurtcan**, 2007, Phytophagous Noctuidae (Lepidoptera) of the western Black Sea Region and their ichneumonid parasitoids. Entomofauna 28 (28): 377-388.
2178. **Okyar, Z. & N.Aktaş**, 1999, Trakya Bölgesi Geometridae Türlerinin Taksonomik ve Faunistik Yönden Araştırılması Tr. J. Zoology 23 (Ek 1) (1996): 99-132, figs. [A study with numerous nomenclatural errors!]
2179. **Okyar, Z. & N.Aktaş**, 2006, Identification of butterfly (Lepidoptera, Rhopalocera) fauna of Gökçeada and Bozcaada, Turkey. Pak. J. Biol. Sci. 9 (1): 76-79.
2180. **Okyar, Z. & V.Mironov**, 2008, Checklist of the Geometridae of European Turkey with new records (Lepidoptera). Zootaxa 1789: 1-56.
2181. **Okyar, Z.**, 2009, Protorhoe of Turkey, with notes on their distribution and zoogeography (Lepidoptera, Geometridae, Larentiinae), with a new record. Linzer biol. Beitr. 41 (1): 747-751, figs.
2182. **Okyar, Z.**, 2010, A study on geometrid moths (Lepidoptera) of the Eastern Black Sea Region (Ayder plateau-Kaçkar mountain, Turkey) with three new records. J. Kansas ent. Soc. 83 (3): 193-200.
2183. **Olivares, J., Jutzeler, D. & R.Leestmans**, 1999, *Arethusana boabdil* (Rambur, 1840) de la prov. de Grenade, Andalousie: une bonne espece ! (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belg. 17 (4): 135-154, pls., figs.
2184. **Olivier, A. & J.G.Coutsis**, 1995, Rhopalocera of Turkey 13. Sympatry and supposed gene exchange between *Maniola telmessia* (Zeller, 1847) and *Maniola halicarnassus* Thomson, 1990 on the Bodrum Peninsula (SW.Turkey) vs. evidence for their specific distinctness: two sides of the same coin (Lep. Entomobrochure 7: 1-60, figs.
2185. **Olivier, A. & J.G.Coutsis**, 1997, A revision of the superspecies *Hipparchia azorina* and of the *Hipparchia aristaeus* group (Nymphalidae, Satyrinae). Nota lepid. 20 (3/4): 150-292.
2186. **Olivier, A. & W.de Prins**, 1989, Taxonomy and geographical variation of *Hipparchia mersina* (Staudinger, 1871) with notes on its ecology and phenology (Lepidoptera, Nymphalidae, Satyrinae). Phegea 17 (4): 169-221, 69 figs.
2187. **Olivier, A. & Y.P.Nekrutenko**, 2000, The butterflies described by Johann Christoph Friedrich Klug (1775-1856) in his *Symbolae Physicae, Insecta* (Lep., Pieridae, Lycaenidae, Nymphalidae): An annotated review, with catalogue of the existing types. Dt. ent. Z. 47: 95-104.
2188. **Olivier, A.**, 1993, The Butterflies of the Greek Island of Rhodos: taxonomy, faunistics, ecology and phenology with a tentative synthesis on the biogeography of the butterflies of Kriti, Karpathos, Rodos, the Eastern Aegean islands and Kypros...Antwerpen.
2189. **Olivier, A.**, 1996, Notes on the taxonomic status and supposed biogeographic affinity of the *Pseudochazara anthelea* (Hübner, [1824]) populations from Kipros (Cyprus) and from the Greek island of Kos (Lepidoptera, Nymphalidae Satyrinae). Phegea 24 (1): 5-12, 2 Pls.
2190. **Olivier, A.**, 1998, The Butterflies of the Bodrum Peninsula (Province of Muğla, Turkey): a review. Entomologist's Gaz. 49 (1): 21-34.
2191. **Olivier, A.**, 1999, On the publication dates of the "Versuch einer Monographie der europäischen Schmetterlingsarten: Thecla, Polyommatus [sic], Lycaena, Nemeobius. Als Beitrag zur Schmetterlingskunde" by Paul Bernhard Gerhard (Lepidoptera, Lycaenidae). Phegea 27 (4): 127-140, 3 figs. [a publication on the same theme with Koçak's (1980) paper, after 19 years]
2192. **Olivier, A.**, 2000, Discovery of the types of *Polyommatus (Agrodiaetus) actis* and its taxonomic consequences (Lycaenidae). Nota lepid. 23 (2): 86-118, figs.
2193. **Olivier, A., Poorten, D.v.d. & W.de Prins**, 1998, Rhopalocera and Grypocera of Turkey 16. Taxonomic notes on *Plebeius christophi* and *Plebeius idas* in northeastern Turkey (Lepidoptera, Lycaenidae). Phegea 26 (3): 87-102, 2 Pls.
2194. **Olivier, A., Poorten, D.v.d., & W.de Prins**, 1994, Conspicuous aberrations and gynandromorphs of some Greek and Turkish butterflies (Lepidoptera, Pieridae, Lycaenidae). Phegea 22 (3): 102-104, pl.
2195. **Olivier, A., Prins de, W., Poorten, D.v.d. & J.Puplesiene**, 1999, On the identity of *Polyommatus (Agrodiaetus) dama*, with lectotype designation and redescription of its karyotype (Lycaenidae). Nota lepid. 22 (3): 197-211, figs.
2196. **Olivier, A., Puplesiene, J., Poorten, D.v.d., Prins de, W. & Wiemer, M.**, 1999, Revision of some taxa of the *Polyommatus (Agrodiaetus) transcaspicus* group with description of a new species from Central Anatolia (Lepidoptera, Lycaenidae). Phegea 27 (1): 1-24, 2 Pls.

2197. **Olivier, A., Puplesiene, J., Poorten, D.v.d., Prins de, W. & Wiemer, M.**, 1999, Additions and corrections to "Revision of some taxa of the *Polyommatus* (*Agrodiaetus*) *transcaspicus* group with description of a new species from Central Anatolia (Lepidoptera, Lycaenidae)". *Phegea* 27 (2): 79.
2198. **Oorschot, H.v. & H.v.d.Brink**, 1989, *Rhopalocera* of Turkey 4. The specific problem of *Melitaea didyma* (Esper, 1779) and *M. transcaucasica* (Turati, 1919) (Lepidoptera, Nymphalidae). *Nota lepid.* 12 (3): 183-186.
2199. **Oorschot, H.v. & H.v.d.Brink**, 1994, *Rhopalocera* of Turkey 12. On the geographical variation of *Melitaea collina* Lederer, 1861 with description of *Melitaea collina lokmani* n.ssp. from South East Turkey (Lepidoptera, Nymphalidae). *Phegea* 22(2): 53-60, 2 pls., 5 figs.
2200. **Oorschot, H.v. & J.G.Coutsis**, 2014, The genus *Melitaea* Fabricius, 1807. Taxonomy and systematics with species reference to the male genitalia (Lepidoptera, Nymphalidae). 360pp., 24 Pls. Tshikolovets Publ. [Plate explanations were placed far from the related figures. This causes discomfort].
2201. **Oorschot, H.v. & S.Wagener**, 1990, *Rhopalocera* of Turkey 5. *Boloria caucasica* and *Boloria graeca* in Turkey (Lepidoptera, Nymphalidae). *Ent. Ber., Amst.* 50 (9): 113-121, 18 figs. 2 Tab.
2202. **Oorschot, H.v., Brink, H.v.d. & B.v.Oorschot**, 1984, *Rhopalocera* of Turkey. 1. Records of *Cupido minimus* (Fuessly, 1775) and description of *C. minimus albocilia* n.ssp. (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 44 (9): 140-144, figs.
2203. **Oorschot, H.v., Brink, H.v.d. & B.v.Oorschot**, 1985, *Rhopalocera* of Turkey. 2. Records *Satyrion marcidus* (Riley, 1921) and description of *S. marcidus mardinus* n.ssp. (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 45(10): 45-149, figs.
2204. **Oorschot, H.v., Brink, H.v.d. & B.v.Oorschot**, 1987, *Rhopalocera* of Turkey. 3. Geographical variation of *Pseudochazara anthelea* (Hübner) and description of *P. anthelea selcuki* n.ssp. (Lepidoptera, Satyridae). *Ent. Ber., Amst.* 47 (6): 91-95, figs.
2205. **Oorschot, H.v., Brink, H.v.d.**, 1991, *Rhopalocera* of Turkey. 6. On the geographical variation of *Satyrion ilicis* (Esper) with description of *S. ilicis zabni* n. ssp. from South East Turkey (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 51 (3): 38-43, figs.
2206. **Oorschot, H.v., Brink, H.v.d.**, 1992, Eight years of systematic investigation of the *Rhopalocera* of Turkey (Lepidoptera, Satyridae, Lycaenidae). *Nota lepid. (Suppl.)* 3: 82-89, maps.
2207. **Opheim, M.**, 1953, Notes on the genus *Pyrgus* Hb. (Lepidoptera, Grypocera). *Astarte* 4: 1-13, 6 figs.
2208. **Opheim, M.**, 1956, Notes on the subgenus *Ateleomorpha* Warren (Lepidoptera, Hesperidae). *Astarte* 14: 1-14, 29 figs.
2209. **Osthelder, L.**, 1931, *Hepialus adriaticus* nova species. Eine verkannte europäische Hepialide. *Mitt. münch. ent. Ges.* 21 (2): 47-51.
2210. **Osthelder, L.**, 1932, Noctuidae Acronyctinae. [in] Osthelder, L. & E. Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 22 (2): 83-87.
2211. **Osthelder, L.**, 1933, Noctuidae (Fortsetzung und Schluß). [in] Osthelder, L. & E. Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 23 (2): 45-102.
2212. **Osthelder, L.**, 1935, Microlepidopteren (Fortsetzung). [in] Osthelder, L. & E. Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 25(2): 56-58; 25(3): 67-90.
2213. **Osthelder, L.**, 1935, Pyralidae. [in] Osthelder, L. & E. Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 24 (3): 73-104.
2214. **Osthelder, L.**, 1938, Neue Kleinfalter aus dem Taht Soleiman in Nord-Persien (Lep.). *Mitt. münch. ent. Ges.* 28: 17-29.
2215. **Osthelder, L.**, 1940, Microlepidopteren. [In] Osthelder, L. & E. Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 30 (1): 112-116.
2216. **Osthelder, L.**, 1940, Nachtrag Noctuidae. [in] Osthelder, L. & E. Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 30 (1): 107-111.
2217. **Osthelder, L.**, 1941, Beitrag zur Kleinschmetterlingsfauna Kretas. *Mitt. münch. ent. Ges.* 31 (2): 365-370, Taf.v.
2218. **Ounap, E., Viidalepp, J. & U.Saarma**, 2008, Systematic position of *Lythriini* revised: transferred from *Larentiinae* to *Sterrhinae* (Lepidoptera, Geometridae). *Zool. Scripta* 37 (4): 405-413, 1 fig. 4 Table.
2219. **Ozbek, H., Güçlü, Ş., R.Hayat**, 1996, Kuzeydoğu tarım bölgesinde taş çekirdekli meyve ağaçlarında bulunan fitofag ve predatör böcek türleri. *Tr. J. Agric. Forestry* 20: 267-282.

- 2220.Özaslan,C., Akin,K., Bolu,H. & M.Özdemir**, 2016, A new host plant, *Chrozophora tinctoria* (L.) Rafin. (Euphorbiaceae) for *Phycita diaphana* (Staudinger,1870) (Lepidoptera, Pyralidae) from Turkey. J. Ent. Res. Soc. 18 (3): 93-95.
- 2221.Özaslan,C., Bolu,H. & K.Akin**, 2016, A new host [*Centaurea stapfiana* (Hand.-Mazz.) Wagenitz (Asteraceae)] record for the moth *Metzneria subflavella* Englert (Lepidoptera, Gelechiidae) from Turkey. Oriental Insects 50:
- 2222.Özaslan,C., Bolu,H., Can Cengiz,F. & P.Ray**, 2016, A new host and natural enemies of *Dialectica scalaris* (Zeller) (Lepidoptera, Gracillariidae) in Turkey. Türk. ent. bült. 6 (1): 9-14, figs.
- 2223.Özbek,H.**, 2009, *Eretmocera medinella* (Staudinger) (Lepidoptera, Scythrididae), a species new to Turkey. J. ent. Res. Soc. 11 (2): 57-59.
- 2224.Özdemir,M. & A.Özdem**, 2012, A new genus and species for Turkish fauna: *Zeiraphera isertana* (Fabricius,1794) (Lep. Tortricidae). Turk J. Zool. 36 (2): 271-274, 2 figs.
- 2225.Özdemir,M. & S.Seven Çalışkan**, 2014, Contribution to knowledge of the leafroller fauna (Lepidoptera, Tortricidae) of Turkey. Zool. Middle East 60 (3): 236-245, figs.
- 2226.Özdemir,M. & S.Seven**, 2007, Interrelation between some butterflies and plant associations (Turkey). Pak. J. Biol. Sci. 10 (1): 112-116, Tab.
- 2227.Özdemir,M.**, 2007, Studies on the Geometridae fauna of the provinces Bolu and Düzce in North - West Turkey (Lepidoptera). Cent. ent. Stud., Priamus (suppl.) 7: 1-154, figs.
- 2228.Özdemir,M.**, 2016, Contributions to the knowledge of Geometridae fauna (Lepidoptera) of Ordu Province. Bitki kor. bült. 56 (2): 209-225.
- 2229.Özdemir,M., Özdemir,Y., Seven,S. & V.Bozkurt**, 2005, Orta Anadolu Bölgesinde kültür bitkilerine zararlı Tortricidae (Lepidoptera) faunası üzerine araştırmalar. Bitki kor. bült. 45 (1/4): 17-44.
- 2230.Özkol,H. & A.Sefalı**, 2009, New data on the biology of *Pieris (Artogeia) persis* Verity (Pieridae, Lepidoptera). Cesa News 42: 38-44, 7 figs.
- 2231.Özkol,H. & Kayci,L. & S.M.Pınar**, 2009, Notes on the biology of *Zygaena (Mesembrynus) tamara placida* A.Bang-Haas (Lepidoptera, Zygaenidae). Cesa News 41: 47-50, 5 figs.
- 2232.Özkol,H. & L.Kayci**, 2009, Some diurnal Lepidoptera species attracted to the light trap in East Anatolia (Papilionoidea, Zygaenoidea). Cesa News 40: 1-4, 6 figs.
- 2233.Özkol,H.**, 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea of Gevaş district (Van). Cent. ent. Stud., Priamus (suppl.) 5: 1-55.
- 2234.Özkol,H., Kayci,L. & S.M.Pınar**, 2008, Doğu Anadolu'da *Cnephasia* (s.str.) *chrysanthæana* (Duponchel) türünün bulunuşu ve biyolojisi hakkında notlar (Lepidoptera, Tortricidae). Cesa News 31: 1-5, 5 figs.
- 2235.Pagenstecher,A.**, 1911, Libytheidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 3. 12pp. Dr.W.Junk Berlin.
- 2236.Pagenstecher,A.**, 1912, *Parnassius apollo* L. in Kaukasien. Mitt. münch. ent. Ges. 3: 65-84.
- 2237.Pagenstecher,A.**, 1915, Die wichtigste Literatur über *Parnassius apollo* L. Arch. Naturgesch. (A) 89 (10): 149-164.
- 2238.Pagès,J. & J.F.Charmeux**, 1991, Note sur *Lysandra diana* Miller (Lepidoptera, Lycaenidae). Alexanor 17 (3): 131-134, 8 figs.
- 2239.Pagès,J. & J.F.Charmeux**, 1992, Description d'un Lycene nouveau de Turquie: *Lysandra subtilis* sp. n. (Lepidoptera, Lycaenidae). Alexanor 17 (5): 261-265, 3 figs.
- 2240.Pagès,J. & J.-F.Charmeux**, 1997, *Apatura ilia*, "nouvelle" espece pour la faune turquie (Lepidoptera, Nymphalidae). Alexanor 19 (7): 454.
- 2241.Pagès,J.**, 1994, Description d'un Lycène nouveau de Turquie: *Agrodiaetus charmeuxi* sp.n. (Lepidoptera, Lycaenidae). Alexanor 18 (4): 194-196, 8 figs.
- 2242.Parenti,U.**, 2000, A Guide to the Microlepidoptera of Europe. 426pp. 156 Pls. 43 figs. Museo Regionale di Scienze Naturali, Torino.
- 2243.Parenti,U.**, 2001, The Elachistid moths of the Löbbecke Museum of Düsseldorf (Lepidoptera, Elachistidae). Revta lepid. 29 (115): 249-254, figs.
- 2244.Parenti,U.**, 2002, Corrections and additions to the Checklist of European Elachistidae (Lepidoptera, Elachistidae). Revta lepid. 30 (118): 149-153, figs.
- 2245.Passerin d'Entrèves,P. & A.Roggero**, 2007, Fascicle 44 Scythrididae [in] Heppner,J.B., Lepidopterorum Catalogus (New Series), 85pp. Scientific Publishers, Gainesville &e.

- 2246. Passerin d'Entreves, P. & A. Roggero**, 2008, New species and new records of eastern Palaearctic scythridids from the Irano-turanian Region (Lepidoptera, Gelechioidea, Scythrididae). Ent. fenn. 19: 159-167, figs.
- 2247. Passerin d'Entrèves, P. & A. Roggero**, 2009, Eastern Palaearctic Scythrididae (Lepidoptera, Gelechioidea): description of a new genus and some new species. Zootaxa 2263: 1-20, figs.
- 2248. Passerin d'Entreves, P. & A. Roggero**, 2010, Notes on the distribution of Palearctic Scythrididae (Lepidoptera, Gelechioidea). Shilap Revta lepid. 38 (152): 443-450, figs.
- 2249. Passerin d'Entrèves, P. & A. Roggero**, 2011, Four new species of Scythrididae (Lepidoptera, Gelechioidea) from Irano-Turanian area, with notes on taxonomy and distribution. Ent. Sci. 14 (2): 203-209, figs.
- 2250. Passerin d'Entreves, P. & A. Roggero**, 2012, Taxonomic account of *Scythris caramani* species-group, with the description of a new species from Turkey (Lepidoptera, Gelechioidea, Scythrididae). Shilap Revta lepid. 40 (160): 409-418, figs.
- 2251. Passerin d'Entrèves, P.**, 1976, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici II. - I tipi di *Scythris* del Muséum National Histoire Naturelle di Parigi. Boll. Mus. Zool. Univ. Torino 3: 27-70, figs.
- 2252. Passerin d'Entrèves, P.**, 1980, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici V. - I tipi di *Scythris* del Naturhistorisches Museum di Vienna. Boll. Mus. Zool. Univ. Torino 5: 41-60, figs.
- 2253. Passerin d'Entrèves, P.**, 1995, Révision des Scythrididae paléarctiques. VI. Les types de Scythrididae du Natural History Museum de Londres, du Muséum de Hist. Nat. de Bucharest et du Zool. Mus. Humboldt- Univ. Berlin (I) (Lepidoptera, Gelechioidea). Nota lepid. 1995: 139-159, figs.
- 2254. Passoa, S., Balogh, G. & M. A. Solis**, 2008, *Sitochroa palealis*: A palearctic Pyraustine moth (Lepidoptera, Pyraloidea, Crambidae) newly introduced to North America. Proc. ent. Soc. Wash. 110 (2): 504-515, figs.
- 2255. Peile, H. D.**, 1921, The Butterflies of Mesopotamia. J. Bomb. nat. Hist. Soc. 28: 50-70, 345-369, Pl.
- 2256. Pekarsky, O.**, 2012, Taxonomic overview of *Polymixis serpentina* (Treitschke, 1825) species-group, with the description of a new species (Lepidoptera, Noctuidae, Xyleninae). Zookeys 201: 15-26, figs.
- 2257. Pekarsky, O.**, 2013, Taxonomic and morphological survey of the *Lygephila lusoria* (Linnaeus, 1758) species-group with description of a new species (Lepidoptera, Erebidae, Toxocampinae). Zookeys 351: 49-81, figs.
- 2258. Peks, H.**, 1990, Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426.
- 2259. Pelzer, A.**, 1982, Zur Kenntnis der frühen Stände von *Hyles centralasiae* siehei (Püngeler) (Sphingidae). Nota lepid. 5 (2/3): 134-140, 10 figs.
- 2260. Petagna, V.**, 1787, Species insectorum ulterioris Calabriae. 46 pp. 1 pl. Varrentrapp.
- 2261. Petersen, G.**, 1957-1958, Die Genitalien der paläarktischen Tineiden (Lepidoptera, Tineidae). Beitr. Ent. 7 (2): 55-176; (3/4): 338-379; (5/6): 557-595; 8 (1/2): 111-118; (3/4): 398-430, 3 Pls. 267 figs.
- 2262. Petersen, G.**, 1959, Ergebnisse der Untersuchung indeterminierter paläarktischer Tineiden aus dem Zoologischen Museum Berlin und der Sammlung H.G. Amsel/Karlsruhe (Lep.). Dt. ent. Z. (N.F.) 6 (1/3): 152-159, 3 Abb.
- 2263. Petersen, G.**, 1962, Beitrag zur Kenntnis der südeuropäischen Tineiden (Lepidoptera, Tineidae). Beitr. naturk. Forsch. SWDtl. 21(2): 205-220, 15 Abb.
- 2264. Petersen, G.**, 1964, Tineiden von Karatschi (Pakistan), Fars (SW-Iran) und den Bahrein-Inseln (Lepidoptera, Tineidae). Beitr. naturk. Forsch. SWDtl. 23(2): 111-122, 11 Abb.
- 2265. Petersen, G.**, 1965, Revision der Gattungen *Rhodobates* Ragonot und *Pachyarthra* Amsel (Lepidoptera, Tineidae). Beitr. Ent. 15 (1/2): 87-100, 23 figs.
- 2266. Petersen, G.**, 1968, Beitrag zur Kenntnis der ostmediterranen Tineiden (Lepidoptera, Tineidae, exclus. Nemapogoninae). Acta ent. bohemoslov. 65: 52-66, 15 figs.
- 2267. Petersen, G.**, 1971, Beitrag zur Kenntnis der Tineiden von Iran und Pakistan (Lepidoptera, Tineidae). Beitr. Ent. 21 (3/6): 267-271, 2 figs.
- 2268. Petersen, G.**, 1991, Zur Taxonomie und Verbreitung der Hapsiferinae (Lepidoptera, Tineidae). Dt. ent. Z. (n.f.) 38 (1/3): 27-33, figs.
- 2269. Pfeiffer, E.**, 1926-1927, Ein Beitrag zur Insektenfauna von Kleinasien (Anatolien). Mitt. münch. ent. Ges. 16: 99-110; 17: 35-55, 76-91.

- 2270. Pfeiffer, E.**, 1931, Einleitung. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 21 (2): 68-81.
- 2271. Pfeiffer, E.**, 1931-1932, Diurnae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 21 (2): 81-86; 22 (1): 17-32, 22(2): 38-51 Taf.ii-iv.
- 2272. Pinker, R.**, 1958, Beobachtungen in der Treska Schlucht in Macedonien; Beschreibung einer neuen Eupithecia Curt. Fragm. balcan. 2 (12): 91-96, 9 figs.
- 2273. Pinker, R.**, 1974, Zwei neue Noctuen aus Kleinasien (Lep., Noctuidae). Z.ArbGem. öst. Ent. 24 (3) (1972): 111-112, 4 Abb.
- 2274. Pinker, R.**, 1976, Über kleinasiatische Eupitheciiden und deren Zusammenhänge mit jenen aus Macedonien (Lepidoptera, Geometridae). Z. ArbGem. öst. Ent. 28 (1/3): 1-6, 23 figs.
- 2275. Pinker, R.**, 1980, Neue Lepidopteren aus Klein-Asien und dem Mittelmeerraum. Z.ArbGem. öst. Ent. 31 (3/4): 65-74, figs.
- 2276. Piskunov, V.I.**, 1973, Tribe Teleiodini tribus nov. (Lepidoptera, Gelechiidae) and the systematic position of some of its species. Trudy vses. ent. Obshch. 56: 184-198, figs.
- 2277. Piskunov, V.I.**, 1981, Gelechiidae [in] Zagulyaev, A.K. et al., Opredelitel nasekhomykh Evropeiskoy tchasti SSSR 4 (2): 649-748, figs.
- 2278. Pitkin, B. & P. Jenkins (compilers)**, 2008, Butterflies and moths of the world. Generic names and their type species. - <http://www.nhm.ac.uk/jdsml/research-curation/projects/butmoth/index.dsml> [last accessed: 22.xi.2008].
- 2279. Pitkin, L.**, 1988, The Holarctic genus Teleopsis: host-plants, biogeography and cladistics (Lepidoptera, Gelechiidae). Ent. scand. 19 (2): 143-191, figs.
- 2280. Pitkin, L.M.**, 1984, Gelechiid moths of the genus Mirificarma. Bull. Br. Mus. (Nat. Hist.) 48: 1-70, figs.
- 2281. Pitkin, L.M., Han, H. & S. James**, 2007, Moths of the tribe Pseudoterpnini (Geometridae, Geometrinae): a review of the genera. Zool. J. Linn. Soc. 150: 343-412, figs.
- 2282. Pittaway, A.R.**, 1983, An Annotated Checklist of the Western Palearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs.
- 2283. Pittaway, A.R.**, 1993, The Hawkmoths of the Western Palearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London.
- 2284. Pittaway, A.R.**, 1995, Sphingidae of the western Palearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine.
- 2285. Plant, C.M. & F. Slamka**, 2016, Re-examination and revision of Zeller's original concept of Phycita metzneri (Zeller, 1846) and description of Phycita crypta sp. nov. (Lepidoptera, Pyraloidea, Pyralidae, Phycitinae). Entomologist's Rec. J. Var. 128 (1): 28-40, figs.
- 2286. Plötz, C.**, 1879, Hesperina Herr.-Sch. Stettin ent. Ztg. 40: 175-180.
- 2287. Plötz, C.**, 1882-1883, Die Hesperinen-Gattung Hesperia Aut. und ihre Arten. Stettin ent. Ztg. 43: 314-344, 436-456: 44: 26-64, 195-233.
- 2288. Plötz, C.**, 1884, Die Gattung Cyclopides Hübn. und ihre Arten. Stettin ent. Ztg. 44: 389.
- 2289. Plötz, C.**, 1884, Die Hesperinen-Gattung Carterocephalus Led. und ihre Arten. Stettin ent. Ztg. 44: 386-388.
- 2290. Plötz, C.**, 1884, Die Hesperinen-Gattung Telesto Bsd. und ihre Arten. Stettin ent. Ztg. 44: 376-384.
- 2291. Plötz, C.**, 1884, Die Hesperinen-Gattung Thymelicus Hüb. und ihre Arten. Stettin ent. Ztg. 44: 284-290.
- 2292. Poda, N.**, 1761, Insecta Musei Graecensis. 139 pp., 2 pls. Graz.
- 2293. Pogue, M.G. & P.W. Schaeffer**, 2007, A review of selected species of Lymantria Hübner, [1819] (Lepidoptera, Noctuidae, Lymantriinae) from subtropical and temperate regions of Asia, including the descriptions of three new species, some potentially invasive to North America. 232 pp. FHTET.
- 2294. Poltavsky, A.N. & B.V. Stradomsky**, 2004, Hemaris croatica (Lepidoptera, Sphingidae) in the Rostov-on-Don Region (South Russia). Phegea 32 (2): 59-62, figs.
- 2295. Poltavsky, A.N., Sinev, S.Y. & A.Y. Matov**, 2013, New data on Pyraloidea and Noctuoidea (Lepidoptera) rare species distribution basing on materials from Rostov Region (Russia). Cauc. Ent. Bull. 9 (2): 283-291, figs.
- 2296. Ponomarenko, M.G.**, 1989, Review of moths of the genus Anarsia Z. (Lepidoptera, Gelechiidae) of the USSR. Ent. Obozr. 1989 (3): 628-641, 22 figs.
- 2297. Ponomarenko, M.G.**, 1997, Catalogue of the subfamily Dichomeridinae (Lepidoptera, Gelechiidae) of the Asia. Far Eastern Ent. 50: 1-67.

- 2298. Ponomarenko, M.G.**, 2008, Functional morphology of the male genitalia in Gelechiidae (Lepidoptera) and its significance for phylogenetic analysis. *Nota lepid.* 31 (2): 179-198, figs.
- 2299. Poole, R.W.**, 1989, Noctuidae (Parts 1-3) [in] Heppner, J.B., *Lepidopterorum Catalogus* (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln.
- 2300. Popescu-Gorj, A. & A. Constantinescu**, 1977, Revision of the Genus *Euclasta* Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. *Trav. Mus. Hist. nat. "Gr.Antipa"* 18: 157-245, 97 figs.
- 2301. Popescu-Gorj, A. & I. Capuse**, 1964, *Microsphecia myrmosaeformis* Herrich-Schäffer en Roumanie (Lepidoptera-Aegeriidae). *Bull. Anns. Soc. r. ent. Belg.* 100(26): 331-345, 10 figs.
- 2302. Popescu-Gorj, A. & I. Capuse**, 1965, Révision d'*Oegoconia quadripuncta* (Hw) (Lepidoptera, Gelechioidea) des collections de Roumanie. *Trav. Mus. Hist. nat. "Gr.Antipa"* 10 (6): 389-401, figs.
- 2303. Popescu-Gorj, A.**, 1984, *Crossotocera wagnerella* Zerny a less known species new to Romania's fauna. *Trav. Mus. Hist. nat. "Gr.Antipa"* 26: 107-109, figs.
- 2304. Por, F.D.**, 1975, An outline of the zoogeography of the Levant. *Zool. script.* 4: 5-20.
- 2305. Povolny, D. & Z. Sustek**, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). *Stapfia* 16: 209-247.
- 2306. Povolny, D.**, 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. *Pr. brn. Zakl. csl. Akad. Ved.* 28: 315-345, 4 figs.
- 2307. Povolny, D.**, 1964, Gnorimoschemini trib. nov. - eine neue Tribus der Familie Gelechiidae nebst Bemerkungen zu ihrer Taxonomie (Lepidoptera). *Acta ent. bohemoslov.* 61: 330-359, 3 pls.
- 2308. Povolny, D.**, 1967, Die Stammgeschichtlichen Beziehungen der Tribus Gnorimoschemini im Weltraumen (Lepidoptera, Gelechiidae). *Acta ent. Mus. Nat. Pragae* 37: 161-232, figs.
- 2309. Povolny, D.**, 1967, Ein kritischer Beitrag zur taxonomischen Klärung einiger palaearktischer Arten der Gattung *Scrobipalpa* (Lepidoptera, Gelechiidae). *Acta Sci. nat. Brno (n.s.)* 1: 209-250, figs.
- 2310. Povolny, D.**, 1972, Zur Fauna der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) im Iran *Acta ent. bohemoslov.* 69 (3): 186-206, 22 Abb.
- 2311. Povolny, D.**, 1976, Zur Synonymie einiger Arten der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). *Acta zool. Acad. Sci. Hung.* 22: 145-154, figs.
- 2312. Povolny, D.**, 1984, Drei neue Arten der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) aus Asien. *Nota lepid.* 7 (3): 264-270, 3 Abb.
- 2313. Povolny, D.**, 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). *Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.)* 25: 1-61.
- 2314. Povolny, D.**, 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). *Acta Univ. Agric. (Brno)* 38: 191-204.
- 2315. Povolny, D.**, 2002, *Iconographia tribus Gnorimoschemini* (Lepidoptera, Gelechiidae) Regionis Palaearcticae. 110 pp., Tafel 87. Bratislava [No reference list but very important for further scientific researches, A.Ö.K.]
- 2316. Prins W.de & D.v.d. Poorten**, 1996, Additions and corrections to "Die Tagfalter der Türkei". 2. Interesting observations of butterflies in Turkey during the 38th expedition of the "Werkgroep Grieks-Turkse dagvlinders" (Lepidoptera: Lycaenidae). *Phegea* 24(1): 25-32, 4 figs. Pl.2.
- 2317. Prins, J.de, Davis, D.R., Coninck, E.de, Sohn, J.-C. & P. Triberti**, 2013, Systematics, phylogeny and biology of a new genus of Lithocolletinae (Lepidoptera, Gracillariidae) associated with Cistaceae. *Zootaxa* 3741 (2): 201-227, figs.
- 2318. Prins, W.de & D.v.d. Poorten**, 1995, Rhopalocera and Grypocera of Turkey 14. Taxonomic Revision of the *Pyrgus alveus* (Hübner, [1803]) complex from Greece to West China, with description of two new species from southern Turkey (Lepidoptera, Hesperidae). *Phegea* 23 (1): 1-44, pls., figs.
- 2319. Prins, W.de & J. de Prins**, 2005, *World Catalogue of Insects*. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
- 2320. Prins, W.de, Poorten, D.v.d. & A. Riemis**, 1994, *Nymphalis vaualbum* ([Denis & Schiffermüller], 1775) confirmed for the fauna of Turkey (Lepidoptera, Nymphalidae). *Phegea* 22 (3): 99-100, pl.
- 2321. Prins, W.de, Poorten, D.v.d., et al.**, 1991, Rhopalocera of Turkey. 7. On a new species of *Polyommatus* Latreille, 1804 subgenus *Agrodiaetus* Hübner, [1822] from north-eastern Turkey (Lepidoptera, Lycaenidae). *Phegea* 19 (4): 141-148, 18 figs.

- 2322. Prokolov, V.V. & S.Z. Karayeva**, 2013, New and interesting Lepidoptera records from Chechen Republic (Russia). *Cauc. ent. Bull.* 9 (2): 281-282, figs.
- 2323. Prout, L.B.**, 1912-1916, Die Spannerartigen Nachtfalter [in] Seitz, A., Die Gross-Schmetterlinge der Erde Bd.4: 1-479, 25 Taf. Alfred Kernen Verlag. Stuttgart.
- 2324. Prout, L.B.**, 1931, A new palaearctic Chesias (Lepidoptera, Geometridae). *Ann. Mag. nat. Hist.* (10) 8: 554.
- 2325. Prout, L.B.**, 1934-1935, Geometridae, Subfamilia Sterrhinae I,II,III, [in] Strand, E., *Lepidopterorum Catalogus. Pars* 61, 63, 68: 1-486, W.Junk, Berlin.
- 2326. Prout, L.B.**, 1934-1939, Die Spannerartigen Nachtfalter [in] Seitz, A., Die Gross-Schmetterlinge der Erde Bd.4 (suppl.): 1-253, Taf. Alfred Kernen Verlag. Stuttgart.
- 2327. Pröse, H.**, 1988, Bemerkungen zur *Cydia succendana*-Gruppe im Alpen- und Mediterranraum (Lepidoptera, Tortricidae). *Stapfia* 16: 257-271, 11 Abb.
- 2328. Prunner, L.de**, 1798, *Lepidoptera Pedemontana*. lii + 124 pp. Mathaeus Guaita, Augusta Taurinorum [Torino].
- 2329. Przegendza, [A.]**, 1936, Beschreibung der Raupe von *Zyg. dorycnii* O. subsp. *wagneriana* Reiss. *Ent. Rdsch.* 53: 351-352.
- 2330. Pugaev, S.N. & V.V. Zolotuhin**, 2006, Geometrid moths of the genus *Dyscia* Hübner, [1825] (Lepidoptera, Geometridae) from the Lower and Middle Volga. *Eversmannia* 6: 3-12, figs.
- 2331. Puplesiene, J. & A. Olivier**, 2000, The karyotype and chromosome number of *Polyommatus buzulmavi* (Lycaenidae). *Nota lepid.* 23 (1): 71-77, figs.
- 2332. Puplesis, R. & A. Diskus**, 2005, Checklist of African Tischeriidae (Insecta, Lepidoptera) with a redescription of the formerly neglected *Tischeria urticicolella* from Equatorial Africa. *Zool. Sci.* 22 (9): 1051-1055, figs.
- 2333. Puplesis, R.K., Diskus, A. & E.J. van Nieukerken**, 1997, *Stigmella divina* sp.n., a remarkable species from Turkmenistan and Turkey (Lepidoptera, Nepticulidae). *Tijdschr. Ent.* 140: 55-58, figs.
- 2334. Pühringer, F. & A. Kallies**, 2004, Provisional checklist of the Sesiidae of the world (Lepidoptera, Ditrysia). *Mitt. Ent. ArbGem. Salzkammergut* 4: 1-85 [Among valid specific names, numerous contradictions with updated results of the Global Lepidoptera Names Index by Natural History Museum, London]. See for updated list: <http://www.sesiidae.net/Checklst.htm>
- 2335. Püngeler, R.**, 1903, *Deilephila siehei* n.sp. *Berl. ent. Z.* 47 (1902): 235-238, Taf.iii.
- 2336. Püngeler, R.**, 1906, Neue Palaearktische Macrolepidopteren. *Dt. ent. Z., Iris* 19: 78-98, 216-226, Taf.
- 2337. Püngeler, R.**, 1909, Neue palaearktische Macrolepidopteren. *Dt. ent. Z., Iris* 21 (1908): 286-303, Taf. iv.
- 2338. Püngeler, R.**, 1915, *Euxoa tischendorfi* n. sp. *Dt. ent. Z., Iris* 29: 111, figs. 21, 22.
- 2339. Püngeler, R.**, 1925, *Chondrostega osthelderi* Püng. n.sp. *Mitt. münch. ent. Ges.* 15: 96.
- 2340. Püngeler, R.**, 1925, Neue palaearktische Makrolepidopteren. *Dt. ent. Z., Iris* 39: 231-233, Taf.III.
- 2341. Racheli, T.**, 1990, Una nuova sottospecie di *Zygaena sedi* (Fabricius, 1787) di Turchia (Lepidoptera, Zygaenidae). *Fragm. ent., Roma* 22 (2): 289-293, figs.
- 2342. Rafinesque, C.S.**, 1815, *Analyse de la nature ou tableau de l'univers et des corps organisés*. 224 pp., Palerme.
- 2343. Ragonot, E.L. & G.F. Hampson**, 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff, N.M., *Mém. lépid.* 8: xiv + 602 pp. 31 Taf. St. Petersburg.
- 2344. Ragonot, E.L. & L. de Joannis**, 1910, Trois espèces de Microlépidoptères paléarctiques. *Annls Soc. ent. Fr.* 79: 495-496, Pl.18.
- 2345. Ragonot, E.L.**, 1887, Diagnoses d'espèces nouvelles de Phycitidae d'Europe et des pays limitrophes. *Annls Soc. ent. Fr.* 7 (6): 225-260.
- 2346. Ragonot, E.L.**, 1888, Nouveaux genres et espèces de Phycitidae et des Galleriidae. 52 pp. Paris.
- 2347. Ragonot, E.L.**, 1890, Diagnoses suivantes de plusieurs espèces nouvelles de Phycites de la collection de M. Ed. Meyrick. *Annls Soc. ent. Fr. Bull.* (6) 10: ccxii-ccxiv.
- 2348. Ragonot, E.L.**, 1890, Essai sur la classification des Pyralites. *Annls Soc. ent. Fr.* (6) 10: 435-546, Taf. 5-8.
- 2349. Ragonot, E.L.**, 1890, Notes sur la Pyralites. *Bull. Soc. ent. Fr.* (6) 10 (2): xcii-xciii.
- 2350. Ragonot, E.L.**, 1891, Essai sur la classification des Pyralites. Note supplémentaire et rectificative. *Annls Soc. ent. Fr.* (6) 11: 599-662.
- 2351. Ragonot, E.L.**, 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff, N.M., *Mém. lépid.* 7: lvi + 658 pp. 26 Taf. St. Petersburg.

- 2352. Ragonot, E.L.**, 1894, Notes synonymiques sur les Microlépidoptères et descriptions d'espèces peu connues ou inédites. *Annls Soc. ent. Fr.* 63: 161-226, 1 Pl.
- 2353. Ragonot, E.L.**, 1895, Microlépidoptères de la Haute-Syrie récoltés par M. Ch. Delagrangé, et descriptions des espèces nouvelles. *Bull. Soc. ent. Fr.* 1895: xciv-cix.
- 2354. Raineri, V.**, 1989, *Idaea predotaria* (Hartig, 1951) stat.n., comb.n., the valid senior synonym of *I. griseanova* Rezbamyai-Reser, 1987 (Lepidoptera, Geometridae). *Nota lepid.* 12 (3): 187-191, figs.
- 2355. Raineri, V.**, 1994, Some considerations on the genus *Thetidia* and description of a new genus *Antonechloris* gen.nov. (Lepidoptera, Geometridae). *Atalanta* 25 (1/2): 365-372, 13 figs.
- 2356. Rajaei, H. & D. Stünig**, 2012, *Scotopteryx kuznetzovi* (Wardikian, 1957) (Lepidoptera, Geometridae, Larentiinae), a new species for the fauna of Iran and Turkey. *Bonn zool. Bull.* 61 (1): 135-139, figs.
- 2357. Rajaei, H. & D. Stünig**, 2013, *Lehmannodes* gen.nov., a new genus of Larentiinae from Turkey and Iran (Lepidoptera, Geometridae). *Zool. Anz.* 252 (4): 562-571, figs.
- 2358. Rajaei, H. & S. Feizpour**, 2016, *Gypsochroa renitidata* (Lepidoptera, Geometridae, Desmobathrinae), a genus and species new for the fauna of Iran. *Zool. Middle East* 62 (1): 64-67, figs.
- 2359. Rajaei, H.**, 2010, Life-history of *Gnopharmia kasrunensis* Wehrli, 1939 and *G. colchidaria* Lederer, 1870 (Geometridae, Ennominae) and their distribution in Iran, with first host-plant records for the genus. *Bonn zool. Bull.* 57 (1): 65-73, figs.
- 2360. Rajaei, H., Stadie, D. & A. Hausmann**, 2017, Taxonomic revision of the genus *Protorhoe* Herbulot, 1951 (Lepidoptera, Geometridae, Larentiinae), new taxonomic changes and description of two new species. *Zootaxa* 4282 (2): 269-291, figs. [an important publication, but with some annoying spelling errors on collecting localities in such a peer review journal].
- 2361. Rajaei, H., Stünig, D. & J. Viidalepp**, 2011, A review of the species of *Lithostege* Hübner, [1825] 1816 (Lepidoptera, Geometridae, Larentiinae), occurring in Iran and adjacent countries, with description of two new species from Iran and Pakistan. *Zootaxa* 3105: 1-46, figs.
- 2362. Rajaei, H., Stünig, D. & R. Trusch**, 2012, Taxonomic revision and zoogeographical patterns of the species of *Gnopharmia* Staudinger, 1892 (Geometridae, Ennominae). *Zootaxa* 3360: 1-52, figs. [with numerous mis-spellings on Turkish localities]
- 2363. Rajaei, H.S. & G.M. Laszlo**, 2014, *Scotopteryx kurmanjiana*, a new species from the Kopet-Dagh Mountains (Lepidoptera, Geometridae, Larentiinae). *Nota lepid.* 37 (1): 37-42, figs.
- 2364. Rakosy, L.**, 1985, Un nouveau genre, *Euclidiana*, de la faune paléarctique (Lepidoptera, Noctuidae, Catocalinae). *Nota lepid.* 8 (4): 368-376, figs.
- 2365. Rakosy, L.**, 1997, *Die Noctuiden Rumäniens* (Lepidoptera, Noctuidae). 648 pp., 821 Abb., 651 Karte, 30 Taf.
- 2366. Rakosy, L.**, 1998, Genus *Nychiodes* Lederer, 1853 in den Sammlungen des Biologiezentrums in Linz (Lepidoptera, Geometridae). *Ent. rom.* 2 (1997): 45-52, figs.
- 2367. Rambur, J.P.**, 1832, Catalogue des Lépidoptères de l'île de Corse, avec la description et la figure des espèces inédites. *Annls Soc. ent. Fr.* 1: 245-295; 2: 5-59, pls.
- 2368. Rambur, J.P.**, 1834, Description de plusieurs espèces inédites de Lépidoptères nocturnes du centre et du midi de la France. *Annls Soc. ent. Fr.* 3: 379-395, pl.
- 2369. Rambur, J.P.**, 1836, Notice sur plusieurs Lépidoptères du midi de l'Espagne parmi lesquels se trouve le Pap. euphème d'Esper. *Annls Soc. ent. Fr.* 5: 573-588.
- 2370. Razowski, J.**, 1956, Two new Palaearctic species of the genus *Cnephasia* Curt. (Lepidoptera, Tortricidae). *Acta zool. cracov.* 1 (2): 21-28, Pls. iii-v.
- 2371. Razowski, J.**, 1958, New and little known Palaearctic species of *Cnephasiini* (Lepidoptera, Tortricidae). *Acta zool. cracov.* 2: 561-584, 10 pls.
- 2372. Razowski, J.**, 1959, European species of *Cnephasiini* (Lepidoptera, Tortricidae). *Acta zool. cracov.* 4: 179-423, pls. 27-67.
- 2373. Razowski, J.**, 1959, Neue und wenig bekannte palaearktische Wickler-Arten (Lepidoptera, Tortricidae). *Z. Wien. ent. Ges.* 44: 81-87, pls.
- 2374. Razowski, J.**, 1959, Some remarks on *Phaloniidae* (Lepidoptera). *Polski Pismo ent.* 29: 437-446, figs.
- 2375. Razowski, J.**, 1960, Studies on the *Cochylidae* (Lepidoptera) Part II. The genera of the Palaearctic *Cochylidae*. *Polski Pismo ent.* 30: 281-356, figs.
- 2376. Razowski, J.**, 1960, Studies on the *Cochylidae* (Lepidoptera) Part III. On some species from the collection of Dr. S. Toll. *Polski Pismo ent.* 30: 397-402, figs.

- 2377. Razowski, J.,** 1961, Studien über die Cochylidae (Lepidoptera) Teil V. Cochylidae Typen im Naturhistorischen Museum in Wien. Z. wien. ent. Ges. 46: 23-28, 14 Abb.
- 2378. Razowski, J.,** 1961, Studies on Cochylidae (Lepidoptera) Part VI. Remarks on types of some Cochylidae. Polski Pismo ent. 31: 301-319, figs.
- 2379. Razowski, J.,** 1962, Studies on Cochylidae (Lepidoptera) Part VII. Revision of the group "Lozopera Steph." of the genus Aethes Billb. Acta zool. cracov. 7 (13): 391-421, figs.
- 2380. Razowski, J.,** 1965, The Palearctic Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 10 (3): 199-343, pls. 12-26.
- 2381. Razowski, J.,** 1966, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil IV. Tortricoidea. Z. wien. ent. Ges. 51: 72-79, 9 Abb.
- 2382. Razowski, J.,** 1966, World fauna of the Tortricini (Lepidoptera, Tortricidae). Państwowe Wydawnictwo Naukowe, Krakowie.
- 2383. Razowski, J.,** 1968, Revision of the generic group Agapeta Hübner (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 73-102, figs.
- 2384. Razowski, J.,** 1968, Revision of the generic group Cochylidia Obraztsov (Lepidoptera, Cochylidae). Polski Pismo ent. 38: 3-8, figs.
- 2385. Razowski, J.,** 1968, Revision of the generic group Cochylis Treitschke (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 131-148, figs.
- 2386. Razowski, J.,** 1968, Revision of the generic group Eupoecilia Stephens (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 103-130, figs.
- 2387. Razowski, J.,** 1970, A short catalogue of the Palearctic Cochylidae (Lepidoptera). Acta zool. cracov. 15: 341-400.
- 2388. Razowski, J.,** 1970, Cochylidae, [in] Amsel, H.E. et al., Microlepidoptera Palearctica 3: xiv + 529 pp., 161 Taf., Wien.
- 2389. Razowski, J.,** 1974, Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig.
- 2390. Razowski, J.,** 1974, The description of a new species of the genus Aethes Billberg and some remarks on Stenodes psalmophanes (Meyrick) (Lepidoptera, Cochylidae). Polskie pismo Ent. 44: 731-733, figs.
- 2391. Razowski, J.,** 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296.
- 2392. Razowski, J.,** 1977, Monograph of the genus Archips Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 22 (5): 55-206, 223 text-figs.
- 2393. Razowski, J.,** 1981, Revision of the genus Aphelia Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 25 (15): 341-388, 84 figs.
- 2394. Razowski, J.,** 1982, The Cochylidii Fauna of the Palearctic Region in relation to that of the remaining regions (Tortricidae). Nota lepid. 5 (4): 171-176.
- 2395. Razowski, J.,** 1984, Tortricini, [in] Amsel, H.E. et al., Microlepidoptera Palearctica 6: xvi + 376 pp., 101 Taf., Wien.
- 2396. Razowski, J.,** 1987, The genera of Tortricidae (Lepidoptera), Part I. Palearctic Chlidanotinae and Tortricinae. Acta zool. cracov. 30 (11): 141-355.
- 2397. Razowski, J.,** 1989, Miscellaneous notes on Tortricidae. Nota lepid. 11 (4): 285-289, 6 figs.
- 2398. Razowski, J.,** 1989, The genera of Tortricidae Part II. Palearctic Olethreutinae. Acta zool. cracov. 32 (7): 107-328.
- 2399. Razowski, J.,** 1991, Notes on cochyline genus Phtheochroa Stephens (Lepidoptera, Tortricidae) with descriptions of new American species. Acta zool. cracov. 34 (1): 163-187, figs.
- 2400. Razowski, J.,** 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. Acta zool. cracov. 34 (1): 99-162.
- 2401. Razowski, J.,** 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palearctic Sparganothini Euliini Ramapesiini and Archipini. Acta zool. cracov. 35 (3): 665-703.
- 2402. Razowski, J.,** 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palearctic Olethreutinae: Microcorsini, Bactrini, Endotheniini and Olethreutini. Acta zool. cracov. 38 (2): 285-324.
- 2403. Razowski, J.,** 1999, Catalogue of the species of Tortricidae Part V. Palearctic Eucosmina and Enarmoniina (Insecta, Lepidoptera). Shilap Revta lepid. 27 (108): 437-506.

- 2404. Razowski, J.,** 2001, Die Tortriciden (Lepidoptera, Tortricidae) Mitteleuropas. Bestimmung Verbreitung Flugstandort Lebensweise der Raupen. 319 S., 151 Taf., 24 Farbt. Bratislava
- 2405. Razowski, J.,** 2002, Notes on Eana Billberg, 1820 and Cnephasia Curtis, 1826 (Lepidoptera, Tortricidae). Polski pismo Ent. 71 (3): 225-230, figs.
- 2406. Razowski, J.,** 2002, Tortricidae (Lepidoptera) of Europe Volume 1 Tortricinae and Chlidanotinae. 247 pp., 16 Pls. Bratislava.
- 2407. Razowski, J.,** 2003, Tortricidae (Lepidoptera) of Europe Volume 2 Olethreutinae. 301 pp., 18 Pls. Bratislava.
- 2408. Razowski, J.,** 2009, Tortricidae of the Palaearctic Region volume 2 Cochylini. 195 pp. 57 pls. Krakow- Bratislava.
- 2409. Razowski, J.,** 2012, Diagnoses of the species described by J. Razowski (Lepidoptera, Tortricidae). Shilap Revta lepid. 40 (160): 357-408.
- 2410. Razowski, J.,** 2015, Diagnoses and remarks on the genera of Tortricidae (Lepidoptera), Part 3. Archipini. Acta zool. cracov. 58 (2): 195-252.
- 2411. Rebel, H.,** 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116.
- 2412. Rebel, H.,** 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268.
- 2413. Rebel, H.,** 1893, Neue oder wenig gekannte Microlepidopteren des palaearktischen Faunengebietes. Stettin ent. Ztg. 54 (1/3): 37-59.
- 2414. Rebel, H.,** 1900, *Acidalia metohiensis* nov. spec. Verh. zool.- bot. Ges. Wien 50: 451-452.
- 2415. Rebel, H.,** 1900, Zur Auffassung der Lemoniiden als selbständige Lepidopteren-familie. Ent. Nachr. 26 (4): 49-51.
- 2416. Rebel, H.,** 1901, *Colias aurorina taurica*. Verh. zool.- bot. Ges. Wien 51: 310-311.
- 2417. Rebel, H.,** 1901, II. Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. 368 S. Berlin.
- 2418. Rebel, H.,** 1901, Neue palaearktische Tineen. Dt. ent. Z., Iris 13(2): 161-188.
- 2419. Rebel, H.,** 1901, Neue palaearktische Tineen. Dt. ent. Z., Iris 13: 169-174.
- 2420. Rebel, H.,** 1901, Über eine neue von Herrn Max Korb in Westasien gesammelte Lepidopterenformen. Annln naturh. Mus. Wien 16: 165-169.
- 2421. Rebel, H.,** 1902, Neue Pyraliden, Pterophoriden und Tineen des palaearktischen Faunengebietes. Dt. ent. Z., Iris 15 (1): 100-126, Taf. iv [Plate published on May 1st 1903].
- 2422. Rebel, H.,** 1903, Neue Pyraliden aus Algerien und Westasien. Dt. ent. Z., Iris 16: 1-8, figs.
- 2423. Rebel, H.,** 1903, Studien über die Lepidopterenfauna der Balkanländer I. Teil. Bulgarien und Ostrumelien. Annln naturh. Mus. Wien 18: 117-346.
- 2424. Rebel, H.,** 1905, Lepidopteren, [in] Penther, A. & Zedebauer, E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20 (2/3): 189-219.
- 2425. Rebel, H.,** 1908, Eine Lepidopterenausbeute welche vom Herrn Karl Ritter v. Blumencron im Hochsommer des verflossenen Jahres im nordöstlichen Kleinasien (Pontus) namentlich in der Umgebung Trapezunts gemacht wurde. Verh. zool.- bot. Ges. Wien 58: (82)-(85).
- 2426. Rebel, H.,** 1909, Bericht über eine kleine Lepidopterenausbeute, welche Herr Karl Ritter v. Blumencron im Juni 1908 in Fol. Maden bei Trapezunt gemacht. Verh. zool.- bot. Ges. Wien 59: (235)-(236).
- 2427. Rebel, H.,** 1910, Fr. Berge's Schmetterlingsbuch nach dem gegenwärtigen Stande der Lepidopterologie (9th Edn.). 509 pp. Stuttgart.
- 2428. Rebel, H.,** 1910, Neue palaearktische Pyraliden, Tortriciden und Tineen. Dt. ent. Z., Iris 24: 1-14, Taf. 1.
- 2429. Rebel, H.,** 1911, *Parnassius apollo auerspergi* nov. subspec. Verh. zool.- bot. Ges. Wien 61: (44)-(46).
- 2430. Rebel, H.,** 1913, Studien über die Lepidopterenfauna der Balkanländer III. Teil. Sammelergebnisse aus Montenegro, Albanien, Mazedonien und Thrazien. Annln naturh. Mus. Wien 28: 281-334.
- 2431. Rebel, H.,** 1914, Über eine Mikrolepidopterenausbeute aus dem westlichen Thian-Shan-Gebiet. Dt. ent. Z., Iris 28: 271-278.
- 2432. Rebel, H.,** 1917, Eine Lepidopterenausbeute aus dem Amanusgebirge (Alman Dagh). Sb. Akad. Wiss. Wien Abt. I: 126 (4/5): 243-282.
- 2433. Rebel, H.,** 1919, *Axia (Cimelia) margarita* Hb. und eine neue Lepidopterenfamilie Axiidae. Verh. zool.- bot. Ges. Wien 69: (111)-(114).

- 2434. Rebel, H.**, 1932, Pyralidae-Gelechiidae, [in] Wagner, F., Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26 (18): 187-191.
- 2435. Rebel, H.**, 1933, Lepidopteren aus der Umgebung Ankaras. 1. Teil Annln naturh. Mus. Wien 46: 1-13, 1 pl., 2 figs.
- 2436. Rebel, H.**, 1933, Neue Lepidopteren aus Ankara. Z. öst. EntVer. 18: 23-24.
- 2437. Rebel, H.**, 1935, Neue Microlepidopteren aus Kleinasien. Mitt. münch. ent. Ges. 25: 39-41.
- 2438. Rebel, H.**, 1936, Lepidopteren aus der Umgebung Ankaras. 2. Teil Annln naturh. Mus. Wien 47: 43-58.
- 2439. Rebel, H.**, 1940, Zur Kenntnis einiger Subfamilien der Psychiden. Z. wien. entVer. 25: 59-65, 73-76, Taf. xi.
- 2440. Redondo, V.M. & F.J. Gaston**, 1996, Gnophos (Euchrognophos) assoi sp.n. de la Peninsula Ibérica (Lepidoptera, Geometridae). Zapateri Revta aragon. ent. 6: 155-162, figs.
- 2441. Reh, L.**, 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
- 2442. Reinhardt, R.**, 2001, Kleine Ergänzungen zur Tagfalterfauna der Türkei (Lepidoptera, Rhopalocera). Atalanta 32 (3/4): 399-400.
- 2443. Reiss, G.**, 1976, A New Subspecies of Zygaena (Zygaena) osterodensis Reiss (Lep., Zygaenidae) from the Region of Lake Van, Turkey. Entomologist's Gaz. 27: 31-32, pl. 2, figs. 3-4.
- 2444. Reiss, G.**, 1978, Beiträge zur Kenntnis der Bombyces und Sphinges des Iran 3. Beitrag: Zygaena (Mesembrynus) tamara Christoph im Westiran (Lep., Zygaenidae). Atalanta 9 (4a): 345-354, figs.
- 2445. Reiss, G.**, 1981, Zygaena (Mesembrynus) haematina Kollar, 1849 und ihre Verbreitung (Lep., Zygaenidae). Atalanta 12 (5): 368-385, fig.
- 2446. Reiss, H. & G. Reiss**, 1969, Beitrag zur Verbreitung der Zygaena (Agrumenia) ganymedes H.-S., und der Zygaena (A.) laetifica H.-S. der olivieri Gruppe (Lep.). Stuttg. Beitr. Naturk. 205: 1-7, Pls.
- 2447. Reiss, H. & G. Reiss**, 1973, On the Zygaena Fauna of the Neighbourhood of Lake Van in Asia Minor (Lep., Zygaenidae). Entomologist's Rec. J. Var. 85: 191-196, pls. 14-15.
- 2448. Reiss, H. & W.G. Tremewan**, 1960, On the synonymy of some Zygaena species, with descriptions of a new species and subspecies from Morocco, Lep., Zygaenidae. Bull. Br. Mus. nat. Hist. (Ent.) 9 (10): 459-468, pl. 22.
- 2449. Reiss, H. & W.G. Tremewan**, 1967, A Systematic Catalogue of the genus Zygaena Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag.
- 2450. Reiss, H.**, 1929, Neue Zygaenen Rassen von Kleinasien. Int. ent. Z. 23: 148, 151-152.
- 2451. Reiss, H.**, 1930-1931, Familie Zygaenidae. [in] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 1-50. Stuttgart.
- 2452. Reiss, H.**, 1932, Altes und neues über Zygaena corycia, Z. graslini, Z. cambysea und Z. cuvieri. Int. ent. Z. 26: 269-280, Pl.
- 2453. Reiss, H.**, 1933, Über einige seltene asiatische Zygaenen (Lep.). Int. ent. Z. 26: 475-478, 487-493, 499-505, pl.
- 2454. Reiss, H.**, 1933, Versuch einer Monographie über die Gruppen der Zygaena (Coelestis) fraxini Mén. und olivieri Boisd. (Lep.). Ent. Rdsch. 50: 130-136, 144-155, 162-163, 170-171, 194-196, 203-209, 221-223, 241-243, pls.
- 2455. Reiss, H.**, 1935, Neues über asiatische Zygaenen, im besonderen die Zygaenen-Fauna von Ak-Schehir in Kleinasien. Int. ent. Z. 29: 121-124, 139-142, 149-151, 159-161, 186-192, 207-209, 221-223, 229-232, 1 Pl.
- 2456. Reiss, H.**, 1935, Zygaena formosa H.-S., kotzschii nov. subsp. Int. ent. Z. 28: 489-491.
- 2457. Reiss, H.**, 1937-1938, Neues über die Zygaenenfauna des Elbursgebirges und ihre Beziehungen zu den Faunen Nordafrikas und der Pyrenäen-Halbinsel- Nachtrag. Ent. Rdsch. 55: 18-19, 30-32, 40-42, figs.
- 2458. Reiss, H.**, 1941, Neuer Beitrag zur Kenntnis der Zygaenen (Lep.). Mitt. münch. ent. Ges. 31 (3): 987-1004, pl. 14.
- 2459. Reiss, H.**, 1941, Über einige neue europäische und asiatische Zygaenenrassen (Lep.). Z. wien. entVer. 26: 58-64.
- 2460. Reiss, H.**, 1953, Über drei Zygaenen die als regressive Endemiten bezeichnet werden können, deren Entstehung vermutlich in der Pliozänzeit erfolgte. Z. wien. ent. Ges. 38: 131-141, Taf. 8-10.
- 2461. Reiss, H.**, 1961, Über Zygaena araratensis Reiss im besonderen Festlegung des Lectotypus. Ent. Z., Frankf. a. M. 71: 205-208, 242-245.

- 2462. Reisser, H.**, 1930, Eine neue europäische Noctuide. Z. öst. Ent. Ver. 15 (1): 1-6, Taf. 1.
- 2463. Reisser, H.**, 1954, G. de Lattin: Türkiye Kelebekleri Hakkında I. (Türkische Lepidopteren I.), Ist. Üniv. Fen Fak. Mecmuası (Rev. de la faculté des sciences de l'Univ. d'Istanbul 1950, p. 301-331, 2 Taf. 9 Abb. (Sep.) und dt., II., ibid., Tome xvi, Fasc. I, 1951, p. 45-73, 1 Taf., 8 Ab Z. wien. ent. Ges. 39: 44-45.
- 2464. Reisser, H.**, 1957, Beiträge zur Kenntnis der Sterrhinae (Lepidoptera, Geometridae) III. Über *Problepsis ocellata* Friv. und ihre ersten Stände. Z. wien. ent. Ges. 42: 161-172.
- 2465. Reisser, H.**, 1962, Weitere neue Heteroceren aus Kreta. Z. wien. ent. Ges. 47 (12): 193-216, Taf. 20-23, figs.
- 2466. Reisser, H.**, 1971, Beiträge zur Kenntnis der Sterrhinae (Lep., Geometridae), VIII. Liste der von Dr. U. Roesler in Nordgriechenland und im westlichen Kleinasien gesammelten Arten. Ent. Z., Frankf. a. M. 81(3): 21-24.
- 2467. Reissinger, E.**, [1990], Checkliste Pieridae Duponchel, 1835 (Lepidoptera) der Westpalaearktis (Europa, Nordwestafrika, Kaukasus, Kleinasien). Atalanta 20 (1989): 149-185.
- 2468. Reissinger, E.**, 1990, *Anthocharis gruneri macedonica* (Buresch, 1921) nicht synonym zu *Anthocharis gruneri gruneri* (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). Atalanta 21 (3/4): 185-186.
- 2469. Ren, Y., Liu, S. & H. Li**, 2011, Review of the genus *Merulempista* Roesler, 1967 (Lepidoptera, Pyralidae) from China, with description of two new species. Zookeys 77: 65-75, figs.
- 2470. Retzlaff, H.**, 1991, Zur Verbreitung von *Cerocala sana* Staudinger, 1901, in der Türkei (Lep., Noctuidae). Mitt. Arb. Gem. Ostwestf. - Lipp. Ent. 7 (2): 75-76.
- 2471. Reverdin, J. L.**, 1909, *Pieris rapae*, L., and *P. manni*, Mayer. Entomologist's Rec. J. Var. 21: 149-150, Pl. xiii.
- 2472. Reverdin, J. L.**, 1913, Notes sur les genres *Hesperia* et *Carcharodus*. Bull. Soc. lepid. Genève 2: 212-237.
- 2473. Reverdin, J. L.**, 1916, *Adopea nova*, mihi, species nov. Bull. Soc. lepid. Genève 3: 122-128, pl. 7, 8.
- 2474. Rezbanayi, L.**, 1980, Die Genitalien von *Scotopteryx bipunctaria* und *S. octodurensis*, sowie allerlei Wissenswertes über die letztgenannte Art (Lepidoptera, Geometridae). Ent. Z., Frankf. a. M. 90(4): 33-46, 6 Abb.
- 2475. Rezbanayi, L.**, 1981, Zur Verbreitung der *Horisme*-Arten *tersata* Denis & Schiffermüller 1775 und *laurinata* Schawerda 1919 in Europa (Geometridae). Nota lepid. 4(4): 159-166, 1 Foto, 4 Karte.
- 2476. Rezbanayi-Reser, L. & A. Exposito-Hermosa**, 1988, Zum Vorkommen von *Gnophos* (*Kemtrognophos*) *predotae* Schawerda, 1929, in Spanien und zur Morphologie der Arten *predotae* Schaw., *ambiguatus* Dup. und *onustarius* H.-Sch. (Lep., Geometridae). Nota lepid. 11 (3): 207-222, figs.
- 2477. Rezbanayi-Reser, L.**, 1997, Vier neue *Oligia*-Arten, *pseudodubia* (NW-Kaukasus) und *turcia* (Türkei), sowie *suleiman* und *vandarban* (Nord-Iran) (Lepidoptera, Noctuidae). Ent. Ber., Luzern 37: 149-169, Abb.
- 2478. Rezbanayi-Reser, L.**, 2003, *Scotopteryx olympia* sp. nova aus Griechenland, sowie *S. decolor* (Schwingschuss, 1939) *bona* sp. (stat. nov.) aus Nordiran (Lep.: Geometridae). Ent. Ber., Luzern 50: 117-136, Abb.
- 2479. Reznik, S. Y.**, 1976, New species of the genus *Multicoloria* Cap. (Lepidoptera, Coleophoridae) from USSR and adjacent countries. Ent. Obozr. 55 (3): 648-656, figs.
- 2480. Ribbe, C.**, 1905, Einige neue Formen von Schmetterlingen aus Andalusien. Soc. Ent. 20 (18): 137-138.
- 2481. Richter, I.**, 2018, Coleophoridae. <http://www.coleophoridae.bluefile.cz> (access: 19.1.2018)
- 2482. Riedl, T.**, 1969, Matériaux pour la connaissance des Momphidae paléarctiques (Lep.). Partie ix. Revue des Momphidae européens, ya compris quelques espèces d'Afrique du Nord et du Proche-Orient. Polskie pismo Ent. 39 (4): 635-919, 414 figs.
- 2483. Riedl, T.**, 1978, Sur la repartition de certains Momphidae s.l. dans la région Méditerranéenne (Lepidoptera). Mitt. ent. Ges. Basel 28: 72-75.
- 2484. Riemis, A.**, 1992, Geometridae of Turkey 2. *Lomaspilis opis bithynica* ssp. n. a new for Turkey (Lepidoptera, Geometridae). Phegea 20 (4): 131-135, figs.
- 2485. Riemis, A.**, 1992, Geometridae of Turkey 1. Description of a new species from Eastern Turkey in the genus *Aplocera* Fletcher [sic!] (Lepidoptera, Geometridae). Phegea 20 (2): 75-78, 3 figs.
- 2486. Riemis, A.**, 1994, Geometridae of Turkey 3. A provisional list of the Geometridae of Turkey (Lepidoptera). Phegea 22 (1): 15-22.

- 2487. Riemis, A.**, 1995, Geometridae of Turkey 4. *Menophra trypanaria* (Wiltshire, 1948), a new species for the Turkish fauna, with description of the male (Lepidoptera). *Phegea* 23 (3): 137-140, 10 figs.
- 2488. Riemis, A.**, 1996, Geometridae of Turkey, 5. Data on 38 new Turkish Geometridae species (Lepidoptera). *Phegea* 24 (2): 83-87.
- 2489. Riemis, A.**, 1997, Geometridae of Turkey 6. Description of a new species from eastern Turkey in the genus *Scotopteryx* Hübner (Lepidoptera, Geometridae). *Phegea* 25 (1): 31-34, 3 figs.
- 2490. Riemis, A.**, 1998, Geometridae of Turkey 7. Additions and corrections to the provisional list of Turkey (Lepidoptera, Geometridae). *Phegea* 26 (2): 76-80.
- 2491. Riesen, A.**, 1891, Zur systematische Stellung der Gattung *Namangana* Stgr. *Stettin ent.Ztg.* 52 (1/3): 14-15.
- 2492. Riley, N.D.**, 1925, The species usually referred to the genus *Cigaritis* Boisd. *Novit. zool.* 32: 70-95, figs.
- 2493. Rjabov, M.A. & S.A. Vardikyan**, 1964, Kavkazkie vidy roda *Gnophos* Tr. *Akad. nauk Armjanskoj SSR, Zool. Inst., Zool. sbornik* 13: 105-147, figs.
- 2494. Robinson, G.S. & E.S. Nielsen**, 1983, The Microlepidoptera described by Linnaeus and Clerck. *Syst. Ent.* 8: 191-242, figs.
- 2495. Robinson, G.S. & K.R. Tuck**, 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). *Syst. Ent.* 22: 363-396, figs.
- 2496. Robinson, G.S.**, 1979, Clothes moths of the *Tinea pellionella* complex: a revision of the world's species (Lepidoptera, Tineidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 38 (3): 57-128, figs.
- 2497. Robinson, G.S.**, 1982, The Palaearctic Tineidae (Lepidoptera) described by Daniel Lucas. *Entomologist's Gaz.* 33: 175-180.
- 2498. Robinson, G.S.**, 1985, The white Tineidae of North Africa and the Middle East: A revision of the *Episcardia lardatella*-complex (Lepidoptera). *Entomologist's Gaz.* 36: 269-281, figs.
- 2499. Robinson, G.S.**, 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 52 (2): 37-181, figs.
- 2500. Robinson, G.S., Ackery, P.R., Kitching, I.J., Beccaloni, G.W. & L.M. Hernandez**, 2005, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsml>) > Natural History Museum, London.
- 2501. Roesler, R.-U.**, 1967, Phycitinen-Studien (Lepidoptera) II. *Ent. Z., Frankf. a. M.* 77: 273-282, Abb.
- 2502. Roesler, R.-U.**, 1973, Trifine *Acrobasiina* (1. Teilband der Phycitinae). [in] Amsel, H.G. et al., *Microlepidoptera Palaearctica* vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien.
- 2503. Roesler, R.-U.**, 1980, Neue Resultate zur Taxonomie von *Euzophra* Zeller Phycitinen-Studien XVII (Lepidoptera, Pyralidae) *NachrBl. bayer. Ent.* 29 (5): 81-89, 5 Abb.
- 2504. Roesler, R.-U.**, 1987, Die bisher als *Rhodophaea* geläufige Gattung *Trachycera* Ragonot, 1893 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. *Ent. Z., Frankf. a. M.* 97 (21): 305-319, 10 Abb.
- 2505. Roesler, R.-U.**, 1988, Die bisher als *Pristophorodes* gelaufenen Genera *Asalebria* Amsel, 1953, *Ocrisiodes* Amsel, 1950 in der Palaearktis. Taxonomische Neuorientierung und Beschreibung neuer Taxa (Lepidoptera, Pyraloidea, Phycitinae). *Entomofauna* 9 (24): 461-492, 22 Abb.
- 2506. Roesler, R.-U.**, 1988, Die Gattung *Acrobasis* Zeller, 1839 in der Palaearktis (Lepidoptera, Pyraloidea, Phycitinae) Taxonomische Neuorientierung und Beschreibung neuer Taxa. *Entomofauna* 9 (8): 201-223, 10 Abb.
- 2507. Roesler, R.-U.**, 1988, Die Gattung *Eurhodope* Hübner, [1825] 1816 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung einer neuen Art. *Ent. Z., Frankf. a. M.* 98 (1/2): 1-11, 8 Abb.
- 2508. Roesler, R.-U.**, 1988, Die Gattung *Myelois* Hübner [1825] 1816 (Lepidoptera, Pyraloidea, Phycitinae) in der Paläarktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. *Ent. Z., Frankf. a. M.* 98 (13): 177-192, 10 Abb.
- 2509. Roesler, R.-U.**, 1988, Untersuchungen zur Taxonomie paläarktischer Phycitinae (Lepidoptera, Pyraloidea). *Beitr. Ent.* 38: 65-73, figs.
- 2510. Roesler, R.-U.**, 1993, Quadrifine *Acrobasiina* Erster Teil (2. Teilband der Phycitinae). [in] Amsel, H.G., *Microlepidoptera Palaearctica* vol.8 (Text & Tafeln). Verlag G. Braun, Karlsruhe.
- 2511. Rogenhofer, A.**, 1891, Beschreibungen neuer Varietäten von Spinner-Arten aus Syrien. *Verh. zool.-bot. Ges. Wien* 41 (Sitzungb.): 85-86.

- 2512. Rogenhofer, A.F. & J. Mann**, 1873, Neue Lepidopteren gesammelt von Herrn J. Haberhauer. Verh. zool.-bot. Ges. Wien 23: 569-574.
- 2513. Roine, A.**, 2000, Butterflies of Europe 2.0. CD-ROM.
- 2514. Romanoff, N.M.**, 1879, Quelques observations sur les Lépidoptères de la partie du Haut-Plateau Armenien, comprise entre Alexandropol, Kars et Erzeroum. Horae Soc. ent. ross. 14: 483-495, Taf.iii.
- 2515. Romanoff, N.M.**, 1884-1887, Les Lépidoptères de la Transcaucasie I-III. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; 2: 1-118, Pls.; 3: 1-49, Pls.
- 2516. Ronkay, L. & P. Gyulai**, 2006, New Noctuidae (Lepidoptera) species from Iran and Tibet. Esperiana 12: 211-241, figs., pls. 24-26.
- 2517. Ronkay, L. & P. Gyulai**, 2006, Two new Noctuidae (Lepidoptera) species from Iran. Esperiana 12: 241-248, figs.
- 2518. Ronkay, L. & P. Gyulai**, 2009, Three new Noctuidae species from Western and Central Asia (Lepidoptera). Folia ent. hung. 70: 189-198, figs.
- 2519. Ronkay, L. & Z. Varga**, 1985, Luperina diversa (Staudinger, 1891) bona species, mit der Beschreibung zwei neuer subspecies (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 77: 207-216, 27 Abb., 1 Pl.
- 2520. Ronkay, L. & Z. Varga**, 1985, Neue Noctuiden aus Armenien bzw. aus dem Kaukasus-Raum (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 36 (3/4): 86-94, 1 Taf., 5 Abb.
- 2521. Ronkay, L. & Z. Varga**, 1989, Studies on the Palaearctic Noctuidae. Sect. Amphipyrrinae, I. The genus Pseudohadena Alpheraky, 1889. The laciniosa group. Acta zool. hung. 35(3/4): 339-353, 19 figs. Pl.
- 2522. Ronkay, L. & Z. Varga**, 1990, Taxonomic and zoogeographical studies on the subfamily Cuculliinae (Lepidoptera, Noctuidae). Part II. Esperiana 1: 471-497, 69 figs., pls.
- 2523. Ronkay, L. & Z. Varga**, 1994, On the taxonomy of the genus Ostheldera Nye, 1975 (Lepidoptera, Noctuidae, Cuculliinae). Acta zool. hung. 40 (2): 157-170, figs.
- 2524. Ronkay, L.**, 1984, Notes on the genus Agrochola Hübner, 1821 (Lepidoptera, Noctuidae). Part II. Acta zool. hung. 30 (1/2): 179-187, 9 figs.
- 2525. Ronkay, L.**, 1986, Taxonomic Studies on the genus Autophila Hübner, 1823. I. Acta zool. hung. 32 (1/2): 141-159, 38 figs.
- 2526. Ronkay, L.**, 1989, Taxonomic Studies on the genus Autophila Hübner, 1823 (Lepidoptera, Noctuidae), II. Acta zool. hung. 35 (1/2): 111-141, 74 figs.
- 2527. Ronkay, L.**, 1990, New Noctuidae taxa from Asia Minor and the Caucasus (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 82: 155-162, 17 figs.
- 2528. Ronkay, L.**, 1990, New taxa of the genus Metalopha Staudinger, 1892 (Lepidoptera, Noctuidae). Esperiana 1: 199-212, 26 figs., pl. 8.
- 2529. Ronkay, L.**, 2005, Revision of the genus Lophoterges Hampson, 1906 (s.l.) (Lepidoptera, Noctuidae, Cuculliinae) Part II. The Genus Lophoterges s.str. Acta zool. hung. 51 (1): 1-57, figs.
- 2530. Ronkay, L.**, 2006, New taxa of Autophila Hübner, 1823 from Central Asia. Studies on the genus Autophila Hübner, 1823, part VI (Lepidoptera, Noctuidae, Catocalinae). Folia ent. hung. 67: 115-136, figs.
- 2531. Ronkay, L., Fabian, G., Herczig, B. & C. Szaboky**, 1990, Contributions to the Noctuidae fauna of Turkey (Lepidoptera). Annls hist.-nat. Mus. natn. hung. (1989) 81: 115-123, figs.
- 2532. Ronkay, L., Varga, Z. & M. Hreblay**, 1998, Twenty two new species and six new subspecies of Noctuidae from Turkmenistan and adjacent regions (Lepidoptera). Acta zool. hung. 44 (3): 205-281, figs.
- 2533. Rose, K.**, 1977, Vacciniina alcedo in Zentralanatolien, nebst Beschreibung einer neuen Unterart (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 87: 62-65, figs.
- 2534. Rose, K.**, 1978, Zwei neue Unterarten von Agrodiaetus carmon aus der Türkei (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 88 (22): 245-251, 3 Abb.
- 2535. Rose, K.**, 1991, Bemerkungen zu "Agrodiaetus (Sublysandra) eberti" Koçak, 1979 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 11(4): 185-188.
- 2536. Rose, K., Schurian, K.G. & W. Eckweiler**, 1992, A further new subspecies of Polyommatus (Aricia) hyacinthus (Herrich-Schäffer, 1847) (Lepidoptera, Lycaenidae). Linneana Belgica 13 (6): 341-346, figs.
- 2537. Rosen, K. von**, 1929, Familie Papilio[nidae]. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 7-20. Stuttgart.

- 2538. Rothschild, N.C.**, 1921, Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183.
- 2539. Rothschild, W. & K. Jordan**, 1903, A revision of the lepidopterous family Sphingidae. Novit. zool. 9, suppl.: cxxv + 972 pp., 67 pls.
- 2540. Rothschild, W. & K. Jordan**, 1916, Corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 115-123, 3 figs.
- 2541. Rothschild, W. & K. Jordan**, 1916, Further corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 247-263, 14 figs.
- 2542. Rothschild, W.**, 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463.
- 2543. Rothschild, W.**, 1908, New Subspecies of Parnassius apollo. Novit. zool. 15: 390.
- 2544. Rothschild, W.**, 1909, Catalogue of the collection of Parnassiinae in the Tring Museum, with systematic notes. Novit. zool. 16 (1): 1-20.
- 2545. Rothschild, W.**, 1910, Catalogue of the Arctianae in the Tring Museum, with notes and descriptions of new species. Novit. zool. 17 (1): 1-85; 17 (2): 113-171.
- 2546. Rothschild, W.**, 1912, Verbesserungen und Zusätze zu den Cossiden. [in] Seitz, A., Die Gross-Schmetterlinge der Erde, Band 2. pp.450-452. Stuttgart.
- 2547. Rottemburg, S.A. von**, 1775-1771, Anmerkungen zu den Hufnagelschen Tabellen der Schmetterlinge (Diurna-Phalaenae). Naturforscher 6 (1775): 1-34; 7 (1775): 105-112; 8 (1776): 101-111; 11 (1777): 63-91.
- 2548. Rougeot, P.-C.**, 1971, Lépidoptères printaniers des ruines en Turquie et en Grèce. Entomologiste 27 (3): 70-72, figs.
- 2549. Rougeot, P.-C.**, 1971, Les Bombycoïdes (Lepidoptera-Bombycoidea) de l'Europe et du Bassin Méditerranéen. Tome 1. Lemoniidae, Bombycidae, Brahmaeidae, Attacidae, Endromididae. Faune de l'Europe et du Bassin Méditerranéen 5: 1-159, 197 figs., 2 pls. Paris.
- 2550. Rowland-Brown, H.R.**, 1917, Some remarks on the distribution and development of species and subspecies of the Satyrine genus Melanargia Meigen in Italy, France, Spain and Algeria. Entomologist 50: 123-127, 157-160.
- 2551. Röber, J.**, 1896, Ein neuer Trypanus aus dem paläarktischen Gebiete. Ent. Nachr. 22: 3-4.
- 2552. Röber, J.**, 1896, Neue Schmetterlinge aus dem cilicischen Taurus. Ent. Nachr. 22: 81-84.
- 2553. Röber, J.**, 1897, Die Schmetterlings-Fauna des Taurus. Ent. Nachr. 23 (17/18): 257-288.
- 2554. Röber, J.**, 1907, 2. Familie Pieridae Weisslinge, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf.
- 2555. Rühl, F.**, 1892, Neue europäische Dasypolien. Societat. ent. 6 (22): 169-171.
- 2556. Rühl, F.**, 1892-[1893], Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 1-384S. Leipzig.
- 2557. Rydon, A.H.B.**, 1971, The systematics of the Charaxidae (Lepidoptera, Nymphaloidea). Entomologist's Rec. J. Var. 83: 219-233, 283-287, 310-316, 336-341, 384-388, 3 Pls.
- 2558. Sala, G. & M. Bollino**, 1994, Allancastris cerisyi Godart, 1822 in the Balkans: New subspecies and critical notes on the existing populations (Lepidoptera, Papilionidae). Atalanta 25 (1/2): 151-160, 2 pls.
- 2559. Sala, G. & M. Bollino**, 1997, A contribution to the knowledge of the Papilionidae of Rhodes Island (Lepidoptera, Papilionidae). Atalanta 28 (1/2): 43-47.
- 2560. Saldaitis, A., Ivinskis, P. & J. Rimsaite**, 2013, Notodonta valeria, a new species (Lepidoptera, Notodontidae) from China, with taxonomic remarks on Notodonta ziczia (Linnaeus, 1758) Zootaxa 3681 (5): 589-594, figs.
- 2561. Samodurov, G.D., Korolev, V.A. & W.W. Tshikolovets**, 2001, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 VII. Die Arten Hyponephele lycaon (Rott., 1775), H. pasimelas (Stgr., 1886), H. lycaonoides D. Weiss, 1978, H. przhewalskyi Dub. Sergeev & Zhdanko, 1994... (Lepidoptera, Satyridae). Atalanta 32 (1/2): 111-186, pls.
- 2562. Samodurov, G.D., Korolev, W.A. & W.W. Tshikolovets**, 1997, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 III. Die Arten Hyponephele cadusia (Lederer, 1869), H. cadusina (Stgr., 1881), H. laeta (Stgr., 1886), H. pamira Lukh., 1990, H. kirghisa (Alph., 1881), H. sheljuzhkoii Sam. & Tsh., 1996... Atalanta 28 (1/2): 49-96, Taf., figs.
- 2563. Samodurov, G.D., Korolev, W.A. & W.W. Tschikolowez**, 2000, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 VI. Die Arten Hyponephele capella (Christoph, 1877), H. narica (Hübner, [1808-1813]), H. naricina (Staudinger, 1870), H. fusca

- (Stsh.,1960) und *H.naricoides* Gross,1977 (Lep., Satyridae). *Atalanta* 31 (1/2): 135-170, figs., pls. x-xii.
2564. **Sanetra,M. & C.David**, 1995, Rejoinder to Bollino's & Sala's considerations about proposed synonymy of some *Papilio alexanor* subspecies. *Nachr. ent. Ver. Apollo* (N.F.) 16(2/3): 259-262.
2565. **Sanetra,M. & K.Fiedler**, 1996, Behaviour and morphology of an aphytophagous lycaenid caterpillar *Cigaritis* (*Apharitis*) *acamas* Klug,1834 (Lepidoptera, Lycaenidae). *Nota lepid.* 18 (1) (1995) 57-76.
2566. **Sarıgül,T. et al.**, 2008, List of the butterflies observed around Dereköy (Kırklareli Province, Turkey). *Cesa News* 28: 17-19.
2567. **Sarıkaya,O. & M.Avci**, 2006, The occurrence of *Choristoneura murinana* in *Abies cilicica* forests in Asia Minor. *Munis Ent. Zool.* 1 (2): 289-296, figs.
2568. **Sattler,K. & W.G.Tremewan**, 1984, The Lepidoptera names of Denis & Schiffermüller- a case for stability. *Nota lepid.* 7 (3): 282-285.
2569. **Sattler,K.**, 1960, Generische Gruppierung der europäischen Arten der Sammelgattung *Gelechia* (Lepidoptera, Gelechiidae). *Dt. ent. Z. (N.F.)* 7: 10-118, 31 Pls.
2570. **Sattler,K.**, 1967, Die Gattungen *Ornathalva* Gozmany und *Horridoalva* gen.n. *Beitr. naturk. Forsch. SüdwDtl.* 26 (3): 33-90, 19 Pls.
2571. **Sattler,K.**, 1967, Ethmiidae, [in] Amsel,H.G., Gregor,F. H.Reisser (Ed.), *Microlepidoptera Palaearctica* vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien.
2572. **Sattler,K.**, 1968, Die Gattung *Orophia* Hübner (Lepidoptera, Oecophoridae). *Beitr. Ent.* 18: 221-228, figs.
2573. **Sattler,K.**, 1968, Die systematische Stellung einiger Gelechiidae (Lep.). *Dt. ent. Z. (N.F.)* 15: 111-131, figs.
2574. **Sattler,K.**, 1972, Anmerkungen zu Razowski, 1970, *Cochylidae*, *Microlepidoptera Palaearctica*, Band 3. *Dt. ent. Z. N.F.* 19 (4/5): 287-299.
2575. **Sattler,K.**, 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, *Holcopogonidae*, *Lecithoceridae* and *Symmocidae* (Lepidoptera). *Bull. Br. Mus. nat. Hist. (Ent.)* 28 (4): 155-282.
2576. **Sattler,K.**, 1976, A taxonomic revision of the genus *Ornathalva* Gozmany,1955 (Lepidoptera, Gelechiidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 34 (2): 87-152, figs.
2577. **Sattler,K.**, 1978, The identity of the genus *Athrips* Billberg,1820 (Lep., Gelechiidae). *Dt. ent. Z. (N.F.)* 25 (1/3): 57-61.
2578. **Sattler,K.**, 1979, A taxonomic revision of the genus *Deltophora* Janse,1950 (Lepidoptera, Gelechiidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 38 (6): 263-322, figs.
2579. **Sattler,K.**, 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with *Pistacia*, *Rhus* and *Cotinus* (Anacardiaceae). *Entomologist's Gaz.* 33: 13-32, 3 figs.
2580. **Sauter,W. & P. Hättenschwiler**, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil: Liste der palaearktischen Arten. *Nota lepid.* 14 (1): 69-89.
2581. **Sauter,W. & P. Hättenschwiler**, 1999, Zum System der palaearktischen Psychiden (Lep., Psychidae). 2.Teil.: Bestimmungsschlüssel für die Gattungen. *Nota lepid.* 22 (4): 262-295, figs.
2582. **Sauter,W.**, 1968, Hilfstabellen zur Bestimmung europäischer Lycaeniden (Lep., Lycaenidae). *Mitt. ent. Ges. Basel (N.F.)* 18: 1-18, figs.
2583. **Sauter,W.**, 1987, Zum System der westpalaearktischen Gracillariidae. *Mitt. schweiz. ent. Ges.* 60: 307-314.
2584. **Sauter,W.**, 1990, Zur Systematik der Gnophos-Gruppe (Lepidoptera, Geometridae). *Nota lepid.* 12 (4): 328-343, 6 Abb.
2585. **Sauter,W.**, 1992, Zur systematischen Stellung von *Halia berytaria* Stgr. (Lepidoptera, Geometridae). *Nota lepid. (Suppl.4)*: 159-163, figs.
2586. **Savchuk,V.V. & N.S.Kajgorodova**, 2013, The first record of *Holoterpna pruinosa* (Staudinger,1897) (Geometridae) from Ukraine. *Nota lepid.* 36 (2): 175-178, figs.
2587. **Scalercio,S., Greco,S. & M.Infusino**, 2016, First record of *Phycita imperialella* (Ragonot,1887) from Western Europe (Pyralidae). *J. Lepidopterists' Soc.* 70 (1): 75-76, 1 fig.
2588. **Scalercio,S., Infusino,M. & A.Hausmann**, 2016, *Nothocasis rosariae* sp.n., a new sylvicolous, montane species from southern Europe (Lepidoptera, Geometridae, Larentiinae). *Zootaxa* 4161 (2): 177-192, figs.
2589. **Scalercio,S., Luzzi,G. & M.Infusino**, 2014, First record of *Pempelia amoenella* (Zeller,1848) for Western Europe (Lepidoptera, Pyralidae). *Biodiversity J.* 5 (2): 217-220, figs.

- 2590. Schadewald, G.**, 1992, Beitrag zur Klärung der Melitaea britomartis-Gruppe (Lep., Nymphalidae). Esperiana 3: 545-551, Abb.
- 2591. Schaffer, J.C.**, 1974, A synonymic catalogue of the genera of Anerastiinae (auctorum) and Peoriinae of the world (Lepidoptera, Pyralidae). Proc. ent. Soc. Wash. 76: 467-475.
- 2592. Schaider, P. & P. Jaksic**, 1989, Die Tagfalter von jugoslawisch Mazedonien Diurna (Rhopalocera und Hesperidae). 82 S., 46 Taf., 199 Karte. Ljubljana.
- 2593. Schawerda, K.**, 1924, Neue Arten und Formen aus Mesopotamien. Ver. zool.-bot. Ges. Wien 73 (1923): (158)-(164), 25 figs.
- 2594. Schawerda, K.**, 1932, Phlyctaenodes osthelderi species nova. Mitt. münch. ent. Ges. 22: 12-13; Z. öst. EntVer. 17: Taf. III fig. 16 [recte 15].
- 2595. Schawerda, K.**, 1937, Zwei neue Mikroheteroceren aus Mazedonien. Z. öst. EntVer. 22: 55-56.
- 2596. Schawerda, K.**, 1940, Lepidopteren aus Mosul (Mesopotamien). Ent. Z., Frankf. a. M. 54: 113-115.
- 2597. Schintlmeister, A.**, 1982, Verzeichnis der Notodontidae Europas und einiger angrenzender Gebiete. Nota lepid. 5 (4): 194-206.
- 2598. Schintlmeister, A.**, 1989, Zoogeographie der palaarktischen Notodontidae (Lepidoptera). Neue ent. Nachr. 25: 1-117, 20 Abb.
- 2599. Schintlmeister, A.**, 1998, Notes on some asiatic Furcula Lamarck, 1816 (Lepidoptera, Notodontidae). Entomofauna 19 (2): 77-108, 4 Pls., textfigs., 4 maps.
- 2600. Schintlmeister, A.**, 2003, Die Gattung Stauropus Germar, 1812 (Lepidoptera, Notodontidae). Nachr. ent. Ver. Apollo (N.F.) 24 (3): 97-118, figs.
- 2601. Schintlmeister, A.**, 2004, The Taxonomy of the genus Lymantria Hübner, [1819] (Lepidoptera, Lymantriidae). Quadriana 7: 1-248, figs.
- 2602. Schintlmeister, A.**, 2008, Palaearctic Macrolepidoptera Vol. 1 Notodontidae. 480pp. 40 Pls. Apollo Books.
- 2603. Schintlmeister, A.**, 2013, World Catalogue of Insects vol. 11. Notodontidae & Oenosandridae (Lepidoptera). 608pp. Brill.
- 2604. Schintlmeister, A., Dubatolov, V.V., Sviridov, A.V., et al.**, 1987, Verzeichnis und Verbreitung der Notodontidae der UdSSR (Lepidoptera). Nota lepid. 10 (2): 94-111, 4 Abb.
- 2605. Schmidlin, A.**, 1964, Übersicht über die europäischen Arten der Familie Geometridae (Lep.) Mitt. ent. Ges. Basel 14: 77-137.
- 2606. Schmidt-Koehl, W.**, 1969, Geographisch-faunistische u. systematisch-nomenklatorische Studien zur Macrolepidopteren-Fauna des Libanon sowie einzelner Gebiete der nordwestlichen und mittleren Türkei unter Berücksichtigung einer vergl. Betrachtung der Frühjahrsfauna von Ostsizilien. Abh. ArbGem. tier.-pflanz. geogr. Heimatf. Saarland 1: 32-88, 9 Abb.
- 2607. Schmidt-Koehl, W.**, 1984, Kurzbericht zu einigen Tagfalterarten des nordwestlichen Teiles der Türkei Mitte August 1983 (Insecta, Lepidoptera). Atalanta 15 (1/2): 104-108.
- 2608. Schmidt-Koehl, W.**, 1988, Tagfalternotizen anlässlich dreier Flugreisen in die West- und Südtürkei sowie nach Nordgriechenland im Sommer 1986 und im Frühjahr 1987 (Insecta, Lepidoptera). Atalanta 18: 395-408.
- 2609. Schnaider, J.**, 1939, Paranthrene polonica sp. n. Polskie pismo Ent. 16/17: 140-143.
- 2610. Schneider, D., Legal, L., Dierl, W. & M. Wink**, 1999, Androconial hairbushes of the Syntomis (Amata) phegea (L.) group (Lepidoptera, Ctenuchidae): A synapomorphic character supported by sequence data of the mitochondrial 16S rRNA Gene. Z. Naturforsch 54C: 1119-1139.
- 2611. Scholz, A. & E. Jäckh**, 1994, Taxonomie und Verbreitung der westpaläarktischen Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 18 (4): [3]-[63], 65 figs.
- 2612. Scholz, A.**, 1997, Zwei neue, paläarktische Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 20 (1): 51-58, 13 figs.
- 2613. Schoorl, J.W.**, 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295, 138 figs., 1 pl., 33 tab.
- 2614. Schoorl, J.W.**, 2001, On the distinction between Eremocossus and Dyspessa, with notes on the former (Lepidoptera, Cossidae). Nachr. ent. Ver. Apollo (N.F.) 22 (2): 88.
- 2615. Schouten, R.T.A.**, 1992, Revision of the genera Euchromius Guenée and Miyakea Marumo (Lepidoptera, Crambidae, Crambinae). Tijdschr. Ent. 135: 191-274, 198 figs.
- 2616. Schrank, F.P.**, 1801, Fauna Boica, durchgedachte Geschichte der in Baiern einheimlichen und zahmen Thiere. Zweyter Band, erste Abtheilung. 374 S. [Schmetterlinge: 152-374], Ingolstadt.
- 2617. Schrank, F.P.**, 1802, Fauna Boica, durchgedachte Geschichte der in Baiern einheimlichen und zahmen Thiere. Zweyter Band, zweyte Abtheilung. 409 S. [Schmetterlinge: 1-172], Ingolstadt.

- 2618. Schurian, K.G. & C. Häuser**, 1981, Zoogeographie und subspezifische Gliederung der zentral- und ostanatolischen, sowie der iranischen *Meleageria*-Formen (Lepidoptera, Lycaenidae). *Atalanta* 12 (2): 101-111, 4 Abb.
- 2619. Schurian, K.G. & K. Fiedler**, 1994, Zur Biologie von *Polyommatus* (*Lysandra*) *dezinus* (de Freina & Witt) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 14(4): 339-353, 9 figs., pl.
- 2620. Schurian, K.G. & K. Fiedler**, 1996, Adult behaviour and early stages of *Lycaena ochimus* (Herrich-Schäffer [1851]) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 16(4): 329-343, 18 figs.
- 2621. Schurian, K.G. & K. Rose**, 1991, Contribution to the knowledge of *Polyommatus* (*Aricia*) *hyacinthus* (Herrich-Schäffer, 1847) and the description of a new subspecies (Lepidoptera, Lycaenidae). *Linneana Belg.* 13 (2): 80-93, Pls.
- 2622. Schurian, K.G. & P. Hofmann**, 1982, Die *Thersamon*-Gruppe (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo*, Suppl. 2: 1-59, 8 Abb. 2 Taf.
- 2623. Schurian, K.G. & P. Hofmann**, 1983, Entomologische Aufsammlungen und Beobachtungen bei Kızılcahamam (Türkei). *Nachr. ent. Ver. Apollo* (n.f.) 3(4): 111-127, 4 Abb.
- 2624. Schurian, K.G. & W. Eckweiler**, 1997, Wiederfund von *Polyommatus* (*Agrodiaetus*) *dama* Staudinger, 1892 in der Türkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.), Suppl. 16: 49-52.
- 2625. Schurian, K.G. & W. Ten Hagen**, 2005, Beitrag zur Biologie von *Argynnis alexandra* Ménétriés, 1832 (Lepidoptera, Nymphalidae). *Nachr. ent. Ver. Apollo* (N.F.) 26 (3): 97-102, figs.
- 2626. Schurian, K.G. et al.**, 1991, Ergänzungen zur Tagfalterfauna von Kızılcahamam (Türkei). *Nachr. ent. Ver. Apollo* N.F. 12 (1): 57-67.
- 2627. Schurian, K.G.**, 1978, Zur Biologie von *Lysandra caucasica* (Lep., Lycaenidae). *Ent. Z., Frankf. a. M.* 88(22): 254-257.
- 2628. Schurian, K.G.**, 1988, Neueinteilung des Subgenus *Lysandra* der Gattung *Polyommatus* Latreille (Lepidoptera, Lycaenidae). *Ent. Z., Frankf. a. M.* 98 (10): 129-144.
- 2629. Schurian, K.G.**, 1989, Revision der *Lysandra*-Gruppe des Genus *Polyommatus* Latr. (Lepidoptera, Lycaenidae). *Neue ent. Nachr.* 24: 1-181, 29 Taf.
- 2630. Schurian, K.G.**, 1996, A contribution to the biology of *Brenthis mofidii* (Wyatt, 1968). *Linneana Belgica* 15(8): 311-314, 8 figs.
- 2631. Schurian, K.G.**, 1996, Beobachtungen zum Eiablageverhalten von *Cigaritis cilissa* (Lederer, 1861) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 17 (1): 111-112.
- 2632. Schurian, K.G.**, 1999, Eiablagestrategien bei Bläulingen (Lepidoptera, Lycaenidae) 2. Das Eiablageverhalten von *Polyommatus* (*Agrodiaetus*) *admetus* (Esper, [1783]). *Nachr. ent. Ver. Apollo* (N.F.) 20 (2): 189-194, figs.
- 2633. Schurian, K.G.**, 2001, Reisen in die Türkei *Neue ent. Nachr.* 51: 3-63, figs.
- 2634. Schurian, K.G.**, 2002, Beobachtungen bei der Zucht von *Polyommatus* (*Aricia*) *torulensis* (Lepidoptera, Lycaenidae). *Phegea* 30 (2): 55-60, figs.
- 2635. Schurian, K.G.**, 2015, Beobachtungen zum Verhalten und bei der Zucht von *Polyommatus* (*Lysandra*) *syriacus* (Tutt, [1910]) aus der Südtürkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver., Apollo* 36: 1-9.
- 2636. Schurian, K.G., Hofmann, P. & A. Reif, A.**, 1991, Ergänzungen zur Tagfalterfauna von Kızılcahamam (Türkei). *Nachr. ent. Ver. Apollo* (n.f.) 12 (1): 57-67, 4 Abb.
- 2637. Schurian, K.G., Oorschot, H.v. & H.v.d. Brink**, 1992, *Polyommatus* (*Agrodiaetus*) *poseidon* (H.-S.) und *Polyommatus* (*Agrodiaetus*) *theresia* sp. nov. aus der Türkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 12 (4): 217-232, Pl. 1, Abb. 9-10.
- 2638. Schurian, K.G., Ten Hagen, W. & H.-G. Mark**, 1999, Beitrag zur Biologie sowie Versuch einer taxonomischen Einordnung von *Plebeius* (*Vacciniina*) *loewii* (Zeller, 1847) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 20 (1): 1-16, figs.
- 2639. Schüssler, H.**, 1933, Saturniidae: 1. Subfam. Attacinae. [in] Strand, E., *Lepidopterorum Catalogus* Pars 55. 81 pp. Dr. W. Junk Berlin.
- 2640. Schütze, E.**, 1956, Eupitheciiden Studien VII. Die semigraphata-Gruppe (Lepidoptera, Geometridae). *Z. wien. ent. Ges.* 41: 306-320, 328-334, Abb.
- 2641. Schütze, E.**, 1956, Eupitheciiden Studien VIII. Über *Eupithecia mesogrammata* Dietze und einige andere Eupitheciiden aus Nordiran (Lepidoptera, Geometridae). *Z. wien. ent. Ges.* 41: 324-339.
- 2642. Schütze, E.**, 1958, Eupitheciiden Studien X. Die graphata-Gruppe (Lepidoptera, Geometridae). *Ent. Z., Frankf. a. M.* 68: 49-64, 71-72, 82-88, 27 figs.

- 2643. Schütze, E.**, 1961, Weitere Eupitheciiden aus Iran und Arabien (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 51: 58-71, 8 Taf.
- 2644. Schwingenschuss, L.**, 1938-1939, Sechster Beitrag zur Lepidopterenfauna Inner- Anatoliens. Ent. Rdsch. 55: 141-147, 157-164, 173-177, 181-184, 199-202, 223-226, 299-300, 337-340, 411-412, 454-457, 532, 700; 56: 133-135, 250-252.
- 2645. Schwingenschuss, L.**, 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). Ent. Rdsch. 56 (29): 325-328, (32): 358-360, (34): 383-384.
- 2646. Schwingenschuss, L.**, 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). Ent. Z., Frankf. a. M. 49: 273-274, 281-283.
- 2647. Schwingenschuss, L.**, 1939, Kleiner Beitrag zur Fauna der Umgebung Erzerums in Kleinasien. Z. öst. EntVer. 24 (7): 97-100.
- 2648. Scoble, M.J. & M. Krüger**, 2002, A review of the genera of Macariini with a revised classification of the tribe. Zool. J. Linn. Soc. Lond. 134 (3): 257-315, figs.
- 2649. Scoble, M.J., Pitkin, L.M., Parsons, M., Honey, M.R. & B.R. Pitkin**, 1999, Geometrid Moths of the World. 1400 pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup.
- 2650. Scopoli, J.A.**, 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.
- 2651. Scopoli, J.A.**, 1772, Observationes zoologicae. Ann. hist. nat. 5: 75-125.
- 2652. Scopoli, J.A.**, 1786, Deliciae faunae et florae insubricae. 3 vols. Monast. St. Salvatoris.
- 2653. Scudder, S.H.**, 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293.
- 2654. Seebolds, T.**, 1898, Beiträge zur Microlepidopterenfauna des Kaukasus, Taurus und Syriens. Dt. ent. Z., Iris 11: 20-32.
- 2655. Segerer, A.H. & H. Pröse**, 1997, Dioryctria resiniphila sp.n., eine neue Pyralide auf Abies cephalonica Loud. in Griechenland (Lepidoptera, Pyralidae, Phycitinae). NachrBl. bayer. Ent. 46 (3/4): 57-67, Abb.
- 2656. Seitz, A.**, 1909, Familie: Syntomidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart.
- 2657. Seitz, A.**, 1910, Familie: Arctiidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart.
- 2658. Seitz, A.**, 1912, Berichtigungen und Zusätze zu Band 2. [In] Seitz, A., Die Gross-Schmetterlinge der Erde. Band 2. pp.444-447. Stuttgart.
- 2659. Seitz, A.**, 1933, Familie Cymatophoridae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 187-195. Stuttgart.
- 2660. Seitz, A.**, 1936, Über Syntomidenvorkommen. Ent. Rdsch. 53: 523-528, 548-552.
- 2661. Seitz, A.**, 1936, Über Zygänenvorkommen. Ent. Rdsch. 53 (21):291-294, (22):302-304, (27):384-387; (28): 397-400.
- 2662. Seven Çalışkan, S. & V. Bozacı**, 2015, A new form of Melitaea phoebe (Goeze, 1779) (Lepidoptera) from the Mediterranean Region (Turkey). Turk J. Zool. 39: 625-629, figs.
- 2663. Seven Çalışkan, S.**, 2014, A checklist of Turkey Cosmopterigidae (Lepidoptera). GU J. Sci. 27 (4): 1115-1121.
- 2664. Seven Çalışkan, S.**, 2014, Review of the genus Chrysoclista Stainton, 1854 (Lepidoptera, Agonoxenidae) in Turkey with a new species. J. Ent. Res. Soc. 16 (3): 67-73, figs.
- 2665. Seven Çalışkan, S.**, 2016, Contribution to the butterfly fauna of the Gevne valley (South Turkey, West Toros). Entomofauna 37 (17): 281-296.
- 2666. Seven, E. & K. Akın**, 2017, Sivas ili Heterocera (Lepidoptera) faunasına katkılar. KSÜ Doğa Bil. Derg. 20 (4): 393-397.
- 2667. Seven, E.**, 2010, Studies on the fauna and ecology of Papilionoidea and Hesperioidea (Lepidoptera) in Şirvan district (Siirt Prov., SE Turkey) [in Turkish]. Cent. ent. Stud., Priamus (suppl.) 20: 1-118, figs.
- 2668. Seven, E.**, 2014, Siirt'in Şirvan ilçesinin Macroheterocera türleri üzerine eko-faunistik araştırmalar (Lepidoptera). Doktora tezi. 428 s. Yüzüncü Yıl Univ. Fen Bil. Enst., Van [unpublished].
- 2669. Seven, E.**, 2016 Notes on the two little known Idaea Treitschke species in the fauna of Turkey (Lepidoptera, Geometridae). Batman Univ. J. Life Sci. 6 (2): 76-82, 3 figs.
- 2670. Seven, E.**, 2016, Ramitia kufrana sp.n., a new species from Turkey (Lepidoptera, Geometridae). J. Kansas ent. Soc. 88 (4) (2015): 430-433, figs.

- 2671. Seven, E.**, 2016, Second record of the rare noctuid species *Dryobotodes glaucus* Ronkay & Gyulai, 2006 (Lepidoptera, Noctuidae). *Shilap Revta lepid.* 44 (175): 443-445, figs.
- 2672. Seven, E.**, 2017, A new record and three little-known *Eupithecia* Curtis species from Turkey (Lepidoptera, Geometridae). *Turk J. zool.* 41: 583-586, figs.
- 2673. Seven, E.**, 2017, On the distribution of an endemic geometrid moth *Xanthorhoe inconsiderata* (Staudinger, 1892) (Lepidoptera). *Iğdır Univ. Fen Bil. Enst. Der.* 7 (3): 45-48, figs.
- 2674. Seven, E.**, 2018, Notes on some species of Gnophini (Ennominae, Geometridae, Lepidoptera) from Turkey, with new records. *J. Ent. Res. Soc.* 20 (1): 53-58, figs.
- 2675. Seven, E., Kemal, M. & A.Ö. Koçak**, 2015, On the occurrence of *Idia calvaria meridionalis* in Siirt Province of SE Turkey (Lepidoptera, Noctuidae). *Cesa News* 102: 13-15, 5 figs.
- 2676. Seven, S. & A. Demirsoy**, 2014, Contribution to the knowledge of the butterfly fauna of Erzincan Province (North East Turkey) with their Redlist status analysis (Insecta, Lepidoptera). *Shilap Revta lepid.* 42 (168): 531-543, 13 figs.
- 2677. Seven, S. & M. Bakowski**, 1996, Soğuksu Milli Parkı (Ankara) Lepidoptera faunasına katkılar. *Cent. ent. Stud., Priamus* 7 (4): 156-170.
- 2678. Seven, S. & M. Kemal**, 2000, Additions to the diurnal lepidoptera fauna of the districts Çubuk and Kalecik (Ankara Prov., North Turkey). *Cent. ent. Stud., Misc. Pap.* 63: 1-5.
- 2679. Seven, S. & M. Kemal**, 2000, Additions to the local faunas of the diurnal Lepidoptera in the Province of Ankara (North Turkey). *Cent. ent. Stud., Misc. Pap.* 62: 1-7.
- 2680. Seven, S. & M. Özdemir**, 2007, *Acleris lacordairana* (Duponchel, 1836) (Lepidoptera, Tortricidae). *Zoology in the Middle East* 40: 113-114, 1 fig.
- 2681. Seven, S. & M. Özdemir**, 2007, Review of the genus *Celypha* Hübner, [1825] in Turkey with a new record (Lepidoptera, Tortricidae). *J. Kansas ent. Soc.* 80 (1): 65-71, figs.
- 2682. Seven, S. & M. Özdemir**, 2007, The genus *Dichelia* Guenee, 1845 (Lepidoptera, Tortricidae) in Turkey. *Acta ent. slovenica* 15 (2): 185-188, 2 figs.
- 2683. Seven, S. & S. Bulguer**, 1991, A Bibliographical List of the homonymous generic names in Zoology based on S. A. Neave's *Nomenclator Zoologicus* (Vols. I-VII). *Memoirs of the Centre for Entomological Studies* 1:x+ 114pp. Ankara.
- 2684. Seven, S.**, 1991, Trakya Lepidoptera faunası üzerine bibliyografik araştırmalar. *Cent. ent. Stud., Priamus* 6(1/2): 1-95.
- 2685. Seven, S.**, 1993, Trakya Lepidoptera'sı Üzerine faunistik notlar. *Cent. ent. Stud., Misc. Pap.* 18: 4-8.
- 2686. Seven, S.**, 1994, Kızılcahamam Kocaçay vadisi'nin diurnal Lepidopterlerinin ekolojisi ve faunası. *Cent. ent. Stud., Priamus* 7 (1/2): 3-62.
- 2687. Seven, S.**, 1995, Trakya Lepidoptera faunasına katkılar. *Cent. ent. Stud., Misc. Pap.* 23/24: 1-13, 3 figs.
- 2688. Seven, S.**, 1996, Türkiye Lepidoptera faunası ve ekolojisi Üzerine araştırmalar-I. *Cent. ent. Stud., Priamus* 8 (1/2): 1-52.
- 2689. Seven, S.**, 1997, Batı Asya'da bulunan bazı Lycaenid taksonlarındaki sinonimler hakkında (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 43: 1-3.
- 2690. Seven, S.**, 1997, *Papilio machaon* Linnaeus, 1758 türüyle ilgili bazı nomenklatür sorunları hakkında (Lepidoptera, Papilionidae). *Cent. ent. Stud., Misc. Pap.* 37: 1-3.
- 2691. Seven, S.**, 2000, Kırıkkale Lepidoptera faunası ekolojisi ve taksonomisi üzerine araştırmalar. *Cent. ent. Stud., Priamus* 10 (1/2): 1-101, 1 harita.
- 2692. Seven, S.**, 2000, *Tomares (nogelii) dobrogensis* ssp. *uighurica* (ssp.n.) [in] Koçak, A., Enkhere vilayitidiki kepineklirining sinonimik tizimliği (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 67/69: 14.
- 2693. Seven, S.**, 2000, *Tomares (nogelii) nogelii* ssp. *cesa* (ssp.n.) [in] Koçak, A., Enkhere vilayitidiki kepineklirining sinonimik tizimliği (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 67/69: 14.
- 2694. Seven, S.**, 2006, Preliminary survey on the butterfly fauna of Kazdağı National Park (Turkey). *Bull. lépidopteristes Paris.* 15 (34): 74-80, 8 figs.
- 2695. Seven, S.**, 2007, Preliminary work on the moth fauna (Lepidoptera, Heterocera) of Kazdağı National Park -II (Turkey). *Phegea* 35 (3): 85-91.
- 2696. Seven, S.**, 2014, A new species of blue from Turkey, *Neolycaena soezen* Seven, sp.n. (Lepidoptera, Lycaenidae). *Shilap Revta lepid.* 42 (166): 311-317, figs.

- 2697. Seven, S., Hüseyinoğlu, Y., Kemal, M. & M. Özdemir**, 2000, Recent collections of the diurnal Lepidoptera of the Soğuksu N.P. Işık Dağı (Kızılcahamam, Ankara Prov., N.Turkey). Cent. ent. Stud., Misc. Pap. 64: 1-6.
- 2698. Seven, S., Özdemir, M., Özdemir, Y. & V. Bozkurt**, 2005, On the species of *Rhyacionia* Hübner, [1825] (Lepidoptera, Tortricidae) in Turkey. *Phytoparasitica* 33 (2): 123-128, 2 Pls.
- 2699. Seven, S.Ç. & M. Özdemir**, 2011, Two new records for the Olethreutinae fauna of Turkey (Lepidoptera, Tortricidae). *Zool. Middle East* 53: 133-134, figs.
- 2700. Seyer, H.**, 1984, Der Rassenkreis von *Anthocharis damone* im Mittelmeerraum und eine neue Subspezies aus der Türkei (Lep., Pieridae). *Ent. Z., Frankf. a. M.* 94: 233-237, Abb. 2.
- 2701. Seyer, H.**, 1985, Der Rassenkreis von *Anthocharis damone* im Vorderen Orient und eine neue Subspezies von dort (Lep., Pieridae). *Ent. Z., Frankf. a. M.* 95: 20-23, 2 Abb.
- 2702. Seyer, H.**, 1988, *Euchloe belemia moslemi* ssp.n. de l'Iraq (Lepidoptera, Pieridae). *Linneana Belgica* 11: 329-332, figs.
- 2703. Sheljuzhko, L.**, 1908, Quelques formes nouvelles des Lépidoptères. *Russk. ent. Obozr.* 7 (1907): 232-233.
- 2704. Sheljuzhko, L.**, 1924, Neue *Parnassius*-Formen. *Z. öst. EntVer.* 9 (7): 57-60; (8): 67-71.
- 2705. Sheljuzhko, L.**, 1924, Uebersicht der kaukasischen Rassen von *Parnassius apollo* L. *Mitt. münch. ent. Ges.* 14: 42-54.
- 2706. Sheljuzhko, L.**, 1925, Eine neue Rasse von *Pararge climene* Esp. *Pararge climene* Esp. *tkatshukovi* (subsp. nov.). *Ent. Anz.* 5 (12): 89-91.
- 2707. Sheljuzhko, L.**, 1925, Neue Pieriden-Formen. *Mitt. münch. ent. Ges.* 15: 96-101.
- 2708. Sheljuzhko, L.**, 1926, Neue palaearktische Heteroceren. *Dt. ent. Z., Iris* 40: 1-10, 4 Abb.
- 2709. Sheljuzhko, L.**, 1927, *Callogonia* (*Telesilla*) *virgo* Tr. in Transkaukasien. *Lep. Rdsch.* 1: 134-136.
- 2710. Sheljuzhko, L.**, 1927, *Zerynthia cerisyi* Godart in Transcaucasien. *Dt. ent. Z., Iris* 40: 197-204.
- 2711. Sheljuzhko, L.**, 1931, Einige Randbemerkungen zum "Supplement" zu den "Gross-Schmetterlingen der Erde" herausgegeben von Dr.A.Seitz. *Papilionidae und Pieridae. Int. ent. Z.* 25: 69-74.
- 2712. Sheljuzhko, L.**, 1934, Neue Lepidopteren aus dem Nordkaukasus. *Z. öst. EntVer.* 19: 30-32, 39-40, pls.
- 2713. Sheljuzhko, L.**, 1937, Lepidopterologische Ergebnisse meiner Reise nach dem Teberda-Gebiete (Nordwest-Kaukasus) *Folia zool. Hydrobiol.* 8: 117-140, Taf. 6.
- 2714. Sheljuzhko, L.**, 1943, Neue palaearktische Lasiocampiden. *Z. wien. ent. Ges.* 28: 245-250, pl.
- 2715. Sheljuzhko, L.**, 1961, *Parnassius nordmanni* Mén. in Kleinasien. *Ent. Z., Frankf. a. M.* 71: 33-36, fig.
- 2716. Shields, O.**, 1996, Geographic isolation in southwestern North American Butterflies (Lepidoptera, Rhopalocera). *Nachr. ent. Ver. Apollo N.F.* 17(1): 71-92.
- 2717. Shirozu, T. & H. Yamamoto**, 1956, A generic revision and phylogeny of the tribe Theclini (Lepidoptera, Lycaenidae). *Sieboldia* 4: 329-421, 35-85 Pls.
- 2718. Shirozu, T. & T. Saigusa**, 1971, A New Genus of the Subfamily Apaturinae (Nymphalidae). *Butterfl. Moths* 22 (1/2): 7-13, 4 figs.
- 2719. Sibatani, A.**, 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. *J. Aust. ent. Soc.* 13: 95-110, 23 figs.
- 2720. Sieder, L.**, 1975, Eine neue Psychide auf der Insel Büyük-Ada (Türkei) (Lepidoptera, Psychidae), *Massonia rassei* spec.nov. *Ent. Ber., Amst.* 35: 150-153, figs.
- 2721. Siedler, L.**, 1975, Eine neue Psychide auf der Insel Büyük-Ada (Türkei) (Lepidoptera, Psychidae). *Massonia rassei* spec. nov. *Ent. Ber.* 35: 150-153, figs.
- 2722. Siegler, K.**, 1958, Sammelfahrt auf dem Balkan und in Kleinasien. *Ent. Z., Frankf. a. M.* 68: 65-71.
- 2723. Sieglinde & K. Rehne**, 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). *Societas ent.* 82(14): 159-160.
- 2724. Siepe, W.**, 1995, Die Praeimaginalstadien und die Aufzucht von *Polyommatus* (*Aricia*) *torulensis* Hesselbarth & Siepe, 1993 (Lepidoptera, Lycaenidae). *Phegea* 23 (3): 167-172, figs.
- 2725. Sihvonen, P. & K. Mikkola**, 2002, Taxonomical characters of *Selidosema plumarium* and *S. brunnearium* (Lepidoptera, Geometridae, Ennominae) and the function of the internal genitalia during copulation. *Ent. fenn.* 13: 13-19, figs.
- 2726. Sihvonen, P. & K. Nupponen**, 2005, Taxonomy of *Rhodostrophia jacularia* (Hübner, 1813) - a Sterrhinae moth with variable female wing shape (Lepidoptera, Geometridae). *Nota lepid.* 28 (2): 113-122, figs.

2727. **Sihvonen, P.**, 2001, Everted vesicae of the *Timandra griseata* group: methodology and differential features (Geometridae, Sterrhinae). *Nota lepid.* 24 (3): 57-63, figs.
2728. **Sihvonen, P.**, 2005, Phylogeny and classification of the Scopulini moths (Lepidoptera, Geometridae, Sterrhinae). *Zool. J. Linn. Soc.* 143: 473-530, 135 figs.
2729. **Sihvonen, P., Skou, P., Flamigni, C., Fiumi, G. & A. Hausmann**, 2014, Revision of the *Hylaea fasciaria* (Linnaeus, 1758) species group in the western Palaearctic (Lepidoptera, Geometridae, Ennominae). *Zootaxa* 3768 (4): 469-498, figs.
2730. **Simonyi, S.**, 1996, A new species of the genus *Rusina* Stephens, 1829 from Turkey (Lepidoptera, Noctuidae). *Folia ent. hung.* 57: 271-275, 12 figs.
2731. **Sinev, S. Y.**, 1986, Phycitidae [in] Falkovich, M. I. & G. S. Medvedev, *Opredelitel Nasekomykh Evropejski Chasti SSSR 4. Cheshuekrylye, Pervaia Chast* 3: 251-340, figs. 282-342. Leningrad.
2732. **Sinev, S. Y.**, 2002, World Catalogue of cosmopterigid moths (Lepidoptera, Cosmopterigidae). *Proc. zool. Inst., St. Petersburg* 293: 1-182.
2733. **Sipahi, R.**, 1959, Antep Fistiklerinde *Pachypasa otus* Drury. *Bitki Koruma Bül.* 1 (2): 46-49, 6 figs.
2734. **Sişli, M. N.**, 1968, Ankarada *Aporia crataegi* L.'nin (Lepidoptera, Pieridae) göçü. *Bitki Koruma Bülteni* 8(1): 74-76, sek.
2735. **Sjaak, J. C. et al.**, 2004, *Blastodacna libanotica* Diakonoff, 1939 - a pest on Pear in Turkey (Agonoxenidae). *Nota lepid.* 27 (1): 33-40.
2736. **Skala, P.**, 2003, A new species of the genus *Satyrus* Latreille, 1810 from Iran (Lepidoptera, Nymphalidae). *Linneana Belg.* 19 (1): 35-40, figs.
2737. **Skala, P.**, 2003, New taxa of the genus *Hyponephele* Muschamp, 1915 from Iran and Turkey (Lepidoptera, Nymphalidae). *Linneana Belg.* 19 (1): 41-50, figs.
2738. **Skou, P. & P. Sihvonen**, 2015, Subfamily Ennominae I, [in] Hausmann, A. (ed.), *The geometrid moths of Europe* 5: 1-657. Brill & Leiden.
2739. **Skou, P., Mironov, V. & H. Rietz**, 2017, *Eupithecia gypsophilata*, a new species in the graphata species group of the genus *Eupithecia* Curtis (Lepidoptera, Geometridae, Larentiinae). *Zootaxa* 4272 (2): 291-295, figs.
2740. **Slamka, F. & C. W. Plant**, 2016, *Mecyna balcanica* sp. nov., a closely related species to *Mecyna flavalis* ([Denis & Schiffermüller], 1775) and *M. lutealis* (Duponchel, 1833) (Pyraloidea, Crambidae, Spilomelinae). *Entomologist's Rec. J. Var.* 128 (3): 137-145, figs.
2741. **Slamka, F. & C. W. Plant**, 2016, *Pempeliella bulgarica* sp. nov.: A new species closely related to *Pempeliella sorosiella* (Zeller, 1839) (Pyraloidea, Pyralidae, Phycitinae). and some new synonymies. *Entomologist's Rec. J. Var.* 128 (2): 99-111, figs.
2742. **Slamka, F.**, 2013, Pyraloidea of Europe (Lepidoptera), vol. 3. Pyraustinae & Spilomelinae. 357 S., 133 Taf. Bratislava.
2743. **Sobczyk, T. & M. Nuss**, 2013, Revision der paläarktischen Arten der Gattung *Placodoma* Chrétien, 1915 (Lepidoptera, Psychidae, Placodomininae). *Entomofauna* 34 (35): 557-608, figs.
2744. **Sobczyk, T., Kallies, A. & H. Riefenstahl**, 2007, Die Arten der *Bembecia megillaeformis*-Gruppe (Hübner, 1813) aus der Türkei mit der Beschreibung von *Bembecia stuebingeri* sp. nov. (Lepidoptera, Sesiidae). *Ent. Z., Stuttg.* 117 (1): 17-26, figs.
2745. **Sodoffsky, W.**, 1849, *Heliothis victorina*. *Stettin ent. Ztg.* 10: 130-131.
2746. **Soffner, J.**, 1965, *Lasiocampa eversmanni* in Bulgarien (Lepidoptera, Lasiocampidae). *Ent. Z., Frankf. a. M.* 75: 70.
2747. **Soffner, J.**, 1967, Kleinschmetterlinge aus Bulgarien (Lep.). *Mitt. münch. ent. Ges.* 57: 102-122, Taf. V-VI.
2748. **Sohn, J.-C. & E. Baraniak**, 2016, *Eidophasia infuscata* Staudinger, [1871] 1870, status nova with the first description of male and female genitalia (Lepidoptera, Plutellidae). *Shilap Revta lepid.* 44 (174): 259-264, figs.
2749. **Sohn, J.-C.**, 2015, A taxonomic review of the genus *Phrealcia* Chrétien, 1900 with description of a new species from Korea (Lepidoptera, Ypsolophidae). *Shilap Revta lepid.* 43 (171): 425-437, figs.
2750. **Solis, M. A.**, 1992, Checklist of the old world Epipaschiinae and related new world genera *Macalla* and *Epipaschia* (Pyralidae). *J. Lep. Soc.* 46 (4): 280-297.
2751. **Solis, M. A.**, 2007, Phylogenetic studies and modern classification of the Pyraloidea (Lepidoptera). *Revta Colomb. Ent.* 33 (1): 1-9, figs.
2752. **Sovinsky, V.**, 1905, *Callophrys rubi chalybeitincta* n.ssp. *Russk. ent. Obozr.* 5: 109.
2753. **Sovinsky, V.**, 1915, Notice sur les races caucasiens de *Lycaena damon* Schiff. *Russk. ent. Obozr.* 15: 383-391.

2754. **Soyhan, T., Başer, S. & V. Nazari**, 2013, First record of *Cacyreus marshalli* Butler, 1898 (Lycaenidae) from Turkey. *Nota lepid.* 36 (2): 189-190, figs.
2755. **Spatenka, K. & Z. Lastuvka**, 1988, Typen der Glasflügler aus der Staudinger- und Püngeler-Sammlung im Zoologischen Museum Berlin. *Dt. ent. Z. N.F.* 35 (4-5): 331-339.
2756. **Spatenka, K. & Z. Lastuvka**, 1997, Zur Verbreitung und Variabilität von *Paranthrene insolita* Le Cerf, 1914 (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo (N.F.)* 18 (1): 13-21, 6 figs.
2757. **Spatenka, K.**, 1987, Fünf neue paläarktische Glasflügler (Lepidoptera, Sesiidae). *Z. ArbGem. öst. Ent.* 39 (1-2): 12-26, 4 Abb, 2 Tab.
2758. **Spatenka, K.**, 1992, Contribution a la stabilisation de la taxinomie des Sésiides paléarctiques (Lepidoptera, Sesiidae). *Alexanor* 17 (8): 479-503.
2759. **Spatenka, K.**, 1992, Weitere neue palaearktische Sesiiden (Lepidoptera, Sesiidae). *Alexanor* 17 (7): 427-446, 19 figs.
2760. **Spatenka, K.**, 1997, Neue Glasflügler-Arten und Unterarten aus Europa und der Türkei (Sesiidae, Lepidoptera). *Bonn. zool. Beitr.* 47 (1/2): 43-57, figs.
2761. **Spatenka, K.**, 2001, Neue paläarktische Glasflügler-Arten (Lepidoptera, Sesiidae). *Ent. Z.* 111 (3): 75-80, figs.
2762. **Spatenka, K., Gorbunov, O.G., Lastuvka, Z., Tosevki, I. & Y. Arita**, 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo (N.F.) Suppl.* 17 (1): 1-20.
2763. **Spatenka, K., Gorbunov, O.G., Lastuvka, Z., Tosevski, I. & Y. Arita**, 1999, Sesiidae - Clearwings, [in] de Jong, et al. (ed.). *Handbook of Palaearctic Macrolepidoptera*, vol.1, xvi+569 pp. 504 figs. & maps. Gem Publishing, England.
2764. **Spatenka, K., Lastuvka, Z., Gorbunov, O.G., Tosevski, I. & Y. Arita**, 1993, Die Systematik und Synonymie der paläarktischen Glasflügler-Arten (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo (N.F.)* 14 (2): 81-114.
2765. **Speidel, W. & D. Stüning**, 2005, *Ambia naumanni* sp.n., a new species of Musotiminae from Yunnan (Lepidoptera, Crambidae). *Bonner zool. Beitr.* 53 (1/2): 221-225, figs.
2766. **Speidel, W. & L. Aarvik**, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. *Nota lepid.* 25 (1): 17-22.
2767. **Speidel, W.**, 1984, Revision der Acentropinae des palaearktischen Faunengebietes (Lepidoptera, Crambidae). *Neue ent Nachr.* 12: 1-157, figs.
2768. **Speidel, W.**, 1989, Die Synonymie von *Pyrausta aerealis* (Hübner) (Lepidoptera, Crambidae). *Nachr. ent. Ver. Apollo (N.F.)* 10 (2): 175-177.
2769. **Speidel, W., Fänger, H. & C.M. Naumann**, 1996, The phylogeny of the Noctuidae (Lepidoptera). *Syst. Ent.* 21: 219-251, figs.
2770. **Speyer, A.**, 1879, Die Hesperiden-Gattungen des europäischen Faunengebiets II. Nachträge Das Flügelgeäder. *Stettin ent. Ztg.* 40: 477-500.
2771. **Stadie, D. & R. Fiebig**, 2014, Taxonomic notes on the morphology, ecology and distribution of the *Crocallis elinguaris* (Linnaeus, 1758) species lineage of Asia Minor and the eastern adjacent territories with description of five new species and one new subspecies (Lep., Geometridae). *Esperiana* 19: 225-254, figs. [an important work, but serious errors on the locality names]
2772. **Stadie, D., Hausmann, A. & H. Rajei**, 2014, *Cataclysmes subtilisparsata* Wehrli, 1932 (Lepidoptera, Geometridae, Larentiinae) recognized as bona species - an integrative approach. *Nota lepid.* 37 (2): 141-150, figs.
2773. **Stainton, H.T.**, 1856, Descriptions of three species of Indian Microlepidoptera. *Trans. ent. Soc. Lond. (n.s.)* (2) 3 (8): 301-304.
2774. **Stainton, H.T.**, 1867, The Tineina of Syria and Asia Minor. 84pp. John van Voorst. London.
2775. **Standfuss, M.**, 1888, Alte und neue Agrotiden der europäischen Fauna. *Dt. ent. Z. Iris* 1: 211-219, Taf. 10-11, 4 figs.
2776. **Standfuss, M.**, 1892, Lepidopterologisches [in] Romanoff, N.M., *Mém. Lépid.* 6: 659-669, Pl.
2777. **Stauder, H.**, 1924, Neue Palaearktenformen II. *Mitt. münch. ent. Ges.* 14: 59-66.
2778. **Staudinger, O. & H. Rebel**, 1901, I. Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H. Rebel, *Catalog der Lepidopteren des palaearktischen Faunengebietes*. xxxii+411 S. Berlin.
2779. **Staudinger, O.**, 1856, Beitrag zur Festlegung der bisher bekannten Sesiiden-Arten Europa's und des angrenzenden Asien's. *Stettin ent. Ztg.* 17: 145-176, 193-224, 257-268, 323-336.
2780. **Staudinger, O.**, 1859, Diagnosen nebst kurzen Beschreibungen neuer andalusischer Lepidopteren. *Stettin ent. Ztg.* 20 (7/9): 211-259.

- 2781. Staudinger, O.**, 1860, *Pieris krueperi*. Ein neuer europäischer Tagfalter. Wien. ent. Monatschr. 4: 19-20.
- 2782. Staudinger, O.**, 1861, *Macrolepidoptera*. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi+84S. Dresden.
- 2783. Staudinger, O.**, 1862, Die Arten der Lepidopteren - Gattung "Ino Leach" nebst einigen Vorbemerkungen über Localvarietäten. Stettin ent. Ztg. 23: 341-359.
- 2784. Staudinger, O.**, 1871, Beitrag zur Lepidopterenfauna Griechenlands. Horae Soc. ent. ross. 7 (1870): 3-304, 3 Taf.
- 2785. Staudinger, O.**, 1871, *Macrolepidoptera*. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. xxxviii+200S. Dresden.
- 2786. Staudinger, O.**, 1874, Einige neue Lepidopteren des europäischen Faunengebiets. Stettin ent. Ztg. 35: 87-98.
- 2787. Staudinger, O.**, 1878-1881, Lepidopteren-Fauna Kleinasien's. Horae Soc. ent. ross. 14: 176-482; 15: 159-435; 16: 65-135.
- 2788. Staudinger, O.**, 1879, Ueber die Lepidopteren südöstlichen europäischen Russlands. Stettin ent. Ztg. 40: 315-328.
- 2789. Staudinger, O.**, 1887, Einige neue Arten und Varietäten der Gattungen *Sesia* und *Zygaena*. Berl. ent. Z. 31 (1): 29-42.
- 2790. Staudinger, O.**, 1892, Neue Arten und Varietäten von Lepidopteren des paläarktischen Faunengebietes. Dt. ent. Z., Iris 4: 224-339, Taf.
- 2791. Staudinger, O.**, 1892, Neue Arten und Varietäten von paläarktischen Geometriden aus meiner Sammlung. Dt. ent. Z., Iris 5 (1): 141-260.
- 2792. Staudinger, O.**, 1893, Beschreibung neuer palaearktischer Pyraliden. Dt. ent. Z., Iris 6: 71-82; *ibid.* 5: Taf.III.
- 2793. Staudinger, O.**, 1895, Neue Lepidopteren-Arten und Varietäten dem paläarktischen Faunengebiet. Dt. ent. Z., Iris 7 (1894): 241-296, Taf. [publication date 5 Jan., 1895]
- 2794. Staudinger, O.**, 1896, Neue paläarktische Lepidopteren. Dt. ent. Z., Iris 8 (1895): 288-299, Taf.v. [publication date 2 Jan. 1896]
- 2795. Staudinger, O.**, 1898, Neue Lepidopteren aus Palestina. Dt. ent. Z., Iris 10 (1897): 271-319 [1898], Taf.IV [1897]
- 2796. Staudinger, O.**, 1900, Neue Lepidopteren des palaearktischen Faunengebiets. Dt. ent. Z., Iris 12 (2): 352-403, Taf. [incorrect citation by Hausmann (1994: 78) as "paläarktischen Faunengebietes"]
- 2797. Staudinger, O.**, 1900, Zwei neue Palaearktische Heterocera. Dt. ent. Z., Iris 13: 112-114.
- 2798. Staudinger, O.**, 1901, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. xxx+[2]+411S. Berlin.
- 2799. Stempffer, H.**, 1931, Contribution a l'etude de quelques especes du genre *Lycaeides* Hübner. Annls Soc. ent. Fr. 1931: 121-132, 3 Pls.
- 2800. Stempffer, H.**, 1937, Contribution a l'Etude des Plebelinae paléarctiques (Lycaenidae). Bull. Soc. ent. Fr. 1937: 211-218, 296-301.
- 2801. Stephens, J.F.**, 1827-1835, Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls.1-12; 2 (1828-1829): 203pp., pls.13-24; 3 (1829-1831): 337pp., pls.25-32; 4 (1831-1835): 436 pp., pls. 33-41. Baldwin & Cradock, London.
- 2802. Sterneck, J.**, 1932, Studien über Acidaliinae (Geometr.) I. Z. öst. EntVer. 17: 82-84.
- 2803. Sterneck, J.**, 1940, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VII, I.Theil: Der Gattung Sterrha und deren nächste Verwandte. Z. Wien. Ent.-Ver. 25: 6-17, 25-36, 56-59, 77-79, 98-107, 126-128, 136-142, 152-159, 161-176, pl.1-10.
- 2804. Sterneck, J.**, 1940-1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VIII, II.Theil: Der Gattung Scopula und deren nahe Verwandte. Z. Wien. Ent.-Ver. 25 (1940): 200-208, 214-218, pl.23-28; *ibid.* 26 (1941): 17-31, 41-55, 88-96, 105-116.
- 2805. Sterneck, J.**, 1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) IX, III-VI.Theil. Z. Wien. Ent.-Ver. 26: 150-159, 176-183, 191-198, 211-216, 217-222, 222-230, 248-262, pls.12-25.
- 2806. Stichel, H.**, 1906, *Diurna* Tagfalter. Gattung *Doritis*, *Parnassius*, [in] Seitz, A., Die Gross-Schmett. Erde 1: 18-38, Pls. Stuttgart.

- 2807. Stichel, H.**, 1907, Eine neue Subspecies von *Zerynthia* (Thais) *cerisyi* God. Berl. ent. Z. 53: (18)-(19).
- 2808. Stichel, H.**, 1907, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 59. *Zerynthiinae*. Bruxelles.
- 2809. Stichel, H.**, 1907, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 58. *Parnassiinae*. Bruxelles.
- 2810. Stichel, H.**, 1907, Neue Unterarten von *Zerynthia cerisyi* Godart. Ent. Z., Frankf. a. M. 21: 177-178, 185.
- 2811. Stichel, H.**, 1908, Die Lepidopteren-Gattung *Parnassius* Latreille mit besonderer Berücksichtigung der historischen, morphologischen und biologischen Verhältnisse. Berl. ent. Z. (Sitzb. 1906) 52: (15)-(26).
- 2812. Stichel, H.**, 1908, Fam. Morphidae, Nymphalidae, [in] Seitz, A., Die Gross-Schmett. Erde 1: 155-211, Pls. Stuttgart.
- 2813. Stichel, H.**, 1910, Lepidopterologische Ergebnisse einer Sammelreise der Gebrüder Ragnow nach Persien. Mit Neubeschreibungen von R. Püngeler, E. Strand und dem Author. Z. wiss. InsektenBiol. 6: 5-8, 37-40, 73-77, 112-117, 160-165.
- 2814. Stichel, H.**, 1910-1911, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 112. *Riodinidae*. Bruxelles.
- 2815. Stoll, C.**, 1780-[1782], [in] Cramer, P., Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht.
- 2816. Stoll, C.**, 1787-[1790] Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America [supplement] viii+ [184] pp., 4 Pls. Amsterdam.
- 2817. Stradomsky, B. V.**, 2006, *Polyommatus shchurovi* sp.n. (Lepidoptera, Lycaenidae) from the altitude areas of Western Caucasus. Caucasian Ent. Bull. 2 (2): 215-216, figs.
- 2818. Strand, E.**, 1909, Lepidoptera von Eregli und Taurus in Kleinasien, gesammelt von Herrn J. Niedieck. Int. ent. Z. 3: 78-81.
- 2819. Strand, E.**, 1910, Familie: Lymantriidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart.
- 2820. Strand, E.**, 1911, Fam. Drepanidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 195-206, Pls. Stuttgart.
- 2821. Strand, E.**, 1911, Familie: Thaumetopoeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart.
- 2822. Strand, E.**, 1912, Fam. Psychidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 353-371, Pls. Stuttgart.
- 2823. Strand, E.**, 1919, Arctiidae: Subfam. Arctiinae, [in] Wagner, F., Lepidopterorum Catalogus Pars 22. 1-416 s. W. Junk, Berlin.
- 2824. Strand, E.**, 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner, F., Lepidopterorum Catalogus Pars 26. 501-899 s. W. Junk, Berlin.
- 2825. Ström, H.**, 1783, Norske Insecters Beskrivelse med Anmaerkninger. Nye Saml. Danske Vidensk. Selsk. Skrift. 2: 49-93, 2 Pls.
- 2826. Stübner, A.**, 2007, Taxonomische Revision der *Coleophora frischella*-Artengruppe (*Coleophoridae*). Nota lepid. 30: 121-172, figs.
- 2827. Stüning, D. & S. Wagener**, 1989, Eine neue Unterart von *Archon apollinus* (Herbst, 1798) aus der europäischen Türkei (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 133-142, 2 Taf.
- 2828. Sumpich, J. & P. Huemer**, 2016, *Chrysoclista germanica* sp. nov. an *C. gabretica* stat. nov., with an updated checklist of the genus (Lepidoptera, Elachistidae, Parametriotinae). Acta ent. Mus. natn. Pragae 56 (2): 845-854, figs.
- 2829. Sumpich, J.**, 2013, *Depressaria pyrenaella* sp.n. - a confused species from south-western Europe (Lep., Depressariidae). Entomologist's Rec. J. Var. 125: 114-118, figs.
- 2830. Sutter, R. & T. Karisch**, 2006, Zur Identität von *Aethes scabidulana* (Lederer, 1855) und *A. capnospila* (Meyrick, 1912) (Lepidoptera, Tortricidae, Cochylini). Ent. Nachr. Ber. 50 (3): 113-117, figs.
- 2831. Sutter, R.**, 1997, Beiträge zur Insektenfauna Ostdeutschlands: Lepidoptera- Ochsenheimeriidae. Beitr. Ent. 47 (1): 3-12, 27 figs.
- 2832. Sutter, R.**, 2007, Neue Arten der Gattung *Oegoconia* (Autostichidae). Nota lepid. 30 (1): 189-201, figs.

- 2833. Svendsen, P.**, 1992, *Polymixis bischoffi* (Herrich-Schaeffer, 1850) - a species new to Europe (Lepidoptera, Noctuidae). *Nota lepid.* 14 (3) [31.xii.1991]: 244-254, figs.
- 2834. Swainson, W.**, 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. *Phil. Mag. (n.s.)* 1(1): 180-188.
- 2835. Swinhoe, C.**, 1903, A revision of the Old World Lymantriidae in the National Collection. *Trans. ent. Soc. London* 1903: 375-498.
- 2836. Swinhoe, C.**, 1922-1923, A revision of the genera of the family Liparidae. *Ann. Mag. nat. Hist.* (9) 10: 449-484; (9) 11: 47-97, 289-304, 400-442.
- 2837. Szent-Ivany, J.**, 1940, Zoologische Ergebnisse der Forschungsreise N. Vasvari's in Kleinasien, III. Lepidoptera. Sitzung III. Klasse Ungar. Akad. Wiss. 1940: 356-359.
- 2838. Şengün, A. & N. Güneyi**, 1968, Istanbul gündüz kelekleri. *Ist. Univ. Yay. no. 1332*. 78 pp. 12 pls. Istanbul.
- 2839. Şişli, M. N.**, 1968, Ankara'da *Aporia crataegi* L.'nin göçü (Lepidoptera, Pieridae). *Bitki kor. Bült.* 8 (1): 74-76.
- 2840. Tabell, J. & G. Baldizzone**, 2014, *Coleophora mareki* Tabell & Baldizzone, sp.n., a new coleophorid moth of serpylletorum species-group (Lepidoptera, Coleophoridae). *Shilap Revta lepid.* 42 (167): 399-408, figs.
- 2841. Talbot, G.**, 1939, Revisional notes on the genus *Colotis* Hübn. (Lepid., Pieridae) with a systematic list. *Trans. R. ent. Soc. Lond.* 88: 173-233.
- 2842. Talbot, G.**, 1943, Revisional notes on *Anaphaeis* Hübn. and *Belenois* Hübn., with descriptions of some new forms (Lep., Rhop., Pieridae). *Ann. Mag. nat. Hist.* (11) 10: 305-336.
- 2843. Tams, W. H. T. & J. Bowden**, 1953, A revision of the African species of *Sesamia* Guenée and related genera (Agrotidae, Lepidoptera). *Bull. ent. Res.* 43: 645-678, 6 Pls.
- 2844. Tams, W. H. T.**, 1926, A New species of *Lycophotia* (Noctuidae, Agrotinae) from Cyprus. *Entomologist's Rec. J. Var.* 38: 129-130, 1 Pl.
- 2845. Tarmann, G.**, 1977, Beschreibung einer neuen Grünzygaene, *Procris* (*Procris*) *storaiae* n.sp., aus der südöstlichen Türkei, nebst einiger kurzer Bemerkungen zur Systematik und Biologie der statices-Gruppe des Genus *Procris* (Lepidoptera, Zygaenidae). *NachrBl. bayer. Ent.* 26 (2): 97-108, figs.
- 2846. Tarmann, G.**, 1977, Neue Funde von *Procris* (*Lucasiterna*) *horni* Alberti, 1937 (Lepidoptera, Zygaenidae). *Mitt. münch. ent. Ges.* 67: 91-94, 5 Abb.
- 2847. Tarmann, G.**, 1978, *Ino kruegeri* Turati, 1930, ein synonym zu *Procris* (*Praviela*) *anatolica* Naufock, 1929. *Z. ArbGem. öst. Ent.* 29: 93-96, figs.
- 2848. Tarmann, G.**, 1979, Die statices-Gruppe des Genus *Procris* F. (Lepidoptera, Zygaenidae). *Mitt. münch. ent. Ges.* 68: 45-108, figs.
- 2849. Tarmann, G.**, 1980, Zur Biologie und Zucht von *Procris* (*Lucasiterna*) *subsolana* (Staudinger, 1862) (Lepidoptera, Zygaenidae). *Z. ArbGem. öst. Ent.* 31 (3/4): 81-91, figs.
- 2850. Tarmann, G.**, 1983, Zur Biologie und Zucht von *Rhagades* (*Rhagades*) *amasina* (Herrich-Schäffer, 1852) (Lepidoptera, Zygaenidae). *Entomofauna* 4 (11): 157-163, 3 figs.
- 2851. Tarmann, G.**, 1987, *Adscita* (*Roccia*) *kurdica* n. sp., eine neue Zygaenidae aus der östlichen Türkei (Lepidoptera). *Nachr. ent. Ver. Apollo (N.F.)* 8 (1): 1-6, figs.
- 2852. Tarmann, G. M. & W. G. Tremewan**, 1995, A revision of the North African *Jordanita* Verity, 1946, and *Adscita* Retzius, 1783: their taxonomy, biology and ecology (Lepidoptera, Zygaenidae, Procrinae). *Entomologist's Gaz.* 46: 3-56, figs.
- 2853. Tarmann, G. M.**, 2012, *Jordanita* (*Jordanita*) *graeca* (Jordan, 1907) (Lepidoptera, Zygaenidae, Procrinae) - Erstnachweis für Österreich. *Verh. zool.-bot. Ges.* 148/149: 265-273, figs.
- 2854. Tauber, A. F.**, 1970, Glaziale Reliktformen der Gattung *Maniola* (Lep. Satyridae) in Vorderasien. *Z. ArbGem. öst. Ent.* 22(4): 101-119, 13 Abb.
- 2855. Tekten, H.**, 2012, Sivas gündüz kelekleri (Lepidoptera, Papilionoidea, Hesperioidea). 181s. Yüksek lisans tezi. Trakya Univ. Fen Bilim. Enst., Edirne [The thesis contains serious scientific and spelling errors. The specimens have not been prepared but damaged seriously.]
- 2856. Ten Hagen, W. & K. G. Schurian**, 1998, Observations on the biology of *Polyommatus* (*Aricia*) *bassoni* Larsen, 1974 (Lepidoptera, Lycaenidae). *Linneana Belgica* 16(7): 285-289, 9 figs.
- 2857. Ten Hagen, W. & K. G. Schurian**, 2000, Eine Zucht von *Callimorpha splendidior* (Tams, 1922) (Lepidoptera, Arctiidae). *Nachr. ent. Ver. Apollo (N.F.)* 21 (1): 1-4, figs.

- 2858. Ten Hagen, W. & K.G. Schurian**, 2009, *Polyommatus (Aricia) crassipunctus varicolor* ssp.n., eine neue Unterart aus Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 30 (1/2): 9-17, figs.
- 2859. Ten Hagen, W. & M.A. Miller**, 2010, Molekulargenetische Untersuchungen der paläarktischen Arten des Genus *Callophrys* Billberg, 1820 mit Hilfe von MtDNA-COI-Barcodes und taxonomische Überlegungen (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 30 (4): 177-197, figs.
- 2860. Ten Hagen, W. & W. Eckweiler**, 2000, Zur Taxonomie von *Lycaena (Thersamonia) lampon* (Lederer, 1870) und *L. (T.) lamponides* (Staudinger, 1901) stat. nov. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 21 (2): 49-54, 19 Abb.
- 2861. Ten Hagen, W.**, 1995, Tagfalterbeobachtungen in Syrien und Jordanien im Frühling (Lepidoptera, Papilionoidea, Hesperioidea). *Nachr. ent. Ver. Apollo (N.F.)* 16 (2/3): 195-212.
- 2862. Ten Hagen, W.**, 1996, Massenvermehrung und Wanderungen von *Vanessa cardui* (Linnaeus, 1758) in Syrien (Lepidoptera, Nymphalidae). *Atalanta* 27 (1/2): 101-106 4 figs.
- 2863. Ten Hagen, W.**, 1996, Tagfalterbeobachtungen in Syrien und Jordanien (2. Beitrag) (Lepidoptera, Papilionoidea, Hesperioidea). *Nachr. ent. Ver. Apollo (N.F.)* 17(2): 123-142, Abb.
- 2864. Ten Hagen, W.**, 1998, Tagfalterbeobachtungen in Syrien und Jordanien (3. Beitrag) (Lepidoptera, Hesperioidea, Papilionoidea). *Nachr. ent. Ver. Apollo (N.F.)* 19 (3/4): 247-268, 2 Abb.
- 2865. Ten Hagen, W.**, 2002, *Plebejus (Vacciniina) euryпилus* (Freyer, [1851]) und verwandte Taxa in Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (3): 141-146, figs.
- 2866. Ten Hagen, W.**, 2003, Freilandhybriden bei Bläulingen aus Ostanatolien und Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (4): 199-203, figs.
- 2867. Ten Hagen, W.**, 2008, Taxonomie von *Cupido staudingeri* (Christoph, 1873) in Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 28 (3/4): 165-171, figs.
- 2868. Ten Hagen, W.**, 2009, Mit *Onobrychis cornuta* (Fabaceae) assoziierte *Callophrys*-Arten: *Callophrys paulae* Pfeiffer, 1932 und *C. farsica* sp.n. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 30 (3): 131-142, figs.
- 2869. Tengström, J.M.J. von**, 1848, Bidrag till Finnlands Fjäril-Fauna. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 1: 69-164.
- 2870. Tengström, J.M.J. von**, 1859, Anmärkningar och Tilläg til Finnlands Smafjäril-Fauna. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 4: 155-226.
- 2871. Tengström, J.M.J. von**, 1859, Geometridae, Crambidae et Pyralidae Faunae Fenninae. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 4: 145-154.
- 2872. Tennent, W.J.**, 2008, A checklist of the satyrine genus *Erebia* (Lepidoptera) (1758-2006). *Zootaxa* 1990: 1-109, figs.
- 2873. Thiele, J.**, 1987, Die Gattung *Thyris* Hoffmannsegg, 1803. Über Ergebnisse der Untersuchungen für eine Monographie (Lepidoptera, Thyridae). *Atalanta* 17: 105-146, figs.
- 2874. Thierry-Mieg, P.**, 1911, Descriptions de Lépidoptères nouveaux. *Annls Soc. ent. Belg.* 54 (1910): 465-469.
- 2875. Thierry-Mieg, P.**, 1916, Descriptions de lépidoptères nouveaux. *Miscnea ent.* 23: 41-52.
- 2876. Thomas, W.**, 1983, Eine neue *Callimorpha dominula* Unterart aus der Osttürkei (Lep., Arctiidae). *Ent. Z., Frankf. a. M.* 93 (8): 107-110, Abb.
- 2877. Thomas, W.**, 1987, Zur Verbreitung und Lebensweise von *Axiopoena maura* Eichw. (Lep., Arctiidae). *Nachr. ent. Ver. Apollo (N.F.)* 8 (1): 21-25.
- 2878. Thomas, W.**, 1988, *Callimorpha splendidior* Tams eine eigene Art (Lepidoptera, Arctiidae). *Nachr. ent. Ver. Apollo (N.F.)* 9 (3): 177-186, 4 Abb.
- 2879. Thomson, G.**, 1959, *Maniola (Epinephele) jurtina* (L.) (Lep. Satyridae) and its forms. *Entomologist's Rec. J. Var.* 81: 7-14, 51-58, 83-90, Pl.
- 2880. Thomson, G.**, 1969, *Maniola (Epinephele) jurtina* (L.) (Lep., Satyridae) and its forms. *Entomologist's Rec. J. Var.* 81: 7-14, 51-58, 83-90.
- 2881. Thomson, G.**, 1973, Geographical variation of *Maniola jurtina* (L.) (Lepidoptera, Satyridae). *Tijdschr. Ent.* 116 (12): 185-227, 2 Pl.
- 2882. Thomson, G.**, 1976, Le genre *Maniola* Schrank (Lep., Satyridae). Notes sur la genitalia males et femelles. *Linn. Belg.* 6: 126-142, figs.
- 2883. Thomson, G.**, 1990, *Maniola halicarnassus* - a new Satyrid from south-western Turkey (Lep., Nymphalidae, Satyrinae). *Phegea* 18 (4): 149-155, 2 figs. 3 pls.
- 2884. Thomson, G.**, 1992, Egg surface morphology of Manioline butterflies (Lepidoptera, Nymphalidae, Satyrinae). *Atalanta* 23 (1/2): 195-214, 42 figs.

- 2885. Timins, D.C.**, 1867, A monograph of the genus *Thais* of the family. Trans. ent. Soc. Lond. (3. Ser.) 5: ci-ciii.
- 2886. Tokar, Z. & L.A. Gozmany**, 2004, Review of the palaearctic species of *Dirhinosisia* Rebel, 1905 (Lepidoptera, Gelechiidae). Acta zool. hung. 50 (1): 63-74, figs.
- 2887. Toll, S. & R.J. Wojtusiak**, 1957, Revision of the Palaearctic forms of the genus *Paratalanta* Meyr. (Lepidoptera, Pyralidae). Acta zool. cracov. 2 (13): 279-311, pls. xvii-xx
- 2888. Toll, S.**, 1942, Studien über die Genitalien einiger Coleophoriden III. Veröff. dt. Kolon. u. Übersee-Mus. Bremen 3 (3): 288-299, pls. 21-24.
- 2889. Toll, S.**, 1952, Etude sur les génitalia de quelques Coleophoridae X. Nouvelles espèces de *Coleophora* d'Afrique du Nord, Asie-Mineure, Syrie, Palestine, Liban et Iran. Bull. Soc. ent. Mulhouse 1952: 17-24, 27-30, 35-39, 43-47, 53-56, 61-65, pls.
- 2890. Toll, S.**, 1954, Polish species of the genus *Hemimene* Hb. (Lepidoptera, Tortricidae). Polski pismo ent. 24 (1): 5-70, 11 pls.
- 2891. Toll, S.**, 1954, Studies on species of the family Coleophoridae II. Polski pismo ent. 24: 139-145, figs.
- 2892. Toll, S.**, 1956, Versuch einer natürlichen Gruppierung der europäischen Oecophoridae auf Grund des Baues der Genitalapparate, samt Beschreibung von zwei neuen Arten (Lepidoptera). Ann. zool. 16 (13): 171-191, Taf. xxi-xxviii.
- 2893. Toll, S.**, 1959, Coleophoriden aus Iran und Iraq der Ausbeute E.P. Wiltshire (Lepidoptera, Coleophoridae). Bull. Soc. ent. Egypte 43: 331-346, 53 Abb.
- 2894. Toll, S.**, 1962, Materialien zur Kenntnis der palaearktischen Arten der Familie Coleophoridae. Acta zool. cracov. 7 (16): 577-720, 133 figs.
- 2895. Tolman, T. & R. Lewington**, 1997, Butterflies of Britain and Europe. 320pp., 104 pls., 429 maps. Harper Collins Publ. London.
- 2896. Toth, J.P.**, 2012, Taxonomy, distribution and ecology of *Melitaea ornata* (Lepidoptera, Nymphalidae). PhD Thesis, 117pp. Debrecen. [access 20 9 2014].
- 2897. Tränkner, A., Li, H. & M. Nuss**, 2009, On the systematics of *Anania Hübner, 1823* (Pyraloidea, Crambidae, Pyraustinae). Nota lepid. 32 (1): 63-60, figs.
- 2898. Traugott-Olsen, E.**, 1988, The *Elachista triseriatella* Stainton complex, with descriptions of eight new species (Lepidoptera, Elachistidae). Entomologist's Gazette 39: 293-312.
- 2899. Traugott-Olsen, E.**, 1990, Descriptions of four new species of Elachistidae (Lepidoptera) and diagnoses of *Elachista pollutella* Duponchel, 1843 and *E. constitella* Frey, 1859. Shilap Revta lepid. 18 (71): 273-285, figs.
- 2900. Traugott-Olsen, E.**, 1992, The *Elachista dispunctella* (Duponchel, 1843) complex with descriptions of new taxa (Lepidoptera, Elachistidae). Shilap Revta lepid. 20 (79): 197-316, figs. [see also Kaila (2015, Zootaxa 3980 (3): 301-358)].
- 2901. Treitschke, F.**, 1825, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (1), 414 pp. Leipzig.
- 2902. Treitschke, F.**, 1826, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (2), 417 pp. Leipzig.
- 2903. Treitschke, F.**, 1826, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (3), 419 pp. Leipzig.
- 2904. Treitschke, F.**, 1827, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VI (1), 444 pp. Leipzig.
- 2905. Treitschke, F.**, 1828, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VI (2), 319 pp. Leipzig.
- 2906. Treitschke, F.**, 1829, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VII, 257 pp. Leipzig.
- 2907. Treitschke, F.**, 1830, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VII, 312 pp. Leipzig.
- 2908. Treitschke, F.**, 1832, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom IX (1), 272 pp. Leipzig.
- 2909. Treitschke, F.**, 1833, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom IX (2), 294 pp. Leipzig.
- 2910. Treitschke, F.**, 1834, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (1), 286 pp. Leipzig.
- 2911. Treitschke, F.**, 1835, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (2), 340 pp. Leipzig.

- 2912. Treitschke, F.**, 1835, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (3), 302 pp. Leipzig.
- 2913. Trematerra, P.**, 2010, *Clepsis trifasciata* sp.n. with notes on some Lepidoptera Tortricidae from Kirgizstan. J. Ent. Acar. Res. (II) 42 (1): 1-10, figs.
- 2914. Tremewan, W.G.**, 1961, A Catalogue of the types and other specimens in the British Museum (Natural History) of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. Bull. Brit. Mus. (Nat. Hist.) Ent. 10 (7): 239-314, Pls. 50-64.
- 2915. Tremewan, W.G.**, 1961, The subgenera of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. Entomologist's Rec. J. Var. 73: 200-203.
- 2916. Tremewan, W.G.**, 1966, On some type specimens of the genus *Zygaena* Fabricius (Lepidoptera: Zygaenidae) in the British Museum (Natural History). Entomologist's Rec. J. Var. 78: 28-37, Pl.1, 18 figs.
- 2917. Tremewan, W.G.**, 1969, Further records of *Zygaena* Fabricius (Lep. Zygaenidae) from Turkey. Proc. Br. ent. Nat. Hist. Soc. 1969: 103-106.
- 2918. Tremewan, W.G.**, 1970, *Zygaena* Fabricius (Lep., Zygaenidae) from Turkey. Proc. Br. nat. Hist. Soc. 3: 103-106.
- 2919. Tremewan, W.G.**, 1973, A catalogue of the genus-group names of the Zygaenidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 28 (3): 111-151.
- 2920. Tremewan, W.G.**, 1981, Ergebnisse d. 2.Innsbrucker Lepidopterologengespr. 4./5.Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus *Zygaena* Fabr.,1775 (Sg. *Mesembrynus* Hbn.,[1819]) (Lep.,Zygaenidae) The identity of the nominal taxon *Sphinx minos* [Denis & Schiff.],1775. Entomofauna 2 (21): 239-244, 2 figs.
- 2921. Tremewan, W.G.**, 1981, Ergebnisse d. 2.Innsbrucker Lepidopterologengespr. 4./5.Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus *Zygaena* Fabr.,1775 (Sg. *Mesembrynus* Hbn.,[1819]) (Lep.,Zygaenidae) On the correct authors of two species-group taxa in the genus *Zygaena* Fabr. Entomofauna 2 (20): 231-237.
- 2922. Tremewan, W.G.**, 1981, Ergebnisse d. 2.Innsbrucker Lepidopterologengespr. 4./5.Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus *Zygaena* Fabr.,1775 (Sg. *Mesembrynus* Hbn.,[1819]) (Lep.,Zygaenidae) On the validity of the genus-group name *Mesembrynus* Hübner,[1819]. Entomofauna 2 (19): 223-227.
- 2923. Tremewan, W.G.**, 1988, A bibliography of the Zygaeninae (Lepidoptera, Zygaenidae). 188pp. Colchester.
- 2924. Triberti, P.**, 1984, Notes on some species of *Caloptilia* Hb. described by O. Staudinger (Lep., Gracillariidae). Dt. ent. Z. (N.F.) 31 (1/3): 9-14, 5 figs.
- 2925. Triberti, P.**, 1985, A revision of the genus *Aspilapteryx* Spuler (Lepidoptera, Gracillariidae). Z. ArbGem. öst. Ent. 37 (1/2): 1-16, 8 Pls.
- 2926. Trofimova, T.A., Shovkoon, D.F. & T.J.Witt**, 2016, A revision of the genus *Calliteara* Butler,1881 (Lepidoptera, Erebiidae, Lymantriinae). Proc. Mus. Witt, vol. 3, 292 pp. Munich & Vilnius.
- 2927. Trusch, R. & S.Erlacher**, [2003], Taxonomic changes in the geometrid moths taxon *Dyscia* Hübner,[1825] (Lepidoptera, Geometridae, Ennominae). Eur. J. Ent. 99 (4): 529-541.
- 2928. Trusch, R. & S.Erlacher**, 2001, Zur Morphologie, Verbreitung, Bionomie und Identifikation der *Dyscia*-Arten. Bonner zool. Monogr. 49: 1-116, 12 Pls.
- 2929. Tshikolovets, V.V.**, 2011, Butterflies of Europe and the Mediterranean area. 544pp. Pardubice, Czech Republik.
- 2930. Turati, E.**, 1919, Nuove forme di Lepidotteri. Correzioni e note critiche. IV. Naturalista sicil. (2) 23: 203-368, 4 pls.
- 2931. Turner, A.J.**, 1918, Observations on the lepidopterous family Cossidae and on the classification of the Lepidoptera. Trans. ent. Soc. Lond. 1918: 155-190, 58 figs.
- 2932. Turner, H.J.**, 1925, A new form of *Sarrothrips revayana* race *columbana* nova. Entomologist's Rec. J. Var. 37: 77-78.
- 2933. Tusov, V.K. [ed.]**, 2000, Families Libytheidae - Lycaenidae. Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 2. 579pp., Pls. Pensoft Publ., Sofia.
- 2934. Tutt, J.W.**, 1887, Description of a new *Gelechia* of the 'Lita' group, closely allied to *G. maculea*. Entomologist's mon. Mag. 24: 105-106.
- 2935. Tutt, J.W.**, 1892, [Reply to "Classification by structure of imago by E.Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111.

- 2936. Tutt, J.W.**, 1892, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51.
- 2937. Tutt, J.W.**, 1893, The genus *Xanthia*: with notes on variation, habits and affinities. Entomologist's Rec. J. Var. 4: 25-28, 69-71, 93-96.
- 2938. Tutt, J.W.**, 1894, The life-history of a lepidopterous Insect, comparising some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92.
- 2939. Tutt, J.W.**, 1896, The classification of the British butterflies. Entomologist's Rec. J. Var. 7: 300-301.
- 2940. Tutt, J.W.**, 1896, The Large Copper Butterfly (*Chrysophanus dispar*). Entomologist's Rec. J. Var. 8: 57-65.
- 2941. Tutt, J.W.**, 1899-1914, A natural history of the British Lepidoptera. 11 vols. London.
- 2942. Tutt, J.W.**, 1906, Catalogue of the palaearctic *Urbicolides*. Entomologist's Rec. J. Var. 18: 195-198.
- 2943. Tutt, J.W.**, 1906-1914, A natural history of the British butterflies, their world-wide variation and geographical distribution. 4 vols. London.
- 2944. Tutt, J.W.**, 1908, *Everes alcetas* (coretas) as a distinct species from *Everes argiades*. Entomologist's Rec. J. Var. 20 (10): 231-237, 264-266.
- 2945. Tutt, J.W.**, 1908, Notes on *Everes argiades*, and its *ab.alcetas* Hb. (=coretas Ochs.). Entomologist's Rec. J. Var. 18: 129-132.
- 2946. Tutt, J.W.**, 1909, The generic subdivison of the Lycaenid tribe Plebeiidi. Entomologist's Rec. J. Var. 21: 107-180.
- 2947. Urbahn, E.**, 1971, Eine neue *Anaitis*-Art aus Transkaukasien: *Anaitis uniformata* n.sp. Ent. Z., Frankf. a. M. 81 (21): 244-247, Abb.
- 2948. Urbahn, E.**, 1974, Neues über *Anaitis uniformata* Urbahn und *A.praeformata* Hbn. (Lep., Geometridae). Ent. Z., Frankf. a. M. 84 (6): 53-58, 3 Abb.
- 2949. Ustjuzhanin, P.Y.**, 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palaearctic Region. *Nota lepid.* 24 (3): 11-32.
- 2950. Uygun, N., et al.**, 1995, A serious citrus pest: Citrus leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae). *Türk. J. Ent.* 19: 247-252.
- 2951. Uygun, N., et al.**, 1997, Studies on biological control of *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101.
- 2952. Uzun, S.**, 1987, Parasites of *Pieris brassicae* (L.) (Lepidoptera, Pieridae) which is harmful on cabbage and cauliflower around Izmir. *Türk Bitki Koruma Derg.* 11(4): 237-245, figs.
- 2953. Ünlü, L. & S.Kornoşor**, 2003, Şanhurfa ilinde saptanan Noctuidae (Lepidoptera) familyası türleri ve morfolojik özellikleri. *J. Agric. Fac. HR U.* 7 (3/4): 19-28.
- 2954. Ünlü, L.**, 2012, Potato: A new host plant of *Tuta absoluta* Povolny (Lepidoptera, Gelechiidae) in Turkey. *Pakistan J. Zool.* 44 (4): 1183-1184.
- 2955. Vallantin, H.**, 1894, Lépidoptère nouveau d'Algerie. *Epinephele* Ida, var. *Cecilia*. *Naturaliste*, Paris 16 (2) 8 (185): 260.
- 2956. Vane-Wright, R.I. & P.R.Ackery**, 1981, The B.C.S.Warren collection and its type-material. Entomologist's Rec. J. Var. 93: 1-3, 112-115, 172-175.
- 2957. Vane-Wright, R.I. & P.R.Ackery**, 1984, The Biology of Butterflies. 429 pp. 34 figs. Princeton University Press, New Jersey.
- 2958. Vardikyan, S.A.**, 1949, New pest Geometrid moth on the fruit trees in Armenia (Geometridae, Lepidoptera). *Rep. Acad. Sci. ArmSSR* 10 (3).
- 2959. Vardikyan, S.A.**, 1957, A new geometrid moth species of the genus *Ortholitha* Hb. of the Armenian SSR. *Dokl. Akad. Nauk. armSSR* 25: 281-283.
- 2960. Vardikyan, S.A.**, 1957, A new species of measuring worm moth of the genus *Dyscia* Hbn from the Armenian SSR. *Doklady Akad. Nauk. armSSR* 24 (3): 135-139, figs.
- 2961. Vardikyan, S.A.**, 1970, *Eupithecia armeniaca* nom. nov. (Lep., Geometridae). *Zoologicheskii Sb.* Erevan 15: 215.
- 2962. Vardikyan, S.A.**, 1985, Atlas of the genital apparatus of geometrid Moths (Geometridae, Lepidoptera) of the Armenian SSR. *Akad. Nauk. Arm. Inst. Zool.*, 136 pp., 99 Pls. Erevan [in Russian].
- 2963. Varga, Z. & L.Ronkay**, 1989, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae) I. The description of a new subgenus two new species and a new subspecies. *Nota lepid.* 12 (1): 65-82, figs.

- 2964. Varga, Z. & L. Ronkay**, 1991, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. *Acta zool. hung.* 37(3/4): 263-312, 113 figs. Pls. 1-3.
- 2965. Varga, Z. & L. Ronkay**, 1991, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae), II. The subgenus *Rasihia* Kocak. *Nota lepid.* 14 (2): 144-170, figs.
- 2966. Varga, Z. & L. Ronkay**, 1996, New and revised taxa of the genera *Chersotis* Boisduval, 1840 and *Dichagyris* Lederer, 1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 4: 103-132, 83 figs., 2 Pls.
- 2967. Varga, Z. & L. Ronkay**, 2007, On the taxonomy of the genus *Diarsia* Hübner, [1821] 1816 (Lepidoptera, Noctuidae): The Holarctic species group of the genus. *Acta zool. hung.* 53 (Suppl. 1): 141-209, figs.
- 2968. Varga, Z.**, 1967, Contribution to the taxonomy of *Melitaea phoebe* Schiff. in Southeastern Europe, with description two new subspecies. *Acta univ. debrecen (Ser. 2) Biologica* 5: 119-137, 31 figs.
- 2969. Varga, Z.**, 1974, Hadeninae (Lepidoptera, Noctuidae) aus der Mongolei. *Annls. hist.-nat. Mus. natn. Hung.* 66: 289-322, Tab. 1.
- 2970. Varga, Z.**, 1975, Eine Noctuiden-Ausbeute aus Ost-Anatolien (Lep.). *Ent. Z., Frankf. a. M.* 85: 172-174.
- 2971. Varga, Z.**, 1975, Zoogeographische Gliederung der palaearktischen Orealfauna. *Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa*: pp. 263-284, 6 Abb. Junk & The Hague.
- 2972. Varga, Z.**, 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einleitung der europäischen Tagsschmetterlinge (Lepidoptera, Diurna). *Acta univ. debrecen (Ser. 2) Biologica* 14: 223-285, 33 Abb.
- 2973. Varga, Z.**, 1979, Neue Noctuiden aus der Sammlung Vartian (Wien), II. *Z. ArbGem. öst. Ent.* 31 (1/2): 1-12, 7 Abb. 1 Taf.
- 2974. Varga, Z.**, 1986, Désignation du lectotype de *Rhyacia elegans anatolica* Draudt, 1936 = *Chersotis anatolica* (Draudt) *bona* sp. *Nota lepid.* 9 (1/2): 55.
- 2975. Varga, Z.**, 1989, Zweiter Beitrag zur Kenntnis der Gattung *Xenophysa* Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung fünf neuer Arten. *Z. ArbGem. öst. Ent.* 41 (1/2): 1-18, figs.
- 2976. Varga, Z.**, 1993, Beiträge zur Kenntnis der Gattung *Dichagyris* Lederer, 1857 (Lepidoptera, Noctuidae) I. *Acta zool. hung.* 39(1/4): 289-300, figs.
- 2977. Varga, Z.**, 1995, Geographical patterns of the biological diversity in the Palaearctic Region and the Carpathian Basin. *Acta zool. hung.* 41 (2): 71-92, 3 figs., 2 Tab.
- 2978. Varga, Z.**, 1996, Biogeography and evolution of oreol Lepidoptera in the Palaearctic. *Acta zool. hung.* 42 (4): 289-330, 12 figs.
- 2979. Varga, Z.**, 1996, New species and subspecies of *Dichagyris*, *Chersotis* and *Rhyacia* (Lepidoptera, Noctuidae) from Central Asia. *Acta zool. hung.* 42 (3): 195-230, figs.
- 2980. Varga, Z., Ronkay, G. & L. Ronkay**, 2017, Revised taxonomic check list of the Eurasiatic species of the subtribe *Poliina* (Noctuidae, Noctuinae, Hadenini). *Dt. ent. Z.* 64 (2): 133-160, figs.
- 2981. Venzmer, G.**, 1920, Zur Kenntnis der Tagfalter des Bulghar Daghs in Kleinasien. *Dt. ent. Z., Iris* 34: 23-52.
- 2982. Verhulst, J.**, 1993, Fiches spécifiques des *Colias* F. (*Colias* Data sheets) (Lepidoptera, Pieridae). Dixième fiche. *Colias chlorocoma*. *Lambillionea* 93: 39-50, 11 figs. 2 Pls. 1 map.
- 2983. Verhulst, J.**, 1994, Expedition entomologique au nord-est de la Turquie, du 3 au 26 Juillet 1991. *Bull. Cerc. Lépid. Belg.* 23(24): 71-94, 1 Map, 20 figs.
- 2984. Verity, R.**, 1905-1911, *Rhopalocera palaearctica*. *Papilionidae et Pieridae*. 86+368 pp. 2+12+72 pls. Firenze.
- 2985. Verity, R.**, 1913, Revision of the Linnean types of palaearctic *Rhopalocera*. *J. Linn. Soc. (Zool.)* 32: 173-191.
- 2986. Verity, R.**, 1914, Dates of Publication of "*Rhopalocera Palaearctica*". *Novit. zool.* 21: 426.
- 2987. Verity, R.**, 1919-1922, Seasonal polymorphism and races of some European *Grypocera* and *Rhopalocera*. *Entomologist's Rec. J. Var.* 31 (1919): 26-33, 43-48, 87-89, 121-129, 178, 184, 193-201; 32 (1920): 3-8, 140-152; 33 (1921): 170-176, 190-193, 210-214; 34 (1922): 12-15, 68-73, 89-93, 124-142.
- 2988. Verity, R.**, 1925, New races and forms of Palaearctic *Grypocera*. *Entomologist's Rec. J. Var.* 37: 41-44, 54-57, 72-76.
- 2989. Verity, R.**, 1929, The asiatic origins of the Western palaearctic *Rhopalocera* exemplified by *Melitaea didyma* Esp. *Entomologist's Rec. J. Var.* 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132.

- 2990. Verity, R.**, 1931, On the geographical variations and evolution of *Lycaeides argus* L. (Lycaenidae). Dt. ent. Z., Iris 45: 30-69.
- 2991. Verity, R.**, 1932, The geographical Variations of *Boloria euphrosyne* L. Entomologist's Rec. J. Var. 44: 110-115, 119-121.
- 2992. Verity, R.**, 1934-1936, The lowland races of butterflies of the Upper Rhone Valley. Entomologist's Rec. J. Var. 46 (suppl.): 1-40; 47 (suppl.): 41-76; 48 (suppl.): 77-90.
- 2993. Verity, R.**, 1935, Races de *Lysandra thersites* (Lep., Cant.) Champ. et de *Plebeius sephyrus* Friv. de l'Asie Mineure. Bull. Soc. ent. Fr. 40: 243-245.
- 2994. Verity, R.**, 1937, Des variations géographiques de l'*Eumenis briseis* L. Lambillionea 37: 4-14, 50-63.
- 2995. Verity, R.**, 1937, Variation of *Eumenis allionii* G.H.: *fatua* Freyer. Entomologist's Rec. J. Var. 49: 99-101.
- 2996. Verity, R.**, 1937-1938, Variation of some butterflies in Anterior Asia and in Morocco. Entomologist's Rec. J. Var. 49 (11) (suppl.): (1)-(4); (12) (suppl.): (5)-(8); 50 (5) (suppl.): (9)-(12); (6) (suppl.): (13)-(15).
- 2997. Verity, R.**, 1939, Essai sur la distinction des especes du groupe de *Lysandra coridon* Poda. Lambillionea 39: 210-222.
- 2998. Verity, R.**, 1939, Race persane du *Palaeoloweia tityrus* Poda, 1761 = *dorilas* Hufnagel, 1766 = *dorilis* (par lapsus) Stdgr., 1861. Lambillionea 39: 183-186.
- 2999. Vicent, J.**, 1913, Description d'une nouvelle *Catocala* de Syrie. Bull. Soc. ent. Fr. (1913): 431-432.
- 3000. Viidalepp, J. & A.A. Piriev**, 1993, A new geometrid moth species (Lepidoptera, Geometridae) from Talysh. Vestn. zool. 1993 (4): 80-81, figs.
- 3001. Viidalepp, J. & L. Rezbanyai-Reser**, 1994, Zur Kenntnis der kaukasischen Geometriden *Theria crypta* Wehrli, 1940 und *Scotopteryx aelptes* (Prout, 1937) (*bona* spp.) (Lepidoptera, Geometridae). Ent. Ber. Luzern 32: 137-150, Abb.
- 3002. Viidalepp, J.**, 1990, On the geographical distribution of the tribe Chesiadini (Lepidoptera, Geometridae) with the description of a new genus. Uch. Zap. Tartu Gos. Univ. 875: 25-37, figs.
- 3003. Viidalepp, J.**, 2011, A morphological review of tribes in Larentiinae (Lepidoptera, Geometridae). Zootaxa 3136: 1-44, figs.
- 3004. Viidalepp, J., Tammaru, T., Snall, N., Ruohomaki, K. & N. Wahlberg**, 2007, *Cleorodes* Warren, 1894 does not belong in the tribe Boarmiini (Lepidoptera, Geometridae). Eur. J. Ent. 104: 303-309.
- 3005. Viidalepp, J. R.**, 1988, [in] H. Remm, Fauna Pyadenis gor Srednei Azii [Geometridae fauna of the central Asian mountains]. Institut Zoologii & Botaniki 1988: 1-211, Tab. 1-3, 8 Pls., 42 figs. [in Russian].
- 3006. Villers, C. de**, 1789, Caroli Linnaei entomologia faunae Suecicae descriptionibus aucta. Tomus secundus. 16 + 656 pp., Lugduni.
- 3007. Vives Moreno, A.**, 1988, Catalogo Mundial Sistemático y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196.
- 3008. Vojnits, A. M. & E. Szabo**, 1988, *Eupithecia domogledana* sp. nov. from Mount Domogled, Rumania, and a redescription of *Eupithecia salami* Brandt, 1938 (Lepidoptera, Geometridae). Nota lepid. 11 (2): 158-163, figs.
- 3009. Volynkin, A. V. & S. V. Titov**, 2016, New data on eastern limits of ranges of *Egira anatolica* (M. Hering, 1933) and *Egira conspicillaris* (Linnaeus, 1758) (Lepidoptera, Noctuidae). Biol. Bull. Bogdan Chmel. Melit. St. Pedag. Univ. 6 (2): 119-123, figs.
- 3010. Wagener, S. & F. J. Gross**, 1976, Eine neue Unterart von *Melitaea arduinna* aus Ostanatolien (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 86 (20): 229-232, 1 Abb.
- 3011. Wagener, S. & H. v. Oorschot**, 1998, Rhopalocera and Grypocera of Turkey 15. Zur Identität von *Callophrys mystaphia* (Lepidoptera, Lycaenidae). Phegea 26 (2): 61-67 [it is based on a mis-leading taxonomical interpretation].
- 3012. Wagener, S.**, 1974, Ergebnisse der tschechoslowakisch-iranischen entomologischen Expedition nach dem Iran 1970 (mit Angaben über einige Sammelresultate in Anatolien) Nr. 9. Lepidoptera, Satyridae: Genus *Melanargia* Meigen, 1828. Acta ent. Mus. natn. Pragae (suppl.) 6: 99-104, 2 Abb.
- 3013. Wagener, S.**, 1975, 4. Beitrag. Die vorderasiatischen Formen der *Melanargia russiae* (Esper, 1784), [in] Ebert, G. et al., Beitrage zur Kenntnis der Rhopaloceren Irans. J. ent. Soc. Iran, Suppl. 1: 47-62, figs.

3014. **Wagener, S.**, 1976, *Melanargia larissa lesbina* subspecies nova (Lepidoptera, Satyridae). NachrBl. bayer. Ent. 25(3): 40-43, fig.
3015. **Wagener, S.**, 1983, *Brenthis ino schmitzi* ssp.n. aus Nordost-Anatolien (Lepidoptera, Nymphalidae). Entomofauna 4 (7):109-117, figs.
3016. **Wagener, S.**, 1983, Zur Taxonomie, Nomenklatur und Verbreitung von *Melanargia titea* (Klug, 1832) (Lepidoptera, Satyridae). Nota lepid. 6 (2/3): 175-188, 32 figs.
3017. **Wagener, S.**, 1983, Zwei neue *Melanargia*-Formen aus Anatolien. Atalanta 14 (3): 247-299, Abb.
3018. **Wagener, S.**, 1984, Struktur und Skulptur der Eihüllen einiger *Melanargia*-Arten (Lepidoptera, Satyridae). Andrias 3: 73-96, Abb.
3019. **Wagener, S.**, 1988, Wer hat als Autor des Gattungsnamens *Parnassius* (Lepidoptera, Papilionidae) zu gelten? Nota lepid. 11 (3): 237-238.
3020. **Wagener, S.**, 1990, 10 Thesen zum Arten- und Biotopschutz der Schmetterlinge. Atalanta 20 (1989): 131-133.
3021. **Wagener, S.**, 2006, Butterfly diversity and protection in Turkey. Bonn. zool. Beitr. 54 (1) (2005): 2-23, 4 maps.
3022. **Wagner, F.**, 1929, Weiterer Beitrag zur Lepidopteren-Fauna Inner Anatoliens. Mitt. münch. ent. Ges. 19: 1-28, 57-80, 175-206, 2 Taf.
3023. **Wagner, F.**, 1930, Zweiter (III.) Beitrag zur Lepidopterenfauna Inner-Anatoliens. Int. ent. Z. 23: 545-555, Taf.
3024. **Wagner, F.**, 1931, Dritter (IV.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 24 (45): 467-474; (46): 475-485; (47): 487-492, Taf.
3025. **Wagner, F.**, 1931, Neue Heteroceren aus Kleinasien. Int. ent. Z. 25: 367-371, 388.
3026. **Wagner, F.**, 1932, Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26: 178-183, 185-187, figs. Taf.
3027. **Wagner, F.**, 1933, Die ersten Stände zweier kleinasiatischer Lepidopteren und Beschreibung einer neuen Form. Z. öst. EntVer. 18: 88-90.
3028. **Wagner, H. & R. Pfitzner**, 1911, Hepialidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr. W. Junk Berlin.
3029. **Wagner, H.**, 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin.
3030. **Wagner, M.**, 1848, Reise nach dem Ararat und dem Hochland Armenien. Mit einem Anhang: Beiträge zur Naturgeschichte des Hochlandes Armenien. 12+331 Seiten Stuttgart & Tübingen.
3031. **Wahlberg, N. & M. Zimmermann**, 2000, Pattern of phylogenetic relationships among members of the tribe Melitaeini (Lepidoptera, Nymphalidae) inferred from mitochondrial DNA sequences. Cladistics 16: 347-363, figs.
3032. **Wahlberg, N.**, 2000, The ecology and evolution of Melitaeine butterflies. PhD Thesis. Univ. Helsinki, Finland. [access 20.9.2014].
3033. **Wakeham-Dawson, A.**, 1996, How useful are male genitalia as taxonomic characters in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae)? Entomologist's Gaz. 47: 227-237, 9 figs. 3 Tab.
3034. **Wakeham-Dawson, A.**, 1997, Discriminant analysis of androconia in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 48: 37-46.
3035. **Wakeham-Dawson, A., Parker, R., John, E. & R. L. H. Dennis**, 2003, Comparison of the male genitalia and androconia of *Pseudochazara anthelea acamanthis* (Rebel, 1916) from Cyprus *Pseudochazara anthelea anthelea* (Hübner, 1824) from mainland Turkey and *Pseudochazara anthelea amalthaea* (Friv., 1845) from mainland Greece... Nota lepid. 25 (4): 251-263, 4 Tab., 6 figs.
3036. **Walker, F.**, [1857], List of the specimens of lepidopterous insects in the collection of the British Museum 10: 258-491. London.
3037. **Walker, F.**, [1859], List of the specimens of lepidopterous insects in the collection of the British Museum. Deltoides 16: 1-253. London.
3038. **Walker, F.**, [1863], List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 26: 1479-1796. London.
3039. **Walker, F.**, [1866], List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 34: 1121-1534. London.
3040. **Walker, F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 1: 1-278. London.

- 3041. Walker, F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 2: 279-582. London.
- 3042. Walker, F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 3: 583-775. London.
- 3043. Walker, F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 4: 776-976. London.
- 3044. Walker, F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 5/6: 977-1508. London.
- 3045. Walker, F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 7: 1509-1808. London.
- 3046. Walker, F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 8: 1-271. London.
- 3047. Walker, F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 9: 1-257. London.
- 3048. Walker, F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 11: 493-764. London.
- 3049. Walker, F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 12: 765-982. London.
- 3050. Walker, F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 13: 983-1236. London.
- 3051. Walker, F.**, 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 14: 1237-1520. London.
- 3052. Walker, F.**, 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 15: 1521-1888. London.
- 3053. Walker, F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 17: 255-508. London.
- 3054. Walker, F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 18: 509-798. London.
- 3055. Walker, F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 19: 799-1036. London.
- 3056. Walker, F.**, 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 20: 1-276. London.
- 3057. Walker, F.**, 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 21: 277-498. London.
- 3058. Walker, F.**, 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 22: 499-755. London.
- 3059. Walker, F.**, 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 23: 757-1020. London.
- 3060. Walker, F.**, 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 24: 1021-1280. London.
- 3061. Walker, F.**, 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 25: 1281-1478. London.
- 3062. Walker, F.**, 1863, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 27: 1-286. London.
- 3063. Walker, F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 28: 287-561. London.
- 3064. Walker, F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Tineites 29: iv+563-835. London.
- 3065. Walker, F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum Tineites 30: iv+837-1096. London.
- 3066. Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 31: 1-322. London.
- 3067. Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 32: 323-706. London.
- 3068. Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 33: 707-1120. London.

- 3069. Walker, F.**, 1866, List of the specimens of lepidopterous insects in the collection of the British Museum 35: 1535-2040. London.
- 3070. Walker, F.A.**, 1885, Oriental Entomology. Entomologist 18: 6-9, 39-41, 91-94.
- 3071. Walker, J.J.**, 1879, Notes on the butterflies of Port Balkar, Turkey. Entomologist's mon. Mag. 15: 193-196.
- 3072. Wallengren, H.D.J.**, 1859, Skandinavines fjädermott (Alucita Linn.). K. Svensk. Vetens. Akad. Handl. 3 (7): 1-25.
- 3073. Wallengren, H.D.J.**, 1863, Lepidopterologische Mittheilungen III. Wien. ent. Monatschr. 7 (5): 137-151.
- 3074. Walsingham, L.**, 1907, Descriptions of new species of Stigmatophora, H.-S. (Lepidoptera, Tineina). Entomologist's mon. Mag. 43: 177-181.
- 3075. Walsingham, L.**, 1907, Tinea flavescensella, Hw. (nec Stn), n.syn.,= Tinea *merdella, Stn. (nec Z.). Entomologist's mon. Mag. 43: 265-270.
- 3076. Walsingham, M.A.**, 1889, Monograph of the genera connecting Tinaegeria, Wlk., with Eretmocera, Z. Trans. ent. Soc. London 1889 (1): 1-40, 6 pls.
- 3077. Walsingham, M.A.**, 1898, Descriptions of a new Micropterygid genus and species, and a new Eriocraniad species from N.America. Entomologist's Rec. J. Var. 10 (7): 162-163, Pl.2.
- 3078. Walsingham, M.A.**, 1900, Asiatic Tortricidae. Ann. Mag. nat. Hist. 7 (5): 368-386, 451-490; 7 (6): 121-137, 234-243, 333-341, 401-409, 429-448.
- 3079. Walsingham, M.A.**, 1907, Spanish and Moorish Microlepidoptera. Entomologist's mon. Mag. 43: 212-218.
- 3080. Walsingham, R.H. & J.H. Durrant**, 1898, Note on Goeze's Beiträge. Entomologist's mon. Mag. 34: 180.
- 3081. Walsingham, R.H. & J.H. Durrant**, 1898-1909, Revision of the Nomenclature of Microlepidoptera. Entomologist's mon. Mag. 34 (1898): 34-35, 135-136; 35 (1899): 199-200; 36 (1900): 4; 37 (1901): 189-190; 38 (1902): 28-29, 163-170; 42 (1906): 196-197; 45 (1909): 46-52, 155-157, 173-174.
- 3082. Warnecke, G.**, 1932, Zur Nomenklatur und Verbreitung von Cidaria (Euphyia) corollaria H.-S. - unicata Gn. (Lep., Geometridae). Int. ent. Z. 25 (46): 461-465, 2 pls.
- 3083. Warnecke, G.**, 1935, Über das Ei von Parnassius nordmanni Mén. Parnassiana 3: 65-66.
- 3084. Warnecke, G.**, 1938, Bemerkungen zu einigen Arten der Nolinae (Lepidoptera, Arctiidae). II. Beitrag. Ent. Rdsch. 55: 293-297, Abb.
- 3085. Warnecke, G.**, 1940-1941, Zur Kenntnis der Gattung Dyscia Hb. (Lep., Geom.). Mitt. münch. ent. Ges. 30: 1047-1051; ibid. 31 (1941): pl.4.
- 3086. Warnecke, G.**, 1941, Ein weiterer Beitrag zur Kenntnis der Dyscia conspersaria F.-Gruppe (Lep., Geometr.). Z. Wien. EntVer. 26: 208-211, 231-235, 241-246, pls.27,28.
- 3087. Warnecke, G.**, 1941, Über Calamia (Luceria) virens (Lep., Noctuidae) und ihre "Form" immaculata Stgr. Z. wien. entVer. 26: 99-104, 3 figs.
- 3088. Warnecke, G.**, 1943, Über die Lepidopterologische Literatur des Kaukasus. Z. wien. ent. Ges. 28: 169-176.
- 3089. Warren, B.C.S.**, 1913, Notes on Pieris manni and other entomological subjects. Entomologist's Rec. J. Var. 25: 305-306.
- 3090. Warren, B.C.S.**, 1926, Monograph of the tribe Hesperii (European species) with revised classification of the subfamily Hesperinae (Palearctic species) based on the genital armatures of the males. Trans. ent. Soc. Lond. 74: 1-170, Pls.
- 3091. Warren, B.C.S.**, 1930, A definition of the satyrid genera Erebia, Callerebia, Paralasa and Ereboromorpha. Entomologist's Rec. J. Var. 42: 103-107.
- 3092. Warren, B.C.S.**, 1931, The generic names used in the Neuere Beiträge. Entomologist's Rec. J. Var. 43: 30-31.
- 3093. Warren, B.C.S.**, 1936, Monograph of the genus Erebia. vii+ 407 pp. 104 Pls. British Museum (Nat. Hist.), London.
- 3094. Warren, B.C.S.**, 1938, On the racial variability of Erebia melancholica H.-S. Entomologist 71: 246-250.
- 3095. Warren, B.C.S.**, 1938, The flying-habits of butterflies when paired. Entomologist 71: 114-117.
- 3096. Warren, B.C.S.**, 1942, Genus Pandoriana gen. nov. A preliminary description. Entomologist 75: 245-246.

3097. **Warren, B.C.S.**, 1944, Review of the classification of the Argynnidi: with a systematic revision of the genus *Boloria*. Trans. R. ent. Soc. Lond. 94: 1-101, Pls.
3098. **Warren, B.C.S.**, 1947, Some principles of classification in Lepidoptera with special references to the butterflies. Entomologist 80: 235-241, 262-268, 280-282.
3099. **Warren, B.C.S.**, 1949, A note on *Erebia dromulus* Stgr. Entomologist 82: 190.
3100. **Warren, B.C.S.**, 1951, Speciation in the genus *Colias*: with special reference to *C. hyale* and *C. australis*. Lambillionea 50 (1950): 90-98, pls.v-vi.
3101. **Warren, B.C.S.**, 1955, A review of the classification of the subfamily Argynninae, Part 2. Definitions of the asiatic genera. Trans. R. ent. Soc. Lond. 107: 381-392, 4 pls. 39 figs.
3102. **Warren, B.C.S.**, 1961, The androconial scales and their bearing on the question of speciation in the genus *Pieris*. Ent. Tidskr. 82: 121-148, pls.1-3.
3103. **Warren, B.C.S.**, 1963, *Pieris bryoniae dubiosa* Röber and notes on the variation in the androconia of *Pieris* species. Entomologist's Rec. J. Var. 75: 125-129, pl.3.
3104. **Warren, B.C.S.**, 1978, Autobiography with an autobiographical note. Nota lepid. 1 (2): 77-81.
3105. **Warren, W.**, 1891, Descriptions of new genera and species of Pyralidae contained in the British Museum Collection. Ann. Mag. nat. Hist. (6) 7: 423-438, 494-501; (6) 8: 61-70.
3106. **Warren, W.**, 1893, On new genera and species of moths of the family Geometridae from India in the collection of H.J.Elwes. Proc. zool. Soc. Lond. 1893: 341-434, 3 pls.
3107. **Warren, W.**, 1894, New genera and species of Geometridae. Novit. zool. 1: 366-466.
3108. **Warren, W.**, 1909-1913, Familia Noctuidae, [in] Seitz, A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart.
3109. **Warren, W.**, 1912, Familia Cymatophoridae, [in] Seitz, A., Die Gross-Schmett. Erde 2: pp. 321-333, Taf., Stuttgart.
3110. **Watkins, H.T.G.**, 1921, Moths of Mesopotamia and N. W. Persia Part II. Sphinges & Bombyces. J. Bomb. nat. Hist. Soc. 28: 184-186.
3111. **Watson, A., Fletcher, D.S. & I.W.B. Nye**, 1980, Noctuoidea (part), [in] Nye, I.W.B., The Generic Names of Moths of the World vol.2. London.
3112. **Watson, E.Y.**, 1893, A proposed classification of the Hesperidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls.
3113. **Watson, J.**, 1895, On the rearrangement of the Fabrician genus *Colias*, and the proposal of a new genus of Pierinae. Entomologist 28: 166-168.
3114. **Watson, L. & M.J.Dallwitz**, 2007, British insects the genera of Lepidoptera Geometridae. <http://delta-intkey.com/> [access 1 10 2010]
3115. **Watson, L. & M.J.Dallwitz**, 2007, British insects the genera of Lepidoptera Noctuidae. <http://delta-intkey.com/> [access 1 10 2010]
3116. **Weber, P.**, 1957, *Schneideraria pistaciella* gen. spec. nov. (Lepidoptera, Gelechiidae), ein Schädling an Pistazien. Mitt. schweiz. ent. Ges. 30: 68-72, 5 figs.
3117. **Wehrli, E.**, 1921, *Gnophos intermedia* Wrli., bona species, und die glaucinaria-Gruppe. Ent. Z. Frankf. a. M. 35 (7): 25-26; (8): 29-30, 9 figs.
3118. **Wehrli, E.**, 1926, Eine neue *Gnophos*art aus Anatolien [*Gnophos pfeifferi* sp.n.]. Mitt. münch. ent. Ges. 16: 95-98.
3119. **Wehrli, E.**, 1929, Ueber die paläarktischen Arten der Gattung *Ellopiia* Tr. (Lepidopt., Geometr.). Mitt. münch. ent. Ges. 19: 311-323, 2 Taf.
3120. **Wehrli, E.**, 1929, Über die Arten und Formen der Gattung *Nychiodes* Led. Mitt. münch. ent. Ges. 19: 29-35, 38-56, 96, 171-172, Taf.III,IV.
3121. **Wehrli, E.**, 1929, Zwei neue *Eupithecia*en aus der Ausbeute des Herrn E. Pfeiffer, München, aus dem Taurus (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 19: 324-328, Taf.xxiv, xxv, 4 figs.
3122. **Wehrli, E.**, 1929, Zwei neue *Nychiodes*-Arten (Lepid., Geometridae). Int. ent. Z. 22 (42): 385-387.
3123. **Wehrli, E.**, 1931, Einige neue paläarktische Geometriden aus Syrien, Algerien und Sicilien (Lepid., Het.). Mitt. münch. ent. Ges. 21 (2): 41-46. [wrong page citation by Hausmann (1994: 78) as "41-51"; see Osthelder, L., 1931]
3124. **Wehrli, E.**, 1932, Neue Geometriden-Arten und -Rassen (Lepid. Het.) von der Maras-Expedition L. Osthelder u. E.Pfeiffer, München. Mitt. münch. ent. Ges. 22: 3-11.
3125. **Wehrli, E.**, 1932, Psychidae. [In] Osthelder, L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22 (2): 74.
3126. **Wehrli, E.**, 1933, Familie Psychidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 211-226. Stuttgart.

- 3127. Wehrli, E.**, 1934, Die Geometriden der Ausbeute des Herrn Ernst Pfeiffer und Herrn L. Osthelder München aus Marasch und Bertiz Jaila, Achyr Dag, Südost Taurus. [In] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 24: 1-18, 25-55, 2 Pls.
- 3128. Wehrli, E.**, 1934, Über neue palaearktische Geometrinae und ein neues Subgenus. Int. ent. Z. 27: 533-536, pl.
- 3129. Wehrli, E.**, 1936, Einige neue Arten und Rassen aus den Ausbeuten des Herrn Ernst Pfeiffer, München. Mitt. münch. ent. Ges. 26: 33-37, Taf.ii.
- 3130. Wehrli, E.**, 1936, Nouvelles espèces et races de Geometridae provenant des monts Elburs, du Caucase et de l'Asie Mineure. Amat. Papillons 1936: 151-155.
- 3131. Wehrli, E.**, 1938, Nachtrag zu meiner Arbeit in Nr. 31 d. J. Seite 354. Ent. Rdsch. 55: 433-435.
- 3132. Wehrli, E.**, 1938, Neue Gattungen, Untergattungen, Arten und Rassen von Geometriden (Lep.). Ent. Rdsch. 55: 354-360.
- 3133. Wehrli, E.**, 1939, Einige neue Arten und Rassen aus dem südwestlichen Iran und aus dem Irak, sowie ein neues Subgenus aus dem letzteren (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 29 (1): 69-77.
- 3134. Wehrli, E.**, 1939-1954, Subfamilie: Geometrinae. [In] Seitz, A., Die Gross-Schmetterlinge der Erde (Suppl.) 4: 254-685, Pls. Stuttgart.
- 3135. Wehrli, E.**, 1950, Die Einteilung der Gattung *Dyscia* Hbn. Ent. Ber., Amst. 13: 77-80, 6 figs.
- 3136. Wei, C.-H., Kun, A. & S.-H. Yen**, 2007, A preliminary analyses [sic!] of the phylogeny of the Ethmiinae moths (Lepidoptera, Gelechioidea) with special reference to the evolutionary patterns of host use. Acta zool. hung. 53 (Suppl.1): 61-100, figs.
- 3137. Weidemann, H. J.**, 1986, 1988, Tagfalter. Entwicklung, Lebensweise, Biologie, Ökologie, Biotopschutz. Band 1 (1986). Papilionidae, Pieridae, Lycaenidae. 286S. 240 Farbfotos. Band 2 (1988). Lycaenidae, Riodinidae, Nymphalidae, Satyridae, Hesperidae. 372S. 360 Farbfotos. JNN-Naturführer
- 3138. Weidenhoffer, Z. & J. Klir**, 2000, A new species of *Plebejus* Kluk, 1780 from Iran (Lepidoptera, Lycaenidae). Linneana Belg. 17 (7): 289-292, figs.
- 3139. Weidenhoffer, Z. & W. Eckweiler**, 1988, Notes on the status of *Armenia hyrcanica* (Riley, 1939) (Lepidoptera, Lycaenidae). Nota lepid. 10 (4): 241-246, 3 figs.
- 3140. Weisert, F.**, 1993, Liste der europäischen Noctuidae unter Einbeziehung der Kanarischen Inseln und der Türkei mit kritischen Anmerkungen zur Literatur (1). Z. ArbGem. Öst. Ent. 45: 57-62.
- 3141. Weisert, F.**, 1998, *Catocala catei* sp. nov., eine neue Noctuide aus der Türkei (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 50 (3/4): 125-126, figs.
- 3142. Weiss, D. & P. Skala**, 2000, A new subspecies of *Hyponephele* Muschamp, 1915 from western Turkey (Lepidoptera, Satyridae). Atalanta 31 (1/2): 129-133, pls. viii-ix.
- 3143. Weiss, D. & V. Major**, 2000, A new species of the genus *Melitaea* Fabricius, 1807 from Iran (Lepidoptera, Nymphalidae). Atalanta 31 (1/2): 123-128, pls. v-vii.
- 3144. Weiss, D.**, 1978, A new species of the genus *Hyponephele* Muschamp 1915 from West Iran (Lepidoptera, Satyridae). Atalanta 9 (3): 230-233, figs.
- 3145. Weiss, D.**, 1990, Results of Czechoslovak-Iranian Entomological Expeditions to 1970, 1973 and 1977 (together with results of collections made in Anatolia). Lepidoptera Rhopalocera. Acta ent. Mus. natn. Pragae 43: 215-235, 4 Taf.
- 3146. Weiss, J.-C.**, 1980, Le genre *Pseudochazara* de Lesse en Europe et en Afrique du Nord Description d'une sous-espèce nouvelle de *Ps. hippolyte* Esper (Lepidoptera Satyridae). Linneana Belgica 8(3): 98-108, 3 Pls.
- 3147. Weiss, J.-C.**, 1991-1992, The Parnassiinae of the World. 2 pts. 48pp + 87pp. Pls.
- 3148. Werneburg, A.**, 1865, Über das Lepidopteren-Genus *Colias*, wie es in Staudinger's Catalog aufgestellt ist. Stettin ent. Ztg. 26: 272-288.
- 3149. Werny, K.**, [1967], Untersuchen über die Systematik der Tribus Thyatirini, Macrothyatirini, Habrosynini und Tetheini (Lepidoptera, Thyatiridae). Inaugural-Dissertation, Universität des Saarlandes.
- 3150. Westwood, J. O.**, 1838-1840, An Introduction to the modern classification of Insects; founded on natural habits and corresponding organization of different families. 2 vols. Logman. London.
- 3151. Whalley, P. E. S.**, 1963, A Revision of the World species of the genus *Endotricha* Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs.

- 3152. Whalley, P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9 (10): 561-618, figs.
- 3153. Whalley, P.E.S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London.
- 3154. Whalley, P.E.S.**, 1973, The genus *Etiella* Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls.
- 3155. Wheeler, G.**, 1903, The butterflies of Switzerland and the Alps of the Central Europe. Elliott Stock, London.
- 3156. Wheeler, G.**, 1943, Notes on a box of Turkish butterflies sent by Dr. Burr. Entomologist's Rec. J. Var. 55: 38-40.
- 3157. Wiegel, K.-H.**, 1984, *Zygaena* (*Mesembrynus*) *lydia* (Staudinger, 1887) mit Beschreibung einer neuen Unterart (Lepidoptera, Zygaenidae). Entomofauna 5 (5): 53-67, 26 figs.
- 3158. Wiemers, M.**, 2003, Chromosome differentiation and the radiation of the butterfly subgenus *Agrodiaetus* (Lepidoptera, Lycaenidae, *Polyommatus*) - a molecular phylogenetic approach. Dissertation. Bonn.
- 3159. Wiemers, M., Stradomsky, B.V. & D.I. Vodolazhky**, 2010, A molecular phylogeny of *Polyommatus* s.str. and *Plebicula* based on mitochondrial COI and nuclear ITS2 sequences (Lepidoptera, Lycaenidae). Eur. J. Ent. 107: 325-336, figs. [important references are missing! Obviously non ethical approach].
- 3160. Willmott, K.R.**, 2003, Cladistic analysis of the Neotropical butterfly genus *Adelpha* (Lepidoptera, Nymphalidae), with comments on the subtribal classification of *Limenitini*. Syst. Ent. 28: 279-322, figs.
- 3161. Wiltshire, E.P.**, 1938, Notes on the winter flight; in mild climates, of vernal and autumnal moths. Entomologist's Rec. J. Var. 50: 144-146.
- 3162. Wiltshire, E.P.**, 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. Entomologist's Rec. J. Var. 53: 101-106.
- 3163. Wiltshire, E.P.**, 1941, The summer flight; in cold climates of vernal and autumnal Lepidoptera. Entomologist's Rec. J. Var. 53: 4-7.
- 3164. Wiltshire, E.P.**, 1943, Early stages of Oriental Palaearctic Lepidoptera V. J. Bomb. nat. Hist. Soc. 43 (4): 621-634, 2 pls.
- 3165. Wiltshire, E.P.**, 1946, Middle East Lepidoptera, V. A new genus, a new species, and two new races from Iran, with taxonomic notes on other Persian Heterocera. Proc. R. ent. Soc. Lond. (B) 15 (9/10): 118-128, pl.1
- 3166. Wiltshire, E.P.**, 1957, The Lepidoptera of Iraq. Nicholas Kaye Ltd. London.
- 3167. Wiltshire, E.P.**, 1958, New species and forms of Lepidoptera from Afghanistan and Iraq. J. Bomb. nat. Hist. Soc. 55 (2): 228-237, 1 Pl., figs.
- 3168. Wiltshire, E.P.**, 1964, Geometridae new for Turkey discovered in 1939-1942 by J. Romieux (Middle East Lepidoptera xvii). Mitt. ent. Ges. Basel 14: 151-153.
- 3169. Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 9. Subfamilie Sterrhinae (Lep., Geometridae). Middle East Lepidoptera XXII. Z. wien. ent. Ges. 51: 113-138, 4 Taf., 32 figs.
- 3170. Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna 6. Subfamilien Alsophilinae und Geometrinae (Lepidoptera, Geometridae). Middle East Lepidoptera xxi. Z. wien. ent. Ges. 51: 27-32, Taf.2.
- 3171. Wiltshire, E.P.**, 1970, A review of the genus *Pericyma* Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs.
- 3172. Wiltshire, E.P.**, 1976, Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. Z. ArbGem. öst. Ent. (1975) 27 (3/4): 73-84, 7 figs. 2 Pls.
- 3173. Wiltshire, E.P.**, 1979, A revision of the Armadini (Lep., Noctuidae). Entomonograph 2: 1-78, 20 text-figs. 198 plate-figs. Denmark.
- 3174. Wiltshire, E.P.**, 1993, Middle East Lepidoptera 50: Notes on some hitherto misunderstood forms near *Polymixis bischoffii* (Herrich-Schäffer, 1850) (Noctuidae). Nota lepid. 15 (3/4): 257-267, 13 figs.
- 3175. Witt, T.**, 1974, *Peridea korbi* Rebel, bona species, und ihre Rassen (Lep., Notodontidae). Z. ArbGem. öst. Ent. 24(3): 89-102, 2 Taf.
- 3176. Witt, T.**, 1979, *Lemonia pia friedeli* n.ssp. (Lepidoptera, Lemoniidae). Z. ArbGem. öst. Ent. 31 (1/2): 17-20, figs.

- 3177. Witt, T.**, 1980, Die Verbreitung und Rassenbildung von *Ocnogyna parasita* (Hübner, 1790) (Lepidoptera, Arctiidae). Mitt. münch. ent. Ges. 69: 133-165, 59 figs.
- 3178. Witt, T.**, 1980, Melanismus und geographische Variabilität bei *Notodonta dromedarius* (Linné, 1767) (Lepidoptera, Notodontidae). Entomofauna 1 (7): 73-91, Abb.
- 3179. Witt, T.**, 1981, Neue Funde von *Phragmacossia albida* (Erschoff, 1874) und *Hepialus adriaticus* Osthelder, 1931 (Lepidoptera, Cossidae, Hepialidae). Entomofauna 2 (11): 133-149, figs.
- 3180. Witt, T.**, 1981, *Trichiura verenae* sp.n. (Lepidoptera, Lasiocampidae). Entomofauna 2 (23): 263-284, figs.
- 3181. Witt, T.**, 1982, Die Verbreitung von *Lasiocampa grandis* (Rogenhofer, 1891) in Europa (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 31 (2): 27-31, map.
- 3182. Witt, T.**, 1982, Eine neue Unterart von *Axia theresiae* (Korb, 1899) aus der Türkei und Bemerkungen zum Typenverbleib der von Dr. Werner Marten aufgestellten Taxa der Gattung *Axia* Hübner, [1821] 1816 (Lepidoptera, Axiidae). Entomofauna 3 (11): 145-158, figs.
- 3183. Witt, T.J.**, 1983, *Stygia mosulensis* Daniel, 1965 (Lepidoptera, Cossidae) new for Iran. Entomologist's Gaz. 34: 236.
- 3184. Wnukowsky, W.**, 1929, Einige Nomenklatur-Notizen über die paläarktischen Lepidopteren. Zool. Anz. 83: 221-224.
- 3185. Wocke, M.**, 1861, Microlepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. 85-192S. Dresden.
- 3186. Wocke, M.**, 1871, Microlepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. 201-426S. Dresden.
- 3187. Wyatt, C.W.**, 1968, Eine neue Rasse von *Brenthis hecate* W.V. aus Iran. Z. wien. ent. Ges. 53: 29-30, 4 figs.
- 3188. Wytsman, P.**, 1902, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 4. Leptocircinae. Bruxelles.
- 3189. Yakovlev, R.V. & T.J. Witt**, 2016, A world catalogue of *Phragmataecia* (Lepidoptera, Cossidae) with a new species from Kazakhstan and Kyrgyzstan. Zootaxa 4085 (4): 589-600, figs.
- 3190. Yakovlev, R.V. & T.J. Witt**, 2016, Cossidae (Lepidoptera) of Pakistan. Biol. Bull. Bogdan Chmel'n. Melit. St. Ped. Univ. 6 (2): 67-76, figs.
- 3191. Yakovlev, R.V. & T.J. Witt**, 2017, Taxonomic notes about *Paropta* Staudinger, 1899 (Lepidoptera, Cossidae). Zool. Middle East 63: 6 pp. & figs.
- 3192. Yakovlev, R.V.**, 2006, A revision of carpenter moths of the genus *Holcocerus* Staudinger, 1884 (s.l.). Eversmannia Suppl. 1: 1-104, figs. Tula.
- 3193. Yakovlev, R.V.**, 2011, Catalogue of the family Cossidae of the Old World. Neue ent. Nachr. 66: 1-129.
- 3194. Yakovlev, R.V.**, 2015, A new species of *Isoceras* Turati, 1924 (Lepidoptera, Cossidae) from Armenia. Zootaxa 3990 (1): 147-150, figs.
- 3195. Yang, L., Wang, S. & H. Li**, 2014, A taxonomic revision of the genus *Edosa* Walker, 1886 [recte 1866] from China (Lepidoptera, Tineidae, Perissomasticinae). Zootaxa 3777 (1): 1-102, figs.
- 3196. Yela, J.L., Honey, M.R. & L. Ronkay**, 1997, The identity and systematic placement of *Pechipogo plumigeralis* Hübner, [1825], *Herminia crinalis* Treitschke, 1829 and *H. simplicicornis* Zerny, 1935 (Lepidoptera, Noctuidae, Herminiinae). Ent. scand. 28: 189-197, figs.
- 3197. Yen, S.-H. & J. Minet**, 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs.
- 3198. Yıldız, Y. & H. Ayberk**, 2017, Notes on rare and little known species of Oecophoridae (Lepidoptera); *Eratophytes amasiella* and *Dasycera imitatrix* from Turkey. J. Bartın Fac. Forest. 19 (1): 223-226, figs.
- 3199. Ylla, J., Zilli, A. & R. Macia**, 2012, *Polyocha cremoricosta* Ragonot, 1895 en la Peninsula Iberica (Lepidoptera, Pyralidae, Phycitinae, Anerastiini). Shilap Revta. lepid. 40 (159): 299-310, figs.
- 3200. Yoshimoto, T.**, 1989, An entomologizing trip around Turkey. Yadoriga 136: 10-18, figs.
- 3201. Yu Feng, H. & J.A. Powell**, 2004, Phylogenetic relationships within Heliodinidae and Systematics of Moths formerly assigned to Heliodines Stainton (Lepidoptera, Yponomeutoidea). Publisher Univ of California Press.
- 3202. Yurtcan, M. & Z. Okyar**, 2008, *Nothris verbascella* (Denis & Schiffermüller, 1775) (Lepidoptera, Gelechiidae) from Turkey and its two new ichneumonid parasitoids. Ent. News 119 (3): 318-321.
- 3203. Zagulyaev, A.K.**, 1955, The genus *Monopis* Hb. (Lepidoptera, Tineidae) and its new species. Trudy zool. Inst. Leningr. 15: 154-169, figs.

- 3204. Zagulyaev, A.K.**, 1960, Clothes moths (Tineidae). Subfamily Tineinae. Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4,3 (n.s.) 78: 1-267, figs. Moscow / Leningrad.
- 3205. Zagulyaev, A.K.**, 1973, Clothes moths (Tineidae). Subfamily Scardiinae. Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4,4 (n.s.) 104: 1-127, figs. Moscow / Leningrad.
- 3206. Zagulyaev, A.K.**, 1975, Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4 no 5 Nastoyashchie Moli (Tineidae). 547pp., figs. Nauka Publishers, Leningrad.
- 3207. Zagulyaev, A.K.**, 1982, New and little known species of moths (Lepidoptera, Tineidae, Micropterigidae, Pterophoridae) of the USSR and adjacent territories. Ent. Obozr. 1982: [engl. transl. Ent. Rev. 1983 (1): 93-109, 20 figs.
- 3208. Zagulyaev, A.K.**, 1999, New and little known moths (Lepidoptera, Thyrididae, Brachodidae) of the fauna of Russia and neighboring territories XI. Ent. Obozr. 78 (4): 896-909, figs.
- 3209. Zaspel, J.M. & M.A. Branham**, 2008, World checklist of Tribe Calpini (Lepidoptera, Noctuidae, Calpinae). Insecta Mundi 47: 1-15.
- 3210. Zeller, P.C.**, 1839, Kritische Bestimmung der in DeGeers Memoiren enthaltenen Schmetterlinge Isis 1839 (3): 243-349.
- 3211. Zeller, P.C.**, 1839, Versuch einer naturgemässen Eintheilung der Schaben. Tinea. Isis 32 (2): 167-222.
- 3212. Zeller, P.C.**, 1841, Vorläufer einer vollständigen Naturgeschichte der Pterophoriden. Isis 1841: 755-795, 827-893.
- 3213. Zeller, P.C.**, 1844, Monographie des Genus Hyponomeuta. Isis 1844 (3): 198-238, 2 Pls.
- 3214. Zeller, P.C.**, 1846, Beschreibung der Trichosoma löwii nov. sp. nebst Bemerkungen über Carrenno's "Insecte, dont l'ordre est incertain". Stettin ent. Ztg. 7: 5-11.
- 3215. Zeller, P.C.**, 1846, Die Arten der Blattmirengattung Lithocolletis. Linn. Ent. 1: 166-261, Tab.1.
- 3216. Zeller, P.C.**, 1846, Die Arten der Gattung Eudorea. Linn. Ent. 1: 262-318, Tab.2.
- 3217. Zeller, P.C.**, 1846, Die knotenhornigen Phyciden. Isis 1846 (10): 175-302.
- 3218. Zeller, P.C.**, 1847, Bemerkungen über die auf einer Reise nach Italien und Sicilien gesammelten Schmetterlingsarten. Isis 1847: 121-159, 213-233, 284-308, 401-457, 483-522, 561-594, 639-673, 721-771, 800-859, 880-914.
- 3219. Zeller, P.C.**, 1847, Verzeichnis der vom Professor Dr. Loew in der Turkey und Asien gesammelten Lepidoptera. Isis, Leipzig 1847: 3-39.
- 3220. Zeller, P.C.**, 1848, Die Gallerien und nachthornigen Phycideen. Isis 1848: 569-618, 641-691, 721-754. Leipzig.
- 3221. Zeller, P.C.**, 1849, Beitrag zur Kenntniss der Coleophoren. Linn. Ent. 4: 191-416.
- 3222. Zeller, P.C.**, 1849, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 10: 200-223, 231-256, 275-287, 312-317.
- 3223. Zeller, P.C.**, 1850, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 11: 59-64, 134-136, 139-162, 195-212.
- 3224. Zeller, P.C.**, 1851, Drei Schabengattungen: Incurvaria, Micropteryx und Nemophora. Linn. Ent. 5: 301-362.
- 3225. Zeller, P.C.**, 1852, Die Schaben mit langen Kiefertastern. Linn. Ent. 6: 81-197.
- 3226. Zeller, P.C.**, 1852, Lepidoptera Microptera quae J.A.Wahlberg in Caffrorum terra collegit. K. svenska Vetensk. Akad. Handl. 1852: 1-120.
- 3227. Zeller, P.C.**, 1852, Revision der Pterophoriden. Linn. Ent. 6: 319-413.
- 3228. Zeller, P.C.**, 1854, Die Depressarien und einige ihnen nahe stehenden Gattungen. Linn. Ent. 9: 189-403, Tab.2.
- 3229. Zeller, P.C.**, 1855, Die Arten der Gattung Butalis. Linn. Ent. 10: 196-269.
- 3230. Zeller, P.C.**, 1867, Einige von Herrn Pickard Cambridge, besonders in Aegypten und Palaestina gesammelte Mikrolepidopteren. Stettin ent. Ztg. 28: 365-387.
- 3231. Zeller-Lukashort, H.C., Kurz, M.E., Lees, D.C. & M.A. Kurz**, 2007, A review of Micropterix Hübner, 1825 from northern and central Europe (Micropterigidae). Nota lepid. 30 (2): 235-298, figs.
- 3232. Zerny, H.**, 1914, Über paläarktische Pyraliden des k. k. naturhistorischen Hofmuseums in Wien. Annln. naturh. Mus. Wien 28: 295-348, 2 Taf.
- 3233. Zerny, H.**, 1927, Pammene cupressana nov. spec. Verh. zool.- bot. Ges. Wien 77: (4)-(5).
- 3234. Zerny, H.**, 1930, Pyralidae-Tineidae. [In] Wagner, F., Zweiter (III.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 25 (2): 16-22.
- 3235. Zerny, H.**, 1931, Beiträge zur Kenntnis der Syntomiden. Dt. ent. Z., Iris 45: 1-27.

- 3236. Zhang, X., Li, H.H. & S.C. Yan,** 2008, Review of the genus *Ancylis* Hübner from China (Lepidoptera, Tortricidae, Olethreutinae). *J. Nat. Hist.* 42 (27/28): 1805-1839, figs.
- 3237. Zhdanko, A.B.,** 1993, Systematics and distribution of *Thersamonolycaena* Vrtý. (Lepidoptera, Lycaenidae). *Ent. Obozr.* 72(1): 134-142, 18 figs. [in Russian].
- 3238. Zhdanko, A.B.,** 1994, *Farsia* subgen.n.- A new subgenus of the genus *Vacciniina* (Lycaenidae, Lepidoptera) from the Middle Asia. *Ent. Obozr.* 73: 151-154, figs. [in Russian].
- 3239. Zhdanko, A.B.,** 1994, Systematics and distribution of Lycaenidae of the genus *Thersamonia* (Lepidoptera) [sic]. *Ent. Obozr.* 73(1): 144-152, 21 figs. [in Russian].
- 3240. Zilli, A.,** 1992, Remarks on the taxonomic value of male abdominal brush-organs: the case of *Apamea moroccana* (Zerny, 1934), *bona* sp. (Lepidoptera, Noctuidae). *Esperiana* 3: 19-32, figs.
- 3241. Zilli, A.,** 1994, Remarks on European *Myxinia* Species (Lepidoptera, Noctuidae). *Atalanta* 25 (1/2): 359-364.
- 3242. Zimsen, E.,** 1964, The type material of I.C. Fabricius. 656 pp. Kopenhagen.
- 3243. Zlatkov, B. & Y.I. Budashkin,** 2012, Taxonomic and distributional remarks on some Palaearctic *Cydia* of the *succedana*-group with descriptions of two new species (Tortricidae). *Nota lepid.* 35 (1): 97-107, figs.
- 3244. Zlatkov, B., Junnilainen, J. & O. Karsholt,** 2018, *Araeopteron ecphaea*, a new addition to the Bulgarian fauna (Insecta, Lepidoptera, Erebididae). *ZooNotes* 128: 1-4, figs.
- 3245. Zolotuhin, V.V. & A. Saldaitis,** 2009, A new species of *Trichiura* Stephens, 1828 (Lepidoptera, Lasiocampidae) from Lebanon. *Entomofauna* 30 (4): 53-60, figs.
- 3246. Zolotuhin, V.V. & R. Zahiri,** 2008, The Lasiocampidae of Iran (Lepidoptera). *Zootaxa* 1791: 1-52, figs.
- 3247. Zolotuhin, V.V.,** 1993, *Lemoniidae* (Lepidoptera) of the Caucasus. *Ent. Obozr.* 73 (2): 94-101 [engl. transl. *Ent. rev.* 73 (5): 148-155, 3 figs., 1994]
- 3248. Zolotuhin, V.V.,** 1998, Further synonymic notes in the Lasiocampidae with the description of a new *Euthrix*-species (Lepidoptera, Lasiocampidae). *Entomofauna* 19 (2): 53-74, 23 figs.
- 3249. Zolotuhin, V.V.,** 2007, On the identity of the Turkish species of *Eriogaster rimicola*-group (Lasiocampidae). *Nota lepid.* 30: 45-50, figs.
- 3250. Zukowsky, B.,** 1936, Neue Arten und Formen der paläarktischen Familien Aegeriidae und Cossidae (Lep.). *Ent. Rdsch.* 53: 534-537, Abb.
- 3251. Zukowsky, B.,** 1937, Reisebericht über entomologische Aufsammlungen im nordöstlichen Anatolien (westliches Armenien) 1934 (Lep.). *Ent. Rdsch.* 55: 1-6, 13-14, 27-30, 37-40.
- 3252. Zukowsky, B.,** 1938, Herbstreise nach Kleinasien, Nordost-Anatolien und zilizischer Taurus (Lep.). *Ent. Rdsch.* 55: 529-531, 623-627, 648-651, 657-659, 708.
- 3253. Zukowsky, B.,** 1941, Siwas und Akschehir 1937 (Lep.). *Ent. Z., Frankf. a. M.* 54: 266-272.

Memoirs

ISSN 1015-8227 (print version)

Memoirs, established in 1991, is a peer reviewed, currently online serial of the Centre for Entomological Studies Ankara (Cesa). It has been suspended between 1995-2006, available again from December 2007 on as online. It appears at irregular intervals as PDF format and includes original large articles of the research workers of the Centre, regarding on various entomological subjects, taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication language is English or Turkish.

Memoirs is regularly archived online at "Internet Archive" since 2011, in accordance with the publication rules of the ICZN. Memoirs is an open-access serial, distributed under the terms of the "Creative Commons Attribution License", which permits free use, and distribution in any medium, provided the original author(s) and source are credited.

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/> - Digital Library of the Cesa: <https://archive.org/details/@cesa>

Scientific Serials: Priamus & Priamus Supplement (print and online versions) (ISSN 1015-8243)¹, Miscellaneous Papers (print and online versions) (ISSN 1015-8235)², Memoirs (print and online versions) (ISSN-8227)³, DVD Films⁴, Iconographia Insectorum⁵ (online), Cesa Publications on African Lepidoptera (online)⁶, Cesa News (online)⁷, Cesa Books (online)⁸

Owners / Sahipleri - Editors / Yayıncılar: Prof. em. Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey).

Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey).

Chief referees of all Scientific Serials of the CESA: Prof. em. Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

Expert referees according to the subject areas: Dr Peter Huemer (Austria): Gelechiidae, and some Microlepidoptera groups in Palaearctic (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G. Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr Suat Kıyak (Turkey): Hemiptera, Hymenoptera (Cynipidae).

Plant taxonomy, flora and vegetation: Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Van Yüzüncü Yıl University, Van, Turkey).

Molecular studies: Asst. Prof. Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).

Editorial policy: The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em. Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All the serials of the Cesa are archived regularly by the Internet Archive
(300 Funston Ave., San Francisco, CA 94118, U.S.A.),
in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)
<https://archive.org/>

also recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom
<https://clarivate.com/>

¹ <http://www.cesa-tr.org/Priamus.htm> <http://www.cesa-tr.org/Pri.htm>

² <http://www.cesa-tr.org/Miscell.htm>

³ <http://www.cesa-tr.org/Memoirs.htm>

⁴ <http://www.cesa-tr.org/CDF.htm>

⁵ <http://www.cesa-tr.org/Icon.htm>

⁶ <http://www.cesa-tr.org/CPAL.htm>

⁷ <http://www.cesa-tr.org/Cesanews.htm>

⁸ <http://www.cesa-tr.org/Cesabooks.htm>